

# □GTerm for Windows Version 3.0

□@□@fXfNfŠfvg□õ^ø

□@□@Šî- { %oođ□à •İ□", İŽg, ç •û  
□@□@ŠÖ□", É, Ä, ç, Ä %oo%ooZZZq, É, Ä, ç, Ä

Ž®, É, Ä, ç, Ä

□@□@Šî- { CEn

wait                    send  
sendwrap  
timeout, millitimeout  
sleep, millisleep  
getchar                getline  
waitchatinput

□@□@fXfNfŠfvg—→, ê□šCEäCEn

if                        beginloop  
switch                 loopswitch  
while                   call, callvarlabel  
return                 hangup  
exit                    closehideterm  
error                   connect  
goto                    checklabel

□@□@□Y'èCEn

keyboard                        setup  
title                            chat  
sethlight                        port  
keyassign                        afterhangup  
ime                                endscroll  
getchat                         setchat  
setautohangup                   gethostname  
display  
setportno  
sound    setchatfiler  
font

□@□@ftf@fCf<“]’—CEn

log                                upload  
download                         sendclipbrd  
setupdownfile

□@□@f□fbfZ□lfWCEn

message                      question  
timeoutmessage            timeoutquestion  
input, secretinput  
inputfilename  
menu, numbermenu  
addmenu, addnumbermenu, showmenu  
debuginfo

**␣@␣@ftf@fCf<CEn**

chdir                      restoredir  
openfile                  createfile  
appendfile                readfile  
writefile                  closefile  
delfile                    copyfile  
renamefile  
getini                    putini  
createtempfile  
getwindir, getwinsysdir, getcurrentdir, gethidetermdir

**␣@␣@,c,c,dCEn**

ddeinitiate                      ddeterminate  
dderequest                    ddeexecute  
ddepoke

**␣@␣@fCfWfXfgfŠCEn**

openreg                    createreg  
writeregstr                  writeregint  
getreg                    closereg

**␣@␣@,»,l'¼**

readbuffer                  writebuffer, writebuffer2  
writelog  
sendbreak                      play  
getdate                    gettime                    getweek  
datetolinear  
run, runsync,runsync2 savebuffer  
window                    getversion  
clearbuffer

## Šî- { % ð à

□@□GTerm,lfXfNfŠfvfg,í□AfzfXfg,Æ,ì%oĩ~b,ðŽ©“®“l,É□s,α,½,β,É—  
p^Ó,<sup>3</sup>,ê,Ä,ç,Ü,·□B^Ê%oº,ì,æ,α,É•ª-ì,Ö,ì—~—p,É,Æ,Ä,à•Ö—~,Å,·□B

□|  
□@f□l□f□g□f□Of□C□f□□B“d~b,<sup>a</sup>,Â,È,<sup>a</sup>,Á,½CEä,Éft□[fU,h,c,âfpfXf□□[fh,ð  
Ž©“®“l,É“ü—í,μ,½,è□AŠeŽÍVANfT□[frfX,Æ,ì'ĩ~b,É—p,ç,é□B

□|□@“d~b,ìŽ©“®□Ø'f□BfzfXfg,<sup>a</sup>“d~b,ðŽ©“®“l,É□Ø,Á,Ä,-  
,è,É,ç□ê□±,É□Af□f□Of□lftŽž,ÉfzfXfg,<sup>a</sup>—,Á,Ä,,é•¶Žš—  
ñ,ðŽ~•É,μ,Ä,»,è,É,æ,è“d~b,ðŽ©“®“l,É□Ø,é□B

□|□@%oĩ<cŽº,ìŽ©“®□,,%oñ□B-^“ú□,,%oñ,·,é  
%oĩ<cŽº,ðŽ©“®□,,%oñ,μ□Af□f□O,É—Ž,Æ,μ,½,è□A,<sup>3</sup>,ç,É,»,ì, ,ÆMLT  
OI“™,lf□f□Of□uf%ofEfU,ð<N“®,,·,é□B

□|□@,»,ì¼□A“ú□í'É□M<Æ-±,ìŽ©“®%o»□B

□@fXfNfŠfvfgftf@fCf<,í^è”Ê,lfefLfXfgfGfffBf^,ð—p,ç,Ä□ì□¬,μ,Ä,-  
,¾,<sup>3</sup>,ç□BŠg'£Žq,í.SCR,É,μ,Ä,-  
,¾,<sup>3</sup>,ç□B□GŠÛfGfffBf^,È,ñ,©,<sup>a</sup>,“Š©,β,Å,·(^ ^;

□@  
%oĩ<cŽº,ìŽ©“®□,,%oñ“™,ì□,“x,ÈfXfNfŠfvfg,í□ì,é,ì,<sup>a</sup>,Æ,Ä,à'â•ĩ,Å,·,ì,Å□  
Afpf□□[f□[fU,ì•û□X,ì—D□G,È□ì•i,ð,<sup>2</sup>—~—p,ç,½,¾,ì,<sup>a</sup>•Ö—~,Å,·□B

□@fXfNfŠfvfg,lfRf}f“fh,í,P□s,É,P,Â,<sup>¾</sup>,~Žw'è□o—^,Ü,·□BfRf}f“fh,É,lfpf  
%of□f^□i^ø□”□j,<sup>a</sup>t,,à,ì,à, ,è,Ü,·□B

□@•i□”,lfpf%of□f^,ðŽw'è,·,é□ê□±,í□A,»,è,ç,ðfRf“f}  
,Å<æ□Ø,è,Ü,·□B,½,¾,μ□A^è•“<ó”,Å<æ□Ø,é□ê□±,à, ,è,Ü,·□B

□@fpf%of□f^,ì□”,<sup>a</sup>½,ç□ê□±,í□A□s--É□u\  
□v,ð•t,~,Å•i□”□s,É,Ü,½,<sup>a</sup>,Ä,Ä<L□q,·,é,±,Æ,<sup>a</sup>,Å,«,Ü,·□B

□@—á□F  
□@□@wait "ABC", "DEF", "GHI", \  
□@□@□@□@“JKL”, "MNO"

□@fRf}f“fh,É,í□l—¹fR□[fh,ðŽ□,Ä,à,ì,<sup>a</sup>, ,è,Ü,·□B□l—  
¹fR□[fh,í,»,ìCEä,É□ðCE□”»è•¶,ð'g,Ý□±,í,<sup>1</sup>,é,±,Æ,É,æ,Á,Ä,ç,ë,ç,ë,È□^  
—□,É%oŽ—p,Å,«,Ü,·□B

□@—á□F

␣@␣@menu "ABC", "DEF"  
␣@␣@if( result == 0 ) goto Abc

␣@fZf~fRf␣f“ ,ªĈ» ,ê ,é ,Æ␣A ,» ,ì Ê' u , © ,ç ,» ,ì␣s ,ì , , í , è , Ü , Å , í f R f ␣ f “ f g , Æ , Ý , Ê , ³ , ê , Ü , : ␣B

␣@fXfNfŠfsvfg , ì † , Å Ž w ' è , Å , « , é • ¶ Ž š —  
ñ␣if\_fuf<fNfH␣[fe␣[fvf#f“ , Å ^ í , p , à , ì␣j , í ' : , ³ , ª , Q , T , O • ¶ Ž š , ð % o z , | , È , ç , æ , x , É , μ , Å , , ¾ , ³ , ç ␣B , » , ê , æ , è ' : , ç • ¶ Ž š — ñ , í Ž w ' è , Å , « , Ü , ¹ , ñ ␣B

␣@fRf}f“fh , í␣A ' å • ¶ Ž š , Å , à ␣ ¬ • ¶ Ž š , Å , à , © , Ü , ç , Ü , ¹ , ñ ␣B

␣@fXfNfŠfsvfg , ì Š î - { , í␣A␣ufzfXfg , © , ç • ¶ Ž š —  
ñ , ð Ž ó , ~ Ž æ , è ␣A , » , ê , É ' í , : , é ␣ ^ — ␣ , ð , : , é ␣ v , ì , , è • Ô , μ , É , È , è , Ü , : ␣B , Ü , , , í , ± , ì Ž è ␣ † , ð f } f X f ^ ␣ [ , μ , Ü , μ , å , x ␣B

•iï",lžg,ç•û

□@□GTerm,Å,í□A•iï",đŽg,α,±,Æ,ª,Å,«,Û,·□B•iï",í□A"C^Ó,ì•ŕŽš—  
ň,Û,½,í□"l,đ<L%o~,·,é,±,Æ,ª,Å,«,Û,·□B

□@□GTerm,ì•iï",É,í□A□u  
%oi<v"l•iï"□v,Æ□A□u^êŽž"l•iï"□v,Æ□ufOf□□[fof<•iï"□v,ì,QŽí—p,ª,è,  
Û,·□B%oi<v"l•iï",í□GTerm,đ□l—¹,μ,Ä,à%oi<v,É<L  
%o~,³,ê,Û,·□BfOf□□[fof<•iï",Æ^êŽž"l•iï",íXfNfšfvfg,lžÀ□s,đ□l—  
¹,μ,½Žž"\_,Å□Å,ì,Ä,μ,Û,ç,Û,·□B

□@fOf□□[fof<•iï",í□A,ç  
,í,ä,éfOf□□[fof<,É•iï",Å,·,ª□A^êŽž"l•iï",íTfuf<□[f`f",ìt,¾,·,Åf□□[ffj<,É  
•iï",Å,·□B

□@,³,ç,É"Á•É,È•iï",Æ,μ,Ä□AfpfXf□□[fh•iï",Æ,ç,α,ì,ª,è,Û,·□B,±  
,ê,í□AŠî-{ "l,É,í%oi<v"l•iï",Æ"—,ŕ,Å,·,ª□A•iï",ì"à—  
e,ª¼,©,ç,íŠÈ'P,ÉŽQ□Æ,Å,«,È,ç•iï",Å,·□B,μ,½,ª,Ä,Ä□AfpfXf□□[fh"™,ì  
'¼□l,É'm,ç,ê,½,È,ç,æ,α,Éî•ň,đ<L%o~,·,é,ì,É•Ö—~ ,Å,·□B

□@%oi<v"l•iï",·,æ,ŇfpfXf□□[fh•iï",í□A•ŕŽš—ň,ì,Ý,đ<L%o~,·,é,±  
,Æ,ª,Å,«,Û,·□B^êŽž"l•iï",í□A□"l,Û,½,í•ŕŽš—ň,đ<L%o~,·,é,±  
,Æ,ª,Å,«,Û,·□B

□@•iï",í□A□æ"ª,É□u,±,ê,í•iï",Å,·,é□v,Æ,ç,α,±,Æ,đ•\  
,<L□t,ª,t,«,Û,·□B,» ,ì<L□t,É,æ,Á,Ä□A•iï",lží—  
p,ªÆ^ ,Û,è,Û,·□B□æ"ª,ì<L□t,í^É%oº,ì,Æ,α,è,Å,·□B

□@□@% ... %oi<v"l•iï"□i•ŕŽš—ň□j  
□@□@% ... fpfXf□□[fh•iï"□i•ŕŽš—ň□j  
□@□@# ... ^êŽž"l•iï"□i•ŕŽš—ň□j  
□@□@## ... ^êŽž"l•iï"□i□"l□j  
□@□@@ ... fOf□□[fof<•iï"□i•ŕŽš—ň□j  
□@□@@@ ... fOf□□[fof<•iï"□i□"l□j

□@,È,ň,©"□^ê,ªŽæ,ê,Ä,È,ç<K—  
ň,Å,·,ª□Afo□[fWf#f" fAfbfv,·,é□Û,É^È'Ö,ì"Å,Æ,ìÆÝŠ,đŽæ,é,½,ß,±,α  
,È,Å,Ä,μ,Û,ç,Û,μ,½□Bm(.\_)m

□@•iï",ì-¼'Ö,í□A"K"—,Å,©,Û,ç  
,Û,¹,ň□BŠžŽš,àŽg,ì,é,ì,·,Å,·□B,½,¾□A•iï"—  
¼,ì',³,í,R,Ö•ŕŽš'ö"x,Û,Ä,É,μ,Ä,¾,³,ç□B•iï"—  
¼,Å,íâ•ŕŽš□^□→•ŕŽš,ªæ•É,³,ê,Û,¹,ň□B—  
á,ì,í□A#a,Æ#a,í"~,ŕ•iï",Æ,Ý,È,³,ê,Û,·□B,ž,È,Ý,É#a,Æ##a,í•É,ì•iï",  
Æ,È,è,Û,·□B

□@•İ□",É'l,đ'ã"ü,·,é,É,Í□A=,đŽg,ç,Ü,·□B=,İ□¶'α,É•İ□"-¼□A%oE'α  
,<sup>a</sup>Ž® ,Ä,·□B

□@—á□F□@#a = "ABC"  
□@□@□@□@# #a = ##a + 1

□@•¶Žš—ñ•İ□",É<L%o<sup>-</sup>,Ä,« ,é•¶Žš—  
ñ,İ'·,<sup>3</sup>,Í1023•¶Žš,Ü,Ä,Ä,·□B,» ,ê^È□ã,İ□Ø,èŽì,Ä,ç,ê,Ü,·□B□"'l•İ□",Í,Sfof  
Cfg,Ä•\CE»%oÄ"\,É'l,đ<L%o<sup>-</sup>,·,é,±,Æ,<sup>a</sup>,Ä,« ,Ü,·□B•%o,İ□",à<L  
%o<sup>-</sup>,Ä,« ,Ü,·□B•¶Žš—ñ•İ□",æ,è,à□"'l•İ□",İ•û,<sup>a</sup>CEø—l,<sup>a</sup>,ç,ç,Ì,Ä,È,é,x,-  
□"'l,Ä•\CE»%oÄ"\,È,à,Ì,İ□"'l•İ□",đŽg,α,±,Æ,đ, "Š©,β,μ,Ü,·□B

□@fOf□□[fof<•İ□",â  
%oi<v"l•İ□",İ□A,·,x,Ä,İfXfNfŠfVfg,©,çfAfNfZfX,Ä,« ,é"½-  
É□A'¼,İfXfNfŠfVfg,<sup>a</sup>,½,Ü,½,Ü"<sup>-</sup>,¶-¼'O,İ•İ□",đŽg,α,ÆCEÄ,ç"à—  
e,<sup>a</sup>ã□',« ,<sup>3</sup>,ê,Ä,μ,Ü,ç,Ü,·□B,μ,½,<sup>a</sup>,Ä,Ä□A, ,Ü,èŠÉ'P,È-¼'O,đ•t,<sup>-</sup>,È,ç  
,æ,α□SS|,<sup>-</sup>,Ä,,¾,<sup>3</sup>,ç□B

"z—ñ,İŽg,ç•û

□@Version2.00,©,ç"z—ñ,<sup>a</sup>Žg,l,é,æ,α,É,È,è,Ü,μ,½□B•İ□"-  
¼,İCEã,ë,ÉŠpfjfbfR,Ä"z—ñ,Ì"Ö□†,đŽw'è,μ,Ä,â,é,¾,<sup>-</sup>,Ä"z—  
ñ•İ□",<sup>a</sup>Žg,l,Ü,·□B

□@—á□G  
#a[0] = "A"  
#a[1] = "B"  
#a[##b] = "C"  
message #a[ 1 + 2 + ##c ]

□@ŠpfjfbfR,Ì'†,İ□"'l,Ä,È,<sup>-</sup>,ê,Î,ç,<sup>-</sup>,Ü,<sup>1</sup>,ñ□B•¶Žš—ñ,đŽw'è,·,é,ÆfGf  
%o□[ ,Æ,È,è,Ü,·□B

□@ŠpfjfbfR,đ~A'±,<sup>3</sup>,<sup>1</sup>,é,±,Æ,É,æ,è□A,QŽŸCE<sup>3</sup>^È□ã,Ì"z—ñ,à□ì,ê,Ü,·□B

□@—á□G  
#a[0][0] = "A"  
#a[0][1] = "B"

□@Ž® ,É,Ä,ç,Ä,İ□uŽ®,É,Ä,ç,Ä□v,đŽQ□Æ,μ,Ä,,¾,<sup>3</sup>,ç□B

## Ž®,É,Â,č,Ä

□@Ž®,í□A•ï□",É'í,ď'ã"ü,μ,½,è□AŠeŽífRf}f"fh,lfpf  
%of□f^,Æ,μ,Ä•p"É,É—p,č,ç,ê,Ü,·□B

□@Ž®,É,í□A•ŕŽš—ň,ìŽ®,Æ□"'í,ìŽ®,ª,è,Ü,·□B•ŕŽš—ň,Æ□"'í,ď—  
¼•û"ü,ê,é,Æ□A□"'í,í•ŕŽš—ň,Æ,ì%o%oŽZ,lf^fCf~f"fo,Å•ŕŽš—  
ň,É•İŠ,³,ê,Ü,·□B

□@•ŕŽš—ň,Å,È,̄,ê,Î,È,ç,È,č□Š,É□"'í,ªŽw'è,³,ê,½□ê□‡,à□A•ŕŽš—  
ň,ÉŽ©"®"í,É•İŠ,³,ê,Ü,·□B

## •ŕŽš—ň,ìŽ®

•□'Ê,ì•ŕŽš—ň,í□Af\_fuf<fNfH□[fe□[fvf‡f",Å^í,ň,ÅŽw'è,μ,Ü,·□B

"ABC"  
"□Ä"i□G•v"

□@□\$Œä•ŕŽš,í^,ÆA□`Z,ÅŽw'è,·,é,©□A,Ü,½,í^0,Æ,QŒ...  
,ì,P,U□i□",ÅŽw'è,μ,Ü,·□Bf\_fuf<fNfH□[fe□[fvf‡f"}□[fN,â^,»,,ì,à,ì,à^,Æ,  
č,Á,μ,â,ÉŽw'è,μ,Ü,·□B

"^M" (%ü□sfR□[fh□A,O,c,^□j  
"^^" □i^,»,,ì,à,ì□j  
"^01B" □ifGfXfP□[fv•ŕŽš□j  
"MAIL^M" □iMAILfŠf^□[f"□j

□@•ŕŽš—ň,í□A+,Å~ACE<,·,é,±,Æ,ª,Å,«,,Ü,·□B,Ü,½□A•ŕŽš—  
ň•í□",Æ,à~ACE<,Å,«,,Ü,·□B-\*/%,ì%o%oŽZŽq,í•ŕŽš—ň•í□",É'í,μ,ÄŽg,ª,  
,±,Æ,í,Å,«,,Ü,¹,ň□B

#a = "ABC" + "DEF"  
#a = #a + "^M^J"

,»,,ì¼□Apart search drop"™,ì•ŕŽš—ň'€□ì,ìŠÖ□",ª,è,Ü,·□B

## □"'í,ìŽ®

,Ü,,í□A•□'É,É□",ªŽw'è,Å,«,,Ü,·□B•%o,ì□",à,č,¿,,ªŽg,ì,Ü,·□B

##a = 1  
##a = -2

+ - \* / % ,ì%o%oŽZ,ª□o—^,Ü,·□B%,í, ,Ü,è,ìŒvŽZ,Å,·□B,±,ê,ç,ì%o  
%oŽZŽq,í—D□æ□‡^Ê,ª,Y,È"̄,ŕ,È,ì,Å□A•K—v,É%oŽ,ŕ,ÄŠ‡ŒÊ,Å^í,ň,Å,-

,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

$$##a = (##a + 1) * 100$$

•%o,ì□",đŽ®),ì†,É<L□q,·,é□ê□‡,ÍŠ‡CEÊ,Â^í,ñ,Â,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B□i,·,ñ,Û,<sup>1</sup>,ñ□j

$$##a = 1 + 3 * (-3)$$

□"□l,ìŽ®),ì†,É•¶Žš—ñ,ªCE»,ê,é,Æ□A□GTerm,í□"□l,đ•¶Žš—  
ñ,É•İŠ·,μ,Ä,μ,Û,ç,Û,·□B—á,¡,í□A1,Æ,ç,κ'l,í"1",Æ,ç,κ•¶Žš—  
ñ,É•İŠ·,<sup>3</sup>,ê,Û,·□B•İŠ·,<sup>3</sup>,ê,½CEã,í•¶Žš—ñ,Æ,μ,Ä%o%oŽZ,<sup>3</sup>,ê,Û,·□B

$$#a = 1 + "A" \quad ; 1A,Æ,ç,κ•¶Žš—ñ,É,È,é$$

□@□"□l•ï□",É•¶Žš—  
ñ,đ'ã"ü,·,é,Æ□AZ©"®"□l,É□"□l,É•İŠ·,<sup>3</sup>,ê,Û,·□B•İŠ·s"\  
,È□ê□‡,í,O,ª'ã"ü,<sup>3</sup>,ê,Û,·□B

$$##a = "1" + "2" \quad ; ##a,É,í12,ª'ã"ü,<sup>3</sup>,ê,é$$

□@'¼□A<□\$"□l,É□"□l,É•İŠ·,·,é,É,ívalueŠÖ□",đŽg,ç,Û,·□B

ŠÖ□",É,Â,ç,Ä





## wait

□@waitfRf}f“fh,Í□AfzfXfg,©,ç“Á’è,ì•¶Žš—ñ,<sup>a</sup>—,ç,ê,Ä,-  
,é,ì,ð’Ò,¿,Ü,·□B’Ò,Â•¶Žš—ñ,ÍfRf“f},Å<æ□Ø,Á,Ä•i□”Žw’è,·,é,±  
,Æ,<sup>a</sup>,Å,«,Ü,·□B

—á□F

```
wait "ABC" ; ABC,ðŽó□M,·,é,Ü,Å’Ò,Â  
wait "ABC", "DEF", "GHI" ;  
ABC,Ü,½,ÍDEF,Ü,½,ÍGHI,ðŽó□M,·,é,Ü,  
Å’Ò,Â
```

□@•i□”Žw’è,μ,½□ê□‡,Í□A,»,ê,ç,ì,Ç,ê,©,P,Â,ðŽó□M,·,é,Æwait,©,ç”<sup>2</sup>,  
□o,é,±,Æ,É,È,è,Ü,·□B

□@timeout,Ü,½,Ímillittimeout,Åf^fCf€fAfEfg,<sup>a</sup>□Y’è,<sup>3</sup>,ê,Ä,ç  
,é□ê□‡,Í□A,»,ìŽšŠÔ,<sup>a</sup>CEo%oß,·,é,Æ•¶Žš—  
ñ,ðŽó□M,·,é’O,Éwait,©,ç”<sup>2</sup>,□o,Ü,·□B

□@wait,Í□I—

```
½fR□[fh,Æ,μ,Ä□Af^fCf€fAfEfg,μ,½□ê□‡,Í□utimeout□v□AŽw’è,3,ê,½•¶  
Žš—ñ,ðŽó□M,μ,Ä□I—  
1,μ,½□ê□‡,Í□A,»,ì”Ô□t□i□æ“a,a,P□j,ð•Ô,μ,Ü,·□B•œ<A’l,ðŽg,Á,Äif•¶”™  
,Ä□^—□,ð•aSò,·,é,±,Æ,à,Å,«,Ü,·a□A,»,ì□ê□‡,É,Íswitch•¶,ì•û,aÖ—  
~,Å,·,ì,Ätimeout,©,Ç,α,©,ì”»’è,3/4,~É—~—p,·,é,±,Æ,ð,“Š©,ß,μ,Ü,·□B
```

—á□F

```
timeout 10  
wait "ABC", "DEF"  
if( timeout )  
    ; timeoutŽž,ì□^—□  
else  
    ; "ABC",Ü,½,Í"DEF",ðŽó□M,μ,½Žž,ì□^—□  
endif
```

□@wait,ÅŽw’è,·,é•¶Žš—

ñ,ì’O,É□Apostidle,Ü,½,ÍpostmilliidlelfvfVf†f“,ð•t,~é,Æ□A,»,ì•¶Žš—  
ñ,ðŽó□M,μ,Ä,©,çŽw’è,<sup>3</sup>,ê,½ŽšŠÔ,<sup>3</sup>/<sub>4</sub>,~□u%o½,àŽó□M,μ,É,ç,±  
,Æ□v,ðŠm”F,μ,Ä,©,çwait,©,ç”<sup>2</sup>,□o,Ü,·□B

—á□F

```
wait postidle(1) "□,,"  
wait "ABC", postidle(2) "DEF", postmilliidle(500) "GHI"
```

□@postidle,ì•b’P^Ê,Å□Apostmilliidle,Íf~fŠ•b’P^Ê,Å,·□BŠ‡CEÊ,ì†,É,Í□”  
l,ðŽw’è,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

@@postidle, postmilliidlelfvfvf#f", íA—á, í, îANIFTY-  
Serve, ìMREfRf}f"fh, ðŽÀs, μ, ½Û, ÉAMRE, ðI—<sup>1</sup>, μ, ½, ©, Ç, x  
, ©, ì"»'è™, ÉŽg, ç, Ü, ·BMRE, ðI—  
<sup>1</sup>, ·, é, ÆAfvf}f"fvfg, Æ, μ, Äu, ·v, âuCCS(N)>v, ð'—  
, ç, ê, Ä, «, Ü, ·, ðA'P, É

wait "I, ", "CCS(N)>"

, Æ, μ, ½, ì, Ä, íA—á, í, î%öï<cŽ<sup>o</sup>, ì"CE<sup>3/4</sup>, ì't, Éu, ·v, ðŠÜ, Ü, ê, Ä, ç  
, é, <sup>3/4</sup>, ·, ÄŠÔ^á, í, ÄMRE, ìI—<sup>1</sup>, Æ, Ý, È, μ, Ä, μ, Ü, ç, Ü, ·B, »±, ÄA

wait postidle(1)"I, ", postidle(1)"CCS(N)>"

, Æ, μ, Ä, ·, ·, îAŠmŽÀ, ÉMREfRf}f"fh, ìI—<sup>1</sup>, ðCEÿo, ·, é, ±, Æ, ð, Ä, «, Ü, ·B

@wait, ÄŽw'è, ·, é•ŕŽš—ñ, ð', ç, ½, ß, ÉfXfNfŠfvfg, ð"Ç, Ý, Ä, ç, -  
, È, ééè#f, íA\}][fN, ðŽg, Á, Äwait, ð•j" , ìs, É, Ü, ½, ð, Ä, Ä<Lq, ·, é, ±  
, Æ, à, Ä, «, Ü, ·B[s--Éf}][fN, ð•t, ·, Ä%öü[s, ð"ü, ê, Ä<Lq, ·, <sup>3/4</sup>, <sup>3</sup>, çB

—áF

wait "GTerm Version1.23", \  
"Ä"iG•v", \  
postidle(1) "CCS(N)>"

@postidle, Ü, ½, ípostmilliidle, ìEã, ë, ì•ŕŽš—ñ, É"" , ðŽw'è, ·, é, ÆA[u  
%ö½, àŽóM, μ, È, ç, ±, Æv, ðCEÿo, ·, é, æ, x, ÈŽg, ç•û, ð, Ä, «, Ü, ·B—  
á, í, îufzfXfg, ©, ç, P, O•bŠÔ%ö½, à•ŕŽš, ð'—, Á, Ä, ±, È, ©, Ä, ½v, Æ, ç, x  
, ±, Æ, ðCEÿo, ·, é, È, íAwait postidle(10) "" , Æ, ·, ê, î, ç, ç, Ä, ·B

## send

□@sendfRf}f“fh,í□Afpf%of□f^,ÅŽw'è,<sup>3</sup>,ê,<sup>1/2</sup>•¶Žš—ñ,đ'—  
□M,μ,Û,·□BfL□[f{□[fh,©,ç•¶Žš,đ“ü—í,·,é,ì,Æ“<sup>-</sup>,¶“,«,đ,μ,Û,·□B

—á□F

send "MRE ROOM:2^M"

## sendwrap

```
@sendwrapRf}f"fh,íAfpf%of^,ÅŽw'è,³,ê,½•ŕŽš—ñ,đu-  
³Žè#fAfbfvf[fh,v,Æ"~,ŕ•û-@,Å'—M,μ,Û,·B-  
³Žè#fAfbfvf[fh,ìÛ,É,íA[uY'èEfvf[fgfRf<v,ÅŽw'è,³,ê,½'É,è,ìŽ  
©"®Û,è•Ô,μ,â<Ö'¥^—,Ž{,³,ê,Ä'—M,³,ê,Û,·B  
@,±,ìfRf}f"fh,í—¹fR[fh,Æ,μ,ÄŽÀÛ,É'—  
M,μ,½[s",đ•Ô,μ,Û,·B,±,ìfRf}f"fhŽ©'ì,í'—M,·,é,¾,~,È,ì,Å•K—v,É  
%ož,ŕ,ÄfXfNfŠfvfg'æ,Å"~Šú,đŽæ,Á,Ä,,¾,³,çB
```

—áF

```
sendwrap #a  
##line = result  
while( ##line > 0 )  
    wait "^M^J"  
    ##line = ##line - 1  
endwhile
```

## timeout, millitimeout

```
@timeout,  
millitimeoutfRf}f“fh,í[AwaitfRf}f“fh[AswitchfRf}f“fh[AloopswitchfR  
f}f“fh,Å,lf^fCf€fAfEfg,ìY’è^%øðœ,ðs,ç  
,Ü,·Btimeout,í•b’P^Ê[Amillitimeout,lf~fš•b’P^Êi1f~fš•b,í1/1000•  
b[j,ÅŽw’è,μ,Ü,·B
```

```
—áF  
  timeout 10  
  millitimeout 1500
```

```
f^fCf€fAfEfg,ð%øðœ,·,é,É,í[A,O,ðŽw’è,μ,Ü,·B
```

```
—áF  
  timeout 0
```

```
@f^fCf€fAfEfg,ªY’è,3,ê,Ä,ç  
,é,Æ[AwaitfRf}f“fh,âloopswitchfRf}f“fh,í[Atimeout,ÅŽw’è,3,ê,½Žš  
Ô,¾,·Ò,Á,À,à•¶Žš—ñ,ðŽó[M,μ,È,©,A,½ê±,É<S“l,É”2,·o,Ä,μ,Ü,ç  
,Ü,·B
```

```
@f^fCf€fAfEfg,É,æ,è<S“l,É”2,·o,½ê±[A,»,lfRf}f“fh,ìl—  
¹R[fh,í[utimeoutv,Æ,È,è,Ü,·B
```

```
—áF  
  timeout 10  
  wait "Enter User-ID:"  
  if( timeout ) error "f^fCf€fAfEfg"¶¶"
```

```
@f^fCf€fAfEfg,ª%øðœ,3,ê,Ä,ç,éê±,íwait“™,lfRf}f“fh,í•¶Žš—  
ñ,ðŽó[M,·,é,Ü,Å%oi<v,É’Ò,¿’±,·,Ü,·B
```

```
@fXfNfšfvfg,ìŽÀ[s,ðšŽn,μ,½Žš“_,Å,lf^fCf€fAfEfg,í%øðœ,3,ê,Ä,ç  
,Ü,·B
```

```
@call,μ,½Æã,lf^fCf€fAfEfg,ª•s’è,Èê±,ª’½,ç  
,ì,Å[Acall,ìÆã,â[AfTfuf<[f“f“,ìæ“ª,Å,í^è“xf^fCf€fAfEfg,ðY’è,μ,È,·,  
,ì,ª,ç,ç,Å,μ,â,¶B
```

## sleep, millisleep

@sleep,  
millisleepfRf}f“fh,íAŽw’è,<sup>3</sup>,ê,<sup>1/2</sup>ŽŽŠÔ,<sup>3/4</sup>,~fXfNfŠfvfg,ìŽÀ□s,đ“€Æ<,<sup>3</sup>,<sup>1</sup>  
,Ü,·□B,<sup>1/2</sup>,<sup>3/4</sup>,μ□AfzfXfg,Æ,ì’í~b,»,ì’<sup>1/4</sup>,ì□^—□,í’Ê□í’Ê,è’±□s,<sup>3</sup>,ê,Ü,·□B

sleep,í•b’P^Ê□Amillisleep,Íf~fŠ•b’P^Ê,Å,·□B□i,Pf~fŠ•b,í1/1000•b,Å,·  
□j

@wait,âsleep^ÈŠO,ìfRf}f“fh,đŽÀ□s,μ,Ä,ç,é□Å’†,í□A□GTerm,í’Ê□Mf|  
□[fg,©,ç,ìŽó□M,đ□s,ç,Ü,<sup>1</sup>,ñ□B,Ü,<sup>1/2</sup>□A,b,o,t,đ“Æ□è,μ,ÄŽg,α,±  
,Æ,É,È,è,Ü,·□B’·,çf<□[fv“™,Å□^—  
□,É,Æ,Ä,àŽŽŠÔ,<sup>a</sup>,©,©,é□ê□‡,í□A□Š□X,Émillisleep,đ“ü,ê,Ä, ,°,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,ç□B,Pf~fŠ•b,Å□\•<sup>a</sup>,Å,·□B

—á□F  
millisleep 1

## getchar

␣@getcharfRf}f“fh,í␣A'Ê␣Mf|  
␣[fg, ©, ç, P•¶ŽšŽó␣M, ·, é, Ü, Å'Ò, ¿␣AŽó␣M, μ, ½•¶Žš, ð•İ␣”, É'ã“ü, μ, Ü, ·␣  
B'SŠp•¶Žš, à␣³, μ, ␣i, QfofCf g␣jŽó␣M, μ, Ü, ·␣B  
␣@f p f % o f ␣ f ^ , Å • i ␣ ” , ì - ¼ ' O , ð Ž w ' è , μ , Ü , · ␣ B ␣ ” ' l • i ␣ ” , í Ž w ' è , Å , « , Ü , ¹ , ñ ␣ B  
␣@Žó␣M, μ, ½“à—e, í␣GTerm, ìfEfBf“fhfE, É, à•\Ž!, ³, ê, Ü, ·␣B

—á␣F

getchar #a

␣@f^fCf€fAfEf g, ì␣ê␣‡, í␣A•İ␣”, É, í““ , a'ã“ü, ³, êgetchar, í␣|—¹, μ␣A␣|—  
¹fR␣[fh, í␣utimeout␣v, É, É, è, Ü, ·␣B



## getline

```
@getlineRf}f"fh,íA'ÊMf|
[fg,©,ç,P[sŽóM,·,é,Û,Å'Ö,¿AŽóM,μ,½•¶Žš—
ñ,đ•ï",É'ã"ü,μ,Û,·B
```

```
@s,ìÅĀã,ì0Ah,ì§Āä•¶Žšif
%ofCf"ftfB[fh[j,íœ<Ž,3,ê,Û,·,ªA0Dh,ì§Āä•¶ŽšifLfffŠfbfWfŠf^ [f
" [j,íœ<Ž,3,ê,·,É•ï",ÉŠi"[,3,ê,Û,·B
```

```
@fpf%of^,Å•ï",ì-¼'O,đŽw'è,μ,Û,·B""'l•ï",ÍŽw'è,Å,«,Û,1,ňB
@ŽóM,μ,½"à—e,íGTerm,ìfEfBf"fhfE,É,à\Ž!,3,ê,Û,·B
```

```
—áF
getline #a
```

```
@f^fCf€fAfEfg,ìê±,í•ï",É,í""ª'ã"ü,3,êAgetline,í|—1,μA|—
1fR[fh,íutimeoutv,É,È,è,Û,·B
```

## waitchatinput

□@waitchatinputfRf}f“fh,í□Af`ffffbfg□s,Ö,ì“ü—í,đ’Ò,¿□A“ü—  
í,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>•¶Žš—ñ,đfpf  
%of□f^,ÅŽw’è,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>•ï□”,ÉŠi”[,μ,Ü,·□Bf`ffffbfgf,□[fh,Å,È,ç□ê□‡,Å,à□A’  
Ê□Mfj  
□[fg,ì□Ý’è,Åf□□[ffj<•Ò□W,<sup>a</sup>,□,Ž,ì□ê□‡,í□Af□□[ffj<•Ò□W,ì□Š,©,ç,ì“ü—  
í,đ’Ò,¿,Ü,·□B  
□@fpf%of□f^,Å•ï□”,ì-¼’O,đŽw’è,μ,Ü,·□B□”’l•ï□”,íŽw’è,Å,«,Ü,<sup>1</sup>,ñ□B  
□@f`ffffbfgf,□[fh,Å,àf□□[ffj<•Ò□W,□,Ž,Å,à,È,çŽž,É,±  
,lfRf}f“fh,đŽÀ□s,·,é,ÆŽ©“®“l,Éf`ffffbfgf,□[fh,É,È,è,Ü,·□B,Ü,<sup>1</sup>/<sub>2</sub>□Awaitc  
hatinputŽÀ□s’t,Éft□[fU,<sup>a</sup>f`ffffbfgf,□[fh,đ%ođ□œ,μ,æ,κ  
,Æ,·,é,Æwaitchatinput,í□l—<sup>1</sup>,μ□A•ï□”,É,í””,<sup>a</sup>’ã“ü,<sup>3</sup>,ê,Ü,·□B  
□@f`ffffbfg□s,Å“ü—í,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>“à—e,í□GTerm,lfEfBf“fhfE,É,í\  
Ži,<sup>3</sup>,ê,Ü,<sup>1</sup>,ñ□B,Ü,<sup>1</sup>/<sub>2</sub>□A’—□M,à,<sup>3</sup>,ê,Ü,<sup>1</sup>,ñ□B

—á□F

waitchatinput #a

## if

```
if( #a == "ABC" ) error "Error" ; ,P s, l—á
endif
```

```
if( #a == "ABC" )
    message "ABC"
    goto ErrorCase
endif
```

```
if( #a == "ABC" ) error "Error" ; ,P s, l—á
if( #a == "ABC" ) ; endif
message "ABC"
goto ErrorCase
endif
```

```
if( #a == "ABC" ) ; ,P s, l—á
endif
```

```
if( timeout ) message "TIMEOUT" ; ,P s, l—á
else message "NOT TIMEOUT"
```

```
if( #a == "ABC" ) ; ,P s, l—á
    wait "ABC"
    send "DEF"
else
    message "NORMAL"
endif
```

```
if( #a == "ABC" ) ; ,P s, l—á
endif
```

```
if( #a == "ABC" ) ; ,P s, l—á
endif
```

```
if( #a == "ABC" ) ; ,P s, l—á
endif
```

```
if( #a == "ABC" ) ; ,P s, l—á
endif
```

```

if( ... )
    ...
    ...
    if( ... ) ...
else
    ...
    ...
endif

```

□³,μ,ϕ—á□F

```

if( ... )
    ...
    ...
    if( ... )
        ...
    endif
else
    ...
    ...
endif

```

if,ì□đĀ□,ª□—

§,μ,È,©,Á,½□ê□‡,É□A,³,ϕ,É,à,α^ê“xif,Å”»'è,μ,½,ϕ□ê□‡,Í□Aelseif,đŽg,  
α,ì,ª•Ö—~ ,Å,·□B

—á□F

```

if( ##a == 1 ) message "1"           ; 1□s,ì—á
elseif( ##a == 2 ) message "2"
elseif( ##a == 3 ) message "3"
else message ",»,'¼"

```

```

if( ##a == 1 )           ; •i□"□s,ì—á
    message "1"
    goto NifExit
elseif( ##a == 2 )
    message "2"
    goto NifExit
endif

```

□@□đĀ□Ž®,É,Í^È%o,ì,à,ì,ª, ,è,Ü,·□B

```

yes      ... questionRf}f“fh,Å□u,í,ϕ□v,ì□ê□‡
no       ... questionRf}f“fh,Å□u,ϕ,ϕ,ì□v,ì□ê□‡
enter   ... inputRf}f“fh,Å□uŠm'è□v,ì□ê□‡
cancel  ... inputRf}f“fh,Å□uŽæ□Á□v,ì□ê□‡

```

```

timeout ... wait“™,Åf^fCf€fAfEfg”□¶Žž
Ž®1 == Ž®2 ...Ž®1,ÆŽ®2,ª“™,µ,¢
Ž®1 != Ž®2 ...Ž®1,ÆŽ®2,ª“™,µ,,È,¢
Ž®1 < Ž®2 ...Ž®1,ªŽ®2,æ,è□¬,³,¢
Ž®1 <= Ž®2 ...Ž®1,ªŽ®2,æ,è□¬,³,¢,©“™,µ,¢
Ž®1 > Ž®2 ...Ž®1,ªŽ®2,æ,è’â,«,¢
Ž®1 >= Ž®2 ...Ž®1,ªŽ®2,æ,è’â,«,¢,©“™,µ,¢

```

□@,±,ê,ç,íand,âor,Å’g,Ý, ,í,<sup>1</sup>/<sub>2</sub>,è□AŠ†CEÊ,Å^í,ñ,<sup>3</sup>/<sub>4</sub>,è,·,é,±,  
,Æ,ª,Å,«,Û,·□Band,í—<sup>1</sup>/<sub>4</sub>•û,ì□đCE□,ª□¬—§,µ,<sup>1</sup>/<sub>2</sub>□ê□†,É□¬—  
§,Æ,È,è□Aor,í,Ç,¿,ç,©•Đ•û,ª□¬—§,µ,Ä,ê,í□¬—§,Æ,È,è,Û,·□B

```

—á□F
    if( ##a == 10 and ( #b == "A" or #b == "" ) )

```

□@□đCE□,ì’O,Énot,đ•t,¯,é,Æ<t,ì^Ó-¡,Æ,È,è,Û,·□B

```

—á□F
    if( not timeout ) error "Error"

```

## beginloop-endloop

```
beginloop,Æendloop,Å^í,Û,ê,½^—,ÍA-³ÆÀ,ÉÆJ,è•Ô,³,ê,Û,·B
```

```
—áF  
beginloop  
play "o4cdefgo5abc"  
sleep 10  
endloop
```

```
f<[fv,ð"r't,Å"²,¯o,é,½,β,É,Íbreakloop,ðŽg,ç,Û,·B
```

```
—áF  
timeout 10  
beginloop  
send "^M"  
wait "A"  
if( timeout ) breakloop  
endloop
```

```
f<[fv,ì't,ì"r't,Åf<[fv,ìæ"ª,É-β,è,½,çêç,É,ÍAloopagain,ðŽg,ç,  
,Û,·B
```

```
—áF  
beginloop  
send "^M"  
wait "A"  
if( timeout ) loopagain  
send "ABC"  
endloop
```

```
-  
³ÆÀf<[fv,ðì,é,ÆÅ^«,ìêçWindows,ªfnf"fo,·,é,ì,Å'^Ó,μ,Û,μ,â,æB
```

## switch-case-endswitch

```
@fzfXfg, ©, ç' —, ç, ê, Ä,, é•¶Žš—ñ, É, æ, Á, Ä^ —  
□, ð□U, è•ª, ¯, ½, ç□ê□‡, É□A, ±, ì, R, Ä, ð'g, Ý□‡, í, ¹, Ä^ —□, ð□s, ç, Ü, ·□B  
□@switch,Æendswitch, ÌŠÔ, É□Acase, Å□U, è•ª, ¯, ÉŽg, æ•¶Žš—  
ñ, ð•; □"Žw'è, μ, Ü, ·□B
```

```
—á□F  
  switch  
  case "A"  
    message "A, ðŽó□M"  
  case "B"  
    message "B, ðŽó□M"  
  endswitch
```

```
□@, ±, ì□ê□‡□A"A", ðŽó□M, μ, ½□ê□‡, í"A, ðŽó□M", Æ•\  
Ž!, μ□A"B", ðŽó□M, μ, ½□ê□‡, í"B, ðŽó□M", Æ•\  
Ž!, μ, Ü, ·□Bf^fCf€fAfEfg, ì□ê□‡, Í%½, à, ¹, , ÉŽŸ, É□i, Ý, Ü, ·□B
```

```
f^fCf€fAfEfgŽž, ì□^ —□, ð"ü, ê, é, É, ÍŽŸ, ì, æ, æ, É, μ, Ü, ·□B
```

```
—á□F  
  switch  
  case "A"  
    message "A, ðŽó□M"  
  case "B"  
    message "B, ðŽó□M"  
  case timeout  
    message "f^fCf€fAfEfg"□¶"  
  endswitch
```

```
□@switch-endswitch, Ì'†, ©, ç<□$"I, É"², ¯□o, ½, ç□ê□‡, Í□Agoto, ðŽg, Á, Ä, -  
, ¾, ³, ç□Bendswitch, Å"², ¯□o, é, ±, Æ, Í□o—^, Ü, ¹, ñ□B
```

```
□@Žó□M, μ, ½•¶Žš—ñ, É, æ, Á, Ä□U, è•ª, ¯, é□^ —  
□, ª"¯, ¶□ê□‡□Acase, ÌĚä, ì•¶Žš—ñ, ðfRf"ƒ}, Å<æ□Ø, Á, Ä<L□q, ·, é, ±  
, Æ, à, Å, «, Ü, ·□B
```

```
—á□F  
  switch  
  case "A", "B"  
    message "A, Ü, ½, ÍB, ðŽó□M"  
  case "C"  
    message "C, ðŽó□M"  
  endswitch
```

case, Āžw'è, ·, é•ŕŽš—ñ, í□Await, Æ“—l, Évf}□[fN, Ā•;□"□s, É•ª, ¯, é, ±, Æ, à□o—^, Ü, ·□B

—á□F

```
case "ABCDEFGHIJKLMNOPQRSTUVWXYZ", \  
      "abcdefghijklmnopqrstuvwxyz"
```

### switchfRf}f“fh, ìŽg, ç•û, » , ì, Q

□@switchfRf}f“fh, í□A□ã<L, ì, æ, x, ÈfzfXfg, ©, çŽó□M, ·, é•ŕŽš—ñ, Ā□U, è•ª, ¯, é¼□A•ï□”, ì“à—e, Ā□^—□, ð□U, è•ª, ¯, é, ±, Æ, à, Ā, «, Ü, ·□Bswitch, ìĀã, ë, É•ï□”-¼, ð“ü, ê, é, Æ□A, » , ì', Ā□U, è•ª, ¯, ç, ê, Ü, ·□B

—á□F

```
switch #a  
case "A"  
    message "A"  
case "B"  
    message "B"  
endswitch
```

□@case timeout,ªŽg, ì, È, È, é'ã, í, è□Acase default,ªŽg, ì, é, æ, x, È, È, è, Ü, ·□B□u, » , ì¼, ìê□#□v, Æ, ç, x^Ó-; , É, È, è, Ü, ·□B

—á□F

```
switch #a  
case "A"  
    message "A"  
case "B"  
    message "B"  
case default  
    message ", » , ì¼"  
endswitch
```

, ÿ, È, Ý, É□ucase default□v, ì¼, ìcase, ì^ê”Ô□ĀĀã, Ā, È, ¯, ê, ì, ç, ¯, Ü, ¹, ñ□B



## loopswitch-case-endloop

```
@switch-case-endswitch,Íf<[fv,3,1,ÄŽg,í,ê,é,±,Æ,a1/2,ç
,Å,·B,aAbeginloop-endloop,Å^í,þ,ì,Í-Ê"|,È,ì,ÅA,±
,loopswitch,ðŽg,ç,Û,μ,â,κB
@switch,Æ'|,ã,í,è,Éloopswitch,Æ'|,«Aendswitch,àendloop,É'u,«'
Ö,|,é,±,Æ,É,æ,èAswitch,Í-3ÆÀ,Éf<[fv,·,é,æ,κ,É,È,è,Û,·B
@f<[fv,ì't,©,ç"2,-,3/4,·,1/2,β,É,ÍAbreakloop,ðŽg,ç
,Û,·Bloopagain,àŽg,ì,Û,·B

@endloop,ðŠÔ^á,Á,Äendswitch,É,μ,È,ç,æ,κ
,É<C,ð•t,-,Û,μ,â,κB,Û,1/2Af^fCf€fAfEfg,ðÝ'è,μ,Ä,éêê‡,loopswitch
"à,É•K, case timeout,ð"ü,ê,Ä,,3/4,3,çB
```

```
—áF
  timeout 100
  loopswitch
  case postidle(1) "CCS(N)>", postidle(1) "[],"
    send "^M"
  case "^M^J,±,ê^Èã,ì"Æ3/4,í, ,è,Û,1,ñB^M^J"
    breakloop
  case timeout
    breakloop
  endloop
```

## while-endwhile

```
@while, Š, ÅŽw'è, ³, ê, ½, ð, Æ, ª, ¬, —, §, µ, Ä, ¢  
, é, Š, Ô, Awhile, Æendwhile, Ì, †, ð, è, •, Ô, µ, Ž, À, s, µ, Ü, ·, B, ð, Æ, Ì, Žw'è, •, û-  
@, Ì, í, Æ, " , ¶, Å, ·, B
```

```
—, á, F
```

```
##a = 10  
while( ##a > 0 )  
    send "A"  
    ##a = ##a - 1  
endwhile
```

```
@while-endwhile, Ì, †, ©, ç, <, §, "l, É, f, <, [f, v, ð, "², ¯, o, é, É, Í, breakloop, ð, Ž, g, ¢  
, Ü, ·, B, Ü, ½, Aloopagain, à, " —, l, É, Ž, g, !, Ü, ·, B
```

## call, callvarlabel

```
␣@callfRf}f“fh,␣ACE»␣Ý,lfXfNfŠfvg,đ‘Ò<@␣ó‘Ô,É,μ␣AV,½,Éfpf
%oof␣f^,ĂŽw’è,3,ê,½fXfNfŠfvg,đŽĂ␣s,μ,Û,·␣BreturnfRf}f“fh,aŽĂ␣s,3,
ê,é,ÆCE3,lfXfNfŠfvg,É-β,è␣AZÿ,␣s,©,çŽĂ␣s,đ␣ĂŠJ,μ,Û,·␣B
␣@call,·,é␣æ,␣A“~,¶lfXfNfŠfvg“à,lf
%oofxf<,©␣A,Û,½,Í•É,lfXfNfŠfvg“à,lf
%oofxf<,©␣A,Û,½,Í•É,lfXfNfŠfvg,␣æ“a,Ă,·␣B
```

—á␣F

```
call Sub ; Sub,Æ,ç,xf%oofxf<,␣Š,đcall
call SUB.SCR:Sub ; SUB.SCR,␣Sub,đcall
call SOUND.SCR ; SOUND.SCR(␣æ“a),đcall
```

```
␣@call,lfXfg,Í,W,Ă’ö“x,Û,Ă,n,j,Ă,·␣B
```

```
␣@call,Ă,ÍCEĂ,Ñ␣o,μCE3,©,çCEĂ,Ñ␣o,μ␣æ,É‘l,đ“n,·,±
,Æ,a,Ă,«,Û,·␣BCEĂ,Ñ␣o,·‘x,␣call,␣CEă,ë,lf
%oofxf<,␣CEă,ë,É“n,μ,½,ç‘l,đfRf“f},Ă<æ␣Ø,Ă,Ă<L␣q,μ,Ă,,3/4,3,ç␣B
```

—á␣F

```
call Sub #a, #b, "ABC"
```

```
␣@CEĂ,Ñ␣o,3,ê,½‘x,Ă,␣A,P,Ă-Ú,␣l,Í#1␣A,Q,Ă-Ú,Í#2,Æ,ç
,x<␣†,Ă‘l,đŽæ,è,3/4,·,±,Æ,a,Ă,«,Û,·␣B“n,1,é‘l,Í•¶Žš—
ň,3/4,-,É,␣,Ă␣A““l,đŽw’è,·,é,Æ␣ŸŽè,É•¶Žš—
ň,É•İŠ·,3,ê,Û,·␣B““l,đ“n,μ,½,ç␣é␣†,ÍCEĂ,Í,ê,½‘x
,Ă,à,x^ê“x␣““l,É•İŠ·,μ,È,“,μ,Ă,,3/4,3,ç␣B
```

—á␣F

```
Sub:
message #1
message #2
message #3
return
```

```
␣@CEĂ,Ñ␣o,3,ê,½‘x,©,çCEĂ,Ñ␣o,μCE3,É‘l,đ•Ô,·,±
,Æ,à,Ă,«,Û,·␣Breturn,␣CEă,ë,É•Ô,·‘l,đŽw’è,μ,Û,·␣B,±,ê,à•¶Žš—
ň,3/4,-,Ă,·␣B
```

—á␣F

```
return "YES"
```

```
␣@CEĂ,Ñ␣o,μ,½‘x,Ă,Í#return,Æ,ç,x•İ␣“,Ă,»,␣l,đCE©,é,±
,Æ,a,Ă,«,Û,·␣B
```

```
—áF
  call Sub
  if( #return == "YES" ) hangup
```

```
@@call, ,é,ÆA^êŽŽ“l•i”i#,Ü,½,Í##,ÅŽn,Ü,é•i”j,ÍA’S,Ä•Ê,ìŠ,É
’Ç,ço,³,êA^êŽŽ“l•i”,ÍfNfŠfA,³,ê,Ü,·Breturn,ìŽÀs,É,æ,è,Ü,½•œŠ
^,μ,Ü,·B,μ,½,ª,Á,ÄACEÄ,Ño,μE³,Ææ,Æ,Å<æ’Ê,ì•i”,ÉfAfnfZfX,μ,
½,çê‡,íA%oi<v“l•i”,Ü,½,ÍOf[fof•i”,đŽg,Á,Ä,,¾,³,çB
```

```
@@callvarlabel•¶,ÍAcall,ìs,«æ,Æ,μ,Ä”C^Ó,ìŽ®,ªŽw’è,Å,«,Ü,·Bcal
l,Æ^á,çAf%ofxf<,Æfpf%off^,ìŠÔ,É,ÍRf“f},ª•K—v,Å,·B
```

```
—áF
  #Label = "ABC.SCR:Label"
  callvarlabel #Label, "abc"
```

```
@@s,«æ,ªE©,Â,©,ç,È,çê‡,ÍGf%o[,É,È,ç,,ÉŽŸ,ì•¶,Ö,Æ^—
,ª’±s,³,ê,Ü,·B
```

## return

␣@call, ©, çĀÄ, î, ê, ½fTfuf<␣[f`f", ©, ç•œ<A, μ, Ü, ·␣B'S, Ä, î^êŽž"l•ï␣", ífN  
fšfA, ³, ê␣ĀÄ, Ñ, ¾, μĀ³, î^êŽž"l•ï␣", ð•œš^, μ, Ü, ·␣B

␣@ĀÄ, Ñ␣o, μĀ³, É'l, ð•Ô, ·, É, í␣A, »'l, ðreturn, ìĀä, ë, ÅŽw'è, μ, Ü, ·␣B␣"'l  
, ðŽw'è, ·, é, Æ•ŕŽš—ñ, É•İš·, ³, ê, Ä•Ô, ³, ê, Ü, ·␣B

—á␣F

return "ABC"

## hangup

@hangupfRf}f“fh,í“d~b,đ∅,è,Ü,·BfXfNfŠfvfg,ìŽÀs,àI—  
¹,μ,Ü,·Bfpf%off^,í, ,è,Ü,¹,ñB“d~b,ª∅,ê,é,ÆfXfNfŠfvfg,ìŽÀs,ì¼  
AfO,àI—¹,³,¹,ç,ê,Ü,·B

**exit**

exitfRf}f“fh,ífXfNfŠfvg,ìŽÀ□s,đ□l—<sup>1</sup>,μ,Ü,·□B

## closehideterm

□@closehidetermfRf}f“fh,Í□GTerm,đ□l—<sup>1</sup>,μ,Ü,·□B



## error

␣@errorfRf}f“fh,Ípf%of␣f^,ÅŽw'è,<sup>3</sup>,ê,½•¶Žš—ñ,đ•\  
Ž!,μ,½,ì,žfXfNfŠfvg,ìŽÅ␣s,đ␣|—  
<sup>1</sup>,μ,Ü,·␣BmessagefRf}f“fh,ÆExitfRf}f“fh,đ'g,Ý␣‡,í,<sup>1</sup>,é,ì,Æ“<sup>-</sup>,¶“<sup>-</sup>  
,«,đ,μ,Ü,·␣B

—á␣F

error "␣§CEÀŽžŠÔ“à,É%ž“š,<sup>a</sup>, ,è,Ü,<sup>1</sup>,ñ,Å,μ,½␣B"

## connect

```
@connectfRf}f"fh,lfpf%of^ ,ÅŽw'è,3,ê,1/2fzfXfg,ÉÚ'±
,μ,Ü,·BfzfXfg,l-1/4'O,l, ,ç,©,¶,ßfzfXfg^ê—,Å"o~^,3,ê,Ä,ç,é•K—v,a, ,
è,Ü,·BÚ'±,a¬CE÷,·,é,ÆACE»Ý,lfXfNfŠfvg,Íl-1,μAÚ'±CEã,ì^
—,đŠŽn,μ,Ü,·BŽ,"s,·,é,Æ<A,Á,Ä,«,Ü,·B•i" ,lfzfXfg,Ö,ìÚ'±
,ðCEðCEY,ÉŽŽ,Y,1/2,çê†,ÉŽg,ç,Ü,·B
@connect,a¬CE÷,μ,1/2ê†,ÍCE»Ý,lfXfNfŠfvg,É,Í<A,Á,Ä,±,È,ç,±
,Æ,É\·a^O,μ,Ä,3/4,3,çB
```

```
—áiPC-VAN,ÆNifty,ì-1/4•û,ÉÚ'±,·,éjF
setup maxredial = 2
##i = 0
%pcvan_passed = ""
%nif_passed = ""
while( ##i < 10 )
    connect "PC-VAN"
    connect "Nifty"
    ##i = ##i + 1
endwhile
message "10%ñCEJ,è•Ô,μ,1/2, ,ç,Â,È,a,è,Ü,1,ñ,Ä,μ,1/2B"
return
```

,Æ,μ,Ä,"«APC-VAN,Nifty,ìŠefXfNfŠfvg,Å^È%o<sup>o</sup>,ì,æ,α,È^—,đ,·,éB

PC-VAN'α:

```
%pcvan_passed = "yes"
afterhangup Atoshimatsu
```

Atoshimatsu:

```
if( %nif_passed == "" )
    maxredial 999
    connect "Nifty"
endif
return
```

Nifty'α:

```
%nif_passed = "yes"
afterhangup Atoshimatsu
```

Atoshimatsu:

```
if( %pcvan_passed == "" )
    maxredial 999
    connect "PC-VAN"
```

```
endif  
return
```

## goto

```
@goto Rf}f"fh,Ípf%of^,ÅŽw'è,3,ê,1/2f%ofxf<,ì,Æ,±  
,ë,ÉfXfNfŠfvfg,ìŽÅs,ð^U"®,3,1,Ü,·Bs,«æ,aCE©,Â,©,ç,È,¢ê‡,ÍfG  
f%o[,É,È,Á,Ä,»,"ê,ÅfXfNfŠfvfg,ìŽÅs,at'f,μ,Ü,·B
```

—áF

Label:

```
wait "A"  
if( 1 ) goto Label1
```

```
@goto ,ÅŽw'è,·,éf%ofxf<,É,ÍA·í",È,Ç,ðŽg,Á,1/2Ž®,ðŽw'è,·,é,±  
,Æ,à,Å,«,Ü,·B
```

—áF  
goto #a

```
@Ž®,ðŽg,Á,1/2ê‡,ÉA,à,μ"ð,Ñæ,aCE©,Â,©,ç,È,©,Á,1/2ê‡,ÍAg  
oto,Í-3CEø,Æ,È,èAZÿ,ì•¶,Ö,Æi,Ý,Ü,·B
```

## checklabel

[@checklabelRf}f“fh,Ípf%of^,ĂŽw'è,<sup>3</sup>,ê,½fTfuf<[f`f“if  
%ofxf<,Ü,½,ÍXfNfŠfvfgftf@fCf<-¼j,<sup>a</sup>‘¶¶Ý,·,é,©,Ç,κ  
,©,đf`fFbfN,μ,Ü,·B‘¶¶Ý,·,éê¶,ÍCE<%oÊfR[fh,<sup>a</sup>yes,É,È,èA‘¶¶Ý,μ,È  
,çê¶,Íno,É,È,è,Ü,·B

—áF

checklabel NIF.SCR:SetNifKeyAssign  
if( no ) error ""ò,Ñæ,<sup>a</sup>, ,è,Ü,<sup>1</sup>,ñB"

[@f%ofxf<,É,ÍA•İ”,È,Ç,đŽg,Á,½Ž®,đŽw'è,·,é,±,Æ,à,Å,«,Ü,·B

—áF

checklabel #a

## keyboard

␣@keyboardfRf}f“fh,ÍfL␣[f{␣[fh,©,ç,ì•¶Žš,ì“ü—í,đ<ÖŽ~ ,μ,½,è<-  
%oÂ,μ,½,è,μ,Ü,·␣BfL␣[f{␣[fh“ü—í,đ<ÖŽ~ ,·,é,Æ␣A␣Ä,Ñ<-  
%oÂ,³,ê,é,©␣A,Ü,½,ÍfXfNfSfvg,ìŽÀ␣s,ª␣I—¹,·,é,Ü,ÄfL␣[f{␣[fh,©,ç,ì“ü  
—í,í^ê␣Ø,Â,«,È,,È,è,Ü,·␣B

fI␣[fgfpfCf␣fbfg't,ÉŠÔ^á,Á,ÄfL␣[“ü—í,³,ê,é,±,Æ,đ-  
h,¬,½,ç␣ê␣‡,Éoff,É,μ,Ü,μ,â,‡␣B

<ÖŽ~ ,·,é,É,Íoff␣A<-%oÂ,·,é,É,Íon,đfpf%oof␣f^,ÂŽw'è,μ,Ä,,¾,³,ç␣B

—á␣F  
keyboard off



## title

□@titlefRf}f“fh,í□GTermfEfBf“fhfE,lfLfffvfVf#f“•¶Žš—  
ñ□jfEfBf“fhfE,lf^fCfgr<□j,đfpr%of□f^,ÅŽw’è,<sup>3</sup>,ê,<sup>1/2</sup>•¶Žš—  
ñ,É•í□X,μ,Û,·□B  
□@“d~b,<sup>a</sup>□Ø,ê,é,ÆŽ©‘R,ÉŒ<sup>3</sup>,ì□u□GTerm□v,É-ß,è,Û,·□Bfpf  
%of□f^,đ□Ě—<sup>a</sup>,μ,<sup>1/2</sup>□ê□‡,à□u□GTerm□v,É-ß,è,Û,·□B

—á□F

title "fXfNfŠfvg□^—□t"



## chat

@chatRf}f“fh,íf`fffbfgf,[]fh,ðon/off,μ,Û,·Bfpf  
%of[]f^,Åon,Û,½,Íoff,ðŽw'è,μ,Û,·B

—á[]F  
chat on

## sethlight, sethlight1`sethlight4

@sethlightfRf}f“fh,í<'²•\Ž!•ŕŽš—ñ,đŽw'è,μ,Û,·B29•ŕŽš,Û,Å,ì•ŕŽš—ñ,đ,P,Â,<sup>3</sup>/<sub>4</sub>,~Žw'è,Å,«,Û,·B<'²•\Ž!,đ%øđœ,·,é,É,ÍA"" ,đŽw'è,μ,Ä,-<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB  
@uY'è|<'²•\Ž!Žw'èv,ÅŽw'è,μ,<sup>1</sup>/<sub>2</sub>ê‡,Æ^á,çAŠù,É%øæ-Ê,É\Ž!,<sup>3</sup>,ê,Ä,μ,Û,Á,<sup>1</sup>/<sub>2</sub>•ŕŽš—ñ,Í,à,æ<'²•\Ž!,<sup>3</sup>,ê,Û,<sup>1</sup>,ñB  
@<'²•\Ž!•ŕŽš—ñ,ÍA,S,ÅŽw'è,Å,«,Û,·Bsethlight, sethlight1,ÍA,P"Ó-Ú,ì•ŕŽš—ñ,đŽw'è,μAsethlight2`sethlight4,ÍA,»,ê,<sup>1</sup>/<sub>4</sub>,ê,ì"Ô†,ì•ŕŽš—ñ,đŽw'è,μ,Û,·B

—áF

sethlight1 "PEH00775"  
sethlight1 ""

## port

```
@portRf}f"fh,íÊMf][fg,ìÝ'è,ð,μ,Û,·B•'Ê,í,±,}Rf}f"fh,í•K—v-  
³,ç,Å,μ,å,αB  
ŠeŽí,}pf%of^,ð,Û,Æ,β,ÄŽw'è,Å,«,Û,·B
```

```
@@xxx=xxx xxx=xxx xxx=xxx@,ì,æ,α,ÉAŽw'è,μ,Û,·B
```

```
^È%º,}pf%of^,Žw'è,Å,«,Û,·B
```

```
baudrate = 300 / 1200 / 2400 / 4800 / 9600  
stopbit = 1 / 1.5 / 2  
parity = none / even / odd  
data = 7 / 8  
kanjicode = shiftjis / oldjis / newjis / nec / euc  
flowcontrol = none / x / hardware  
localecho = on / off  
localedit = on / off  
sendcrlf = on / off  
receivecrlf = on / off  
siso = on / off  
autobplus = on / off  
autozmodem = on / off  
removectrls = on / off
```

```
@^ê"Ê,ìŽ®,ðŽw'è,·,é,±,Æ,í,Å,«,Û,1,ñB—  
á,!,îAbaudrate=#a,ì,æ,α,ÈŽg,ç•û,í,Å,«,Û,1,ñB
```

```
—áF
```

```
port baudrate=1200 stopbit=1 parity=none data=9  
kanjicode=shiftjis
```

## keyassign

␣@keyassignfRf}f“fh,í␣Aftf@f“fNfVf#f“fL␣[,É•¶Žš—  
ň,âfXfNfŠfVfG,đŠ,,,è“-,Ä,Ü,␣B

keyassign fL␣[-¼(F1␣`F12), f^fCfGf<  
␣@␣@␣@␣@␣@, string ,Ü,½,Í script ,Ü,½,Í reset , Š,,,è“-,Ä“à—e

␣@,ìĚ` ,Á<L␣q,μ,Ü,␣BfL␣[-¼,ìŠ,Á,␣,ª␣A

␣@␣@␣@Shift + Fx,ÉŠ,,,è“-,Ä,␣,é,É,í␣ABx  
␣@␣@␣@Ctrl+Fx,ÉŠ,,,è“-,Ä,␣,é,É,í␣ACx  
␣@␣@␣@Ctrl+Shift+Fx,ÉŠ,,,è“-,Ä,␣,é,É,í␣ADx

␣@,đŽw'è,μ,Ä,,¾,³,ϕ␣B

␣@F1␣`F12,ªfL␣[Š,,,è“-,Ä,Á␣AB1␣`B8,ª— fL␣[Š,,,è“-  
,Ä,Á,␣Bf^fCfGf<,í␣Aftf@f“fNfVf#f“fL␣[•Ž!,đ,μ,Ä,ϕ,éŽž,Éf{f^f“ ,É•\  
Ž!,␣,é•¶Žš—ň,Á,␣B␣Á␣,“¼Šp,Á,W•¶Žš•¶,μ,©Žw'è,Á,«,Ü,¹,ň␣B  
␣@,» ,ìfL␣[,đ%oŸ,μ,½,Æ,«,É␣A•¶Žš—ň,đ'—  
␣M,␣,é␣é␣# ,í␣Astring,đŽw'è,μ␣AŠ,,,è“-,Ä“à—e,ìŠ,É•¶Žš—  
ň,đ“ü,ê,Ü,␣B␣\$ĈäfR␣[fh,í^<L␣†,Æ'g,Ÿ␣# ,í,¹,ÄŽw'è,μ,Ü,␣B  
␣@,» ,ìfL␣[,đ  
%oŸ,μ,½,Æ,«,É␣AfXfNfŠfVfG,đŽÀ␣s,μ,½,ϕ␣é␣# ,í␣Ascript,đŽw'è,μ␣AŠ  
,,,è“-,Ä•¶Žš—ň,ìŠ,É^É%ooº,ì,æ,⌘  
,ÉfXfNfŠfVfG,Ü,½,ìfXfNfŠfVfG“à,ìfTfuf<␣[f`f“-¼,đŽw'è,μ,Ü,␣B

ABC.SCR,đ␣Á␣%o,©,çŽÀ␣s,␣,é␣é␣#␣F␣@ABC.SCR  
ABC.SCR,ìSub:,đŽÀ␣s,␣,é␣é␣#␣F␣@␣@ABC.SCR:Sub  
keyassignfRf}f“fh,đŽÀ␣s,␣,é fXfNfŠfVfG,Æ“˘ ,¶fXfNfŠfVfG“à,É, ,éS  
ub:,đŽÀ␣s,␣,é␣é␣#␣F␣@␣@Sub

␣@reset,đŽw'è,␣,é,Æ␣A,» ,ìfL␣[,Ö,ìŠ,,,è“-  
,Ä,í␣GTerm<N“ ® Žž,ì␣ó'Ô,ÉfŠfZfbfg,³,ê,Ü,␣Breset,đŽw'è,␣,é␣é␣# ,ìf^f  
CfGf<, ,æ,ŃŠ,,,è“-,Ä“à—e,í-³Ž<,³,ê,Ü,␣B,Ü,½␣AŠ,,,è“-,Ä“à—e,í␣È—  
ª,Ä,«,Ü,␣B

—á␣F

keyassign F1, "MAIL", string, "MAIL^M"  
keyassign F2, "-ϕ“Ç␣^—␣", script, "MidokuShori"  
keyassign B1, "%oň␣ü'f", script, NIF.SCR:HangupLine  
keyassign B1 "", reset

␣@fL␣[Š,,,è“-,Ä,ì,␣, x,Ä,đ␣GTerm<N“ ® Žž,ì␣ó'Ô,É-ß,␣,É,í␣Akeyassign  
reset,đŽÀ␣s,μ,Ü,␣B

—á□F  
keyassign reset



## ime

imefRf}f“fh,íA,©,ÈŠ;Žš•iš,đ,n,m^,n,e,e,μ,Ü,·Bfpf  
%off^,ÅON,Ü,½,íOFF,đŽw'è,μ,Ü,·B

—áF  
ime on

## endscroll

□@endscrollfRf}f"fh,í□A,à,μCE>□Ý□GTerm,³fofbfNfXfNf□□[f<'†,Å, ,é□ê  
□‡,É□AfofbfNfXfNf□□[f<,đ<□\$“l,É□l—<sup>1,3,1</sup>,Ü,·□B



## getchat

␣@getchatfRf}f“fh,í␣Af`fffbfjgfEjBf“fhfE’t,ì•¶Žš—  
ñ,đ•í␣”,ÉŽæ,è␣ž,Ý,Ü,·␣Bfpf%oof␣f^,Å•í␣”-¼,đŽw’è,μ,Ä,-  
,¾,³,ç␣Bf`fffbfjgf,␣[fh,Å,É,ç␣ê␣‡,Å,à␣A’É␣Mf|  
␣[fg,ì␣Ý’è,Åf␣␣[ffj<•Ò␣W,ª,␣,Ž,ì␣ê␣‡,í,»,±,ìfofbftf@,ì“à—  
e,đŽæ,è␣o,μ,Ü,·␣B

—á␣F  
getchat #chat

## setchat

[@setchatfRf}f“fh,íAf`fffbfgfEfBf“fhfE,É•¶Žš—ň,ďŸ'è,μ,Û,·Bfpf  
%of^,Åf`fffbfgfEfBf“fhfE,ÉŸ'è,·,é•¶Žš—ň,ďŽw'è,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çBf`fffbfgf, [fh,Å,É,çê‡,Å,àA'ÊMf|  
[fg,ìŸ'è,Åf [fj<•ÒW,<sup>a</sup>,,Ž,ìé‡,íf [fj<•ÒW,ìofbftf@,ì“à—  
e,ďŸ'è,μ,Û,·B

—áF

setchat ",í,ë,í,ë,„all"

## setchatfilter, nochatfilter

@setchatfilterfRf}f"fh,íAf`ffffbfg,©,ç•¶Žš—ñ,ª"ü—  
í,³,ê,é,½,Ñ,ÉÆĀ,Ño,³,ê,éfTfuf<[f`f",đ"o~^,μ,Û,·BfTfuf<[f`f",É,í'æ  
^êfpf%of[f^i•i"~¼,í#1j,Éf`ffffbfg[s,ì"à—e,ª"n,³,ê,Û,·B

—áF

setchatfilter Filter

c c c c

Filter:

message #1

return

@nochatfilter,íAf`ffffbfgftfBf<f^,ìfTfuf<[f`f",đ  
%ođœ,μ,Û,·Bnochatfilter,μ,È,-  
,Ä,àA"d~b,ª∅,ê,é,ÆŽ©"®"l,Éf`ffffbfgftfBf<f^,à%ođœ,³,ê,Û,·

## font

□@fontfRf}f“fh,í□A□GTerm,ì%œ-Ê,ì•\Ž!,ÉŽg,ıftfHf“fg,đfpf  
%of□f^,ÅŽw'è,<sup>3</sup>,ê,<sup>1/2</sup>,à,ì,É□Ø,è'Ö,ı,Ü,·□B

□@fpf%of□f^,É,ıftfHf“fg,ıftfF□[fX-<sup>1/4</sup>,<sup>3/4</sup>,-,đŽw'è,·,é,©□A,Ü,<sup>1/2</sup>,ı'æ,Pfpf  
%of□f^,ÅftfF□[fX-<sup>1/4</sup>□A'æ,Qfpf  
%of□f^,ÅTfCfY□ıftfHf“fg,ì□,<sup>3</sup>,ıfsfNfZf<□"□j,đŽw'è,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,¢□B

—á□F

font ",l,r fSfVfbfN", 18

font "FixedSys"

## setautohangup

[@setautohangupfRf}f“fh,íAfi[fgfpfCf[]fbfg,Å,ì-  
³[]'Ê[]M,ì,½,ß,ì[]A"ñ[]í—p,ì%ñ[]üŽ©“®[]Ø'fŽžŠÔ,đ[]Ý'è,μ,Ü,·[]B,±  
,lfRf}f“fh,ÅžžŠÔ,đžw'è,μ,Ä,“,„,Æ[]A,»,ìžžŠÔ  
%½,àžó[]M,μ,È,©,Á,½[]é[]‡,Éž©“®“l,É“d~b,đ[]Ø,è,Ü,·[]Bfpf  
%f[]f^,ÅžžŠÔ,đžw'è,μ,Ä,,¾,¾,‡[]B'P^Ê,í•ª,Å,·[]B

[@fpf%[]f^,É,O,đžw'è,·,é,Æž©“®[]Ø'f,í  
%đ[]œ,¾,ê,Ü,·[]B,Ü,½[]Asetautohangup,Åžw'è,μ,½'l,í[]GTerm,đ[]l—  
¹,·,é,Ü,Å—LCEø,Æ,È,è,Ü,·[]B

—á[]F

setautohangup 2



## display

`\@displayfRf}f“fh,íA GTerm,žóM,μ,½•¶Žš—`  
`ň,žÀÛ,ÉfEfBf“fhfE,É•\Ž!,·,é,©,Ç,α,©,đ$Œä,μ,Û,·Bfpf`  
`%of^,Å,Ž,Û,½,í,t,t,žw’è,μ,Ä,,¾,³,çB`

`—áF`  
`display off`

`\@fXfNfŠfvfg,ìŽÀs,ªI—¹,·,é,ÆŽ©“®“I,Édisplay on,Æ,È,è,Û,·B`

## setportno

[@setportnofRf}f“fh,íA[]GTerm,žg—p,·,é’Ê[]Mf|  
[][fg,ì”Ô[]t,žw’è,μ,Û,·[]B,±,lfRf}f“fh,đ’Ê[]M’t,ÉŽg—  
p,·,é,Æ“d~b,ª[]Ø,ê,Ä,μ,Û,α,©,à,μ,ê,È,ç,ì,ÄŽg—p,É,í[]\•ª’[]^Ó,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

[@fpf%of[]f^,Å’Ê[]Mf|[][fg”Ô[]t[]i,P[]`,T[]j,žw’è,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B,P,ªcom1[]A,Q,ªcom2[]c,Æ’Í%ž,μ,Û,·[]B

—á[]F

setportno 1



## sound

[@soundfRf}f"fh,ÍA[GTerm Sound System,đ<ÖŽ~ó'Ô,É,μ,½,èA<-  
%oÂó'Ô,É,μ,Ü,·B<ÖŽ~ó'Ô,É,·,é,ÆA%o<sup>1</sup>,Í^êØ-Â,ç,È,,É,è,Ü,·B

@GTerm Sound System,đ<ÖŽ~ó'Ô,É,μ,½,Ü,ÜfXfNfŠfvfg,đI—  
<sup>1,3,1,1/2,è,·,é,ÆA,»,ì,Ü,Ü%o<sup>1</sup>,<sup>a</sup>-Â,ç,È,çó'Ô,É,È,è,Ü,·B,»,ì,æ,κ  
,ÈŽg,ç•û,đ,·,éê±,ÍfXfNfŠfvfg,ì~—pŽÒ,É,»,κ,È,é,±,Æ,đ,í,©,é,æ,κ  
,É,μ,Ä,,<sup>3/4,3,ç</sup>i,Å,È,ç,ÆfofO,ÆŠÔ^á,í,ê,Ü,·j</sup>

@fpf%of^,Åon,Ü,½,Íoff,đŽw'è,μ,Ä,,<sup>3/4,3,ç</sup>B

—áF

sound off

## log

```

@logfRf}f"fh,lfO,đŠJŽn,μ,1/2,è|—1,μ,1/2,è,μ,Û,·Bfpf%of^a,
%1/2,àŽw'è,3,ê,É,©,Á,1/2êê‡,lfO,ì|—1fRf}f"fh,Æ,É,èCfpf
%of^a,žw'è,3,ê,Ä,ç,éêê‡,lfO,ìŠJŽnfRf}f"fh,Æ,É,è,Û,·B
@fO,đŠJŽn,·,éêê‡,íAfpf%of^,Äftf@fCf<-1/4,đŽw'è,μ,Ä,-
,3/4,3,çBftf@fCf<-1/4,ì,Ý,aŽw'è,3,ê,1/2êê‡,íAftfCfY$CEÀ,í,É,·A'Ç
%oÁf,[]fh,Åì—3,ê,Û,·B
@ftfCfY$CEÀ,đ•t,·,é,É,íAftf@fCf<-
1/4,ìĀã,ÉftfCfY[]i,j,a'P^Êj,đŽw'è,μ,Ä,3/4,3,çB,3,ç,ÉAì—•û-
@,đŽw'è,·,é,É,í,3,ç,Éfpf%of^,ÉŽÝ,ì,æ,α,É,μ,Äì—•û-@,đŽw'è,μ,Ä,-
,3/4,3,çB

```

```

append $$$ 'Ç%oÁf,[]fh[]iÈ—a,μ,1/2êê‡,Æ"·,¶[]
create $$$ V<Kì—
backup $$$ ,Pç'ãfofbfNfAfbfv[]ì—
backup2 $$$ ,Qç'ãfofbfNfAfbfv[]ì—
backup9 $$$ ,Xç'ãfofbfNfAfbfv[]ì—

```

—áF

```

log "NIFTY.LOG"
log
log "NIFTY.LOG", 10, backup2
log "PCVAN.LOG", create

```

```

@ftfCfY$CEÀ,É,μ,đŽw'è,μ,Ä,àAŽÀÛ,í,X,X,X,X,j,a,ftfCfY,ì$CEÀ,É
,É,Á,Ä,ç,Û,·B

```

```

@fXfNfŠfvfg,3/4,·,ì"Á•Ê,È<@"\,Æ,μ,ÄAfO,Ö,ìo—
í,đ^êžž"ì,É'âž~3,1,1/2,èAÄŠJ,3,1,1/2,è,Ä,«,Û,·B^êžž"ì,É'âž~3,1,é,É,í
A

```

log pause

```

@,ÄAÄŠJ,3,1,é,É,íA

```

log resume

```

@,Ä,·Bdisplay off,μ,Ä,ç,éÅ't,ÉfO,Ö,ìo—
í,àž~β,1/2,çêê‡,íAlog pause,ÆAlog resume,đŽg,Á,Ä,3/4,3,çB

```

```

@$CEäfR[]fh,đœ<Ž,μ,ÄfO,đì—3,1,1/2,çêê‡,íA,3,ç,Énocontrolc
odeA$CEäfR[]fh,đœ<Ž,μ,É,ç,æ,α
,ÉfO,đì—3,1,1/2,çêê‡,ícontrolcode,Æ,ç,αfpf%of^,đ'Ç%oÁ,μ,Ä,-
,3/4,3,çB,Ç,ž,ç,àžw'è,μ,É,©,Á,1/2êê‡,í'ÉMfj
[]fg,ìY'è,ìu$CEäfR[]fh,ìœ<Žv,Æ"·,¶,É,É,è,Û,·B

```

```
—áF  
  log "abc.log", append, nocontrolcode
```

## upload

```
@uploadRf}f"fh,íftf@fCf<,đfAfbfvf[]fh,μ,Ü,·Bfpf%oof^,đ
%o½,àŽw'è,μ,É,ç,ÅŽÅs,·,é,ÆAfvf[]fgfRf<,Æftf@fCf<-¼i,à,μ•K—
v,È,ç,îj,đft[]fU,É-â,ç[]í,¹,Ü,·Bfpf%oof^,Åfvf[]fgfRf<,Æftf@fCf<-¼,i
-¼•û,Ü,½,Í•Đ•û,đŽw'è,·,é,±,Æ,ª,Å,«,Ü,·BŽw'è,³,ê,é,Æft[]fU,Ö,ì-
â,ç[]í,¹,Ís,í,ê,È,,È,è,Ü,·B
[]@ftf@fCf<-¼,Æfvf[]fgfRf<,ìŽw'è•û-@,íA
```

```
upload "ftf@fCf<-¼", fvf[]fgfRf<-¼ ,Ü,½,Í
upload "ftf@fCf<-¼" ,Ü,½,Í
upload , fvf[]fgfRf<-¼
```

```
,ÅAfvf[]fgfRf<-¼,É,ÍÈ%oº,ì,à,ì,ªŽw'è,Å,«,Ü,·B
```

```
none          ¥¥¥ -³Žè[]
xmodem        ¥¥¥ XMODEM
xmodemcrc     ¥¥¥ XMODEM/CRC
xmodemk       ¥¥¥ XMODEM-1k
transit       ¥¥¥ TransIt
zmodem        ¥¥¥ ZMODEM
quickvan      ¥¥¥ QuickVAN
bplus         ¥¥¥ BPLUS
ymodem        ¥¥¥ YMODEM
ymodemg       ¥¥¥ YMODEM-g
ymodembatch  ¥¥¥ YMODEM-batch
ymodemgbatch ¥¥¥ YMODEM-g-batch
mlink         ¥¥¥ MLink
```

—áF

```
upload "mail.txt", none
upload , bplus
```

```
@fAfbfvf[]fh,ª-CE÷,·,é,ÆA[]—
¹fR[]fh,Íyes,É,È,èAŽ, "s,μ,½ê[]Ü,½,Í't'f,³,ê,½ê[]Íno,É,È,è,Ü,·B
```

## download

```
@downloadRf}f"fh,iftf@fCf<,df_fEf"f[fh,μ,Ü,·Bfpf%of^,δ
%½,àŽw'è,μ,É,ç,ÅŽÅs,·,é,ÆAfvffgfRf<,Æftf@fCf<-¼i,à,μ•K—
v,È,ç,Íj,ðft[fU,É-â,ç±,í,¹,Ü,·BŽw'è,³,ê,é,Æft[fU,Ö,ì-
â,ç±,í,¹,Ís,í,ê,È,,È,è,Ü,·B
@ftf@fCf<-¼,ÆfvffgfRf<,ìŽw'è•û-@,ÍA
```

```
download "ftf@fCf<-¼", fvffgfRf<-¼
download "ftf@fCf<-¼"
download , fvffgfRf<-¼
download "ftf@fCf<-¼", fvffgfRf<-¼
```

```
,ÅAfvffgfRf<-¼,É,ÍÈ%º,ì,à,ì,Žw'è,Å,«,Ü,·B
```

```
xmodem      ¥¥¥ XMODEM
xmodemcrc   ¥¥¥ XMODEM/CRC
xmodemk     ¥¥¥ XMODEM-1k
transit     ¥¥¥ Translt
quickvan    ¥¥¥ QuickVAN
bplus       ¥¥¥ BPLUS
zmodem      ¥¥¥ ZMODEM
ymodem      ¥¥¥ YMODEM
ymodemg     ¥¥¥ YMODEM-g
ymodembatch ¥¥¥ YMODEM-batch
ymodemgbatch ¥¥¥ YMODEM-g-batch
mlink       ¥¥¥ MLink
```

```
@,³,ç,ÉA,à,μA"´,¼'O,iftf@fCf<,Šù,É'¶Y,μ,Ä,ç,éê±,É,Ç,¤^—
,·,é,©,ðŽw'è,·,é,±,Æ,ª,Å,«,Ü,·B,±
,ê,ðŽw'è,·,é,É,ÍAdownloadRf}f"fh,ìĀă,ë,ÉA,³,ç,ÉfRf"f}
,ð•t,´,ÄA^È%º,Ípf%of^,ð•t,´,Ä,,¾,¾,çB
```

```
overwrite   ¥¥¥@@Šù'¶,iftf@fCf<,ÉĀ',«,·,é
append      ¥¥¥@@Šù'¶,iftf@fCf<,ìĀă,ë,É'Ç%Á,·,é
resume       ¥¥¥@@f_fEf"f[fhfĀfWf...[f€
tempfile     ¥¥¥@@fef"fj%ofŠftf@fCf<[itemp.001]
```

—áF

```
download "ABC.TXT", xmodem
download , bplus, append
download , quickvan, overwrite
download , , append
```

```
@f_fEf"f[fh,ª-Ā÷,·,é,ÆA|—
¹fR[fh,Íyes,É,È,èĀŽ,"s,μ,½ê±,Ü,½,Í't'f,³,ê,½ê±,Íno,É,È,è,Ü,·B
```



## sendclipbrd

@sendclipbrdfRf}f“fh,ífNfŠfbfvf{[fh,ì“à—e,đ’—M,μ,Ü,·B

—áFifNfŠfbfvf{[fh,ì“à—e,đ%ü s•t,«,Å’—M,·,éj

SendAndCR:

sendclipbrd

send "^M"

## setupdownfile

```
@setupdownfileRf}f"fh,íAfzfXfg'x
,İžwŽ!,ÅfAfbfvf[]fh^f_fEf"f[]fh,ªŠjŽn,³,ê,½[]ê[]‡,İftf@fCf<-¼,đ, ,ç
,©,¶,ß[]GTerm,É<L%o¯,³,¹,Ä,"«,Ü,·[]BfrffflfefbfNfX
%oñü,Å,İfofCfifŠf_fEf"f[]fh,âXMODEM,İžž,É—~—p,Å,«,Ü,·[]B
[]@BPLUS,âZMODEM,İ,æ,x,ÉfzfXfg'x,ªftf@fCf<-
¼,đŽw'è,µ,Ä,«,Ä,µ,Ü,x[]ê[]‡,É,İsetupdownfile,İ-³CEø,É,È,è,Ü,·[]B
[]@setupdownfile,µ,½ftf@fCf<-¼,İ¼CEä,İ,P%oñ-
Ú,İfAfbfvf[]fh^f_fEf"f[]fh,É,¾,¯—LCEø,Å,·[]B
[]@setupdownfile,µ,½ftf@fCf<-¼,đŽæ,è[]Á,µ,½,ç[]ê[]‡,İ[]Aftf@fCf<-
¼,Æ,µ,Ä""",đŽw'è,µ,Ä,à,x^ê"xsetupdownfile•¶,đŽÄ[]s,·,ê,İ,ç,ç,Å,·[]B
```

—á[]F

```
setupdownfile "abc.txt"
wait "f_fEf"f[]fhŠjŽn"
wait "f_fEf"f[]fh[]!—¹"
```



## message

@messagefRf}f"fh,Ípf%of^,ĂŽw'è,<sup>3</sup>,ê,<sup>1/2</sup>f<sub>f</sub>bfZ[fW,đ•\  
Ž!,μ,Ü,·Bft[fU,<sup>a</sup>—<sup>1</sup>%đf{f^f",đ%Ÿ,·,Æ^—,±<sub>s</sub>,<sup>3</sup>,ê,Ü,·B•Źš—  
ň,É%ü<sub>s</sub>•Źš,<sup>a</sup>,é,ÆAf<sub>f</sub>bfZ[fW,à%ü<sub>s</sub>,μ,Ă•\Ž!,<sup>3</sup>,ê,Ü,·B

—áF

message "f[f<,^,Ä,ç,Ü,·"

message "GTerm^M ,Ă,·B"

## debuginfo

[@debuginfoRf}f"fh,íA,Q,Â,ìŽg,ç•û,<sup>a</sup>,,è,Û,·B^ê,Â,íAfffofbfOî•ñ  
,ìo—í,ð<-‰Â^<ÖŽ~,·,éŽg,ç•û,ÂA,à,æ^ê,Â,ífffofbfOî•ñ,ðo—  
í,·,éŽg,ç•û,Â,·B

[@debuginfo,ìpf  
%offf^,Æ,μ,Äon,Û,½,íoff,ðŽw'è,μ,½ê±,íAfffofbfOî•ñ,ìo—í,ì<-  
‰Â^<ÖŽ~,ðŽw'è,μ,Û,·B

[@debuginfo on

[@,Æ,·,é,ÆAfffofbfOî•ñ,ìo—í,ð<-‰Â,μ,Û,·B

[@debuginfo off

[@,Æ,·,é,ÆAfffofbfOî•ñ,ìo—  
í,<sup>a</sup><ÖŽ~,<sup>3</sup>,è,Û,·BGTerm,ð<N"®,μ,½ó'Ô,Â,íoff,É,È,Á,Ä,ç  
,ÄAfXfNfŠfvg,ì'†,Â^ê"xon,É,μ,Ä,àAfXfNfŠfvg,<sup>a</sup>,·,×,Äl—  
<sup>1</sup>,·,é,Æ,Û,½off,É,È,è,Û,·B

[@debuginfoRf}f"fh,ìpf%offf^,Â•¶Žš—  
ñ,<sup>a</sup>Žw'è,<sup>3</sup>,è,½ê±,íAf±bfZ[fW,ðfffofbfO'[--  
,Û,½,íDBWin,É,Ç,ífffofbfOî•ñ,ð·\  
Ž!,·,éAfvfŠfP[fVf†f",É"n,μ,Û,·B,½,¾,μAudebuginfo  
offv,ìó'Ô,É,È,Á,Ä,ç,éê±,Ç,±,É,ào—í,<sup>3</sup>,è,Û,<sup>1</sup>,ñB

[@fXfNfŠfvg't,Édebuginfo,Â©,½,çî•ñ,ð·\Ž!,·,é,æ,æ,É,μ,Ä,"ç  
,ÄAfXfNfŠfvg,ìæ"<sup>a</sup>,Édebuginfo on,ð"ü,è,Ä,"-  
,ÆfffofbfO,<sup>a</sup>Šy,É,È,è,Û,·B,»,"fXfNfŠfvg,<sup>a</sup>Š®¬,μ,ÄNIFTY-  
Serve,É,Ç,ÉfAfbvf[fh,·,éê±,íAæ"<sup>a</sup>,ì"•<sup>a</sup>,ðdebuginfo  
off,É,·,è,ì,ç,ç,Â,·B

[@fffofbfO'[--,àDBWin,É,Ç,à,È,çê±,ÉfffofbfOî•ñ,<sup>a</sup>o—  
í,<sup>3</sup>,è,é,ÆfXfNfŠfvg,<sup>a</sup>Ž~,Û,Á,Ä,μ,Û,æ,©,à,μ,è,È,ç,ì,Â'Ô,μ,Ä  
‰<sup>o</sup>,<sup>3</sup>,çB

[@fffofbfO'[--,Â‰ü[s,<sup>3</sup>,<sup>1</sup>,éê±,í^),ðŽg,Á,Ä,,¾,<sup>3</sup>,çB

—áF

debuginfo "f[f<,ì^—Š®—<sup>1</sup>^J"

## question

@questionfRf}f“fh,ímessagefRf}f“fh,Æ“¯—l,É□Afpf  
%of□f^,ÅŽw’è,<sup>3</sup>,ê,<sup>1/2</sup>•¶Žš—ñ,đ•\Žl,μ,Ü,·□BmessagefRf}f“fh,ìê□‡,í—  
<sup>1</sup>%ođf{f^f“,đ%oŸ,μ,Ä□^—  
□,ª’±□s,μ,Ü,·,ªquestionfRf}f“fh,Å,í□u,í,φ□v,Æ□u,φ,φ  
,!□vf{f^f“,ì,Ç,ì,ç,©,đ%oŸ,·,±,Æ,Å□@□^—□,ª’±□s,μ,Ü,·□B  
□@□u,í,φ□vf{f^f“,ª%oŸ,<sup>3</sup>,ê,<sup>1/2</sup>□ê□‡,í□l—<sup>1</sup>fR□[fh,í□uyes□v,É,È,è□A□u,φ  
,φ,!□vf{f^f“,đ%oŸ,μ,<sup>1/2</sup>□ê□‡,í□uno□v,É,È,è,Ü,·□B  
□@•¶Žš—ñ,É%oü□s•¶Žš,<sup>a</sup>, ,é,Æ□A,»,±,Å%oü□s,μ,Ü,·□B  
□@if•¶,Æ’g,Ý□‡,í,<sup>1</sup>,ÄŽg,φ,Ü,·□B

—á□F

question ""d~b,đ□Ø,è,Ü,·,©□H"  
if( yes ) hangup

## timeoutmessage

@timeoutmessagefRf}f"fh,lf^fCf€fAfEfg•t,«,Åf[]fbfZ[]fW,ð•\  
Ž!,μ,Ü,·[]BŽw'è,<sup>3</sup>,ê,<sup>1/2</sup>ŽŽŠÔ,<sup>a</sup>CEo%oß,μ,Ä,àft[]fU,<sup>a</sup>,n,jf{f^f",ð  
%oY,<sup>3</sup>,È,©,Á,<sup>1/2</sup>ê[]±,Éf[]fbfZ[]fW,ð[]A<Ž,μ[]AfXfNfŠfvg,ì[]^—  
[],ð'±[]s,μ,Ü,·[]B<sup>1/4</sup>,Ímessage,Æ"~,¶,Å,·[]B

@'æ,Pfpf%of[]f^,Åf[]fbfZ[]fW•¶Žš—ñ,ðŽw'è,μ[]A'æ,Qfpf  
%of[]f^,Åf^fCf€fAfEfgŽŽŠÔ,ð•b'P^Ê,ÅŽw'è,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç[]B

—á[]F

timeoutmessage "f[][]f<,a—^,Ä,ç,Ü,·", 10

timeoutmessage "[]GTerm^M ,Å,·[]B", 10

## timeoutquestion

@timeoutquestionfRf}f“fh,Íf^fCf€fAfEfg•t,«,ÅquestionfRf}f“fh,ðŽÀ  
s,μ,Û,·BŽw'è,<sup>3</sup>,ê,½ŽŽŠŌ,<sup>a</sup>Œo%β,μ,Ä,àft[fU,af{f^f“,ð  
%Ÿ,<sup>3</sup>,È,©,Á,½ê±,Éf[]fbfZ[]fW,ðA<Ž,μAfXfNfŠfvfg,ì^—  
ð,ð'±s,μ,Û,·B'¼,Íquestion,Æ“~,¶,Ä,·B

@f^fCf€fAfEfg,É,È,Á,½ê±,Íu,Í,çvf{f^f“,<sup>a</sup>  
%Ÿ,<sup>3</sup>,ê,½,à,ì,Æ,Ý,È,<sup>3</sup>,ê,Û,·B

@'æ,Pfpf%of^,Åf[]fbfZ[]fW•¶Žš—ñ,ðŽw'è,μA'æ,Qfpf  
%of^,Åf^fCf€fAfEfgŽŽŠŌ,ð•b'P^Ê,ÄŽw'è,μ,Ä,,¾,<sup>3</sup>,çB

—áF

timeoutquestion “d~b,ðØ,è,Û,·,©H”, 10  
if( yes ) hangup

## input, secreinput

```
input fRf}f"fh[AsecreinputfRf}f"fh,íA,Æ,à,ÉAfpf
%of^,ÅŽw'è,³,ê,½•ŕŽš—ñ,ð•\Ž|,μ,Äft[fU,©,ç•ŕŽš—ñ,ð"ü—
í,μ,Ä,à,ç,çA,»ê,ðŽw'è,³,ê,½•ï",ÉŠi"[μ,Ü,·B
@secreinputfRf}f"fh,íAft[fU,ª"ü—í,μ,½•ŕŽš,ðu-
v,É'u,«Š·,|,Ä•\Ž|,μ,Ü,·BfpfXf[fh,ì"ü—í"™,É•Ö—~,Å,·B
@ft[fU,ªŽæAf{f^f",ð%Ÿ,μ,½ê±,í"ü—í,μ,½•ŕŽš—
ñ,í"ä"ü,³,ê,Ü,¹,ñB,Ü,½A,»ìê±,í—
fR[fh,ªucancelv,É,É,è,Ü,·BŠm'èf{f^f",ð%Ÿ,μ,½ê±,í"ü—
í,μ,½•ŕŽš—ñ,ª•ï",É"ä"ü,³,êA—fR[fh,íuenterv,É,É,è,Ü,·B
@ŽŸ,ì,æ,æ,ÈE` ,ÅŽg,ç,Ü,·B
```

```
input fbfZ[fW, •ï"-¼
secreinput fbfZ[fW, •ï"-¼
```

```
@'æ,Pfpf%of^,Äft[fU,É•\Ž|,·,é•ŕŽš—ñ,ðŽw'è,μA'æ,Qfpf
%of^,ÅŠi"[μ,Ä,Ü,μ,ç•ï",ðŽw'è,μ,Ü,·B
```

—áF

```
input "ft[fUID,ð"ü—í,μ,Ä,,¾,¾,ç", %UserID
secreinput "fpfXf[fh,ð"ü—í,μ,Ä,,¾,¾,ç", %%Password
```

```
fbfZ[fW•ŕŽš—ñ,É%üs•ŕŽši^Mj,ð"ü,ê,Ä," , -
,ÆAfbfZ[fW,í,»±,Å%üs,μ,Ä•\Ž|,³,ê,Ü,·B
```

—áF

```
input "ftf@fCf<-¼,ð"ü,ê,Ä,,¾,¾,çB^M—áFABC.TXT", #name
```

```
@'æ,Rfpf%of^,ðŽw'è,·,é,ÆA,»ê,ífftfHf<fg,ì'l,Æ,μ,Ä
%ðŽš,³,ê,Ü,·BŽw'è,³,ê,½•ŕŽš—ñ,í"ü—í—p,lEfBf"fhfE,É•\
Ž|,³,ê,Ü,·B
```

—áF

```
input "ftf@fCf<-¼,ð"ü—í,μ,Ä,,¾,¾,çB", #name, "ABC.TXT"
```

## inputfilename

@inputfilenameefRf}f"fh,íAftf@fCf<'l'ð—p,lf\_fCfAf□fOf{fbfNfX,ð•\  
Ž!,μ□Aft□[fU,ªŽw'è,μ,½ftf@fCf<,l-¼'O,ð•İ□",É'ã"ü,μ,Ü,·□B

@'æ,Pfpf%of□f^,Åf\_fCfAf□fOf{fbfNfX,lf^fCfgef<,ðŽw'è,μ□A'æ,Qfpf  
%of□f^,Å•İ□"-¼,ðŽw'è,μ,Ä,,¾,¾,ç□B

@f\_fCfAf□fOf{fbfNfX,ìftf@fCf<^è—,É•\  
Ž!,·,é□fCf<fhfj□[fh,ðŽw'è,μ,½,ç□ê□#,í□A'æ,Rfpf  
%of□f^,É,»,)f□fCf<fhfj□[fh,ðf\_fuf<fnf□[fe□[fvf#f",Å^í,Á,ÄŽw'è,μ,Ä,-  
,¾,¾,ç□B

@ft□[fU,ªflfff"fZf<·,é,Æ□l—¹fR□[fh,ªcancel,É,È,è,Ü,·□B

—á□F

inputfilename "fAfbfvf□□[fh,·,éftf@fCf<", @filename  
inputfilename "ftf@fCf<", #a, "\*.txt;\*.ini"

## menu, numbermenu

```
□@menu, numbermenu fRf}f"fh, í Af□fjf...□[, ð•\Ž!, μ, Ü, ·□B□fjf...
□[, í□€-Ú, ðfRf" f}, Å<æ□Ø, Á, Äfpf%□f^, Å, ç, , Á, Å, àŽw'è, Å, «, Ü, ·□B
```

```
□@numbermenu, í Af□fjf...□[, ì□¶'α, É"Ô□†, ð□U, Á, Äf□fjf...□[, ð•\
Ž!, μ, Ü, ·□Bft□[fU, í□A"Ô□†, ìfL□[, ð%Ÿ, ·, ±, Æ, Å'¡□Ä, É, » , ìf□fjf...
□[, ð'í, x, Ü, ·□B
```

```
□@'æ, Pfpf%□f^, ð'í, î, ê, ½□ê□‡, íresult==0, É, È, è□A'æ, Qfpf
%□f^, ¾, Æresult==1, Æ, ç
, Á, ½<í□‡, É, È, è, Ü, ·□Bft□[fU, ðfLfff" fZf<, ·, é, Æ□|—¹fR□[fh, í-1, É, È, è, Ü, ·□B
```

—á□F

```
numbermenu "fRf}f"fh,P", "fRf}f"fh,Q", "fRf}f"fh,R"
switch result
case 0
    message "fRf}f"fh,P"
case 1
    message "fRf}f"fh,Q"
case 2
    message "fRf}f"fh,R"
case -1
    message "fLfff" fZf<"
endswitch
```

```
□@f□fjf...
```

```
□[, ì'†, ÉfZfpfCE□[f^, ð"ü, ê, ½, ç□ê□‡, í□A, » , ì^Ê'u, É□"Žš, ì0, ð"ü, ê, Ä, -
, ¾, ¾, ç□B
```

—á□F

```
menu "fRf}f"fh,P", "fRf}f"fh,Q", 0, "fRf}f"fh,R"
```

```
f□fjf...□[□€-Ú, ð<ó, ì□ê□‡, í, » , ì□€-Ú, í•\Ž!, ¾, ê, Ü, ¹, ñ□B—á, í, ímenu "ABC",
"", "" , Æ, â, é, Æ□Af□fjf...□[, í"ABC", ¾, ¯ , ð•\Ž!, ¾, ê, Ü, ·□B
```

```
□@f□fjf...□[□€-Ú, ÉfAfNfZf
```

```
%□fCE□[f^fL□[, ð•t, ¯ , ½, ç□ê□‡, í□A&, ì<L□†, Æ'g, Ý□‡, í, ¹, Ä^È%□□, ì, æ, x
, É<L□q, μ, Ü, ·□B
```

```
menu "□ê□Š, ð'í, ñ, Å, , ¾, ¾, ç□B", 0, "&1 Šw□Z", "&2 CEö%□€", "&3
Žs-ð□Š"
```



## addmenu, addnumbermenu, showmenu

□@addmenu, addnumbermenu fRf}f“fh, í□A f□fjf... □[, ð□€-  
Ú,<sup>2</sup>, Æ, É□ì□¬, μ, Ü, ·□B  
□@□Å□%o, Éaddmenu, ðÆÄ, Ô, Æ□A□GTerm, ì“à•”, Éf□fjf...  
□[, <sup>a</sup>□ì□¬,<sup>3</sup>, é□A f p f % o f f ^ , ÅŽw’è,<sup>3</sup>, é,<sup>1/2</sup>•¶Žš—ñ, <sup>a</sup>f□fjf... □[, É’Ç  
%oÁ,<sup>3</sup>, é, Ü, ·□B addnumbermenu, <sup>3/4</sup>, Æ”Ô□†•t, «, Å’Ç%oÁ,<sup>3</sup>, é, Ü, ·□B

□@showmenu, ðŽÀ□s, ·, é, Æ□A□ì□¬,<sup>3</sup>, é,<sup>1/2</sup>f□fjf... □[, <sup>a</sup>•\Ž!,<sup>3</sup>, é□A f□fjf...  
□[, ì•\Ž!,<sup>a</sup>□ì, í, é, Æ, » , ìf□fjf... □[, ì□Á<Ž,<sup>3</sup>, é, Ü, ·□B

□@addmenu, addnumbermenu, ìf p f  
%o f f ^ , É□”Žš, ì, O, ðŽw’è, ·, é, Æ f Z f p f Ç □ [ f ^ , <sup>a</sup>’Ç%oÁ,<sup>3</sup>, é, Ü, ·□B

□@addmenu, addnumbermenu, ìf p f  
%o f f ^ , í, P, Å, μ, © Žw’è, Å, «, Ü,<sup>1</sup>, ñ□B, <sup>1/2</sup>, Æ, ì, î"abc", "def", ÆŽw’è, μ, Ä, à□A  
’Ç%oÁ,<sup>3</sup>, é, é, ì, ì"abc", <sup>3/4</sup>, -, Å, ·□B

□@addmenu, Æaddnumbermenu, ì□¬,<sup>o</sup>, È, ç, Å,,<sup>3/4</sup>,<sup>3</sup>, ç□B

—á□F

```
addmenu "f^fCfjf<"
addmenu 0
addmenu "fRf}f“fh,P"
addmenu "fRf}f“fh,Q"
addmenu "fRf}f“fh,R"
showmenu
```

## chdir

```
@chdirfRf}f"fh,íA□GTerm,ìffCEf"fgfhf
%ofCfu^fjfCEf"fgfffBfCEfNfgfŠ,đ•í□X,μ,Û,·□B'¼□ÚfpfX,đŽw'è,·,é•û-
@,Æ□A□GTerm,ì□Y'è,ÅŽw'è,μ,½fffBfCEfNfgfŠ,É^Ú"®,,·,é•û-@,ª, ,è,Û,
·□B
```

```
chdir log          ¥¥¥ f□fO,ìfffBfCEfNfgfŠ,É^Ú"®,,·,é
chdir upload      ¥¥¥ fAfbfvf□□[fh—p,ìfffBfCEfNfgfŠ
chdir download    ¥¥¥ f_fEf"f□□[fh—p,ìfffBfCEfNfgfŠ
chdir script      ¥¥¥ fXfNfŠfvfg—p,ìfffBfCEfNfgfŠ
chdir "C:\"        ¥¥¥ C:\,É^Ú"®,,·,é
chdir #a          ¥¥¥ #a,ì'l,ì□Š,É^Ú"®,,·,é
chdir "log"       ¥¥¥ "log",É^Ú"®,,·,é
```

```
@chdirfRf}f"fh,đŽÀ□s,μ,½CEã,í□A•K, ,restoredirfRf}f"fh,đŽg,Á,Äfjf
CEf"fgfffBfCEfNfgfŠ,đCE³,É-ß,μ,Ä,,¾4,³,ç□B,»,¤,μ,È,ç
,Æ^ÈCEã,ì□GTerm,ì"®ì,ª, ",©,μ,,È,è,Û,·□B□i,È,é,x,'□,ß,É□j
```

—á:

```
chdir log
appendfile #f
if( no )
    createfile #f
endif
restoredir          ; chdir,μ,½CEã,í•K, ,•K—v,Å,·□B
```

## restoredir

□@restoredirfRf}f“fh,í□AchdirfRf}f“fh,Å•ï□X,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>fjfĈef“fgfffBfĈefNfg  
fS□^fjfĈef“fgfhf%ofCfu,đĈĖ<sup>3</sup>,É-ß,μ,Ü,·□Bchdir,<sup>a</sup>Q%oñ~A'±  
,ÅŽÀ□s,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>ĈĖã,Å,à□<sup>3</sup>,μ,ĈĖ<sup>3</sup>,ìfffBfĈefNfgfŠ,É-ß,μ,Ü,·□B  
□@,à,μ□Arestoredir,đ-Y,ê,Ä,μ,Ü,Á,<sup>1</sup>/<sub>2</sub>□é□#□AfXfNfŠfvfg,ìŽÀ□s,<sup>a</sup>□I—  
<sup>1</sup>,·,é,Ü,Å□A,Ü,<sup>1</sup>/<sub>2</sub>,Í□AreturnfRf}f“fh,<sup>a</sup>ŽÀ□s,<sup>3</sup>,ê,é,Ü,ÅfjfĈef“fgfffBfĈefNfgf  
Š,íĈĖ<sup>3</sup>,É-ß,è,Ü,<sup>1</sup>,ñ□B

## openfile

␣@openfilefRf}f“fh,Íftf@fCf<,đfi␣[fvf“ ,μ,Û,·␣Bfi␣[fvf“ ,; ,é,Æ␣A,±  
,ìĀẽreadfilefRf}f“fh,đŽg,Á,Ä,» ,Íftf@fCf<, ©,ç,P␣s,Ã,Ä“Ç,ñ,Å,» ,ì“à—  
e,đ•í␣” ,É‘ã“ü,μ,½,è,· ,é,±,Æ,ª,Å,« ,Û,·␣B  
␣@ftf@fCf<,ª“ŕ␣Y,μ,È,ç␣ê␣‡,ÍfGf%␣␣[ ,Æ,È,è,Û,·␣B  
␣@fpf%␣␣f␣f^ ,Æ,μ,Äftf@fCf<-¼,đŽw’è,μ,Û,·␣B

—á:  
    openfile "abc.txt"

fi␣[fvf“ ,ÉŽ, ”s,· ,é,Æ␣A␣I—  
¹fR␣[fh,Íno,É,È,è␣A␣—Ā÷ ,· ,é,Æeyes,É,È,è,Û,·␣B



## createtempfile

```
@createtempfileRf}f“fh,Ífef“fjf
%ofŠftf@fCf<,đì□→,μ□AfI□[fvf“,μ,Ü,·□Bì□→,3,ê,1/2ftf@fCf<-1/4,Ífpf
%of□f^,ÅŽw'è,3,ê,1/2•i□“,ÉŠi“[,3,ê,Ü,·□B
□@fef“fjf%ofŠftf@fCf<,ÍĈã,Å•K,closefile,Ædelfile,μ,È,¯,ê,Î,ϕ
,¯,Ü,1,ñ□B
```

—á:  
createtempfile #a

```
ì□→,ÉŽ,“s,·,é,Æ□|—1fR□[fh,Íno,É,È,è□A□→Ĉ÷,·,é,Æeyes,É,È,è,Ü,·□B
```

## closefile

@closefile, íAopenfile, Ü, ½, ícreatefile, Ü, ½, íappendfile, Åfi[fvf", Ü,  
½, íìì-, µ, ½ftf@fCf<, ðfNf[fY, µ, Ü, ·BfNf[fY, µ, È, ç  
, Ü, ÜA"~Žž, Éfi[fvf", Å, «, éftf@fCf<, ì", ÌA, T, Å, Ü, Å, Å, ·B, µ, ½, ¢, Á, ÄAf  
tf@fCf<, Æ, ìfAfNfZfX, ¢I—<sup>1</sup>, µ, ½, çA', ß, É, ±  
, íclosefilefRf}f"fh, ðŽÀs, µ, Å,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>, çB  
@closefilefRf}f"fh, ð, µ-Y, ê, ½ê±, ÍA'S, Ä, ìXfNfŠfvfg, ìŽÀs, ðI—  
<sup>1</sup>, ·, é, Ü, Å, » , ìftf@fCf<, Ìfi[fvf",<sup>3</sup>, ê, ½, Ü, Ü, É, È, è, Ü, ·B

—á:

closefile "abc.txt"

## appendfile

```
@appendfilefRf}f"fh,íftf@fCf<,đ'Ç%Á',«ž,Ý—  
p,Éf[]fvf",μ,Û,·Bftf@fCf<,ª'¶Y,μ,È,çê±,ÍGf%[][,É,È,è,Û,·B  
@[]¬,ª¬CE÷,·,é,ÆA,±,ì, ,ÆwritefilefRf}f"fh,đŽg,Á,Ä,±  
,íftf@fCf<,É',«ž,p,±,Æ,ª,Ä,«,Û,·B
```

—á:

```
appendfile "abc.txt"
```

```
@ftf@fCf<,ª'¶Y,μ,È,çê±,É,Ícreatefile,μ,½,çê±,ÍA^È%º,ì,æ,π  
,É,·,ê,Î,ç,ç,Ä,·B
```

```
appendfile "abc.txt"  
if( no ) createfile "abc.txt"
```

```
[]¬,ÉŽ,"s,·,é,ÆA|—  
¹fR[]fh,Íno,É,È,èA¬CE÷,·,é,Æeyes,É,È,è,Û,·B
```



## readfile

readfile "abc.txt", #a

readfile "abc.txt", #a

readfile "abc.txt", #a

readfile "abc.txt", #a

readfile "abc.txt", #a

readfile "abc.txt", #a

—á:

readfile "abc.txt", #a

## writefile

```
@writefileRf}f"fh,iftf@fCf<,É,P[s',«ž,Ý,Ü,·B^È%º,ì,æ,α  
,ÉĈ`Ž®,ÅŽg,ϕ,Ü,·B
```

```
writefile ftf@fCf<-¼, "à—e
```

```
@ftf@fCf<,ÍcreatefilefRf}f"fh,Ü,½,ÍappendfilefRf}f"fh,É,æ,Á,ÄŠù,ÉfI  
[fvf",³,ê,Ä,È,ϕ,Æ,ϕ,·,Ü,¹,ňB  
@',«ž,Ý,ÉŽ,"s,·,é,ÆI—  
¹fR[fh,Íno,É,È,èA³í,É',«ž,Ü,ê,½ê±,Íyes,É,È,è,Ü,·B  
@',«ž,Ýff[f^,É,ÍA·K,„ÄĈă,É%ü[s•¶Žš,ª•t  
%ºÁ,³,ê,Ü,·B,μ,½,ª,Á,ÄA[s'P^Ê,Å,iftf@fCf<fAfNfZfX,μ,©,Å,«,Ü,¹,ň  
B
```

—á:

```
writefile "abc.txt", "Ĉ<%ºÊ,Í" + #a + ",Å,·B"
```

## delfile

@delfileRf}f"fh,íftf@fCf<,đíœ,μ,Ü,·B-CE÷,;é,ÆI—  
fR[fh,íyes,É,È,èAŽ,"s,·,é,Æno,É,È,è,Ü,·Bopenfile"™,ÅŠù,ÉfI[fvf  
",<sup>3</sup>,ê,Ä,ç,éftf@fCf<,đíœ,;éê‡,í,Ü,closefile,μ,Ä,©,ç,É,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

—áF  
delfile "abc.txt"

## copyfile

```
@copyfileRf}f"fh,İftf@fCf<,đ•;ŽÊ,μ,Û,:B-CE÷,,:é,ÆI—  
¹fR[fh,Íyes,É,È,èAZ,"s,,:é,Æno,É,È,è,Û,:B  
@'æ,Pfpf%of^,Å•;ŽÊCE³,İftf@fCf<-¼,đŽw'è,μA'æ,Qfpf  
%of^,Å•;ŽÊæ,İftf@fCf<-¼,đŽw'è,μ,Û,:B
```

—áF

```
copyfile "abc.txt", "xyz.txt"
```

## renamefile

```
@renamefilefRf}f"fh,íftf@fCf<,ì-¼'O,đ•ïX,μ,Ü,·B-CE÷,·,é,ÆI—  
¹fR[fh,íyes,É,È,èAŽ,"s,·,é,Æno,É,È,è,Ü,·B  
@'æ,Pfpf%of^,ÅCE»Y,íftf@fCf<-¼,đŽw'è,μA'æ,Qfpf  
%of^,ÅV,μ,ftf@fCf<-¼,đŽw'è,μ,Ü,·B
```

—áF

```
renamefile "abc.txt", "xyz.txt"
```

## getini

␣@getinifRf}f“fh,í␣A”C^Ó,ìINIftf@fCf<,©,ç•¶Žš—  
ň,đŽæ,è␣o,μ,Û,·␣B^È%oo²,ì,æ,κ,ÉĚ`Ž®,ÅŽg,ç,Û,·␣B

getini INIì§²Û-¼, ¾, ¼®Ý-¼, ·°-¼, •i␣”-¼

␣@INIftf@fCf<,ì-¼‘O,É,Ífhf%ofCfu-¼,âfpfX•t,«,ÅŽw’è,·,é,±  
,Æ,í,Å,«,Û,¹,ň␣B,μ,½,²,Á,Ä␣AWindowsfffBfĚfNfgfš“à,ìINIftf@fCf<,É,μ,  
©fAfNfZfX,Å,«,Û,¹,ň␣B␣i␣«—^␣C␣³—\’è␣j

—á␣F

getini "HIDETERM.INI", "HideTerm", "Baudrate", #Baudrate

## putini

putini INI\§²Ù-¼, ¾, ¼®Ý-¼, ·°-¼, •¶Žš—ñ, ð', «ž, Ý, Ü, ·B^È  
%ooº, ì, æ, æ, ÈĈ`Ž®, ÅŽg, ç, Ü, ·B

putini INI\§²Ù-¼, ¾, ¼®Ý-¼, ·°-¼, •¶Žš—ñ

putini INI\§²Ù-¼, ¾, ¼®Ý-¼, ·°-¼, •¶Žš—ñ, ð', «ž, Ý, Ü, ·B^È  
, Æ, í, Å, «, Ü, ¹, ñB, µ, ½, ¢, Å, ÅAWindowsfffBfĈfNfgfš“à, ìINI\§²Ù-¼, È, µ,  
©fAfNfZfX, Å, «, Ü, ¹, ñB[i]«—^C³—\`èj

—áF

putini "HIDETERM.INI", "HideTerm", "F1", #a + ":Sub"

## getwindir, getwinsysdir, getcurrentdir, gethidetermdir

```
@getwindirfRf}f"fh,íAWindows,ífffBfĀfNfgfŠ,đfpf
%oof^,ÅŽw'è,3,ê,1/2•İ",ÉŠi"[,μ,Ü,·B□u□□vf}□[fN,í•t,©,È,ç,ì,Å•K—
v,É%ž,¶,Ä□u□□vf}□[fN,đ•t,¯,ÄŽg,Á,Ä,,3/4,3,ç□B
@getwinsysdirfRf}f"fh,íAWindows,ífVfXfef€fffBfĀfNfgfŠ,đ•Ô,μ,Ü,·
□B
@getcurrentdirfRf}f"fh,íAfffĀf"fgfffBfĀfNfgfŠ,đ•Ô,μ,Ü,·□B
@gethidetermdirfRf}f"fh,íAhideterm.exe,ífffBfĀfNfgfŠ,đ•Ô,μ,Ü,·□
B
```

```
—á□F
  getwindir #a
  #a = #a + "\hideterm.ini"
  openfile #a
```



## readbuffer

[@readbufferfRf}f“fh,íA□GTerm,lfXfNf□□[f<fofbftf@,ì“à—  
e,đ•ï□”,É’ã“ü,μ,Û,·□B^Ê%°º,ì,æ,α,ÊCE`Ž® ,ĂŽg,ç,Û,·□B

readbuffer □s”Ô□t , •ï□”-¼

@CE»□Ýfj□[f<,ì, ,é□s,ì”Ô□t,º0,Ă□A,»,ì□ã,ì□s,º1α,»,ì□ã,º2¥¥¥  
,Ă,·□B□s”Ô□t,É•%º,ì’l,đŽw’è,·,é,Æ0,ÆCE©,Ê,³,ê,Û,·□B

—á:

readbuffer 0, #a

## writebuffer, writebuffer2

␣@writebufferfRf}f“fh,Í␣A•ŕŽš—ñ,đfXfNf␣␣[f<fofbftf@,É'Ç  
%oÁ,μ,Û,·␣BĈ»␣Ÿ,Ífj␣[f<^Ê'u,©,ç␣‡,É␣',«␣ž,Û,ê,Û,·␣B  
␣@writebuffer,μ,½“à—e,Í%oæ-Ê,“,æ,Ňf␣fO,É,Í␣o—Í,<sup>3</sup>,ê,Û,·,ª␣A'—  
␣M,<sup>3</sup>,ê,é,±,Æ,Í, ,è,Û,<sup>1</sup>,ñ␣B'—␣M,μ,½,ç␣ê␣‡,ÍsendfRf}f“fh,đŽg,ç  
,Û,μ,â,␣B  
␣@fGfXfP␣[fvfV␣[fpf“fX,đŽg,!,îfj␣[f<,đ“® ,© ,μ,½,è␣A%oæ-  
Ê,đfNfŠfA,μ,½,è,à,Â,« ,Û,·␣B  
␣@writebuffer2fRf}f“fh,Í␣AŠî-  
{“l,Éwritebuffer,Æ““,ŕ,Â,·,ª␣Af␣fO,É,Í␣o—Í,<sup>1</sup>,,␣A%oæ-Ê,É,<sup>3</sup>/<sub>4</sub>,¯␣o—  
Í,μ,Û,·␣B

—á:

writebuffer "ABC^M^J"

writebuffer "^01B[2]"

¥¥¥ %oæ-Ê,đfNfŠfA,·,é

## writelog

@writelogRf}f“fh,íA•ŕŽš—  
ň,đŒ»Ýì¬‘t,ìfO,É‘,«ž,Ý,μ,Û,·BŒ»Ýì¬‘t,ìfO,ª‘ŕÝ,μ,È,¢  
ê‡,í%½,à,μ,Û,<sup>1</sup>,ňB

—á:  
writelog "ABC^M^J"

## sendbreak

sendbreakfRf}f“fh,ÍfufCE[fN[Mt,ð’—M,μ,Ü,·B

## play

@playRf}f“fh,í%Šy,δ%‘t,μ,Ü,·Bfpf%of^,É  
%•„ff[f^,đŽw’è,μ,Ä,,¾,¾,çB

%•„ff[f^,í^È%º,ì,æ,α,ÈCE`Ž®,Å<Lq,μ,Ä,,¾,¾,çB

! ... fr[fv%¹,đo,·B,±,ê,đŽw’è,·,éê±,í¼,É,í  
%½,àŽw’è,μ,Ä,í,ç,·,È,çB

o ... ŽŸ,ì,P•Ÿš,ÅfNf^ [fu,đŽw’è,·,éBo1 o8,Ü,ÅŽw’è,Å,  
«,éB  
1,á,Å8,çBŽŸ,Éo,đŽw’è,·,é,Ü,Å—LCEø,Å, ,éB

t ... ŽŸ,ì”Žš,Å  
%¹,ì’,¾,đŽw’è,·,éB4,8,16,32,64,žw’è,Å,«,éB  
4,â^ê”Ô’,-  
Å64,â^ê”Ô’Z,çB””,â” {,É,È,é,Æ’·,¾,í¼•â,É,È,éB

a`g ... %¹,đŽw’è,·,éBc,âfh,ì%¹,Å, ,éB

> ... flNf^ [fu,đ,P,Åã,°,éB

< ... flNf^ [fu,đ,P,Å%º,°,éB

. ... ,±,ê,ì’O,ì%¹,đ”¼%¹’,·,·,éB,Q,Å,Å,·,é,Æ,¾,ç,É,»,”¼•â,ì  
%¹’,·,È,éB

—áF

play "o5cdefgo6abc"

@%Šy,Æ,μ,ÄAWAVEfl [ffBfl,ìtf@fCf<-¼,đŽw’è,·,é,ÆA,» ,ì  
%Šy,đÄfl,μ,Ü,·B,½,¾,μAWindowsMME,Ü,½,íWindows3.1^Èã,  
Å,È,,Ä,í,ç,·,Ü,¹,ñB

—áF

play "tada.wav"

@^ê”AMME(MultiMediaExtensions),đfCf“fXfg [f<,μ,½f}fVf“,Å  
%Šy,âo,È,ç,Æ,ç,αCE»Ü,â, ,è,Ü,·B

## window

@windowfRf}f“fh,íA[GTermfEfBf“fhfE,ìÅ‘â%»^Å¬  
%»^•œE³,ðs,ç,Û·Bfpf%off^,Émaximize/minimize/restore,ì,ç  
,,ê,©,ðŽw’è,μ,Ä,,¾,³,çB

—áF  
window minimize

## getversion

@getversionfRf}f“fh,íA□GTerm,ìfo□[fWf#f“,ðfpf  
%of□f^,ÅŽw'è,<sup>3</sup>,ê,<sup>1/2</sup>•ï□”,É'ã“ü,μ,Û,·□Bfo□[fWf#f“”Ô□t,í,P,O,O”{,μ,<sup>1/2</sup>l  
,Å'ã“ü,<sup>3</sup>,ê,Û,·□B—á,|,î1.23,ì□ê□#,"123,Æ,ç,æ'li,Û,<sup>1/2</sup>,í•¶Žš—  
ñ•ï□”,ì□ê□#,"123"□j,<sup>a</sup>ã“ü,<sup>3</sup>,ê,Û,·□B

—á□F  
getversion ##a

## clearbuffer

@clearbufferRf}f“fh,íA□GTerm,ìfofbfNfXfNf□□[f<fofbftf@,đfNfŠfA,  
μ,Ü,·□Bfpf%of□f^,í, ,è,Ü,<sup>1</sup>,ň□B

—á□F  
clearbuffer



## getdate

@getdatefRf}f“fh,íACE»Ý,ì“ú•t,đ•i”,ÉŠi”[,μ,Ü,·B“ú•t,í,UCE...  
;ì”¼Šp,ì”Žš,ÅŠi”[,³,ê,Ü,·B—  
á,!,îA,P,X,X,Q”N,ì,QEŽ,P,O“ú,¾,ÆA"920210",Æ,È,è,Ü,·B

—áF

getdate #a      EE@#a,ÉCE»Ý,ì“ú•t,đ’ă“ü,·,é

## gettime

␣@gettimefRf}f“fh,Í␣ACE»␣Ý,ìžž␣␣,ð•ï␣”,ÉŠi”[,μ,Ü,·␣B“ú•t,í,UŒ...  
 ,ì”<sup>1</sup>/<sub>4</sub>Šp,ì␣”Žš,ÅŠi”[,<sup>3</sup>,ê,Ü,·␣B—  
 á,!,î␣A,P,QŽž,R,O•<sup>a</sup>,P,O•b,<sup>3</sup>/<sub>4</sub>,Æ␣A"123010",Æ,È,è,Ü,·␣B

␣@,±,ìfRf}f“fh,Í␣A␣GTerm Version2.0,æ,èŽd—l•ï␣X,<sup>3</sup>,ê,Ä,ϕ  
 ,Ü,·␣BVersion1.XX,Å,í•b,ì•”•<sup>a</sup>,<sup>a</sup>, ,è,Ü,<sup>1</sup>,ñ,Å,μ,<sup>1</sup>/<sub>2</sub>␣B

—á␣F

gettime #a ␣E␣E␣E␣@#a,ÉŒ»␣Ý,ì“ú•t,ð’ă“ü,.,é

## getweek

@getweekfRf}f“fh,íACE»Ý,ì—j“ú,đ•i”,ÉŠi”[,μ,Ü,·BCEŽ—  
j“ú,<sup>3</sup>/<sub>4</sub>,Æ"CEŽ" A%oî—j“ú,<sup>3</sup>/<sub>4</sub>,Æ"%oî" A,Æ,ç,κ<i†,Å'ã“ü,<sup>3</sup>,ê,Ü,·B

—áF

getweek #a      EEE@#a,ÉCE»Ý,ì—j“ú,đ'ã“ü,·,é

## datetolinear

@datetolinearfRf}f“fh,íAfpf%of^,ÅŽw’è,<sup>3</sup>,ê,<sup>1/2</sup>“ú•t•¶Žš—  
ñ,đ1980”N,PĚŽ,P“ú,©,ç□u%o<sup>1/2</sup>“úĚo%oß,μ,Ä,é,©□v,Æ,ç  
,x’l□ifŠjffA,È’l□j,É•ĪŠ•,μ,Û,·□B  
@‘æ,Pfpf%of^,Å“ú•t,ì•¶Žš—ñ□i,UĚ...,ì□”’l□j,đŽw’è,μ□A‘æ,Qfpf  
%of^,ÅĚ<%oĚ,đŠi”[,·,é•Ī□”-<sup>1/4</sup>,đŽw’è,μ,Û,·□B

—á□F

getdate #date

datetolinear #date, ##linear

## run, runsync, runsync2

```
@runfRf}f"fh,Ærunsync,ÍAfpf%of^,ÅŽw'è,³,ê,½fvfOf%of€
,ðŽÀ[s,μ,Û,·BrunfRf}f"fh,ÍfvfOf%of€
,ð<N"®,μ,Ä,·,®,ÉfXfNfŠfvfg,ì^—
,ð'±[s,μ,Û,·,ªArunsync,Ærunsync2fRf}f"fh,Í<N"®,μ,½fvfOf%of€
,ªI—¹,·,é,Û,ÅfXfNfŠfvfg,ìŽÀ[s,ð'Ò<@,³,¹,Û,·B
```

```
@runsync,ÍA[GTerm,ðfAfCfRf",É,μ,Ä'Ò<@,³,¹,Û,·,ªArunsync2,ÍGT
erm,ð,»,ì,Û,Û,ìCE`,Å'Ò<@,³,¹,Û,·B
```

```
@fvfOf%of€,ì<N"®,ÉŽ,"s,·,é,ÆAfGf%of[fbfZ[fW,ª·\
Ž!,³,êA,³,ç,ÉI—¹fR[fh,Íerror,Æ,É,è,Û,·B
```

—áF

```
run "winhelp.exe script.hlp"
```

```
getini "HIDETERM.INI", "HideTerm", "Editor", #Editor
run #Editor + " SCROLL.TXT"
if( error ) exit
```

## savebuffer

@savebufferfRf}f“fh,íAfXfNf[f<fofbftf@,ì“à—  
e,đftf@fCf<SCROLL.TXTj,É’|,«o,μ,Û,·BGTerm,íI—  
<sup>1</sup>Žž,Éfofbftf@,ì“à—e,đ’|,«o,μ,Û,·<sup>a</sup>A GTermI—  
<sup>1</sup>O,Éf}fVf“,đfŠfZfbfg,μ,Ä,μ,Û,Á,½,è,·,é,æ,α,È•s—¶,ìŽ-  
Æì,ìÛ,É,àŠmŽÀ,É•ÛŠÇ,μ,½,çê†,ÉŽg,Á,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

## ddeinitiate

□@ddeinitiatefRf}f“fh,í□A□GTerm'α,đfNf%oofCfAf“fg,Æ,·,éDDEfgf  
%oof“fUfNfVf†f“,đŠJŽn,μ,Ü,·□B  
□@'æ,Pfpf%oof□f^,ÅfAfvfŠfP□[fVf†f“-1/4,đŽw'è,μ□A'æ,Qfpf  
%oof□f^,ÅfgfsfbfN-1/4,đŽw'è,μ,Ä,,3/4,3,φ□B  
□@fgf%oof“fUfNfVf†f“,ìŠm—§,É□¬CE÷,·,é,Æ□I—  
1fR□[fh,Íyes,É,È,è□AZ,“s,·,é,Æ□A□I—1fR□[fh,Íno,É,È,è,Ü,·□B

—á□F

ddeinitiate "EXCEL", "LOAN.XLS"  
if( no ) error "DDE,ÉŽ,“s,μ,Ü,μ,1/2□B"

□@ddeinitiate,μ,Ä□Addeterminate,μ,È,φ  
,Å,à,α^ê“xddeinitiate,·,é,Æ□A^È'O,Éddeinitiate,μ,1/2fgf  
%oof“fUfNfVf†f“,ÍŽ©“®“I,É  
%ođ□œ□idisconnect□j,3,ê,Ü,·□B,Â,Ü,è□A•i□“,ìfgf  
%oof“fUfNfVf†f“,đ“~ŽŽ,ÉŠm—§□iconnect□j,·,é,±,Æ,Í,Å,«,Ü,1,ñ□B

## ddeterminate

∅@ddeterminatefRf}f“fh,í∅Addeinitiate,ÅŠm—§,μ,½fgf  
%of“fUfNfVf‡f“,đ%đ∅œ,μ,Û,·∅B



## dderequest

␣@dderequestfRf}f“fh,í␣Addeinitiate,ÅŠm—\$,μ,½fgf  
%oof“fUfNfVf#f“,©,çff␣[f^,ð—v<␣,μ,Ü,·␣B  
␣@‘æ,Pfpf%oof␣f^,ÅfAfCfef€-¼␣A‘æ,Qfpf  
%oof␣f^,Åff␣[f^,ðŽó,~Žæ,é•i␣”-¼,ðŽw’è,μ,Ü,·␣B  
␣@fGf%o␣[,ì␣ê␣‡,í␣l—¹fR␣[fh,ªno,É,È,è,Ü,·␣B

—á␣F

dderequest "Now", #time

## ddeexecute

```
@ddeexecute fRf}f"fh,í Addeinitiate,ÅŠm—§,μ,½fgf
%of" fUfNfVf‡f",ì ŠŽè,ÉEXECUTEfRf}f"fh,ð'—M,μ,Ü,·B
@fpf%of f^,ÅfRf}f"fh,ðŽw'è,μ,Ü,·B
@fGf%o[ ,ì ê‡,í |—¹R[fh,ªno,É,È,è,Ü,·B
```

```
—áF
  ddeexecute "REFRESH"
```

## ddepoke

□@ddpokefRf}f“fh,í□Addeinitiate,ÅŠm—š,μ,½fgf  
%of“fUfNfVf#f“,ì‘ŠŽè,Éff□[f^,đ“n,μ,Ü,·□B  
□@‘æ,Pfpf%of□f^,ÅfAfCfef€-¼,đŽw’è,μ□A‘æ,Qfpf%of□f^,Å“n,·•¶Žš  
—ñ,đŽw’è,μ,Ü,·□B  
□@fGf%o□[.ì□ê□#,í□I—¹fR□[fh,ano,É,È,è,Ü,·□B

—á□F

ddepoke "TIME", "1:12:30"

## ŠÖ",É,Â,ç,Ä

### •ŕŽš—ňŠÖ"

part  
search  
drop  
searchback  
dropback  
length  
tohankaku  
tozenkaku  
touppper  
tolower

•ŕŽš—ň,ì"•ª,ìŒvŽŽ  
•ŕŽš—ň,ðŒÿŕŕ  
Œÿŕŕ,µ,½"•ª,ìŕŒ,èŽì,Ä  
•ŕŽš—ň,ðŒã,è,Œ,çŒÿŕŕ  
Œã,è,Œ,çŒÿŕŕ,µ,½"•ª,ìŕŒ,èŽì,Ä  
•ŕŽš—ň,ì',<sup>3</sup>  
"¼Šp,É•İŠ·  
'SŠp,É•İŠ·  
'å•ŕŽš,É•İŠ·  
ŕ→•ŕŽš,É•İŠ·

### •İŠ·ŠÖ"

value

ŕ"ì,É•İŠ·

### ftf@fcf<ŠÖ"

existfile  
filesize

ftf@fcf<,ª'ŕŕŸ,; ,é,Œ  
ftf@fcf<,ìŕŕŸŸ

### ,» ,ì'¼ŠÖ"

keystate  
baudrate

fLŕŕ,ìŕŕó'Ô  
'ÉŕMfŕŕŕŕfg,ì'→"x

## partŠÖ

@partŠÖ, íA•ŕŽš—  
ň, í†, ©, çŠJŽn^Ê'u, Æ'.<sup>3</sup>, ÅŽw'è,<sup>3</sup>, ê, é“Á'è•”•<sup>a</sup>, ðŽæ, è,<sup>3</sup>/<sub>4</sub>, ·, Ì, ÉŽg, ç  
, Ü, ·BŽŸ, Ì, æ, x, ÈĚ`Ž® , ÅŽg, ç, Ü, ·B

part( •ŕŽš—ň, ŠJŽn^Ê'u, '.<sup>3</sup> )

@ŠJŽn^Ê'u, íAæ“<sup>a</sup>,<sup>a</sup>, O, Å, ·B

—áigetdate, μ, ½•ŕŽš—ň, ©, çĚŽ, ðŽæ, è,<sup>3</sup>/<sub>4</sub>, ·jF  
getdate #date  
#month = part( #date, 2, 2 )

## searchŠÖ"

@searchŠÖ",í•ŕŽš—ň,ì†,©,ç"Á'è,ì•ŕŽš—  
ň,đŸŸö,μACE©,Â,©,Á,½ê‡,í,»,"î^Ê'u^È~,"í•ŕŽš—  
ň,đ•Ô,μ,Û,·BCE©,Â,©,ç,È,©,Á,½ê‡,í""",đ•Ô,μ,Û,·BŽÿ,ì,æ,x  
,ÈĚ`Ž®,ĂŽg,ç,Û,·B

search( •ŕŽš—ň,P, •ŕŽš—ň,Q )

@•ŕŽš—ň,P,ì†,©,ç•ŕŽš—ň,Q,đŸŸö,μ,Û,·B

—áF

message search( "ABC DEF GHI", "DEF" )  
i"DEF GHI",<sup>a</sup>•\Ž!,<sup>3</sup>,ê,Û,·j

## searchbackŠÖ”

@searchbackŠÖ”,í•ŕŽš—

ň,đĚã,ë,©,çĚŸř,μ,Û,·B<sup>¼</sup>,ÍsearchŠÖ”,Æ,Û,Á,½,“˘,ŕ,Å,·B

## dropŠÖ

@dropŠÖ, í•ŕŽš—ñ, ì†, ©, ç“Á’è, ì•ŕŽš—  
ñ, ðŸŸŸ, μAŸ©, Â, ©, Á, ½ê†, í, », ì^Ê’u, æ, è’O, ì•ŕŽš—  
ñ, ð•Ô, μ, Ü, ·BŸ©, Â, ©, ç, È, ©, Á, ½ê†, íŸ³, ì•ŕŽš—  
ñ, ð, », ì, Ü, Ü•Ô, μ, Ü, ·BsearchŠÖ, Æ<t, ÌŸ<%oÊ, ð“¾, é, ±  
, Æ, ª, Å, «, Ü, ·B^È%o, ì, æ, ¤, ÈŸ`Ž®, ÅŽg, †, Ü, ·B

drop( •ŕŽš—ñ, P, •ŕŽš—ñ, Q )

@•ŕŽš—ñ, P, ì†, ©, ç•ŕŽš—ñ, Q, ðŸŸŸ, μ, Ü, ·B

—áF

message drop( "ABC DEF GHI", "DEF" )  
i"ABC ", ª•\Ž, ¾, ê, Ü, ·j



## dropbackŠÖ

@dropbackŠÖ,í•ŕŽš—

ň,đĀã,ë,©,çĀŸõ,μ,Û,·B,»„ê^ÈŠO,ÍdropŠÖ,Æ“-,ŕ,Å,·B

## lengthŠÖ"

lengthŠÖ",í•¶Žš—ñ,ì'•,³,đ•Ô,μ,Ü,·□B^È%º,ì,æ,α,ÈĈ`Ž®,ÅŽg,č,Ü,·□B

length( •¶Žš—ñ )

lengthŠÖ",ì•Ô,·'l,í□"'l,Å,·□B

—á□F

message length( "ABC" )

□i"3",ª•\Ž!,³,ê,Ü,·□j

## tohankakuŠÖ

@tohankakuŠÖ",í•ŕŽš—  
ň,í†,ì'SŠp•ŕŽš,đ"¼Šp•ŕŽš,É•İŠ•,μ,½'l,đ•Ô,μ,Ü,·B^È%º,ì,æ,κ  
,ÈĚ`Ž®,ÅŽg,ç,Ü,·B

tohankaku( •ŕŽš—ň )

@•İŠ•íŕŰ,Æ,È,é,ì,í  
%ºp"Žš,Æ^ê•",ì<L†,¾,¯,ÅA,Đ,ç,ª,È,Æff^fffi,í•İŠ•,³,ê,Ü,¹,ňB

—áF

message tohankaku( ", ` ,a,b" )  
i"ABC",ª•\Ž!,³,ê,éj

## tozenkakuŠÖ

@tozenkakuŠÖ,í•ŕŽš—  
ň,í†,ì"¼Šp•ŕŽš,đ'SŠp•ŕŽš,É•İŠ,μ,½'l,đ•Ô,μ,Ü,·B^È%º,ì,æ,κ  
,ÈĚ`Ž®,ÅŽg,ç,Ü,·B

tozenkaku( •ŕŽš—ň )

@•İŠ·íŕŰ,Æ,È,é,ì,í  
%ºp"Žš,Æ^ê•",ì<L†,¾,¯,ÅAfjfi,í•İŠ·,³,ê,Ü,¹,ňB

—áF

message tozenkaku( "ABC" )  
[i", ` ,a,b",ª•\Ž|,³,ê,éj

## toupperŠÖ

@toupperŠÖ",í•ŕŽš—  
ň,í†,ì–•ŕŽš,đ'â•ŕŽš,É•İŠ•,μ,½'l,đ•Ô,μ,Û,·B^È%oº,ì,æ,α  
,ÈĒ`Ž®,ÅŽg,ç,Û,·B

toupper( •ŕŽš—ň )

@•İŠ•,³,ê,é,ì,í"¼Šp•ŕŽš,¾,¯,ÅA'SŠp•ŕŽš,í'îÛ,Æ,È,è,Û,¹,ňB

—áF

message toupper( "abc" )  
[i"ABC",ª•\Ž|,³,ê,éj

## tolowerŠÖ"

@tolowerŠÖ",í•ŕŽš—  
ň,í†,ìâ•ŕŽš,đ→•ŕŽš,É•İŠ•,μ,½'l,đ•Ô,μ,Û,·B^È%oº,ì,æ,κ  
,ÈĚ`Ž®,ÅŽg,ç,Û,·B

tolower( •ŕŽš—ň )

@•İŠ•,³,ê,é,ì,í"¼Šp•ŕŽš,¾,¯,ÅA'SŠp•ŕŽš,í'îÛ,Æ,È,è,Û,<sup>1</sup>ňB

—áF

message tolower( "ABC" )

["i"abc",<sup>a</sup>•\Ž|,<sup>3</sup>,ê,éj

## valueŠÖ

valueŠÖ, í•ŕŽš—ñ, ð"l, É•İŠ, μ, Ü, ·B^È%º, ì, æ, x, ÈĀ`Ž®, ÅŽg, ç, Ü, ·B

value( ·ŕŽš—ñ )

@"l•İ"i##, ÅŽn, Ü, é•İ"j, É•ŕŽš—  
ñ, ð'ă"ü, ·, é, ÆŽ©"®"l, É"l, É•İŠ, ³, è, Ü, ·, ªA•İŠ, ³, è, é, ±  
, Æ, ð, í, ©, è, â, ·, μ, ½, èAŽ®, ì"r't, Å•İŠ, μ, ½, çê‡, É, ±, ìvalueŠÖ", ª•Ö  
—~ , Å, ·B

—áF

##a = 100 + value( #x )

## existfileŠÖ

@existfileŠÖ",íAŽw'è,³,ê,½ftf@fCf<,²'¶¶Ý,·,é,©,Ç,κ  
,©,đ•Ô,μ,Û,·¶Bif•¶,âwhile•¶,ì†,ÅŽg,Á,Ä,,¾,¾,ç¶B^È%º,ì,æ,κ  
,ÈĚ`Ž®,ÅŽg,ç,Û,·¶B

existfile( ftf@fCf<-¼ )

—á¶F

if( not existfile( "ABC.TXT" ) ) message "ABC.TXT,í'¶¶Ý,μ,Û,¹,ň"



## filesizeŠÖ"

@filesizeŠÖ",íAŽw'è,³,ê,½ftf@fCf<,ìfTfCfY,đfLf[]fofCfg'P^Ê,Å•Ô,μ,  
Ü,·B^È%º,ì,æ,α,ÈĈ`Ž®,ÅŽg,ç,Ü,·B

filesize( ftf@fCf<-¼ )

@•Ô,³,ê,é'l,ÍfLf[]fofCfg'P^Ê,ì""l,Å, ,é,±,Æ,É'[]^Ó,μ,Ä,,¾,³,çB

—áF

##a = filesize( "ABC.TXT" )

## keystateŠÖ”

["@keystateŠÖ”,íAfpf%of^,ÅŽw'è,³,ê,½fL[,ìó'Ôi%Ÿ,³,ê,Ä,ç,é,©,Ç,κ,©j,đ•Ô,μ,Û,·B

keystate( fL[fR[fh )

["@fL[,ª%Ÿ,³,ê,Ä,ç,éê†,í,P,ª•Ô,èA  
%Ÿ,³,ê,Ä,È,çê†,í,O,ª•Ô,è,Û,·B

["@fL[fR[fh,íwindows.h,Å'è<`,³,ê,Ä,ç,éVK\_xxxx,ìR[fh,Å,·B—  
á,í,í^È%º,ì',É,È,è,Û,·B

["@f}fEfX¶f{f^f“ = 1  
["@f}fEfX%Ef{f^f“ = 2  
["@ShiftfL[ = 16  
["@CtrlfL[ = 17

—áF  
##a = keystate( 16 )

## baudrateŠÖ

```
@baudrateŠÖ",íA'ÊMf|  
[fg,ì¬"xIDTE'¬"xj,đ•Ô,μ,Û,·B'ÊM'†,Å,È,çê‡,Í-  
1,đ•Ô,μAtelnetÚ'±,μ,Ä,ç,éê‡,í0,đ•Ô,μ,Û,·B
```

```
@,±,ìŠÖ",¾,¬,í"Á•Ê,ÉA(),đ,Â,¬,È,ç,Åubaudratev,¾,¬,ÅŽg,ç  
,Û,·B
```

—áF

```
#a = baudrate  
if( #a == 0 )  
    message "telnetÚ'±,μ,Ä,Û,·"  
endif
```

## openreg/createreg/closereg • ¶

¶@openreg/createreg, í¶AfŒfWfXfgfŠ, ðfí¶[fvf“ ,µ,Ü, ·¶B'æ^êfpf  
%oof¶f^ ,Åf<¶[fg,Æ,È,éfl¶[-¼,ðŽw'è,µ¶A'æ,Qfpf%oof¶f^ ,ÅfTfufL¶[-  
¼,ðŽw'è,µ,Ü, ·¶B

f<¶[fg,Æ,È,éfl¶[-¼,Æ,µ,Ä,í¶A^È%oº,ì•¶Žš—ñ,ªŽw'è%oÂ“\,Å, ·¶B

"CLASSESROOT"	... HKEY_CLASSES_ROOT,É'î%ož
"CURRENTUSER"	... HKEY_CURRENT_USER,É'î%ož
"LOCALMACHINE"	... HKEY_LOCAL_MACHINE,É'î%ož
"USERS"	... HKEY_USERS,É'î%ož

—á¶F

```
openreg "CURRENTUSER", "Software\Hidemaruo\HideTerm\  
Env"
```

¶@openreg, í¶AŽw'è,³,ê,½fTfufL¶[,ª'¶í¶Ý,µ,È,¢¶ê¶‡,ÉfGf  
%o¶[,Æ,È,è,Ü, ·¶Bcreatereg, í¶AŽw'è,³,ê,½fTfufL¶[,ª'¶í¶Ý,µ,È,¢¶ê¶‡,í¶  
V,½,É¶ì¶¬,µ,Ä,©,çfí¶[fvf“ ,µ,Ü, ·¶B  
¶@fí¶[fvf“ ,É¶¬Œ÷,·,é,ÆŒ<%oÊfR¶[fh,í1,É,È,è¶AŽ,“s,·,é,Æ0,É,È,è,Ü,  
·¶B

¶@closereg, í¶Afí¶[fvf“ ,µ,½fŒfWfXfgfŠ, ðfNf¶¶[fY,µ,Ü, ·¶B•;í“ ,)fŒfWf  
XfgfŠ,ð“~Žž,Éfí¶[fvf“ ,·,é,±,Æ,í,Å,«,Ü,¹,ñ¶B

## getreg•¶

¶@getreg•¶,Í¶A¶f¶[fvf",³,ê,½fCEfWfXfgfŠ,©,ç'l,ðŽæ,è¶o,μ,ÄŽw'è,³,ê  
,½•İ¶",É'ã"ü,μ,Ü,·¶B  
¶@'æ^êf¶f%oof¶f^,Å'l,ì-¼'O,ðŽw'è,μ¶A'æ"ñf¶f%oof¶f^,Å•İ¶"-  
¼,ðŽw'è,μ,Ü,·¶B  
¶@REG\_SZCE^,ì'l,ðŽæ,è¶o,·¶ê¶¶,Í¶A'æ"ñf¶f  
%oof¶f^,ÄŽw'è,·,é•İ¶",É,Í•¶Žš—  
ñCE^,ì•İ¶",ðŽw'è,μ¶AREG\_DWORDCE^,ì'l,ðŽæ,è¶o,·¶ê¶¶,Í'æ"ñf¶f  
%oof¶f^,ì•İ¶",É,Í¶"lCE^,ì•İ¶",ðŽw'è,μ,È,\_,ê,Î,ç  
,\_,Ü,¹,ñ¶B,»\_ê^ÈŠO,ìCE^,ì'l,ðŽæ,è¶o,·,±,Æ,Í,Å,«,Ü,¹,ñ¶B

—á¶F

getreg "DownloadPath", #path

## writeregstr/writeregint

```
@writeregstr/  
writeregint, í AfWfXfgfŠ, É'l, ð', «ž, Ý, Ü, ·B'æ^êfpf%of^, Å'l, ì-  
¼'O, ðŽw'è, μA'æ"ñfpf%of^, Å'l, ðŽw'è, μ, Ü, ·B
```

```
@writeregstr, íREG_SZ^, ì'l, ð', «ž, ÝAwriteregint, íREG_DW  
ORD^, ì'l, ð', «ž, Ý, Ü, ·B
```

```
—áF  
writeregstr "Path", "c:\users\ht32"  
writeregint "Count", 100
```

