



□GŠŮf}fNf□,İŠT—v □GŠŮf}fNf□CE¾CEêfwf<fv-ŮŽŸ

□GŠŮf}fNf□,İŠT—v

•İ□“,İžg,č•û Ž®„É.Â,č.Ä ŠÖ□“,É.Â,č.Ä fGf%oo□[.İ□^—□

‘É□í,İfRf}f“fh,ðžÀ□s,.,é•¶
’}“üCEn•¶
ftf@fCf<CEn•¶
f□f□f<^Ů“@CEn•¶
fNfŠfbfvf{□[fhCEn•¶
□í□œCEn•¶
„»„l’¾•Ö□WCEn•¶
CEŸ□öCEn•¶
fEfBf“fhfECEn•¶
f□fjf...□[CEn•¶
„»„l’¾„lfRf}f“fhCEn•¶

f□fbfZ□[fWCEn
message□C question
beep□C play, playsync
debuginfo showvars
title

fvf□fOj%of€žÀ□sCEn
run□Crunsync□Crunsync2

f}fNf□□\$CEäCEn
endmacro, endmacroall
execmacro
disabledraw□Cenabledraw
disablebreak
disableinvert, enableinvert
fuf□fbfN
if
while
break
continue
goto•¶„Æf%ofxf<
fTfuf<□[f`f“
disableerrmsg, enableerrmsg

“ü—ÍCEn
inputpos
menu, mousemenu
inputŠÖ□“
inputcharŠÖ□“
iskeydownŠÖ□“

INİftf@fCf<CEn
writeinistr□Cwriteininum
getinistrŠÖ□“, getininumŠÖ□“

fCEfWfXfgfŠCEn
openreg createreg
writeregstr, writeregnum
getregstrŠÖ□“ getregnumŠÖ□“
closereg

□Ÿ’èCEn

config loadkeyassign
envchanged
setwindowpos setwindowpos
showwindow

□GŠŮŠÇ—□

DDE

fNfSfbvf{□[fh,Æ•ï□",Æ,ì,â,è,Æ,è

Microsoft Windows NT
for Windows NT

Help Version 1.50.00
Copyright (C) 1992-95 by Microsoft Corporation
associated by Microsoft Corporation
Microsoft Corporation

□GŠŮf}fNf□,İŠT—v

□@□GŠŮf}fNf□,İ□C□uf}fNf□“o~^□v,Åftf@fCf<,đ“o~^,μ,Ä□C,»è,đCEÄ,Ñ□o,·CE` ,ÄŽg,ç ,Ü,·□Bf}fNf□,İŠg'£Žq,MAC,İftf@fCf<,Ä,È,·,è,İ,ç,·,Ü,¹,ñ□B,Ü,½□Cf}fNf□ftf@fCf<,İ□GŠŮ— {‘İ□IHIDEMARU.EXE□},Æ“·,İffBfCEfNfgjŠ,É‘u,ç,Ä,·,·K—v,ª, ,è,Ü,·□B

□@f}fNf□,İ50CEÄ,Ü,Ä“o~^,·,é,± ,Æ,ª,Ä,«,Ü,·□B,Ü,½□C□uf}fNf□ŽÄ□s□vfRf}f“fh,â□ufL□[‘€□i,ì“Ç,Ý□ž,Ý□v,Æ□ufL□[‘€□i,ì□Ä□□vfRf}f“fh,È,Ç,đ Žg,Ä,ÄŽÄ□s,·,é,±,Æ,ª,Ä,«,Ü,·□B

□@□GŠŮf}fNf□,İ□CŠeŽí,ì“@□i,đŽÄ□s,·,é•□,Æ□C— ¬,è,đ□\$CEà,·,é□\$CEà•□,©,ç,È,è,Ü,·□B•□,İfZf~fRf□f“ ,Ä<æ□Ø,ç,È,·,è,İ,ç,·,Ü,¹,ñ□BfZf~fRf□f“ ,ª-³,ç□ê□±,İ□C□ufZf~fRf□f“ ,ª-³,ç□v,Æ,İ•È,İfGf%□□[,ª□o,é,ì,Ä‘□Ó,μ,Ä,,³/4,³,ç□B

□@□³,μ,ç—á□F
gofiletop;
insert "A";
down; right; insert "A";

□@□³,μ,,È,ç—á□F
gofiletop
insert "A"

□@□\$CEà•□,İ□C—á,İ,İif•□,È,Ç,ì,æ,κ,É,bCE¾CEè,Æ,æ,Ž—,½,à,ì,ª, ,è,Ü,·□B,±,ì□ê□±□CfZf~fRf□f“ ,İ,ç ,è,Ü,¹,ñ□B

```
if( x != 0 ) {  
    golinetop;  
}
```

□@□GŠŮf}fNf□,İ•□,âfL□[f□□fh,İ□C,·,x,Ä□¬•□Žš,¾,·,Ä<L□q,μ,Ü,·□B

□@fRf□f“fg,đ“ü,è,é,É,Í,b+++CE¾CEè,Æ“—l,É//,ªŽg,ì,Ü,·□B

□@□GŠŮf}fNf□,Ä,İ•İ□”,đŽg,κ,±,Æ,ª,Ä,«,Ü,·□B•İ□”,É,İ□”“İ•İ□”,Æ•□Žš—ñ•İ□”,ª, ,è□C,±,è,ç,đŽg,Ä,ÄŠeŽí,ì %□□ŽŽ,đ,·,é,±,Æ,ª,Ä,«,Ü,·□B“İ•İ□”,İ# ,ÄŽn,Ü,è□C•□Žš—ñ•İ□”,İ\$,ÄŽn,Ü,è,Ü,·□B

```
#n = 100 * 50 + 10 + strlen( $x );  
$s = rightstr( "Ä“i" + $x + ", ±, è, İ, ±, è, İ", 20 );
```

□@call,Æreturn,đŽg,Ä,Äftfuf<□[f“f“,đ□i,é,±,Æ,à,Ä,«,Ü,·□Bftfuf<□[f“f““à,Äf□□[ff<•İ□”,đŽg,ç ,½,ç□ê□±,İ□C# ,Ü,½,İ\$,ÄŽn,Ü,é•İ□”,đŽg,ç,Ü,·□B

□@•İ□”,ì,Ü,©□C□GŠŮ,É,İ,ç,·,Ä,©,ì“à•”“İ,È‘İ,đ•\CE»,·,éfl□[f□□fh,ª“□□Ý,μ,Ü,·□B— á,ì,İ□Cquestion•□,đŽÄ□s,·,é,Æ,»,ÌCE<%□É(□u,İ,ç□v,đ‘İ,ñ,¾,©□u,ç,ç,ì□v,đ‘İ,ñ,¾,©),ªresult,Æ,ç,κ‘İ,Æ,μ,Ä•\ CE>,³,è,Ü,·□B,±,è,ç,đŽg,Ä,Ä□đCE□•ªŠò,È,Ç,à%□Ä“\,Ä,·□B

□@□GŠŮ,İf}fNf□,İ□A,W,OCEÄ,Ü,Ä“o~^,·,é,±,Æ,ª,Ä,«,Ü,·,ª□AfL□[Š,,è“—,Ä%□Ä“\ ,È,İ,İ,P“Ö,©,ç,T,O“Ö,Ü,Ä,ì,T,OCEÄ,¾,·,Ä,·□B

fgf%[]l,ì^—

```
@GSÛf}fNfŽÀs't,ÉAŠefRf}f“fh,ÅfGf%[][,“[]μ,½ê[]#i—áFappendsave  
"abc.txt",đŽÀ[s,μ,½ê[]#,Éabc.txt,“[]Y,μ,É,©,Á,½”™[]j[]AfGf%[][f[]fbfZ[][fW,“\  
Ž!,³,ê[]Aresult==false,Æ,È,è,Û,·[]B[]i[]³[]í[]—¹Žž,Íresult==true,Å,·[]j
```

```
@f}fNfŽÀs't,É[]ACEy”÷,ÈfGf%[][,É,æ,Á,Äfr[][fv%o¹,“-Á,é,æ,π,È,±,Æ,“[]μ,½ê[]#[]A%o¹-  
Å,ç,,É[]A’ã,í,è,Èresult==false,Æ,È,è,Û,·[]B
```

```
@f}fNf[]i[]-Žž,É,Í[]AfGf%[][,ìŽž,ì^—,à[]\•“[]—[]μ,Ä,,¾,¾,ç[]B
```

```
—á[]F  
appendsave "abc.txt";  
if( !result ) {  
    message "abc.txt,Ö,ì’Ç%oÁ[]’,«[]ž,Ý,ÉŽ,“s,μ,Û,μ,½[]B";  
endmacro;  
}
```

```
@@disableerrmsg•[]l,đŽÀ[s,·,é,Æ[]A,»„ê^È~fGf%[][f[]fbfZ[][fW,í^ê[]Ø\Ž!,³,ê,È,,È,è,Û,·[]B
```

'}' "üCEn • ¶

¶@'}"üCEn,ì•¶,Æ,μ,Ä¶C^È%º,ì,à,ì,ª, ,è,Ü,·¶B

-½—β	<@"\
dupline	¶s,ì"ñ¶d%º»
insert	•¶Žš—ñ,ì'}"ü
insertfix	•¶Žš—ñ,ì'}"ü,» ,ì,Q
insertline	<ó¶s'}"ü
insertreturn	%ºü¶s
overwrite	•¶Žš—ñ,ì¶ã¶',«
tab	f^fu
undelete	¶í¶œ"à—e•œÆ³

¶@insert•¶,ì¶Cf¶f%ºf¶f^ ,ÄŽw'è,³,è,½•¶Žš—ñ,ì'}"ü,μ,½,ì,¿¶Cf¶¶[f¶f<,ð'}"ü,μ,½•¶Žš—ñ,ì¶ÄÆã,É^Ú" @,μ,Ü,·¶B

¶@insertfix•¶,ìinsert,Æ"^-ì,É•¶Žš—ñ,ì'}"ü,μ,Ü,·,ª¶Cf¶¶[f¶f<,í^Ú" @,μ,Ü,¹,ñ¶B

¶@overwrite•¶,ì¶Cf¶f%ºf¶f^ ,ÄŽw'è,³,è,½•¶Žš—ñ,ì¶ã¶',« ,μ,½,ì,¿¶Cf¶¶[f¶f<,ð¶ã¶',« ,μ,½•¶Žš—ñ,ì¶ÄÆã,É^Ú" @,μ,Ü,·¶B

¶@—á¶F

```
insert "ABC";
insertfix "¶Ä"i¶G•v"
overwrite "ABC" + $a;
```

¶@%ºü¶s•¶Žš,ì'}"ü,É,ì¶C•¶ŽšfR¶[fh10(line-feed),ð'}"ü,μ,Ü,·¶B

¶@—á¶F

```
insert "\x0A";
¶@,Ü,½,ÍŽŸ,ì,æ,æ,É,μ,Ä,à,©,Ü,¢,Ü,¹,ñi
insert "\n";
```

¶@insertreturn•¶,ì¶C%ºü¶sf¶[,ð%ºŸ,μ,½,ì,Æ'S,"^,¶",« ,ð,μ,Ü,·¶Bf¶f%ºf¶f^ ,ì, ,è,Ü,¹,ñ¶B,¿,È,Ÿ,É,±,ìfRf}f"fh,íC»¶Ÿ,ìf,¶[fh,ª¶ã¶',«f,¶[fh,©'}"üf,¶[fh,©,É,æ,Ä,Ä" @¶i,ª^Ü,È,è,Ü,·,ì,Ä^¶^Ó,ªK—v,Ä,·¶B'}"üf,¶[fh,Ä,ì" @¶i,ðŠú'Ó,·,é¶ê¶¶,ì¶C^È%º,ì,æ,æ,É,·,é•K—v,ª, ,è,Ü,·¶B

```
if( overwrite ) {
    overwriteswitch; insertreturn; overwriteswitch;
} else {
    insertreturn;
}
```

¶@tab¶Cdupline¶Cinsertline¶Cundelete•¶,ì" @¶i,ì¶C^í%ºž,·,é¶GŠÛ,ìfRf}f"fh,Æ"^-ì,Ä,·¶B

ftf@fCf<CEn•¶

□@ftf@fCf<CEn,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Ü,·□B

-½—β	<@”\
exit	□ — ¹
exitall	‘S□ — ¹
newfile	ftf@fCf<,ì□V<K□ □—
print	^ó□ü
quit	”jŠü,μ,Ä□ — ¹
save	ftf@fCf<,ì□ã□’,«•Ü’¶
saveexit	•Ü’¶,μ,Ä□ — ¹
saveall	‘S•Ü’¶
saveexitall	‘S•Ü’¶□ — ¹
saveupdatedall	‘S•Ü’¶ì□X□Vftf@fCf<,ì,Ý□j
savelf	□ã□’,«•Ü’¶ì□%ºü□s=LF□j

□@print•¶,ì□Af_fCfAf□fOf{fbfNfX,δ□o,μ,Ü,¹,ñ□Bf_fCfAf□fOf{fbfNfX,ÄŽw’è,·,é□€—Ü,ì□GŠÜ’α,Ä“K—
 ,ÉCE^,β,ç,è,Ä,μ,Ü,ç,Ü,·□B□u’l’δ,μ,½”í’í,ì,Ý□v,lf`fFfbfNf{fbfNfX,ì□A,à,μ”í’í’δ,³,è,½□ó’Ö,^{3/4},Æ,□,Ž,Æ
 %ºδŽβ,³,é□A’¼,ì□€—Ü,ì’O%ºñ,ì’ó□ü,ìŽž,ì’l,ª,»,ì,Ü,ÜŽg—p,³,è,Ü,·□B
 □@exit,âexitall,È,Ç,ì□GŠÜ,δ□|—^{1,3,1},Ä,μ,Ü,α•¶,δŽÄ□s,·,é,Æ□Af}fNf□,à,ç,Á,μ,â,É□|—¹,μ,Ä,μ,Ü,ç
 ,Ü,·□B□GŠÜ,δ□|—^{1,3,1},Ä,àf}fNf□,ì’±□s,μ,½,ç□ê□‡,ìsetactivehidemaru,âclosehidemaru,δŽg,α•K—v,ª, ,è,Ü,
 ·□B

□@,Ü,½□C^È%º,ì•¶,ìfppf%of□f^,Äftf@fCf<-¼,δŽw’è,μ,Ä,^{3/4,3},ç□Bf_fCfAf□fOf{fbfNfX,ì□o,Ü,¹,ñ□B

-½—β	<@”\
appendsave	•Éftf@fCf<,Ö,ì’Ç%ºÁ•Ü’¶
changename	ftf@fCf<-¼,ì•ì□X
insertfile	fj□[fj<^É’u,Ö,ì”Ç,Ý□ž,Ý
loadfile	ftf@fCf<,δ•Ä,¶,ÄŠj,
openfile	ftf@fCf<,δŠj,
readonlyopenfile	□’S,·,ì<ÖŽ~,Äftf@fCf<,δŠj,
readonlyloadfile	□’S,·,ì<ÖŽ~,Äftf@fCf<,δ•Ä,¶,ÄŠj,
saveas	ftf@fCf<,ì-¼’O,δ•t,·,Ä•Ü’¶

□@—á□F
openfile "ABC.TXT";

□@openfile•¶,Æsaveas•¶,ì□Cftf@fCf<CÈ`Ž®`δ”~Žž,ÉŽw’è,·,é,±,Æ,ª,Ä,«,Ü,·□Bfppf%of□f^,ì’È%º,ì,æ,α
,ÉfRf”f},Ä<æ□Ø,Ä,Ä•K—v,È,à,ì,δŽw’è,μ,Ä,^{3/4,3},ç□B

openfile ftf@fCf<-¼ [,sjis | unicode | euc]
saveas ftf@fCf<-¼ [,sjis | unicode | euc] [, lf]

□@sjis,ì’É□í,ìftf@fCf<CÈ`Ž®□Aunicode,ìUnicodeCÈ`Ž®□Aeuc,ìEUCCE`Ž®,δ^Ó—i,μ,Ü,·□B
 □@openfile,ì□ê□‡,ì,R,Äftf@fCf<CÈ`Ž®,δŽw’è,·,é,±
 ,Æ,ª,Ä,«,Ü,·,ª□A’É□í,ìCÈ`Ž®,ÆUnicodeCÈ`Ž®,ìŽž““®,Ä”»f,μ,Äfì□[fvf””,·,é,æ,α,É,È,Á,Ä,ç
 ,é,ì,Ä□AZÄ□Ü,ìeuc,δŽw’è,·,é,ì,μ,©^Ó—i,ª, ,è,Ü,¹,ñ□B
 □@saveas,ì□ê□‡,ì□A,·,á,ñ,ÆŽw’è,³,è,½CÈ`Ž®,Ä•Ü’¶,μ,Ü,·□B%º½,àŽw’è,μ,È,ç□ê□‡□ACE»Ýfì□[fvf””,μ,Ä,ç
 ,éftf@fCf<,ìCÈ`Ž®,Ä,»,ì,Ü,Ü•Ü’¶,³,è,Ü,·□B,³,ç,É□Alf,δŽw’è,·,é,Æ□A%ºü□s=LF ,ìCÈ`Ž®,Ä•Ü’¶,³,è,Ü,·□B

□@—á□F
saveas "ABC.TXT", unicode;

openfile•¶,ì— <Z□□□□□

□@ŽÄ,ì□Aopenfile,È,ì— <Z,ª, ,è,Ü,·□Bopenfile,ìfppf
%of□f^,È,ì□Ahidemaru.exe,δ<N”®”,·,éflfvfVf#f””,ª,»,ì,Ü,ÜŽw’è,Ä,«,Ü,·□B

@@openfile "/r " + \$filename @,Æ,·,é,Æ Areadonlyopenfile,Æ“~,¶,É,È,è,Ü,· B

@@openfile "" @,Æ,·,é,Æ Anewfile,Æ“~,¶,É,È,è,Ü,· B

@@openfile "/(0,0,100,100)" ,Æ,·,é,Æ A0,0 100,100,ìftfCfY,ìGŠÛ,ª<N“®,³,é,Ü,· B

@,³,ç,É A GŠÛ,É,í%B,μfIfvfvf#f“ ,Á/h,Æ,ç,α,ì,ª, ,è,Ü,· B,±
,é,đŽw’è,·,é,Æ A GŠÛfGffBf^ ,ªfXfef<fXf, [fh,É,È,è A%œ-É, ©,çCE ©,ì,È,-
,É,é [·f}fNf, ÌŽÀs,ª”ñ í,É,‘,É,È,è,Ü,· B

@@openfile "/h " + \$filename

@,Á,· B,È,“ ACE ©,ì,È,,È,Á,½ GŠÛ,ìf}fNf, Ì’t,Á,í,ç,¹,Ä, ,°,È,ç,ÆCEä,Äft [fU,ª%½,ª,È,ñ,¾,©,í,©,ç,È,-
,É,è,Ü,· B(^ ^;

@,½,¾,μ A,±,é,ç,ìfIfvfvf#f“ ,í ACE» Ýf}fNf,đŽÀs,μ,Ä,ç,é GŠÛ,ª A V<K ì,³,é,½ GŠÛ,Á, ,Á,Á,í,ç
, ,Ü,¹,ñ B,È,ª,È,ç A V<K ì,³,é,½ GŠÛ,ª openfile,đŽÀs,·,é,Æ A,» ,ìftf@fCf<,ðloadfile,Æ“~—
ì,É^μ,Á,Á,μ,Ü,α,©,ç,Á,· B

@,±,ì ê ð †, í AchangeName,đŽg,Á,Äftf@fCf<-¼,ð "nul",É,·,é,È,Ç,μ,Ä’í ^,μ,Ä,¾,¾,ç B

f_fCfAf_fOf{fbfNfX,ð o,·ftf@fCf<CEn·¶

@ŽÀ,í Af_fCfAf_fOf{fbfNfX,ð o,·ftf@fCf<CEn·¶,à, ,è,Ü,· B

-½—ß	<@“\
APPENDSAVE	·Éftf@fCf<,Ö,ì’Ç%Á·Ü’¶
CHANGENAME	ftf@fCf<-¼,ì·í X
INSERTFILE	fj [f]f^É’u,Ö,ì“Ç,Ýž,Ý
LOAD	ftf@fCf<,ð·Á,¶,ÁŠJ,
OPEN	ftf@fCf<,ðŠJ,
SAVEAS	ftf@fCf<,ì-¼’O,ð·t, ,Ä·Ü’¶

@,±,é,ç,ì·¶,É,ípf%of f^,ª, ,è,Ü,¹,ñ Bft [fU,ª,n,jf {f^f“ ,ð%Ÿ,μ,Ä ^—
ì,ª ÑCE÷,·,é,Æ result==true,É,È,è,Ü,· BŽ,“s,μ,½,è AfLfff“fZf<,³,é,½ ê ð †, Ìfalse,É,È,è,Ü,· B

ff[f<^ú"®Cen•¶

ff[f<^ú"®Cen,ì•¶,Æ,μ,ÄC^È%º,ì,à,ì,ª, ,è,Û,·B

-½—β	<@”\
down	ff[f<^ú"®
gofileend	ff[f<^ú"®,ìÄCä,É^ú"®
gofiletop	ff[f<^ú"®,ìæ"ª,É^ú"®
gokakko	'í%ž,·,éšžCÉÉ,É^ú"®
golastupdated	ÄCä,É•ÖW,μ,½š,É^ú"®
goleftkakko	'{',É^ú"®
golineend	□s,ìÄCä,É^ú"®
golineend2	~—□s--,É^ú"®
golinetop	□s,ìæ"ª,É^ú"®
golinetop2	~—□s"ª,É^ú"®
gorightkakko	'}',É^ú"®
goscreenend	%æ-É,ìÄCä,É^ú"®
goscreentop	%æ-É,ìæ"ª,É^ú"®
gowordend	'PCEé,ìÄCä,É^ú"®
gowordtop	'PCEé,ìæ"ª,É^ú"®
halfnextpage	"¼ŽŸfy□fW
halfprevpage	"¼•ªOfy□fW
jump	Žw'è□s,É^ú"®
left	ff[f<^ú"®
moveto	"C^Ó,ì^É'u,Ö,ìff[f<^ú"®(Cä□q)
movetolineno	"C^Ó,ì^É'u,Ö,ìff[f<^ú"®(Cä□q)
nextfunc	ŽŸ,ìŠÖ□",É^ú"®
nextpage	ŽŸfy□fW
prevfunc	'O,ìŠÖ□",É^ú"®
prevpage	'Ofy□fW
right	ff[f<^ú"®E^ú"®
rollup	fXfNf□□[<fAfbfv
rollup2	fXfNf□□[<fAfbfv,Q
rolldown	fXfNf□□[<f_fEf"
rolldown2	fXfNf□□[<f_fEf",Q
up	ff[f<^ú"®
wordleft	'PCEé¶
wordright	'PCEé%ºE
wordrightsalsnen	'PCEé%ºE(ftf<f f"•—)
prevpos	'O,ìff[f<^ú"®,É^ú"®

ff[up□Cdown□Cright□CleftRf}f"fh,íP"Æ,Ä,àŽg,ì,Û,·ªCfpf
%of□f^,ðŽw'è,·,é,Æ,»·,ìª,Û,Æ,β,Ä^ú"®·,·,é,æ,»·,È,È,è,Û,·Bfpf%of□f^,É,ì□"l,ðŽw'è,μ,Ä,·,¼,³,ç□B

ff[—á□F

up 100;
down #a + #b * 100;

ff[,ì,È,Ÿ,É,±,ì,S,Ä,ìff[f<^ú"®fRf}f"fh,¼,·,ì□—¼fR□[fh,Æ,μ,ÄC

ff[ff[f<^ú"®,μ,½é□#,í true
ff[ff[f<^ú"®,μ,È,©,Ä,½é□#,í false

·ð•Ö,μ,Û,·B

ff[movetofRf}f"fh,íC^Ó,ì^É'u,Éff[f<^ú"®,μ,Û,·Bfpf%of□f^,Æ,μ,Ä,wÄ•W,Æ,xÄ•W,ðŽw'è,μ,Ä,-
¼,³,ç□B□"l,Ä,È,ç,Æ,ç,·,Û,¹,ñ□B

moveto ,wÄ•W, ,xÄ•W

□@,x□À•W,íftf@fCf<,ì□æ“^a,ð,O,Æ,μ,Ä□”,;□C,w□À•W,í^è”Ô□¶í’^u,ì^É’u,ð,O,Æ,μ,Ä□”,;1,½’l,Å,·□B

□@,z,È,Ý,ÉCE»□Ý,ìfj□[f<^É’u,íx,Æy,Å\CE»,³,è,Ü,·□B—á,;í□Cfj□[f<,ðCE»□Ý,ìy^É’u,ì1/2,ì%ó□Š,É^Ú“®,·,é,É,í□C^È%ó,ì,æ,π,É,μ,Ü,·□Bx,ây,í“à”“l,É’l,ð•\CE»,·,éfl□[f□□[fh,Å,·□B

moveto x, y/2;

□@movetolineno,í□AXY□À•W,ì’ã,í,è,É□ufGffBf^“l□v,ÉCEvŽZ,μ,½□s”Ô□t,ÆCE...”Ô□t,Åfj□[f<,ð^Ú“®,μ,Ü,·□B

movetolineno CE...”Ô□t, □s”Ô□t

□@CE...”Ô□t,í□Af^fu•¶Žš,í,P,Å,Æ,μ,Ä□”,;1,½”Ô□t,Å,·□Bmoveto,Æ^á,ç□ACE...”Ô□t,à□s”Ô□t,à,P,©,çŽn,Ü,è,Ü,·□B,½,Æ,;íftf@fCf<,ì□æ“^a,É^Ú“®,·,é,É,í□A

movetolineno 1, 1;

□@,Å,·□B,z,È,Ý,É□Acolumn,ì•Ô,·’l,í,O,©,çŽn,Ü,é,ì,Å’□^Ó,μ,Ä,,^{3/4},³,ç□B

□@□u”í^í’ð,μ,È,^a,ç,ìfj□[f<^Ú“®□v,Æ,ç,πfRf}f“fh,í, ,è,Ü,¹,ñ□B•É“rbeginsel ,ðŽÀ□s,μ,Ä,©,çfj□[f<^Ú“®,·,é,±,Æ,É,æ,Å,Å”í^í’ð,μ,Ä,,^{3/4},³,ç□B

fNfŠfbvf{[]fhCEn•¶

[]@fNfŠfbvf{[]fhfCEn,i•¶,Æ,μ,ÄC^È%º,ì,à,ì,ª, ,è,Ü,·□B

-½—ß	<@”\
appendcopy	'Ç%ºÁ•jŽÊ
appendcut	'Ç%ºÁ□Ø,è”²,«
beginrect	BOX”í^í’ðŠJŽn
beginsel	”í^í’ðŠJŽn
pasterect	BOX“\,è•t,¯
copy	•jŽÊ
copyline	□s,ð•jŽÊ
copyword	'PCEè,ð•jŽÊ
cut	□Ø,è”²,«
escape	”j^í’ð,ðŽæ,è□Á,·
paste	“\,è•t,¯
refcopy	^ø—p•t,«•jŽÊ
selectall	,·,x,Ä,ð’í’ð
selectline	□s,ì’í’ð
selectword	'PCEè,ì’í’ð
showcliphist	fNfŠfbvf{[]fh—š—ð,ì•\Ž!
poppaste	“\,è•t,¯□{—š—ð-ß,μ
getcliphist	fNfŠfbvf{[]fh—š—ð,©,ç,ìŽæ,è□o,μ
clearcliphist	fNfŠfbvf{[]fh—š—ð,ì□Á<Ž

[]@”í^í’ð,ð,μ,Ä,ç,é□ó’Ô,ÅescapefRf}f“fh,ðŽg,π,Æ□C”í^í’ð,ìŽæ,è□Á,³,è,Ä,μ,Ü,ç,Ü,·,ª□Cseltopx□Cseltopy□Cselendx□Cselendy,ì’l,ìŽÿ,ì”í^í’ð,ðŠJŽn,·,é,Ü,Ä•ÜŽ□,³,è,Ü,·□B

[]@getcliphist,ì□Afpf%ºf□f^,Æ,μ,ÄfqfXfgfŠ□[,ì”Ô□t,ðŽw’è,μ,Ä,,³/₄,³,ç□B,O,ª□Á□V,ì—š—ð□A,P,ª,P,Ä’O□A,Q,ª,Q,Ä’O,Æ,ç,π<ì□‡,Ä,·□BŽæ,è□o,μ,É□—CE÷,·,é,Æ□Aresult == true,É,È,è,Ü,·□B’¶□Ý,μ,È,ç”Ô□t,ðŽw’è,μ,½,è□A□í”□GŠÜ,^ª,ç,È,ç,ì□é□‡,ìresult == false,Æ,È,è,Ü,·□B

[]@fNfŠfbvf{[]fh,©,ç•¶Žš—
ñ,ðŽæ,è□o,μ,Ä□A,»è,ð•ì□”,É’ă“ü,μ,½,è□A•ì□”,ì’l,ðfNfŠfbvf{[]fh,Éfzfbfg,μ,½,è,·,é,±,Æ,à,Ä,«,Ü,·□BfNfŠfbvf{[]fh,Æ,ì•¶Žš—ñ,ì,â,è,Æ,è,ðŽQ□Æ,μ,Ä,,³/₄,³,ç□B

☐í☐œ☐En•☐¶

☐@☐í☐œ☐En,ì•☐¶,Æ,μ,Ä☐C^È%°ò,ì,à,ì,ª, ,è,Ü,·☐B

-½—β	<@”\
backspace	Backspace
delete	Del
deleteafter	fj☐[f\<,æ,è☐ã,ë,ð☐í☐œ
deletebefore	fj☐[f\<,æ,è’O,ð☐í☐œ
deleteline	☐s☐í☐œ
deleteword	’P☐È,ì☐í☐œ☐ifj☐[f\<,ì☐ã,ë,¾,☐j
deletewordall	’P☐È,ì☐í☐œ☐i’S•”☐j
deletewordfront	’P☐È,ì☐í☐œ☐ifj☐[f\<,æ,è’O,ì•”•ª,¾,☐j

☐@delete•☐¶,íDel fL☐[,Æ“¯,☐¶“®☐ì,ð,μ,Ü,·☐B”í^í’ð,³,è,½☐ó’Ô,¾,Æ,»,”í^í,ð☐í☐œ,μ,Ü,·☐B

,»,'¼•ÒWÇEn•¶

□@,»,'¼•ÒWÇEn,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Û,·□B

-½—ß	<@"\'
casechange	'â•¶Žš□^□-•¶Žš,ì•İŠ·
indent	fCf"fff"fg
redo	,â,è'¼,μ,ì,â,è'¼,μ
reopen	•ÒW,ì,â,è'¼,μ
shifftab	□s'í'ð,ì•âŠ®
tab	'í'ð"í^í,ìf^fu,É,æ,éfCf"fff"fg
tohankaku	"¼Šp•¶Žš,É•İŠ·
tolower	□-•¶Žš,É•İŠ·
tospace	f^fu-><ó""•İŠ·
totab	<ó""->f^fu•İŠ·
toupper	'â•¶Žš,É•İŠ·
tozenkakahira	'SŠp,Đ,ç,ª,É,É•İŠ·
tozenkakukata	'SŠpjjf^jjfi,É•İŠ·
undo	,â,è'¼,μ
unindent	<tCf"fff"fg
capslockforget	CapsLock,μ,í,·,è,ì□¥□³

□@indent,âtohankaku,È,Ç,í□A"í^í'ð,μ,½□ó^Ò,ÄŽÀ□s,μ,È,·,è,ì^Ó-j,ª, ,è,Û,¹,ñ□B

Ž,³,ê,„A'ã,í,è,Éresult,É'uŠ,μ,½ĈĀ",ª"ü,è,Ü,·B“r't,Å't'f,³,ê,½ê±,íresult,í-1,É,È,è,Ü,·B

@fj...[,©,çĈÿ"™,ðs,Á,ÄŽ,“s,μ,½ê±,É,íA

%¹,âfbfZ[fW,Å'm,ç,¹,Ü,·,ªAf}fNf,©,çŽÀs,μ,½ê±,É,í%¹,âfbfZ[fW,ío,Ü,¹,ñB

^è"É,ÉĈĈÿ"ªŽ,“s,μ,½ê±,í%¹,ð-

À,ç,μ,½,èfbfZ[fW,ðo,μ,½,è,μ,Ü,·,ªCf}fNf,©,çŽÀs,μ,½ê±,í,»»,ê,ç,ì“©i,ð,μ,Ü,¹,ñB'ã,í,è,Éresult,É
Ĉ<%ÉfR[h,ð•Ô,μ,Ü,·B

grep, grepdialog, localgrep

```
@grep -Afpf%o^f^, dZw'è, µ, Ägrep, dZÀs, µ, Ü, ·Bfpf%o^f^, í^È%oº, ì, æ, x, ÉZw'è, µ, Ü, ·B
```

```
grep -Y -o -Zš -ñ, -ÉY -o, ·, éftf@fCf<, fJfCf"fgfffBfCfNfgfŠ [.,word] [.,casesense] [.,regular] [.,fuzzy] [.,subdir] [.,icon] [.,filelist]
```

```
@fJfCf"fgfffBfCfNfgfŠ, Æ, µ, ÄC»Y, lfffBfCfNfgfŠ, dZw'è, ·, éêê, íA"., ©A, Ü, ½, í", dZw'è, µ, Ä, -  
, ¾, ¾, çBresult, É, í'uS', µ, ½CÄ" , a"ü, è, Ü, ·B"r't, Á't'f, ¾, é, ½êê, lresult, í-1, É, È, è, Ü, ·B
```

```
@<K\C»·Zš -ñ, àftf@fCf<-¼, í't, Áu\ v, d"" , Á^í, Á, ½·Zš -  
ñ, í't, ÁZw'è, ·, éêê, íA GŠÚfGfffBf^, í·Zš -ñ'è" , lZd -l, É, æ, èA u\ \v, ÆZw'è, µ, È, ·, Ä, í, ç, ·, Ü, ¹, ñB -  
á, |, í<K\C» , Áu\ n\ v\ í%ü s·Zš j, dCÉY -o, ¾, ¾, ¾, çêê, íAf}fNf, í't, í·Zš -ñ'è" , Æ, µ, Ä, í"\  
n" , ÆZw'è, ·, é·K -v, a, ·, è, Ü, ·B
```

—áF

```
grep "#include", "*.cpp;*.c", ".", regular;
```

```
@grepdialog ·, íA ugrep, lZÀs...v, lf_fCfA fOf{fbfNfX, d o, µ, Ü, ·B, z, È, Ý, Égrepdialog ·, dZÀs, ·, é, Æ  
AC»Y, íGŠÚ, aV<K\ì -ó'Ó, Ä, È, çêê, íV<K, ÉGŠÚfGfffBf^, a -s, zã, a, è, Ü, ·B
```

```
@localgrep ·, íAC»Y, í"à -e, d'íU, É, µ, Ägrep, dZÀs, µ, Ü, ·Bfpf%o^f^, í^È%oº, ì, æ, x, ÉZw'è, µ, Ä, -  
, ¾, ¾, çB
```

```
localgrep -Y -o -Zš -ñ [.,word] [.,casesense] [.,regular] [.,fuzzy] [.,icon]
```

—áF

```
localgrep "#include", word;
```


setsearch • ¶

¶@setsearch • ¶, í ¶A ¶GŠŮ, à“à•”, Å•ŮŽ ¶, μ, Å, ç, é Ćÿ ¶ō fofbftf@, ì“à—
e, ð ¶Ý’ è, μ, Ů, · ¶B Ćÿ ¶ō fofbftf@, í ¶A ¶u ¶ā Ćó • â ¶v, à ¶u %° Ćó • â ¶v, ì ¶Ů, ÉŽQ ¶Æ, ³, è, é fofbftf@, Å ¶A Ćÿ ¶ō • ¶Žš
—ñ, Æ ¶A Ćÿ ¶ō, ì • Ů — @ ¶i ¶³ <K \ Ć», ©, Ç, x, ©, È, Ç, ì ftf %° fO ¶j, ð • Ů Ž ¶, μ, Å, ç, Ů, · ¶B

¶@setsearch fRf} f“fh, Å Ćÿ ¶ō fofbftf@, ì“à—e, ð ¶Ý’ è, μ, Å, ©, ç findup/finddown, ð ŽÀ ¶s, ·, é, Æ ¶A searchup/
searchdown, ð ŽÀ ¶s, μ, ½, ì, Æ “”, ¶ Ć < %° È, à “¾, ç, è, Ů, · ¶B

setsearch • ¶Žš—ñ, ftf %° fO

¶@ftf %° fO, í ¶A Še frfbfg, ², Æ, ì, n, q, ì l, ð Žw’ è, μ, Ů, · ¶B

’P Ć è, ì Ćÿ ¶ō	frfbfg, O
’å • ¶Žš / ¶ — • ¶Žš, ì < æ • È	frfbfg, P
’u Š ·, ©, Ç, x, ©	frfbfg, Q ¶i ’u Š ·, ì ¶è ¶#, È, P ¶j
’u Š ·, ì ¶è ¶# ¶A — â, ç ¶#, ì, ¹, ì — L — ³	frfbfg, R
¶³ < K \ Ć »	frfbfg, S
, , ç, Ů, ç Ćÿ ¶ō	frfbfg, T
ftf@fCf < - ¼ ^ è — —, ¾, ¶ ¶ ¶ —	frfbfg, U ¶igrep — p ¶j
ŽÝ, ì ¶GŠŮ, à’ ±, ·, Å Ćÿ ¶ō	frfbfg, V

¶@setsearch, Æ < t, È ¶A Ćÿ ¶ō fofbftf@, ì“à—e, ð ŽQ ¶Æ, ·, é, È, í ¶A searchbuffer, searchoption, Æ, ç, x’ l, ð Žg, ç
, Ů, · ¶B

¶@f} fNf ¶, ì t, Å searchup/searchdown, ð Žg, x, Æ ¶A Ćÿ ¶ō fofbftf@, ì“à—e, à ¶’, «Š ·, ì, ç, è, Å, μ, Ů, ç, Ů, · ¶B», x
, ·, é, Æ ¶A ft ¶ [fU, à ŽÝ, È ¶ā Ćó • â / %° Ćó • â fRf} f“fh, ð Žg, Å, ½ Žž, È — \ Š ú, μ, È, ç “ ® ¶ì, ð, μ, Å, μ, Ů, x, ±, Æ, à, , è, Ů, · ¶B

¶@, ±, x, ç, x ¶è ¶#, È ¶A setsearch/searchbuffer/searchoption, ð Žg, x, Æ • Ö — ~, Å, · ¶B

¶@ — á ¶F

```
$s = searchbuffer;  
#f = searchoption;  
¶c  
f}fNf ¶ — { ì ¶c  
¶c  
setsearch $s, #f;  
endmacro;
```

fEfBf“fhfEEn•¶

□@fEfBf“fhfEEn,ì•¶,Æ,μ,Ä□C^È%°°,ì,à,ì,ä, ,è,Ü,·□B

-½—ß	<@”\
nexthidemaru	ŽŸ,ì□GŠŮ
prevhidemaru	‘O,ì□GŠŮ
nexthidemaruicon	ŽŸ,ì□GŠŮ□ifAfCfRf“,àŠŮ,p□
prevhidemaruicon	‘O,ì□GŠŮ□ifAfCfRf“,àŠŮ,p□
restoredesktop	fffxfNfgfbfv•œCE³
savedesktop	fffxfNfgfbfv•Ü‘¶
scrollink	‘¼,ì□GŠŮ,Æ“~ŽžfxfNf□□[f<
split	fEfBf“fhfE,ð,Q,Â,É•äŠ,,
splitswitch	•äŠ,,fEfBf“fhfE□Ø,è‘Ö,ì
windowcascade	□GŠŮ,ð□d,É,Â•Ž!
windowhorz	□GŠŮ,ð%°°i,É•Â,x,é
windowtiling	□GŠŮ,ð•Â,x,Ä•\Ž!
windowvert	□GŠŮ,ð□c,É•Â,x,é
windowlist	fEfBf“fhfE^è—•\Ž!
compfile	‘¼,ì□GŠŮ,Æ“à—e”äŠr

□@nexthidemaru□Cprevhidemaru,ðŽÀ□s,·,é,Æ□Cf}fNf□,ì□\$CEä,à,»,è,É”°°,È,Â,Ä□Ø,è‘Ö,ì,Ü,·□B

□@compfilefRf}f“fh,í□Afpf%°°f□f^,Æ,μ,Ä‘¼,ì□GŠŮ,ìfEfBf“fhfEfnf“fhf<,Ü,½,ìfEfBf“fhfE”Ô□†,ðŽw’è,·,é•K—v,ä, ,è,Ü,·□B^È%°°,ì,æ,π,ÉŽg,ç,Ü,·□B

—á□F

compfile findhidemaru("c:\\abc.txt");

□@”äŠr□æ,ìfEfBf“fhfE,°CE©,Â,©,ç,È,ç□é□‡,íCE<%°°ÉfR□[fh,í-1□A”äŠr,ìCE<%°°É□A^á,ç,°CE©,Â,©,ç,È,ç,Ä,½□é□‡,íCE<%°°ÉfR□[fh,íO□A^á,ç,°CE©,Â,©,Ä,Ä,»,ì^É‘u,Éfj□[f\ f<^Ú”® ,μ,½□é□‡,í1,Æ,É,è,Ü,·□B

fjfj...[Eñ•¶

[@fjfj...[,ðo,•¶,Æf}fNf,ðEÄ,Ño,•¶,Íf}fNf,©,ç,ÍŽg,!,Ü,¹,ñB,Æ,ç,α,©CŽg,!,Ä,μ,Ü,ç,Ü,•,ªCŽg,í,È,ç,Å,,¾,³,çB

@f}fNf,©,çf}fNf,ðŽÀs,•,é,É,ÍAexecmacro,ðŽg,ç,Ü,•B

,»,ì¼,ìRf}f“fhCEn•¶

□@,»,ì¼,ìRf}f“fhCEn•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ä, ,è,Ü,·□B

-½—ß	<@”\
backtagjump	fobfNf^fOfWfff“fv
clist	,bC¾CEèŠÖ□”^è—
directtagjump	f_fCfCfNfgf^fOfWfff“fv
freecursorswitch	ftfŠ□[f]□[f]f<f,□[fh,ì□Ø,è’Ö,ì
imeswitch	,©,ÈŠ¿Žš•ìŠ,ì□Ø,è’Ö,ì
help	ŠO•”fwf<fv
help2	ŠO•”fwf<fv,Q
help3	ŠO•”fwf<fv,R
hidemaruhelp	□GŠÚfwf<fv
marklist	f}□[fN^è—
macrohelp	□GŠÚf}fNf□fwf<fv
overwriteswitch	□ã□’,<□^’}“üf,□[fh□Ø,è’Ö,ì
readonlyswitch	ftf@fCf<,ì□’Š,ì<ÖŽ~□^<-%ºÄ,ì□Ø,è’Ö,ì
setmark	fj□[f]f<□s,ìf}□[fN
showcode	fj□[f]f<,ì•¶ŽšfR□[fh,ì•\Ž!
showlineno	□s”Ö□t,ì•\Ž!□^”ñ•\Ž!
tagjump	f^fOfWfff“fv
redraw	□GŠÚfEfBf“fhfE,ì□Ä•`%ºæ
browsemodeswitch	%º{—f,□[fh,ì□Ø,è’Ö,ì

□@tagjump□Abacktagjump□Adirecttagjump,ì□A□—C÷,·,é,Æresult==yes□AŽ,“s,·,é,Æresult==no,Æ,È,è,Ü,·□B¼□AfGf%º□[f□fbfZ□[fW,ª□o,é,æ,α,ÈŽ-’Ö,ª”□¶,μ,½□è□‡,ìresult==no,Æ,È,è□A,»,α,Ä,È,ç□è□‡,ìresult==yes,Ä,·□B

message • ¶

¶@f¶bfZ¶[fWf{fbfNfX,đ¶o,μ,Û,·¶Bf¶bfZ¶[fWf{fbfNfX,í,ç,í,ä,éfcf“ftfHf¶¶[fVf#f“fAfCfRf“¶•—¹
%ođf{f^f”,lfxf^fcf<,Á¶o,Û,·¶Bfpf%of¶f^,Áf¶bfZ¶[fW,í•¶Žš—ñ,đŽw’è,μ,Û,·¶B¶”iCE^,l’l,í•¶Žš—
ñCE^,É•ÍŠ·,μ,ÁŽw’è,μ,Á,,³/₄,³,ç¶B

¶@—á¶F

```
message "¶GŠÛ,Á,·";  
message str(100);
```

question 1

@@Ž;-â,îfñbfzñ[fW,ðo,μ,Û,:ñBfñbfzñ[fWf{fbfNfX,É,íu,í,çv,Æu,ç,ç,íñv,îf{f^f",ª, ,è,Û,:ñB

question ",±,ê,Â,ç,ç,Â,.,©ñH";

,Æ,ç,Á,½<ïñ,ÉŽg,ç,Û,:ñBñu,í,çv,ð'l,ñ,¾,ì,©ñu,ç,ç,íñv,ð'l,ñ,¾,ì,©,íñCresult,Æ,ç,xfLñ[fññ[fh ,Â•\
CE»,³,ê,Û,:ñBif•ñ,Æ'g,Ý, ,í,¹,ÄŽg,ç,Û,:ñB

@@ñu,í,çv,ð'l,Ô,Æresult,í,P,É,È,èñCñu,ç,ç,íñv,ð'l,Ô,Æ,O,Æ,È,è,Û,:ñByes,âno,îfLñ[fññ[fh,Æ'g,Ý, ,í,¹,ÄñðCE
ñ"»'è,.,é,Æ•Ô—~ ,Ä,:ñB

@-áñF

```
question "fzñ[fu,μ,Û,.,©ñH";  
if( result == yes ) {  
    save;  
}
```

beep•fl

@beep•fl, í Cfs, Á, Æ, ç, ¼%º¹, ð o, µ, Ü, · B

play, playsync

play, playsync
—¹, ð'Ö, ½, , Éf}fNf, İŽÄs, ðĈEp'±, μ, Ü, ·Bplaysync, İWAVftf@fCf<, İÄ, İ

@—áF
play "d:\\windows\\chord.wav";

debuginfo • ¶

▯@debuginfo • ¶,É,Í,Q,Á,ÌŽg,¢•ú,^a,è,Û,·▯B

▯@debuginfo • ¶,Ìpf
%f▯f^,É▯A0,Û,½,Í0^ÈŠO,ì▯"l,ðŽw'è,μ,½▯é▯#▯Adebuginfo • ¶,í▯AfffofbfOf▯fbfZ▯[fW,ì•\Ž!,ì•ÖŽ~▯^<-
%oÁ,ð▯s,¢,Û,·▯B0,ðŽw'è,μ,½▯é▯#<ÖŽ~,³,é▯A0^ÈŠO,ðŽw'è,μ,½▯é▯#<-
%oÁ,³,è,Û,·▯Bf}fNf▯ZÁ▯s'¼Æâ,ì•ÖŽ~,É,É,Á,Á,¢,Û,·▯B

▯@debuginfo • ¶,Ìpf%of▯f^,É • ¶Žš—
ñ,ðŽw'è,μ,½▯é▯#,í▯Adebuginfo • ¶,íOutputDebugStringŠÖ▯",ðŽg,Á,Á,»,ì • ¶Žš—
ñ,ðDBWin,É,Ç,ÌfffofbfOfAfvfŠfP▯[fVf#",É • \Ž!,μ,Û,·▯B

▯@DBWin,É,Ç,ÌfffofbfOfAfvfŠfP▯[fVf#",^a▯í",μ,Á,¢,É,¢Žž,É,±,ì • ¶,ðŽÀ▯s,·,é,Æ▯A • ¶Žš—ñ,ÌfffofbfO'[-,É'—
,¢,è,Û,·▯BfffofbfOfAfvfŠfP▯[fVf#",àfffofbfO'[-,à,É,¢▯é▯#,íWindows,ì"®▯i,^a,",©,μ,,É,é,±,Æ,^a,é,ì,Á'^Ó,μ,
Á,,¾,³,¢▯B

▯@%oü▯s • ¶Žš,ð▯o—í,μ,½,¢▯é▯#,í▯A"\x0A",ðŽg,Á,Á%o^a,³,¢▯B

▯@—á▯F
debuginfo 1;
debuginfo "#a = " + str(#a) + "\x0a";

showvars

@showvars, íACE»Ý, ì" , ì^ê—, ðffofbfOfAfvfŠfP[fVf#f", É•Ž!, µ, Û, ·BŽÀÛ, É•\ Ž!, ³, ¹, é, ½, ß, É, íAdebuginfo, ÁffofbfOfbfZ[fW, ì•Ž!, ^a<-‰Á, ³, è, Á, ç, é•K—v, ^a, , è, Û, ·B

title • ¶

¶@title • ¶, í ¶A ¶GŠŮfGfffbf^, ìfEfbf"fhfE, ìfLffffvfVf+f" ¶if^fCfgr<fo[¶j, ì • " • a, Éf ¶fbfZ ¶[fW, ð • \
Ž, μ, Ů, · ¶B • í ¶X, ³, è, ½fLffffvfVf+f", ìfEfbf"fhfE, ¶∅, è' Ö, í, Á, Ä, à • ŮŽ ¶, ³, è, Ů, · ¶B

¶@CE» ¶Ý, ì ¶GŠŮ, ìfLffffvfVf+f", ¾, ˘, ðCE³, É-ß, ·, É, í ¶Atitle 0, ðŽÀ ¶s, μ, Ä, -
, ¾, ³, ¶ ¶B ¾, í ¶GŠŮ, àŠŮ, ß, Ä, ·, x, Ä, ìfLffffvfVf+f", ðCE³, É-ß, ·, É, í ¶Atitle 1, ðŽÀ ¶s, μ, Ä, , ¾, ³, ¶ ¶B

¶@f}fNf ¶, ¶ ¶I-¹, ·, é, ÆfLffffvfVf+f", í, ·, x, ÄŽ © " @ " I, ÉCE³, É-ß, è, Ů, · ¶B, Ů, ½, í ¶A fLffffvfVf+f", ð ¶Ý' è, μ, ½ CEä, Åtitle -
1, ðŽÀ ¶s, ·, é, Æ ¶A f}fNf ¶, Å ¶Ý' è, μ, ½ fLffffvfVf+f", ¶f}fNf ¶ ¶I-¹ Žž, à, » , ì, Ů, ŮŽc, é, æ, x, É, È, è, Ů, · ¶B

¶@-á ¶F
title "f}fNf ¶ ¶^ - ¶' t, Å, ·";

¶@title • ¶, ì Ž í - p ¶F
title • ¶ Ž š - ñ fLffffvfVf+f", ì ¶Ý' è
title 0 CE» ¶Ý, ì ¶GŠŮ, ìfLffffvfVf+f", ðCE³, É-ß, ·
title 1 ·, x, Ä, ì ¶GŠŮ, ìfLffffvfVf+f", ðCE³, É-ß, ·
title -1 CE» ¶Ý ¶Ý' è, ³, è, Ä, ¶, é fLffffvfVf+f", ðf}fNf ¶ ¶I-¹ Žž, à Žc, ·

run Crunsync Crunsync2

```
@run .i'¼,ifvfOf%of€,đŽÀs,μ,Ü,·Bfpf%of^,Æ,μ,ÄfRf}f"fh,i•Źš—ñ,đŽw'è,μ,Ä,,¾,¾,çB  
@run .i,ifvfOf%of€,đ·N"®,μ,½, ,Æ,ÄC,·,®,Éf}fNf,İŽÀs,đ'±s,μ,Ü,·B
```

```
@runsync,rinsync2 .i,run,Æ" -I,ÉfvfOf%of€,đŽÀs,μ,Ü,·,ªCrun,Æ^Ü,È,é" _i<N"®,μ,½fRf}f"fh,ªI—  
¹,·,é,Ü,Äf}fNf,İŽÀs,đ'Ö<@,¾,¹,é" _Ä,·Brunsync,İGŠÜ,đfAfCfRf"ó'Ö,È,μ,Ä'Ö<@,¾,¹,Ü,·,ªArunsync2,İG  
ŠÜ,đfAfCfRf",É,¹,·,É'Ö<@,¾,¹,Ü,·B
```

```
@run .i,[,»,i'¼]-ifvfOf%of€ŽÀs],Æ" -I,É·W€"üo—í,İfŠf_fCfCfNfg,ª%oÄ"  
,Ä,·B,à,μ<N"®,·,ÉfvfOf%of€,İ·W€o—í,ªfŠf_fCfCfNfg,¾,è,Ä,ç,éé#Arun .i,runsync .i" -  
I,ÉA'Ö<@,·,é,æ,æ,É,È,è,Ü,·Brunsync .i,Ærunsync2 .i,İfŠf_fCfCfNfg,İ,Ä,«,Ü,¹,ñB
```

```
@fvfOf%of€,İ<N"®,ÉŽ,"s,·,é,Æresult,ªfalse,É,È,è,Ü,·B
```

```
@—áF
```

```
run "winfile.exe";  
run "hidemaru.exe win.ini";  
runsync "cl -c -AS -G2scw -W3 " + $filename
```

endmacro, endmacroall

```
@endmacro
^,µ,Û,·BCE»Ý,ìf}fNf,ìŽÀs,ðI—
^execmacro
É,æ,èĀ,Ńo,³,ê,½ê±,íĀ,Ńo,µĒ³,ìf}fNf,ìŽÀs,ð'±s,µ,Û,·B
@endmacroall
Aexecmacro,íĀ,Ńo,µĒ³,àŠÛ,ß,Ā,·,x,Ā,ìf}fNf,ìŽÀs,ðI—¹,³,¹,Û,·B
```

```
@—áF
question "'±s,µ,Û,·,©H";
if( result == no ) endmacro;
```

execmacro • ¶

```
¶@f}fNf¶,ì't,©,ç¶A,³,ç,É•Ê,ìf}fNf¶,ðŽÀ¶s,μ,Û,·¶B<N“®,³,ê,½'α,ìf}fNf¶,ª¶I—  
¹,·,é,ÆÆ»¶Ý,ìf}fNf¶,ìŽÀ¶s,ð'±¶s,μ,Û,·¶B  
¶@f¶f%¶f¶f^,Áf}fNf¶,ìftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,¾,¾,ç¶B  
¶@execmacro,³,ê,½f}fNf¶,©,ç,³,ç,Éexecmacro,ðŽÀ¶s,·,é¶ê¶¶Aexecmacro,ìf¶Xfg,ª, ,Û,è¶[,·,È,ç,È,ç,æ,æ,æ  
,É'¶^Ó,μ,Ä,,¾,¾,¾,ç¶B
```

```
¶@—á¶F  
    execmacro "test.mac";
```

disabledraw□Cenabledraw•¶

□@disabledraw,í%œ-Ê,ì□',«Š·,!,ð<ÖŽ~·,μ,Û·□Benabledraw,í<t,É%œ-Ê□',«Š·,!,ð<-
%œÁ,μ,Û·□Bf}}fNf□<N“®Žž,í<-%œÁ□ó'Ó,É,É,Á,Á,ç,Û·□B

□@'·,ç·Ö□W□ì<Æ,ð'ZZžšŒ,Á□í,í,ç,¹/₂,ç□ê□#,É□C,Û·,disabledraw,μ,Ä□ì<Æ,ðšJžn,μ□C·Ö□W,ª□í,í,Á,¹/₂,çena
bledraw,·,é,ÆCEø%œÊ"í,Ä,·□B,¹/₂,³/₄,μ□Cenabledraw,ðžÁ□s,·,é,Æ,«É%œ-Ê,ð,·,×,Ä□',«'¼,·,±
,Æ,É,É,é,í,Ä□C'ZZžšŒ,Á□í,í,é□^—□,ðdisabledraw/enabledraw,Ä^í,p,Æ,©,!,Ä,Ä□^—□'—“x,ª'á%œº,·,é,±
,Æ,É'□^Ó,μ,Ä,,³/₄,³,ç□B

—á□F

```
disabledraw;  
gofiletop;  
beginsel;  
gofileend;  
cut;  
enabledraw;
```

□@disabledraw,μ,¹/₂,ì,Éenabledraw,ð-Y,é,¹/₂,Û,Ûf}}fNf□,ìžÁ□s,ª□í—¹,·,é,Æ□Cž©“®"í,É%œ-
Ê,ð,·,×,Ä□',«Š·,!,Û·□B

□@enabledraw,ªžÁ□s,³,é,¹/₂žž□Afj□[fj<,ª%œ-Ê,ì,ç,ì^É'u,É·\ží,³,é,é,©,í□GšÛ'ª,ª"K"—,ÉCE^,ß,Ä,μ,Û,ç
,Û·□B,±,é,ðf}}fNf□'ª,Ä□\$CEä,·,é,É,í□Aenabledraw•¶,ípf%œf□f^,Ä%œ-
Ê,ì^è"Ö□ä,ì□s"Ö□+□if□□[fvf□"í,ÉCEvžž,μ,¹/₂□s"Ö□+□j,ðžw'è,μ,Ä,,³/₄,³,ç□B

—á□F□iCEÿ□ð,ÄCE©,Ä,^,½·¶žš—ñ,ð%œ-Ê,ì'+%œ>,É·\ží,·,é□ê□#□j
#cyScreen = cyscreen;
disabledraw;
search "abc";
enabledraw y - #cyScreen / 2;

disablebreak•¶

¶@disablebreak•¶,í¶Cf}fNf¶,ì't'f,ð<ÖŽ~,μ,Ü,·¶B

¶@¶GŠÜ,ìf}fNf¶,ÍŽÀ¶s't,É%½,©fL[“ü—í,·,é,Æ¶u't'f,μ,Ü,·,©¶H¶v,Æ•·,ç,Ä,,éŽd—l,É,È,Á,Ä,ç,Ü,·¶B,μ,©,μŠÉ'P,Èf}fNf¶,ðÆJ,è•Ö,μ,ÄŽÀ¶s,μ,½,ç¶ê¶#,É,í,Q%ñ-Ü,ìf}fNf¶ŽÀ¶sfRf}f“fh,²'t'f—v<¶,Æ“FŽ~³,ê,Ä•s•Ö,Ä,·¶B

¶@,»,±,Ä¶C,±,ìdisablebreak•¶,ðf}fNf¶,ì,ç,¿,î,ñ¶Á¶%,ÄŽÀ¶s,·,é,Æ¶C,»,ìf}fNf¶,Ä,ì't'f,ð^ê¶ØŽó,~•t,~,È,-,É,è,Ü,·¶Bf}fNf¶,ì¶Á¶%,Ä,È,ç,ÆÆø%É,í, ,Ü,è,È,ç,ì,Ä'^Ó,μ,Ä,,¾,¾,ç(,½,¾,μ¶C•¶,â<ó¶s,ª¶æ“ª,É, ,é,ì,í¶,ç,Ü,¹,ñ)¡

¶@enablebreak•¶,í, ,è,Ü,¹,ñ¶B

disableinvert, enableinvert•¶

¶@disableinvert•¶,Í¶C"í"í"í"đ,ì,Æ,«,í"½""]•\Ž,đ,ÖŽ~,μ,Ü,·¶Bf}fNf¶ŽÀ¶s't,ì"½""]•\Ž,í-Ú,´,í,è,È¶ê¶‡,ª'½,¢
,Ì,Ä¶C,»,ì¶ê¶‡,í, ,ç,©,¶,βdisableinvert,μ,Ä,©,ç"í"í"í"đ,·,ê,í¶C%œ-Ê¶ã,Ä,í"½""]
,¹, ,É"í"í"í"đ,³,ê,Ü,·¶Benableinvert,Í¶Adisableinvert,đ%đœ,μ,Ü,·¶B

disableerrmsg, enableerrmsg

disableerrmsg, íCŠeŽí,ífRf}f“fh,ì‘t,ÀfGf%“[.a”qμ,Ä,àfGf%“[f]fbfZ[fW,ð•\Ž!,μ,È,ç,æ,κ,É,μ,Ü,·Benableerrmsg,íCŠ,É-ß,μ,Ü,·Bf}fNf<N“@’¼CĚä,íenable,É,È,Ä,Á,ç,Ü,·B

@ŠeŽí,ífRf}f“fh,ì‘t,Ä,ífGf%“[.Æ,íA—á,!,î^È%º,ì,æ,κ,È—á,ª, ,è,Ü,·B

@@appendsave,ÅŽw’è,³,è,½ftf@fCf<,ªC©,Ä,©,ç,È,©,Á,½
@@@showcliphist,ÅAf+[fU,ª%½,àŽæ,èo,³,,Éf_fCfAf]fO,ð•Ä,¶,½
@@@@,»,’¼AufGf%“[v,Æ,ç,κf^fCf<,íf]fbfZ[fWf{fbfNfX,ª•\Ž!,³,è,é^—,·,×,Ä

disableerrmsg,ðŽÀ[s,μ,Ä,àAfGf%“[.a”qμ,½ê‡,Éresult==false,É,È,é,±,Æ,í•í,í,è, ,è,Ü,¹,ñBdisableerrmsg,ðŽÀ[s,μ,½ê‡,î^ÈCĚäfGf%“[.í^—,ð³,μ,□s,κ,æ,κ,É,μ,Ä,,¾,¾,çB

fufbfN

@GSÛ,}f}fNf,Å,íC,bE¾CEé,Æ“—l,É '{,Æ}',Å•i,}f}fNfRf}f“fh,ð,D,Æ,Å,É,Ü,Æ,ß,é,±,Æ,â,Å,«,Ü,·Bif,âwhile,Æ'g,Ý,î,í,¹,ÄŽg,ç,Ü,·B

—áF

```
if( result == yes ) {  
    message "ABC";  
    #a = #a + 1;  
}
```

if

if `condition`, `do_something`, `else`, `do_something_else`

```
@-áF
  if( result == yes )
    message "—1%ođ,Á,-";
  else
    message "Žæ,èÁ,μ,Á,-";
```

`if` `condition`, `do_something`, `else`, `do_something_else`

```
if( result == yes ) {
  message "—1%ođ,Á,-";
  endmacro;
} else {
  down;
  right;
}
```

`else`, `if`, `condition`, `do_something`, `else`, `do_something_else`

```
if( result == 1 ) message "1";
else if( result == 2 ) message "2";
else if( result == 3 ) message "3";
else message ",»,ì¼";
```

while

while: `while(condition) { statements }`

```
@-áF
    #a = 10;
    while( #a > 0 ) {
        down;
        #a = #a - 1;
    }
```

break: `break;` continue: `continue;`

break • ¶

@break, íCwhile, ÿ<[fv, ÿ't, ©, ç<[S“l, ÉŠO, Éo, Ü, ·B“ñd, ÿ<[fv, ÿ't, ÅŽÀs, ³, ê, ½ê¶, í, Đ, Æ, ÅŠO'x
, É”², ~o, Ü, ·B
@while, ÿŠO, ÅŽÀs, ·, é, ÆfGf%oo[, É, È, è, Ü, ·B

—áF

```
while( #a != 0 ) {  
    up;  
    if( !result ) break;  
    #a = #a - 1;  
}
```

continue

while loop with continue

—á

```
while( #a != 0 ) {  
    up;  
    if( !result ) continue;  
    #a = #a - 1;  
}
```

goto • ¶, Æf%oƒxf<

□@f}fNf□,ì□^—□,í□ã,©,ç%°Ö□#”Ô,ÉŽÅ□s,³,è,Û,·,ª□C”C^Ó,ì□ê□Š,É^Ú”®,³,¹,é□ê□#,Égoto,Æf%oƒxf<,ðŽg,ç,Û,·□B

□@f%oƒxf<,í□C,»„,ì-¼,ì,Æ,¨,è-¼ŽD,Å,·□B”ò,Ñ,½,ç□æ,Éf%oƒxf<,ð’u,ç,Ä,¨,«□Cgoto,Å,»„,ìf%oƒxf<,ðŽw’è,·,é,Æ,»„,±,É”ò,Ñ,Û,·□B

□@f%oƒxf<,í□C“K”-,È%°p□”Žš,ªŽw’è,Å,«„,Û,·□Bf%oƒxf<,Å, ,é,±,Æ,ª•ª,©,é,æ,π,ÉCEã,ë,ÉfRf□f”„,ð•t,¨,-,¾,¾,¾,ç□BfRf□f”„,ìCEã,ë,ÉfZf~fRf□f”„,í•K—v, ,è,Û,¹,ñ□B

—á□F

Label:

```
message "ABC";  
goto Label;
```


ftfuf<[]f`f"

@@GŠÚf}fNf,Ā,íCftfuf<[]f`f",đŽg,±,±,Æ,ª,Ā,«,Ü,·Bftfuf<[]f`f",íCcall·¶,ĀCEĀ,Ī,ê,Ü,·Bftfuf<[]f`f",©,ç,ì·œ<A,É,íreturn·¶,đŽg,ç,Ü,·B

@ftfuf<[]f`f",ì†,Ā,íff[]ffj<·Ī",đŽg,±,±,Æ,ª,Ā,«,Ü,·Bff[]ffj<·Ī",íC##,Ü,½,Í\$,ĀŽn,Ü,é·Ī",Ā,·B

@ftfuf<[]f`f",É,ípf%off^,Æ,μ,Ā·i",ì†,đ"n,·,±,Æ,ª,Ā,«,Ü,·B,Ü,½Cftfuf<[]f`f",©,ç·œ<A,·,é,Æ,«,ÉC'ì,đ,Đ,Æ,Ā,¾,··Ô,·,±,Æ,ª,Ā,«,Ü,·B

@ftfuf<[]f`f",ì-¼'O,íCf%offx<,ĀŽw'è,μ,Ü,·B

@call,Í^È%º,ì,æ,±,ÉŽg,ç,Ü,·B

call f%offx<-¼ [fpf%off^,P, fpf%off^,Q, []E[]E]

@fpf%off^,ì·K-v,É%ºž,¶,ĀŽw'è,μ,Ā,,¾,¾,ç[]B,ì,È,Ý,Éfpf%off^,ìCE^,ª·¶Žš—
ňCE^,©""ìCE^,©,ì<æ·É,íftfuf<[]f`f",đCEĀ,Ô'±,ÆCEĀ,Ī,ê,é'±,Ā,μ,Ā,©,è,Æ[]†,í,¹,Ā,,··K-v,ª,è,Ü,·B[]GŠÚ,Ī
"Ā,ÉCE^f`fFbfN,Ī,μ,Ü,¹,ň[]B

@CEĀ,Ī,ê,½'±,Ā,íC"n,¾,è,½fpf%off^,Í^È%º,ì,æ,±,É·Ī",ĀŽQ[]Æ,·,é,±,Æ,ª,Ā,«,Ü,·B

,P"Ô-Ú,ífpf%off^[]i·¶Žš—ňCE^,ìê[]j[]F	\$\$1
,P"Ô-Ú,ífpf%off^[]i""ìCE^,ìê[]j[]F	##1
,Q"Ô-Ú,ífpf%off^[]i·¶Žš—ňCE^,ìê[]j[]F	\$\$2
,Q"Ô-Ú,ífpf%off^[]i""ìCE^,ìê[]j[]F	##2
^È%º"-I[]E[]E	

@return,·,é,Æ,«,É,Í†,đ·Ô,·,±,Æ,ª,Ā,«,Ü,·B'ì,đ·Ô,·,É,íCreturn,ìCEă,è,Ā'ì,đŽw'è,μ,Ü,·B·¶Žš—
ňCE^,đ·Ô,·,©""ìCE^,đ·Ô,·,©,ÍCEĀ,Ńo,μCE³,Æ[]æ,Æ,Ā[]†,í,¹,Ā,,··K-v,ª,è,Ü,·B

@CEĀ,Ńo,μ,½'±,Ā·œ<A'ì,đCE©,é,É,íC##return,Ü,½,Í\$\$return,Æ,ç,±·Ī",đŽg,ç,Ü,·B·¶Žš—
ňCE^,ìê[]†,Í\$\$return,Ā[]C""ìCE^,ìê[]†,Í##return,Æ,È,è,Ü,·B

@-á[]F

```
call QuestionSub "fefXfg";  
if( ##return ) beep;  
endmacro;
```

```
QuestionSub:  
question "-â,ç[]†,í,¹[]F" + $$1;  
return result;
```

@call,¾,è,½ftfuf<[]f`f",©,ç,¾,ç,Éftfuf<[]f`f",đCEĀ,Ô,±,Æ,à,Ā,«,Ü,·B[]Ā,20%ñ'ö"x[]d·i%ºĀ"\,Ā,·B

inputpos • ¶

¶@inputpos • ¶, í ¶ Cf t ¶ [fU, ©, çj ¶ [fV < ^ Ê 'u, ð "ü — í, µ, Ä, à, ç, x, ½, ß, ì • ¶, Ä, · ¶ B

¶@, ±, ì • ¶, ð Ž À ¶ s, ·, é, Æ ¶ Cf t ¶ [fU, í f Š f ^ ¶ [f "fL ¶ [, ð % ÿ, ·, Ü, Å f ¶ [fV < , ð Ž © — R, É " ®, ©, ¹, é, æ, x, É, Ê, è, Ü, · ¶ B f Š f ^ ¶ [f "fL ¶ [, ð % ÿ, ·, Æ ¶ C inputpos, í ¶ ^ — ¶, ð ¶ | — ¹, µ, Ü, · ¶ B

¶@inputpos Ž À ¶ s 't, í ¶ Cf E f B f "f h f E, ì f L f f f v f f f f, É • ¶ Ž š — ñ, ð • \ Ž †, µ, Ü, · ¶ B • \ Ž †, ·, é • ¶ Ž š — ñ, í inputpos f R f } f "f h, ì f p f % o f ¶ f ^, Å Ž w 'è, µ, Ä, , ¾, ³, ç ¶ B

¶@ — á ¶ F
inputpos "í ¶ œ, ì Š Ž n ^ Ê 'u, ð Ž w 'è, µ, Ä, , ¾, ³, ç ¶ B";

¶@ f t ¶ [fU, a f j ¶ [fV < ^ Ú " ®, µ, ½ œ ä, ì ^ Ê 'u, í ¶ Cf L ¶ [f ¶ ¶ [f h x, Æ y, Å Ž Q ¶ Æ, ·, é, ±, Æ, a, Å, «, Ü, · ¶ B

¶@ — á ¶ F
inputpos "í ¶ œ, ì Š Ž n ^ Ê 'u, ð Ž w 'è, µ, Ä, , ¾, ³, ç ¶ B";
#startx = x;
#starty = y;

menu, mousemenu, menuarray, mousemenuarray

@menu, mousemenu, menuarray, mousemenuarray

@menu, menuarray

@menu, mousemenu

menu

@, P, O-U, i, e, result, P, E, E, C^E, I, Q, R, c, A, c, x, i, E, e, U, B, ESC, L, E, C, Z, A, e, A, mu, 1/2, i, result, i, O, E, E, e, U, B

```
@-áF
menu "x,ü", "¾,ü", "-f}[fN";
if( result == 0 ) endmacro;
else if( result == 1 ) {
  $char = "\x84\x9F";
} else if( result == 2 ) {
  $char = "\x84\xAA";
} else {
  $char = "-";
}
```

@menuarray, mousemenuarray

@-áF
menuarray \$a, 10;

@, ±, í-á, i, e, A, a[0], ©, ç, a[9], i, P, O, E, A, i, e, U, A, Z, e, U, B, A, e, P, f, ^, E, i, Z, -ñ, i, 1/4, O, E, S, O, Z, w, è, A, «, Ü, 1, ñ, B

writeinstr • ¶ Cwriteinum • ¶

¶@writeinstr ¶Cwriteinum • ¶, í ¶CINIftf@fCf<, Éff ¶f^, ð ¶', «, ±, b • ¶, Å, · ¶Bf}fNf ¶, ÅŽg, ¼ŠeŽífpf
%of ¶f^, ð • Ú' ¶, µ, Ä, ",, Æ • Ö—~, Ä, · ¶B

¶@writeinstr, í • ¶Žš—ñ, ð • Ú' ¶, µ ¶Cwriteinum, í ¶'' I, ð • Ú' ¶, µ, Ü, · ¶B

writeinstr INIftf@fCf<-¼, fZfNfVf+f"-¼, fL[-¼, • ¶Žš—ñ
writeinum INIftf@fCf<-¼, fZfNfVf+f"-¼, fL[-¼, ¶'' I

, ì Æ ` , Ä < L ¶q, µ, Ä, , ¾, ¾, ¶ ¶B

¶@—á ¶F

writeinstr "HIDEMARU.INI", "Option", "RefMark", ">> ";
writeinum "HIDEMARU.INI", "Option", "count", #a + 10;

¶@, ±, ê, ç, Å ¶Ý' è, ¾, ½' I, ð ŽQ ¶Æ, ·, é, É, í ¶getinum ¶Cgetinstr ŠÖ ¶", ð Žg, ¶, Ü, · ¶B

¶@writeinstr, Å ¶A • ¶Žš—ñ, Æ, µ, Ä Žw' è, ·, x, «fpf%of ¶f^ ¶i' æ, Sfpf
%of ¶f^ ¶j, É ¶'' I, ì ¶u0 ¶v, ð Žw' è, ·, é, Æ ¶A, », ì fL ¶[, ¶iniftf@fCf<, ©, ç ¶í ¶œ, ¾, ê, Ü, · ¶B"— I, É ¶A fL [-
¼, É ¶'' I, ì ¶u0 ¶v, ð Žw' è, ·, é, Æ ¶A fZfNfVf+f", ¶í ¶œ, ¾, ê, Ü, · ¶B

¶@—á ¶F

writeinstr "HIDEMARU.INI", "Option", "RefMark", 0;
writeinstr "HIDEMARU.INI", "Option", 0, 0;

config•¶

¶@config•¶,í¶C¶GŠŮ,ìŠeŽí,ì¶Ý'è,ð•í¶X,μ,Û,·¶B¶Ý'è,ì"à—e,ð•¶Žš—ñ,ǺŽw'è,μ,Ǻ,,¾,¾,¾,¶B^È%º,ì,æ,æ,É,É,Ž,Ž,Æ,È,Ǻ,Ǻ,¶,Û,·¶B

flfvfVf¶¶	<@"\ f^fu•¶Žš,ð•\Ží,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B
a+ a-	•¶Žš,ð'¾,·,é,©,¶,æ,©,ðŽw'è,μ,Û,·¶B
b+ b-	"w¶Ei,ì¶F,ðŽw'è,μ,Û,·¶B
cb¶¶	fj¶[f¶f<¶s,ì¶F,ðŽw'è,μ,Û,·¶B
cc¶¶	fj¶[f¶f<¶s,É%º¶Û,ð^ø,,æ,æŽw'è,μ¶C,»,ì¶Û,ì¶F,ðŽw'è,μ,Û,·¶B
cl¶¶	%ºÛ¶s•¶Žš,ì¶F,ðŽw'è,μ,Û,·¶B
cr¶¶	•¶Žš,ì¶F,ðŽw'è,μ,Û,·¶B¶¶,É,í0¶`F,ǺŽw'è,Ǻ,«,Û,·¶BŠe¶¶",Ǻ,¶,Ç,ì¶F,É'í
ct¶¶	%ºž,·,é,©,ì¶u¶Ý'è¶v,ìf_fCfA¶f¶Of{f¶fNfX,ðŽQ¶Æ,μ,Ǻ,,¾,¾,¾,¶B
d+ d-	¶L,¶¶sŠÖ,É,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B
e+ e-	EO¶¶§CEà•¶Žš,ð-¾Ž<,·,é,©,¶,æ,©,ðŽw'è,μ,Û,·¶B+,Ǻ-¾Ž<,μ,Û,·¶B
f-¾'0	ftfHf"fg,ì-¾'0,ðŽw'è,μ,Û,·¶B
f(-¾'0)	ftfHf"fg,ì-¾'0,ì't,É<ó",Ǻ,·,é,éê¶¶,í,±,ì,æ,æ,É,μ,ǺftfHf"fg,ðŽw'è,μ,Û,·¶B
i0 i1 i2 i3 i4	
	Ž©" @fCf"fff"fg,ðŽw'è,μ,Û,·¶Bi0,Ǻ¶u,μ,È,¶¶v¶¶Ci1,Ǻ¶u,·,é¶v¶¶Ci2,Ǻ¶u'S Šp<ó",à¶v¶¶Ci3,Ǻ¶u,bCE¾CEêfCf"fff"fg¶v¶¶Ci4,Ǻ'SŠp,à¶•,bCE¾CEê,Ǻ,·¶B
k+ k-	<Ö'¥¶^—¶,ð,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B
l+ l-	¶s"Ö¶t•\Ží,ð,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B
m+ m-	fofb¶fNfA¶bfvftf@fCf<,ð¶ì¶—,·,é,©,¶,æ,©,ðŽw'è,μ,Û,·¶Bm+ ,Ǻ¶ì¶—,·,é¶¶Cm-,Ǻ¶ì¶—,μ,È,¶,Ǻ,·¶B
r+ r-	ftfŠ¶[fj¶[f¶f<¶f,¶[f¶h,ðŽw'è,μ,Û,·¶B+,ǺftfŠ¶[fj¶[f¶f<¶f,¶[f¶h,Ǻ,·¶B
s¶¶	ftfHf"fg,ì¶TfCfY,ðŽw'è,μ,Û,·¶B
t2 t4 t8	f^fu,ì•¶Žš¶¶",ð¶Ý'è,·,é¶¶B
u+ u-	fj¶[f¶f<^É'u,ìŽ©" @•œCE³,ð,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B+ ,Ǻ¶u•œCE³,·,é¶v,Ǻ,·¶B
w¶¶	,P¶s,ì¶Û,è•Ö,μ•¶Žš¶¶",ðŽw'è,μ,Û,·¶B20¶`250,ǺŽw'è,Ǻ,«,Û,·¶B
y+ y-	,bCE¾CEêfL¶[f¶¶[f¶h<'²•\Ží,ð,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B
p¶¶	fy¶[fW"Ö¶t•\ Ží,·,é¶^,μ,È,¶¶C,¶fy¶[fW,ì¶s¶¶",ðŽw'è,μ,Û,·¶Bp0,¾,Æfy¶[fW"Ö¶t"ñ•\ Ží,Ǻ¶A,»,é^ÉŠÖ,ì¶éê¶¶,ìfy¶[fW"Ö¶t•\Ží,Æ,È,è,Û,·¶B

¶@,±,è,ç,ìf¶fvfVf¶¶",ì,Û,Æ,ß,ǺŽw'è,·,é,±
,Æ,Ǻ,Ǻ,«,Û,·¶B,Û,Æ,ß,ǺŽw'è,·,é,Æ,«,ì¶C,»,è,¾,è,ð<ó",Ǻ<æ¶Ø,Ǻ,ǺŽw'è,μ,Ǻ,,¾,¾,¾,¶B

¶@—á¶F
config "ffVfXfef€ s20 y+ k+ b-";
config "f(l,r -¾'©) s32"

setwindowsize • ¶

␣@CE»␣Ý,İfEfBf“fhfEftfCfy,đ•¶Žš␣”’P^Ê,ÅŽw’è,μ,Ü,·␣B

␣@setwindowsize 80, 20 ,Æ,ç,Á,½•—,ÉŽg,ç,Ú,·␣B,±,ì␣ê␣‡,Í%oj,W,OCE...␣~␣c,Q,O␣s,Æ,È,è,Ü,·␣B

setwindowpos

setwindowpos(*hWnd*, *hWndParent*, *x*, *y*, *cx*, *cy*, *flags*)

hWnd: Handle to the window.

hWndParent: Handle to the parent window. If *hWndParent* is `NULL`, the window is placed in the desktop.

x: Horizontal position of the upper-left corner of the window.

y: Vertical position of the upper-left corner of the window.

cx: Horizontal size of the window.

cy: Vertical size of the window.

flags: Bitwise OR of one or more of the following values:

- `SW_SHOWNORMAL`: Shows the window in its normal state.
- `SW_SHOWMAXIMIZED`: Shows the window in its maximized state.
- `SW_SHOWMINIMIZED`: Shows the window in its minimized state.
- `SW_SHOW`: Shows the window in its current state.
- `SW_HIDE`: Hides the window.
- `SW_RESTORE`: Restores the window to its normal state.
- `SW_RESTOREDOWN`: Restores the window to its normal state and activates the window.

Example

```
setwindowpos 100, 200;  
setwindowpos 100, 100, 300, 300;
```

showwindow•¶

Ⓜ@CE»Ÿ,İfEfBf“fhfE,đfpf%ofŸf^,ĂŽw'è,³,ê,½ó'Ô,Ă•\Ž!Ÿ^“ň•\Ž!,μ,Û,·Bfpf%ofŸf^,Ă,İŸ“l,đŽw'è,μ,Ă,-
,¾,¾,çBGSŮfGffBf^,İŽw'è,³,ê,½'l,đ,»,l,Û,ÛWindows-API,İShowWindow,É“n,μ,Û,·B

Ⓜ@fpf%ofŸf^,İ'l,Æ^Ó-;,İ^È%º,İ'É,è,Ă,·B

- 0 fEfBf“fhfE”ň•\Ž!ŸiSW_HIDEŸj
- 1 ŸĂ'ă%º»Ÿ^fAfCfRf“%º»³,ê,½fEfBf“fhfE,đCE³,É-ß,·
- 2 fAfCfRf“%º»ŸiSW_SHOWMINIMIZEDŸj
- 3 ŸĂ'ă%º»ŸiSW_SHOWMAXIMIZEDŸj

Ⓜ@0,đŽw'è,·,é,ÆAŸGSŮfGffBf^,İfEfBf“fhfE,³CE©,İ,È,,È,è,Û,·BCE³,É-ß,·,É,İshowwindow 1,đŽÀŸs,μ,Ă,-
,¾,¾,çB

Ⓜ@2,đŽw'è,·,é,ÆAf}fNŸ,İŽÀŸs,İfAfCfRf“%º»³,ê,½GSŮŸă,Ă'±Ÿs³,ê,Û,·B

envchanged•¶

@@GSÜ,if}fNf,Ä,íA□u□Y'è□E“®□iŠÄ«□v,ì“à—e,ð•í□X,;é,±,Æ,ª,Ä,«,Ü,¹,ñ□B,μ,©,μ□A,±,ì•¶,ðŽg,κ,Æ,»,è,Æ“⁻—l,ì,±,Æ,ª,Ä,«,é,æ,κ,É,Ë,è,Ü,·□B

□@,±,ì•¶,í□Ahidemaru.ini,©,ç“®□iŠÄ«□v,ì“à—e,ð□Ä“Ç□ž,Ý,μ□ACE»□Y,ì□GSÜ,ì“®□iŠÄ«□v,ì“à—e,ð•í□X,μ,Ü,·□B,μ,^{1/2},ª,Ä,Ä□A□u□Y'è□E“®□iŠÄ«□v,ì“à—e,ð•í□X,μ,^{1/2},ç□ê□‡,í□A,Ü, writeinistr,ðŽg,Ä,Ähidemaru.ini,ð□',«Š·;□A,±,ìenvchanged,ðŽg,Ä,Ä□GSÜ,É,»,ì“à—e,ð<³,!;Ä,°,Ä,,^{3/4},³,ç□B

□@hidemaru.ini,ì“à—e,É,Ä,ç,Ä,í“ÆŽ©,É'²,x,Ä,,^{3/4},³,ç□B(^ ^;

loadkeyassign • ¶

¶@loadkeyassign • ¶, í ¶CfL ¶[Š,,, è“- , Äftf@fCf<, ð“Ç ¶ž, Ý, Ü, · ¶Bfpf%oof ¶f^ , ÅfL ¶[Š,,, è“- , Äftf@fCf<, ì-
¼' O, ðŽw' è, μ, Ä, , ¾, ¾, ¶ ¶B

¶@—á ¶F
loadkeyassign "default.key";

•i□",ižg,č•ú

```
□@□GŠŮf}fNf□,Ā,í□C•qžš—ñCE^,Æ□"ICE^,i•i□",đŽg,±,±,Æ,ā,Ā,«,Ů,·□B•qžš—ñCE^,i•i□",í•qžš—ñ,đ<L%  
%□,μ□C□"ICE^,i•i□",i□"i,đ<L%□,μ,Ů,·□B
```

```
□@•qžš—ñCE^•i□",i^μ,i,é•qžš—ñ,í□C',³,ā8000fofCf'g'ö"x,Ů,Ā,ì,à,ì,È,čŽ©—R,È"à—e,đ<L%□,·,é,±  
,Æ,ā,Ā,«,Ů,·□B,½,¾,μ□CNULL•qžš,đŠŮ,±,±,Æ,í,Ā,«,Ů,¹,ñ□B
```

```
□@□"ICE^•i□",í,SfofCf'g,ì•„□t•t,«,ì'i,đ<L%□,·,é,±,±,Æ,ā,Ā,«,Ů,·□B
```

```
□@•i□"-¼,É,í30•qžš'ö"x,Ů,Ā,ì"K"-,È%□p□"žš,đŽg—p,·,é,±,±,Æ,ā,Ā,«,Ů,·□B•qžš—ñCE^•i□",í□æ"ā,ā$  
,Āžn,Ů,è□C□"ICE^•i□",í#,Āžn,Ů,è,Ů,·□B•i□"-¼,í'ā•qžš□^□-•qžš,ā<æ•É,³,è,Ů,·□B
```

```
□@•i□"-¼,ì—á□F  
#number  
$stop_string_1  
#x100
```

```
□@•i□",É'i,đ'ā"ü,·,é,É,í□C=,đŽg,č,Ů,·□B
```

```
#num = 100;  
$str = "□Ā"i□G•v";
```

```
□@□"ICE^•i□",É•qžš—ñ,đ'ā"ü,μ,½,è□C•qžš—ñCE^•i□",É□"i,đ'ā"ü,μ,æ,±,±,Æ,·,é,ÆfGf%□[,É,È,è,Ů,·□B
```

```
□@fGf%□[,É,È,é—á□F
```

```
#num = "ABC";  
$str = 100 / 4;
```

```
□@□GŠŮf}fNf□,Ā,í□C,bCE¾CEè,Æ"~—i,Éft□[fU,āŠŮ□",đ□,é,±,±,Æ,ā,Ā,«,é,æ,±,É,Ā,Ā,č,Ů,·□B,±  
,é,č,íŠŮ□",ì't,¾,~„Āf□□[ffj<,É•i□",đŽg,č,½,č□é□±,í□C##,Ů,½,í$,q□æ"ā,É•t,č,½•i□",đŽg,č,Ů,·□B#,Ů,½,í$,  
,¾,~„Āžn,Ů,é•i□",í□CfOf□□[fof<,É•i□",Æ,μ,Ā^μ,i,é,Ů,·□B
```

```
□@•i□",i-¼'Ō,ì,±,μ,è,ÉŠpfjfbfR,Ā"Y,žš,đ•t,~,é,Æ□AŠÈ'P,É"z—ñ•i□",đ□,é,±,±,Æ,ā,Ā,«,Ů,·□B
```

```
□@—á□F  
#a[0] = 1;  
#a[1] = 2;  
#a[ #b + 1 ] = 5;  
#b = #a[2];
```

```
□@ŠpfjfbfR,đ~A,Ē,Ā"Y,žš,đ'□,ā,¹,í□A%□½žŸCE³,ì"z—ñ,Ā,à□,é,±,±,Æ,ā,Ā,«,Ů,·□B
```

```
—á□F  
#a[0][0] = 1;  
#a[5][2] = 1;
```

```
□@□GŠŮf}fNf□,Ā,í□C•i□",đ<L%□,·,é,½,ß,ìf□f,fŠ,đ64KfofCf'g—p^Ō,μ,Ā,č,Ů,·□B,±,é,đ%□z,ì,é,æ,±,È'ā—  
É,ì•i□",đŽg,±,ÆfGf%□[,Æ,È,è,Ů,·□BfGf%□[,É,È,Æ,»„í□é,Āf}fNf□,íŽA□s,í't'f,³,é,Ā,μ,Ů,č,Ů,·□B"z—  
ñ•i□",đ'½—p,·,é,Æ,±,ì□$CEĀ,đ%□z,ì,Ā,μ,Ů,±<°,é,ā,·,é,ì,Ā'□^Ō,μ,Ā,,¾,¾,č□B
```

Ž®,É,Â,č,Ä

@Ž®,íCŽš,â•ŕŽš—ň,âŠeŽí,ì%%ŽŽŽq,đŽg,Á,Ä<Lq,³,ê,½u^êŽí,ì'v,đ•\
E»,.é,à,ì,ÁC»,é,đ•í",É'â"ü,μ,½,èCmessagefRf}f"fh,Á\Ží,μ,½,èCif•ŕ,ì"»'è,É—p,č,½,è,.,é,ì,ÉŽg,č
,Ü,•B

@Ž®,É,à•ŕŽš—ňE^,Æ""IÉ^,â, ,è,Ü,•B,Ü,½C•ŕŽš—ňE^,©,ç""IÉ^,É•İŠ,.,éŠÖ",à, ,è,Ü,•B

@""IÉ^,ìŽ®,íC,bE¾Eê,Æ,Ù,Ú"~,ŕ,Æ,È,Á,Ä,Ü,•B

""!
%%ŽŽŽq
"à•"l,É'l,đ•\E»,.éL[f][f][fh
•ŕŽš—ň
ŠÖ"

□''I

□@□''I,đ,»ì,Ü,ÜŽw'è,·,é,à,ì,Å□C,»ì,Ü,Ü□''I,đ<L□q,·,é,¾,¯,Å,·□B·□'É,É<L□q,·,é,Æ10□i□'',Æ,È,è□C0x,đ·t,¯,é,Æ16□i□'',Æ,È,è,Ü,·□B,W□i□'',íŽg,ì,Ü,¹,ñ□B

□@,Ü,½□CfNf□[fg,Å^í,ñ,Å·¶Žš,ìfR□[fh,đŽw'è,·,é,±,Æ,à,Å,«,Ü,·□B,bÆ¾Æê,Æ^á,¢□CS;Žš,ìfR□[fh,à'¼□ÚŽw'è,Å,«,Ü,·□B

□@'I,í,SfofCf,ì·,□+·t,«□@□'',Æ,μ,Ä^μ,í,ê,Ü,·□B

□@—á□F

100
-100
0xFFFF
'a'
'š'

%%ŽŽq

@GŠÚf}fNf,ž®,Á,íC^È%%,l%%ŽŽq,žg,!,Ü,·B

@@+ - * / % <= >= < > != == && || ! | & ^

@,»,ê,¼,ê,bCE¾CEè,ì%%ŽŽq,Æ<æ'Ê,Á,·B—Dææ#^Ê,íC^È%%,ì,Æ," ,è,Á,·B| & ^ ,ì—
Dææ#^Ê,è,bCE¾CEè,Æ^Ü,È,é,ì,Á'^Ó,è•K—v,Á,·B

.,ç <-----> 'á,ç	
* +	<= &&
/ -	>=
%	< !
	>
&	!=
^	==

@Š#CEÊ,Á'í,p,ÆC—Dææ#^Ê,è,,È,è,Ü,·B,Ü,½CŽ®,í¶,©,ç%%E,É•]%%ž,³,è,Ü,·B

@! = ,â <= ,È,Ç,ì~—%%ŽŽ,ìCE<%%Ê,íC,O,Ü,½,í,P,Á,·Bif•¶,âwhile•¶,íC,bCE¾CEè,Æ"—
l,È,O,©,O^ÈŠO,©,Á"»è,μ,Ü,·B

“à•”“l,È'l,ð•\Œ».,.éfL[f[fh

Ⓜ@Œ<%oÊfRⓂlfh,Æ'èⓂ”
Ⓜ@fjⓂlf:ŠÖ~A
Ⓜ@fefLfXfgŠÖ~A
Ⓜ@“l^l'l'ðŠÖ~A
Ⓜ@fEfBf“fhfESÖ~A
Ⓜ@ftf@fCf<-¼ŠÖ~A
Ⓜ@SeZlŒ'ó'OSÖ~A
Ⓜ@ŒY'èŠÖ~A
Ⓜ@fNfSfbvf{ⓂlfhŠÖ~A
Ⓜ@“ú•t,ÆZžⓂŠÖ~A

CE<%oÊfR[fh,Æ'è"ŠÖ~AfL[f[fh

result ŠeŽí,ì•¶,ìŽÀsCE<%oÊ,ìCE<%oÊfR[fh,ð•\,μ,Û,·B
yes ,P,Æ,ç,æ'l,Å,·B
no ,O,Æ,ç,æ'l,Å,·B
true ,P,Æ,ç,æ'l,Å,·B
false ,O,Æ,ç,æ'l,Å,·B
eof |,P,Æ,ç,æ'l,Å,·B

@^ê"Ê,ÉAresult,ì'l,í-CE÷,ìê‡,ª,PÅŽ,"s,ìê‡,í,O,Æ,È,è,Û,·B

fj[fvf·šÖ~AfL[f[fh

x fj[fvf<,ixÄ·W,ð·\,μ,Ü,·Bfj[fvf<,a^è"ÔqI,É,ç,éŽž,ª,O,Ä,·B

y fj[fvf<,lyÄ·W,ð·\
,μ,Ü,·ByÄ·W,íACE»Ý·ÒW't,ìfefLjXfg,ìæ"ªs,©,çf[fvf"l,És"Ôt,ðEvŽZ,μ,½'l,Ä
Ä^è"Ôã,É,ç,éŽž,ª,O,Ä,·B

column fj[fvf<,ìjf%ofÉ^É'u,ð·\,μ,Ü,·Bjff%ofÉ^É'u,íA~_—s"ªi'¼'O,ì
%üü·š,ìŽš,ìŽÝj,©,çCE»Ý,ìj[f
f<^É'u,Ü,Ä,ì·šš"ð",ì,½'l,Ä,·Bf^fu·šš,í,P·šš,Æ,μ,Ä",ì,ç,è,Ü,·B

lineno fj[fvf<^É'u,ìAfGfffBf^"l,ÉEvŽZ,μ,½s"Ôt,ð·\,μ,Ü,·Bftf@fCf<,ìæ"ª,ª,P,Ä,·B

code fj[fvf<^É'u,ì·ššfR[fh,ð·\,μ,Ü,·B
fj[fvf<^É'u,ªšžš,ìèš,íA"®iSÁ««,Åu'Sšp·šš,ð^ÓŽ~,·éü,ª,ž,É,È,Á,Ä,ç
,è,ìšžšfR[fh,ð³,μ,·Ó,μ,Ü,·B—á,ì,ì'Sšp<ó",ìèš,í0x8140,É,È,è,Ü,·B
ftfš[fj[fvf<f,ð[fh,ìžž,ÉAfj[fvf<,ª
%üü·š,æ,èCEä,è,É^É'u,·éèš,ícode,ì'l,í,O,É,È,è,Ü,·Bf^fu·šš,ìèš,í0x09,É,È,è,Ü,
,ªAf^fu·šš,ÆŽÝ,ì·šš,ìšÖ,ì—]""·ª,É^É'u,·éèš,í,O,É,È,è,Ü,·B
%üü·š,ìã,ìèš,í0x0D,É,È,è,Ü,·Bftf@fCf<,ìÄEä,ì[EOF],ìã,ìèš,ì-1ieof,Æ,ç
,ª'è",Æ"~,q'ìj,É,È,è,Ü,·B

fejLfxfgšÖ~AfL[fj[fh

return Ć»Ÿ,lfj[f^<,iĀä,ë,ª%ü[s,μ,Ä,é,©,Ç,ϣ,©,đ•\,μ,Û,·Bfj[f^<,i^É'u,·,é[s,i%oE'x,É
%ü[s•Ÿšš,ª, ,è,í,P,É,È,èA⁻³,·,è,íižŸ,í[s,ÉÛ,è•Ö,μ,Ä,ç,éèè#j,O,É,È,è,Û,·B

linecount Ć»Ÿ,lf^@fCf<,iAf[fv^"l,ÉvZZ,μ,½[s],đ•\

linelen Ć»Ÿ,lfj[f^<^É'u,í[s,i',ª,đ•\,μ,Û,·B,±,í'l,i%æ-Éä,Ä,ì,P[s,i',ª,ÄA%oE'[,ÄÛ,è•Ö,μ,Ä,ç
,éèè#,íA[s"^a,©,çÛ,è•Ö,μ,Ä,ç,é^É'u,Û,Ä,i',ª,¼,^vZZ,μ,Û,·Bf^fu•Ÿšš,àA%æ-
Éä,Ä,i•Ÿšš",Æ,μ,ÄvZZ,μ,Û,·B

linelen2 Ć»Ÿ,lfj[f^<^É'u,í[s,iAfGfffBf^"l,ÉvZZ,μ,½',ª,đ•Ö,μ,Û,·B,Ä,Û,èA~_—[s"^a,©,ç
%ü[s•Ÿšš[i,Û,½,í[EOF]j,Û,Ä,i•Ÿšš",đvZZ,μ,Û,·Bf^fu•Ÿšš,í,P•Ÿšš,Æ,μ,ÄvZZ,μ,Û
,·B

"í'í'đšÖ~Afl□[f□□[fh

selecting "í'í'đ't, ©, Ç, x, ©, đ•\, μ, Ü, ·□B"í'í'đ't, ì□ê□#, í, P□A, » , x, Ā, È, ç□ê□#, í, O, Ā, ·□B
rectselecting BOX"í'í'đ't, ©, Ç, x, ©, đ•\, μ, Ü, ·□B"í'í'đ't, ì□ê□#, í, P□A, » , x, Ā, È, ç□ê□#, í, O, Ā, ·□B
seltopx "í'í'đšŽn^Ê'u, ìx□Ā•W, đ•\, μ, Ü, ·□B
seltopy "í'í'đšŽn^Ê'u, ìy□Ā•W, đ•\, μ, Ü, ·□B
selendx "í'í'đ□—1^Ê'u, ìx□Ā•W, đ•\, μ, Ü, ·□B
selendy "í'í'đ□—1^Ê'u, ìy□Ā•W, đ•\, μ, Ü, ·□B

□@"í'í'đ, ìšŽn^Ê'u, Æ□—1^Ê'u, í□A□í, É□AšŽn^Ê'u, aŧtf@fCf<, ì□æ"ª, É<ß, ç, Û, x□A□—
1^Ê'u, aŧtf@fCf<, ì□ĀCEã, É<ß, ç, Û, x, É, Ā, Ā, ç, Û, ·□B

□@"í'í'đ,ª%øđ□œ,ª,ê,½CEã,à□A,±,ê,ç,ì'l,í^È'O,ì'l,đ•Úž□,μ,Ā,ç,Û,·□B,½,¾,μ□Aŧtf@fCf<,É•Ò□W,ª
%oÁ,ì,ç,ê,½,è,μ,½□ê□#, ÌŽĀ□Ū, Ì^Ê'u, Æ'l, Ì<L%o~, μ, Ā, ç, é^Ê'u,ª, ,ê, Ā, μ, Ü, x, ì, Ā'^Ō, μ, Ā, ,¾,ª, ç□B

fEfBf“fhfEŠÖ~AfL[f[f[fh

windowwidth fEfBf“fhfE,ì%o;•□,ð•¶Žš□”,Å•\,μ,Û,·□B□¶‘æ,ì—]””,âfXfNf□□[f<fo□[,È,Ç,ìŠO‘æ
,ì•”•â,ìŠÜ,Û,è,Ä,ç,Û,¹,ñ□B□s”Ô□†•\Ž!,^â,□,Ž,ìé□#,í,»,”•â,ðŠÛ,ñ,Ä,ç,Û,·□B

windowheight fEfBf“fhfE,ì□,³,ð•¶Žš□”,Å•\,μ,Û,·□BfLffffvfvf†f“,âf□ff...□[,È,Ç,ìŠO‘æ,ì•”•â,ìŠÜ,Û,è,Ä,ç
,Û,¹,ñ□B

windowcx fEfBf“fhfE’S’ì,ì%o;•□,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

windowcy fEfBf“fhfE’S’ì,ì□,³,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

windowposx fEfBf“fhfE,ì□¶□ã,ì^Ê’u,ìx□A•W,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

windowposy fEfBf“fhfE,ì□¶□ã,ì^Ê’u,ìy□A•W,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

splitstate fEfBf“fhfE,ì•âŠ,,,ì□ó’Ô,ð•\,μ,Û,·□B•âŠ,,,³,è,Ä,È,ç□é□#,í,O□A•âŠ,,,³,è,Ä,ç,Ä□Afj□[f<f<,â□ã‘æ,É,
,é□é□#,í,P□Afj□[f<f<,â%o^â‘æ,É, ,é□é□#,í,Q,Ä,·□B

windowstate fEfBf“fhfE,ì•\Ž!,ì<i□#,ð•\,μ,Û,·□B”ñ•\Ž!,ì□é□#,í,O□A’Ê□í,ì•\
Ž!□ó’Ô,ì□é□#,í,P□AfAfCfRf“%o»³,è,Ä,ç,é□é□#,í,O□A□Ä’â%o»³,è,Ä,ç,é□é□#,í,R,Ä,·□B

cxscreen %oæ-Ê,ì%o;fTfCfY,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

cyscreen %oæ-Ê,ì□cfTfCfY,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

ftf@fCf<-¼ŠÖ~AfL[f□□fh

filename Ć»Ÿ•Ô□W'+,lftf@fCf<-¼,đfhf%oƒCfu•ŸŽš,àŠÜ,ß,½ftf<fpfX,Å•\,μ,Û,·□Bftf@fCf<-¼,l,·,x,Ä□-•ŸŽš,É•İŠ,³,ê,Ä,ç,Û,·□B

basename ftf@fCf<-¼,l□AfpfX,đŠÜ,Û,È,ç□Afx□[fX-¼,¾,¼,·,đ•\,μ,Û,·□B,·,x,Ä□-•ŸŽš,É•İŠ,³,ê,Ä,ç,Û,·□B

directory fffĈf“fgfffBfĈfNfgfŠ,đfhf%ofu-¼,àŠÜ,ß,½fpfX-¼,Å•\,μ,Û,·□Bf<□[fgfffBfĈfNfgfŠ,Å,È,ç□ê□#,l□ĀĈĕ,É□u□v,²,t,ç,Ä,ç,Û,¹,ñ□B,·,x,Ä□-•ŸŽš,Å,·□B

hidemarudir hidemaru.exe,lfffBfĈfNfgfŠ,đ•\,μ,Û,·□B,·,x,Ä□-•ŸŽš,Å,·□B

windir Windows,lfffBfĈfNfgfŠ,đ•\,μ,Û,·□B

winsysdir Windows,lfvfXfef€fffBfĈfNfgfŠ,đ•\,μ,Û,·□B

Šežíó'ôšö~AfL[f[f[fh

overwrite	□ã□',«f,□[fh,©'}“üf,□[fh,©,ð•\,µ,Ü,·□B□ã□',«f,□[fh,ì□é□#,í,P□A'}“üf,□[fh,ì□é□#,í,O,Å,·□B
updated	□X□V, ³ ,ê,½,©,Ç,κ,©,ð•\,µ,Ü,·□B□X□V, ³ ,ê,½□é□#,í,P□A,»,κ,Å,È,ç□é□#,í,O,Å,·□B
anyclipboard	fNfSfbvf{□[fh,É•¶Žš—ñ, ^a ,,é,©,Ç,κ,©,ð•\,µ,Ü,·□B, ,é□é□#,í,P□A ⁻³ ,ç□é□#,í,O,Å,·□B
imestate	,©,ÉS;Žš•İŠ,ì□ó'Ô,ð•\,µ,Ü,·□B,©,ÉS;Žš•İŠ, ^a ,□,Ž,È,ç,P□A,□,†,†,È,ç,O,Å,·□B
browsemode	%o{—f,□[fh,©,Ç,κ,©,ð•\,µ,Ü,·□B%o{—f,□[fh,ì□é□#,í,P□A,»,κ,Å,È,ç□é□#,í,O,Å,·□B
keypressed	fL□[, ^a %Ÿ, ³ ,ê,½,©,Ç,κ,©,ð•\,µ,Ü,·□Bdisablebreak, ³ ,ê,½□ó'Ô,Å,ì,Ý—~p%Å~\,Å,·□B fL□[, ^a %Ÿ, ³ ,ê,Å,ç,½□é□#,í,»,ìfL□[fR□[fh□A%Ÿ, ³ ,ê,Å,È,©,Å,½□é□#,í,O,Å,·□B keypressed, ^a P%ñŽÅ□s, ³ ,ê,é,Æ□Af□bfZ□[fWfLf...□[,©,çfL□[fR□[fh,ðŽæ,è□o,µ,Ü,·□B
replay	CE»Ÿ,ìf}fNf□, ^a ~A'±ŽÅ□s, ³ ,ê,Å,é,à,ì,©,Ç,κ,©,ð•\,µ,Ü,·□B~A'±ŽÅ□s,Å, ,é□é□#,P□A,»,κ Å,È,ç□é□#,O,Å,·□B—á,ì,ì□ACtrl-1,È,æ,Å,Åf}fNf□ŽÅ□s, ³ ,ê,é□é□#,ì□ACtrl-1,ð,Q%ñ~A'± ÅŽÅ□s,µ,½□é□#,È,Q%ñ—Ü, ^a replay, ^a true,È,è,Ü,·□B
hidemarucount	CE»Ÿ<N“@, ³ ,ê,Å,ç,é□GSÜ,ì□“,ð•\,µ,Ü,·□Bì“GSÜ,ì□“,ì,Ü, ¹ ,ñ□B Ž□AE□F□GSÜŠÇ—□
searchbuffer	CEŸ□ôfofbftf@,ì“à—e,ð•\ ,µ,Ü,·□BCEŸ□ôfofbftf@,ì□A^È'O,ÉŽÅ□s, ³ ,ê,½CEŸ□ôfRf}f“fh,Ü,½,ì'uŠ:fRf}f“fh,ÅCEŸ□ô'ì□Ü,Æ ,È,é•¶Žš—ñ,ð<L%~ ,µ,Å,ç,Å□A□uŽÝCEó•â□v,Ü,½,ì□u'OCEó•â□vRf}f“fh,Å—~ p, ³ ,ê,é,à,ì,Å,·□B
searchoption	CEŸ□ôftf%oFO,ì'l,ð•\,µ,Ü,·□BCEŸ□ôftf %oFO,ì□A^È'O,ÉŽÅ□s, ³ ,ê,½CEŸ□ôfRf}f“fh,Ü,½,ì'uŠ:fRf}f“fh,ìf_fCfAf□fOf{fbfNfX,ÅŽw'è, ³ ,ê, ½ŠeŽí,ìfìfvfvf}f““,ð<L%~ ,µ,Å,ç,Ü,·□Bìfvfvf}f““,ì“à—e,ì^È%o,ì^È,è,ìfrfbfg, ² ,Æ,ì~ □~a,È,È,Å,Å,ç,Ü,·□B 'PCEè,ìCEŸ□ô frfbfg,O 'å•¶Žš/□—•¶Žš,ì<æ•È frfbfg,P 'uŠ,©,Ç,κ,© frfbfg,Q□i'uŠ,ì□é□#,È,P□j 'uŠ,ì□é□#□A-â,ç□#,í, ¹ ,ì—L ⁻³ frfbfg,R □ ³ <K•\CE» frfbfg,S , ,ç,Ü,çCEŸ□ô frfbfg,T ftf@fCf<-¼^è—,¾,~□i□~ frfbfg,U□igrep—p□j ŽÝ,ì□GSÜ,à'±,~,ÅCEŸ□ô frfbfg,V Ž□AE□F□setsearch
readonly	□ã□',«ÖŽ~,©,Ç,κ,©,ð•\,µ,Ü,·□B□ã□',«ÖŽ~,ì□é□#,í,P□A,»,κ,Å,È,ç□é□#,í,O,Å,·□B

Ÿ'èŠÖ~AfL[f[fh

@Ÿ'èŠÖ~AfL[f[fh,íAú,»,'¼EŸ'èŸv,ífCfAfOf{fbfNfX,ÅŽw'è,μ,½"à—
e,ðŽQÆ,·,é,½,β,lfL[f[fh—p,Å,·B

freecursor ftfŠ[f[fh<f,©,Ç,α,©,ð\,μ,Û,·B
tabcount f^fu,ì•Ÿš",ð\,μ,Û,·B,QA,SA,W,ì,ç,,©,ì'í,É,È,è,Û,·B
width Û,è•Ô,μ•Ÿš",ð•Ô,μ,Û,·B
indentstate fCf"fff"fg,ìó'Ô,ð\,μ,Û,·BfCf"fff"fg-
³,μ,É,ç,OQA•'É,ífCf"fff"fg,É,ç,P'A'SŠpfCf"fff"fg,É,ç,RQA,bCE¾ÆêfCf"fff"fg,É,ç,TQA'SŠpfC
f"fff"fg•,bCE¾ÆêfCf"fff"fg,É,ç,V,Å,·B
kinksokustate <Ö'¥^—,ª,ž,©,Ç,α,©,ð\,μ,Û,·B
hilightstate ,bCE¾ÆêfL[f[fh<²•Ž',ª,ž,©,Ç,α,©,ð\,μ,Û,·B
linespace sŠÖ,ìL,³,ð\,μ,Û,·BšŠÖ-
³,μ,É,ç,OQA1/10,É,ç,PQA1/8,É,ç,QQA1/6,É,ç,RQA1/4,É,ç,SA1/3,É,ç,TQA1/2,É,ç,U,Å,·B
linenostate s"Ôt,ì\Ž',ª,ž,©,Ç,α,©,ð\,μ,Û,·B
pagestate fy[fW"Ôt,ì\Ž',ª,ž,©,Ç,α,©,ð\,μ,Û,·B
showtab f^fu•Ÿš,ð\Ž',·,é,©,Ç,α,©,ð\,μ,Û,·B
tcolor •Ÿš,ìF,ðRGB'í,Å\,μ,Û,·B—á,ì'í",É,c0x00FFFFFFAQ•,É,ç,O,É,È,è,Û,·B'ì"í,ÈF,Æ'í,ìí
%ž,ìŽ©ª,ÅTf"fvf<f}fNf,ð,é,É,Ç,μ,Å'²,x,Å,,¾,¾,¾,çB
bcolor "wCeì,ìF,ðRGB'í,Å\,μ,Û,·B
lcolor fj[fv<s,ì%ü,ìF,ð\,μ,Û,·B%üª-³,çêþ,í-1,Æ,È,è,Û,·B
ccolor fj[fv<s,ìF,ð\,μ,Û,·Bfj[fv<s,ªFŽw'è,Å,ì,É,%üüŽw'è,ìêþ,í-1,Æ,È,è,Û,·B
rcolor %üs•Ÿš,ìF,ð\,μ,Û,·B
fontname ftfHf"fg,ìtfF[fX-¼,ð\,μ,Û,·B
fontsize ftfHf"fg,ìtfCfY,ª,³j,ð\,μ,Û,·B'P^É,ífsfNfzF<f"ífhfbfg"j,Å,·B
boldstate '¾•Ÿš,©,Ç,α,©,ð\,μ,Û,·B
backup fofbfNfAfbfvftf@fCf<,ì,ª,ž,©,Ç,α,©,ð\,μ,Û,·B
ignoreeof EOFsEä•Ÿš,ì-³Ž<,ª,ž,©,Ç,α,©,ð\,μ,Û,·B

fNfŠfbvf{[]fhŠÖ~AfL[]f[]fh

getclipboard fNfŠfbvf{[]fh, ©, ç, P[]s•ª, ì•¶Žš—ň, ðŽæ, è[]o, μ, Ä[]A, » , ê, ð•\, μ, Ü, ·[]B

ŽQ[]Æ[]FfNfŠfbvf{[]fh, Æ•ï[]", Æ, ì, â, è, Æ, è

“ú•t,ÆŽžŠÖ~AfL[f[fh

date Œ»Ÿ,ì“ú•t,ð•\,μ,Û,·B"92/10/22(ŒŽ)",ì,æ,ɣ,È•ŸŽš—ñŒ`Ž®,Å•Ô,μ,Û,·B
time Œ»Ÿ,ìŽž,ð•\,μ,Û,·B"22:30:45",ì,æ,ɣ,È•ŸŽš—ñŒ`Ž®,Å•Ô,μ,Û,·B
tickcount Windows,ª<N“®,³ê,Å,©,ç,ìŒo%oßŽžŠÖ,ðf~fŠ•b'P^Ê,Å•\,μ,Û,·B

• 1. Žš–ň

```
@•1. Žš–ň, í C f fuf: fNfH [fe [fVf#f“ , Å^í, Ý, Ü, · B
```

```
@–á F  
"ABC"
```

```
@ f fuf: fNfH [fe [fVf#f“ <L t, » , ì, à, ì, â \f} [fN, í C \, ð • t, ¯ , Ä Ž w' è, μ, Ü, · B
```

```
@–á F  
" , ±, ê, í, \ " • 1. Žš–ň \ " , Å , · B"  
" \ < L t "
```

```
@ f ^ f u • 1. Žš, í t C % ü s • 1. Žš, í \ n , Å Ž w' è, Å, «, Ü, · B
```

```
@–á F  
insert "\n";
```

```
@ • 1. Žš fR [f h, ð Ž w' è, μ, ½, ç ê #, í C \ x, ð Ž g, Å, Ä 16 i " , Å Ž w' è, μ, Ü, · B
```

```
@–á F  
" • 1. Žš fR [f h, S, P, Í, \ x 41, Å , · B "
```

```
@ • 1. Žš–ň, ì % % Ž Ž, Æ, μ, Ä, í C {, ¾, ¯ , Ž g, í, Ü, · B {, í • 1. Žš–ň, ð ~ A C E <, μ, Ü, · B
```

```
@–á F  
message $a + "CEÄ";
```

ŠÖ

<u>leftstr(s1, n1)</u>	•ŦŽš—ň,ìŦŦ'Ŧ•"•ª
<u>rightstr(s1, n1)</u>	•ŦŽš—ň,ì%œE'Ŧ•"•ª
<u>midstr(s1, n1, n2)</u>	•ŦŽš—ň,ì't%œ>•"•ª
<u>strlen(s1)</u>	•ŦŽš—ň,ì',³
<u>gettext(x1, y1, x2, y2)</u>	•ŦŽš—ňŽæ,èŦž,Ŧ
<u>char(n1)</u>	Ŧ"Ŧ,©,ç•ŦŽš,Ö,ì•İŠ.
<u>ascii(s1)</u>	•ŦŽš,©,çŦ"Ŧ,Ö,ì•İŠ.
<u>str(n1)</u>	Ŧ"Ŧ,ð•ŦŽš—ň,É•İŠ.
<u>val(s1)</u>	•ŦŽš—ň,ðŦ"Ŧ,É•İŠ.
<u>strstr(s1, s2)</u>	•ŦŽš—ň,©,ç•ŦŽš—ň,ðŦŦŦö
<u>getinistr(s1, s2, s3)</u>	iniftf@fCf<,©,ç•ŦŽš—ňŽæ"¾
<u>getininum(s1, s2, s3)</u>	iniftf@fCf<,©,çŦ"ŦŽæ"¾
<u>input(s1, s2)</u>	ftŦŦfU,©,ç,ì•ŦŽš—ň"ü—í
<u>inputchar(s1)</u>	ftŦŦfU,©,ç,ìfLŦŦ"ü—í
<u>iskeydown(n1)</u>	fLŦŦf{ŦŦŦfh,ìŦó'Ö,ðŽæ"¾
<u>getenv(s1)</u>	DOŠŠÁ««•İŦ",ìŽæ"¾
<u>findhidemaru(s1)</u>	ŦGŠŦ,ìŦŦŦö
<u>hidemaruhandle(n1)</u>	ŦGŠŦ,ìfŦf"Ŧfhf<,ìŽæ"¾
<u>hidemaruorder(n1)</u>	ŦGŠŦ,ì"ŦŦŦ,ìŽæ"¾
<u>dderequest(s1)</u>	DDE,ìffŦŦf^,ì—v<Ŧ
<u>findwindow</u>	fEfBf"ŦhfE,ìŦŦŦö
<u>findwindowclass</u>	fEfBf"ŦhfE,ðfNf%œfX-¼,ÅŦŦŦö
<u>sendmessage</u>	fŦŦbfZŦŦŦfW,ì'—ŦM
<u>existfile</u>	ftf@fCf<,ª'ŦŦŦ,·,é,©,ç,Ŧ,©
<u>getregstr(s1)</u>	fŦŦfWfXfgfŠ,©,ç•ŦŽš—ňŽæ"¾
<u>getregnum(s1)</u>	fŦŦfWfXfgfŠ,©,çŦ"ŦŽæ"¾

leftstr(s1, n1) ŠÖ

@s1,ì'¤,ln1•Źš,đ•Ô,µ,Û,·B'SŠp•Źš,í,Q•Źš,Æ,µ,Ä",!,Û,·B
@str1,l',³,num1,æ,è-,³,¢é#,.lCstr1,ª,»,ì,Û,Û•Ô,³,è,Û,·B
@•Ô,·l,í•Źš—ñÆ^,Å,·B

rightstr(s1, n1) ŠÖ

@s1,ì%œE'¤,ln1•ŕŽš,đ•Ô,µ,Ü,·Bs1,ì',³,³n1,æ,è¬,³,¢ê#;íCs1,³,»;ì,Ü,Ü•Ô,³,ê,Ü,·B
@•Ô,·'ì,ì•ŕŽš—ñŒ^,Å,·B

midstr(s1, n1, n2) ŠÖ

␣@s1,ì␣¶'¤,©,çn1"Ô-Ú,ìn2•¶Žš,ð•Ô,μ,Û,␣Bn1,í,O,©,ç␣",í,Ä,,¾,¾,ç␣Bn1,ª,O,ì␣é␣‡,íleftstr(s1,n2)
,Æ"-,¶␣E<%oÊ,Æ,Ë,è,Û,␣B
␣@•Ô,·'í,í•¶Žš—ñE^,Ä,␣B

strlen(s1) ŠÖ"

@str1,ì',³,ð•Ô,μ,Û,·B•Ô,·'í,í"'^Ā,·B'SŠp•ŕŽš,í,Q•ŕŽš,Æ,μ,Ā" ,í,Û,·B
@•Ô,·'í,í"'^Ā,·B

gettext(x1, y1, x2, y2) ŠÖ

»Ÿ•ÒW,µ,Ä,†,éftf@fCf<,ìx1Cy1,©,çx2Cy2,ì"í^í,É, ,é•Ÿš—ñ,ð•Ô,µ,Û,·B•Ÿš—
ñ,ì',³,â',·,·,·,é,ÆfGf%oo[.É,È,è,Û,·B
»xCyÄ•W,ìŽw`è,ì,µ,©,½,Ímoveto•Ÿ,Æ"~,Ÿ,Å,·B
»@•Ô,·ì,ì•Ÿš—ñŒ^,Å,·B

char(n1) ŠÖ”

␣@n1,ì•ŕŽšfR␣[fh,ì•ŕŽš,ð•ŕŽš—ñ,É,μ,Ä•Ô,μ,Û,·␣BŠžŽš,lfR␣[fh,ðŽw’è,;ê,îŠžŽš,ì•ŕŽš—ñ,É,È,è,Û,·␣B
␣@•Ô,·'ì,ì•ŕŽš—ñŒ^,Ä,·␣B

—á␣F

char(0x41) ␣c "A",ª•Ô,Á,Ä,«,Û,·␣B

ascii(s1) ŠÖ"

@s1, ðæ"ª, ð•Źš, ð•ŹšfR[fh"i"i]j, ð•Ô, µ, Ü, ·Bchar, Æ<t, ðŠÖ", Å, ·B
@•Ô, ·'i, ð"iC^, Å, ·B

str(n1) ŠÖ"

@n1,đ•ŕŽš—ň,É•řŠ•,μ,Ü,·B—á,ı,În1,ª100,İê#C•Ô,·'ı"100",Æ,È,è,Ü,·B
@•Ô,·'ı,ı•ŕŽš—ňĈ^,Â,·B

strstr(s1, s2) ŠÖ"

@str1, ©, çstr2, đĀŸđ, μCĀ©, Ā, ©, Ā, ½éđ, í, », ì^É'u, đ•Ô, μ, Û, ·Bæ"ª,ª, O, Ā, ·BĀ©, Ā, ©, ç, È, ©, Ā, ½é
đ, í, ·, P, đ•Ô, μ, Û, ·B
@•Ô, ·'í, í"iĀ^, Ā, ·B

val(s1) ŠÖ"

□@s1,đ□"l,É•İŠ,μ,Ü,·□B—

á,l,İs1,ª"100",l□ê□#□C•Ô,·l,l100,Æ,È,è,Ü,·□B□"l,É•İŠ,Å,«,ç□ê□#l,O,ª•Ô,è,Ü,·□B
□@•Ô,·l,l□"lCE^,Å,·□B

getinistr(s1, s2, s3) ŠÖ

@iniftf@fCf<, ©, ç•¶Žš—ň, đŽæ, è, ¼, μ, Û, ·Bs1, ¶iniftf@fCf<-¼As2, ¶ZfNfVf¶f“-¼As3, ¶fL[-¼, Å, ·B
@•Ö, ·'l, l•¶Žš—ňÆ^, Å, ·B

@iniftf@fCf<-

¼, đuhidemaru.ini¶v, É, μ, ½ê¶AŽÀÛ, ¶iniftf@fCf<, ©, ç, í“Ç, Ýž, Û, ¶AfÇfWfXfgfŠ, ©, ç•İŠ, μ, Å“Ç, Ýž, P,
æ, x, É, È, è, Û, ·B, ±, è, íA16bit”ÅGŠÛ, Æ, lÇÝŠ, l, ½, ß, ¼, -, É, , é<@”\
, ÅAAGŠÛ, ìY’è, đ“Ç, Ýž, Pê¶, lgetregstr, Û, ½, lgetregnum, đŽg, Å, Å, ¼, ³, ¶B

getinum(s1, s2, s3) ŠÖ

@INiftf@fCf<, ©, ç" 'l, ðžæ, è, ¾, µ, Ü, ·Bs1, iniftf@fCf<-¼As2, fZfNfVf+f"-¼As3, fl[-
¼, Å, ·Bžæ, èo, µ, ½'l, " 'l, É·iš·s"\, Èê# , í, O, ·Ó, Å, Ä, «, Ü, ·B
@·Ö, ·'l, í" 'lCE^, Å, ·B

@iniftf@fCf<-
¼, ðuhidemaru.ini v, É, µ, ½ê#AZÀÛ, Éiniftf@fCf<, ©, ç, í"Ç, Ýž, Ü, .AfCfWfXfgfŠ, ©, ç·iš·, µ, Å"Ç, Ýž, P,
æ, x, É, È, è, Ü, ·B, ±, ê, íA16bit"ÅGŠÛ, Æ, íCEÝŠ·, í, ½, ß, ¾, -, É, , é<@"\
, ÅAAGŠÛ, ìY'è, ð"Ç, Ýž, Pê# , ígetregstr, Ü, ½, ígetregnum, ðžg, Å, Ä, , ¾, ¾, tB

input(s1, s2) ŠÖ

□@s1,đf□fbfZ□[fW,Æ,μ,Ä•\Z},μ□Cft□[fU,©,ç•¶Žš—ň,đ“ü—
Í,μ,Ä,à,ç,ç□C,»„ê,đ,»„l,Ü,Ü•Ô,μ,Ü,·□Bs2,í□AffftfHf<fg,l'í,Æ,μ,Äft□[fU,ä“ü—
í,·,éfGfffBfbfgfRf“fgf□□[f<,ì†,É□Å□%∞,©,ç•\Z},³,ê,Ü,·□B
□@s2,í□È—^ä,Ä,«„Ü,·□B
□@•Ö,·'í,í•¶Žš—ňĈ^,Ä,·□B

inputchar(s1) ŠÖ

@s1,đf^fCfgrf<fo[É•Ž!,μCf+[]fU,©,ç•Źš,đ“ü—í,μ,Ä,à,ç,čC,»‚ì•ŹšfR[]fh,đ•Ô,μ,Ü,·B“ü—
í,μ,½•Źš,í%œ=É,É,í•Ž!,³,è,Ü,¹,ňBfj[]f<^U“@fL[],ª%Ÿ,³,è,½[]é#,í•ŹšfR[]fh,íC

[] ... 0x1C

[]ă ... 0x1D

%oE ... 0x1E

%oº ... 0x1F

,Æ,È,è,Ü,·B

iskeydown(n1) ŠÖ

```
@Žw'è,è,½fL[,ìó'Ô,đŽæ"¾,;éŠÖ",Ä,·B
@n1,ÉfL[fR[fh,đ"ü,è,ÄCEÄ,Ňo,·,ÆA,»,ìfL[,º%Ÿ,è,Ä,ç,éê±,í 1A,»,x,Ä,È,çê±,í 0,đ•Ô,μ,Û,·B
@Žă,ÉfL[fR[fh,í'È%º,ì'È,è,Ä,·B,±,ìfL[fR[fh,íAinputchar,º•Ô,·'l,Æ,í'á,x'l,È,ì,Ä'Ô,μ,Ä,,¾,¾,çB
Shift 0x10
Ctrl 0x11
Alt 0x12
¶ 0x25
ä 0x26
%e 0x27
%º 0x28
0`0 0x30`0x39
A`Z 0x41`0x5A
```

```
@ä<L,É,È,çfL[fR[fh,íAZ©•º,Ä'²,x,Ä,,¾,¾,çB""²_x_é}fNf
@ŽA,í,±,ìŠÖ",íAWindows,íAPI,Ä,é GetKeyState() ,đCEÄ,No,μ,Ä,ç,é,¾,¾,Ä,·BSJ"-
ŽÖ,ì•ù,íAAPI,ìfwf<fv,ì%¼'zfl[fR[fh,ì^ê—,đCE©,é,Æ,ç,ç,Ä,·B
```

```
@,±,ìŠÖ",đ—~p,·,è,íAfl[Š,,è"-,Ä,ÄA,½,,¾,¾,ñ,ìfL[,É"-,¶}fNf,đŠ,,è"-
,Ä,Ä,àf}fNf¶fCf<"à,Ä•ºŠö,·,é^—,º%Ä"\,É,È,è,Û,·B
@,½,Æ,í,íActrl+ä,ºº,¶¶,ºE,ìfL[,É'S,Äuf}fNf1v,đŠ,,è"-
,Ä,Û,·B,»,μ,ÄAuf}fNf1v,É,íttest.mac,đ"o~^,μ,Û,·B,»,μ,ÄAtest.mac"à•",íA
```

```
if( iskeydown(0x25) ) { u©v,ì^— }
if( iskeydown(0x26) ) { u²v,ì^— }
if( iskeydown(0x27) ) { u"v,ì^— }
if( iskeydown(0x28) ) { u<v,ì^— }
```

```
,Æ,ç,x,Ó,x,É,·,è,íActrl + -î'ófL[,º%Ÿ,è,½,Æ,«,ì^—,íA,·,x,Ätest.mac,ºŠÇ—,Ä,«,é,±
,Æ,È,È,è,Û,·B
'^ÓFf}fNf<N"®¼Äă,ìfL[ó'Ô,ºŽæ"¾,Ä,«,é,ì,íAf}fNfŽÀsŠjŽn,©,ç,P•b^È"à,Ä,·B,Û,½A,P•b^È"à,
Ä,Ä,Ä,à^È%º,ìŠÖ"or•¶,đCEÄ,ñ,¾CEă,Ä,í<N"®¼Äă,ìfL[ó'Ô,íŽæ"¾,Ä,«,Û,¹,ñB
keypressed, ddewaitadvice, localgrep, runsync, menuCEn¶
```

```
iskeydown,ì•Ô,·'l,ð'²,x,éf}fNf□,ì—á,Â,·
```

```
newfile;  
call GetKeyState;  
$prev = $$return;  
Loop:  
call GetKeyState;  
if( $prev != $$return ) {  
    insert $$return;  
    insertreturn;  
    $prev = $$return;  
}  
goto Loop;
```

```
GetKeyState:  
  $$a = "";  
  ##i = 1;  
  while( ##i <= 0x91 ) {  
    if( iskeydown( ##i ) ) {  
      $$a = $$a + str( ##i ) + " ";  
    }  
    ##i = ##i + 1;  
  }  
return $$a;
```

getenv(s1) ŠÖ

@str1,É'í%ž,·,éŠÂ««·ï",ì'l,ð•Ô,μ,Û,·B

—áF

```
#path = getenv( "include" );
```

existfile(s1) ŠÖ

```
@s1,Æ,ç,æftj@fCfç,æ'ŋŸ,;é,©,Ç,æ,©,ð•Ô,µ,Û,·B
@'ŋŸ,;éè,itrueA'ŋŸ,µ,È,çè,ífalse,Å,·B
@•Ô,·'í"iCE^,Å,·B
```

DDEŠÖ~Af}fNf

ADDEfNf%ofCfAf“fg,đŽACE»,.é,½,β,lf}fNf,í•¶,âŠÖ”,à,è,Ü,·B

ddeinitiate \$app, \$topic@#@@i•¶

ADDEfNf%ofCfAf“fg,AE,.,é,c,c,dfgf%of“fUfNfVf”,đŠŽn,μ,Ü,·B\$app,afAfVfŠfP[fVf”-¼,ĀA\$topic,afgfsfbfN-¼,Ā,·B

dddefgf%of“fUfNfVf”,íCE»Ÿ,ìGŠÜ,¾,~,É—
LCEø,Ā,·Bnexthidemaruu”™,ĀfAfNfefBfufEfBf“fhfE,δ∅,è’Ö,í,é,Ædefgf%of“fUfNfVf”,íŽ©“®“I,ÉI—
¹,³,¹,ç,è,Ā,μ,Ü,ç,Ü,·B

@•:”,ì,c,c,dfT[f,Æ“~ŽŽ,Éfgf%of“fUfNfVf”,đŠJŸ,.,é,±,Æ,í,Ā,«,Ü,¹,ňB

@~CE÷,.,é,ÆI—¹fR[fh,atruE,É,È,èAŽ,”s,.,é,Æfalse,É,È,è,Ü,·B

ddeterminate@#@@i•¶

ddeinitiate,μ,½fgf%of“fUfNfVf”,δI—¹,μ,Ü,·Bddeterminate,μ,È,.,Ā,àAf}fNf,afI—
¹,μ,½,èAnexthidemaruu,É,Ç,ĀfAfNfefBfufEfBf“fhfE,af∅,è’Ö,í,é,ÆŽ©“®“I,ÉDDEfgf%of“fUfNfVf”,íI—
¹,μ,Ü,·B

ddeexecute \$exec@#@@i•¶

DDDEfT[f,ÉEXECUTEfRf}f“fh,δ’—M,μ,Ü,·B

@~CE÷,.,é,ÆI—¹fR[fh,atruE,É,È,èAŽ,”s,.,é,Æfalse,É,È,è,Ü,·B

ddepoke \$item, \$param@#@@i•¶

DDDEfT[f,Éff[f^,δ’—,è,Ü,·B

@~CE÷,.,é,ÆI—¹fR[fh,atruE,É,È,èAŽ,”s,.,é,Æfalse,É,È,è,Ü,·B

dderequest(\$item) ŠÖ”

DDDE,ìŠŽè,Éff[f^,δ—v<μ,Ü,·B~CE÷,.,é,ÆAŽó,~Žæ,Ā,½ff[f^,δ•Ö,μ,Ü,·BŽ,”s,.,é,Æf}fNf[fGf
%of[Æ,È,Ā,Ā,μ,Ü,ç,Ü,·B
@•Ö,·I,í•¶Žš—ñCE^,Ā,·B

ddestartadvice \$item, \$name@#@@i•¶

DDDEfT[f,AE,ìŠÖ,ĀfAfhfofCfXf<[fv,đŠŽn,μ,Ü,·BfAfhfofCfXf<[fv,lfAfCfef€-¼,Í\$item,Ā,·BfT[f,fo’x
,©,çff[f^,af“n,³,è,é,ÆA,»,ì’I,Í\$name,ĀŽw’è,³,è,é•I”,ÉŠI”[.,³,è,Ü,·B\$name,ìŠ,É,í•¶Žš—
ñCE^,lfOf[f,fof•I”-¼,đŽw’è,.,é•K—v,ª,è,Ü,·B

@fAfhfofCfXf<[fv,í,P,Ā,μ,©i,é,±,Æ,ª,Ā,«,Ü,¹,ňB

ddestopadvice \$item@#@@i•¶

\$item,lfAfhfofCfXf<[fv,δI—¹,³,¹,Ü,·B\$item,Íddestartadvice,μ,½ŽŽ,ÉŽw’è,μ,½fAfCfef€-
¼,đŽw’è,.,é•K—v,ª,è,Ü,·B

ddewaitadvice \$item, #timeout@#@@i•¶

DDDEfT[f,©,ç\$item,lfAfhfofCfXff[f^,af“í,,ì,δ’Ö,¿,Ü,·B#timeout,lf^fCfefAfEfg,ĀA,±,±
,ĀŽw’è,μ,½ŽŽŠÖ,δ’Ö,Ā,Ā,àff[f^,af“í,©,É,ç,è,ç,.,Éddewaitadvice,δI—¹,³,¹,Ü,·B

@f^fCfefAfEfg,ìè#f,result==false,É,È,èAddestartadvice,ĀŽw’è,μ,½•I”,É,Í%½,àŠi”[.,³,è,Ü,¹,ňB

□@#timeout,ì'l,íf~fš•b'P^Ê,Åžw'è,μ,Û,·□B

□@ddewaitadvice,ðžÀ□s't,í□GSÛfGffBf^,í“€„è•t,ç,½,æ,α,È□ó'Ô,É,È,è,Û,·□B

findwindow(\$name) ŠÖ□”

□@\$name,Åžw'è,³,è,é•¶žš—ñ,Æ“~„¶lfffvJvf+“,ìfEfBf“fhfE,ð'T,μ,Ä,»„ìfEfBf“fhfEfnf“fhf<,ð•Ô,μ,Û,·□B
□@•Ô,·'l,í□”'lCE^,Å,·□BCE©,Ä,©,ç,È,©,Ä,½□ê□‡,í0,Æ,È,è,Û,·□BSY“-
∴,éEfBf“fhfE,ª•i□”CE©,Ä,©,Ä,½□ê□‡,Å,à□A,P,Ä,μ,©•Ô,μ,Û,¹,ñ□B

findwindowclass(\$name) ŠÖ□”

□@\$name,Åžw'è,³,è,é•¶žš—ñ,Æ“~„¶lNf%ofX-¼,ìfEfBf“fhfE,ð'T,μ,Ä,»„ìfEfBf“fhfEfnf“fhf<,ð•Ô,μ,Û,·□B
□@•Ô,·'l,í□”'lCE^,Å,·□BCE©,Ä,©,ç,È,©,Ä,½□ê□‡,í0,Æ,È,è,Û,·□BSY“-
∴,éEfBf“fhfE,ª•i□”CE©,Ä,©,Ä,½□ê□‡,Å,à□A,P,Ä,μ,©•Ô,μ,Û,¹,ñ□B

sendMessage(#handle, #message, #wParam, #lParam) ŠÖ□”

□@f□fbfZ□[fW,ð'—,è,Û,·□B'—
,Ä,½□æ,ìfEfBf“fhfE,ªf□fbfZ□[fWf{fbfNfX,âf_fCfAf□fOf{fbfNfX,ð□o,·,Æf}fEfX,ªž€„ñ,Å,μ,Û,α,ì,Ä'□^Ó,μ,Ä,-
,¾,¾,ç□B,»„ì'¾4□AZg,ç•û,ðCEè,é,ÆWindows,ðž€„È,¹,Ä,μ,Û,α,±,Æ,à, ,é,ì,Ä'□^Ó,μ,Ä%ºº,¾,ç□B

□@f□fbfZ□[fW,ì'l,âwParam□lParam,ì'l,É,Ä,ç,Ä,íŠež©,Ä'²,x,Ä,¾,¾,ç□B

□@•Ô,·'l,í□AWindows-API,ìSendMessageŠÖ□”„ì•œ<A'l,»„ì,Û,Û,Ä□A□”'lCE^,Ä,·□B

—á□iWM_SYSCOMMAND SC_CLOSE,ð'—,é—á□j

□@#result = sendMessage(#handle, 0x0112, 0xF060, 0);

fnfšfbvf{[fh,Æ•i] ,ì,â,è,Æ,è

@GŠÜ,Ä,íA•i] ,Æfnfšfbvf{[fh,Æ,ìŠÔ,Äff[f^ ,ð,â,è,Æ,è, ,é,½,ß,lf}fnf,ì•¶,â'l,ª—p^Ó,³,è,Ä,ç,Ü,·B

beginclipboardread [i•¶j

```
@fnfšfbvf{[fh, © ,ç,lf[f^ ,ìžæ,èž,Ý,ðšžn, ,é,±,Æ,ðéç¾,µ,Ü,·Bgetclipboard,Æ,ç,Ä,µ,â,Éžg,ç,Ü,·B
```

getclipboard [i'l]j

```
@fnfšfbvf{[fh, © ,ç,P[s•ª,lf[f^ ,ðžæ,èo,µA,» ,é,ð•Ô,µ,Ü,·B'\x0D',íç<ž,³,è,Ü, ,ªA'\x0A',íçs-- ,É,Ä,ç,Ä,« ,Ü,·B,½,¾,µAfnfšfbvf{[fhff[f^ ,ìÄçä,ì••ª,ª%ü[s,Ä,í,í,Ä,Ä,ç,É,çêê#,íA'\x0A'- ³,µ,Äff[f^ ,ª•Ô,Ä,Ä,« ,Ü,·B
```

```
@getclipboard,ðžg,µ,É,íA,Ü,·beginclipboardread,ðžÄ[s,µ,É,ç,Æ,ç, ,Ü,¹,ñBbeginclipboardread,ðžÄ[s,µ,½¹¼çä,ìgetclipboard,ì'l,lfnfšfbvf{[fh"àff[f^ ,ì,P[s-Ü,ÄA,Q %õñ-Ü,ì,l,í,Q[s-Ü,ÄA^è%ªA,R[s-ÜA,S[s-Ü,Æff[f^ ,ðžó, ,Ä,é,±,Æ,ª,Ä,« ,Ü,·B
```

@fnfšfbvf{[fh,ìÄçä,Ü,Äff[f^ ,ðžæ,èo,µ,í,é,Ægetclipboard,ì•Ô,·l,í"" ,Æ,È,è,Ü,·B

@žg—p—áFifnfšfbvf{[fh,ì"à—e,ð\$a[0]` ,ì"z—ñ,Éžæ,èž,ß—á

```
beginclipboardread;
#i = 0;
$a[#i] = getclipboard;
while( $a[#i] != "" ) {
    #i = #i + 1;
    $a[#i] = getclipboard;
}
```

@fnfšfbvf{[fh"à,É,P[s,ì' ,ª,ª,S,fofCfg,ð%oz,ì,é[s,ª ,é,Æ,» ,ì[s,í,S,fofCfg,Ä,Ô,Ä,ç,¬,ç,è,Ä,µ,Ü,ç,Ü,·B

@fnfšfbvf{[fh,lf[f^ ,ð"z—ñ•i] ,Éžæ,èž,ß,Æ•i]—p,ìff,fš,ª,ç,Ä,ì,ç,É,È,é<°,è,ª ,è,Ü,·B,ç,Ä,ì,ç,É,È,Ä,Ä,µ,Ü,µ,Æ[GŠÜf}fnf,ìžÄ[s,ì,» ,ìè,ÄfGf%o[,É,È,Ä,Ä't'f,µ,Ä,µ,Ü,ç,Ü,·B

setclipboard \$str [i•¶j

@ž®,ì'l,ðfnfšfbvf{[fh,ÉçÝ'è,µ,Ü,·B

@—áF setclipboard \$a;

@%ü[s,àŠÜ,ß,Äfnfšfbvf{[fh,É"ü,è,½,çêê#,í

@ setclipboard \$a + "\x0D\x0A";

@,ì,æ,µ,Éžg,µ•K—v,ª ,è,Ü,·B

addclipboard \$str [i•¶j

@ç»çÝ,ìfnfšfbvf{[fh,lf[f^ ,Éž®,ì'l,ð'ç%ª,µ,Ü,·B

@—áF

```
setclipboard $a[0];
#i = 1;
while( $a[#i] != "" ) {
    addclipboard $a[#i];
    #i = #i + 1;
}
```


}

□GŠŮŠÇ—□

□@•i□"◊N"® ,μ,½□GŠŮ,đŠÇ—□,•,é,½,β,ìf}fNf□,ì•¶,ª, ,è,Û,•□B

hidemarucount: □i'□j

```
□@CE»□Ý%ò"® ,μ,Ä,ç,é□GŠŮ,ì□",đ•Ô,μ,Û,•□B□i'"□GŠŮ,í□",,ì,Û,¹,ñ□B
```

```
—á□F
```

```
#c = hidemarucount;
```

findhidemaru(ftj@fCf<-¼) □iŠÖ□"□j

```
□@ftj@fCf<-¼,ÄŽw'è,μ,Ä□GŠŮ,ª,ç,é,©,Ç,κ,©,đ²,×□A,ç,é□ê□#,í,»,ìfEfBf"fhfE,ì"Ô□t,đ•Ô,μ,Û,•□B,ç,È,ç□ê□#,ì-1,Æ,È,è,Û,•□B
```

```
□@Ž©•ªŽ©□g,ìfindhidemaru,ì'í□Û,Æ,í,È,è,Û,¹,ñ□B
```

```
□@ftj@fCf<-¼,È,ì□Afhf%oCfu-¼,©,çŽn,Û,éfpfX-¼,à□Aftj@fCf<-¼-
```

```
{'ì,¾,¯,à□A,Ç,ì,ç,Ä,àŽw'è,μ,Ä,©,Û,ì,ç,Û,¹,ñ□B,½,¾,μ□Aftj@fCf<-¼-{'ì,¾,¯,μ,©Žw'è,μ,È,ç□ê□#,í-Û"ì,Æ,•,éfTj@fCf<,Æ,í•È,ìffBfCEfNfgfŠ,ì"-¼ftj@fCf<,đCEÝ□o,μ,Ä,μ,Û,κ,©,à,μ,è,Û,¹,ñ□B
```

```
□@—á□F if( findhidemaru( "client.cpp" ) == -1 ) {
```

```
□@      openfile "client.cpp";
```

setactivehidemaru: □i•¶□j

```
□@fAfNfefBfu,È□GŠŮ,đŽw'è,μ,Û,•□Bf}fNf□,ìŽÀ□s,à,»,ì,ç,ìfEfBf"fhfE,È^Û"® ,μ,Û,•□B
```

```
□@fpf%of□f^ ,Æ,μ,ÄfEfBf"fhfE,ì"Ô□t,©□A,Û,½,ìfnf"fhf<,ªŽw'è,Ä,«,Û,•□B
```

```
—á□F
```

```
setactivehidemaru 1;
```

```
setactivehidemaru findhidemaru( "client.cpp" );
```

hidemaruhandle("Ô□t): □iŠÖ□"□j

```
□@fEfBf"fhfE,ì"Ô□t,©,çfEfBf"fhfEfnf"fhf<,đ"¾,Û,•□B
```

```
□@fEfBf"fhfE,ì"Ô□t,ì□A'P,È,éfEfBf"fhfE,ì□d,È,è,ì"Ô□t,È,ì,Ä□Anexthidemaru,âsetactivehidemaru,đŽÀ□s,•,é,Æ'í%òž,ª•ì,Ä,Ä,μ,Û,ç,Û,•□B,»,±,Ä□Anexthidemaru"" ,đŽg,κ□ê□#,ìfnf"fhf<,đŽg,κ,æ,κ,È,μ,½•Û,ª,ç,ç,Ä,•□B
```

```
—á□F
```

```
#handle = hidemaruhandle( findhidemaru( "client.cpp" ) );
```

hidemaruorder(fnf"fhf<): □iŠÖ□"□j

```
hidemaruhandle,ìkt,Ä□Afnf"fhf<,©,çfEfBf"fhfE"Ô□t,đ"¾,éŠÖ□",Ä,•□B
```

```
□@—á□F
```

```
#order = hidemaruorder( #handle );
```

closehidemaru "Ô□t□@□@□@□@□@□i•¶□j

```
□@"Ô□t□ifnf"fhf<,à%òÄ□j,ÄŽw'è,μ,½□GŠŮ,đ□—¹,¾,¹,Û,•□B,½,¾,μ□AŽ©•ªŽ©□g,đŽw'è,•,é,±,Æ,ì,Ä,«,Û,¹,ñ□B
```

```
□@Žw'è,μ,½□GŠŮ,ª,Û,¾ftj@fCf<,đ•Û'¶,μ,Ä,È,ç□ê□#,ìclosehidemaru,ìŽ,"s,μ,Û,•□B
```

```
□@closehidemaru,ì□—¹fR□fH,Æ,μ,Ä□A□—CE÷,μ,½□ê□#,ìtrue□AŽ,"s,μ,½□ê□#,ìfalse,đ•Ô,μ,Û,•□B
```

```
□@—á□F
```

```
□@ #a = findhidemaru( "abc.txt" );
```

```
□@ if( #a == -1 ) {
```

```
□@     message "abc.txt,ì,ç,Û,¹,ñ";
```

```

[]@      endmacro;
[]@      }
          closehidemaru #a;
          if( !result ) message "abc.txt,ì[]l—1ž, "s,À,·[]B";

```

closehidemaruforced "Ô[]t[]@[]@[]@[]@[]@[]i·[]j

```

[]@closehidemaru,Æ"ˆ—l,É[]GŠÛ,ð[]l—1,3,1,Û,·[]B,1/2,3/4,μ[]A,±,¿,ç,í[]u([]X[]V)[]v,ì,À,ç
,1/2ftf@fCf<,ì[]ê[]‡,À,àfGf%[][,É,È,ç,,É<[]$"l,É[]i·Û'[]¶,1,1,,É[]j[]l—1,3,1,Û,·[]B

```

basename, filename, directory,ì%[]B,μ<@"

```

[]@basename, filename,
directory,í[]A,»,ì[]Ā,è,ÉŠp[]f[]b[]f[]R,À"Y,;Žš,ð·t,ˆ,Ä[]ACE»[]Ý,ì[]GŠÛ[]ifAfNfefBfu,È[]GŠÛ[]j^ÈŠO,ì[]GŠÛ,©,ç,à
'l,ð"¾,é,±,Æ,ª,À,«,é,æ,¤,É,È,Á,À,ç,Û,·[]B
[]@Šp[]f[]b[]f[]R,ì't,É,í[]AfE[]f[]Bf"fhfE"Ô[]t,À,àfE[]f[]Bf"fhfEfnf"fhf<,À,à—¼·ûžw'è,·,é,±,Æ,ª,À,«,Û,·[]B

—á[]F
$name = basename[2];
if( $name == "abc.txt" ) closehidemaru 2;

```

fE[]f[]Bf"fhfE"Ô[]t,Æ[]A[]fE[]f[]Bf"fhfEfnf"fhf<

```

[]@fE[]f[]Bf"fhfE"Ô[]t,Æ,í[]A[]GŠÛfE[]f[]Bf"fhfE,ì[]d,È,è<ì[]‡,É,æ,Á,Ä^Û,Û,é"Ô[]t,À,·[]BCE»[]Ýf}fNf[],ðžÀ[]s,μ,À,ç
,é[]GŠÛ,í[]A[]æ"ª,É,ç,é,í,,É,ì,À[]A,±
,ì[]GŠÛ,ìfE[]f[]Bf"fhfE"Ô[]t,í,O,À,·[]B,»,ì[]Ā,è,É^È'u,,é[]GŠÛ,ìfE[]f[]Bf"fhfE"Ô[]t,í,P,À,·[]B,3,ç,É,»,ì[]Ā,è,ª,Q,À,·[]B

[]@nexthidemaru[]f[]Rf}f"fh,ðžg,¤,Æ[]A^è"Ô[]Ā,è,ì[]GŠÛ,ª^è"Ôžè'O,É^Ú"®,μ,Û,·[]B

[]@prevhidemaru[]f[]Rf}f"fh,ðžg,¤
,Æ[]ACE»[]Ý,ì[]GŠÛ,ì^è"Ô[]Ā,è,É^Ú"®,μ[]A'ã,í,è,ÉfE[]f[]Bf"fhfE"Ô[]t,P,ìfE[]f[]Bf"fhfE,ªžè'O,É·žì,3,è,Û,·[]B

[]@fE[]f[]Bf"fhfEfnf"fhf<,í[]AfE[]f[]Bf"fhfE,ðžˆ·È,·,é,½,ß,ì'l,À,·[]BfE[]f[]Bf"fhfE"Ô[]t,í[]Anexthidemaru"™,À[]‡"Ô,ª·ì,é
,Æ·ì%[]»,μ,Û,·,ª[]AfE[]f[]Bf"fhfEfnf"fhf<,ì·ì%[]»,μ,Û,1,ñ[]B

```

openreg•¶, createreg•¶, closereg•¶

@@openreg/createreg,íAƒCƒWfXfgfŠ,đfí[fvf“,μ,Ü,·B’æ^êfpf%of^,Áf<[fg,Æ,È,éfL[-¼,đŽw’è,μA’æ,Qfpf%of^,ÁfTfufL[-¼,đŽw’è,μ,Ü,·B

f<[fg,Æ,È,éfL[-¼,Æ,μ,Ä,ÍA^È%º,ì•¶Žš—ñ,ªŽw’è%Ä“\,Á,·B

"CLASSESROOT"	... HKEY_CLASSES_ROOT,É’í%ž
"CURRENTUSER"	... HKEY_CURRENT_USER,É’í%ž
"LOCALMACHINE"	... HKEY_LOCAL_MACHINE,É’í%ž
"USERS"	... HKEY_USERS,É’í%ž

—áF

openreg "CURRENTUSER", "Software\Hidemaruo\Hidemaruo\Env"

@openreg,íAŽw’è,³,è,½fTfufL[,ª’¶Y,μ,È,¢ê¶,ÉfGf
%o[,Æ,È,è,Ü,·Bcreatereg,íAŽw’è,³,è,½fTfufL[,ª’¶Y,μ,È,¢ê¶,ÍV,½,Éò[-,μ,Ä,©,cfí[fvf“,μ,Ü,·B
@fí[fvf“,É[-¢÷,·,é,ÆC<%ºÊfR[fh,Í1,É,È,èAZ,“s,·,é,Æ0,É,È,è,Ü,·B

@closereg,íAƒí[fvf“,μ,½fCƒWfXfgfŠ,đfNfí[fy,μ,Ü,·B•i“,lfCƒWfXfgfŠ,đ“Žž,Éfí[fvf“,·,é,±
,Æ,Í,Á,«,Ü,¹,ñB

getregstr(s1)ŠÖ

@getreg•¶,Í¶Afl¶[fvf“ ,³,ê,½fCFWfXfgfŠ,©,ç'l,đŽæ,è¶o,μ,ÄŽw'è,³,ê,½•İ¶”,É'ã“ü,μ,Ü,·¶B
@'æ^êf¶f%of¶f^,Ä'l,Í-¼'°O,đŽw'è,μ,Ü,·¶B
@REG_SZCE^,l'l,đŽæ,è¶o,μ,Ü,·¶BREG_DWORDCE^,l'l,đŽæ,è¶o,·¶ê¶‡,ÍgetregnumŠÖ¶”,đŽg,č
,Ü,·¶B,»„ê^ÈŠO,ìCE^,l'l,đŽæ,è¶o,·,±,Æ,Í,Ä,«,Ü,¹,ň¶B
@•Ö,·'l,Í•¶Žš—ňCE^,Ä,·¶B

—á¶F

\$s = getreg("Path");

getregnum(s1)ŠÖ

```
@getreg •¶,íAfl[fvf“ ,è,½fWfXfgfŠ, ©,ç‘l,đŽæ,èo,µ,ĂŽw‘è,è,½•ĭ” ,É‘ă“ü,µ,Û,·B
@‘æ^êfpf%off^,Ă‘l,ł-¼‘O,đŽw‘è,µA‘æ”ñfpf%off^,Ă‘ĭ”-¼,đŽw‘è,µ,Û,·B
@REG_DWORD^,‘l,đŽæ,èo,µ,Û,·BREG_SZ^,‘l,đŽæ,èo,·ê¶,ĭgetregstrŠÖ”,đŽg,č
,Û,·B,» ,ê^ÈŠO,ĭ^,‘l,đŽæ,èo,·,±,Æ,í,Ă,«,Û,1ňB
@•Ö,‘l,ĭ”ĭ^,Ă,·B
```

—áF

```
#n = getreg( "Count" );
```

writeregstr • 1, writeregnum • 1

@writeregstr/writeregnum • 1, í AfCfWfXfgfŠ, É' l, ð', «ž, Ý, Ü, · B' æ^ êf pf% of f^, Å' l, ð-
¼' O, ðŽw' è, µ A' æ" ñf pf% of f^, Å' l, ðŽw' è, µ, Ü, · B

@writeregstr • 1, ÍREG_SZC^, ð', «ž, Ý A writeregnum • 1, ÍREG_DWORDC^, ð', «ž, Ý, Ü, · B

— á F

writeregstr "Path", "c:\users\hm32"
writeregint "Count", 100

