




“ú–{IBM’ñ<ÿ OSfAfbfvvf[]lfg

 IBM PC DOS 6.3C []C[]<sup>3</sup>ftf@fCf<

 IBM PC DOS J7.00A/V []C[]<sup>3</sup>ftf@fCf<

 IBM”Å Microsoft Windows 3.10D []C[]<sup>3</sup>[]••@

PC DOS J6.30C/V □□³ftf@fCf<


ファイルのコピー

 @Žú~^fffbf€fnfgfŠ DISC2:\IBM\_OS\DOS63C

[PC DOS J6.30C/V □□³ftf@fCf<“±“üffffBfXfPfbfg□ì□~•û-@]

,Ü, □AftfH□[f}fbfg□İ,Ý,İ 2MB fffbBfXfPfbfg,ð 4-‡,²-p^Ó,,¾,³,¢□B

PC DOS J6.30C/V □□³ftf@fCf<“±“üffffBfXfPfbfg□ì□~fvf□f0f%f€  
DOS630C1.EXE,DOS630C2.EXE, DOS630C3.EXE,  
DOS630C4.EXE,Í□A•K, ,fn□[fh□EffffBfXfN,ÉfRfs□[ ,μ,Ä□A,» ,±  
,©,ç<N“@,μ,Ä, ,¾,³,¢□B

 □Ú,μ,,ÍDISC2:\IBM\_OS\DOS63C\README.TXT,ð,“Ç,Ý,,¾,³,¢□B

PC DOS J7.00A/V □C□³ftf@fCf<

ファイルのコピー


 @Žú~^fffbf€fnfgfŠ DISC2:\IBM\_OS\DOS7

[PC DOS J7.00A/V □C□³ftf@fCf<“±“üfffBfXfPfbfg□ì□~•û-@]


,Ü, □AftfH□[f}fbfg□İ,Ý,İ 2MB fffbBfXfPfbfg,ð 2-‡,²-p^Ó,,¾,³,¢□B


PC DOS J7.00A/V □C□³ftf@fCf<“±“üfffBfXfPfbfg□ì□~fvf□f0%f€  
DOS700A1.EXE,DOS700A2.EXE


,Í□A•K, fn□[fh□EfffBfXfN,ÉfRfs□[ ,μ,Ä□A,»,±,©,ç<N“®,μ,Ä, -  
,¾,³,¢□B

 □Ú,μ,, ÍDISC2:\IBM\_OS\DOS7\README.TXT,ð,“Ç,Ý,,¾,³,¢□B

@OS/2Šö~Afff[f^


 fJfXf^f} [fTf| [fgfffBfXfPfbfg


 fh%fCfo

 IBM OS/2 Warp fŠftfEfbfVf...fpfbfN

@Customer Support Diskette

## OS/2 Warp

 [OS/2 Warp 3.x \(family\) FixPak XR W017](#)

 [OS/2 Warp Server / OS/2 Warp Connect](#)


 [OS/2 Warp-J PTF PJ22799 for Lotus Notes R4.1J and DSS 1/1](#)

## OS/2 Warp US


 [OS/2 Warp 3.x \(family\) FixPak XR W017](#)


**New!**

## Others

 [OS/2 Warp Server / OS/2 Warp Connect](#)  
[LAN Distance\)-p](#)  
[fZfbfgfAfbfv\(PIF\)ftf@fCf<x](#)


**New!**

 [FixPak:WX00001](#)

 [FixPak:WX00903](#)

IBM OS/2 Warp fŠftfÆfbfVf...fpfbfN

 @Žû~^fffbfÆfNfgfŠ DISC2:\IBM\_OS\OS2\CSD\WX00903

 "à-e,É,Â,ç,Ä

**"K%ž 'Î%žfVfXfef€**


- , □ OS/2 Warp V3.0 with WIN-OS/2 - "ú-{Æê"Å (XRJ3001\_)  
(FixPak WX00001 , a"K-p□İ,Ý,Å, ,é,±,Æ, a'O'ñ)
- , □ OS/2 Warp Connect V3.0 with WIN-OS/2 - "ú-{Æê"Å (XRJ3003\_)  
(FixPak WX00001 , a"K-p□İ,Ý,Å, ,é,±,Æ, a'O'ñ)
- , □ OS/2 Warp V3.01 - "ú-{Æê"Å ('□:ŽQ□Æ) (XRJ3004\_)  
'□: ,±,±,ÅÆ¾, x V3.01 ,Æ,Í V3.01 □»•i"Å, ",æ,Ñ V3.0 ,É  
□uOS/2 Warp Refresh FixPak V3.01 - "ú-{Æê"Å□v,ð  
"K-p,μ,½,à,İ,ðŠÜ,Ý,Ü, ·□B
- , □ OS/2 Warp Connect V3.01 - "ú-{Æê"Å (XRJ3004\_)
- , □ OS/2 Warp Server V4.0 - "ú-{Æê"Å (XRJ3005\_)

**Žg-p•û-@**

FixPak CD-ROM ,ð CD-ROM fhf%fcfu,ÉfZfbfg,μ,Ü, ·□B,±  
,İfhf%fcfu,ð¾¼,ÉD:,Æ,μ,Ü, ·□BOS/2  
fRf}f"fh□Efvf□f"fvfg□ifEfbf"fhfE•\Ž!□A'S%æ-Ê•\Ž!,ç,ı,ç,Å,à  
%Å□j,©,ç□AZÿ,İfRf}f"fh,ð"ü-Í,μ,Ü, ·□B


D:  
CD IBM\_OS\OS2\CSD\WX00903  
SERVICE

,» ,İÆã,Í%æ-Ê,É•\Ž!, ³,ê,éfbfZ□[fW,É,μ,½, a,Á,Ä"K-  
p□ì<Æ,ð□s,Á,Ä, ,¾, ³, ç□B  
"K-p□I-¹ÆãfVfXfef€,ð□Ä<N"®, ·,é,Æ□AFixPak , a-  
LÆø,É,È,è,Ü, ·□B

 □Ú,μ,,ÍDISC2:\IBM\_OS\OS2\CSD\WX00903\README.TXT□ADISC2:\  
IBM\_OS\OS2\CSD\WX00903\README2.TXT,ð,²—, ,¾, ³, ç□B

IBM OS/2 FixPak:WX00001

 @Žû~^ffBfEfNfgfŠ DISC2:\IBM\_OS\OS2\CSD\WX00001

 "à-e,É,Â,ç,Ä

"K%ž'Î%žfVfXfef€

OS/2 Warp V3 with WIN-OS/2 - "ú-{Æê"Å

OS/2 Warp Connect V3 with WIN-OS/2 - "ú-{Æê"Å


Žg-p•û-@

FixPak ,İ"K-p•û-@,É,ÍA


, @Žn"®'†,İfVfXfef€,Ö,İ"K-p


, fffBfXfPfbfgEfu[fg,É,æ,é"K-p

,İ,Q'Ê,è,İ•û-@,ª, ,è,Û,·B

 Ú,µ,,ÍDISC2:\IBM\_OS\OS2\CSD\WX00001\README.TXT,ð,<sup>2</sup>—,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

OS/2 Warp Server / OS/2 Warp Connect  
[w]fšf, [fg]LANfAfNfZfX (LAN Distance)–p  
fZfbfgfAfbfv(PIF)ftf@fCf<[x

 @Žû~^fffbf@fNfgfš DISC2:\IBM\_OS\OS2\CSD\LDDOCOMO

 “à–e, É, Â, ç, Ä

‘Î%ž<@Ží

- NTT DoCoMo fffWf^f<@ff[ f^/FAXfAf\_fvf^9600MarkII

‘Î%žf\ftfgfEjFfA

- ^È%º, Ìfšf, [fg]LANfAfNfZfX<@”\ (LAN Distance)

- OS/2 Warp Server V4 “ú–{Œê”Å

- OS/2 Warp Server Advanced V4 “ú–{Œê”Å

- ^È%º, ÌLAN Distancefšf, [fg]<@”\

- OS/2 Warp Connect V3 “ú–{Œê”Å

- OS/2 Warp Connect with WIN-OS/2 V3 “ú–{Œê”Å

- ^È%º, Ìf\ftfgfEjFfA, “±”ü, ³, ê, ½ŠÅ<<

- DOS, IBM MS Windows V3.1 “ú–{Œê”Å, Warp

Server, ©, ç“±”ü, ³, ê, ½

DOS LAN Service, ÆLAN Distance

fšf, [fg, “±”ü, ³, ê, ½PCŠÅ<<

Žg–p•û–@

1. LAN Distance fvf[ fOf%f€, ð“±”ü, µ, ½, Ì, ¿[A]uŠî–

{[Y’è, Ì‘I’ð]vf[ fjf... [ , É“ü, è, Ü, ·, [A, » , ±, Å[u]I–

¹]v, ð‘I’ð, µ, Åfvf[ fOf%f€, ð]I–¹, µ, Ü, ·]B

2. LAN Distance, Í[A]u\WAL]v, Æ, ç

, fffBf@fNfgfš [ , É“±”ü, ³, ê, Ü, ·, Ì, Å[A, ±

, ¿, ç, ©, ç“üžè, µ, ½]uDDOCOMO.PIF]vftf@fCf<, ð, » , Ìfffbf@fNfgfš [ , ÖfR

fs [ , µ, Ü, ·]B

3. LAN

Distancefvf[ fOf%f€, ð–š, ¿[ã, °[AOS/2, È, ç, Î[u]Y’èfm [ fgfufbfN]v, ð

[A]Windows, È, ç, Î]ufRf“fefi [ , Ì]Y’èfIfufWfFfNfg]v, ðŠJ, «, Ü, ·]B

4. fvf[ fOf%f€, Ì]Y’è, ð]i, ß, Ä, ä, -

’t, Å[A]u]U’±f^fCfv]v, ð’è<` , ·, é, Æ, ±, ë, [o, Ä, «, Ü, ·]B, ±, ±

, Å[A]uDoCoMo Digital Data/FAX Card 9600 MKII]v, ð‘I’ð, ·, é, ±

, Æ, Å[A]–~–p, [Å”\ , Æ, È, è, Ü, ·]B






Ú, μ, , ÍDISC2:\IBM 05\052\CSD\LDDOCOMO\README.DOC, ð, <sup>2</sup>—, -  
, <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, çB


f[] [f^fX fm[] [fcR4J' Î%ž[] C[]³ fffBfXfPfbfg

 @žû~^fffbfEfNfgfš DISC2:\IBM\_0S\0S2\PJ22193

 "à-e,É,Â,ç,Ä


-{fffbfXfPfbfg,Í[]A[]uIBM 0S/2 Warp Server V4"ú-  
{Œê"Å[]v, ",æ,ŃWarp-pFixpak WX00903,đ"K-p,μ,½0S/2  
Warp[]»•i[]ã,Å[]A[]uf[]|f^fX  
fm[] [fcR4J[]v,đŽg-p,·,é,½,β,İ0S/2,İ[]C[]³fR[] [fh,đ"K-  
p,·,é,½,β,İ,à,İ,Å,·[]B

-{[]C[]³fR[] [fh,đ"K-p,μ,È,ç[]ê[]‡,Í[]A[]f[]|f^fX fm[] [fc  
R4J,Í[]³[]í,É<N"®,Å,«,Û,¹,ň[]B

 []Ú,μ,,ÍDISC2:\IBM\_0S\0S2\CSD\WARP\PJ22193\  
README.TXT,Æ[]ADISC2:\IBM\_0S\0S2\CSD\WARP\PJ22193\PJ22193.TXT,đ,²  
—, ,¾,³,ç[]B

OS/2@C³f, fWf...[f<, ì'ñ<ÿ


 @Žû~^fffbfEfNfgfŠ DISC2:\IBM\_OS\OS2\PJ22289

 "à-e, É, Â, ç, Ä


, ±, ÌC³, ÍAwfuf[fgEf}fL[fWff[, ðŽg-p, µ, Ä, ç  
, éSVGAf}fV[f", ÅAfu[fgEf}fL[fWff[, Ìfpflf<, ºó, ê, éx, Æ, ç  
, ¨â'è, ðC³, ·, é, ½, ß, ÉA"K-p, µ, Ä, ç, ½, ¾, , à, Ì, Å, ·B


S|PTF, ð"K-p, ³, ê, é, " <q-l, Í•K, , ±  
, ÌREADMEftf@fCf<, ð, "Ç, Ý, É, È, Å, Ä, ©, çŽn, ß, Äº, ³, çB^Èº, Ìà-  
¾, º <Lq, ³, ê, Ä, ç, Û, ·B

- | "K-p%Å"\, ÈfvfXfef€
- | "K-p•û-@
- | C³"à-e

 Ú, µ, , ÍADISC2:\IBM\_OS\OS2\CSD\WARP\PJ22289\README, ð, ²—, -  
, ¾, ³, çB


OS/2 Warp-J PTF PJ22799 for Lotus Notes R4.1J and DSS 1/1

 @Žû~^fffbfÆfNfgfŠ DISC2:\IBM\_OS\OS2\PJ22799


 "à-e,É,Â,ç,Ä


OS/2 □C□<sup>3</sup>f,fWf...□[f< PJ22799 ,Å,·□B  
"±"ü•û-@,É,Â,ç,Ä,Í□A"-ftf@fCf<"à,Ï README ftf@fCf<,ð,<sup>2</sup>ŽQ□Æ,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

"K-p'0'ñfÆfxf<:□@WX00903"K-p□Ï,Ý  
"K-p'0,É,Í•K,„‰<sup>0</sup><L,ÏfRf}f"fh,ðŽg-p,μ,ÄWX00903,ÏfÆfxf<,Å  
, ,é,±,Æ,ð,<sup>2</sup>Šm" F‰<sup>0</sup>,<sup>3</sup>,ç□B


 □Ú,μ,, Í□ADISC2:\IBM\_OS\OS2\CSD\WARP\PJ22799\  
README.1ST□ADISC2:\IBM\_OS\OS2\CSD\WARP\PJ22799\README,ð,<sup>2</sup>—,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

OS/2 Warp 3.x (family) FixPak XR\_W017


 @Žû~^fffbfœfnfgfš DISC2:\IBM\_OS\OS2\_US\XR\_W017

 "à-e,É,Â,ç,Ä


APAR,đ□C□<sup>3</sup>,μ,<sup>1</sup>/<sub>2</sub>OS/2 Warp 3.x FixPak,Å,·□B ,±  
,İFixPak,Í3.X,İ'S,Ä,İfo□[fWf#f",É'Î%ž,μ,Ä,ç,Ü,·□B


 □Ú,μ,,Í□ADISC2:\IBM\_OS\OS2\_US\CSD\WARP\_US\XR\_W017\  
XR\_W017.TXT□ADISC2:\IBM\_OS\OS2\_US\CSD\WARP\_US\XR\_W017\  
READ17\_1.TXT □DISC2:\IBM\_OS\OS2\_US\CSD\WARP\_US\XR\_W017\  
READ17\_2.TXT,đ, <sup>2</sup>—, ,<sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ç□B


@fhf%fCfo[]


 EPSON MJ-700V2C, EPSON MJ-900C-p OS/2 WarpfvfŠf“f^[]fhf%fCfo[]


 Mach64 Driver Enhanced V2.1x

 The MGA Millennium DBCS OS/2 PM Display Driver v1.11J


 NECŽĐ»İBØÝÀ°-p PMİBØÝÀ°¥Äp×²Êp°


 fLf„fmf“[]EfGfvf\fvfŠf“f^fhf%fCfo Version: 1.07

 S3”Ä-pfhf%fCfo[]

 Trident OS/2 fffBfXfvf@fC[]Efhf%fCfo[]

EPSON MJ-700V2C, EPSON MJ-900C-p OS/2 Warp fvfŠf“f^[]fhf%fcfo[]

 @Žû~^ffBfEfNfgfŠ DISC2:\IBM\_OS\OS2\DRIVERS\ESCP2

 “à-e,É,Â,ç,Ä

fCf“fXfg[]f<•û-@

1. ,Ü, ,[]A^È%°, ÌfRf}f“fh, ÅffBfXfPfbfg, ð[]ì[]-, μ, Ü, ·[]B

LOADDSKF ESCP2C03.IMG A:

2. OS/2, Ì[]ufhf%fcfu[]vfAfCfRf“, Ì't, Ì[]ufhf%fcfu

A[]v, ðf\_fuf<fNfŠfbfN

, μ[]AfffBfXfPfbfg, Ì't, ð•\Ž! , μ, Ü, ·[]B


3. ESCP2C.DRV, ÌfAfCfRf“, ðf\_fuf<fNfŠfbfN, μ, Ü, ·[]B


4. fCf“fXfg[]f<, ·, éfvfŠf“f^[][]Efhf

%fcfo[][, ÌfAfCfRf“, ðffXfNfgfbfv

, Éfhf%fbf0&fhf[]fbfv, μ, Ü, ·[]B

# Mach64 Driver Enhanced V2.1x

 @Žů~^fffbfĚfnfgfŠ DISC2:\IBM\_0S\0S2\DRIVERS\MACH64

 "à-e,É,Â,č,Ä

fCf"fxfg [f<•û-@  
0."±"üďĚ

0.a DOS/VfRf}f"fhfvf [f"fvfg, a"®ì, ., é, ±, ĚB  
0.b 'S, Ä, İWIN-0S2, aI<sup>-1</sup>, μ, Ä, é, ±, ĚBŽn"®ftfHf<f\_ [ , ÉWIN-  
0S2, İfvf [f0f%€ , đ"o~^ , μ, Ä, č, éê [ , İA, ±, ê, àI<sup>-1</sup>, <sup>3</sup>, <sup>1</sup>, Ä%<sup>0</sup>, <sup>3</sup>, čB  
1. , Ü, , VGA, É-ß, μ, Ü, .B

0S/2fRf}f"fhfvf [f"fvfg, ©, çuSETVGA [v [uEnter [v, ĚŽÀ [s, ., é, ©A<N"  
®Žž, É%æ-Ê, İ [ [ ã, É [ 0S/2 [v, a [o, Ä, č, éŠÔ, É [uAlt+F1 [v, đ  
%ÿ, μ, Ä [uV [v, đ%ÿ, .B

2. fffBfXfPfbfg, , é, č  
, İfn [ [ fhfffBfXfN, ©, ç0S2SETUP.EXE, đŽÀ [s, ., éB

3. %æ-Ê, İŽwŽ! , É, μ, <sup>1</sup>/<sub>2</sub>, a, Á, Ä%<sup>0</sup>, <sup>3</sup>, čB

4. 0S/2fRf}f"fhfvf [f"fvfg, đŠJ, ~ [A [uDSPINSTL [v [uEnter [v

5. [uŽâfffBfXfvfĚ [ [v, đf`fFfbfN, μA

6. [uATI mach64 (Enhanced Vx.xx) [v, đ'I'đ, ., éB

[ATI Technologies Mach64, đ'I'đ, μ, Ä, Í, č, ~, Ü, <sup>1</sup>, ñB

7. [ufAf\_fvf^ [ [ , İffftfHf<fg [Y'è, đ [s, v, đ'I'đ, μA

8. [u•İ [X(C) . . . [v, đ%ÿ, μA

9. A: , , é, č, Íx: 0S2fffBfĚfnfgfŠ, đ'I'đ, μA(x:  
, İfn [ [ fhfffBfXfNfhf%fcfu-<sup>1</sup>/<sub>4</sub>) [uf\  
 [ [fX [EfffBfĚfnfgfŠ [ [ . . . [A [v, đŠm"F, μA [uY'è [v, đ%ÿ, .B

10. [ufCf"fxfg [ [f<(I) . . . [v, đ'I'đ, ., éB, à, μ [u^ [ [æftf@fCf<, đ'u, «Š  
. , !, Ü, . [v, Ě<sup>3</sup>/<sub>4</sub>, Ä, Ä-^, <sup>1</sup>/<sub>2</sub>, ç [A'S, Ä [u, Í, č(Y) [v, đ%ÿ, .B


11. Ěã, İfŠfu [ [fg, μ, Ü, . [B [A% , İ640x480x256, Ä<N"®, μ, Ü, .B



12. %đ 'æ"x/□F□", Ì•İ□X, Í□A□u0S/2fVfXfef€□v->□ufVfXfef€□Ý'è□v->□ufVfXfef€□v, Å□s, ç, Ü, ·□B

13. fhf%fCfo□["±"ü€ă, ÉfŠftf€fbfVf...  
f€□[fg, ð•İ□X, ·, é, É, Í□AINSTALL.EXE-", Í0S2SETUP.EXE, ÅfŠftf€fVf...  
□Ef€□[fg, ð□Ý'è€ă□APC-DOSfRf}f"fhfvf□f"fvfg, ðŠJ, ¯, ÄSVGA  
ON, Æ, μ, Ü, ·□B

@The MGA Millennium DBCS OS/2 PM Display Driver v1.11J

 ŽŮ~^ffBfœfnfgfš@DISC2:\IBM\_OS\OS2\DRIVER\MATROX

1. ,à,µA□i%ñ,ªA□%,Ìfhf  
%fCfo,Ì“±“ü,Å, ,éêê±,ÍOS/2,ð<N“®,µA  
%æ-Ê,ðVGA f,□[fh,ÉÝ'è,µ,Ä, ,¼, ³, □B
2. □IBM PC360 fTf|□[fgCD£ ,ð€"ö,µ,Ä, ,¼, ³, □B
3. □fRf}f“fh¥fvf□f“fvfg£ ftfHf<f\_□[,©,ç □OS/2 fEfCf“fhfE•\  
Ž!£,©  
□OS/2 'S%æ-Ê•\Ž!£ ,ðŠJ,□,Ä, ,¼, ³, □B
4. fTf|□[fg CD ,ð CD-ROM fhf%fCfu,É“ü,ê,Ä, ,¼, ³, □B
5. ^È%º,ÌfRf}f“fh,É,æ,èA“±“üfvf□f0f%f€ ,ð<N“®,µ,Ä, ,¼, ³, □B

d: (d: ,Í CD-ROM,Ìfhf  
%fCfu-¼)  
CD J  
INSTALL /uj


6. fvf%fCf}fš□[ fffBfXfvfœfC,ð'I,0%æ-Ê,ª\,ê,½ê±,ÍA  
□Matrox MGA Millennium Series£,ð'I,ñ,Å, -  
,¼, ³, □B,Ü,½A  
f\□[fX fhf%fCfu,Éqd:J£,ðŽw'è,µ,Ä, ,¼, ³, □B

7. “±“üfvf□f0f%f€ ,ªŠ®-¹,µAfVfXfef€,ðI-¹, ³, ¹,é,Æ□AMGA fhf  
%fCfo□[  
,ª-Lœø,É,È,è,Ü, ·□B

 @Ú,µ, ,Í@DISC2:\IBM\_OS\DRIVERS\MATROX\READMEJ.OS2,ð,²—, -  
,¼, ³, □B

NECŽĐ»İßØÝÀ°-p PMİßØÝÀ°¥Äp×²Êp°


 @Žû~^fffbfçfnfgfš DISC2:\IBM\_OS\OS2\DRIVERS\NEC

 "à-e,É,Â,ç,Ä

uIBM"ÅOS/2@Warpv,Å"®ì,.,éuNECŽĐ»fvfšf"f^[-  
pPMfvfšf"f^[[fhf%fcfo[[v,Å,.


-{fhf%fcfo[[,íCNECŽĐ,ªì¬,µ,½fhf  
%fcfo[[,ðCIBM,ª'ñ<Ý,.,é,à,ì,Å,.

-{fhf%fcfo[[,ìfvf[]f0f%fc€•ûø,í, ,è,ü,<sup>1</sup>,ñ.,µ,½,<sup>a</sup>,Á,ÄC"®ì,ì•]‰  
¿,¨,æ,ÑËÿ, ,í,¨<q-l,ìÓ"C,Ås,Á,Ä,ç,½,¾,«,Ü,·B


 ú,µ,,íADISC2:\IBM\_OS\OS2\DRIVERS\NEC\  
README.NEC,ð,<sup>2</sup>,ç,ñ,<sup>3</sup>,çB



1. ,±, ÌfffbfXfPfbfg, ðfhf%fcfu A  
 (, Ü, ½, Í, Û, ©, ÌfffbfXfPfbfg Efhf%fcfu)  
 , É' } "ü, µ, Û, · BCD-ROM , ©, ç' ¼ Úfcf "fXfg [f<, ·, é ê ±, Í A, ±  
 , Ì CD-ROM , ð  
 CD-ROM fhf%fcfu, ÉfZfbfg, µ, Û, · B
2. LaunchPad , Ü, ½, Ífhf%fcfu EftfHf<f\_ [ , ©, ç ufhf%fcfu  
 A vftfHf<f\_ [ , ð  
 f\_fuf< EfNfŠfbfN, µ, ÄfI [fvf" , µ, Û, · B
3. OMNIJ.DRV fAfCfRf" , ðf\_fuf< EfNfŠfbfN, µ, Û, · B
4. fCf "fXfg [f<, µ, ½, çfvfŠf "f^<@Ží-¼, Ì, Â, ç  
 , ½fAfCfRf" , ðffXfNfgfbfv, É  
 fhf%fbf0, µ, Û, · B, ±  
 , è, ÅffXfNfgfbfv ä, ÉfvfŠf "f^ EfIfufWfFfNfg, a  
 Ì Ì -, ³, è, Û, µ, ½ B
5. , ±, ÌfvfŠf "f^ EfIfufWfFfNfg, Ì u Ý' è vfm [fgfufbfN, ðŠJ, ç, Ä•K  
 -v, È  
 €-Ú, ð Ý' è, µ, Û, · B "Á, É u o-Í vfy [fW, Ì u o-Í f |  
 [fg v, a ³, µ,  
 Ý' è, ³, è, Ä, ç, é, ±, Æ, ðŠm" F, µ, Ä, , ¾, ³, ç B




- @' ^ ó Ž - €
1. , ±, ÌfvfŠf "f^ fhf%fcfo, Å, Í PRINT fRf}f"fh, â COPY  
 fRf}f"fh, É, æ, é  
 fefLfxfgftf@fcf<, Ì ^ ó ü, Í fTf | [fg, µ, Ä, ç  
 , Ü, ¹, ñ B, Ü, ½ AfTf<fXfNfŠ [f"æ-É  
 , Ì Print Screen fL [ , É, æ, éæ-É ^ ó ü, à fTf | [fg, µ, Ä, ç  
 , Ü, ¹, ñ B



S3"Ä-pfhf%fcfo[]

 @Žû~^fffbfçfnfgfš DISC2:\IBM\_OS\DRIVERS\S3

 "à-e,É,Â,ç,Ä

LOADDSKF.EXE,É,ÄfffbfXfPfbfg,ðì[]-,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B  
^È'O,ÉS3GEN,ð"ü,ê,Ä,ç,ê,Î[]ã[]',«,<sup>a</sup>[]o-  
^,Ü,·,<sup>a</sup>[]A,à,μfffbfXfvfç[][fJ[][fh,ðœðš·,μ,<sup>1</sup>/<sub>2</sub>[]ê[]‡,â[]AS3GEN^ÈŠO,ÌWa  
rp-{ 'Ì,Ìfhf%fcfo[][,ð"ü,ê,Ä,ç,é[]ê[]‡,Í[]A-  
š,¿[]ã,°Žž,ÌfgfEft,<sup>a</sup>[]o,Ä,ç,éŽž,ÉAlt+F1,ð%ÿ,μ,ÄV,ÄVGA,É-  
B,μ,Ä,©,ç"ü,ê,<sup>1</sup>/<sub>2</sub>•û,<sup>a</sup>ŠmŽÀ,Ä,·[]B

LOADDSKF S3GEN20A.IMG a: /Y/Q  
LOADDSKF S3GEN20B.IMG a: /Y/Q

OS/2 2.1,É"ü,ê,éžž,Í

INSTALL a: c: 211


864(PowerWindow864,Stealth64DRAM,È,Ç),É"ü,ê,éžž,Í


INSTALL a: c: 300 GEN

,Æ,μ,Ä%<sup>o</sup>,<sup>3</sup>,ç[]B[]Ä-š,¿[]ã,°œäDSPINSTL,·,éžž,Í[]A(GENERIC)fhf  
%fcfo[][,ð'I'ð,μ,Ä%<sup>o</sup>,<sup>3</sup>,ç[]B

[]V,μ,çTrio64V+ BIOS,É'Î%ž[]B

TRIDENTŽĐ»İßØÝÀ°-p PMİßØÝÀ°¥Äp×²Êp°


 @Žû~^fffbfçfnfgfŠ DISC2:\IBM\_OS\OS2\DRIVERS\TRIDENT

 "à-e,É,Â,ç,Ä


uIBM"ÅOS/2@Warpv,Å"®ì,.,éuTRIDENTŽĐ»fvfŠf"f^[-  
pPMfvfŠf"f^ [fhf%fçfo [v,Å,.


-{fhf%fçfo [, ÍCTRIDENTŽĐ, ðì¬, µ, ½fhf  
%fçfo [, ðCIBM, ð'ñ<Ÿ,.,é,à,İ,Å,.

-{fhf%fçfo [, İfvf fOf%f€•ŮØ, Í, ,è,Û,¹,ñ.,µ,½, ð, Á, Ä"®ì, İ•] %  
¿, ",æ,ŃËŸ, , Í, "q-l, İÓ"C, Ås, Á, Ä, ç, ½, ¾, «, Û, ·B

 ú,µ,,ÍADISC2:\IBM\_OS\OS2\DRIVERS\TRIDENT\  
README.TRIDENT, ð,²,ç,ñ,³,çB

IBM OS/2 FixPak:FIXPAK

 @Žû~^fffbfEfNfgfŠ DISC2:\

 "à-e,É,Â,ç,Ä

**Žg-p•û-@**

1. fffbBfXfPfbfg i1.44MB j, ð2-†-p^Ó, µ, Ä  
%º, ³, çB, » , è, ¼, è, ÌfffbBfXfPfbfg, ÉufCf" fXfg [ f < E fffbBfXfPfbfg v  
uOS/2fffbBfXfPfbfg l v, Æf%fxf < , É' , ç, Äº, ³, çB
2. OS/2fRf}f"fhfvf"fvfg, ðŠJ, ç, Äº, ³, çB
3. CD | ROMfhf%fcfu, ðJfEf"fgfhf%fcfu, É, µ, Äº, ³, çB-á, |, ÎCD |  
ROMfhf%fcfu, ðDfhf%fcfu, Ìê†, ÍAD: , Æ"ü-Í, µ, ÄEnter i%üs j, ð  
%ÿ, µ, Äº, ³, çB
4. CDINST, Æ"ü-Í, µEnter i%üs j, ð%ÿ, µ, Äº, ³, çB, » , ÌÆä, Íæ-  
Ê, ÌŽwŽ | , É ] , Á, Äº, ³, çB

 Ú, µ, , ÍDISC2:\README.301, ð, ²—, , ¾, ³, çB



IBM Microsoft Windows 3.10D



DISC2:\IBM\_OS\WIN

CD-ROM (CD-ROM)

(CD-ROM)

D:

CD \IBM\_OS\WIN

WIN310D1.EXE A:

WIN310D1.EXE A:



DISC2:\IBM\_OS\WIN\WIN310D



