

TeX for Windows $\text{A}^{\text{t}}\text{f}^{\text{t}}$ $\text{P}^{\text{f}}\text{A}$

[fp](#) [\[fAfbvf,fWf...\]](#) [\[f<,É,Â,ç,Ä\]](#)

[fo](#) [\[fWf#f" fAfbfv,É,Â,ç,Ä\]](#)

"ì" „,μ,Ä,ç,é»•i,Å,·

,±,ìCD-ROM,ìorder.tex,đ^óü,·,é,Æ\ž—pŽ†,É,È,è,Ü,·

Žè" —_i500%o~_j,đ,č,½,¾,č,Äftjfbfs[]ffBfXfN,Å"z•z,μ,Ä,č,Ü,·
CD-ROM,̀order.tex,đ^óü,·,é,Æ\z—pŽt,É,È,è,Ü,·
,±,̀CD-ROM,É,àŽû~^,μ,Ä,č,Ü,·B

NIFTY-Serve, Windows Application Forum (FWINAP) APC-VAN, Windows Park(WINPARK)
z•z,μ,Ä,φ,Ü,·B
,±,ICD-ROM,É,àŽû~^,μ,Ä,φ,Ü,·B

•^{3/4}ŽĐFTPfT[]fo (ftp://ftp.impress.co.jp/pub/WinTeX) ,ÆIij FTPfT[]fo
(ftp://ftp.ij.ad.jp/pub/TeX/WinTeX) ,Å”z•z,μ,Ä,ç,Ü,·[]B
,±,ìCD-ROM,É,àŽû~^,μ,Ä,ç,Ü,·[]B

• ¼ ŽĐFTPfT [fo (ftp://ftp.impress.co.jp/pub/WinTeX) , Å"z•z,μ,Ä,ç,Ü,· □B
Win32s, íllj FTPfT [fo, Å, í"z•z,μ,Ä,ç,Ü,¹, ñ □B
, ±, ìCD-ROM, É, àŽû~ ^, μ, Ä, ç, Ü, · □B

TeX for Windows [\[fAfbfvf,fWf...\]\[f<](#)

TeX for Windows [\[fAfbfvf,fWf...\]\[f<](#) "ú- {CEê TeX" [\[fAfbfvf,fWf...\]\[f<](#) „^È—^A,³,Ü,´,Ü,È—v-] ,[\[fAfbfvf,fWf...\]\[f<](#) {,ÉŠň,¹,ç,ê,Ä,ç,Ü,·[\[fAfbfvf,fWf...\]\[f<](#) B,±,ê,ç,ì—v-],É,“š,ì,·,é,½,ß,É \square TeX for Windows,[\[fAfbfvf,fWf...\]\[f<](#) ,·[\[fAfbfvf,fWf...\]\[f<](#) élfvfVf $\#$ “ ,[\[fAfbfvf,fWf...\]\[f<](#) ð—p^Ó,μ,Ü,μ,½ \square B %o°<L,ìfŠfXfg,Á,ì \square “üŽè·ú-@,ð [\(SALE\)](#) [\(FD\)](#) [\(BBS\)](#) [\(FTP\)](#) ,Á·\Žì,μ,Ä,ç,Ü,· \square B(FD) ,ìžè \square — ž,ì \square A500%o~ \square ^fAfCfef€,Á,· \square B

WinDviPRO

WinDviPRO,ì \square TeX for Windows \square v,É·t'® ,ìWinDvi,ð<@“\Šg'£ ,μ,½,à,ì,Á,· \square BWinDviPRO,Á·%o>,³,ê,½Žá,È<@“\,ì \square APKftfH \square [f}fbfg,ìftfHf“fg,ðŽg— p,Á,« ,é,æ,æ,É,μ,½,±,Æ,Æ \square Atpic,âPostScript,È,Ç,ì \square CE` \square o—í“\—í,Á,· \square B WinDviPRO,É,ì \square AŽÿ,ì,æ,æ,ÈfofŠfG \square [fVf $\#$ “ ,[\[fAfbfvf,fWf...\]\[f<](#) ,[\[fAfbfvf,fWf...\]\[f<](#) è,Ü,· \square B

fx \square [f^”Á (“z·z \square l—¹)

Šj”“r’t,ìfx \square [f^”Á,ð'95/4/20,Ü,Á,ìŠúCEÀ·t,« ,Á”z·z,μ \square Afx \square [f^fefXfg,ð \square s,ç,Ü,μ,½ \square B

[Version 2.0 \(SALE\)](#) 1,500%o~

fx \square [f^fefXfg,ìCE·%oÈ,ðŽó, ,Ä \square AWMFfCf“fNf \square [fh,È,Ç,ì<@“\Ç %oÁ,ÆfofOftfBfbfNfX,ð \square s,Á,½ \square »·i”Á,Á,· \square B

[Version 2.0/DEMO \(BBS\)](#) [\(FTP\)](#)

\square »·i”Á,ì^ó \square ü<@“\,ð \square šCEÀ,μ,½,à,ì,ð-³—ž,Á”z·z,μ,Ä,ç,Ü,· \square B

JBibTeX for Windows [\(SALE\)](#) 800%o~

(\square à)“d—í+ \square o>CE \square t \square Š,Á“ú- {CEê%o>,³,ê,½BibTeX \square ujBibTeX Ver.0.31 \square v,ðWindows,É^Ú \square A,μ,½,à,ì,Á,· \square BWinTeX,ì1.0b^È \square ~ ,ìfo \square [fWf $\#$ “ ,Á,ìBibTeX for Windows,É'í%ož,μ,Ä,ç,Ü,· \square B

METAFONT for Windows [\(SALE\)](#) 1,500%o~

METAFONT,ÆŠÖ~Afc \square [f<,ðWindows,É^Ú \square A,μ,½,à,ì,Á,· \square B“ \square šÁ<<,ì^èš \square ^— \square <@“\ ,ðŽg,æ,Æ·;ì”ftfHf“fg,ðŽ©“® \square ¶ \square —,Á,« ,Ü,· \square B¶ \square —,μ,½ftfHf“fg,ìWinDviPRO,ÁŽg— p,·,é,±,Æ,æ,Á,« ,Ü,· \square B

AmS-TeX/LaTeX

\square ”šw~_·¶—p,ìTeXf}fNf \square ^ftfHf“fg \square W,Á,· \square BŽÿ,ÉŽ!,·f \square fbfP \square [fW,ð'g,Ý \square ±,í,¹,ÄŽg,ç,Ü,· \square B

[AmS-TeX/LaTeXfZfbfg \(FD\)](#) [\(BBS\)](#) [\(FTP\)](#)

AmS-TeX/LaTeX,ìf}fNf \square ^fXf^fCf·ftf@fCf<ì“ú- {CEê”Á \square j,Æ \square AAmSftfHf“fg,ìTFM \square ^METAFONTftf@fCf,ìfZfbfg,Á,· \square B

[AmS-PKftfHf“fg \(FTP\)](#)

PKftfH \square [f}fbfg,ìAmSftfHf“fg,Á,· \square B118dpi \square A180dpi \square A240dpi \square A300dpi \square A360dpi \square A 400dpi—p,ì,à,ì,æ—p^Ó,³,ê,Ä,ç,Ü,· \square B

AmS-TrueTypeftHf“fg (SALE) 1,500%~

TrueTypefo□[fWf#f“,ìAmSftfHf“fg,Å,·□B
ŽŸ,ì,æ,ɹ,È‘g□‡,¹•û,ª□l,ı,ç,ê,Û,·□B

AmS-TeX/LaTeXfZfbfg + METAFONT for Windows + WinDviPRO

AmS-TeX/LaTeXfZfbfg + AmS-PKftfHf“fg + WinDviPRO

AmS-TeX/LaTeXfZfbfg + AmS-TrueTypeftfHf“fg (+ WinDviPRO)

WinDviPRO Version 2.0

WinDviPRO ,íAŠ"Ž®%iŽĐfCf"fvfĈfX,ì"□s,ì□uTeX for Windows □□c'g,Ý'í%ž"ú-
{ĈĕTeX"□□šŠÁ<«□□v,É•t'® ,ì WinDvi,đ<@"\Šg'£,μ,½,à,ì,Á,·□B

WinDviPRO ,ì□w"ü'O,ÉŽŽ—p,μ,Ä,č,½,¾,,½,β,ì□Afff,fo□[fWf†f",đ—p^Ó,μ,Ä, ,è,Ü,·□B

WinDvi ,Æ,ìŠ^á

WinDviPRO ,Á,í□ATEX for Windows ,É•t'® ,μ,Ä,č,é WinDvi ,ì [f}fEfX] f□fjf...□[.đ,È,,μ,Ä
[fc□[f<] f□fjf...□[.đ'Ç%oÁ,μ□Afc□[f<fo□[.lf{f^f",ì"z'u,à•ì□X,μ,Ü,μ,½□B

<@"\“I,É,í□A^È%o°,ì" _ ,đ<%o»,μ,Ü,μ,½□B

PK ftfHf"fg,đŽg—p,·,é,±,Æ,²,Á,« ,Ü,·

[fc□[f<]-[ftfHf"fg□Ý'è] ,ÁftfHf"fg,ì□Ý'è,²,Á,« ,Ü,·□B

□}ĈE`□o—í,ì•û-@,²□,ì,Ü,μ,½

WMF ftf@fCf<,â PostScript ftf@fCf<,lfCf"fnf<□[fh,â tpic ,đfTf|□[fg,μ,Ü,·□B

Šg'á^□k□—,ì't□S^É'u,đf}fEfX,ÁŽw'è,Á,« ,é,æ,²,É,μ,Ü,μ,½

[fc□[f<] f□fjf...□[.Áf}fEfX,lf,□[fh,đ [fY□[f€fCf"]□^ [fY□[f€fAfEfG] ,É□Ø,è'Ö,ì□A%æ-
É□ă,ÁfnfšfbfN,μ,Ü,·□Bfc□[f<fo□[.ìŠg'á^□k□—f{f^f",ì^Ó-
; ,²□Af}fEfX,lf,□[fh□Ø,è'Ö,ì,É•í,í,è,Ü,μ,½□B

Šg'á—,đŽ@ "® "I,ÉĈvŽZ,μ,Ü,·

[•\Ž!]-[□k□—/Šg'á] ,Á□A[fy□[fW•□,đŠî□€]□A[fy□[fW□, ,đŠî□€]□A['Sfy□[fW,đ•\Ž!]
,đ'I,Ô,Æ□Afy□[fWfTfCfY,ÆfEfBf"fhfE,ì'á,« ,³ ,© ,çŠg'á—,đŽ@ "® "I,ÉĈvŽZ,μ,Ü,·□B

WinDviPRO fx□[f^fo□[fWf†f",Æ,ìŠ^á

Version 2.0 ,Á,í□Afx□[f^fo□[fWf†f",© ,ç^È%o°,ì" _ ,đ•ì□X,μ,Ü,μ,½□B

WMF ,đfTf|□[fg,μ,Ü,μ,½

•W□€ WMF□A□Ä"z'u%oÁ"\ WMF□ACLp ,ìsfNf`ffff□[f^ ,É'í%ž,μ,Ä,č,Ü,·□B

tpic ,lfTf|□[fg,đ<%o»,μ,Ü,μ,½

ftfHf"fg,ì□Ý'è,đ,·,é,½,β,ìft□[fU□[fCf" f^□[ftfFfCfX,đ□Ý,· ,Ü,μ,½

wintex.ini ,đ'¼□Ú•Ò□W,·,é•K—v,²,È,,È,è,Ü,μ,½□B[fc□[f<]-[ftfHf"fg□Ý'è] ,Á•\
Ž!,³,è,éf_fCfAf□fOf{fbfNfX,đŽg,č,Ü,·□B

Šg'á^□k□—,ìft□[fU□[fCf" f^□[ftfFfCfX,đ•ì□X,μ,Ü,μ,½

,±,ìftf@fCf<,ì□uWinDvi ,Æ,ìŠ^á□v,đŽQ□Æ,μ,Ä,,¾,³,č

•s<ì□†□C□³,đ□s,Á,Ä,č,Ü,·

WinDviPRO Version 2.0/DEMO,É,Â,ç,Ä

WinDviPRO,ÍAŠ"Ž®%öiŽĐfCf"fvfĈfX,ì"□s,ì□uTeX for Windows □\□c'g,Ý'í%öž"ú- {ĈÉê
TeX"□□‡ŠÂ<«□\□v,É•t'® ,ìWinDvi,đ<@"\Šg'£,μ,½,à,ì,Ä,·□B

Version 2.0/DEMO,Í□AWinDviPRO,đ□w"ü,·,é'O,É'ìĈ±,μ,Ä,ç,½,¾,,½,ß,ì•]‰
žfo□[fWf‡f" ,Ä,·□B,±,ìfo□[fWf‡f" ,í^ó□ü,·,é,±,Æ,³,Ä,«,Ü,¹,ñ□B,» ,ê^ÈŠO,ì<@"\
,Í□A□»•i"Ä,ìWinDviPRO Version 2.0,Æ"~"™ ,Ä,·□B

WinDviPRO Version 2.0/DEMO,Íwdvip2d.lzh,ìĈ` ,Ä"z•z,μ,Ü,·□BfCf"fXfg□[f<,ì•û-
@,È,Ç□Ú,μ,ç,±,Æ,ÍpfbfP□[fW,ì†,ìREADME.TXT,đŽQ□Æ,μ,Ä,,¾,³,ç□B

WinDviPRO Ver.2.0/DEMO,ì"z•z,Í□AĈ»□Ý^È%º,ì•û-@,Ä□s,Á,Ä,ç,Ü,·□B

NIFTY-Serve,ìWindows Application Forum□iGO FWINAP□j

PC-VAN,ìWindows Park□ij WINPARK□j

•¾ŽĐAnonymous ftp□iftp://ftp.impress.co.jp/pub/WinTeX/powerup□j

□Ä"z•z,É,Â,ç,Ä

wdvip2d.lzh ,ÍŽ©—R,É"z•z,μ,Ä,ç,½,¾,ç,ÄĈ<□\,Ä,·□B,½,¾,μ□Awdvip2d.lzh ,đ,±
,ì,Ü,Ü,ìĈ` ,Ä"z•z,μ,Ä,,¾,³,ç□B

fo [fWf]f "fAfbfv, É, Â, ç, Ä

TeX for Windows \c'g, Y'í%ž "ú- {CEê TeX" [ŠÂ<< \

v, ì•s<í [f, ð [C³, , é, ½, ß, ì [••ª, ð"z•z, µ, Ä, ç, Ü, · [B

CE» Y, ì [Ä Vfo [fWf]f " , í1.0c, Ä, · [B, ±, ìfo [fWf]f "fAfbfv, Ä [Afvf [fOf%of€f, fWf...

[f<, ìfo [fWf]f " ,ª1.0b, ©, ç1.0c, É [Aftf@fCf<, ì"ú•t,ª94-10-04, ©, ç95-03-24, É, È, è, Ü, · [B

^È%º, ì [à-¾, Ä, í"üžè•ú-@, ð (FD) (BBS) (FTP) , Ä•Ž!, µ, Ä, ç, Ü, · [B

fo [fWf]f "1.0 [A1.0a, ì [ê [f

f}fjf...fAf<, ì%œ•t [i [Ä [fy [fW], É

[% "Ä [i1994" N5CEŽ1 "ú" [s [j

'æ1" Ä2 [ü [i1994" N6CEŽ1 "ú" [s [j

'æ1" Ä3 [ü [i1994" N7CEŽ1 "ú" [s [j

'æ1" Ä4 [ü [i1994" N9CEŽ1 "ú" [s [j

, ì, ç, , , é, ©,ª•Ž!,³, è, Ä, ç

, é [ê [f, í [A, Ü, WINTEX02.LZH, ðžg, Ä, Ä1.0b, Éfo [fWf]f "fAfbfv, µ, Ä, ©, çWINTEX03.LZH, ðžg,

Ä, Ä1.0c, Éfo [fWf]f "fAfbfv, µ, Ä, ,¾,³, ç [B, Ç, ÿ, ç, à (FD) (BBS) (FTP) , Ä"üžè, Ä, <, Ü, · [B

fo [fWf]f "1.0b, ì [ê [f

, , Ä, ÉWINTEX02.LZH, ðžg, Ä, Äfo [fWf]f "fAfbfv, ð [s, Ä, Ä, ç, é [ê [f, â [Af}fjf...fAf<, ì

%œ•t [i [Ä [fy [fW], É

'æ1" Ä5 [ü [i1995" N3CEŽ1 "ú" [s [j

'æ1" Ä6 [ü [i1995" N5CEŽ1 "ú" [s [j

, ì, ç, , , é, ©,ª•Ž!,³, è, Ä, ç, é [ê [f, í [AWINTEX03.LZH, ðžg, Ä, Ä1.0c, Éfo [fWf]f "fAfbfv, µ, Ä, -

,¾,³, ç [B (FD) (BBS) (FTP) , Ä"üžè, Ä, <, Ü, · [B

Win32s, ì [Ä Vfo [fWf]f "

Win32s, ì [Ä Vfo [fWf]f " , ð (FD) (FTP) , Ä"üžè, Ä, <, Ü, · [B

fo [fWf]f "fAfbfv—š—ð

WINTEX01.LZH

Ver.1.0, ©, ç1.0a [[ftf@fCf<, ì"ú•t,ª94-03-24, ©, ç94-05-20, É

WINTEX02.LZH

Ver.1.0, 1.0a, ©, ç1.0b [[ftf@fCf<, ì"ú•t,ª94-03-24, 05-20, ©, ç94-10-

04, É [iWINTEX01.LZH, í•K—v, , è, Ü,¹, ñ [j

WINTEX03.LZH

Ver1.0b, ©, ç1.0c [[ftf@fCf<, ì"ú•t,ª94-10-04, ©, ç95-03-

24, É [iVer.1.0, 1,0a, ð, "ž [, ÿ, ì•ú, í [A [Ä [f% , ÉWINTEX02.LZH, ðžg—

ρ, μ, Ä1.0b, Éfo [fWf††“fAfbfv, μ, Ä,, 3/4, 3, †]

