

Version=2.10 Novell Client 32 Configuration Help
Copyright (c) Copyright 1995, 1996, Novell, Inc. All rights reserved.

%2:[]@,±,}f[]fOfCf“fXfNfŠfvg•ï[]”,ÉŠ,,è“-,-,Ä,½,ç'l,ð“ü—Í,μ,Ä,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Login_Script_Variable_Notes')} **f[]f.**

%3:[]@,±,}f[]fOfCf“fXfNfŠfvfg•ï[]”,ÉŠ,,è“-,Ä,½,ç'l,ð“ü—Í,μ,Ä,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Login_Script_Variable_Notes')} **f[]f.**

%4:[]@,±,}f[]fOfCf“fXfNfŠfvfg•ï[]”,ÉŠ,,,è“-,Ä,½,ç'l,ð“ü—Í,μ,Ä,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Login_Script_Variable_Notes')} **f[]f.**

%5:[]@,±,}f[]fOfCf“fXfNfŠfvfg•ï[]”,ÉŠ,,è“-,Ä,½,ç'l,ð“ü—Í,μ,Ä,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Login_Script_Variable_Notes')} **f[]f.**

Å%o,ìfofi[-¼: @fofi[fy[fW,ìã"¼•a,É^óü,.,éfefLjXfg,ðŽw'è,μ,Ä,,¾,¾,çB,±
.ìfefLjXfg,É,íÅ,12•¶Žš,Û,ÄŽw'è,Ä,«,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`1st_Banner_Name_Notes')} fff.

Å%o,lfofi[-¼,ÉŠÖ,·,éf,f,

ffftfHf<fg: @,È,µ

- fvfŠf“f^,lfvf[]pfefB,ðŽg—p,·,ê,îA“Á’è,lfvfŠf“f^,É,Â,ç,Ä,±,ìY’è,ð•ïX,Å,«,Ü,·B
- Novell* NetWare* Client* 32*fvf[]pfefB,ðŽg—p,·,ê,îAfffffHf<fgfLffvf`ff,ìY’è,ð•ïX,Å,«,Ü,·B

*fmjxf<,ìx•W[]@**fT[]fhfp[]fefB,ìx•W

Úx,ìx•W,ðŽQ[]E,µ,Ä,,¾,¾,çB

2"Ô-Ú,ìfofi[-¼:@fofi[fy[fW,ì%o"¼•a,É^óü,·,éfefLfXfg,ðŽw'è,μ,Ä,,¾,¾,çB,±
·,ìfefLfXfg,É,íÄ,12•¶Žš,Ú,ÄŽw'è,Ä,«,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`2nd_Banner_Name_Notes')}} **fif.**

2"Ó-Ú,lfofi[-¼,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@,È,μ

- fvfŠf“f^,lfvf□pfefB,đŽg—p,·,ê,î“Á’è,lfvfŠf“f^,É,Â,ç,Ä,±,ì□Ý’è,đ•ï□X,Â,«,Ü,·□B
- Novell* NetWare* Client* 32*fvf□pfefB,đŽg—p,·,ê,î□AffffHf<fgfLffvf`ff,ì□Ý’è,đ•ï□X,Â,«,Ü,·□B

*fmjxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W

□Ú□x,í□x•W,đŽQ□Æ,μ,Ä,,¾,¾,ç□B

32frfbfgffBfXfNfAfnfZfX

ŽŸ,İŽè±,ðŽÀs,µ,ÄAWindows** 95**,a32frfbfgffBfXfNfAfnfZfX,ðŽg—p,µ,Ä,ç,é,©,Ç,±,©,ð²,x,Ä,,¾,¾,çB

1. [5],ðfNfŠfbfN,µ,ÄAfVfXfef€fvfƒpfefB,İŸ'è,ð•\Ž!,µ,Ä,,¾,¾,çB
2. [mfptfH[f]f“fXn,İf^fu,É, ,é%¼'zfƒfŠ,İŸ'è,ð`fFfbfN,µ,Ä,,¾,¾,çB,±,é,İ32frfbfgf,ÉŸ'è,¾,é,Ä,ç,é,İ,,Ä,·B,»»,è^ÈSO,İŸ'è,İè±AWindows 95,İ32frfbfgffBfXfNfAfnfZfX,ðŽg—p,µ,Ä,ç,Ü,¹,ñB

fƒf,

- CEŸŠ·«.,İ,É,çffBfXfNfRf“fgfƒƒf%º,aCE^ö,Ä“Á'è,İf}fVf“ä,Ä32frfbfgffBfXfNfAfnfZfX,a~—p,Ä,«,É,çè±AClient 32*,İA32frfbfgffBfXfNfAfnfZfX,a—LCEø,È,Æ,«,É—~—p%oÄ“\,Éf}f<`fXfCfbfhfCfxf<,ð'ñ<Ÿ,Ä,«,Ü,¹,ñB
- 32frfbfgffBfXfNfAfnfZfX,a—LCEø,Ä, ,éè±AfŠfNfGfXf^,İ•;İ” ,İfİfbfgfƒƒfN—v<İ,ð“Žž,É^—İ,Ä,«,Ü,·B,½,Æ,İ,İA2,Ä,İDOSf{fbfNfX,Æ1,Ä,İWindowsfAfVfŠPƒfVfƒf“,©,ç,İSe—v<İ,ð^—İ,µ,½,èA•;İ” ,İWin32fXfCfbfh,©,ç,İ—v<İ,ð^—İ,µ,½,è,Ä,«,Ü,·B
- NetWare* 32frfbfgfŠfNfGfXf^,İf}f<`fXfCfbfh,Æ“ŽžfİfbfgfƒƒfN—v<İ,ðŠ@‘S,ÉfTfİƒfg,µ,Ä,ç,Ü,·,aAfƒƒfƒfƒfBfXfNfhf%ºfCfo,É,æ,Ä,Ä,İfŠfNfGfXf^,a•;İ” ,İ—v<İ,ð“Žž,É^—İ,Ä,«,É,-,É,è,Ü,·B,µ,½,a,Ä,ÄAfŠfNfGfXf^,İ32frfbfgffBfXfNfAfnfZfX,a~—p,Ä,«,É,ç,±,Æ,ðCEŸo,·,é,ÆA“Žž—v<İ,İfTfİƒfg,ð³CEø,É,µ,Ü,·B
- NetWare 32frfbfgfŠfNfGfXf^,İfptfH[f]f“fX,İA32frfbfgftf@fCf<fAfnfZfX,a—LCEø,Ä, ,é,©,Ç,±,©,É,İ'É'Ÿ,µ,Ä,ç,Ü,¹,ñ(Žg—p't,İftf@fCf<fAfnfZfX,İŽí—p,İmfptfH[f]f“fXn,İf^fu,É, ,éftf@fCf<fVfXfef€ ,İŸ'è,ÉŽ!,¾,é,Ü,·)B

*fmfxf<,İ±•W@**fTƒfƒfƒfB,İ±•W
İÜx,İ±•W,ðŽQAE,µ,Ä,,¾,¾,çB

'Ç%Á: @ftfE [f€f^fCfv, ð'l'ð, µA m'Ç%Á n, ð'l'ð, µ, ÄAIPX*, ðf ofCf "fh æ, ð'__=
ff{ [fh, ðfŠfXfg, ÉA'l'ð, µ, ½ftfE [f€f^fCfv, ð'Ç%Á, µ, Ä, , ¾, ¾, çB

'Ç%Á,lf`fpfX: Host Resources MIB,afvfOf%f€tf@fCf<,đfT[f` ,.é,Æ,«,lfffBfEfNfgfŠ,đŽw'è,μ,Ä,-
,³/₄,³,çB
{button ,JI(`NWCFG95.HLP>nwc32',`Additional_Search_Paths_Notes')}} ff.

'Ç%Á,İfT[f`fpfX@'Ç%Á:@ffBfÇfNfgfŠ,đ'l'đ,μ,½, ,ÆA m'Ç
%Á,İfT[f`fpfXn,İfŠfXfg,É'l'đ,μ,½ffBfÇfNfgfŠ,đ'Ç%Á,·,é,É,Ím'Ç%Án,đ'l'đ,μ,Ä,,¾,¾,çB

'Ç%Á,İfTlf`fjX@fuf%EfY: @m'Ç%Á,İfTlf`fjXn,İfŞfXfg,É'Ç
%Á,µ,½,ıffBfCfNfgfŞ,đ'ı'đ,Á,«,é,æ,ı,Éf[fNfXfe[fVfıf"ã,İffBfCfNfgfŞ,đ•\Žı,ı,é,É,ıAmfuf
%ofEfYn,đ'ı'đ,µ,Á,,¾,¾,ıB

'Ç%Á,İfT[f`fpfX@íœ: fffBfÇfNfgfŠ,đ'l'đ,μ,½, ,ÆA m'Ç
%Á,İfT[f`fpfXn,İfŠfXfg, ©,ç,» ,İffBfÇfNfgfŠ,đíœ,·,é,É,İmíœn,đ'l'đ,μ,Ä,,¾,¾,çB

'Ç%oÁ,lfT[]f`fpjX,ÉŠÖ,.,éf[]f,

ffftfHf<fg:[]@,É,µ

—á:[]@C:\WINDOWS

f[]f,

- fffBfCEfNfgfŠ,[]%o;lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[][fN,^t,ç,Ä,ç,é,Æ,«[]A,»,lfBfCEfNfgfŠ,[].,x,Ä,lfTfuBfCEfNfgfŠ,àfT[]f`^,è,Ü,·[]B,±,ì[]Ý'è,ð·ï[]X,·,é,É,í[]A,±,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}[][fN,ðŠÖ,µ,Ä,,¾,¾,ç[]B
-

[]mf<[][fg,©,çfT[]f`.,éfffBfCEfNfgfŠfCEfxf<[]n,ì[]Ý'è,É,æ,Á,ÄfT[]f`^,è,éfffBfCEfNfgfŠ^ÈŠÖ,É[]AŽw'è,µ,½fffBfCEfNfgfŠ,àfT[]f`^,è,Ü,·[]B

- ,±,ì[]Ý'è,lfjfvfVfj#“,Ä,·[]B
- fvf[]fOf%of€,ÉŠÖ,.,é[]î•ñ,lfjfbfgf[][]fNŠÇ—[]fRf“f[][f<,É,æ,Á,ÄŽg—p,è,Ü,·[]B,±,ì[]î•ñ,lfNf%ofCfAf“fgf[][]fNfXfe[][fVfj#“,Äj\ftgfEjFfA,ð'Ç[]Ö,·,é,ì,É—L—p,Ä,·[]B
- ,±,ì[]Ý'è,ÍŽÝ,ì,ç,,è,©,É,æ,Á,Ä·ï[]X,Ä,«,Ü,·[]B
fzfXfgfŠf[][fX,ìMIBfvf[]pfefB,ì[]m\ftgfEjFfAft[]f`^nf^fu
fVfXfef€lfjŠfv[][fGfffBf^
Admin.iffftfHf<fg

Admin,iffftfHf<fg,ì[]î•ñ

fjfvfVfj#“:[]@Resources

[]\•[]: swdirectorysearch=path(*)

—á: RESOURCES

SWDIRECTORYSEARCH=c:\novell\

SWDIRECTORYSEARCH=c:\apps*

'Ç%Á,İfT[f`fpfX@'u,«Š·,ı: @'uŠ·,·,éffBfCefNfgfŠ,đŽw'è,μ,ÄA m'Ç
%Á,İfT[f`fpfXn,İfŠfXfg,©,çV,μ,çffBfCefNfgfŠ,đ'l'đ,μ,½, ,ÆAŽw'è,μ,½ffBfCefNfgfŠ,đV,μ,çffBfCefNf
gfŠ,Á'u,«Š·,ı,é,É,İm'u,«Š·,ın,đ'l'đ,μ,Ä,,¾,¾,çB

Admin,iffHf:fgjpf%of[]f^

Link Support

[Max Buffer Size](#)

NetWare DOS Requester

[Auto Reconnect Level](#)

[Cache Writes](#)

[Checksum](#)

[Close Behind Ticks](#)

[Delay Writes](#)

[DOS Name](#)

[Environment Pad](#)

[File Cache Level](#)

[First Network Drive](#)

[Force First Network Drive](#)

[Handle Net Errors](#)

[Hold](#)

[Large Internet Packets](#)

[LIP Start Size](#)

[Lock Delay](#)

[Lock Retries](#)

[Long Machine Type](#)

[Max Cache Size](#)

[Max Cur Dir Length](#)

[Message Timeout](#)

[Minimum Time to Net](#)

[Name Context](#)

[NCP* Max Timeout](#)

[Net Status Busy Timeout](#)

[Net Status Timeout](#)

[NetWare Protocol](#)

[Network Printers](#)

[Opportunistic Locking](#)

[PB Buffers](#)

[Pburst Read Window Size](#)

[Pburst Write Window Size](#)

[Preferred Server](#)

[Preferred Tree](#)

[Print Header](#)

[Print Tail](#)

[Read Only Compatibility](#)

[Search Dir First](#)

[Search Mode](#)

[Set Station Time](#)

[Short Machine Type](#)

[Show Dots](#)

[Signature Level](#)

[True Commit](#)

NIOS

[Alert Beep](#)

[Log File](#)

[Log File Size](#)

[Use Video BIOS](#)

NWIP

Nearest NWIP Server
NWIP1_1 Compatibility
NetWare/IP Domain name
Autoretry Secs
Preferred DSS
Autoretries

Protocol IPX

INT64
INT7a
IPX* Diagnostics
IPX Retry Count
Pre-Allocate VGNMA Memory
Net Bind
Primary
SPX* Abort Timeout
SPX Connections
SPX Listen Timeout
SPX Verify Timeout
SPX Watchdogs

Resources

Modem
Printer
Tapedrive
SWDirectorySearchDepth
SWDirectorySearch

SNMP

Control Community
Enable Control Community
Enable Monitor Community
Monitor Community
snmpEnableAuthenTrap
sysContact
sysLocation
sysName

*fmx<,ì•W@**fT[fhfp[fefB,ì•W
Ùx,ì•W,ðZQ/Æ,μ,Ä,,¾,³,çB

□, "x, ÈIPX□Ý'è, if^fu

1ŽŸ~ -□f{□fh:

1ŽŸ~ -□f{□fh, ìftfĀ□[fēf^fCfv:

ĀŸ□o,³ê,^½ftfĀ□[fēf^fCfv, ð, , x, ÄŽg-p:

ŽŸ, ìftfĀ□[fēf^fCfv, ^¾, ~Žg-p:

ftfĀ□[fēf^fCfv:

'l'ð,³ê,^½ftfĀ□[fēf^fCfv, ìfŠfXfg: 'Ç%ooÁ

□í□œ

☐Ú☐×☐Ý'èfpf%of☐☐lf^

- Alert Beep
- Auto Reconnect Level
- Cache NetWare Password
- Cache Writes
- Checksum
- Close Behind Ticks
- Delay Writes
- DOS Name
- Environment Pad
- File Cache Level
- Force First Network Drive
- Handle Net Errors
- Large Internet Packets
- LIP Start Size
- Lock Delay
- Lock Retries
- Log File
- Log File Size
- Long Machine Type
- Link Support Layer Max Buffer Size
- Max Cache Size
- Max Cur Dir Length
- Message Timeout
- Minimum Time to Net
- NCP* Max Timeout
- Net Status Busy Timeout
- Net Status Timeout
- NetWare* Protocol
- Network Printers
- Opportunistic Locking
- Packet Burst*
- Packet Burst Read Window Size
- Packet Burst Write Window Size
- Print Header
- Print Tail
- Read Only Compatibility
- Search Dirs First
- Search Mode
- Set Station Time
- Short Machine Type
- Show Dots
- Signature Level
- True Commit
- Use Video BIOS

*fmx<,)☐☐•W☐@**fT☐[fhfp☐[fefB,)☐☐•W
☐Ú☐×,)☐☐•W,δZQ☐Æ,μ,Ä,,¾,³,ç☐B

□Ú□×□Ý'è,ìf^fu

fpf%oof□□lf^fOf<□lfv

□à-¾

□Ý'è

f_fCfif~fbfNfpf%oof□□lf^

Alert Beep: @f|fbfvfAfbfv,ìEx□□fbfZ□[fW,đ•\Ž|,·,é,Æ,«,ÉClient 32*,@fr□[fv%°¹,đ-Â,ç,·,©,Ç,¤
,©,đŽw'è,μ,Û,·□B
{button ,JI(`NWCFG95.HLP>nwc32',`Alert_Beep_Notes')} ff

Alert Beep,ÉŠÖ,-,éf

ffftfHf<fg:@on

—LCEø,È'!@onboff

f

▪ ,±,ìfpf%of[f^,í•¶Žšf,[fh,Å•\Ž!,³,ê,éf[]fbfZ[]fW,É,³/₄,~“K—p,³,ê,Ü,·[]B

▪ ,±,ì[]Ý'è,ÍŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•ì[]X,Å,«,Ü,·[]B

Novell* NetWare* Client* 32*fvf[]pfefB,ì[]m[]Ú[]x[]Ý'è[]nf^fu

fVfXfef€f[]fŠfV[]fGfffBf^

Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f[]f[]v[]f[]f[]f[]:@NIOS

[]\•¶:@Alert Beep=onboff

—á:@NIOS

ALERT BEEP=OFF

*f[]m[]f[]x[]f[],ì[]x[]•W[]@**f[]T[]f[]h[]f[]p[]f[]ef[]B,ì[]x[]•W

[]Ú[]x,ì[]x[]•W,øŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

□Ú'±fEfHfbf`fhfbfO<-‰oÂ:

□Ú'±,đfEfHfbf`fhfbfO,·,éfAfvfŠfP□[fVf#f" —v<□,đSPX*,^aŽó,~"ü,ê,é,æ,α,É,·,é,É,í□A,±,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,đ•t,~,Ä,,³/₄,³,¢□B

SPX,^a□Ú'±,đfEfHfbf`fhfbfO,μ,È,¢,æ,α,É,·,é,É,í□A,±,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}□[fN,đŠO,μ,Ä,,³/₄,³,¢□B
{button ,JI(`NWCFG95.HLP>nwc32',`Allow_Connection_Watchdogging_Notes')} f□f.

U'±fEfHfbf`fhfbfO<-%oA,ÉŠÖ,·,éf[]f,

fftfHf<fg:[]@on

- ,±,ì[]Ý'è,í[]«-^,ìŽg—p,ì,½,ß,ì,à,ì,Å,·[]B
- ,±,ì[]Ý'è,ìŽÝ,ì,ç,,è,©,É,æ,Á,Ä•ì[]X,Å,«,Ü,·[]B
IPX 32-bit Protocol for Novell NetWarefv[]fpfefB,ì[]mSPX[]nf^fu
fVfXfef€f[]fŠfV[]fGfffBf^
Admin,ìfftfHf<fg

Admin,ìfftfHf<fg,ì[]î•ñ

f!fvfVf#f“:[]@Protocol IPX

[]\•!:[]@SPX Watchdogs=on[]boff

—á:[]@PROTOCOL IPX

SPX Watchdogs=OFF

*fmfxf<,ì[]x•W[]@**fT[]f[hfp[]f[]fB,ì[]x•W
[]U[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

ft[fU,Éfgf%ofXfefB,ì'Ç%ÁAíœA•ïX,ð<-%Á,·,é

mNetWare*,ìCE — ~nfvfpfefBfy[fW,ðŽg—p,μ,Äfgf%ofXfefB,ð'Ç%ÁAíœ,μ,½,èAfgf
%ofXfefB,ÉŠ,,è“-,Ä,Ç,ê,Ä,ç,éCE — ,ð•ïX,μ,½,è,·,é,±,Æ,ðft[fU,É<-%Á,·,éê±,íA,±
,ìf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[fN,ð•t, ,Ä,,¾,¾,çB

ft[fU,ªmNetWare,ìCE — ~nfvfpfefBfy[fW,Äfgf%ofXfefB,ð•ïX,Ä,«,È,ç,æ,æ,É,·,éê±,íA,±
,ìf`fFfbfNf{fbfNfX,ìf`fFfbfNf}[fN,ðŠO,μ,Ä,,¾,¾,çB

f[f,

- ffftfHf<fg,Ä,íAft[fU,ìmNetWare,ìCE — ~nfvfpfefBfy[fW,ðŽg—p,μ,Äfgf%ofXfefB,ìŠ,,è“-
,Ä,ð•ïX,Ä,«,Ü,·B
- ,±,ìY'è,ìVfXfef€fìfŠV[fGfffBf^,ðŽg—p,μ,Ä•ïX,Ä,«,Ü,·B

*fmfxf<,ìx•W@**ft[fhfp[fefB,ìx•W
Üx,ìx•W,ðŽQÆ,μ,Ä,,¾,¾,çB

ft[fU,É^³k'@<,ì•iX,ð<-‰Å,.,é

mNetWare*ftfHf<f_nfvf[]pfefBfy[]fW,ðŽg—p,μ,Ä^³k'@<,ð•iX,.,é,±,Æ,ðft[fU,É<-‰Å,.,éê±,íA,±,lf`fFbfNf{fbfNfX,Éf`fFbfNf}[]fN,ð•t,~,Ä,,¾,¾,çB

mNetWareftfHf<f_nfvf[]pfefBfy[]fW,ðŽg—p,μ,Ä^³k'@<,ð•iX,.,é,±,Æ,ð<ÖŽ~,.,é,É,íA,±,lf`fFbfNf{fbfNfX,lf`fFbfNf}[]fN,ðŠO,μ,Ä,,¾,¾,çB

f[]f,

- ^³k'@<,í^³k<ÖŽ~,Æ'!Žž^³k,Å,·B
- ffftfHf<fg,Å,í[]Aft[]fU,í[]mNetWareftfHf<f_nfvf[]pfefBfy[]fW,ðŽg—p,μ,Ä^³k'@<,ð•iX,Å,«,Ü,·B
- mft[]fU,ÉŠg'Éfvf[]pfefB,ì•iX,ð<-‰Å,.,é[]nf`fFbfNf{fbfNfX,Éf`fFbfNf}[]fN,²•t,ç,Ä,ç,É,çê±[]A,±,íY'è,í-³Ž<,³,è[]Aft[]fU,í^³k'@<,ð•iX,Å,«,Ü,¹,ñB^³k'@<,íŠg'Éfvf[]pfefB,í^è•",Å,·B
- ,±,ìY'è,íVfXfef€[]fŠfV[]fGfffBf^,ðŽg—p,μ,Ä•iX,Å,«,Ü,·B

*fmfxf<,ìx•W[]@**fT[]fhfp[]fefB,ìx•W
[]Üx,í[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,çB

ft[]fU,ÉŠg'£fvf[]fpfefB,ì•ì[]X,ð<-%%Å,·,é

[]mNetWare*ftf@fCf<[]n,Ü,½,í[]mNetWareftfHf<f_[]nfvf[]fpfefBfy[]fW,ðŽg—
p,µ,Äft[]fU,³Šg'£fvf[]fpfefB,ð•ì[]X,·,é,±,Æ,ð<-%%Å,·,é[]ê[]‡,í[]A,±
,ìf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[]fN,ð•t,¯,Ä,,¾,³,ç[]B

ft[]fU,³[]mNetWareftf@fCf<[]n,Ü,½,í[]mNetWareftfHf<f_[]nfvf[]fpfefBfy[]fW,ðŽg—
p,µ,ÄŠg'£fvf[]fpfefB,ð•ì[]X,·,é,±,Æ,³,Å,«,È,ç,æ,‡,É,·,é[]ê[]‡,í[]A,±
,ìf`fFfbfNf{fbfNfX,ìf`fFfbfNf}[]fN,ðŠO,µ,Ä,,¾,³,ç[]B

f[]f,

- ftf@fCf<,ìŠg'£fvf[]fpfefB,ìfŠf[]f€<ÖŽ~[]A<‡—L%Å"[]A[]íœ<ÖŽ~[]Afgf
%oof"[]fUfNfVf‡f"[]AfRfs[][<ÖŽ~[]A';Žžfp[]fW,Å,·[]B
- ftfHf<f_,ìŠg'£fvf[]fpfefB,ì^³[]k<ÖŽ~[]A';Žž^³[]k[]AfŠf[]f€<ÖŽ~[]A';Žžfp[]fW[]A[]íœ<ÖŽ~,Å,·[]B
- ffftfHf<fg,Å,í[]Aft[]fU,í[]mNetWareftf@fCf<[]n,Ü,½,í[]mNetWareftfHf<f_[]nfvf[]fpfefBfy[]fW,ðŽg—
p,µ,ÄŠg'£fvf[]fpfefB,ð•ì[]X,Å,«,Ü,·[]B
- ,±,ì[]Ý`è,ìVfXfef€fìfŠfV[]fGfffBf^,ðŽg—p,µ,Ä•ì[]X,Å,«,Ü,·[]B

*fmfxf<,ì[]‡•W[]@**ft[]fhfp[]fjefB,ì[]‡•W
[]Ü[]x,ì[]‡•W,ðŽQ[]Æ,µ,Ä,,¾,³,ç[]B

d•j,μ,È,ç-¼'O,ðfT[fó,ÆfcfŠ[ÉŠ,,è“-,Ä,é

f|fbfgf[fN“à,ì,·,×,Ä,lfcfŠ[,ÆfT[fó,Éd•j,μ,È,ç-¼'O,ð•t,¯,é,±,Æ,ºd—v,Å,·BfT[fó,ºNetWare*
3*,ÆNetWare 4*,l,Ç,¿,ç,ðŽÀ[s,μ,Ä,ç,é,©,Í-â'è,Å,Í, ,è,Û,¹,ñB,Ç,¿,ç,lê±,à-¼'O,ºd•j,μ,È,ç,æ,α
,É,μ,È,¯,è,Î,È,è,Û,¹,ñB

-¼'O,ºd•j,μ,Ä,ç,é,ÆAfcfŠ[É,Â,ç,Ä,lî•ñ,ºŽÀÛ,Í“¯,¶-¼'O,ðŽ[,ÂfT[fó,lî•ñ,Å, ,é%oÂ“\«^a, ,è,Û,·Bfv
f|fofCf_ºŽó,¯Žæ,é,l,lfufWfFfNfg,l-¼'O,³/₄,¯,È,l,ÄAfcfŠ[,ÆfT[fó,ð<æ•È,·,é,±,Æ,Í,Å,«¹,ñB

*fmfxf<,lα•W@**fT[fhfp[fefB,lα•W
Û×,lα•W,ðŽQÆ,μ,Ä,³/₄,³,çB

ŠÂ««Ÿ'è,iž©“@ŒŸo: @DHCP, NetWare/IP*fpf%of[f^,đ'ň<Ÿ,·,é,æ,ɹ,ÉŸ'è,³,ê,Ä,ç,éê‡,ÉA,±,lfpf
%of[f^,đ'đ,μ,Ä,,¾,³,çB
{button ,JI(`NWCFG95.HLP>nwc32',`Auto_Detect_Configuration_Notes')}} **fif.**

ŠĀ<<Ų'è,İŽ©“®ĈËŸŲo,ÉŠÖ,.,éfŲf,

- ,±,İŲ'è,ÍNovell* NetWare*/IP* Protocol.İfvŲŲpfefB,İŲmfpf%ŲfŲŲf^Ųnf^fu,đŽg,Á,Ä•İŲX,Á,«,Ü,·ŲB
- ,±,İŲ'è,İŲVfXfef€fİfŠfVŲŲfGfffBf^,âAdmin.İffffHf<fg,đŽg,Á,Ä,à•İŲX,Á,«,Ü,¹,ñŲB

*fmfxf<,İŲŲ•WŲ@**fTŲŲfhfpŲŲfefB,İŲŲ•W
ŲŲŲx,İŲŲ•W,đŽQŲÆ,μ,Ä,,³/₄,³,čŲB

f![fgfGf“fhfLfffbfv: fLffffv`ff,μ,½ff[f^,ð•Â,¶,ÄAfAvfŠfP[fVf#f“,ì|—¹CEä,ÉfvfŠf“f^,É’—
□M,μ,½,çê±,íA,±,lf`fFbfNf{fbfNfX,Éf`fFbfNf}□[fN,ð•t, ,Ä,-
,¾,¾,ç□BfLffffv`ff,μ,½ff[f^,ð•Â,¶,ÄAfAvfŠfP[fVf#f“,ì|—¹CEä,ÉfvfŠf“f^,É’—□M,μ,È,çê±,íA,±
,lf`fFbfNf{fbfNfX,lf`fFbfNf}□[fN,ðŠO,μ,Ä,,¾,¾,ç(,±,í,æ,æ,É,·,é,Æ□A,æ,è’½,,ìî•ñ,ðfvfŠf“fgfWf#fu,É’Ç
%oÁ,Ä,«,é,æ,æ,É,É,è,Ü,·)□B

{button ,JI(`NWCFG95.HLP>nwc32',`Auto_Endcap_Notes')} **f!f.**

f![]f9fGf“fhfLfffbfv,ÉŠÖ,·,éf[]f,

ffftjHf<fg:[]@on

- fvfŠf“f^,lfvf[]pfefB,đŽg—p,μ,Ä“Á'è,lfvfŠf“f^,É,Â,ç,Ä,±,ì[]Ý'è,đ•ì[]X,Â,«,Ü,·[]B
- Novell* NetWare* Client* 32*fvf[]pfefB,đŽg—p,μ,ÄffftjHf<fgfLffvf`ff,đ•ì[]X,Â,«,Ü,·[]B

*fmxfx<,ì[]x•W[]@**fT[]fhfp[]fefB,ì[]x•W
[]U[]x,ì[]x•W,đŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

Auto Reconnect Level: @f!bfjgf[]fN,ìd'áfGf%[][,ì, ,Æ,Å%½,đ•œE³,·,é,©,đŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Auto_Reconnect_Level_Notes')} **f!f.**

Auto Reconnect Level,ÉŠÖ,·,éf

ffftfHf<fg: @3

"í^: @0` 5

"!l,É%ž,ŕ,ÄŽŸ,ì,æ,æ,È•œCE³,²@s,í,è,Ü,·B

0 @Ž© " @ÄÚ'±,ÍŽÀ@s,³,è,Ü,¹,ñB

1 @fffofCfX(Ú'±Afhf%ofCfuAfvfŠf"f^),¾, -,²•œCE³,³,è,Ü,·B

2 @ @ä<L,É%Ä,ì,Ä,"Ç,ŸŽ,Ÿé—pftf@fCf<,²•œCE³,³,è,Ü,·B

3 @ @ä<L,É%Ä,ì,Ä,·,×,Ä,ìftf@fCf<,Æftf@fCf<f@fbfN,²•œCE³,³,è,Ü,·B

4 @ @ä<L,É%Ä,ì,Ä'Ç%Äftf@fCf<,ì',«Ž,Ÿff[f^,ì%ñ•œ,²•ÚØ,³,è,Ü,·B

5 @ @ä<L,É%Ä,ì,Äf@fj<ffBfXfN,Ö,ìØ,è'Ö,ì,Æftf@fCf<,ìÄ"Šú%» ,²CEä,ÄŽÀ@s,³,è,Ü,·(Disconnectable NetWare,Ä,¾, -~—p%Ä"\)B

f_fCfif~fbfNfpf%of@f^

f

- Ú×,íAfLfffbfVf...,ìff[f^,ìŠ@'S@«,ì•ÚØ,ðŽQ@Æ,μ,Ä,,¾,³,çB
- Disconnectable NetWare*,²—~—p%Ä"\,Ä,È,ç,Æ,«,Ém5n,ðŽw'è,·,é,ÆAAuto Reconnect Level,ìm4n,Æ,Ÿ,È,³,è,Ü,·B
- ,±,ìÝ'è,ÍŽŸ,ì,ç,·,è,©,É,æ,Ä,Ä•ìX,Ä,«,Ü,·B
Novell* NetWare Client* 32*fvf@pfefB,ìmÚ×Ý'ènf^fu
fVXfef€fjŠfV@fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

fìfvfvf†f": @NetWare DOS Requester*

\•†: @Auto Reconnect Level=*number*

—á: @NETWARE DOS REQUESTER

AUTO RECONNECT LEVEL=4

*fmfxf<,ì×•W@**fT[fhfp[fefB,ì×•W

Ú×,ì×•W,ðŽQ@Æ,μ,Ä,,¾,³,çB

fjfCf“f_fŠÚ±: @fOf%ftfBjff<fOfCf“ft[fefBfŠfefB,É,æ,Á,ÄfT[fjo,Ö,lfOfCf“f_fŠÚ±,ðŠm—
S,;éê±,íA,±,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[fN,ð•t,~,Ä,,¾,¾,çBfOf
%oftfBjff<fOfCf“ft[fefBfŠfefB,É,æ,Á,ÄfT[fjo,Ö,ìNetWare* Directory Services*Ú±,ðŠm—
S,;éê±,íA,±,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}[fN,ðŠO,µ,Ä,,¾,¾,çB
{button ,JI(`NWCFG95.HLP>nwc32',`Bindery_Connection_Notes')} **fif.**

fofCf“f_fŠÚ‘±,ÉŠÖ,.,éf□f,

ffftfHf<fg:□@off

- NetWare* 4*fT□[fo,Ö,ìfofCf“f_fŠÚ‘±,ª•K—v,È□ê□#,í□A,±,ìf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,ð•t,~,Ä,,¾,¾,¾,ç□BfffBfCEfNfgfŠfçfŠ□[.Ö,ìfofCf“f_fŠÚ‘±,í□ì□¬,Å,«,Ü,¹,ñ□B
- ,±,ì□Y’è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Á,Ä•ì□X,Å,«,Ü,·□B
Novell* NetWare Client* 32*fvf□fpfefB,ì□mf□fOfCf“□nf^fu
fVfXfef€f|fŠfV□[fGfffBf^
- ,±,ì□Y’è,íAdmin,ìffftfHf<fg,ðŽg—p,µ,Ä,à•ì□X,Å,«,Ü,¹,ñ□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ü□x,ì□x•W,ðŽQ□Æ,µ,Ä,,¾,¾,¾,ç□B

^êÄ'—M,ì%ž“š(RSP):@f[fNfXfe[fVf†f“ ,â^êÄ'—M—v<,É%ž“š,·,é•û-@,đŽw'è,μ,Û,·B
NR@,·,×,Ä,î^êÄ'—M—v<,É'¼Ú%ž“š,μ,Û,·B^êÄ'—M%ž“š,Í•K—v, ,è,Û,¹,ñB
SR@Single Route Broadcastftf€[f€,đŽ,Â,·,×,Ä,î^êÄ'—M—v<,É%ž“š,μ,Û,·B
AR@All Routes Broadcastftf€[f€,đŽ,Â,·,×,Ä,î^êÄ'—M—v<,É%ž“š,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Broadcast_Response_Notes')} ff

^êÄ'—M,ì%ž“š(RSP),ÉŠÖ,·,éff,

ffftfHf<fg: @NR

—LCEø,È'I: @NR ASR A,Ü,½,ÍAR

▪ flfbfgf [fNfgf%ftfBfbfN,ðÅ—CEÀ,É,·,éê,í ANR, ©SR,ðŽg—p,μ,Ä,,¾,¾,ç BAR,ðŽg—p,·,é,Æ Af fbfgf [fNfgf%ftfBfbfN,â%Á,μ,Ü,· BAR,Í'È í AfNf%ofCfAf“fgf [fNfXfe [fVf#f“,Á,Í•K—v, ,è, Ü,¹,ñ B

▪ ,±,ìÝ'è,ÍfJvfVf#f“,Á,· B

▪ ,±,ìÝ'è,Ífg [fNf“fŠf“fO,Ü,½,ÍFDDI,lf fbfgf [fNfAf_fvf^,lfvf [fpfefBfv [fg,ì mSRoute 32 nf^fu,ðŽg—p,·,é,±,Æ,É,æ,è• X,Á,«,Ü,· B

—DæSAPFT[fo—v<[,ðflfbfgf[[fN,É^êÄ'—M,ÉŠÖ,·,éf[f,
ffftfHf<fg:@on

- NetWare*/IP*,É—DæNetWarefT[fo,ð'²,x,é,ì,É□A,Ç,ì•û-@,ðŽg—p,·,é,©,ðŽwŽ!,μ,Û,·□B
 - ,±,ê,íNetWare/IP,ìf!fvfVf†f“□Y'è,Ä,·□B
 - ,±,ì□Y'è,íŽY,ì,ç,,ê,©,É,æ,Ä,Ä•i□X,Ä,«,Û,·□B
- Novell* NetWare/IPfvf□fgfRf<,ìfvf□pfefB,ìmfpf%of□□f^□nf^fu
fVfXfef€f]fŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f!fvfVf†f“:□@NWIP

□\•†:□@Nsq Broadcast=on□boff

—á:□@NWIP

NSQ BROADCAST=ON

*fmfxf<,ì□•W□@**fT□[fhfp□[fefB,ì□•W
□Ú□x,ì□•W,ðŽQ□Æ,μ,Ä,,³/4,³,ç□B

—DæSAPfT[fo—v<[δflfbfgf[fN,É^êÄ'—M: @f[fj<flfbfgf[fNã,É—v<[δ^êÄ'—
M,μ,ÄANetWare*/IP*fNf%ofCfAf“fg,Å—DæNetWarefT[fo,ð'T,·ê±,íA,±
,lf`fFfbfNf{fbfNfX,É`fFfbfNf}[fN,ð•t,~,Ä,,³/₄,³,çB—v<[δDSS,É'—M,μ,ÄA—
DæNetWarefT[fo,ðNetWare/IPfNf%ofCfAf“fg,Å'T,·ê±,íA,±,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}[fN,ðŠO,μ,Ä,-
,³/₄,³,çB
{button ,JI(`NWCFG95.HLP>nwc32',`Broadcast_SAP_Notes')}} **fif.**

'ä'ÖfŠf"fo,Ö,ì^èÄ'—M%ñ"(TRA): fufŠfbfWCEo—R,Å^è"É"l,È^èÄ'—MftfCE[f€,ö'ä'ÖfŠf"fo,É'—
M,.,é%ñ",öZw'è,μ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`TRA_and_TRO_Notes')} ff.

--{fšf“fo,ì,ý,ì^êÄ’—M%ñ”(TRO):@fufšfbfWŒo—R,Å’ã’Öfšf“fo,É’—
M,¹,,ÉACE»Ý,ìfšf“foä,Å^ê”É“ì,È^êÄ’—MftfŒ[f€,đ’—M,·,é%ñ”,đŽw’è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32’,`TRA_and_TRO_Notes’)} ff.

Cache NetWare Password: NetWare*, ðpfXf[]f[h, ð[]Å[]%oo, ðNetWaref[]fOfCf“, Åf[]f, fŠ, É•Û‘¶, ³, ê[]A
NetWarefŠf[]fX, É‘Ç%ooÁ, ³, ê, ½, ±, Æ, ð“F[]Ø, ·, é, ©, Ç, æ, ©, ðŽw’è, µ, Û, ·[]B
{button ,JI(`NWCFG95.HLP>nwc32', `Cache_NetWare_Password_Notes')} f[]f.

Cache NetWare Password,ÉŠÖ,·,éf□f,

ffftfHf<fg: On

—LCEø,È'!: on | off

f□f,

- □Å□%o,ìf□fOfCf“Žž,Éžw'è,μ,½f□fOfCf“ -¼,ÆfpfXf□□[fh,ðžg—p,μ,Äf□fOfCf“ ,μ,Ä,àClient 32*,³fìfbfgf□□[fNfŠf□[fX,ð“F□Ø,Ä,«,È,ç□è□#,É,ì,Ý□Af□fOfCf“ -¼,ÆfpfXf□□[fh,ð•\ Žì,·,é□è□#,ÉffftfHf<fg,ì□Y'è,ðžg—p,μ,Ü,·
f□fOfCf“ -¼,ÆfpfXf□□[fh,ìfn□[fhffBfXfN,Ä,Í,È,□Af□f,fŠ,É•Ü'¶,³,è,é,½,ì□AfRf“fsf...□[f^,ì“dCE¹,ð□Ø,Á,½, , Æ,Ä,ìf□fOfCf“ -¼,“,æ,NfpfXf□□[fh,ìf□f,fŠ,©,ç□AZ ,μ,Ü,·□BŽY,ÉfRf“fsf... □[f^,ðfXf^□[fg,μ,½,Æ,«,È□A□Ä,Nf□fOfCf“ -¼,ÆfpfXf□□[fh,ª•\Žì,³,é,Ü,·□B
- ,Ü,¾ACE —~ ,ð“F□Ø,³,è,Ä,ç,È,çfìfbfgf□□[fNfŠf□[fX,ÉfAfNfZfX,·,é□è□#□A•K,· ^À'S,ì,½,ì,Éf□fOfCf“ -¼,ÆfpfXf□□[fh,ð•\Žì,μ,½,ç□è□#,í□A,±,ì□Y'è,ð□uoff□v,É,μ,Ä,“,ç,Ä,·,¾,³,ç□B ,½,Æ,ì,ì□AfcfŠ□[Ü,½,ìfT□[fo,©,çf□fOfAfEfG,μ,½□è□#□A,à,π^è“x,»,ìfìfbfgf□□[fNfŠf □[fX,ÉfAfNfZfX,·,é,É,ìf□fOfCf“ ,μ'¼,·K—v,ª, ,è,Ü,·□Bf□fOfCf“f_fŠfŠf□[fX,ÉfAfNfZfX,·,é□è□#,É,àf□fOfCf“ -¼,ÆfpfXf□□[fh,ðžw'è,·,é•K—v,ª, ,è,Ü,·□B
- ŽY,ì,ç,·,é,©,ðžg—p,·,é,Æ□Y'è,ð•ì□X,·,é,±,Æ,ª,Ä,«,Ü,·, :
□mfRf“fgf□□[f<fpjlf<-flfbfgf□□[fN□n,©,çNovell* NetWare* Client*
32.ìfvf□fpfefB,ð'l'ð,μ,Ä□m□U□×□Y'è□nf^fu,ð'l'ð,·,é
fVfXfef€fìfŠfV□[fGfffBf^
- ŠÇ—□ŽÒ—pffftfHf<fg,Ä,Í,±,ì□Y'è,ì•ì□X,Í,Ä,«,Ü,¹,ň

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W □Ú□x,ì□x•W,ðžQ□Æ,μ,Ä,·,¾,³,ç□B

Cache Writes: @f\fbfgf[fN'«ž,Ý,đ,±,lf[fNfXfe[fVf†f“ ,ÅfLfffbfVf“fO,·,é,©,Ç,κ,©,đŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Cache_Writes_Notes')} **fif.**

Cache Writes,ÉŠÖ,.,éf

ffftfHf<fg:@on

—LCEø,È'!:@onboff

f_fCfif~fbfNfpf%of^

f

- ffftHf<fgY'è,ìmonn,íftf@fCf<,ðflfbfgf[fN,É•Ù'¶,.,é'O,Éf[fNfXfe[fVf#f",.ìf,ÉŠ,É•Ù'¶,.,é,±,Æ,É,æ,èANetWare* Client* 32*,ìfpftfH[f}f"X,ðCEüã,³,¹,Ü,·B
- ,±,ìfpf%of^,ì'l,ðmoffn,ÉY'è,.,é,ÆAfff^,ìŠ®'S«,íCEüã,μ,Ü,.,ªAfpftfH[f}f"X,í'á %oo,μ,Ü,·B
- ,±,ìY'è,ì'l,ðmonn(ffftHf<fg),É,μ,½è#A',«ž,Ý—v,ÆŽÝ,ì',«ž,Ý— v<,ìŠÖ,ÉNetWarefT[f,ªffBfXfNfXfy[fX,ðŽg,ç%É,½,.,Æff^,ªŽ,í,é,é%Å"\"«,ª, ,è,Ü,·B
- True Commit,ªmonn,ìè#Aflfbfgf[fN,Ö,ì',«ž,Ý,ìfLfffbfVf"fo,³,è,Ü,¹,ñB
- ,±,ìY'è,ìŽÝ,ì,ç,.,é,©,É,æ,Á,Ä•ìX,Á,«,Ü,·B
Novell* NetWare Client 32fvf^pfefB,ìmÚxY'ènf^fu
fVfXfef€f]fŠfV[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

fìfvfVf#f":@NetWare DOS Requester*

¶\•¶:@Cache Writes=onboff

—á:@NETWARE DOS REQUESTER

CACHE WRITES=OFF

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Úx,ìx•W,ðŽQÆ,μ,Ä,,³/4,³,çB

fVfXfef€f|fŠfV[]fGfffBf^(POLEDIT.EXE),đ<N"®,Å,«,Ü,¹,ñ,Å,μ,¹/₂□B,±
,lfGfffBf^,ªWindows**ftfHf<f_âWindows,lfVfXfef€ftfHf<f_É,È,çê□±,í□A¹/₄,ì•û-
@(f^fXfNfo[]l,ìmfXf^[]fç[]nf{f^f",đŽg—p,;é,É,Ç),đŽg—p,;é,±,Æ,É,æ,èfVfXfef€f|
fŠfV[]fGfffBf^,đ<N"®,μ,Å,,³/₄,³,ç□B
fVfXfef€f|fŠfV[]fGfffBf^,đ,Ü,³/₄fCf"fXfg[]f<,μ,Å,ç,È,çê□±,í□AfCf"fXfg[]f<,μ,Å,-
,³/₄,³,ç□BfCf"fXfg[]f<,ìŽè□±,É,Å,ç,Ä,í□AfVfXfef€f|fŠfV[]fGfffBf^,lfCf"fXfg[]f<,đŽQ□Æ,μ,Å,,³/₄,³,ç□B

Checksum: @NetWare*fRfAfvf[]fgfRf<*(NCP*),ìfpfPfbfgCEŸ, .ì[]d—v“x,đŽw’è,μ,Û,·[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Checksum_Notes')} **f[]f.**

Checksum,ÉŠÖ,·,éf,f,

ffftfHf<fg: @1

"í^: @0 ` 3

'l,íŽŸ,ì,Æ,¨,è,Å,·B

0 @-³CEø

1 @-LCEø(-Dæ³,è,È,ç)

2 @-LCEø(-Dæ³,è,é)

3 @·K{

f_fCjif~fbfNfpf%of f^

f f,

▪ ,±,lfpf
%of f^,í¹,ðm2n,Ü,½,í³n,ÉÝ'è,·,é,ÆA f f^,ìŠ®'S«,íEüã,µ,Ü,·,ªAfpftfH[f]f" fX,í'á
%oo²,µ,Ü,·B

▪ fC[fTflfbfgftfCE[f€f^fCfv802.3,íf`fFbfNfTf€,ðfTf[f,µ,Ä,ç,Ü,¹,ñB

▪ ,±,ìÝ'è,íŽŸ,ì,ç,·,è,©,É,æ,Á,Ä·ìX,Å,«,Ü,·B
Novell* NetWare* Client* 32*fvf f p f e f B,ì m Ü x Ý'è n f ^ f u
fVXfefe€fj f ŠV[fGfffBf^
Admin.lffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f!fvfVf†f“: @NetWare DOS Requester*

\•¶: @Checksum=number

—á: @NETWARE DOS REQUESTER

CHECKSUM=3

*fmfxf<,ìx•W @**fT[fhfp[fefB,ìx•W
Üx,ìx•W,ðŽQÆ,µ,Ä,·¾,¾,çB

CE»Y, iU'±, ifNfŠfA: @fOfCf", μ, 1/2, AE, «, ÉfOf%ftfBffj<fOfCf"ft[feBfŠfefB, ÅŠù'¶, iU'±
, ðfNfŠfA, ·, éê±, iA, ±, if`fFfbfNf{fbfNfX, Éf`fFfbfNf}[fN, ð•t, -, Ä,, 3/4, 3, çBfOfCf", μ, 1/2, AE, «, ÉŠù'¶, iU'±, a
%øðœ, 3, ê, È, ç, æ, x, É, ·, é, É, iA, ±, if`fFfbfNf{fbfNfX, if`fFfbfNf}[fN, ðŠO, μ, Ä,, 3/4, 3, çB
{button ,JI(`NWCFG95.HLP>nwc32', `Clear_Connections_Notes')}} **fif.**

CE»Y,ìÚ'±,ìfNfšfA,ÉŠÖ,.,éf,f,

ffftfHf<fg: @on

- ,±,ìY'è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Á,Ä•ìX,Å,«,Ü,·B
Novell* NetWare* Client*32*fvf[]pfefB,ìmf[]fOfCf"[]nf^fu
fVxfef€f[]fšfV[]fGfffBf^
- ,±,ìY'è,íAdmin,ìffftfHf<fg,ðŽg—p,μ,Ä,à•ìX,Å,«,Ü,¹,ñB

*fmfxf<,ìx•W@**fT[]fhfp[]fefB,ìx•W
[]Ux,ìx•W,ðŽQ[]Æ,μ,Ä,,³/₄,³,çB

fρfX,ÆfvfŠf“f^f,fff<□î•ñ,ð□í□œ,μ,Û,·□B

Client 32fvfxfefefjŠfV[fGffBf^Ÿ'è,iŽw'è

1@mqm'Éí,İfRf"fsf...[f^qn,đ'ı'đ,μ,Ä,,¾,¾,¾,çqB

2@mqm•ÖqWqn,đ'ı'đ,μ,Ä,,¾,¾,¾,çqB

3@mqmfvfqpfefBqn,đ'ı'đ,μ,Ä,,¾,¾,¾,çqB

4@-Ú"ı,ı'ı,đ'ı'đ,μ,Ä,,¾,¾,¾,çqB

5@mqmOKqn,đ'ı'đ,μ,Ä,,¾,¾,¾,çqB

fqf,

- Åq%ı,ıqA,ı,x,Ä,İClient 32*Ÿ'è,ı%ı,ÉŠDqF,İf{fbfNfX
 ■,a•\Žı,¾,é,Ä,ç,Ü,ıqB,ı,é,ç,ıŸ'è,İftq[fU,afqfOfCf",μ,½,Æ,«,É•İqX,¾,é,Ü,ı,ñqB
- ŠDqF,İf{fbfNfX,đ'ı'đ,ı,é,ÆqAf{fbfNfX,ı't,Éf`fFfbfNf}q[fN
 ■,a•\Žı,¾,é,Ü,ıqBf`fFfbfNf}q[fN,ı,ı,ıŸ'è,aqmonqn,Ü,½,İftq[fU,aŽw'è,μ,½'ı,É•İqX,¾,é,é,ı,Æ,đ•\
 ■,μ,Ü,ıqB'ı,đŽw'è,ı,éêqı,ıqAqm'Éı,ı°YÉß°Ä,İİßÜÉßÄ"nf_fCfAfqfOf{fbfNfX,ı
 %oo°" ,ÄŽw'è,Ä,«,Ü,ıqB"KqØ,ÉŽwŽı,à,»,ı,ı,É•\Žı,¾,é,Ü,ıqB
- f`fFfbfNf}q[fN,ı•t,ç,½f{fbfNfX,đ'ı'đ,ı,é,ÆqA<ó"
 ■,É,È,è,Ü,ıqB,ı,é,ıqmonqn,Æqmoффqn,ı'ı,đŽq,ÄŸ'è,ıqêqıqA,ı,ıŸ'è,aqmoффqn,É•İqX,¾,é,é,ı,Æ,đ•\
 ■,μ,Ü,ıqB'¼,ıŸ'è,ıqêqıqA,»,ıŸ'è,İŠù"ı,ı'ı,afCFWfXfgfS,©,çqıqœ,¾,éqAffftfHf<fg'ı,aŽg—p,¾,é,é,ı,Æ,đ•\
 ■,μ,Ü,ıqB
- Ÿ'è,ı^Ó-ı,É,Ä,ç,Ä,ıqAClient 32fOfqıqıfof<Ÿ'è,İfŠfXfg,đŽQqÆ,μ,Ä,,¾,¾,¾,ç

*fmfxf<,ıqı•Wq@**ftqıfhfpqıfefB,ıqı•W
 Üqıx,ıqı•W,đŽQqÆ,μ,Ä,,¾,¾,¾,çqB

Client 32,if^fu

=DæfTifo

=DæcfŠI

fIIf€Rf“fefLfXfg

Å%oo,lfifbfgf[fNfh%ofCfu

Close Behind Ticks: ftj@fCf<,đ•Â,¶,é,æ,π,É—
v<□,³,ê,Ä,©,çŽÄ□Ú•Ä,¶,é,Û,Ä,łŽžŠÔ,đf`fbfN□",ÄŽw'è,μ,Û,·□B
{button ,Jl(`NWCFG95.HLP>nwc32',`Close_Behind_Ticks_Notes')} ff.

Close Behind Ticks,ÉŠÖ,·,éf

ffftfHf<fg: @0

"í: @0`65535(f`fbfN)

f_fCfif~fbfNfpf%of

f

- ,±,lfpf%of[f^,l'l,ðm0n,ÉY'è,·,é,ÆAfff[f^,ìš®'S«,íEüã,µ,Ü,·,ªAfpftfH[f}f"fx,í'á %o²,µ,Ü,·B
- ,±,ìY'è,É,æ,Á,ÄfpftfH[f}f"fx,ð'ã•,É%ü'P,Á,«,é,ì,íAftf@fCf<,ð•p"É,ÉŠJ,ç ,½,è•Á,¶,½,è,·,éê±,Á,·B
- ,±,±,ÁY'è,µ,½'x%o,,ŽžŠÖ,ìŠÖ,Éftf@fCf<,ðÄ,ÑŠJ,- ìê±Aflfbfgf[fN,Ö,ìfAfNfzfX,È,µ,ÉA,» ,lftf@fCf<,ªÄ~—p,³,é,Ü,·B
- Close Behind Ticks,ªm0n,ìê±ADelay Writes,l'l,í'Ó-i,ðŽ,ç,Ü,¹,ñB
- File Cache Level,l'l,íAftf@fCf<,ª•Á,¶,é,æ,ª—v<,µ,½Eä,ÉŽÀÜ,íŠJ,ç,Ä,ç,é,©,Ç,ª,©,É %oe<ç,µ,Ü,¹,ñBClose Behind Ticks,l'l,¾,~,ª%oe<ç,ð—^,í,Ü,·B
- ,±,ìY'è,íŽY,ì,ç,·,é,©,É,æ,Á,Ä•iX,Á,«,Ü,·B
Novell* NetWare* Client* 32*fvfppfefB,ìmÜxY'ènf^fu
fVXfef€f]fŠfv[fGfffBf^
Admin.lffftfHf<fg

Admin,iffftfHf<fg,ìi•ñ

fifvfVfj#": @NetWare DOS Requester*

|\•¶: @Close Behind Ticks=*number*

—á: @NETWARE DOS REQUESTER

CLOSE BEHIND TICKS=36

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Üx,íx•W,ðŽQ/E,µ,Ä,,¾,¾,çB

fXfNfŠfvfgCE<%oÊ,đŽ©“®“l,É•Â,¶,é:□@□mf□fOfCf“,ìCE<%oÊ□nfEfBf“fhfE,đŽ©“®“l,É•Â,¶,é□ê□‡,í□A,±
,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,đ•t,~,Ä,-
,¾,¾,ç□Bf□fbfZ□[fW,đ“Ç,ň,Ä,©,ç□mf□fOfCf“,ìCE<%oÊ□nfEfBf“fhfE,đft□[fU,¾•Â,¶,é□ê□‡,í□A,±
,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}□[fN,đŠO,µ,Ä,,¾,¾,ç□B
{button ,JI(`NWCFG95.HLP>nwc32',`Auto_Close_Notes')}} ff

ŠĀ««Ÿ'è,İŠT—v

ŠT—v

•İX“ ,Æ'Ç%ooÁ“

V,μ,ϕŠĀ««Ÿ'è<@”\,Æ'ŋ^ÓŽ-€

fvffpfefBfVffg.đŽg—p,μ,½ŠĀ««Ÿ'è
':.çftf@fCf<-¼fTffg.İ,½,β,İŠĀ««Ÿ'è
Client 32*,lfOffffof<.ÈŠĀ««Ÿ'è
fVfXfef€fCefWfXfgfŠ,İŠĀ««Ÿ'è.ÈŠÖ.:éfff.
ŋd•i,μ,È,ç-¼'O,đfTfffo,ÆfçfŠff,ÈŠ,,è”-Ä,é

V,μ,ϕŠĀ««Ÿ'è

fftfHf<fg.İfLffvf'ffŸ'è
fOf%oftfBff<ffOfCf“
NIOS
fŠffX

•İX,³,è,½ŠĀ««Ÿ'è

fŠ“fNfTffg
NetWare DOSfŠfNfGfXf^*
IPXfvffgfRf<*
SPXfvffgfRf<*
SNMP

fTffffg,³,è,È,ϕŠĀ««Ÿ'è

ffffg,³,è,È,ϕŠĀ««Ÿ'è.lfŠfXfg

*fmfxf<,İ•W@**fTffhfpffefB,İ•W
ŋŋx,İ•W,đZQÆ,μ,Ä,,¼,³,çB

ŠÂ««Ÿ'è,ÉŠÖ,·,éŽQÆæ

fŠf“fNfhf%ofCfo

fŠf“fNfTfjlfq

NetWare* DOSfŠfNfGfXf^*

NIOS

NetWare/IP*

fvfƒfpfefBfVlfq


IPX*fvfƒfgfRf<

fŠfƒlfX

SNMP

*fmfxf<,lŒ•W@**fTƒfhfpƒfefB,lŒ•W
ŒŒx,lŒ•W,đŽQÆ,μ,Á,,³/₄,³,çB

f\[\fXf<[\fefBf"fo,ìŠÀ<<[\Y'è

1.  ,ðfNfŠfBfN,μ,ÄÅfRf"fgf\[\f:fpf\<,ìmf\fbfgf\[\fNn,ð•\Ž!,μ,Ä,,³/₄,³,ç\B
2. 32frfbfgODI* LANfhf%ofCfo,ð"ö,!,¹/₂\Af g\[\fNf"jŠf"fo,Ü,¹/₂,íFDDI,lf\fbfgf\[\fNfAf_fvf^,ð'í'ð,μ,Ä,-³/₄,³,ç\B
3. \mfvf\fpfefBn,ð'í'ð,μ,Ä,,³/₄,³,ç\B
4. \mSRoute 32n,ð'í'ð,μ,Ä,,³/₄,³,ç\B
5. \m—LCEøn,ð'í'ð,μ,Ä,,³/₄,³,ç\B
6. •K—v,É%ž,¶,Ä'¹/₄,ì\Y'è,ðs,Ä,Ä,,³/₄,³,ç\B
7. \mOKn,ð'í'ð,μ,Ä,,³/₄,³,ç\B
8. \mOKn,ð'í'ð,μ,Ä,,³/₄,³,ç\B
9. f\[\fNfXfe\[\fvfj",ð\Ä<N"® ,μ,Ä,,³/₄,³,ç\B

f\],

- \mSRoute
32\mfvf\fpfefBfy\[\fW,ì2fy\[\fW1'g,Ä,·\Bfg\[\fNf"jŠf"fof\fbfgf\[\fNfAf_fvf^,ìèè#\A1,Ä,íToken-Ringtf\CE\[\f€f^fCfv,É,Ä,ç,Ä,lfy\[\fW,Ä\A,à,α1,Ä,íToken-Ring_Snaptf\CE\[\f€f^fCfv,É,Ä,ç,Ä,lfy\[\fW,Ä,·\B
- Token-Ring,ÆToken-Ring_Snap,ì—¹/₄•ù,ìftf\CE\[\f€f^fCfv,É,Ä,ç,Ä,f\[\fXf<[\fefBf"fo,³•K—v,Èèè#\,í\A,Ü,·f\[\fXf<[\fefBf"fo,ð—LCEø,É,μ,Ä\AToken-Ringtf\CE\[\f€f^fCfv,É,Ä,ç,Ä,ŠÀ<<[\Y'è,μ,Ü,·\BŽŸ,É\[\fXf<[\fefBf"fo,ìftf\CE\[\f€f^fCfv,í'í,ðmToken-Ring_Snapn,É•í\X,μ\A,»,ì\[\fXf<[\fefBf"fo\Y'è,ð—LCEø,É,μ,Ä\AŠÀ<<[\Y'è,μ,Ü,·\B
- 'É\[\fA\[\fXf<[\fefBf"fo,ìffftfHf<fg'l,ð,»,ì,Ü,ÜŽg—p,Ä,«,Ü,·\B
- FDDI\fbfgf\[\fNfAf_fvf^,ì\[\fXf<[\fefBf"fo,à\Y'è,Ä,«,Ü,·\B
- 'É\[\fA\Nf%ofCfAf"fgf\[\fNfXfe\[\fvfj",Ä'Sf<[\fg^è\Ä'—\Mftf\CE\[\f€,ðŽg—p,·,é•K—v,í,·,è,Ü,¹,ñ\BffftfHf<fg,Ä,í\A\[\fXf<[\fefBf"fo,É•K—v,É\fbfgf\[\fNf%oftfBfBfN,ð\Ä\—,É,·,é,¹/₂,ß\A'Sf<[\fg^è\Ä'—\Mftf\CE\[\f€,íŽg—p,³,è,Ü,¹,ñ\B
- 16frfbfgODI LANfhf%ofCfo,ì\[\fXf<[\fefBf"fo,ìŠÀ<<[\Y'è,É,Ä,ç,Ä,í\ASRoute 16,ìf^fu,ðŽQ\AE,μ,Ä,-³/₄,³,ç\B
- f\[\fXf<[\fefBf"fo,ì\Y'è,É,Ä,ç,Ä,ì\Ú\×,í\ASRoute 32,ìf^fu,ðŽQ\AE,μ,Ä,,³/₄,³,ç\B

*fmfxf<,ì\×•W\@**fT\[\fhfp\[\fefB,ì\×•W
ì\Ú\×,ì\×•W,ðŽQ\AE,μ,Ä,,³/₄,³,ç\B

Client32, ĩfOf [fof<, ÈŠÂ««Ÿ'è

ŠT—v

Client 32, ĩfOf [fof<Ÿ'è, ĩŠT—v

Žè‡


Client 32, ĩfOf [fof<Ÿ'è, ĩ‡

ŽQÆæ

Client 32*fOf [fof<Ÿ'è, ĩfŠfXfg

*fmfxf<, ĩ‡•W@**fT [fhfp [fefB, ĩ‡•W
Ůx, ĩ‡•W, ðŽQÆ, µ, Á, ,³/₄,³, çB

Client 32, ifOf [fof<Ÿ'è, i]i-

1. ([ê±, É, æ, Á, ĀŽÀs)fvfXfefefjŠfV [fGfffBf^, đfCf“fXfg [f<, μ, Ā, č, È, č [ê±, í AfCf“fXfg [f<, μ, Ā, , 3/4, 3, č B
2.  đfNfŠfN, μ, Ā AfVfXfefefjŠfV [fGfffBf^ (POLEDIT.EXE), đ<N“ @, μ, Ā, , 3/4, 3, č B
3. Client 32*fjŠfV [fef“fvf [fg (CLIENT32.ADM), đŠ], č, Ā, , 3/4, 3, č B
4. V, μ, č fŠfV [ftf@fCf<, l•ŌW, đŠ]Žn, μ, Ā, , 3/4, 3, č B
5. Client 32fvf [pfefB, l' l, đŸ'è, μ, Ā, , 3/4, 3, č B
6. fjŠfV [ftf@fCf<, đCONFIG.POL, Æ, μ, Ā•Ū'ŋ, μ, Ā, , 3/4, 3, č B
7. —D [æ [Ū' ±fT [fo, Æ, μ, Ā“ @ [i, , éŠeNetWare*fT [fo, iSYS:PUBLICffBf [fNfgfŠ, Éf] ŠfV [ftf@fCf<, đRfs [l, μ, Ā, , 3/4, 3, č B


*fmfxf<, i [x•W [@**fT [fhfp [fefB, i [x•W
 [Ū [x, i [x•W, đZQ [Æ, μ, Ā, , 3/4, 3, č B

Client 32, ĩfOf ĩfOf ĩŸ'è, ĩŠT—v

Client 32*, ĩWindows** 95**fVfXfef€fĳfŠfV ĳfGfffBf^ (POLEDIT.EXE), ĀŽg—p, ·, éĳfXf^f€fĳ
fŠfV ĳfef"fvf€ ĳfg (CLIENT32.ADMftf@fCf<), đ'ň<Ÿ, μ, Ū, ·BfVfXfef€fĳfŠfV ĳfGfffBf^, ÆClient
32fef"fvf€ ĳfg, đŽg—p, ·, è, ĩAClient 32, ĩŸ'è'l, đŽw'è, ·, éĳfŠfV ĳftf@fCf<, đ ĩ ĩ, Ā, «, Ū, ·B
fĳfŠfV ĳftf@fCf<, ĩŸ'è, ĩ³, μ, " , ±, Æ, đŠm" F, μ, ½, ç, ĀŠe—D ĳæ ĳŪ' ±fT ĳfo, ĩSYS:\PUBLICfffBf€fNfgfŠ, Éfĳ
fŠfV ĳftf@fCf<, đ"ü, è, é, ±, Æ, ĩ, Ā, «, Ū, ·BClient 32, ĩŸ'è, ĳfĳ
fŠfV ĳftf@fCf<, ©, ç" Ç, Ÿ ĳž, Ū, è, ½, , Æ ĳAft ĳfU, ĳfĳbfgf ĳfN, ÉfĳfOfCf", ·, é, ², Æ, Éf€fWfXfgfŠ, ÉŠi" [, ³, è, Ū, ·B
—D ĳæfT ĳfo, ĩSYS:\PUBLICfffBf€fNfgfŠ, É, , éĳfŠfV ĳftf@fCf<, ĩŽg—p, ³, è, Ū, ·B—D ĳæfT ĳfo, ĩŽw'è, ³, è, Ā, ç
, É, ç ĳê ĳĳA ĳĳ%o, É ĳŪ' ±, ³, è, ½fT ĳfo, ĩSYS:\PUBLICfffBf€fNfgfŠ, É, , éĳfŠfV ĳftf@fCf<, ĩŽg—p, ³, è, Ū, ·B
fVfXfef€fĳfŠfV ĳfGfffBf^, ĳf}ffj...fAf<, ĩwMicrosoft** Windows 95fŠf ĳfXfLfbfg ĳx, É, , è, Ū, ·B

*fmfxf<, ĩĳ•W ĳ@**fT ĳfhfp ĳfB, ĩĳ•W
ĳŪx, ĩĳ•W, đŽQ ĳÆ, μ, Ā, , ¾, ¾, ç ĳB

NetWare/IP, iŠÄ«Ÿ'è

1.  ŸfNfŠfbfN, µ, Ä, AfRf"fgf [f<fpfif<, i mflfbfgf [fN n, ð•Ž! , µ, Ä, , 3/4, 3, ç B
2. mNovell* NetWare*/IP* Protocol n, ð'! ð, µ, Ä, , 3/4, 3, ç B
3. mfvf ffpfefB n, ð'! ð, µ, Ä, , 3/4, 3, ç B
4. NetWare/IP fhf fCf" - 1/4, ðŽw'è, µ, Ä, , 3/4, 3, ç B
5. •K—v, É%ž, ¶, Ä' 1/4, i Ÿ'è, ðs, Ä, , 3/4, 3, ç B
6. mOK n, ð'! ð, µ, Ä, , 3/4, 3, ç B
7. mOK n, ð'! ð, µ, Ä, , 3/4, 3, ç B

f f,

- NetWare/IP Ÿ'è, É, Ä, ç, Ä, i Ú x, í A, ±, i s, ðfNfŠfbfN, µ, Ä, , 3/4, 3, ç B

*fmfxf<, i x•W @**fT [fhfp [fefB, i x•W
Ú x, í x•W, ðŽQ /É, µ, Ä, , 3/4, 3, ç B

fvf[]fgfRf<,ÆfifvfVftf“<@”\,İŠÂ<<[]Ý’è

fzfXfgfŠf[]fXMIB,İŠÂ<<[]Ý’è

IPX*,İŠÂ<<[]Ý’è

NetWare*/IP*,İŠÂ<<[]Ý’è


SNMP,İŠÂ<<[]Ý’è

’.çftf@fCf<-¼fTf[]fg,İ,½,ß,İŠÂ<<[]Ý’è

f[]fXf<[]fBf“fO,İ,½,ß,İŠÂ<<[]Ý’è

*fmfxf<,İ[]•W[]@**fT[]fhfp[]fB,İ[]•W
[]Ú[]x,İ[]•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

SNMP, ěŠĀ«ĚŸ'è


1.  ěfNfŠfbfN, μ, Ā, AfRf"fgf [f<fpflf<, ěmf lfbfgf [fN ěn, ě•Ź!, μ, Ā,, 3/4, 3, ěB
2. ěmNovell* SNMP Agent ěn, ě'l'ě, μ, Ā,, 3/4, 3, ěB
3. ěmfvf ěfpfefB ěn, ě'l'ě, μ, Ā,, 3/4, 3, ěB
4. •K—v, ě%ž, ě, Ā'1/4, ěŸ'è, ěs, Ā, Ā,, 3/4, 3, ěB
5. ěmOK ěn, ě'l'ě, μ, Ā,, 3/4, 3, ěB
6. ěmOK ěn, ě'l'ě, μ, Ā,, 3/4, 3, ěB

f ěf,

- Novell SNMPfg [fwfFf"fg, ěŸ'è, ě, Ā, ě, Ā, ěÚ ěx, ěA, ě, ěs, ěfNfŠfbfN, μ, Ā,, 3/4, 3, ěB

*fmfxf<, ěě•W ě@**fT ě [fhfp ě [fefB, ěě•W
ěÚ ěx, ěě•W, ěŽQ ěĚ, μ, Ā,, 3/4, 3, ěB

f [fXf [fefBf"fo, iSÂ« [Y'è

1.  ,ðfNfŠfbfN, μ, Ä AfRf" fgf [f<fpflf<, ìmf lfbfgf [fN n, ð•Ž!, μ, Ä,, 3/4, 3, ç B
2. [mIPX* 32-bit Protocol for Novell* NetWare* Client* 32* n, ð' l' ð, μ, Ä,, 3/4, 3, ç B
3. [mfvf [fpfefB n, ð' l' ð, μ, Ä,, 3/4, 3, ç B
4. [IPX [Y'è], ð' l' ð, μ, Ä,, 3/4, 3, ç B
5. [mNDIS, ìf [fXf [fefBf"fo, ì—LCEø%o»** n, Éf` fFfbfNf} [fN, ð•t, , Ä,, 3/4, 3, ç B
6. [mOK n, ð' l' ð, μ, Ä,, 3/4, 3, ç B
7. [mOK n, ð' l' ð, μ, Ä,, 3/4, 3, ç B
8. f [fNfXfe [fVfjf", ð Ä<N" ®, μ, Ä,, 3/4, 3, ç B

*fmfxf<, ì [x•W @**fT [fhfp [fefB, ì [x•W
[U x, ì [x•W, ðŽQ [Æ, μ, Ä,, 3/4, 3, ç B

ft[fUfvf]ftf@fCf<,iŠÂ<<Ÿ'è

Client 32*, íwMicrosoft** Windows 95šf\[\fXfLfbfg]x,Áà-¾,³,è,Ä,ç,é,Æ,,"èAWindows** 95,lfVfXfef€fj
fšfV[\,Æft[fUfvf]ftf@fCf<,đŠ®'S,Éftj[\fg,µ,Á,ç,Û,·BClient 32,í\—Dæft[\fo\SYS\
PUBLICfffBfCEfNfgfŠ,ÅCONFIG.POL,Æ,ç,α-¼'O,lfVfXfef€fj
fšfV[\ftf@fCf<,đ'T,µ,Û,·B,½,¾,µAft[fUfvf]ftf@fCf<,ÉŠÖ,µ,Ä,íMicrosoft,lf}fjf...fAf<,íà-¾,Æ,í^Û,È,Ä,Ä,ç
,Û,·BfNf%ofCfAf"fg,đfofCf"f_fšè—pŠÂ<<,ÅŽg—p,µ,Ä,ç,éèè#AUUSER.DATftf@fCf<,lft[fU,²,Æ,É\—
Dæft[\fo\SYS\MAILfffBfCEfNfgfŠ,ÉSi"[,³,è,Û,·B
,½,¾,µNDS*ŠÂ<<,Ä,íAMAILfffBfCEfNfgfŠ,lfofCf"f_fšfGf~f...fCE[\Vf#f",²ŽÀs,³,è,Ä,ç
,éèè#É,¾,~¶Ÿ,µ,Û,·B,±,è,íSmZÀ,Ä,È,ç,½,ßANDSSÂ<<,iŠÇ—ŽÖ,íNWADMIN,đŽg—
p,µ,ÄANDSft[fUfvf]ftf@fCf<,íHome
Directory'@<<,ÉUSER.DATftf@fCf<,lfpfX,đŽw'è,µ,È,~,è,í,È,è,Û,¹,ñB,±
,í,½,ß,É,íAft[fU,đ'í'đ,µAmŠÂ<<nf^fu,đ'í'đ,µ,Ä,©,çAft[fU,lfz[fefffBfCEfNfgfŠ,đ"ü—í,µ,Ä,,¾,³,çB

*fmx<,íx•W@**ft[hfp][fefB,íx•W
Ûx,íx•W,đŽQÆ,µ,Ä,,¾,³,çB

fvf[]fpfefBfV[]lfg,đŽg—p,μ,½ŠÂ<<[]Ý'è

ŠT—v

ŠT—v

ŽQ[]Æ[]æ

Novel* NetWare* Client* 32*

flfbfgf[][]fNfAf_fvf^

Novell NetWare Client 32—p,łIPX* 32frfbfgfvf[]fgfRf<

Novell NetWare/IP*fvf[]fgfRf<

Novell Client 32—p,łfzfXfgfŠf[]fXMIB

Novell SNMPfG[]fWfFf“fg

fvfŠf“f^

*fmfxf<,i[]x•W[]@**fT[]fhfp[]fgefB,i[]x•W
[]U[]x,i[]x•W,đŽQ[]Æ,μ,Á,,¾,¾,ć[]B

f [fXf< [fefBf“fO, i, 1/2, B, iŠA<< [Y’è

ŠT—v

f [fXf< [fefBf“fO, É, Ā, č, Ā

Žè †

32frfbfgODI* LANfhf%ofCfo—p, i [fXf< [fefBf“fO, iŠA<< [Y’è

NDIS** LANfhf%ofCfo—p, i [fXf< [fefBf“fO, iŠA<< [Y’è

ŽQ [Æ [æ

SRoute 32, i f^fu

SRoute 16, i f^fu

NDISfhf%ofCfo—p, i PX*f [fXf< [fefBf“fO

*fmfxf<, i [x•W [@**fT [fhfp [fefB, i [x•W
[Ú [x, i [x•W, đZQ [Æ, μ, Ā, , 3/4, 3, č [B

ft[fU,i,1/2,B,iŠA<<Y'è

f[fOfCf",i,1/2,B,iŠA<<Y'è

f[fOfCf"fftfHf<fg,iŠA<<Y'è

^óü,i,1/2,B,iŠA<<Y'è

flfbfgf[fNfvfŠf"f^,iY'è

fvfŠf"fgLffvf`ff.iffHf<fgY'è,É,Á,č,Ä


flfCf"fg,ÆfvfŠf"fg,É,Á,č,Ä

flfCf"fg,ÆfvfŠf"fg,iY'è

ft[fUfvf@fCf<,iŠA<<Y'è

ft[fUfvf@fCf<,iŠA<<Y'è

fzfXfgfŠf\ [fXMIB, iŠÂ««Ÿ'è

1.  ,đfNfŠfbfN,μ,ÄAfRf"fgf [f<fpfif<,ìmfIfbfgf [fN n,đ•Ž!,μ,Ä,,³/₄,³,ç B
2. [mHost Resources MIB for Novell* Client* 32* n,đ'I'đ,μ,Ä,,³/₄,³,ç B
3. [mfvf [fpfefB n,đ'I'đ,μ,Ä,,³/₄,³,ç B
4. -Ú"l,ìŸ'è,đŽw'è,μ,Ä,,³/₄,³,ç B
5. [mOK n,đ'I'đ,μ,Ä,,³/₄,³,ç B
6. [mOK n,đ'I'đ,μ,Ä,,³/₄,³,ç B

f f,

- fzfXfgfŠf\ [fXMIB,ì,·, x, Ä, ìŸ'è, ífIfvIf#f", Å, · B
- fzfXfgfŠf\ [fXMIB, ìŸ'è, É, Ä, ç, Ä, ìÚ x, íA, ±, ìs, đfNfŠfbfN, μ, Ä,,³/₄,³, ç B

*fmfxf<, ìx•W @**fT [fhfp [fefB, ìx•W
Ú x, ìx•W, đŽQ ÆE, μ, Ä,,³/₄,³, ç B

☐\$€äfRf~f...fjfeFB:☐@☐\$€äfRf~f...fjfeFB,ì-¼'O,ðŽw'è,μ,Ü,·☐B
{button ,JI(`NWCFG95.HLP>nwc32',`Control_Community_Notes')} **f☐f.**

☐\$CEäfRf~f...fjfeB,ÉŠÖ,·,éf☐f,

ffftfHf<fg:☐@,É,μ

- ☐\$CEäfRf~f...fjfeB,Í“Ç,Ý☐’,«%oÂ”\fRf~f...fjfeB(SET’€☐ì,ðŽÀ☐s,Á,«,éfRf~f...fjfeB),Á,·☐B
- fRf~f...fjfeB-¼,É,Í”C^Ó,ÌASCII•¶Žš—ñ,ðŽw’è,Á,«,Ü,·☐BfXfy☐[fX☐Af^fu☐A☐¶Šp,©,Á,±(I)☐A”™ ☐t(=)☐AfRf☐f“(;)☐AfZf~fRf☐f“(;)☐A”ñ☐d^ø—p•,,(”)☐A”Ô☐t<L☐t(#)^ÉŠÖ,ì,·,x,Á,ì•¶Žš,ðŽg—p,Á,«,Ü,·☐B

fRf~f...fjfeB-¼,Á,Í’á•¶Žš,Æ☐—•¶Žš,ª<æ•É,³,è,Ü,·☐B

- “Ç,Ý☐’,«fAfNfZfX—p,É☐Ý’è,μ,½fRf~f...fjfeB-¼,Í“Ç,Ý☐ž,Ý☐é—pfAfNfZfX,É,à—LCEø,Á,·☐B
- ☐\$CEäfRf~f...fjfeB,ð-³CEø,É,·,é,Æ☐A,·,x,Á,ì☐’,«☐ž,ÝfAfNfZfX,ª-³CEø,É,È,è,Ü,·☐B
- ,±,ì☐Ý’è,ÍŽŸ,ì,ç,·,è,©,É,æ,Á,Ä•ì☐X,Á,«,Ü,·☐B

Novell* SNMPfG☐[fWfFf“fg,ìfvf☐fpofeB,ì☐mSNMP☐nf^fu

fVfXfef€fìfŠfv☐[fGfffBf^

Admin,ìffftfHf<fg

Admin,ìffftfHf<fg,ì☐î•ñ

fìfvfVf#f“:☐@Desktop SNMP

☐\•¶:☐@Control Community=*name*

—á:☐@Desktop SNMP

CONTROL COMMUNITY = SECRET

*fmfxf<,ì☐x•W☐@**fT☐[fhfp☐[fefB,ì☐x•W

☐Ú☐x,ì☐x•W,ðŽQ☐Æ,μ,Á,,¾,³,ç☐B

»Y,lfvšf“f^f,fff: ‘l’đ,μ,½fvfšf“f^,É‘%ž,μ,Ä,č,éf[]fj,Æf,jff<,đŽ!,μ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Current_Printer_Model_Notes')} fff.

«»Ÿ,lfvfŠf“f^f,fff<,ÉŠÖ,.,éf□f,

ffftjHf<fg:□@,È,μ

▪ ,±,ì□Ÿ'è,lfvfŠf“f^,lfvf□fpfefB,ì□mf|fCf“fg,ÆfvfŠf“fg,ì□Ÿ'è□nf^fu,ðŽg—p,.,é,±
,Æ,É,æ,Á,Ä•ì□X,Á,<,Ü,·□B

,±,İfŠfXfg,É,İPX*,İfofCf“fh□æ,İ~_□f{□[fh,İftfĒ□[fĕf^fCfv,ªŽ,³,ê,Û,·□B

fjfx^fešâ««Y'è: @DHCP, aNetWare*/IP*fpf%of[f^, ð'ñ<ÿ, :, é, æ, ɹ, É\ - , ³, ê, Ä, ç
, É, ç, ê, ð, â ANetWare/IPpf%of[f^, ð, ±, ìf[fNfXfe[fVf#f“—p, Éfjfx^f}fCfY, :, é, ê, ð, É, ±, ìf
%of[f^, ð' ð, μ, Ä, , ¾, ³, çB
{ button ,JI(`NWCFG95.HLP>nwc32', `Custom_Configuration_Notes')} ff.

fJfXf^f€ŠÂ««Ÿ'è,ÉŠÖ,.,éff,

- ,±,ìŸ'è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Á,Ä,•ïX,Á,«,Ü,·B
Novell* NetWare*/IP* Protocolfvf[]fpfefB,ìmfpf%of[]f^nf^fu
fVXfef€f]fŠfV[]fGfffBf^
- ,±,ìŸ'è,ÍAdmin,ìffftfHf<fg,ðŽg—p,μ,Ä,à,•ïX,Á,«,Ü,¹,řB

*fmfxf<,ìx•W[]@**fT[]fhfp[]fefB,ìx•W
[]Úx,ìx•W,ðŽQ[]Æ,μ,Ä,,³/₄,³,çB

“®“lfzfXfgŠĀ«Ÿ'èfvf[]fgfRf<(DHCP)

f[][]fNfXfe[]fVf#f“,°IPfAfhfĀfX,ð—v<[],μ,½,Æ,«[]A,» ,íf[][]fNfXfe[]fVf#f“,ÉIPfAfhfĀfX,ðŠ,,,è“-
,Ä,é,½,ß,lf<[]f<[]BIPfAfhfĀfX,í^èŽž“i,Éf[][]fNfXfe[]fVf#f“,ÉŠ,,,è“-
,Ä,ç,è,Û,·[]BŽŸ,É“~,¶f[][]fNfXfe[]fVf#f“,°IPfAfhfĀfX,ð—v<[],μ,½[]ê[]#[]A“~,¶IPfAfhfĀfX,°Š,,,è“-
,Ä,ç,è,é,©,Ç,¤,©,í•ª,©,è,Û,¹,ñ[]B

DOS Name: @fVfFf<,ÅŽg—p,·.éflfyfĒ[fefBf“fOfVfXfef€,ì-¼‘O,đŸ’è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`DOS_Name_Notes')} **fif.**

DOS Name,ÉŠÖ,·,éf

ffftfHf<fg: @MSDOS

—á: @DRDOS

f

- 1`5•ŕŽš,ì-¼'O,ðŽg—p,Å,«,Ü,·B
- fOfCf“fXfNfŠfvfg,Ü,½,Ívfftf@fCf:fXfNfŠfvfg,ì%OS•İ”,íAFT[f`fhf %ofCfu,ðf|fbfgf[fNDOSfffBfCEfNfgfS,Éf}fbfsf“fO,·,é,Æ,«,É,±,ì•İ”,ðŽg—p,μ,Ü,·B
- Client 32*,ÍŽ©“®“l,ÉDR DOS,ð”FŽ,μA,±,Íf|fvfVf#f“,ðÝ’è,μ,Ü,·B,½,¾,μA,±,Íf|fvfVf#f“,íAŽ©“®ÆÝo<@”\,É—Dæ,μ,Ü,·B
- ,±,ìÝ’è,ÍŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•İX,Å,«,Ü,·B
Novell* NetWare* Client* 32fvf|fpfefB,ìmÚxÝ’ènf^fu
fVxfef€f|fŠfv|[fGfffBf^
Admin.İffftfHf<fg

Admin,İffftfHf<fg,ìî•ñ

f|fvfVf#f“: @NetWare DOS Requester*

\•ŕ: @DOS Name="name "

—á: @NETWARE DOS REQUESTER
DOS NAME="DRDOS"

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Úx,ìx•W,ðŽQ/Æ,μ,Ä,,¾,³,çB

ffftHf<fgfLffvf`ff,lf^fu

ŠT=v

□o—í□Ý'è

•"□"

ftfH□[f€ftfB□[fh

f^fu,ìŽg—p

fXfy□[fX□"

fofi□L,ì□Ý'è

fofi□L,ìŽg—p

□Å□%o,ìfofi□[—¼

2"Ô-U,ìfofi□[—¼

,»,'¼,ì□Ý'è

•ÜŽ□

fi□[fgfGf"fhfLfffbfv

ĈEp'±

'Ê'm

f^fCf€fAfEfg,Ü,Å,ì•b□"

ffffHf<fgfLffffv`fff^fu,iŠT—v

Windows 95,lfOf

%oftfBjff<ft[fUfCf“f^ftfF[fX,Å[]—,μ,½fvfŠf“fgfLffffv`ff,iffHf<fg,lfvfŠf“f^[]Y’è,ðŽw’è,·,é[]ê[]‡,í[]A[]mfffff
Hf<fgfLffffv`ff[]nf^fu,ðŽg—p,μ,Á,¾,¾,ç[]BfvfŠf“fgfLffffv`ff,É^É’¶,·,éDOS,Ü,½,lWindows**

3.x,lfAfvfŠfP[]fvf‡f“,ðŽg—p,·,é[]ê[]‡,âfLffffv`ff,ðf[]OfCf“fXfNfŠfvfg,É“ü—í,Å,«,É,ç[]ê[]‡,É—ð—š,¿,Ü,·[]B

{button ,JI(`NWCFG95.HLP>nwc32',`Default_Capture_Notes')}} **ff.**

ffftHf<fgfLffvf`fff^fu,İST—v,ÉŠÖ,·,éf

- ,±,ê,ç,İY`è,İAWindows** 95**,İOf%oftfBffj<ft[]fUfCf“f^ftfF[]fX,É,æ,Á,ÄfLffvf`ff,·,évfŠf“f^f[]
[]fg,É,¾,“K—p,¾,è,Ü,·B[]fOfCf“fXfNfŠfvfg,ÄfLffvf`ff,μ,½fvfŠf“f^f[]fg,â[]Afrf}f“fhf
%ofCf“,©,çfLffvf`ff,μ,½fvfŠf“f^f[]fg,İ,±,è,ç,İY`è,ðZg—p,μ,Ü,¹,ñB
- ,±,ê,ç,İY`è,İWindows 95,İPrintersftfHf<f_,É•Ž!,¾,è,évfŠf“f^,É,İ“K—
p,¾,è,Ü,¹,ñBfLffvf`ff,μ,½fvfŠf“f^f[]fg,İWindows 95,İfvfŠf“f^ftfHf<f_,É,İ•\
Ž!,¾,è,Ü,¹,ñBfLffvf`ff,μ,½fvfŠf“f^f[]fg,ðŠm“F,·,é,É,İAfvfŠf“f^ftfHf<f_,É,·,évfŠf“f^,İfvf[]pfefB,ð•\
Ž!,μA[]m[]Ü×[]nfvf[]pfefBfy[]fW,ð•Ž!,μ,Ä,©,ç[]A[]m^óüüæ,İf[]fg[]n,Æ,ç,æCE[]o,μ,İ%º,İfŠXfg,ðfuf
%ofEfY,μ,Ü,·B
- ,±,İfvf[]pfefBfy[]fW,É%Á,İ,½•İX,İ[]Afrf“fsf...[]f^,ðÄ<N“®,·,é,Ü,ÄSù‘¶,İfvfŠf“fgfLffvf`ff,É,İ
%oe<ç,μ,Ü,¹,ñB
- fLffvf`ff,μ,½“Á`è,İfvfŠf“f^f[]
[]fg,İfvfŠf“f^Y`è,ð•İX,μ,Ä,à[]AffffHf<fg,İfvfŠf“f^Y`è,İ•İX,¾,è,Ü,¹,ñB
- ,±,İf^fu,æCE,·,İ,é,æ,æ,ÉNovell* NetWare* Client* 32*fvf[]pfefB,ð•Ž!,·,é•û-@,É,Ä,ç,Ä,İ[]A,±
İ[]s,ðfNfŠfbfN,μ,Ä,¾,¾,çB

*fmfxf<,İ[]•W[]@**fT[]fhfp[]fefB,İ[]•W
[]Ü[]x,İ[]•W,ðZQ[]Æ,μ,Ä,¾,¾,çB

Delay Writes: fAfvfŠfP[fVf†f“,@ftf@fCf<,đ•Â,¶,é,æ,æ—
v<.,,é,Ü,Åf|fbfgf[fN,Ö,ì‘,«ž,Ý,đ’x,ç,¹,é,©,Ç,æ,©,đŽw’è,μ,Ü,·B
{button ,Jl(`NWCFG95.HLP>nwc32’,`Delay_Writes_Notes!)} fff.

Delay Writes,ÉŠÖ,·,éf

ffftfHf<fg:@off

—LCEø,È'!:@onboff

f_fCfif~fbfNfpf%of

f

- f p f t f H [f] f " f X , ð [, ' - % » , μ , ½ , ç [ê [# [, í [A , ± , í f p f % o f [f ^ , ì ' l , ð [m o n [n , É [Y ' è , μ , Ä , , ¾ , ³ , ç [B
- Delay Writes, a [m o n [n , ì [ê [# [A f A f v f Š f P [f v f f " , a f t f @ f C f < , ð • Á , ¶ , é , æ , x — v < [, · , é , Ü , Å [A f l f b f g f [f N , Ö , ì [' , « [ž , Ý , ð ' x , ç , ¹ , é , ± , Æ , ¢ , Ä , « , , Ü , · [B , ± , é , È , æ , è [A f A f v f Š f P [f v f f " , í f f [f ^ , ¢ Ž Ä Ü , É f l f b f g f [f N f T [f o , É [' , « [ž , Ü , è , é , ì , ð ' Ö , ½ , , , É , · , p , ì , Å [A f A f v f Š f P [f v f f " , ì % ž " š ž Š Ö , à ' - , , È , è , Ü , · [B
- Delay Writes, a [m o n [n , ì [ê [# [A W i n d o w s , ð [- ¹ , · , é , © [A f A f v f Š f P [f v f f " , ð Ž Ä [s , μ , Ä , ç , ½ M S - D O S f v f [" f v f g , ð [- ¹ , · , é , Æ [A ^ - [' Ö , z , ì , · , x , Ä , ì [' , « [ž , Ý f f [f ^ , a f l f b f g f [f N , É [' , « [ž , Ü , è , Ü , · [B
- ' x % » , , ì Ž Ž Š Ö , í C l o s e B e h i n d T i c k s f p f % o f [f ^ , É , æ , Ä , Ä Ž w ' è , ³ , è , Ü , · [B C l o s e B e h i n d T i c k s , ì ' l , a [m 0 [n , ì [ê [# [A D e l a y W r i t e s , ì ' l , É Š Ö Ç E W , È , [' , « [ž , Ý , ì ' x , è , Ü , ¹ , ñ [B
- Cache Writes, a [m o f f [n , ì [ê [# [A D e l a y W r i t e s , ì ' l , É Š Ö Ç E W , È , [' , « [ž , Ý , ì ' x , è , Ü , ¹ , ñ [B
- , ± , ì [Y ' è , Ì Ž Ý , ì , ç , , è , © , É , æ , Ä , Ä • ì [X , Ä , « , Ü , · [B
Novell* NetWare* Client* 32*fvf [f p f e f B , ì [m [Ú [x [Y ' è [n f ^ f u
f v f X f e f € f l f Š f v [[f G f f f B f ^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f l f v f v f f " :@NetWare DOS Requester*

[\ • ¶ :] @Delay Writes=onboff

—á:@NETWARE DOS REQUESTER

DELAY WRITES=ON

*f m f x f < , ì [x • W [@ * * f T [f h f p [f e f B , ì [x • W [Ú [x , ì [x • W , ð Ž Q [Æ , μ , Ä , , ¾ , ³ , ç [B

f<[fg, ©, çT[f` , ·, éffBfEfNfgfŠfEfxf<, ÉŠÖ, ·, éf[f,

ffftfHf<fg:[]@1

"í^í:[]@0[]`4,294,967,295(fEfxf<)

f[]f,

- []m0[]n, í[]m'Ç%[]Á, ífT[]f' f[]p[]X[]n, aŽw'è,³,é,Ä,ç,È,ç[]ê[]#[]A[]fT[]f` ,đŽÄ[]s,µ,È,ç,±,Æ,đ^Ó-;µ,Ü,·[]B
- []Å[]%[], ífEfxf<, íf<[]f[]g, Å, ,é,½,ß[]A[]ffftfHf<fg, Å, íf<[]f[]g"à, ífv[]f[]o[]f%[]f[]t[]f@[]f[]C[]f<,¾, ,đfT[]f` ,Å,«,Ü,·[]B
- ,·, x,Ä, íf[]f[]f[]f<f[]n[]f[]h[]ff[]B[]f[]X[]f[]N, a[]fT[]f` ,³,é,Ü, ·[]B[]f[]t[]f[]b[]f[]s[]f[]f[]f[]B[]f[]X[]f[]N[]f[]h[]f%[]o[]f[]C[]f[]u[]A[]C[]D[]-[]R[]O[]M[]f[]h[]f%[]o[]f[]C[]f[]u[]A[]f[]b[]f[]g[]f[]f[]f[]N[]f[]h[]f%[]o[]f[]C[]f[]u, ífT[]f` ,³,é,Ü,¹,ñ[]B
- f[]f[]f[]f<f[]f[]f[]B[]f[]X[]f[]N[]f[]X[]f[]y[]f[]X, a'â—É,É, ,é(1GB, íf[]n[]f[]h[]ff[]B[]f[]X[]f[]N, È,Ç)[]ê[]#, í[]A[]f[]z[]f[]g[]f[]Š[]f\ []f[]X[]M[]I[]B, Å,·, x,Ä, íff[]f[]B[]f[]X[]f[]N[]f[]X[]f[]y[]f[]X, đfT[]f` ,µ,È,ç,Ä,¾,¾,ç[]B[]fT[]f` ŽŽŠÖ,đ'Z,- ,·,é,½,ß,É[]A[]fT[]f` ,í^í,đ,Ä,«,é,¾, ,[]- ,³,µ,Ä,¾,¾,ç[]B
- f[]v[]f[]o[]f%[]f[]€, ÉŠÖ,·, é[]î·ñ, íf[]f[]b[]f[]g[]f[]f[]f[]N[]Š[]Ç—[]f[]R[]f" f[]f[]f[]f<,É,æ,Ä,ÄŽg—p,³,é,Ü,·[]B, ±, í[]î·ñ, íf[]N[]f%[]o[]f[]C[]f[]A" f[]g[]f[]f[]f[]N[]f[]X[]f[]e[]f[]V[]f[]f", Å[]f[]t[]f[]g[]f[]E[]f[]F[]A, í'Ç[]Ö,đ[]s,±[]ê[]#,É—L—p,Å,·[]B
- ,±, í[]Y'è, ÍŽŸ,ì,ç, ,é, ©,É,æ,Ä,Ä·í[]X,Å,«,Ü,·[]B
f[]z[]f[]X[]f[]g[]f[]Š[]f[]f[]X[]M[]I[]B[]f[]v[]f[]p[]f[]e[]f[]B, í[]m[]f[]t[]f[]g[]f[]E[]f[]F[]A[]f[]T[]f` []n[]f^[]f[]u
f[]v[]f[]X[]f[]e[]f[]f[]f[]Š[]f[]V[]f[]f[]G[]f[]f[]B[]f^
Admin.íffftfHf<fg

Admin,íffftfHf<fg,í[]î·ñ

f[]f[]v[]f[]V[]f[]f[]f":[]@Resources

[]\·[]f[]:[]@swdirectorysearchdepth=number

—á:[]@RESOURCES

SWDIRECTORYSEARCHDEPTH=3

f<[fg, ©, çT [f` ,.éfffBfÇfNfgfŠfÇfxf<: [fzfXfgfŠf\ [fXMIB, Åfvf [fOf
%of€ftf@fCf<, ðfT [f` ,.é [é [‡, İfffBfÇfNfgfŠfçfŠ [, í ^ í, ðŽw'è, μ, Û, . [B
{button ,JI(`NWCFG95.HLP>nwc32', `Directory_Levels_to_Search_Notes')} f [f.

fffBfĈfNfgfŠfcfŠ[]

fffBfĈfNfgfŠff[]f^fx[]fX“à.,ìfìfufWfFfNfg,ìŠK‘w[]\‘ç[]BfffBfĈfNfgfŠfcfŠ[][,É,ífbfbfgf[][]fN,ì•Ò[]¬,ÉŽg—
p,·,éfRf“fefìfìfufWfFfNfg,ªŠÛ,Û,è,Û,·[]B

fffBfĈfNfgfŠfcfŠ[][,ì[]\‘ç,í[]AfìfufWfFfNfg,ì•“—[]^Ê‘u,Æ,í-³ŠÖĈEW,É[]A~—[]“ì,È•Ò[]¬,ÉŠî,Ã,ç
,Á[]ì[]¬,Á,«,Û,·[]B

f|fCf“fg,ÆfvfŠf“fg,đ^êžž“l,É-³CEø,É,·,é: @‘l’đ,μ,½fvfŠf“f^,lf|fCf“fg,ÆfvfŠf“fg,đ-
³CEø,É,μ,½,çê±,íA,±,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[]fN,đ•t,^,Ä,,¾,³,çB-³CEø,É,μ,É,çê±,íA,±
,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}[]fN,đSO,μ,Ä,,¾,³,çB
{button ,Jl(`NWCFG95.HLP>nwc32',`Disable_Point_and_Print_Notes')} ff.

f|fCf“fg,ÆfvfŠf“fg,đ^èŽž“l,É-³CEø,É,·,é,ÉŠÖ,·,éf□f,
ffftfHf<fg:□@off

- ,±,ìf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,đ•t,¯,é,Æ□Aft□[fU,ìf|fCf“fg,ÆfvfŠf“fg,đŽg—
p,μ,Ä,à□A'í'đ,μ,½fvfŠf“f^,đ□Ý'è,Ä,«,É,,É,è,Ü,·□B'í'đ,μ,½fvfŠf“f^,É'í,μ,Äf|fCf“fg,ÆfvfŠf“fg,đ□Ä“x—
LCEø,É,μ,½,ç□é□‡,í□A,±,ìf`fFfbfNf{fbfNfX,ìf`fFfbfNf}□[fN,đŠO,μ,Ä,,¾,¾,¾,ç□B
Client 32*,ìfpfX,ÆfvfŠf“f^f,ffk,ì□î•ñ,đ•Ü'¶,μ,Ü,·□B,μ,½,¾,¾,¾,Ä□A□î•ñ,đ□ÄŽw'è,μ,½,è^ó□üfhf
%ofCfoftf@fCf<,đ□Ä“xfRfs□[,μ,½,è,¹,,É□AŠÈ'P,Éf|fCf“fg,ÆfvfŠf“fg,đ-³CEø,É,μ,½,è□Ä“x—LCEø,É,·,é,±
,Æ,¾,Ä,«,Ü,·□B
- ,±,ì□Ý'è,ìfvfŠf“f^,ìfvf□fpfefB,ì□mf|fCf“fg,ÆfvfŠf“fg,ì□Ý'è□nf^fu,đŽg—p,·,é,±
,Æ,É,æ,è•ì□X,Ä,«,Ü,·□B

*fmxjf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ú□x,ì□x•W,đŽQ□Æ,μ,Ä,,¾,¾,¾,ç□B

Ú±fy[W,i·Ž!:@fOf%oftfBjff.fOfCf“ft[fefBfŠfefB,ÅmÚ±nfy[W,ð·\Ž!,.éê‡,íA,±
,if`fFfbfNf{fbfNfX,É`fFfbfNf}[fN,ð•t,`Á,,¾,¾,çBmÚ±nfy[W,ð·\Ž!,μ,È,çê‡,íA,±
,if`fFfbfNf{fbfNfX,if`fFfbfNf}[fN,ðŠO,μ,Á,,¾,¾,çB
{button ,JI(`NWCFG95.HLP>nwc32`,`Display_Connection_Page_Notes')}} ff


Ú±fy[W,ì\Ž!,ÉŠÖ,-,éf

ffftfHf<fg:@off

- mÚ±nfy[W,đŽg—p,·,é,îAfof
%oftfBjff<fofOfCf“ft[fefBfŠfefB,ĀffofOfCf“,μ,½,Æ,«,ÉAZŸ,îî•ň,đŽw’è,Ā,«,Û,·B
- fcfŠ[Û,½,ÍfT[fo
- fofCf“f_fŠÚ±,đŽg—p,·,é,©,Ç,π,©
- fRf“fefLfXfg
- fofOfCf“,É,æ,Ā,ĀĈ»Ý,ìÚ±,đíœ,·,é,©,Ç,π,©
- ,±,ìÝ’è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Ā,Ā•îX,Ā,«,Û,·B
Novell* NetWare* Client* 32*fvf[fpfefB,ìmf[fofCf“nf^fu
fVxfef€f]fŠfV[fGfffBf^
- ,±,ìÝ’è,ÍAdmin,ìffftfHf<fg,đŽg—p,μ,Ā,à•îX,Ā,«,Û,¹ňB

*fmx<,ìπ•W@**fT[fhfp[feB,ìπ•W
Ú×,ìπ•W,đŽQÆ,μ,Ā,,³/₄,³,çB

SNMPvfjfpfefB,ì•\Ž!

1.  ,đfNfŠfbfN,μ,ÄAfRf“fgf[]f<fpfif<,ìmfjfbfgf[]fN[]n,đ•\Ž!,μ,Ä,,³/₄,³,č[]B
2. []mNovell* SNMP Agent[]n,đ'ì'đ,μ,Ä,,³/₄,³,č[]B
3. []mfvf[]fpfefB[]n,đ'ì'đ,μ,Ä,,³/₄,³,č[]B

*fjmfxf<,ì[]x•W[]@**fT[]fhfp[]fefB,ì[]x•W
[]Ú[]x,ì[]x•W,đŽQ[]E,μ,Ä,,³/₄,³,č[]B

fXfNfŠfvfgfy [fW, i • Ž! : @fOf%oftfBfjffcfOfCf“ft [fefBfŠfefB, ÅmfXfNfŠfvfgnfy [fW, đ • \
Ž! , éê±, íA, ±, lf`fFfbfNf{fbfNfX, É`fFfbfNf} [fN, đ • t, , Ä, , ¾, ¾, çBmfXfNfŠfvfgnfy [fW, đ • \
Ž! , µ, É, çê±, íA, ±, lf`fFfbfNf{fbfNfX, lf`fFfbfNf} [fN, đŠO, µ, Ä, , ¾, ¾, çB
{button ,JI(`NWCFG95.HLP>nwc32', `Display_Script_Page_Notes')} **fif.**

fXfNfŠfvgfy [fW, i•\Ž!, ÉŠÖ, •, éf, f,
ffftfHf<fg: @off

- [mfXfNfŠfvg nfy [fW, đŽg—p, •, é, î AfOf
%oftfBjff<fOfCf“ft [fefBfŠfefB, ĀfOfCf“ ,μ, ½, Æ, «, É AŽŸ, îî•ň, đŽw’è, Ā, «, Ü, • B
- ‘ă’ ÖfOfCf“ fXfNfŠfvg
- ‘ă’ Övf [ftf @fCf<fXfNfŠfvg
- fXfNfŠfvg, đŽĀ s, •, é, ©, Ç, x, ©
- [mfOfCf“ , ìĀ <% É nfeBf“ fhfE, đŽ © “ @ “ I, É • Ā, ¶, é, ©, Ç, x, ©
- , ±, îŸ’è, ÍŽŸ, ì, Ç, ç, ©, É, æ, Ā, Ā • ĩ X, Ā, «, Ü, • B
Novell* NetWare* Client* 32*fvf [pfefB, ìmfOfCf“ nfu
fVxfef€f [fŠfV [fGfffBf^
- , ±, îŸ’è, Ā Admin, ìffftfHf<fg, đŽg—p, μ, Ā, à • ĩ X, Ā, «, Ü, ¹, ñ B

*fmx<, ìx•W @**fT [fhfp [fefB, ìx•W
Ú x, ìx•W, đŽQ Æ, μ, Ā, , ¾, ¾, ç B

• ĩ"fy [fW, i•\Ž!:@fOf%oftfBff:fOfCf“ft [fefBfŠfefB, Åm• ĩ" nfy [fW, ð•\Ž!, , éê±, íA, ±
, ĩ`fFfbfNf{fbfNfX, É`fFfbfNf} [fN, ð•t, , Å, , ¾, ¾, çBm• ĩ" nfy [fW, ð•\Ž!, μ, É, çê±, íA, ±
, ĩ`fFfbfNf{fbfNfX, ĩ`fFfbfNf} [fN, ðŠO, μ, Å, , ¾, ¾, çB
{button ,JI(`NWCFG95.HLP>nwc32',`Display_Variables_Page_Notes')} } fif

•i"fy[fW,ì\Ž!,ÉŠÖ,.,éf[f,

ffftfHf<fg: @off

▪ m•i"nfy[fW,đŽg—p,·,ê,îAfOf
%oftfBjff<fOfCf"ft[fefBfŠfefB,ÁfOfCf",μ,½,Æ,«,ÉŽÀs,³,ê,éfOfCf"fXfNfŠfvfg,ì•i",đ4,Ä,Ü,Ăžw'è,Ă,«, Ü,·B

▪ ,±,ìÝ'è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Á,Ä•iX,Ă,«,Ü,·B
Novell* NetWare* Client* 32*fvpfefB,ìmfOfCf"nf^fu
fVxfef€fŠfv[fGfffBf^

▪ ,±,ìÝ'è,ÍAdmin,ìffftfHf<fg,đŽg—p,μ,Ä,à•iX,Ă,«,Ü,¹,ñB

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Úx,ìx•W,đŽQÆ,μ,Ä,,³/₄,³,çB

fhfCf“

<α'Ê,ìDNS,ÅŞÇ—□,³,è,é□Aflfbfgf□□lfNfRf“fsf...□lf^,lfOf<□lfv□Bfhf□fCf“,í•” —□“l,È^Ê'u,É,æ,Á,Ä,Å,í,È,□A~_—
□“l,ÉfOf<□lfv,É,æ,Á,ÄŽw'è,Á,«,Ü,·□B

NetWare/IPfhfCf"-¼,ÉŠÖ,·,éf

ffftfHf<fg:@,È,µ

- ,±,ê,ÍNetWare*/IP*,ì•K{Y'è,Å,·B
- ,±,ìY'è,ÍŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•iX,Å,«,Ü,·B
Novell* NetWare/IPfvfRf<fvfB,ìmfpf%ff^nf^fu
fVxfef€fjŠfV[fGfffBf^
Admin,ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

fifvfVf#f“:@NWIP

•f: @NWIP Domain Name=*domain_name*

—á: NWIP

NWIP DOMAIN NAME=NWIP.ATLANTIC.COM

*fmjxf<,ì•W@**fT[fhfp[fefB,ì•W
Ux,ì•W,ðŽQÆ,µ,Ä,,¾,¾,çB

fhfCf“fiTfrfX(DNS)

fCf“f^fifbfgf[]fN“à,ÅzfXfg-
¼,ÆIPfAfhfCfX,if}fbfsf“fO,ÉŠÖ,·,éî•ñ,ð’ñ<ÿ,·,é•W[]€JVfXfef€[]BDNS,í•ŽUff[]f^fx[]fX,É,±
,ìî•ñ,ð^ÚŽ[],μ,Û,·[]B

fhfCf“SAP/RIPfTfo(DSS)

IPX*^èÄ'—MfTfrfX,ì'ã,í,è,ÉŠ” ,³,ê,½NetWare*/

IP*f|fbfgfNã,lfTfrfXBDSSfTfo,íANetWarefAfvfŠfP[Vf#f“,É•K—v,ÈSAP/RIPî•ñ(fTfrfX,ì%oÁ—
p«,Æf<[fefBf“fO),ðNetWare/IP,lfTfo,ÆfNf%ofCfAf“fg,É'ñ<ÿ,.,éff[f^fx[fX,ðŠÇ—,μ,Ü,·B

f_fCfif~fbfN: @CE»Ÿ'ı'đ,μ,Ä,ç,éŸ'è,a" @ "ı,Ä, ,é,©,Ç,ϣ,©,đŽı,μ,Ü,·Bf_fCfif~fbfNfpf
%of[]f^,Ö,ı•ıX,ıfRf"fgf[]f<fpf|f<,ı[]mf|fbf9f[]fN[]nã,Å[]mOK[]n,đ'ı'đ,·,é,Æ—
LCEø,É,È,è,Ü,·B" @ "ı,Ä,É,çŸ'è,ıfRf"fsf...[]f^,đÄ<N" @,μ,½CEã,É—LCEø,É,È,è,Ü,·B

f_fCjif~fbfNfpf%of[]f^

,±,ìÿ'è,í"®"i,Å,·B,±,ìÿ'è,Ö,ì·iX,íRf"fgf[]f<fpflf<,ìmfjfbfgf[]fNn,ÅmOKn,ð'l'ð,·,é,Æ—
LCEø,É,È,è,Û,·B·iX,ð—LCEø,É,·,é,½,ß,ÉfRf"fsf...[]f^,ðÅ<N"®,·,é•K—v,í, ,è,Û,¹,ñB

□V,μ,ϕ|fšfV□[ftf@fCf<,ì•ò□W

1. (□ê□‡,É,æ,Á,ĂŽÀ□s)fVfXfefϕf|fšfV□[fGfffBf^,ð<N“® ,μ,Ă,ϕ,È,ϕ□ê□‡,Í□A,±,±,Å<N“® ,μ,Ă,,¾,¾,ϕ□B
2. □mftf@fCf<□n,ð'ì'ð,μ,Ă,,¾,¾,ϕ□B
3. □m□V<K□ì□-□n,ð'ì'ð,μ,Ă,,¾,¾,ϕ□B

"FØfgf%fbfv,ì—LCEø%o»: @“KØ,ÈfAfNfZfXŒ ,ðŽ,½,È,çft[fU,ªADesktop SNMP,ªŠÇ—,µ,Ä,ç
,éî•ñ,ðŽæ“¾A•ïX,µ,æ,æ,Æ,µ,½ê‡,ÉADesktop SNMP,©,çgf%fbfvf‡bfZ[fW,ð’—M,·,é,É,íA,±
,ìf{fbNfX,Éf`fFfbfNf}‡[fN,ð•t,~,Ä,,¾,³,çB
{button ,JI(`NWCFG95.HLP>nwc32',`Enable_Authentication_Traps_Notes')}} ff

"F Øfgf%ofbfv,ì—LCEø%o»,ÉŠÖ,·,éf f,

ffftfHf<fg:@off

▪ f fNfXfe[fVfjf",lfZfLf...fŠfefB,ðCEüã,·,é,É,íA,±,ìf`fFfbfNf{fbfNfX,Éf`fFfbfNf} fN,ð•t, ¯,ÄAfgf %ofbfvf fbfZ[fW,ðDesktop SNMP,©,çf}f[fWff,É'—M,·,é,æ,æ,É,µ,Ä,,¾,¾,çB

▪ ,±,ìY'è,ÍŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•ìX,Å,«,Ü,·B
Novell* SNMPfG[fWfFf"fgfvf fpfefB,ìmSNMPnf^fu
fvXfef€f]fŠfV[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

fifvfVfjf":@Desktop SNMP

•¶:@snmpEnableAuthenTrap=onboff

—á:@Desktop SNMP

snmpEnableAuthenTrap = on

*fmjxf<,ìæ•W@**fT[fhf p[fefB,ìæ•W

Úx,íæ•W,ðŽQÆ,µ,Ä,,¾,¾,çB

fo**f**i**l**,**l**ž**g**—**p**:@f^vfš^f“fgfWf#fu,²,Æ,Éfofi□[fy□[fW,ð“ü,ê,é□ê□‡,í□A,±
,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,ð•t, ,Á,,³/₄,³,ç□Bfofi□[fy□[fW,ð“ü,ê,É,ç□ê□‡,í□A,±
,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}□[fN,ðŠO,μ,Á,,³/₄,³,ç□B
{button ,JI(`NWCFG95.HLP>nwc32',`Enable_Banner_Notes')}} **f**o**f**.

foji [, lžg — p, ÉŠÖ, , éf [f,

ffftjHf < fg: [@on

- fvfŠf“f^fvf [fpfefB, đŽg — p, , ê, î [A“Á’è, ìfvfŠf“f^, É, Â, ç, Ä, ±, ì [Ý’è, đ • ì [X, Å, «, Ü, · [B
- Novell* NetWare* Client* 32*fvf [fpfefB, đŽg — p, , ê, î [AfffftjHf < fgjLffvf [ff, ì [Ý’è, đ • ì [X, Å, «, Ü, · [B

*fmxfx < , ì [x • W [@**fT [fhfp [[fefB, ì [x • W
[U [x , ì [x • W, đŽQ [Æ, μ, Å, , 3/4, 3, ç [B

☐\$ĈäfRf~f...fjfeB,ì—LĈø%o»:☐@ŽŸ,ì,Ĉ,ê,©,ð'ì'ð,μ,Ä,,¾,¾,¾,¾☐B
☐many☐n:☐@☐\$ĈäfRf~f...fjfeB,ð—LĈø,É,μ☐A,·,×,Ä,ìfRf~f...fjfeB-¼,ð“Ĉ,Ÿ☐',«,Å,«,é,æ,κ,É,μ,Ü,·☐B
☐moff☐n:☐@☐\$ĈäfRf~f...fjfeB,ð-³Ĉø,É,μ,Ü,·☐B
☐mŽw'è☐Ī,Ÿ☐n:☐@Žw'è,μ,½fRf~f...fjfeB-¼,ðŽ☐,Â☐\$ĈäfRf~f...fjfeB,ð—LĈø,É,μ,Ü,·☐B
{button ,JI(`NWCFG95.HLP>nwc32',`Enable_Control_Community_Notes')} **f☐f.**

§CEäRf~f...fjfeB,ì—LCEø%»»,ÉŠÖ,·,éf□f,
ffftfHf<fg:□@off

- □§CEäRf~f...fjfeB,í“Ç,Ý□’,«%Â”\fRf~f...fjfeB(SET’€□ì,ðŽÀ□s,Á,«,éfRf~f...fjfeB),Á,·□B
- □mŽw’è□ì,Ý□n,ð’l’ð,·,é,Æ□ANovell* SNMPfG□[fWfFf“fg,ÍŽw’è,μ,½□§CEäRf~f...fjfeB,¾,·,ðŽg—p,μ,Ü,·□B
- □many□n,ð’l’ð,·,é,Æ□AfAfNfZfX,·,é,½,ß,É,Ç,ì,æ,α,ÈfRf~f...fjfeB•¶Žš—ñ,Á,àŽg—p,Á,«,Ü,·□BŽw’è,³,è,½□§CEäRf~f...fjfeB,í¼,ì□§CEäRf~f...fjfeB,Æ“—l,ìfAfNfZfX,ðŽ□,ì,Ü,·□B
- □moff□n,ð’l’ð,·,é,Æ□A□§CEäRf~f...fjfeB,Ö,ìfAfNfZfX,í-³CEø,É,È,è,Ü,·□BŽw’è,μ,½□§CEäRf~f...fjfeB,í□§CEäRf~f...fjfeB,ÉfAfNfZfX,·,é,±,Æ,í,Á,«,Ü,¹,ñ□B“—l,É¼,ì,Ç,ìfRf~f...fjfeB-¼,à□§CEäRf~f...fjfeB,É,ìfAfNfZfX,Á,«,Ü,¹,ñ□B
□§CEäRf~f...fjfeB,ð-³CEø,É,·,é,Æ□A,»,ìfRf~f...fjfeB,ìfAfNfZfX□î•ñ,É,í,Ç,ìŠÇ—
□fGf“fefBfefB,àfAfNfZfX,Á,«,Ü,¹,ñ□B,½,Æ,ì,ì□ANovell SNMPfG□[fWfFf“fg,ðŽg—p,μ,Ä□A,»,ìŠÇ—□
%ø,É,·,éf□[f^,ÉSET’€□ì,ðŽÀ□s,·,é,±,Æ,í,Á,«,Ü,¹,ñ□B
- □mOmitted□n,í,±,ì□Ý’è,ÉŽg—p,Á,«,È,,È,è,Ü,μ,½□B
- ,±,ì□Ý’è,ÍŽÝ,ì,ç,,è,©,É,æ,Á,Ä•ì□X,Á,«,Ü,·□B
Novell SNMPfG□[fWfFf“fgfvf□fpfeB,ì□mSNMP□nf^fu
fVfXfef€fìfŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì□î•ñ

fìfvfVf†f“:□@Desktop SNMP

□\•¶:□@Enable Control Community=specified□bany□boff

—á:□@Desktop SNMP

ENABLE CONTROL COMMUNITY = ANY

*fmfxf<,ì□α•W□@**fT□[fhfp□[fefB,ì□α•W

□Ü□x,ì□α•W,ðŽQ□Æ,μ,Á,,¾,³,ç□B

**ŠÄŽ<fRf~f...fjfeFB,ì—LCEø%»»,ÉŠÖ,·,éff□f,
ffftfHf<fg:□@Žw'è□ī,Ý**

- ŠÄŽ<fRf~f...fjfeFB,Í“Ç,Ý□ž,Ý□ê—pfRf~f...fjfeFB(GET'€□ì,ÆGET NEXT'€□ì,ðŽÀ□s,Å,«,éRf~f...fjfeFB),Å,·□B
- □mŽw'è□ī,Ý□n,ð'ì'ð,·,é,Æ□ANovell* SNMPfG□[fWfFf“fg,ÍŽw'è,μ,½ŠÄŽ<fRf~f...fjfeFB,¾,·,ðŽg—p,μ,Ü,·□B
- □many□n,ð'ì'ð,·,é,Æ□AfAfNfZfX,·,é,½,ß,É,Ç,ì,æ,α,ÈfRf~f...fjfeFB•¶Žš—ñ,Å,àŽg—p,Å,«,Ü,·□BŽw'è,¾,é,½ŠÄŽ<fRf~f...fjfeFB,Í¼,ìŠÄŽ<fRf~f...fjfeFB,Æ“—l,ìfAfNfZfX,ðŽ□,ì,Ü,·□B
- □moff□n,ð'ì'ð,·,é,Æ□AŠÄŽ<fRf~f...fjfeFB,Ö,ìfAfNfZfX,Í-³CEø,É,È,è,Ü,·□BŽw'è,μ,½ŠÄŽ<fRf~f...fjfeFB,ÍŠÄŽ<fRf~f...fjfeFB,ÉfAfNfZfX,·,é,±,Æ,Í,Å,«,Ü,¹,ñ□B“—l,É¼,ì,Ç,ìfRf~f...fjfeFB-¼,àŠÄŽ<fRf~f...fjfeFB,É,ìfAfNfZfX,Å,«,Ü,¹,ñ□B
ŠÄŽ<fRf~f...fjfeFB,ð-³CEø,É,·,é,Æ□A,» ,ìfRf~f...fjfeFB,ìfAfNfZfX□î•ñ,É,Í,Ç,ìŠÇ—□fGf“fefBfefB,àfAfNfZfX,Å,«,Ü,¹,ñ□B,½,Æ,ì,ì□ANovell SNMPfG□[fWfFf“fg,ðŽg—p,μ,Ä□A,» ,ìŠÇ—□%»º,É,·,éff□[f^,ÉGET'€□ì,ðŽÀ□s,·,é,±,Æ,Í,Å,«,Ü,¹,ñ□B
- □mOmitted□n,ì,±,ì□Ý'è,ÉŽg—p,Å,«,È,·,È,è,Ü,μ,½□B
- ,±,ì□Ý'è,ÍŽÝ,ì,ç,·,è,©,É,æ,Å,Ä•ì□X,Å,«,Ü,·□B
Novell SNMPfG□[fWfFf“fgfvf□fpfefB,ì□mSNMP□nf^fu
fVfXfef€fìfŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì□î•ñ

fìfvfVf†f“:□@Desktop SNMP

□\•¶:□@Enable Monitor Community=specified□bany□boff

—á:□@Desktop SNMP

ENABLE MONITOR COMMUNITY = SPECIFIED

*fmfxf<,ì□α•W□@**fT□[fhfp□[fefB,ì□α•W
□Ü□x,ì□α•W,ðŽQ□Æ,μ,Å,,¾,¾,ç□B

ODI,É,æ,éNDISfvf[]fgfRf<,ìfTf|[]lfg:[]@,±,ìODI*fhf%ofCfo,ÅNDISfvf[]fgfRf<,ðŽg—p,·,é[]ê[]±,í[]A,±,ìf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[]lN,ð•t,¯,Ä,,¾,¾,ç[]B,±,ìODIlfhf%ofCfo,ÅNDISfvf[]fgfRf<,ðŽg—p,μ,É,ç,±,Æ,³Sm,©,É[]ê[]±,É,¾,¯[]A,±,ìf`fFfbfNf{fbfNfX,ìf`fFfbfNf}[]lN,ðŠO,μ,Ä,,¾,¾,ç[]B**
{button ,JI(`NWCFG95.HLP>nwc32',`Enable_ODINSUP_Notes')} **f[]f.**

ODI,É,æ,éNDISfjvf[]fgfRf<,lfTf|[]fg,ÉŠÖ,·,éf[]f,
ffftjHf<fg:[]@on

- ODI*fhf%ofCfo,ÅMicrosoft**fjfbfgf[][]fLf“fOfRf“f|[]fLf“fg(Client for Microsoft Networks,Û,½,ÍTCP/IP,É,Ç),ðŽg—p,μ,À,ç,é[]ê[]#,É,Í[]A,±,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[]fN,ð•t,~,Ä[]AODI,É,æ,éNDIS**fjvf[]fgfRf<,lfTf|[]fg,ð—LCEø,É,·,é•K—v,^a, ,è,Û,·:[]B
- ,±,lf`fFfbfNf{fbfNfX,ÍNovell ODINSUPfjfbfgf[][]fNfRf“f|[]fLf“fg,ðfCf“fXfg[]f<,·,é,©,Ç,¤,©,ðŽw’è,μ,Û,·[]BNovell ODINSUP,ðfCf“fXfg[]f<,·,é[]ê[]#,Í[]A,±,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[]fN,ð•t,~,Ä,-,¾,³,ç[]BNovell ODINSUP,ð[]í[]œ,·,é[]ê[]#,Í[]A,±,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}[]fN,ðŠO,μ,À,,¾,³,ç[]B
- ,±,ì[]Ý’è,lfjfbfgf[][]fNfAf_fvf^,lfv[]f[]p[]efBfV[]fg,ì[]mODI Driver[]nf^fu,ðŽg—p,μ,À,·ì[]X,Å,«,Û,·:[]B

*fmfxf<,ì[]¤•W[]@**fT[]f[]hfp[]f[]efB,ì[]¤•W
[]Û[]x,ì[]¤•W,ðŽQ[]Æ,μ,À,,¾,³,ç[]B

NDIS,ì\[\fXf<[\fefBf“fO,ì—LCEø%»: @IPX*fvf\fgfRf<,ÉNDIS**fg[\fNf“fŠf“fO,ÆFDDI\fhf%ofCfo,ì\[\fXf<[\fefBf“fO,đŽÀs,^{3,1},éê±,ÍA,±,ì`fFfbfNf{fbfNfX,Éf`fFfbfNf}[\fN,ð•t, -,Ä,,^{3/4,3},çB
{button ,JI(`NWCFG95.HLP>nwc32',`Source_Routing_Notes')} fif.

f^fu, lžg—p: f^fu, l'ã, í, è, ÉŽw'è, μ, ½fXfy□[fX□□, ðfvfŠf“f^, Å^ó□ü, ., é□ê□‡, í□A, ±
, lf`fFfbfNf{fbfNfX, Éf`fFfbfNf}□[fN, ð•t, -, Å, -
, ¾, ¾, ç□BfefLfXfgfvfŠf“fgfWf‡fu, Åf^fu, l'ã, í, è, ÉfXfy□[fX, ð^ó□ü, μ, È, ç□ê□‡, í□A, ±
, lf`fFfbfNf{fbfNfX, lf`fFfbfNf}□[fN, ðŠO, μ, Å, , ¾, ¾, ç□B
{button ,JI(`NWCFG95.HLP>nwc32',`Enable_Tabs_Notes')}} **fif.**

f^fu,lžg—p,ÉŠÖ,.,éf□f,

ffftfHf<fg:□@off

- ,±,ì□Ý'è,ífefLjXfgjvfšf“fgfWf#fu,ì,½,ß,ì,à,ì,Å,·□BfofCfjgXfgfš□[f€,ìvfšf“fgfWf#fu,ì□ê□#,É,Í,±,ì□Ý'è,í•s—v,Å,·□B
- fvšf“f^,ìvf□pfefB,đŽg—p,.,é,î□A“Á'è,ìvfšf“f^,É,Â,ç,Ä,±,ì□Ý'è,đ•ì□X,Å,«,Ü,·□B
- Novell* NetWare* Client* 32*fv□pfefB,đŽg—p,.,é,î□AffffHf<fgfLfffv^_ff,ì□Ý'è,đ•ì□X,Å,«,Ü,·□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ü□x,ì□x•W,đŽQ□Æ,μ,Å,,¾,¾,¾,ç□B

—LCEø%»: f\ [fXf< [fefBf“fO, ð—LCEø, É, ., é, ½, ß, É, ±, ìODI*fhf%oofCfo, a•K—v, Èê±, íA, ±, ìf`fFfbfNf{fbfNfX, Éf`fFfbfNf} [fN, ð•t, , Ä, , ¾, ¾, çBf\ [fXf< [fefBf“fO, a•K—v, È, çê±, íA, ±, ìf`fFfbfNf{fbfNfX, ìf`fFfbfNf} [fN, ðŠO, µ, Ä, , ¾, ¾, çB
{button ,JI(`NWCFG95.HLP>nwc32', `Enabled_Notes')} **fif.**

—LCEø%o»,ÉŠÖ,·,éf□f,

ffftjHf<fg:□@off

▪ fg□[fNf“fŠf“fO,Ü,½,ÍFDDI ODI* LAN,ìfhf%oƒCfo,ìf□[fXf<□[fefBf“fO,É□AIBM**(,Ü,½,ÍIBMCEÝŠ·,ì)ƒ
□[fXf<□[fgfufŠfbfW,đ'É,¶,ÄNetWare*,©,çftfCE□[f€(fpfPfbfg),đ“n,¹,é,æ,α,É,μ,Ü,·□B

▪ ,ìÝ'è,đ•[±]ì□X,·,é,É,Í□Afg□[fNf“fŠf“fO,Ü,½,ÍFDDI,ìfìfbfgf□□[fNfAf_fvf^,ìfvf□f□fefBfV□[fg,ì□mSRoute
32□nf^fu,đŽg—p,μ,Ü,·□B

*fmfxf<,ì□α•W□@**fT□[fhfp□[fefB,ì□α•W
□Ú□x,ì□α•W,đŽQ□/E,μ,Ä,,³/₄,³,ç□B

Environment Pad: @DOSfAfvfŠfP[fVf†“,ìDOSŠÂ««,É[AŽw'è,³,ê,½fofCfg“”,đ'Ç%oÁ,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Environment_Pad_Notes')} **ff.**

Environment Pad,ÉŠÖ,.,éf

ffftfHf<fg:@64

"í^í:@0` 32768(fofCfg)

f

- Windows,íf[fhĀă,ÉADOSfAfvfŠfp[fvf#f",đŠĀ<<«,É'Ç%oÁ,.,éê#Ā,ÉA,±,ífpf%of[f^,đŽg—
p,μ,Ā,,¾,¾,¾,¾
- ,±,ìŸ'è,íŽŸ,ì,ç,,ê,©,É,æ,Ā,Ā•ìX,Ā,«,Ů,·B
Novell* NetWare* Client* 32*fvf[fpfefB,ìmŮxŸ'ènf^fu
fVfXfef€fífŠfv[fGfffBf^
Admin,ífftfHf<fg

Admin,ífftfHf<fg,ìî•ñ

fifvfVf#f":@NetWare DOS Requester*

Ů\•Ÿ:@Environment Pad=*number*

—á:@NETWARE DOS REQUESTER

ENVIRONMENT PAD=512

*fmfxf,ìŸ•W@**fT[fhfp[fefB,ìŸ•W
ŮŮx,ìŸ•W,đŽQĀĒ,μ,Ā,,¾,¾,¾,¾

File Cache Level: @Client 32*,@ftf@fCf<ff[f^,δfLfffbfVf“fO,·,é•û-@,δ'è` ,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`File_Cache_Level_Notes')} fff.

File Cache Level,ÉŠÖ,·,éf□f,
ffftfHf<fg:□@3('·ŠúfLfffbVf"fO)

"í^:□@0□`4

'l,íŽŸ,ì,Æ,¨,è,Å,·□B

0□@-³CEø

1□@□æ"Ç,Ý,ÆCEã□',«□ê—p

2□@'ZŠúfLfffbVf"fO

3□@'·ŠúfLfffbVf"fO

4□@'~□íCE^fLfffbVf"fO

f_fCjif~fbfNfpf%of□□f^

f□f,

- □"l,ªª,«,,È,é,Ù,Ç□AfpftfH□[f]}f"fx,íCEü□ã,μ,Ü,·□B
- True Commit,ª□mon□n,É,È,Á,Ä,ç,é□ê□‡,â□ACache Writes,ª□moff□n,É,È,Á,Ä,ç,é□ê□‡□Aflfbfgf□□[fN□',«□ž,Ý,lflfffbVf"fO,³,è,Ú,¹,ñ□B
- ,±,ì□Ý'è,íŽŸ,ì,ç,,è,©,É,æ,Á,Ä·ì□X,Á,«,Ü,·□B
Novell* NetWare* Client* 32*fvf□pfefB,ì□m□Ú□×□Ý'è□nf^fu
fVfXfef€f|fŠfV□□fGfffBf^
Admin.lffftfHf<fg

Admin,ìffftfHf<fg,ì□î•ñ

f|fvfVf‡f":□@NetWare DOS Requester*

□\•f:□@File Cache Level=*number*

—á:□@NETWARE DOS REQUESTER

FILE CACHE LEVEL=3

*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W
□Ú□×,ì□¤•W,ðŽQ□Æ,μ,Á,,³/4,³,ç□B

ftf@fCf<fLfffbfVf...fCEfxf<:@-³CEø

Client 32*,³ftf@fCf<fLfffbfVf“fO,đŽÀ□s,μ,È,ϕ,æ,π
,Éftf@fCf<fLfffbfVf“fO,đflft,È,μ,Û,·□Bftf@fCf<fLfffbfVf“fO,³flft,ì,Æ,«□AClient
32,lfLfffbfVf“fO,ì,½,ß,ÉXMSf□f,fŠ,đŽg—p,·,é,±,Æ,í, ,è,Û,¹,ñ□B

ftf@fCf<fLffffbfVf...fCEfxf<:@'•ŠúfLffffbfVf“fO

,±,ífLffffbfVf“fO•û-@,đŽg—p,·,é□ê□#□A•Ā,¶,Ā,č,éftf@fCf<,đ□Ā,ŃŠJ,,Æ,<,Éff□[f^,³fLffffbfVf...
fofbftf@,ÉŽc,Ā,Ā,“,è□A□ĀCEă,ÉfLffffbfVf...fofbftf@,É“û,Ā,Ā,©,ç•Ī□X,³,è,Ā,č,È,¯,è,í□AClient 32*,ífLffffbfVf...
fofbftf@,©,çff□[f^,đCEŸ□đ,μ,Û,·□B

ftf@fCf<fLfffbfVf...fCEfxf<:@æ“Ç,Ý,ÆCEã‘,«ê—p

Client 32*,íA¼,ìftf@fCf<fLfffbfVf“fO•û-@,ðŽg—p,¹,,ÉAæ“Ç,Ý,ÆCEã‘,«,ìftf@fCf<fLfffbfVf“fO,ðŽg—
p,μ,Û,:B

ftf@fCf<fLfffbfVf...fCEfxf<:@'ZŠúfLfffbfVf"fo

,±,lfLfffbfVf"fo•û-@,đŽg—p,·,é,Æ□AClient

32*,lftf@fCf<,ª•Ā,¶,é,Û,Āftf@fCf<ff□[f^,đfLfffbfVf"fo,μ,Û,·□Bftf@fCf<,đ□Ā,ŇšJ,-

□ê□+,í□A'€□),lftf@fCf<ff□[f^,ªfLfffbfVf...,ÉŽc,Ā,Ā,č

,é,©,đf`fFfbfN,¹,,É□A□V,½,Éftf@fCf<,l"Ç,Ý□',«,đšJŽn,μ,Û,·□B

ftf@fCf<fLfffbfVf...fEfxf<:@'~iĈ^fLfffbfVf“fO

,±,ifLfffbfVf“fO•û-@,đŽg—p,·,é,Æ□AClient 32*,í·ŚúfLfffbfVf“fO,Æf□□[fjf<fffBfXfN,ifLfffbfVf“fO,i—
¼•û,đŽg—p,μ,Û,·Bf□□[fjf<fffBfXfNfAfNfZfX,³fifbfgf□□[fNftf@fCf<fAfNfZfX,æ,è,à□,‘¬,È,Æ,«,È,±
,ifLfffbfVf...fEfxf<,đ'đ,μ,À,,³/₄,³,t□B

ftf@fCf<^ftfHf·f_,ìfVfFf<Šg'£Ÿ'è

ŠT—v

ŠT—v

Žè‡

mNetWare*,ìCE —~nfvf[]pfefBfy[]fW,ì•Vž!
ft[]fU,Éfgf%ofXfefB,ì'Ç%oÁA[]íoe[]A•ì[]X,đ<-%oÁ,.,é
ft[]fU,ÉŠg'£fvf[]pfefB,ì•ì[]X,đ<-%oÁ,.,é
ft[]fU,É^3[]k'@[]<,ì•ì[]X,đ<-%oÁ,.,é

*fmfxf<,ì[]x•W[]@**fT[]f[hfp[]f]efB,ì[]x•W
[]U[]x,ì[]x•W,đZQ[]Æ,μ,Á,,³/₄,³,ç[]B

ftf@fCf<^ftfHf<f_ìfvfFf<Šg'£Ÿ'è,ìŠT—v

mNetWare*ftfHf<f_nA mNetWareftf@fCf<_nA mNetWare,ìE —
~n,ìŠefvf ppefBfy[fW,É,æ,Á,Äft[fU,³s,ì,é'€̀,ð\$CEÀ,·,éêf,ÉA,±,ê,ç,ìŸ'è,ðŽg—p,Å,«,Ü,·B
,±,ê,ç,ìfvf ppefBfy[fW,ífbf gffNã,É, ,éftf@fCf<_ftfHf<f_Af{fŠf...[f€,"K—p,³,è,Ü,·B

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Úx,ìx•W,ðŽQ/Æ,μ,Ä,,³/₄,³,çB

ŠeŽíŸ'è,ìĀ“K%»»

f p f t f H [f] f “ f X , ì Ā “ K % » »

f [f , f Š = p “ r , ì Ā “ K % » »

f f f B f X f N f X f y [f X , ì Ā “ K % » »

WAN

f . [f r f < f R f “ f s f … [f e f B f “ f O

f f [f ^ Š @ ‘ S [< , ì Ā “ K % » »

f t f @ f C f < f L f f f b f V f “ f O , ì Ā “ K % » »

ff[f^Š@‘S◀,ìÅ“K%o»

- ff[f^,ìŠ@‘S◀,ðÅ’â,É,·,é,É,íATrue Commit,ðmonn,É,μ,Ä,,¾,¾,çB
- True Commit,ðmonn,É,¹,,Éff[f^Š@‘S◀,ðEüã,·,é,É,íACache Writes,ðmoffn,É,μAClose Behind Ticks,ðm0n,ÉY’è,μ,Ä,,¾,¾,çBDelay Writes,ðmoffn,É,É,Ä,Ä,ç,é,±,Æ,àŠm”F,μ,Ä,,¾,¾,çB

ffffBfXfNfXfy[]fX,ìÁ“K%»

<ó,«ffffBfXfNfXfy[]fX,ª•s'«,μ,Ä,ç,éêëë,íA•s—v,ÈNetWare*fNf%ofCfAf“fgftf@fCf<,ðííœ,Á,«,Ü,·B

▪ Client 32.ìftf@fCf<,ìšfXfg,ðŽQ[]E,μ,Ä,,¾,¾,ç[]B[]ííœ,·,é'O,É[]AŠÂ<<[]Ý'è,É•s—v,Èftf@fCf<,Ä, ,é,±,Æ,ðŠm" F,μ,Ä,,¾,¾,ç[]B

▪ NetWare* Client* 32* for Windows** 95**,Á•Ê,ìNetWarefNf %ofCfAf“fg,ð'uŠ,·,éêëë,íACEÄ,çNetWarefNf%ofCfAf“fg,ìftf@fCf<,ðííœ,Á,«,Ü,·B'¼,ìNetWarefNf %ofCfAf“fg,É•t'®,ìftf@fCf<,É,Ä,ç,Ä,íAŠef[]fj,lf}fjf...fAf<,ðŽQ[]E,μ,Ä,,¾,¾,ç[]B ,½,Æ,ì,í,íAMicrosoft,ìNetWarefìfbfgf[]fNfNf%ofCfAf“fg,ðŽg—p,μ,Ä,ç ,½[]êë[]A,»,é,ç,ìftf@fCf<,ðííœ,μ,ÄffffBfXfNfXfy[]fX,ì^ê•”,ð %ø•ú,Ä,«,Ü,·BMicrosoft,ìNetWarefìfbfgf[]fNfNf%ofCfAf“fg,É•K—v,Èftf@fCf<,É,Ä,ç,Ä,íA[]wMicrosoft Windows 95fšf[]fXfLfbfg[]x,ðŽQ[]E,μ,Ä,,¾,¾,ç[]B

*fmfxf<,ì[]•W[]@**fT[]fhfp[]fjefB,ì[]•W []Ú[]x,ì[]•W,ðŽQ[]E,μ,Ä,,¾,¾,ç[]B

f f,fŠ—p“r,ìĀ“K%»

- Client 32*,aŽg—p,,:éXMSf f,fŠ,ì—Ē,ðCE,,:ç,,:É,íA fL fffbfVf...fTfCfY,ð ħ,³,,:é•ú-@,à, ,è,Û,·B
 - fL fffbfVf...,ð,·,×,Āííœ,·,éêĥ,íA File Cache Level,ðm0n,ÉY’è,μ,Ā,,¾,³,çB
 - ffftfHf<fg,Ā,íA Client 32,í Network Printers A Print Header A Print Tail,ìfftfHf<fg’l,ÉŠí,Ā,ç,Ā309fofCfg,ìfRf“fxf“fVf#fif<f f,fŠ,ðŽg—p,μ,Û,·B,±,é,ç,ìY’è,ª,»,ê,¼,êĀ’â’l,ìêĥAĀ,Ā-ñ18 KB,aŽg—p,³,é,Û,·B
- ^óü,·,é,ì,ÉCE»Y,ìY’è’l,ª•K—v,Ā,È,çêĥ,íA Network Printers,ì”A Print Header,ìfTfCfY A Print Tail,ìfTfCfY,ð ħ,³,,:é,±,Æ,É,æ,Ā,ĀfRf“fxf“fVf#fif<f f,fŠ,ì—Ē,ðCE,,:ç,·,±,Æ,ª,Ā,«,Û,·B

*fmfxf<,ìx•W@**fT[fhfp[feB,ìx•W
Ûx,ìx•W,ðŽQÆ,μ,Ā,,¾,³,çB

fpftfH[f]f“fX,ìÄ“K%»

- fpftfH[f]f“fX,ð%ü‘P,·,é,É,íAfxfbfvftf@fCf<(‰¼‘zf,fŠ),Ö,ì32frfbfgffBfXfNfAfNfZfX,ðŽg—p,·,é,æ,æ,ÉWindows** 95**,ðSÄ<«Y’è,μ,Ä,,¾,¾,çB
- fpftfH[f]f“fX,ð%ü‘P,·,é,É,íA•K—v,Èf{[fh,É,¾,̄IPX*,ðfofCf“fh,^{3,1}Ä,,¾,¾,çB
- fpftfH[f]f“fX,ð%ü‘P,·,é,É,íA‘,«ž,Ÿ,ì‘x‰,,ð<-‰Ä,μ,Ä,,¾,¾,çBij

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Üx,íx•W,ðŽQÆ,μ,Ä,,¾,¾,çB

Å%o,ifbfgf[fNhf%ofCfu:@Å%o,ifbfgf[fNhf%ofCfu,ì-¼'O,ð'ì'ð,μ,Û,·BClient
32*,afbfgf[fN,ÉÚ'±,³,ê,Å,ç,é,É,«A,±,±,ÅŽw'è,μ,½-¼'O,aÅ%o,ifbfgf[fNhf%ofCfu,ÉŠ,,è“-
,Å,ç,ê,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`First_Network_Drive_Notes')} **fif.**

□Á□%□,lfjfbfgf□□[fNfhf%□fCfu,ÉŠÖ,-,é□f,

ffftfHf<fg:□@Žg—p%□Á“\,É□Á□%□,lfhf%□fCfu

- f□□[fjfbfgf%□fCfu,ÁŽg—p,³,é,Ä,ç,é-¼’O,đŽg—p,μ,È,ç,Á,,¾,³,ç□B
- □mfjfbfgf□□[fNfhf%□fCfu,ÌŠ,,è“- ,Ä□nf_fCfAf□fOf{fbfNfX,đŽg—p,μ,Ä,à□A□Á□%□,lfjfbfgf□□[fNfhf%□fCfu-¼,æ,è’O,lfhf%□fCfu-¼,Éfjfbfgf□□[fNfhf%□fCfu,đf}fbfsf“fO,·,é,±,Æ,Í,Á,«,Ü,¹,ň□B,½,¾,μ□AMS-DOS**fvf□f“fvfg,Á,±,é,đŽÁ□s,·,é,±,Æ,Í%□Á“\,Á,·□B
- ,±,ì□Ý’è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Á,Ä•ì□X,Á,«,Ü,·□B
Novell* NetWare* Client* 32*fvf□fpfefB,ì□mClient 32□nf^fu
Admin.ìffftfHf<fg
- ,±,ì□Ý’è,ÍVfXfef€fjŠfV□[fGfffBf^,đŽg—p,μ,Ä,à•ì□X,Á,«,Ü,¹,ň□B

Admin,ìffftfHf<fg,ì□î•ñ

fjfvfVfj#“:□@NetWare DOS Requester*

□\•¶:□@First Network Drive=*drive_letter*

—á:□@NETWARE DOS REQUESTER

FIRST NETWORK DRIVE=G

*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W

□Ú□x,Í□¤•W,đŽQ□Æ,μ,Á,,¾,³,ç□B

Force First Network

Drive: @fT[fo,Û,½,ílfbfqf[]fN,©,ç[]fOfAfEfg,μ,½,Æ,«,ÉSYS:LOGINffBfÆfNfgfŠ,³f}fbfsf“fO,³,ê,élfbfqf
[]fNfhf%ofCfu-¼,đŽw'è,μ,Û,·[]B

{button ,JI(`NWCFG95.HLP>nwc32',`Force_First_Network_Drive_Notes')} [f\[\]f.](#)

Force First Network Drive,ÉŠÖ,-,éf

ffftfHf<fg:@off

—LCEø,É'!:@on | off

f

- **d—v!**@,±,ìÿ'è,ð—LCEø,É,·,é,É,íAÄ%o.ìfìfbfgf[]fNfhf%ofCfufpf%of[]f^,àÿ'è,µ,Ä,-
,¾,¾,ç
- **d—v!**@NETX,É,Ç,ìNetWare* Shell\ftfgfEjFfA,ìè±,Æ“—lAfhf%ofCfu,\
LOGINffBfCfNfgfŠ,É,Ä,í,É,AÄ%o,ìfìfbfgf[]fNfhf%ofCfu,Éf}fbfsf“fO,¾,è,Ü,·B,±,ì•ìX,É,æ,Ä,Ä
%oe<¿,ðŽó,~,éfofbf`ftf@fCf<,ì,·,×,ÄC¾,µ,Ä,,¾,¾,ç
- ,±,ì'!,ðmonn,Éÿ'è,µ,½è±Af[]OfAfEfgCEä,ÉSYS:LOGINffBfCfNfgfŠ,af}fbfsf“fO,¾,è,éfhf
%ofCfu-¾,ðÄ%o,ìfìfbfgf[]fNfhf%ofCfu,ÄZw'è,·,éfhf%ofCfu-¾,É^è'v,¾,è,·,è,ì,É,è,Ü,¹,ñ
- ,±,ì'!,ðmoffn,Éÿ'è,µ,½è±Af[]fj<fhf%ofCfu,©,çf[]OfAfEfg,·,é,Æ,«,ðœ,ç
,ÄAf[]OfAfEfg,µ,½fhf%ofCfu,ì-¾'O,ðŽw'è,µ,É,·,è,ì,É,è,Ü,¹,ñ
- ,±,ìÿ'è,ìŽÿ,ì,ç,·,è,©,É,æ,Ä,Ä•ìX,Ä,«,Ü,·
Novell* NetWare* Client* 32*fvf[]pfefB,ìm[]Ú×ÿ'ènf^fu
fVxfef€fjŠfv[]fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f!fvfvfj#“:@NetWare DOS Requester*

[]•!:@Force First Network Drive=on | off

—á:@NETWARE DOS REQUESTER

FORCE FIRST NETWORK DRIVE=ON

*fmfxf<,ìα•W[]@**fT[]fhfp[]fefB,ìα•W
[]Ú×,ìα•W,ðŽQ[]Æ,µ,Ä,,¾,¾,ç

ftfH[f€ftfB[fh:@fvfŠf“fgfWf‡fu,ìl,í,è,ÉfvfŠf“f^,É—pŽt,đ’—,éêê‡,íA,±,
if`fFfbfNf{fbfNfX,É`fFfbfNf}[]fN,đ•t,˘,Ä,,¾,¾,çB—pŽt,đ’—,ç,É,çêê‡,íA,±,
if`fFfbfNf{fbfNfX,if`fFfbfNf}[]fN,đŠO,μ,Ä,,¾,¾,çB
{button ,Jl(`NWCFG95.HLP>nwc32`,`Form_Feed_Notes')}} **fif.**

ftjH[]f€ftjB[]fh,ÉŠÖ,·,éf[]f,

ffftjHf<fg:[]@on

- fvfŠf“f^,lfvf[]fpfefB,đŽg—p,·,ê,î[]A“Á’è,lfvfŠf“f^,É,Â,ç,Ä,±,ì[]Ý’è,đ•î[]X,Å,«,Ü,·[]B
- Novell* NetWare* Client* 32*fvf[]fpfefB,đŽg—p,·,ê,î[]AfffftjHf<fgfLffvf^ff,ì[]Ý’è,đ•î[]X,Å,«,Ü,·[]B

*fmxfx<,ì[]x•W[]@**fT[]fhfp[]fjefB,ì[]x•W
[]U[]x,ì[]x•W,đŽQ[]Æ,μ,Á,,³/₄,³,ç[]B

ftfCE[f€

□Š'è,ìf□fffBfA—p,ìfpfPfbfgff□[f^ftfH□[f}fbfg□B

f□fffBfA,É,æ,Á,Ä,ÍEthernet 802.2□AEthernet 802.3□AEthernet II□AEthernet

SNAP□Afg□[fNf“fŠf“fO□Afg□[fNf“fŠf“fOSNAP,È,Ç,ì•□”,ìfpfPfbfgftfH□[f}fbfg(ftfCE[f€),ðfTf|□[fg,μ,Ü,·□B

NetWare* 4*,ì□ê□#□AfffTfHf<fg,ìfC□[fTfìfbfgftfCE□[f€f^fCfv,í802.2,Å,·□B

ftfCE[]f€f^fCfv:[]@IPX*,ÅŽg—p,·,éftfCE[]f€f^fCfv,lfŠfXfg,ÉftfCE[]f€f^fCfv,đ'Ç%oÁ,·,é,É,í[]A-
Ú“l,iftfCE[]f€f^fCfv,đ'l'đ,μ,Ä,©,ç[]A[]m'Ç%oÁ[]n,đ'l'đ,μ,Ä,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Frame_Type_Notes!')} **ff.**

ftfCE[fef^fCfv,ÉŠÖ,.,éf,f,
ffftfHf<fg:@Ethernet_802.2

- ^ê"Ê,ÉŽg—
p,³,ê,éftfCE[fef^fCfv,Æ,μ,Ä,ÍEthernet_802.2AEthernet_802.3AEthernet_IIAEthernet_SNAPAToken-
RingAToken-Ring_SNAP,^a, ,è,Ü,·B
- ,±,ìY'è,ð,ïX,Å,«,é,æ,α,ÉPX* 32frfbfg.ìvf[]fajRf<...fvf[]fpfefB,ð,Ž!,.,é,ù-@,É,Ä,ç,Ä,íA,±
,ìs,ðfNfŠfbfN,μ,Ä,,^{3/4},³,çB

*fmfxf<,ìα•W@**fT[]fhfp[]fefB,ìα•W
[]Úx,ìα•W,ðZQ[]Æ,μ,Ä,,^{3/4},³,çB

1ŽŸ~_—f{[fh,iftfE[f€f^fCfv: @IPX*,^a1ŽŸf{[fh,Æ,μ,ÄŽg—p,·,é~_=
ff{[fh,iftfE[f€f^fCfv,δŽw'è,μ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Frame_Type__Primary__Notes')} **ff.**

1ŽŸ~_—f{[fh,lftfE[fef^fCfv,ÉŠÖ,·,éf,f,

ffftjHf<fg:@Ethernet_802.2

- ^ê"Ê,ÉŽg—
p,³,ê,éftfE[fef^fCfv,Æ,μ,Ä,ÍEthernet_802.2AEthernet_802.3AEthernet_IIAEthernet_SNAPAToken-RingAToken-Ring_SNAP,^a, ,è,Û,·B
- ,±,ìŸ'è,ð·ìX,Å,«,é,æ,π,ÉIPX* **32frfbfg,lfvf[]fgfRf<...fvf[]pfefB,ð·\Žl,.,é·û-@,É,Â,ç,Ä,íA,±,ìs,ðfNfŠfbfN,μ,Ä,,^{3/4},³,çB**

*fmfxf<,ìπ·W@**fT[]fhfp[]fefB,ìπ·W
[]Úx,íπ·W,ðZQ[]Æ,μ,Ä,,^{3/4},³,çB

^ê"É"İ,È^êÄ'—M(GBR):@,.,x,Ä,ì^ê"É"İ,È^êÄ'—MftfCE[f€,đ'Sf<[fg^êÄ'—MftfCE[f€,Æ,μ,Ä'—
M,.,éêê#,ÍA,±,İf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[]fN,đ•t,~,Ä,,¾,¾,ç(flfbfqf[]fNfgf%oftfBfbfN,a'[]
%oA,.,é,½,ßA,È,é,x,"đ,~,Ä,,¾,¾,ç)[]B,.,x,Ä,ì^ê"É"İ,È^êÄ'—MftfCE[f€,đ'P^êf<[fg^êÄ'—MftfCE[f€,
,Æ,μ,Ä'—M,.,éêê#,ÍA,±,İf`fFfbfNf{fbfNfX,İf`fFfbfNf}[]fN,đŠO,μ,Ä,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32',`General_Broadcasts_Notes')} **ff**

^ê”Ê“İ,È^êÄ’—M(GBR),ÉŠÖ,.,éf,f,

ffftjHf<fg:@off

- ,±,ìY’è,ÍfJvfVf#f“,Å,·B
- fg[fNf“fŠf“fO,Ü,½,ÍFDDIfJfbfgf[fNfAf_fvf^,ìê#Afvf[fpfefBfV[fq,ìmSRoute 32[nf^fu,ðŽg
—p,.,ê,Î,±,ìY’è,ð•ìX,Å,«,Ü,·B

Handle Net Errors: @f!fbfjgf[]fNfGf%[][,đ^—,·,é,½,ß,İffftfHf<fg•û-@,đCE^,ß,Û,·[]B
fNf%ofCfAf“fg,Åf!fbfjgf[]fN,İd'âfGf%[][,đ^—,·,éê[]‡,ÍA[]mon[]n,đŽw'è,μ,Ä,,¾,¾,ç[]B
fNf%ofCfAf“fg,ÅINT 24,đ[]¶[]¬,μ[]AfAvfŠfP[]fVf‡f“,Åf!fbfjgf[]fNfNfŠfefBfjff<fgf%[][,đ^—
[],·,éê[]‡,ÍA[]moff[]n,đŽw'è,μ,Ä,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32`,`Handle_Net_Errors_Notes')} **f[]f.**

Handle Net Errors,ÉŠÖ,·,éf

ffftfHf<fg:@on

—LCEø,È'!:@on | off

f_fCfif~fbfNfpf%of^

f

- fNf%ofCfAf“fgf[fNfXfe[fVf#f“,aNetWarefT[fo,©,ç,ì%ž“š,đŽóM,μ,È,ç,ÆAfIfbfgf[fNfGf%oo[,a“f,μ,Ü,·B

- Handle Net Errors,ì'Í,ÍNet Status Timeout,ÆNet Status Busy Timeout,ìÝ'è,ì^—,É%e<ç,đ—^,ì,Ü,·B

- ,±,ìÝ'è,ÍŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•ïX,Å,«,Ü,·B

Novell* NetWare* Client* 32*fvf[fpfefB,ìmÚ×Ý'ènf^fu

fVfXfef€fIfŠfV[fGfffBf^

Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

fIfvfVf#f“:@NetWare DOS Requester*

[\•¶:@Handle Net Errors=on]boff

—á:@NETWARE DOS REQUESTER

HANDLE NET ERRORS=OFF

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W

Ú×,ìx•W,đŽQÆ,μ,Ä,,¾,¾,çB

•ŮŽ: @fvfŠf“fgfWf#fu,đ•ŮŽ,·.éê#,.íA,±,}f`fFbfNf{fbfNfX,Éf`fFbfNf}[]fN,đ•t, ¯,Ä,,³/₄,³,t[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Hold_Notes')} f[]f.

Hold Files: @FCB_IO,đŽg—p,μ,Äfvf[]Of%of€,ÅŠJ,č,½ftf@fCf<,đfvf[]Of%of€,ì[]—¹Žž,Ü,ÅŠJ,č
,½,Ü,Ü,É,·,é,©,đŽw'è,μ,Ü,·[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Hold_Files_Notes')} } **ff.**

Hold Files,ÉŠÖ,·,éf

ffftfHf<fg: @off

—LCEø,È'!:@on | off

f

▪ ffftfHf<fg'è,ìmon,Á,íAFCB_IO,ðŽg—p,μ,ÄfvfOf%œ,ÅŠJ,ç,½ftf@fCf<,ðÄfvfOf%œ,ì—
¹Žž,É,»,ìfvfOf%œ,É,æ,Á,Ä•Á,¶,é,±,Æ,ª,Ä,«,Ü,·Bmon,Ä,íÄfvfOf%œ,ì—
¹Žž,Ü,Ä,»,è,ç,ìftf@fCf<,íŠJ,ç,½,Ü,Ü,É,È,è,Ü,·B

▪ FCB_IO,ðŽg—p,·,é,ç,·,Ä,©,ìÄfvfŠfP[fVf#“,ì^È'O,ìfo[fWf#“,Ä,íA,±
,ìÝ'è,ðmon,É,μ,È,·,è,ì,É,ç,É,ç,±,Æ,ª,è,Ü,·B

▪ ,±,ìÝ'è,ìŽŸ,ì,ç,·,è,©,É,æ,Á,Ä•ìX,Ä,«,Ü,·B
Novell* NetWare* Client* 32*fvfOfefB,ìmÜ×Ý'ènf^fu
fVfXfef€fjŠfV[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

ìfvfVf#“:@NetWare DOS Requester*

·¶:@Hold=onboff

—á:@NETWARE DOS REQUESTER

HOLD=ON

*fmx<,ì·W@**fT[fhfp[fefB,ì·W
Ü×,ì·W,ðŽQÆ,μ,Ä,¾,¾,çB

• ŮŽ, ÉŠÖ, ., éf, f,

ffftjHf<fg: @off

- fvfŠf“f^, ìfvf[]pfefB, ðŽg—p, ., ê, îA“Á’è, ìfvfŠf“f^, É, Â, ç, Ä, ±, ìY’è, ð•ïX, Å, «, Ü, .B
- Novell* NetWare* Client* 32*fvf[]pfefB, ðŽg—p, ., ê, îAffftjHf<fgfLffvf^ff, ìY’è, ð•ïX, Å, «, Ü, .B

*fmxfx<, ìx•W@**fT[]fhfp[]fefB, ìx•W
Üx, ìx•W, ðŽQÆ, μ, Å, ,³/₄,³, çB

Novell Client 32fvf[]fpfefB—p,lfzfXfgfŠf^[]fXMIB

.±.lfvf[]fpfefBfv[]fg.i\Ž!•û-@

fvfŠf“f^,Æf,fff€,lf^fu

fe[]fvfhf%ofCfu,lf^fu

ŦftfgfEfFfAfT[]f_,lf^fu

IPX 32-bit Protocol for Novell NetWare

.±.lfvf[]fpfefBfv[]fg.ì\Ž!•û-@

IPX*[]Ý'è,lf^fu

[],“x,ÈIPX[]Ý'è,lf^fu

SPX*,lf^fu

*fmx<,l[]•W[]@**fT[]fhfp[]fefB,l[]•W
[]Ú[]x,l[]•W,đŽQ[]Æ,μ,Á,,³/₄,³,ç[]B

IPX f'f, Ì—LCEø%»:

IPX*f'f<@”\,ð—LCEø,É,·,éêê‡,íA,±,ìf`fFbfNf{fbfNfX,Éf`fFbfNf}[]fN,ð•t,¯,Ä,,¾,¾,¾,¾B

IPX*f'f<@”\,ð—¾CEø,É,·,éêê‡,íA,±,ìf`fFbfNf{fbfNfX,ìf`fFbfNf}[]fN,ðŠO,µ,Ä,,¾,¾,¾,¾B

{button ,JI(`NWCFG95.HLP>nwc32',`IPX_Diagnostics_Enabled_Notes')} ff

IPX f'f, l-LCEø%o» ,ÉŠÖ, ., éf f,

ffftfHf<fg: @on

▪ , ±, lf [fNfXfe [fvf+f" ,É,Â, ç, ÄIPX*,ÆSPX*, l" CEv [î•ñ, ðŠÇ— ŽÒ, ðÆ%oï, Å, «, È, ç, æ, x
,É, ., éê [f, íA, ±, lf` fFbfNf {fbfNfX, lf` fFbfNf} [fN, ðŠO, µ, Å, , ¾, ¾, ç B

▪ , ±, lY'è, ÍŽŸ, l, ç, , ê, ©, É, æ, Á, Ä• i X, Å, «, Ü, . B
IPX 32-bit Protocol for Novell NetWarefvf [fpfefB, l [IPX Y'è] f^fu
fvfXfef€f]fŠfV [fGfffBf^
Admin.lffftfHf<fg

Admin, lffftfHf<fg, lî•ñ

flfvfVf+f": @Protocol IPX

\•¶: @IPX Diagnostics=on boff

—á: @PROTOCOL IPX

IPX DIAGNOSTICS=OFF

*fmjxf<, l [x•W [**fT [fhfp [fefB, l [x•W

U x, l [x•W, ðŽQ [Æ, µ, Å, , ¾, ¾, ç B

IPX*ÄŽŽs%ň":@fNf%oCfAf"fgf[fNfXfe[fVf+f",a^¶æ,Ö,lf<[fg,ðCE©,Â, -,é,½,ß,ÉŽŽs,·,é
%ň",ðŽw'è,μ,Û,·Bm0n,©,çm65535n,ì"í'í',ðŽw'è,μ,Ä,,¾,¾,çB
,±,ì"Žš,ð',â,·,ÆASPX*,ìÄŽŽs%ň",à'‰Á,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`IPX_Retry_Count_Notes')}} f.f.

IPX ÄŽŽs%ñ", ÉŠÖ, -, éf, ,

ffftfHf<fg: @20

"í^í: @0 ` 65535(ÄŽŽs%ñ")

f_Cfif~fbfNfpf%of[f^

f, ,

- IPX*, Ü, ½, íSPX*, lfAfvfŠfP[fVf†f" ,af^fCf€fAfEfg, É, È, éêë, íA, ±, ìÝ'è, ì'í, ð'‰Á, µ, Ä, , ¾, ³, çB
- IPX, í, ±, ìÝ'è, ð^È'O, ìNetWare*fNf%ofCfAf"fg, Æ, Í^á, x^Ó-; , ÅŽg—p, µ, Ä, ç, Ü, ·B
- , ±, ìÝ'è, ÍŽŸ, ì, ç, , , ê, ©, É, æ, Á, Ä•íX, Å, «, Ü, ·B

IPX 32-bit Protocol for Novell NetWarefjfpfefB, ì[IPXÝ'è]f^fu

fVxfef€fjŠfV[fGfffBf^

Admin.lffftfHf<fg

Admin, ìffftfHf<fg, ìî•ñ

f!fVfVf†f": @Protocol IPX

\•†: @IPX Retry Count=number

—á: @PROTOCOL IPX

IPX RETRY COUNT=30

*fmfxf<, ìx•W @**fT[fhfp[fefB, ìx•W

ÒÚx, ìx•W, ðŽQ Æ, µ, Ä, , ¾, ³, çB

IPX,if^fu

IPX* ĀŽžs%ñ

.h,m,s 7Ah,É,æ,éIPXfAfNfZfX,đ<-%oÂ

INT 64h,É,æ,éIPXfAfNfZfX,đ<-%oÂ

IPXf'f

IPXf'f,ĭ—LCEø%o»

VGNMAÓÓØ,ĭž-'OŠ,,è"-,Ä

NDIS**,ĭ;°½Û°Ä"Ý, p—LCEø%o»

*fmjxf<,ĭx•W@**fT[fhfp[fefB,ĭx•W
Ūx,ĭx•W,đZQÆ,μ,Ä,,¾,¾,čB

fVfXfef€fJfŠfV[fGfffBf^,lfCf“fXfg[f<

1. ■ ,đfNfŠfbfN,μ,ÄA[mfAfvfŠfP[fVf#f“,l'Ç
%oÁ,Æíœ,lfvf[fpfefB[nf_fCfAf[fOf{fbfNfX,ì[mWindows**ftf@fCf<[nf^fu,đ•\Ž!,μ,Ä,,¾,¾,¾,çB
2. [mfBfXfNŽg—p[n,đ'l'đ,μ,Ä,,¾,¾,¾,çB
3. fVfXfef€fJfŠfV[fGfffBf^,a, .éftfHf<f_đŽw'è,μ,Ä,,¾,¾,¾,çB
'Éí,í[AWindows 95** CD-ROM,đ'•'...μ,½CD-ROMfhf%ofCfu,ìADMIN\APPTOOLS\
POLEDITftfHf<f_đŽw'è,μ,Ä,,¾,¾,¾,çB
4. [mftf[fbfs[fffBfXfN,©,çfCf“fXfg[f<[nf_fCfAf[fOf{fbfNfX,ÅA[mOK[n,đ'l'đ,μ,Ä,,¾,¾,¾,çB
5. [mfVfXfef€ fJfŠfV[fGfffBf^ [n,ì%o; ,lf{fbfNfX,đ'l'đ,μ,Ä,,¾,¾,¾,çB
6. [mfCf“fXfg[f<[n,đ'l'đ,μ,Ä,,¾,¾,¾,çB
7. [mfAfvfŠfP[fVf#f“,l'Ç%oÁ,Æíœ,lfvf[fpfefB[nf_fCfAf[fOf{fbfNfX,ÅA[mOK[n,đ'l'đ,μ,Ä,,¾,¾,¾,çB

*fmfxf<,l[œ•W@**fT[fhfp[fefB,ìœ•W
Úx,í[œ•W,đŽQ[Æ,μ,Ä,,¾,¾,¾,çB

INT 64H,É,æ,éIPXfAfNfZfX,ð<-‰oÂ:

INT 64h,ðŽg—p,μ,ÄIPX*fT□[frfX,ÉfAfNfZfX,·,é,±,Æ,ðDOSfAfvfŠfP□[fVf†f“,É<-‰oÂ,·,é□ê□†,Í□A,±,ìf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,ð•t,¯,Ä,,¾,¾,¾,ç□B

IPX,ªINT 64h,ðftfbfN,μ,Ä,ç,é,½,ß,ÉDOSfAfvfŠfP□[fVf†f“,Å-à`è,ª”□¶,μ,Ä,ç,é□ê□†,Í□A,±,ìf`fFfbfNf{fbfNfX,ìf`fFfbfNf}□[fN,ðŠO,μ,Ä,,¾,¾,¾,ç□B

{button ,JI(`NWCFG95.HLP>nwc32`,`Interrupt_64h_Notes')}} **fif.**

**INT 64H,É,æ,éIPXfAfNfZfX,ð<-‰Å,ÉŠÖ,·,éf□f,
ffftfHf<fg:□@on**

- IPX*fT□[frfX,Ö,lfAfNfZfX^ÈŠÖ,ÉINT 64h,ðŽg—p,·,é,±,Æ,ðfAfvfŠfP□[fVf#f“,É<-‰Å,·,é□é□#,Í□A,±,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,ð•t,~,Ä,,¾,¾,¾,¾,¾□B
- fAfvfŠfP□[fVf#f“,ªNetWare*,ì^È‘O,lf□□[fWf#f“,Å,Í□³□í,É“@□ì,μ,Ä,ç,½,ì,ÉNetWare 3.1,Å,lfnf“fO,μ,Ä,μ,Ü,¤□é□#,Í□A,±,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}□[fN,ðŠÖ,μ,Ä,,¾,¾,¾,¾,¾□B
- fAfvfŠfP□[fVf#f“,íINT 2Fh,ðŽg—p,μ,Äftf@fCf·fAfhfCEfXfCEfWfXf^(FAR)CEÄ,Ñ□o,μfAfhfCEfX,ðŽæ“¾,μ,½,·,Æ□A,»·,lfAfhfCEfX,ðŽg—p,μ,ÄIPXfT□[frfX,ÉfAfNfZfX,·,é•K—v,ª,·,è,Ü,·□B,±,é,íINT 64h,ìŽg—p,ªÖ“É,μ,È,ç,æ,¤,É,·,é,½,ß,ìCEø—ì“l,É•û-@,Å,·□B
- ,±,ì□Ý`è,ìŽÿ,ì,ç,·,è,©,É,æ,Ä,Ä•ì□X,Å,«,Ü,·□B

IPX 32-bit Protocol for Novell NetWarevf□fpfefB,ì[IPX□Ý`è]f^fu
fVfXfef€f]fŠfV□[fGffBf^
Admin.lffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ
f]fVfVf#f#“:□@Protocol IPX
□\•¶:□@Int64=on□boff
—á:□@PROTOCOL IPX
INT64=OFF

*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W
□Ú□x,ì□¤•W,ðŽQ□Æ,μ,Ä,,¾,¾,¾,¾,¾□B

INT 7AH, É, æ, é IPXfAfNfZfX, ð<-‰oÂ:

INT 7Ah, ðŽg—p, µ, Ä IPX* fT [f r f X, É f Af N f Z f X, ·, é, ±, Æ, ð DOS f Af v f Š f P [f V f f f “, É <-‰oÂ, ·, é [é [±, Í [A, ±, ì f ` f F f b f N f {f b f N f X, É f ` f F f b f N f } [f N, ð • t, ¯, Ä, , ¾, ¾, ç [B

IPX, @ INT 7Ah, ð f t f b f N, µ, Ä, ç, é, ½, ß, É DOS f Af v f Š f P [f V f f f “, Å-â ` è, @ [µ, µ, Ä, ç, é [é [±, Í [A, ±, ì f ` f F f b f N f {f b f N f X, ì f ` f F f b f N f } [f N, ð Š O, µ, Ä, , ¾, ¾, ç [B

{button ,JI(` NWCFG95.HLP>nwc32',` Interrupt_7Ah_Notes')}} **fif.**

Ⓒp'±: @fvfŠf“fgfWf‡fu,đ^óü,μ,½, ,Æ,àfvfŠf“fgfLj... [É•ŮŽ,μ,Ä,¨,«,½,¢□ê□‡,Í□A,±
,İf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,đ•t,¯,Ä,,¾,¾,¢□B•ŮŽ,μ,É,¢□ê□‡,Í□A,±
,İf`fFfbfNf{fbfNfX,İf`fFfbfNf}□[fN,đŠO,μ,Ä,,¾,¾,¢□B
{button ,Jl(`NWCFG95.HLP>nwc32',`Keep_Notes')} f□f.

Āp'±,ÉŠÖ,-,éf□f,

ffftjHf<fg:□@off

- fvfŠf“f^,lfvf□fpfefB,đŽg—p,·,ê,î□A“Á'è,lfvfŠf“f^,É,Â,ç,Ä,±,ì□Ý'è,đ•î□X,Å,«,Ü,·□B
- Novell* NetWare* Client* 32*fvf□fpfefB,đŽg—p,·,ê,î□AfffftjHf<fgfLffvf^ff,ì□Ý'è,đ•î□X,Å,«,Ü,·□B

*fmxfx<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□U□x,ì□x•W,đŽQ□Æ,μ,Á,,³/₄,³,ç□B

LIP Start Size: @f% [fWfCf" f^ [flfbfgfjpfPfbfg (LIP), ìfTfCfY, ðŽæ, èCE^, ß, é, Æ, «, ìŠjŽn'l, ðŽw'è, μ, Ü, · B
{button ,JI(`NWCFG95.HLP>nwc32', `Large_Internet_Packet_Start_Size_Notes')} **fif**.

LIP Start Size,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@65535

"í^í:□@1□`65535(fofCfg)

f_fCfif~fbfNfpf%oof□□f^

f□f,

- fIfSfVfG□[fVf#f"fvf□fZfX,á'á'~fŠf"fn,ð'É,¶,Ä□s,í,é,é□é□#□A,±,lfpf%oof□□f^,ðŽg—
p,·,ê,lfIfbfGf□□[fNfGf%oofBfbfN,ðCE,ç,·,±,Æ,ª,Å,«,Ü,·□B
- Large Internet Packetsfpf%oof□□f^,ª□moff□n,ì□é□#□ALIP Start Sizefpf%oof□□f^,í^Ó—
i,ðŽ□,ì,Ú,¹,ñ□B
- ,±,ì□Ý'è,ÍŽÝ,ì,ç,,è,©,É,æ,Á,Ä•ì□X,Å,«,Ü,·□B
Novell* NetWare* Client* 32*fvf□fpfefB,ì□m□Ú□×□Ý'è□nf^fu
fVfXfef€fIfŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

fIfvfVf#f":□@ NetWare DOS Requester*

□\•¶:□@LIP Start Size=*number*

—á:□@NETWARE DOS REQUESTER

LIP START SIZE=32768

*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W
□Ú□×,ì□¤•W,ðŽQ□Æ,μ,Ä,,³/₄,³,ç□B

Large Internet Packets: f%o[fWfCf“f^ [flfbfgfPfbfg(LIP)
.lfPfbfgTfCfY,đffftHf<fg,ì576fofCfg,æ,è‘å,«,É‘l,ÉY’è,μ,Û,·B

Client 32*,ÉNetWare*fT [fo,ÆfNf

%oCfAf“fgf [fNfXfe [fVf#f“,ìŠÖ,ÅfSfVfG [fg,³,è,½Å‘åfpfbfgTfCfY,đŽg—

p,·,éê# ,ímonn,đŽw’è,μ,Ä,,¾,³,çB,±,lfPfbfgTfCfY,lf< [f^ [,ÆfufŠfbfW,ðEo—R,·,éê# ,Å,àŽg—
p,³,è,Û,·B

fpfbfgTfCfY,Æ,μ,Ä576fofCfg,đŽg—p,·,éê# ,ímoFFn,đŽw’è,μ,Ä,,¾,³,çB

{ button ,JI(`NWCFG95.HLP>nwc32',`Large_Internet_Packets_Notes')} **ff.**

Large Internet Packets,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@on

—LCEø,È'!:□@on | off

f_fCfif~fbfNfpf%of□□f^

f□f,

- 576fofCfg,ìfpfPfbfg,ðŽg—p,·,é,æ,πŽ-‘O,É□Ý’è,³,è,Ä,ç,éf<□f^□[,âfufŠfbfW,à, ,è,Ü,·□B,±,ì□è□#□AClient 32*,ì,±,ìfpf%of□□f^,ì□Ý’è,ÉŠÖ,í,ç, ,576fofCfg,ìfpfPfbfg,³/₄,¯,ðŽg—p,Ä,«,Ü,·□B
- □—
^,ì□ANetWare*,âf<□f^□[,âfufŠfbfW,ð’È,¶,Ä’È□M,·,é□è□#□A□Ä’âfpfPfbfgfTfCfY,ì576fofCfg,É□\$CEA,³,è,Ä,ç,Ü,μ,¹/₂□B,¹/₂,³/₄,μ□AfC□[fTfìfbfg,Æfg□[fNf“fŠf“fO,ì,±,è,æ,è’â,«,ÉfpfPfbfg,ðŽg—p,μ,Ä’È□M,·,é,±,Æ,â,Ä,«,Ü,·□B
- Large Internet PacketfTfCfY,ðflfSfVfG□[fg,·,é,Æ,«,ìŠŽn’l,ðŽw’è,·,é□è□#,ì□ALIP Start Size,ðŽg—p,·,é,±,Æ,â,Ä,«,Ü,·□B
- ,±,ì□Ý’è,ìŽÝ,ì,ç, ,è,©,É,æ,Ä,Ä•ì□X,Ä,«,Ü,·□B
Novell* NetWare* Client* 32*fvf□f□f□fB,ì□m□Ú□×□Ý’è□nf^fu
fVfXfef€fìfŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì□î•ñ

fìfvfVf#f“:□@NetWare DOS Requester*

□\•¶:□@Large Internet Packets=on□boff

—á:□@NETWARE DOS REQUESTER

LARGE INTERNET PACKETS=OFF

*fmfxf<,ì□×•W□@**fT□[fhfp□[fefB,ì□×•W
□Ú□×,ì□×•W,ðŽQ□Æ,μ,Ä,·,³/₄,³,ç□B

Link Driver

Link DriverŠÂ««Ÿ'è,Í32frfbfgLANfhf%oCfo,ìê±,í-³Ž<,³,è,Ü,·BLANfhf
%oCfo,ìŸ'è,ðžw'è,·,é,É,ìAfvf±fpfefBfV±lfg,ðŽg—ρ,μ,Á,,³/₄,³,¢±B

fŠf“fNfTf|[]fg

fŠf“fNfTf|[]fg'w*(LSL*),ìŠÂ««,đŸ'è,·,éê[]‡,É,±,ìf|fvfVf#f“,đŽg—p,μ,Ä,,¾,¾,ç[]B
Max Buffer Size

*fmfxf<,ì[]•W[]@**fT[]f|hf[]f[]efB,ì[]•W
[]Ú[]x,ì[]•W,đZQ[]Æ,μ,Ä,,¾,¾,ç[]B

Link Support Max Buffer Size: @fTf]

[fg, ·, éÅ'åfpfPfbfgfTfCfY, ðfofCfg" , ÅŽw'è, μ, Ü, ·BffftfHf<fgfTfCfY, æ, è'å, <<, çfpfPfbfg, ðŽg—
p, Å, <<, éf[]ffBfA(, " , à, Éfg[]fNf" fSf" fO), lfptfH[]f}f" fX, ðÅ" K%o», ·, éé[]‡, ÉA, ±, lY'è, ðŽg—p, μ, Å, , ¾, ¾, çB
{button ,JI(`NWCFG95.HLP>nwc32', `Max_Buffer_Size_Notes')}} [fif](#)

Link Support Max Buffer Size,ÉŠÖ,·,éf

ffftfHf<fg:@4736

"í^í:@100` 24682(fofCfg)

f

- flfbfgf[fNf{[fh,ÅfofXf}fXf^•ûŽ®,đŽg—p,μ,Ä,ç,éê#A,±,ìÝ'è'l,đ'
%oÁ,·,é,ÆfVfXfef€f,fS,ìŽg—p—Ê,à'‰%oÁ,μ,Û,·B,»„ê^ÈŠÖ,ìê#AfVfXfef€f,fS,ìŽg—p—Ê,ì,±,ìÝ'è,ì
‰œ<¿,đŽó,~,Û,¹,ñB
- ,±,ìÝ'è,ìŽÿ,ì,ç,,è,©,É,æ,Á,Ä•ìX,Á,«,Û,·B
Novell* NetWare* Client* 32*fvpofefB,ìmÛ×Ý'è^nf^fu
fVfXfef€fjSfV[GfffBf^
Admin.lffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f!fVfVf#f“:@Link Support

\\•f:@Max Buffer Size=*number*

—á:@LINK SUPPORT

MAX BUFFER SIZE=17408

*fmfxf<,ì‰•W@**fT[fhfp[fefB,ì‰•W
Û×,ì‰•W,đŽQÆ,μ,Ä,,³/₄,³,çB

Client 32,ifOf[]fjof<Ÿ'è,ifŠfXfg

Novell* NetWare* Client* 32*

Client 32

f[]fOfCf“fifvfVf#f”

IPX* 32-bit Protocol for Novell NetWare

IPX[]Ÿ'è

SPX*

Novell NetWare/IP*

fpf%oof[]f^

f[]f[]fo

Novell SNMPfG[]fWfFf“fg

SNMP

Novell Client 32—pfzfXfgfŠf[]fXMIB

fvfŠf“f^,Æf,fff€

fe[]fvfhf%oofCfu

ΔftfQfEfEfAf[]f`

ftf@fCf</ftfHf<f_,ifVfFf<Šg'£Žq

ftf@fCf<[]^ftfHf<f_,ifVfFf<Šg'£[]Ÿ'è

*fmfxf<,l[]x•W[]@**fT[]fhfp[]fB,[]x•W
[]Ú[]x,[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

f[] [f]f·f,fff€: @f[] [fNfXfe[] [fVf+f“, ÅŽg—p, ·, ·, éf, fff€, ÉŠÖ, ·, é[] î·ñ([uHayes 14400 BP Modem[] v, È, Ç)
, òŽw'è, μ, Û, ·[] B
{button ,JI(`NWCFG95.HLP>nwc32', `Local_Modems_Notes')} **f[]f.**

f[] [fj] f, fff€ @ 'Ç % Á : @ f, fff€, đŽw'è, μ, ½, , Æ A, » , ì f, fff€, đ f[] [fj] f, fff€, ì fŠ fXfg, É 'Ç % Á, , é ê ì †, Í m'Ç
% Á n, đ ' ð, μ, Á, , ¾, ¾, ç B

f[] [f]f<f, fff€ @ í œ: @f, fff€, ð' l' ð, µ, ½, , Æ A, » , ìf, fff€, ðf[] [f]f<f, fff€
, ìfSfXfg, ©, ç í œ, , é ê ‡, í A m í œ n, ð' l' ð, µ, Ä, , ¾, ¾, ç B

f[] [f]f<f,fff€@'u,«Š.,! : ĄđŠ.,, éf,fff€,đŽw'è,μ[]Af[] [f]f<f,fff€, ìfŠfXfg, ©,ç[]V,μ,čf,fff€
,đ'l'đ,μ,½, ,Æ[]AĄđŠ.,đŽÅ[]s,·,é[]ê[]†, í[]m'u,«Š.,! []n,đ'l'đ,μ,Ä,,¾,¾,č[]B

f[]fjfvfšf“f^:[]@,±,̀f[]fNfXfe[]fVf#f“,ÉfAf^fbf` ,³,ê,Ä,ç,éfvfšf“f^,ÉšÖ,·,éî•ñ(HP LaserJet
3Pv,É,Ç),øŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Local_Printers_Notes')} f[]f.

f[] [f]f<fvfŠf“f^@‘Ç%oÁ:[]@fvfŠf“f^,đŽw’è,μ,½, ,Æ[]A,» ,ìfvfŠf“f^,đf[] [f]f<fvfŠf“f^ ,ìfŠfXfg,É‘Ç
%oÁ,·,é[]ê[]‡,í[]A[]m’Ç%oÁ[]n,đ‘l’đ,μ,Ä,,¾,¾,¾,ç[]B

f[]lJf<fvfŠf“f^,ÉŠÖ,.,éf[]f,

ffftfHf<fg:[]@,È,µ

f[]f,

- ,±,ì[]Ý’è,í[]f[]v[]f[]f[]“,Á,·[]B
 - ,±,ì[]î•ñ,í[]f[]b[]f[]g[]f[][]f[]N[]Š[]Ç—[]f[]R[]f[]“f[]\[]f[]<,É,æ,Á,ÄŽg—p,³,è,Ü,·[]B
 - ,±,ì[]Ý’è,íŽŸ,ì,ç,.,è,©,É,æ,Á,Ä•ì[]X,Á,«,Ü,·[]B
- fzfXfgfŠf[]fXMIBfvf[]fpfefB,ì[]mfvfŠf“f^,Æf,fff€[]nf^fu
fVfXfef€f[]fŠfV[]fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì[]î•ñ

f[]f[]v[]f[]f[]f[]“:[]@Resources

[]\•[]:[]@Printer="printer_information"

—á:[]@RESOURCES

PRINTER="HP LaserJet 3P"

f [fj]f<fvfŠf“f^@íœ: @fvfŠf“f^,đ'l'đ,μ,½, ,ÆA,»,lfvfŠf“f^,đf [fj]f<fvfŠf“f^,lfŠfXfg,©,çíœ,.éê
‡,í m í œ n,đ'l'đ,μ,Ä,,¾,¾,çB

f[] [fj] f v f S f " f ^ @ ' u , « Š . , ! : @ Ć đ Š . , . é f v f S f " f ^ , đ Ž w ' è , μ A f [] [fj] f v f S f " f ^ , ĩ f S f X f g , © , ç [] V , μ , ċ f v f S f " f ^ , đ ' l ' đ , μ , 1/2 , , Æ [] A Ć đ Š . , đ Ž Ā [] s , , é [] ê [] ‡ , Í [] A [] m ' u , « Š . , ! [] n , đ ' l ' đ , μ , Ā , , 3/4 , 3 , ċ [] B

f[]fj]·fe[]fvfhf%ofCfu:[]@f[]fNfXfe[]fVf+f“,ÅŽg—p,·,éfe[]fvfhf%ofCfu,ÉŠÖ,·,é[]î•ñ(Quantum
Tapedrive[]v,É,Ç),đŽw’è,μ,Û,·[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Local_Tape_Drives_Notes')} f[]f.

f[] [fj] < fe [] [fvfh] % of Cfu [] @ ' Ç % o Á : [] @ fe [] [fvfh] % of Cfu, đ Ž w ' è, μ, 1/2, , Æ [] A, » , ì fe [] [fvfh] % of Cfu, đ f [] [fj] < fe [] [fvfh] % of Cfu, ì Š f X fg, É ' Ç % o Á , , é [] ê [] ‡ , Ì [] A [] m ' Ç % o Á [] n, đ ' I ' đ, μ, Á, , 3/4, 3, ç [] B

f[]lJf<fe[]fvfhf%ofCfu,ÉŠÖ,.,éf[]f,

ffftfHf<fg:[]@,È,µ

f[]f,

- ,±,ì[]Ý'è,ífvfVf#f",Á,·[]B
- ,±,ì[]î•ñ,ífvbfvf[]fNŠÇ—[]fRf"f[]f<,É,æ,Á,ÄŽg—p,³,è,Ü,·[]B
- ,±,ì[]Ý'è,íŽŸ,ì,ç,.,è,©,É,æ,Á,Ä•ì[]X,Á,«,Ü,·[]B
fzfXfgfŠf[]fXMIBfvf[]fpfefB,ì[]mfe[]fvfhf%ofCfu[]nf^fu
fVfXfef€f[]fŠfV[]fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì[]î•ñ

f[]fvfVf#f":[]@Resources

[]\•[]:[]@Tapedrive="tapedrive_information"

—á:[]@RESOURCES

TAPEDRIVE="Quantum Tapedrive"

f[] [fj] < fe [] [fv] hf % of Cfu [] @ [] í [] œ : [] @ fe [] [fv] hf % of Cfu, ð ' l ' ð, μ, ½, , Æ [] A, » , ì fe [] [fv] hf % of Cfu, ð f [] [] [fj] < fe [] [fv] hf % of Cfu, ì f Š f X fg, © , ç [] í [] œ , · , é [] ê [] † , í [] A [] m [] í [] œ [] n, ð ' l ' ð, μ, Ä, , ¾, ¾, † [] B

f[]fj<fe[]fvfhf%ofCfu@'u,«Š·,!:[]@ŒđŠ·,·.éfe[]fvfhf%ofCfu,đŽw'è,μ[]Af[]fj<fe[]fvfhf
%ofCfu,lfŠfXfg,©,ç[]V,μ,tf[]fvfhf%ofCfu,đ'l'đ,μ,½, ,Æ[]AŒđŠ·,đŽÅ[]s,·.é[]ê[]‡,í[]A[]m'u,«Š·,![]n,đ'l'đ,μ,Ä,-
,³/₄,³,ç[]B

Lock Delay: @Client 32*,affbfN,đŽæ“¾,·,é,Ü,Å,ì'Ò<@,·,éŽžŠÔ,đf_fbfN”,ÅŽw'è,μ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Lock_Delay_Notes')} **fif.**

Lock Retries: @Client 32*,afbfjgf[fN[ã,Åf[bfN,ðŽŽ[s,·,é%ñ”,ðŽw’è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Lock_Retries_Notes')} **f**.

Lock Retries,ÉŠÖ,·,éf

ffftfHf<fg: @5

"í: @1 65535(ÄŽŽs%ñ")

f_fCfif~fbfNfpf%of

f

- ftf@fCf<,δ-v<·,·,é,Æ,«,ÉfNf%ofCfAf"fgf[fNfXfe[fVf#f",áfGf %of[fbfZ[fW,δ·p"É,ÉŽÓ,Žæ,ééê±,íA,±,ìY'è,ì'l,δ'%'Á,μ,Ä,,¾,¾,¾,¾
- ,±,ìY'è,ì'l,íClient 32*,áf[fbfN't,ìftf@fCf<,ÉfAfNfZfX,·,é,Æ,«,ì'Ò<@ŽžŠÖ,δ<,β,éŽ®,ì'è·",Æ,μ,ÄŽg -p,¾,¾,¾,¾
- ,±,ì'l,ì'Ò<@&"\,ì,È,çf[fbfNf^fCfv,ÉŽg-p,¾,¾,¾,¾,·B'Ò<@&"\,ª, ,éf[fbfN,ìéê±A,±,ìY'è'l,ÉLock Delay,δŠ|,·A,¾,¾,É2" {·,·,é,±,Æ,É,æ,Ä,Ä'Ò<@ŽžŠÖ,ªEvŽŽ,¾,¾,¾,¾,·B"¾,¾,¾,¾,ç,é,½'l,lfNf %ofCfAf"fgf[fNfXfe[fVf#f",áf[fbfN,δŽæ"¾,¾,·,é,Ü,Ä,É'Ò<@,·,éŽžŠÖ,δf_fbfN",Ä·\,μ,½,à,ì,É,È,è,Ü,·B
- flfbfgf[fN,δ'É,¶,Äf[fçfçf]fŠf...[fVf#f"fpfPfbfg,δ^èÄ'—M,·,é,ì,É·K-v,È±çEvŽžŠÖ(f_fbfN") ,δ<,β,ééê±,íA'Ò<@ŽžŠÖ,ÉLock Retries,ì'l,δŠ|,·,Ä,,¾,¾,¾,¾
- ,±,ìY'è,ìŽY,ì,ç,·,è,©,É,æ,Ä,Ä·ìX,Ä,«,Ü,·B
Novell* NetWare* Client* 32*fvf[fpfefB,ìmÜxY'ènf^fu
fVxfef€f]fŠfv[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî·ñ

f]fvfVf#f": @NetWare DOS Requester*

·\·¶: @Lock Retries=number

—á: @NETWARE DOS REQUESTER

LOCK RETRIES=3

*fmfxf<,ì·W @**fT[fhfp[fefB,ì·W
Üx,ì·W,δŽQÆ,μ,Ä,,¾,¾,¾,¾

Log File: @fOff@fCf, ì-¼'O,đŽw'è,μ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Log_File_Notes')} **f.f.**

Log File,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@NetWare*fz□lféfffBfCEfNfgfŠ,ìNIOS.LOGftf@fCf<
—á:□@C:\Novell\Client32\LOG.TXT

f□f,

- f□fOftf@fCf<,ì-¼'O,ðfpfX,Æ,Æ,à,ÉŽw'è,μ,Ä,,¾,¾,ç□B
- ,±,ì□Ý'è,ÍŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•ì□X,Å,«,Ü,·□B
Novell* NetWare* Client* 32*fvf□fpfefB,ì□m□Ú□x□Ý'è□nf^fu
fVfXfef€f|fŠfV□lfGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f|fvfVf†f“:□@NIOS

□\•¶:□@Log File=path_logfile

—á:□@NIOS

LOG FILE=C:\NOVELL\CLIENT32\LOG.TXT

*fmfxf<,ì□x•W□@**fT□lfhfp□lfefB,ì□x•W
□Ú□x,ì□x•W,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

Log File Size: @fOff@fCf, Å'åTfCfY,ðfofCfg", ÅŽw'è,µ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Log_File_Size_Notes')} **fif.**

Log File Size,ÉŠÖ,-,éf

ffftfHf<fg:@65535

"í^í:@1` 1048576(fofCfg)

f

- ffftHf<fg(65535),í-ñ64KB,Å,·B
- ,±,ìY'è,ÍŽŸ,ì,ç,,é,©,É,æ,Á,Ä•ïX,Å,«,Ü,·B
Novell* NetWare* Client* 32*fvf[]pfefB,ìm[]Ú[]x[]Y'è[]nf^fu
fVxfef€f[]fŠfV[][]GfffBf^
Admin,ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f[]fvfVf[]f":@NIOŠ

[]\•[]:[]@Log File Size=*number*

—á:[]@NIOŠ

LOG FILE SIZE=524288

(,±,ì—á,[]f[]T[]f[]Y,ð-ñ512KB,É[]Y'è,·,é•ù-@,ðŽ!,μ,Ä,ç,Ü,·B)

*f[]mf[]xf<,ì[]x•W[]@**f[]T[][]f[]h[]f[]p[][]f[]ef[]B,ì[]x•W

[]Ú[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

~_—□f{□[fh

Šeflfbfgf□□[fNfAf_fvf^(,Ü,½,í•—□f{□[fh),í•□” ,ìftfufjfbfgf□□[fN,Ö,ìfRfjNfefBfrfefB,đ’ñ<ÿ,Å,«,Ü,·□B,±,ê,ç,ìftfufjfbfgf□□[fNfAf^fbf`f□f“fg,ì,»,ê,¼,ê,â~ —

□f{□[fh,Æ,Ý,Ë³,ê,Û,·□B,½,Æ,¡,ì□Afc□[ftfjfbfgfAf_fvf^,íEthernet_802.2□AEthernet_802.3□AEthernet_II□AEthernet_SNAP,ìftfCE□[f€f^fCfv,đŽg—p,·,éftfufjfbfgf□□[fN,Ö,ìfRfjNfefBfrfefB,đ’ñ<ÿ,μ,Û,·□B,±

,ì□ê□#□A“~^ê,ìfC□[ftfjfbfgfAf_fvf^,ª,±,ê,ç,ìftfCE□[f€f^fCfv,ìSe□X,É’í,μ,Å~_—□f{□[fh,đ—^,¡,Å,φ,Û,·□B

^ê”É,É□Aflfbfgf□□[fNfm□[fh“~Žm,ª’É□M,·,é,½,ß,É,í<α’É,ìftfufjfbfgf□□[fN,ÉfAf^fbf` ,μ,È,¯,ê,ì,È,è,Û,¹,ñ□BCE

¾,φŠ,¡,ê,ì□A—¼•û,ìfm□[fh,ìIPX*,đ“~^ê,ìftfCE□[f€f^fCfv,đŽg—p,μ,Å,φ,é~_—□f{□[fh,ÉfofCf“fh,·,é•K—v,ª, ,è,Û,·□B,½,Æ,¡,ì□A—¼•û,ìfm□[fh,ìIPX,đEthernet_802.2ftfCE□[f€f^fCfv,đŽg—p,·,é~_—

□f{□[fh,ÉfofCf“fh,μ,Û,·□B“Á•É,ÉfQ□[fgfEfFfC,í,±,ì□s—ñ,đ□ã□’,«,·,é,±,Æ,ª,Å,«,Û,·□B

f fOfCf“fXfNfŠfvfg: @fOf

%oftfBfjff<fOfCf“ft[fefBfŠfefB,ÅfOfCf“ ,μ,½,Æ,«,ÉffftfHf<fg,ÅŽÀs,; ,éfOfCf“fXfNfŠfvfg,ì-¼‘O,ð“ü—
í,μ,Á,,¾,³,çB

{button ,JI(`NWCFG95.HLP>nwc32',`Login_Script_Notes')}} f f.

f[]fOfCf“fXfNfŠfvg,ÉŠÖ,·,éf[]f,

ffftfHf<fg:[]@,È,μ

- f[]fOfCf“fXfNfŠfvg-¼,ÍpfX,Æftf@fCf<-
¼,ì'g[]±,¹,©[]ANetWare*fffBfCefNfgfŠfcfŠ[]“à,ÌfRf“fefiflfufWfFfNfg,ì-¼'O,É,μ,Ä,,¾,³,ç[]B
- fRf“fefiflfufWfFfNfg,²fOf
%oftfBjff<f[]fOfCf“ft[]lfefBfSfefB,ì[]m[]Ú'±[]nf^fu,ÅŽw'è,μ,½fRf“feflfXfg,É,È,ç[]ê[]±,Í[]AfRf“fefiflfufWfFfNfg,
ìŠ@'S-¼([]u.MobileUser.Sales.ACME[]v,È,Ç),ðŽw'è,μ,Ä,,¾,³,ç[]B
- ,±,ì[]Ý'è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Á,Ä•ì[]X,Å,«,Ü,·[]B
Novell* NetWare* Client* 32*fvf[]fpfefB,ì[]mf[]fOfCf“[]nf^fu
fVfXfef€[]fŠfv[][]fGfffBf^
- ,±,ì[]Ý'è,ÍAdmin,ìffftfHf<fg,ðŽg—p,μ,Ä,à•ì[]X,Å,«,Ü,¹,ñ[]B

*fmfxf<,ì[]x•W[]@**fT[][]fhfp[][]fefB,ì[]x•W
[]Ú[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,³,ç[]B

f fOfCf“fXfNfŠfvg,ì•i” ,ÉŠÖ,•,éf f,

ffftfHf<fg: @,È,μ

▪ ,±,ê,ç,ì•i”(%2 A%3 A%4 A%5),í—^,ìfRf}f“fhf%ofCf“fpf%of[f^,Æ“˘,¶,æ,α,É“ ,«,Ü,·B

▪ ,±,ìY’è,ÍŽŸ,ì,ç,ι,ç, ©,É,æ,Á,Ä•iX,Å,«,Ü,·B

Novell* Netware Client* 32*fvf fpfefB,ìmf fOfCf“nf^fu
fVxfef€fj fŠfV[fGfffBf^

▪ ,±,ìY’è,íAdmin,ìffftfHf<fg,đŽg—p,μ,Ä,à•iX,Å,«,Ü,¹,ñB

*fmfxf<,ìα•W @**fT[fhfp[fefB,ìα•W

Üx,ìα•W,đŽQÆ,μ,Ä,,³/₄,³,çB

f fOfCf" ,lf^fu

□Ú'±fy□[fW,ì•\Ž!

fXfNfŠfvgfy□[fW,ì•\Ž!

•ï□"fy□[fW,ì•\Ž!

f fOfCf" □!—'Žž,É□Ý'è,ð•Ů'¶

f c fŠ□L.Ö,ìf fOfCf"

f□□[fo.Ö,ìf fOfCf"

fOfCf" f fŠ□Ú'±

Œ»□Ý,ì□Ú'±,ìfNfŠfA

f□fOfCf" fXfNfŠfvg

f v f□f t f@fCf: fXfNfŠfvg

fXfNfŠfvgŒ<%oÊ,ðŽ©" @"l,É•Â,¶,é

fXfNfŠfvg,ìŽÀ□s

%2 %3

%4 %5

fcfŠ[l,Ö,lfOfCf“,ÆfT[lfo,Ö,lfOfCf“: @fOf
%oftfBfjff<fOfCf“ft[lfefBfŠfefB,imÚ’±nf^fu,ĂŽw’è,μ,½fcfŠ[l,ÉfftfHf<fg,ĂfOfCf“,μ,½,čê‡,ÍAmf
cfŠ[l,Ö,lfOfCf“n,đ’l’đ,μ,Ă,-
,¾,¾,čBmÚ’±nf^fu,ĂŽw’è,μ,½fT[lfo,ÉfftfHf<fg,ĂfOfCf“,μ,½,čê‡,ÍAmfT[lfo,Ö,lfOfCf“n,đ’l’đ
,μ,Ă,,¾,¾,čB
{button ,JI(`NWCFG95.HLP>nwc32',`Login_to_Tree_Notes')}} **fif.**

fcfŠ[.Ö,lfOfCf",ÆfT[fo,Ö,lfOfCf",ÉŠÖ,-,éff,
ffftfHf<fg:@fcfŠ[.Ö,lfOfCf"

- ,±,ìY'è,ÍŽŸ,ì,ç,ç,ç,©,É,æ,Á,Ä•ïX,Å,«,Ü,·B
Novell* NetWare* Client* 32*fvfppfefB,ìmfOfCf"nf^fu
fVxfef€fjŠfV[fGfffBf^
- ,±,ìY'è,íAdmin,ìffftfHf<fg,ðŽg—p,μ,Ä,à•ïX,Å,«,Ü,¹,ñB

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Üx,ìx•W,ðŽQÆ,μ,Ä,,³/₄,³,çB

Long Machine Type: @%MACHINE • " , AfNfZfX, 3, ê, é, ½, Ñ, É A, Ç, jf^fCfv, lf}fVf“ , Žg—p, 3, ê, Ä, ç
, é, ©, ðClient 32*, É'É'm, µ, Ü, ·B
{button ,JI(`NWCFG95.HLP>nwc32', `Long_Machine_Type_Notes!)} **ff**.

Long Machine Type,ÉŠÖ,·,éf

ffftfHf<fg:@IBM_PC

—á:@COMPAQ

f

- f}fVf",ìfT[f` fpfX,É³,μ,çfo[fWf#f",ìDOS,ðÝ'è,·,éê±,ÉA,±,ìÝ'è,ðŽg—p,μ,Ä,,¾,¾,çB
- ,±,ìÝ'è,ÍŽÝ,ì,ç,,ê,©,É,æ,Á,Ä•ìX,Å,«,Ü,·B
Novell* NetWare* Client* 32*fvf[fpfefB,ìmÚ×Ý'ènf^fu
fVXfef€f]fŠfV[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f]fVfVf#f“:@NetWare DOS Requester*

[\•¶:@Long Machine Type='name'

—á:@NETWARE DOS REQUESTER
LONG MACHINE TYPE="COMPAQ"

*fmfxf<,ì¤•W@**fT[fhfp[fefB,ì¤•W
Ú×,ì¤•W,ðŽQ/Æ,μ,Ä,,¾,¾,çB

Max Cache Size: @Client 32*, fLfffbjVf" fO, ÉŽg—p, Å, «, éf f, fŠ, ì Å' å—Ê, ðfLj fofCfg", Å Ý' è, μ, Ü, · B
{button ,JI(`NWCFG95.HLP>nwc32', `Max_Cache_Size_Notes')} **f f.**

Max Cache Size,ÉŠÖ,.,éf,f,

fffffHf<fg: @0

"í^: @0` 429,496,795(KB)

f,f,

- ,±,lfpf%of[f^,l',m0n(fffffHf<fg),lê#AfLffffbfVf...fTfCfY,íACLIENT32 NLM*f ftfgfEjfA,lf[fhŽž,ìó,«f,fS,ì25%,É"@ "l,ÉY'è,³,ê,Ü,·B
- CLIENT32 NLM,lf[fhŽž,ìó,«f,fS,íA'¼,ÉfCf"fxfg[f<,³,ê,Ä,ç,é\ftfgEjfA,ìŽí— p,É,æ,Á,ÄÉ^,Ü,é,½,ßAf[fNfXfe[fVf#f"ŠÖ,Á'á,«,^Ü,É,éèè#³,è,Ü,·B
- ,±,lfpf%of[f^,l',m0n,Á,É,çèè#AfLffffbfVf... fTfCfY,ìŽw'è,µ,½'l,ÉY'è,³,ê,Ü,·B,½,¾,µAfLffffbfVf...fTfCfY,èó,«f,fS,ì75%,đ',l,é,±,Æ,í,è,Ü,¹,ñB,½,Æ,í,íA,±,lfpf%of[f^l,Æ,µ,Ä8192,đŽw'è,µ,½èè#ACLIENT32 NLM,lf[fhŽž,ìó,«f,fS,è8MB,µ,©,É,ç ,ÆAfLffffbfVf...fTfCfY,ì8MB,ì75%,É"-,½,é6MB'OCEã,É,È,è,Ü,·B
- 'l,²'á,«,ç ,Ü,çfLfbfgf[fNftf@fCf<fAfNfZfX,ìpftfH[f}f"fx,íEüüã,µ,Ü,·,²AfAfvfšfP[fVf#f"ìŽÀs,âf[fj<f# %ofCfu,lfLffffbfVf"fo,ÉŽg—p,Á,«,éf,fS,íCE,µ,Ü,·B
- fLffffbfVf"fo,đ(File Cache Level,ðm0n,ÉY'è,·,é,±,Æ,É,æ,è)lft,É,·,é,ÆACLient 32,lfLffffbfVf"fo,Éf[fNfXfe[fVf#f"ff,fS,đŽg—p,µ,Ü,¹,ñB
- ,±,lY'è,ìŽY,ì,ç,·,è,©,É,æ,Á,Ä·íX,Á,«,Ü,·B
Novell* NetWare* Client* 32*fVf[fpfefB,ìmÜxY'ènf^fu
fVfXfef€lfSfV[fGffBf^
Admin.lfffffHf<fg

Admin,iffftfHf<fg,ìî•ñ

fifvfVf#f": @NetWare DOS Requester*

[\•¶: @Max Cache Size=*number*

—á: @NETWARE DOS REQUESTER

MAX CACHE SIZE=1024

*fmfxf<,l[•W@**fT[fhfp[fefB,ì[•W
Üx,í[•W,đŽQÆ,µ,Ä,¾,³,çB

Max Cur Dir Length: @DOSfvf“fvfg,ì·,³,đŽw’è,μ,Û,·B
„,Š’I: @fftfHf<fg’l,đŽg—p,μ,Ä,,¾,³,†B
{button ,JI(`NWCFG95.HLP>nwc32’,`Max_Cur_Dir_Length_Notes’)} fif

Max Cur Dir Length,ÉŠÖ,.,éf

ffftfHf<fg:@64

"í^í:@64`255(•¶Žš)

f

- ,±,ì'l,ªm65n^Èë,ìê#A^è•",ìfAfvfŠfP[fVf#f",í³í,É"©ì,μ,Û,¹,ñB
- ,±,ìY'è,ÍŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•ìX,Å,«,Û,.B
Novell* NetWare* Client* 32*fvf[fpfefB,ìmÚxY'ènf^fu
fVxfef€f]fŠfV[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f]fvfVf#f":@NetWare DOS Requester*

¶\•¶:@Max Cur Dir Length=*number*

—á:@NETWARE DOS REQUESTER

MAX CUR DIR LENGTH=128

*fmfxf<,ì¶•W@**fT[fhfp[fefB,ì¶•W
Úx,ì¶•W,ðŽQ/Æ,μ,Ä,,¾,³,çB

Message Timeout: @%æ-Ê,î^êÁ—
Mf fbfZ fW,đŽ © “@“l,É(ft fU,â€€i,1,,É)Á<Ž,·,é,Ü,Â,ìžžŠÔ,đf_bfN” ,Á'è<` ,μ,Ü,·B
,±,ìY'è,Í- {fŠfŠ[fX,Á,ÍTf|f|fg,³,é,Ä,ç,Ü,¹,ňB;Āě,ìfŠfŠ[fX,ÁfTf|f|fg,³,é,é—\è,Á,·B
{button ,Jl(`NWCFG95.HLP>nwc32',`Message_Timeout_Notes')} fff

Microsoft Windows 95

Microsoft Press, 1995. ISBN 1-55615-678-2.

Windows** 95**fwj<fvftf@fCf<”Å,ìwMicrosoft** Windows 95fŠf\[[fXfLfbfg]x,íWindows 95 CD-ROM,ÅŽg
—p%oÅ”\,Å,·BfpfX,Æftf@fCf<-¼,íADMIN\RESKIT\HELPPFILE\WIN95RK.HLP,Å,·B

Minimum Time to Net: @Ú'±Žž,Éf[fj:f<[f^[,Å'è<` ,³,ê,½time-to-net'(flfbfgf[fN,Ö,ì"ž'BŽžŠÖ),É
—Dæ,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Minimum_Time_to_Net_Notes')} **ff.**

ŠÄŽ<fRf~f...fjfeB: @ŠÄŽ<fRf~f...fjfeB, ì-¼'O, ðŽw'è, μ, Ü, · BŠÄŽ<fRf~f...fjfeB, Í“Ç, Ýž, Ýê—pfRf~f...
fjfeB(GET'€ì, ÆGET NEXT'€ì, ðŽÀs, Å, «, éfRf~f...fjfeB), Å, · B
{button ,JI(`NWCFG95.HLP>nwc32', `Monitor_Community_Notes')} fff.

ŠÄŽ<fRf~f...fjfeB,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@public

▪ ŠÄŽ<fRf~f...fjfeB,Í“Ç,Ý□ž,Ý□ê—pfRf~f...fjfeB(GET'€□,ÆGET NEXT'€□,ðŽÀ□s,Å,«,éfRf~f...fjfeB),Å,·□B

▪ fRf~f...fjfeB-¼,É,Í“C^Ó,ÌASCII•¶Žš—
ñ,ðŽw'è,Å,«,Ü,·□BfXfy□[fX□Af^fu□A□¶ŠpfjfbfR(L)□A“™ □t(=)□AfRf□f“(:)□AfZf~fRf□f“(:);□A“ñ□d^ø—
p•„(“)□A“Ö□t<L□t(#)^ÉŠÖ,Ì,·,×,Ä,Ì•¶Žš,ðŽg—p,Å,«,Ü,·□B
fRf~f...fjfeB-¼,Å,Í•¶Žš,Æ□—•¶Žš,æ•É,³,è,Ü,·□B

▪ ŠÄŽ<fRf~f...fjfeB,ð-³CEø,É,·,é,Æ□A,·,×,Ä,Ì“Ç,Ý□ž,ÝfAfNfZfX,æ-³CEø,É,È,è,Ü,·□B

▪ ,±,ì□Ý'è,ÌŽÝ,Ì,ç,·,è,©,É,æ,Á,Ä•i□X,Å,«,Ü,·□B
Novell* SNMPfG□[fWfFf“fgfvf□fpfefB,Ì□mSNMP□nf^fu
fVxfef€fjŠfV□[fGfffBf^
Admin.İffftfHf<fg

Admin,İffftfHf<fg,Ì□î•ñ

f!fvfVf†f“:□@Desktop SNMP

□\•¶:□@Monitor Community=*name*

—á:□@Desktop SNMP

monitor community = private

*fmfxf<,Ì□α•W□@**fT□[fhfp□[fefB,Ì□α•W
□Ú□x,Ì□α•W,ðŽQ□Æ,μ,Ä,·,¼,³,ç□B

f}f<f`fLfffXfgfAfhfCefX(MBR):, , x, Ä, ìf}f<f`fLfffXfgftfCE[f€ , ð'Sf<[fg^êÄ'—MftfCE[f€ , Æ, µ, Ä'—
□M, , é□é□‡, í□A, ±, ìf`fFfbfNf{fbfNfX, Éf`fFfbfNf}□[fN, ð•t, , Ä, , ¾, ¾, ç(flfbfgf□□[fNfgf%oftfBfbfN, a'□
%oA, , é, ½, ß□A, È, é, x, "ð, , Ä, , ¾, ¾, ç)□B, , x, Ä, ìf}f<f`fLfffXfgftfCE[f€ , ð'P^êf<[fg^êÄ'—MftfCE[f€ , Æ, µ, Ä'—
□M, , é□é□‡, í□A, ±, ìf`fFfbfNf{fbfNfX, ìf`fFfbfNf}□[fN, ðSO, µ, Ä, , ¾, ¾, ç□B
{button ,JI(`NWCFG95.HLP>nwc32',`Multicast_Addresses_Notes')}} **fif.**

f}f<f`fLfffXfgfAfhfCefX(MBR),ÉŠÖ,·,éf□f,
ffftjHf<fg:□@off

- ,±,ì□Ý'è,ÍfJvfVf#f“,Å,·□B
- ,±,ì□Ý'è,Ífg□[fNf“fŠf“fO,Ü,½,ÍFDDI,ÌfJfbfgf□□[fNfAf_fvf^,Ìfvf□fpfefBfV□[fg,ì□mSRoute
32□nf^fu,δŽg—p,·,é,±,Æ,É,æ,Á,Ä•ì□X,Å,«,Ü,·□B

NCP Max Timeout: @flfbfgf[fNú'±,ìÄŽŽsžšŌ,đŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`NCP_Max_Timeout_Notes')} **f.f.**

NCP Max Timeout,ÉŠÖ,·,éf

ffftfHf<fg:@30

"í^í:@0`65535(·b)

f

- Žw'è,³,ê,½ŽžŠÖ"à,Éf|fbfgf[fNÚ'±,đŠm—š,Á,«,È,č,ÆAfGf%o[f|fbfZ[fW,ª•Ž|,³,ê,Ü,·B
- ,±,ìY'è,ÍŽŸ,ì,č,,ê,©,É,æ,Á,Ä•ìX,Á,«,Ü,·B
Novell* NetWare* Client* 32*fvf|fpfefB,ìmÚxY'ènf^fu
fVxfef€f|fŠfV[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f|fvfVf†f“:@NetWare DOS Requester*

|\•¶:@NCP Max Timeout=*number*

—á:@NETWARE DOS REQUESTER

NCP MAX TIMEOUT=45

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Úx,ìx•W,đŽQ/Æ,μ,Ä,,¾,³,čB

NIOS

Alert Beep

Log File

Log File Size

Use Video BIOS

NetWare/IP

—DæSAPfT[fo—v<□,ðflfbfgf□□[fN,É^êÄ'—□M

Nearest NetWare*/IP* Server

NetWare/IP 1.1CEÝŠ·□«

NetWare/IPfhf□fCf"—¼

□ÄŽŽ□sŠÖ,ì•b□"

Preferred Domain SAP/RIP Server

«N"@Žž,ìDSS,Ö,ì□ÄŽŽ□s

*fmfxf<,ì□«•W□@**fT□[fhfp□[fefB,ì□«•W
□Ú□x,ì□«•W,ðŽQ□Æ,μ,Ä,,¾,¾,¾,ç□B

f![fēfRf“fēfLfXfg: @fffBfĈfNfgfŠfcfŠ[[]\`č
,Ä,ift[]fU,İĈ»[]Y,İ^É‘u[]A,·,É,í,žfRf“fēfLfXfg,đ[]Y’è,μ,Û,·[]B,½,Æ,ı,İ[]A[]uOU=MNGT.O=MARKETING[]v,ÍMAR
KETING’g[]D“à,İMNGT•”-ă,đfRf“fēfLfXfg,Æ,μ,ĂŽw’è,μ,Û,·[]B
{button ,JI(`NWCFG95.HLP>nwc32`,`Name_Context_Notes')}} **fif.**

fll[f€fRf“fefLfXfg,ÉŠÖ,-,éflf,

ffftfHf<fg:[]@root

- d•i,μ,½ft[]fU-¼,ª, ,éêê±,í[]A,±,ì[]Ý'è,ðŽg—p,μ,Ä[]A-Ú“l,ìft[]fU-¼,ìfRf“fefLfXfg,ðŽw'è,μ,Ä,-,¾,¾,ç[]B
- ,±,ì[]Ý'è,íNetWare* 4*f[]fbfgf[]fN,É[]Ú'±,¾,è,Ä,ç,éfNf%ofCfAf“fgf[]fNfXfe[]fVf±“ ,¾,¯,É“K—p,¾,è,Ü,·[]B
- fll[f€fRf“fefLfXfg,ì[]Á'â',í256•¶Žš,ÉNULLfRf}f“fh,ð%oÁ,ì,½',¾,·[]BNULLfRf}f“fh,ífffBf€fNfgfŠfcfŠ[]f<[]fg,ð•\,μ,Ü,·[]B
- ,±,ì[]Ý'è,íŽŸ,ì,ç,,è,©,É,æ,Á,Ä•ï[]X,Á,«,Ü,·[]B
Novell* NetWare* Client* 32*f[]vf[]fpfefB,ì[]mClient 32[]nf^fu
fVfXfef€f[]fŠfV[]fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì[]î•ñ

f[]f[]v[]f[]f[]±“:[]@NetWare DOS Requester*

[]\•¶:[]@Name Context="name context"

—á: NETWARE DOS REQUESTER

NAME CONTEXT="OU=MNGT.O=MARKETING"

***f[]m[]f[]x[]f<,ì[]¤•W[]@*[]f[]T[]f[]h[]f[]p[]f[]f[]e[]f[]B,ì[]¤•W**

[]Ú[]×,ì[]¤•W,ðŽQ[]/E,μ,Ä,,¾,¾,ç[]B

—DæNetWare/IPfT[fo:@—DæÚ'±,·,éNetWare*/IP*fT[fo,ðŽw'è,μ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Nearest_NetWare_IP_Server_Notes')} f.f.

—DæNetWare/IPft[fo@'Ç%Á:ft[fo,đŽw'è,μ,½, ,ÆA,»,ìft[fo,đ—DæNetware*/
IP*ft[fo,ìŠfXfg,É'Ç%Á,·,éê†,í'm'Ç%Án,đ'l'đ,μ,Ä,,¾,¾,çB

—DæNetWare/IPfT[fo,ÉŠÖ,·,éf[**f**,

ffftfHf<fg:□@,È,μ

- ,±,ìŸ'è,Í—Dæ□Ú'±,·,éNetWare*/IP*fT□[fo,ðCE©,Â,¯,é,½,ß,ìfKfCfh,Æ,μ,ÄŽg—p,μ,Ü,·□BŽw'è,μ,½fT□[fo,Žg—p,Â,«,È,†□é□#□ADSS,Í'¼,ìfT□[fo,ð'ñ<Ÿ,μ,Ü,·□B
- ,±,ê,ÍNetWare/IP,ìfìfvfVf†f“□Ÿ'è,Â,·□B
- —DæNetWare/IPfT□[fo,ð□Á□,5,Â,Ü,ÄŽw'è,Â,«,Ü,·□B
- fzfXfg-¼□AŠ®'S,ÈCE`Ž®,ìfzfXfg-¼□AIPfAfhfCEfX□AIPfAfhfCEfXf}fXfN,ì,†,,è,©,ðŽg—p,μ,ÄNetWare/IPfT□[fo-¼,ðŽw'è,μ,Â,,¾,¾,¾,†□B

—á:

mydss	fzfXfg-¼
mydss.atlantic.cam	Š®'S,ÈCE`Ž®,ìfzfXfg-¼
222.33.44.55	mydss,ìIPfAfhfCEfX
222.33.0.0	mydss,ìIPfAfhfCEfXf}fXfN

- ,±,ìŸ'è,ÍŽŸ,ì,†,,è,©,É,æ,Á,Ä•ì□X,Â,«,Ü,·□B
Novell* NetWare/IPfvf□fgfRf<,ìfvf□fpfefB,ìmfT□[fo□nf^fu
fVfXfef€f]fŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

fìfvfVf†f“: NWIP

□\•†:□@Nearest NWIP Server=server_names

—á: NWIP

NEAREST NWIP SERVER=MYSERVER

*fmfxf<,ì□•W□@**fT□[fhfp□[fefB,ì□•W
 □Ú□x,ì□•W,ðŽQ□Æ,μ,Â,,¾,¾,¾,†□B

—DæNetWare/IPfT@íœ:

fT[fo,ðŽw'è,μ,½, ,ÆA—DæNetWare*/IP*fT[fo,İfŠfXfg,©,ç,»,İfT[fo,ðíœ,·,éê#,íA[míœn,ð'ð
,μ,Á,,¾,³,çB

—DæNetWare/IPfT[fo@'u,«Š·,!:

ÆðŠ·,·,éfT[fo,ðŽw'è,µA—DæNetWare*/IP*fT[fo,]fŠfXfg,©,çV,µ,çfT[fo,ð'l'ð,µ,½, ,ÆACEðŠ·,ðŽÅs,
·,éêê#,í'm'u,«Š·,!n,ð'l'ð,µ,Å,,¾,¾,çB

Net Status Busy Timeout: @Client 32*, "ñfrfW [%ž"š,đ%½•b'Ò,Á,Ä,©,çT [fo,³frfW [L,Å, ,é,Æ,ç
,řf [bfZ [fW,đ•Ž!, ,é,©,đŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Net_Status_Busy_Timeout_Notes')} } ff.

Net Status Busy Timeout,ÉŠÖ,·,éf

ffftHf<fg: @20

"í^: @1 `600(·b)

f_fCfif~fbfNfpf%of

f

- Handle Net Errors,³mo^{ff}n,ì,Æ,«AfGf%ofbfZfW,í·Ž,³,ê,Ü,¹,ñB'ã,í,è,ÉfGf%of,ífbfbgfN—v<δs,Á,½fAvfŠfP[fVf+f",É·Ö,³,ê,Ü,·B
- ,±,ìY'è,ÍŽY,ì,ç,,ê,©,É,æ,Á,Ä·ìX,Á,«,Ü,·B
Novell* NetWare* Client* 32*vffpfefB,ìmÚ×Y'ènf^fu
fVxfef€f]fŠfV[fGfffBf^
Admin.iffftHf<fg

Admin,iffftHf<fg,ìî·ñ

f]fvfVf+f": @NetWare DOS Requester*

\·¶: Net Status Busy Timeout=*number*

—á: @NETWARE DOS REQUESTER

NET STATUS BUSY TIMEOUT=45

***fmfxf<,ì·W@**fT[fhfp[fefB,ì·W**
Ú×,ì·W,δŽQ/Æ,μ,Ä,,³/₄,³,çB

Net Status Timeout: @Client 32*,^aflfbfgf[fN%ž“š,đ%½•bŠÔ'Ò,Á,Ä,©,çflfbfgf[fNfGf%[,^a-
fl,μ,½,Æ”»'f,·,é,©,đŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Net_Status_Timeout_Notes')}} **ff.**

Net Status Timeout,ÉŠÖ,.,éf

ffftfHf<fg:@10

"í^í:@1`600(•b)

f_fCfif~fbfNfpf%of[f^

f

- Client 32*,ažÀÚ,É'Ò,ÂžžŠÔ,í,±,ìÝ'è'l,æ,è',ç,±,Æ,a, ,è,Û,·Bf|fbfgf[fN,Æ,ìŠÔ,ì•½<í%œžžŠÔ,ì4" {,Net Status Timeout,ì'l,æ,è'á,«,çê[fAClient 32,ì•½<í%œžžŠÔ,ð4" {,μ,½žžŠÔ,¾, 'Ò,¿,Û,·B,½,Æ,ì,ìANet Status Timeout,a15•b,ÅAfT[f,Æ,ìŠÔ,ì•½<í%œžžŠÔ,a4•b,ìê[fAClient 32,ì16•b(•½<í%œžžŠÔ,ì4" {)'Ò,A,À,©,çGf%[f|fbfZ[fW,ð•Ž,μ,Û,·B
- Handle Net Error,amoffn,ì,Æ,«AfGf%[f|fbfZ[fW,ì•Ž!,è,Û,ñB'á,í,è,ÉAf|fbfgf[fN—v<ðs,Á,½fAfvfŠfP[fVf#f",ÉfGf%[,a•Ö,è,Û,·B
- ,±,ìÝ'è,ìžž,ì,ç,,è,©,É,æ,Á,Ä•ìX,Á,«,Û,·B
Novell* NetWare* Client* 32*fvf|fpfefB,ìmÚxÝ'ènf^fu
fvXfef€f|fŠfv[fGfffBf^
Admin.iffftfHf<fg

Admin,iffftfHf<fg,ìî•ñ

f|fvfVf#f":@NetWare DOS Requester*

\•f:@ Net status Timeout=number

—á:@NETWARE DOS REQUESTER

NET STATUS TIMEOUT=30

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Úx,ìx•W,ðŽQÆ,μ,Ä,,¾,ç

NetWare DOSfšfNfGfXf^

Auto Reconnect Level
Cache Writes
Checksum
Close Behind Ticks
Delay Writes
DOS Name
Environment Pad
File Cache Level
First Network Drive
Force First Network Drive
Handle Net Errors
Hold
Large Internet Packets
LIP Start Size
Lock Delay
Lock Retries
Long Machine Type
Max Cache Size
Max Cur Dir Length
Message Timeout
Minimum Time to Net
Name Context
NCP* Max Timeout
Net Status Busy Timeout
Net Status Timeout
NetWare Protocol
Network Printers
Opportunistic Locking
Packet Burst*
Packet Burst Read Window Size
Packet Burst Write Window Size
Preferred Server
Preferred Tree
Print Header
Print Tail
Read Only Compatibility
Search Dirs First
Search Mode
Set Station Time
Short Machine Type
Show Dots
Signature Level
True Commit

*fjmfxf,)x•W@**fT[fhfp[fefB,)x•W
Ux,)x•W, δZQÆ, μ, Å, ¾, ³, çB

NetWarez

NetWare*
Novell\Client32

NetWare

Protocol: @f\fbfgf[fN,É'î,·,é" FØŽž,ÉfAfNfZfX,·,éNetWare*fvf\fgfRf<,Æ,»,ìfAfNfZfX†,ðŽw'è,Å,«,é,æ,π,É,μ,Û,·B

{button ,JI(`NWCFG95.HLP>nwc32',`NetWare_Protocol_Notes')}} [fif](#)

NetWare Protocol,ÉŠÖ,-,éf

ffftfHf<fg:@NDS BIND

—LCEø,È'I:@NDS*ABIND

f

- Client 32*,ažÀs,,éfOfCf“ Af[fh#A,»,l'¼,l<@\,É,Á,ç,Ä“Á'è,lvf<fgfRf<,ð—Dæ,Å,«,Ü,·B
- ,±,ìY'è,ÍŽY,ì,ç,,è,©,É,æ,Á,Ä•ìX,Å,«,Ü,:B
Novell* NetWare* Client* 32*fvf<pfefB,ìmÚxY'è^nf^fu
fVXfef€f|fŠfv<fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f|fvfVf#“:@NetWare DOS Requester*

•f:@Netware Protocol=*netware_protocol_list*

—LCEø,È'I:@NDSABIND

—á:@NETWARE DOS REQUESTER
NETWARE PROTOCOL=BIND NDS

*fmfxf<,ì•W@**fT[fhfp<fefB,ì•W
Úx,ì•W,ðŽQÆ,μ,Á,,¾,³,çB

NetWare/IP 1.1 **ČŸŠ**·◻◻:◻◻@fT◻◻[fo,ªNetWare*/IP* 1.1fvfŠfppbf` ,đŽÀ◻◻s,μ,Ä,č,é◻◻ê◻◻‡,Í◻◻A,±
,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}◻◻[fN,đ•t,~,Ä,,¾,¾,č◻◻B,±
,lfppbf`,ÄfAfbfvfOfCE◻◻[fh,·,é,©◻◻Afo◻◻[fWf‡f“2.1,ÉfAfbfvfOfCE◻◻[fh,μ,Ä,,¾,¾,č◻◻B,» ,è,ª◻◻I,í,Á,½,ç◻◻A,±
,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}◻◻[fN,đŠO,μ,Ä,,¾,¾,č◻◻B
{button ,JI(`NWCFG95.HLP>nwc32',`NetWare_IP_1.1_Compatibility_Notes')}} **ff**

NetWare/IP 1.1

fffffHf<fg: @off

- ,±,ìŸ'è,ÍNetWare*/IP*,ìfT[fó,ÆDSS,ìÅ%o,ìfo[fWf+f“,ðTf|f[f,·,é,ì,ÉŽg—p,μ,Ü,·BfT[fó,ªNetWare/IP 1.1fvfŠfpbf` ,ðŽÅ[s,μ,Ä,ç,éé±,É,íA,±,ìfpbf` ,ÄfAfbfvfOfCE[fh,·,é,©Afo[fWf+f“2.1,ÉfAfbfvfOfCE[fh,μ,Ä,-^{3/4,3},çBfAfbfvfOfCE[fh,·,é,Ü,Ä,ÌSÖA,±,ìf{fbfNfX,Éf`ffbfNf}fN,ð•t,¯,é,ÆA,±,ì(NetWare 2.1€<')fNf %ofCfAf“fg,ÍNetWarefT[fó,Æ'ÉM,Ä,«,é,æ,æ,É,É,è,Ü,·B
- ,±,é,ÍNetWare/IP,ìfìfvfVf+f“Ÿ'è,Ä,·B
- ,±,ìŸ'è,ìŽŸ,ì,ç,·,é,©,É,æ,Ä,Ä•ìX,Ä,«,Ü,·B

Novell* NetWare/IPfvf fgfRf<,ìfvf fpfefB,ìmfpf%of[f^nf^fu
 fvXfef€f]fŠfv[fGfffBf^
 Admin,ìfffffHf<fg

Admin,ìfffffHf<fg,ìî•ñ

ìfvfVf+f“: @NWIP

•f: @NWIP1_1 Compatibility=onboff

—á: @NWIP

NWIP1_1 COMPATIBILITY=OFF

*fmfxf<,ìæ•W@**fT[fhfp[fefB,ìæ•W
 Üx,ìæ•W,ðŽQÆ,μ,Ä,^{3/4,3},çB

NetWare/IPfhfCf

NetWare*/IP*fT[fo,ÆfNf%ofCfAf“fg,đŠÇ—□,·,é,ì,ÉŽg—p,·,éDNSfhfCf“□BNetWare/IPfhfCf“,íDNSŠK‘w,Å
%oo^ÉfhfCf“,đŽ□,½,È,çTfufhfCf“,Å,·□B

NetWare/IPfhf□fCf“-¼:□@ft□[fU,lfGfŠfA—p,É□Ÿ’è,³,ê,½NetWare*/IP*fhf□fCf“,đŽw’è,μ,Û,·□B
—á:□@NWIP.ATLANTIC.COM
{button ,JI(`NWCFG95.HLP>nwc32',`Domain_Name_Notes')} **f□f.**

flfbfgf[][fNfAf_fvf^,lfvf[]fpfefB

.±,lfvf[]fpfefBfv[][fg,i\Z!•û-@

ODlfhf%ofCfo,lf^fu

Sroute 32,lf^fu

Sroute 16,lf^fu

*fmfxf<,l[]•W[]@**fT[][fhfp[][fefB,l[]•W
[]U[]x,l[]•W,đZQ[]Æ,μ,Ä,,³/₄,³,ç[]B

Network Printers: @Client 32*, ¢Ljffvf`ff, Å, «, éLPTf| [fg, ì" , ðÝ'è, µ, Ü, ·B
{button ,JI(`NWCFG95.HLP>nwc32', `Network_Printers_Notes')} **f f.**

Network Printers,ÉŠÖ,·,éf

ffftfHf<fg: @3

"í^í: @0 9(fvfŠf"f^f[f[fg)

f

- ,±,ìŸ'è,đŽg—p,·,ê,îALPT1,©,çLPT9,đflfffvf`ff,μAfŠf_fCfEfNfg,·,é,±,Æ,^a,Å,«,Ü,·B
- ,±,ìŸ'è,ì'l,đ' ,â,·,ÆAf,fŠ,ìŽg—p—É,à'‰Á,μ,Ü,·BŽg—
p,³,é,éfRf"fxf"fvf+fif<f,fŠ,íŽŸ,ìŽ®,É,æ,Á,ÅEvŽZ,Å,«,Ü,·B
mem=netprt x (prthdr+prttail+23fofCfg)
,½,Æ,ì,îAZŸ,ì,æ,æ,ÉEvŽZ,μ,Ü,·B
f|fbfgf[fNfvfŠf"f^@ (netprt)=3
Print_Header@(prthdr)=64fofCfg
Print_Tail@(prttail)=16fofCfg
f|f,fŠ@(mem)=3 x (64fofCfg+16fofCfg+23fofCfg)=309fofCfg

- ,±,ìŸ'è,ìŽŸ,ì,ç,·,ê,©,É,æ,Á,Ä·îX,Å,«,Ü,·B
Novell* NetWare* Client* 32*fvf[fpfefB,ìmÚxŸ'ènf^fu
fVxfef€f|fŠfv[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f|fvfVf+f": @NetWare DOS Requester*

\•q: @Network Printers=*number*

—á: @NETWARE DOS REQUESTER

NETWORK PRINTERS=7

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Úx,ìx•W,đŽQ/Æ,μ,Ä,,³/₄,³,çB

'É'm: @fvfŠf“fgfWf#fu,đ^óü,·,é,Æ,«,Éf[]fbfZ[]fW,đ•\Ž!,·,é[]ê[]#,í[]A,±
,íf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[]fN,đ•t,~,Á,,¾,¾,ç[]Bf[]fbfZ[]fW,đ•\Ž!,μ,É,ç[]ê[]#,í[]A,±
,íf`fFfbfNf{fbfNfX,íf`fFfbfNf}[]fN,đŠO,μ,Á,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Notify_Notes')} ff

'E'm,ÉŠÖ,-,éf□f,

ffftjHf<fg:□@off

- fvfŠf“f^,lfvf□fpfefB,đŽg—p,.,ê,î□A“Á’è,lfvfŠf“f^,É,Â,ç,Ä,±,ì□Ý’è,đ•î□X,Å,«,Ü,·□B
- Novell* NetWare* Client* 32*fvf□fpfefB,đŽg—p,.,ê,î□AfffftjHf<fgfLffvf^ff,ì□Ý’è,đ•î□X,Å,«,Ü,·□B

*fmxfx<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ü□x,ì□x•W,đŽQ□Æ,μ,Á,,³/₄,³,ç□B

Novell NetWare Client 32

.±.lfvf[]pfefBfv[]fg.ì\Ž!•û-@

Client 32*.lf^fu

f[]OfCf".lf^fu

fftfHf<fgfLfffvf`ff.lf^fu

[]Ú[]x[]Ý'è.lf^fu

*fmx<,l[]•W[]@**fT[]fhfp[]fefB,l[]•W
[]Ú[]x,l[]•W,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

Novell NetWare/IPfvf[]fgfRf<,ifvf[]fpfefB

.±,ifvf[]fpfefBfv[]fg,i\Z!•û-@

fpf%of[]f^,lf^fu

f[]fo,lf^fu

Novell SNMP

SNMP

Setting: 'l'đ,μ,½fpf%of□□[f^,ì'l,đŽw'è,μ,Ü,·□B
{button ,JI(`NWCFG95.HLP>nwc32',`Setting_Notes')} **f□f.**

•"": ^óü,·,é•"“,đŽw'è,μ,Û,·B

{button ,JI(`NWCFG95.HLP>nwc32',`Number_of_Copies_Notes')}} **ff.**

•””,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@1

”Í^í:□@1□`255(fRfs□l)

- fvfŠf“f^,lfvf□fpfefB,ðŽg—p,·,ê,î□A“Á’è,lfvfŠf“f^,É,Á,ç,Ä,±,ì□Ý’è,ð•ï□X,Å,«,Ü,·□B
- Novell* NetWare* Client* 32*fvf□fpfefB,ðŽg—p,·,ê,î□AffffHf<fgfLffvf`ff,ì□Ý’è,ð•ï□X,Å,«,Ü,·□B

*fmfxf<,ì□¤•W□@**fT□lfhfp□lfefB,ì□¤•W
□Ú□x,ì□¤•W,ðŽQ□/E,μ,Ä,,³/₄,³,ç□B

ÄŽšÖ,ì•b: DSS—v<,Å%ž“š,à¼,ç,ê,È,©,Á,½ê‡,ÉÄŽšs,·,é,Û,À,ì•b”,ðŽw’è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Number_of_Seconds_Between_Retries_Notes')} f.f.

□ÄŽŽ□sŠÖ,ì•b□”,ÉŠÖ,.,éf□f,

ffftfHf<fg:□@10

”í^í:□@5□`60(•b)

f□f,

- ,±,ê,íNetWare/IP,ìfjfvjVfj#f“□Ý’è,Å,·□B
- ,±,ì□Ý’è,íŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•ï□X,Å,«,Ü,·□B
Novell* NetWare*/IP* Protocol,ìfjfv□fpfefB,ì□mfjpf%oof□□f^□nf^fu
fVfXfef€fjSfV□□fGfffBf^
Admin,ìffftfHf<fg

Admin,ìffftfHf<fg,ì□î•ñ

fjfvjVfj#f“:□@NWIP

□\•¶:□@Autoretry Secs=*number*

—á:□@NWIP

AUTORETRY SECS=5

*fjmfxf<,ì□x•W□@**fT□□fhfp□□fefB,ì□x•W

□Ú□x,ì□x•W,δŽQ□/E,μ,Ä,,³/₄,³,ç□B

fXfy[fX”: f^fu,ì'ã,í,è,É^óü,·,éXfy[fX,ì”,đŽw'è,μ,Û,·B,±,ìÝ'è,đ—LÆø,É,·,é,É,ímf^fu.ìŽg=
pnf`fFbfNf{fbfNfX,Éf`fFbfNf}[fN,đ•t,_,È,_,ê,Î,È,è,Û,¹,ñB
{button ,JI(`NWCFG95.HLP>nwc32',`Number_of_Spaces_Notes')} **fif.**

fXfy□[fX□",ÉŠÖ,-,éf□f,

ffftfHf<fg:□@8

"Í^í:□@1□`18(fXfy□[fX)

- ,±,ì□Ý'è,lfefLjXfgfjvfŠf"fjgWfjfu,É"K—p,³,è,Ü,·□B,±
 ,ì□Ý'è,lfofCfjgXfgfŠ□[f€fvfŠf"fjgWfjfu,ì□è□±,É,Í•K—v, ,è,Ü,¹,ñ□B
- fjvŠf"f^,lfvf□fpfefB,ðŽg—p,·,è,î□A"A'è,lfvfŠf"f^,É,Â,ç,Ä,±,ì□Ý'è,ð•ï□X,Â,«,Ü,·□B
- Novell* NetWare* Client* 32*fjv□fpfefB,ðŽg—p,·,è,î□AffffHf<fgfLfffvf`ff,ì□Ý'è,ð•ï□X,Â,«,Ü,·□B

*fjmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W

□Ú□x,Í□¤•W,ðŽQ□/E,μ,Ä,,³/₄,³,ç□B

ODIhf%ofCfo,lf^fu

ODI*fhf%ofCfof^fCfv

ODI,É,æ,éNDIS**fvf[]fgfRf<,lfTf[]fg

*fmfxf<,l[]x•W[]@**fT[]fhfp[]fefB,l[]x•W
[]Ú[]x,l[]x•W,ðZQ[]Æ,μ,Ä,,³/₄,³,ç[]B

ODlfhf%ofCfof^fCfv,ÉŠÖ,.,éf□f,

ffftjHf<fg:□@32frfbfgODI*fhf%ofCfo

▪ flfbfgf□□[fNfAf_fvf^,ìfv□□pfefBfV□[fg,ì□mODlfhf%ofCfo□nf^fu,ðŽg—p,.,é,±,Æ,É,æ,Á,Ä,±,ì□Ý'è,ð•í□X,Á,«,Ù,·□B

*fmfxf<,ì□α•W□@**fT□[fhfp□[fefB,ì□α•W

□Ú□x,í□α•W,ðŽQ□Æ,μ,Á,,³/₄,³,ç□B

"pŽ~,³,ê,½NetWare DOSfšfNfGfXf^□Ý'è

ŽŸ,ì□Ý'è,í□ACE»□Ý,Á,ÍŽg—p,³,ê,Ä,č,Ü,¹,ň□BŽw'è,μ,½□ê□‡,Í-³Ž<,³,ê,Ü,·□B

Auto Large Table

Auto Reconnect

Auto Retry

Average Name Length

Bind Reconnect

Broadcast Retries

Broadcast Send Delay

Broadcast Timeout

Cache Buffer Size

Cache Buffers

Confirm Critical Error Action

Connections

EOJ

Exclude VLM*

Load Conn Table Low

Load Low Conn

Load Low IPXNCP

Load Low Redir

Local Printers

Max Tasks

Message Level

Preferred Workgroup

Print Buffer Size

Responder

Use Defaults

VLM

Workgroup Net

*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W
□Ú□x,ì□¤•W,đZQ□Æ,μ,Ä,,¾,³,č□B

Client 32

1. ()

2. ()

3. ()

4. ()

5. CLIENT32.ADM

'É () CLIENT32.ADM, (Client 32* CD-ROM, \ADMIN\POLICY95\NLS\NIHONGO

6. ()

7. ()

8. ()

* ()

()

Opportunistic Locking: @Client

32*,afLfffbfVf"fO,i,½,B,Éftf@fCf<,Ö"r'¼"lfAfNfZfX,;éf^fCf~f"fO,đŽ©"@“l,ÉĈËŸo,μA—~—p,·,é,æ,π,ÉŽw'è,μ,Û,·B

{button ,JI(`NWCFG95.HLP>nwc32',`Opportunistic_Locking_Notes')} fff.

Opportunistic Locking, ÉŠÖ, -, éf

ffftjHf<fg:@on

—LCEø,È'!:@onboff

f_fCfif~fbfNfpf%of^

f

- ,±,ìjpf%of[f^,ì'l,ðmonn,ÉÏ'è,.,é,Æ[AfpftfH[f}f“fX,ªCEüã,μ,Û,·B
 - ÒÚ×,í[Aff[f^fx[X.ìtf@fCf<,ìfLffbfvf“fO,ðŽQ[Æ,μ,Ä,,¾,³,çB
 - ,±,ìÏ'è,ìŽÏ,ì,ç,,è,©,É,æ,Ä,Ä•ì[X,Ä,«,Û,·B
- Novell* NetWare* Client* 32*fvf[fpfefB,ìmÒÚ×Ï'è^nf^fu
fVxfef€fjŠfV[fGfffBf^
Admin.ìffftjHf<fg

Admin,ìffftjHf<fg,ìî•ñ

f!fvfVf#f“:@NetWare DOS Requester*

[\•!:@Opportunistic Locking=onboff

—á:@NETWARE DOS REQUESTER

OPPORTUNISTIC LOCKING=OFF

*fmfxf<,ì×•W@[**fT[fhfp[fefB,ì×•W
ÒÚ×,í×•W,ðŽQ[Æ,μ,Ä,,¾,³,çB

Packet Burst:

Packet Burst*,đ—LCEø,É,·,é,É,Í□A□mon□n,đŽw'è,μ,Ä,,¾,¾,ç□B

Packet Burst,đ-³CEø,É,·,é,É,Í□A□moff□n,đŽw'è,μ,Ä,,¾,¾,ç□B

{button ,JI(`NWCFG95.HLP>nwc32',`Packet_Burst_Notes')} fff.

Packet Burst,ÉŠÖ,-,éf□f,

ffftfHf<fg:□@on

—LCEø,È'!:□@on□boff

- ,±,ì□Ý'è,ìftf@fCf<"ü□o—í,ì,½,ß,ìPacket Burst*fvf□fgfRf<,ìŽg—p,ðŽw'è,μ,Ü,·□B
- ^è"É,É□APacket Burst,ìfìfbfgf□□[fNfgf%øftfBfbfN,ð'áCE,μ□AfpftfH□[f}f"fx,ðCEü□ã,³,¹,Ü,·□B
- fpftfH□[f}f"fx,ì'á,çfìfbfgf□□[fNf{□[fh,ðŽg—p,μ,Ä,ç,é□ê□‡,â□Aflfbfgf□□[fNfpftfH□[f}f"fx,^{a'}á,ç□ê□‡,É,ì□APacket Burst,ð-³CEø,É,·,é,±,Æ,ð,Š©,ß,μ,Ü,·□B
- ,±,ì□Ý'è,ìŽŸ,ì,ç,.,ê,©,É,æ,Ä,Ä•ì□X,Ä,«,Ü,·□B
Novell* NetWare* Client* 32*fvf□fpfefB,ì□m□Ú□×□Ý'è□nf^fu
fVfXfef€fìfŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì□î•ñ

fìfvfVf†f“:□@NetWare DOS Requester*

□\•¶:□@PB Buffers=*number*

—á:□@NETWARE DOS REQUESTER
PB BUFFERS=0

f□f,

- ^È'Ö,ìNetWarefNf%øfCfAf"fg,Ä,ì□APB Buffersfpf%øf□□[f^,É,æ,Ä,ÄPacket Burstfofbftf@,ì□" ,ðŽw'è,μ,Ä,ç,Ü,μ,½□BClient 32,Ä,ìft□[fU,afofbftf@□",ðŽw'è,·,é•K—v,í, ,è,Ü,¹,ñ□B•K—v,^a, ,é,ì□Afofbftf@,ð"@ "ì,ÉŠ,,è"—,Ä,Ü,·□B
 Client 32,Ä,ì□APacket Burst,ìfìf"/fìft,ðŽw'è,·,é,½,ß,É,±,ì□Ý'è'ì,ðŽg—p,μ,Ä,ç,Ü,·□B□m1□n`□m10□n,Ü,Ä,ì'ì,ìPacket Burst,ðfìf",É,μ,Ü,·□B□m0□n,ìPacket Burst,ðfìft,É,μ,Ü,·□B

*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W
□Ú□×,ì□¤•W,ðŽQ□Æ,μ,Ä,,³/₄,³,ç□B

Packet Burst Read Window Size: @Packet Burst*, Read Bursts, ÉŽg—
p,·,é Å'åfEfBf"fhfEfTfCfY,ðfpfPfbfg",ÅŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Pburst_Read_Window_Size_Notes!)} **fif.**

Packet Burst Read Window Size,ÉŠÖ,-,éfƒf,

fffftHf<fg: @24(Packet Burst*,á'Ñ^æflfbfgf[fNÚ'±,ðCEÿo,·,éê±,Í255)

"Í'í: @3` 255(fpfPfbfg)

f_fCfif~fbfNfpf%of[f^

fƒf,

- Packet Burst,Žg—p,·,éfEfBf“fhfEFTfCfY,Íflfbfgf[fNó'Ô,É%ž,ŋ,Ä“ @“l,É•í%»»,μ,Ü,·BPacket Burst Read Window Size,Í,±,Íf[fNfXfe[fVf#“ftfCfY,ÍãCEÀ,ðÿ'è,μ,Ü,·B
- Žw'è,μ,½pfPfbfg“,Á,ÍEfBf“fhfEFTfCfY,64KB,ð',,l,Ä,μ,Ü,æê±APacket Burst,ÍPacket Burst Read Window Sizepf%of[f^,Íÿ'è'l,É—Dæ,μ,Ü,·B
 ,½,Æ,Í,ÍAŠefpfPfbfg,1500fofCfg,ÁAPacket Burst Read Window Size,50,Íê±APacket Burst,ÍŽw'è,³,è,½Packet Burst Read Window Size,É—
 Dæ,μAÁ'áfEfBf“fhfEFTfCfY,Æ,μ,Ä43pfPfbfg,Žg—p,³,è,Ü,·B,±
 ,è,Í1500fofCfg,ÍpfPfbfg,50CEÀ,È,ç,Í-
 ñ73KB,É,È,Í,É'Í,μA1500fofCfg,ÍpfPfbfg,43CEÀ,È,ç,Í64KB,æ,è,Í,,©,É—,³,,É,é,½,ß,Á,·B
- 'á'Ñ^æflfbfgf[fNÚ'±,Íê±A,±,Í'l,ð'‰Á,·,é,ÆfpftfH[f}f“fX,CEüã,·,é,±,Æ,ª, ,è,Ü,·B
- ,±,Íÿ'è,ÍŽÿ,Ì,ç, ,è,©,É,æ,Á,Ä•íX,Á,«,Ü,·B
Novell* NetWare* Client* 32*fvf[fpfefB,ÍmÚ×ÿ'ènf^fu
fVxfef€fÍfŠfV[fGfffBf^
Admin.ÍfffftHf<fg

Admin,ÍfffftHf<fg,Íî•ñ

fIfvfVf#f“: @NetWare DOS Requester*

[\•ŋ: @Pburst Read Window Size=*number*

—á: @NETWARE DOS REQUESTER

PBURST READ WINDOW SIZE=36

*fmfxf<,Í±•W@**fT[fhfp[fefB,Í±•W
Ú×,Í±•W,ðZQÆ,μ,Ä,,¾,¾,çB

Packet Burst Write Window Size: Packet Burst*, Write Bursts, ÉŽg—
p, ·, éÅ'âfEfBf"fhfEfTfCfY,ðfpfPfbfg", ÅŽw'è,μ,Ü,·B'Éí,±,ìY'è,í·ìX,μ,È,ç,Å,,¾,¾,çB
,±,ì'l,ð'%'Á,·,é,ÆAFT[fofpftfH[f]}f"X,á'á%º,·,é,±,Æ,ª, ,è,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Pburst_Write_Window_Size_Notes')} **ff.**

Packet Burst Write Window Size,ÉŠÖ,·,éf

ffffHf<fg: @10(Packet Burst*,á'Ñ^æflfbfgf[fNÚ'±,ðCEÿo,·,éê,í255)

"í^í: @3` 255(fpfPfbfg)

f_fCfif~fbfNfpf%of[f^

f

- Packet Burst,Žg—p,·,éfEfBf“fhfEFTfCfY,Íflfbfgf[fN,ìó'Ô,É%ž,ŕ,Ä“ @“l,É•í%»»,μ,Û,·BPacket Burst Write Window Size,í,±,ÍfEfBf“fhfEFTfCfY,ìãCEÀ,ðY'è,μ,Û,·B
- Žw'è,μ,½fpfPfbfg“,Á,ÍfEfBf“fhfEFTfCfY,ª64KB,ð',,Ä,μ,Û,æê#APacket Burst,ÍPacket Burst Write Window Sizefpf%of[f^,ìY'è'l,É—Dæ,μ,Û,·B
 ,½,Æ,í,íAŠefpfPfbfg,ª1500fofCfg,ÁAPacket Burst Write Window Size,ª50,ìê#APacket Burst,ÍŽw'è,μ,½Packet Burst Write Window Size,É—
 Dæ,μAÁ'áfEfBf“fhfEFTfCfY,Æ,μ,Ä43fpfPfbfg,ªŽg—p,ª,è,Û,·B,±
 ,è,í1500fofCfg,ÍfpfPfbfg,ª50CEÀ,É,ç,Í-
 ñ73KB,É,É,ì,É'í,μA1500fofCfg,ÍfpfPfbfg,ª43CEÀ,É,ç,í64KB,æ,è,í,, ©,É—,ª,É,é,½,ß,Á,·B
- 'á'Ñ^æflfbfgf[fNÚ'±,ìê#A,±,ì'l,ð'‰Á,·,é,ÆfpftfH[f}f“fX,ªCEüã,·,é,±,Æ,ª, ,è,Û,·B
- ,±,ìY'è,ÍŽY,ì,ç, ,è, ©,É,æ,Á,Ä•íX,Á,«,Û,·B
Novell* NetWare* Client* 32*fvf[fpfefB,ìmÚxY'è^nf^fu
fVxfef€fjŠfV[fGfffBf^
Admin.ÍffffHf<fg

Admin,ÍffffHf<fg,ìí•ñ

fifvfVf†f“: @NetWare DOS Requester*

[\•ŕ: @Pburst Write Window Size=*number*

—á: @NETWARE DOS REQUESTER

PBURST WRITE WINDOW SIZE=24

*fmfxf<,ìx•W @**fT[fhfp[fefB,ìx•W
Úx,ìx•W,ðZQÆ,μ,Ä,,¾,¾,çB

pf%of[f^,ià-¾: 'l'ö,µ,½pf%of[f^,l'ö•ïX,·,é—R,öSm" F,µ,Ä,,¾,¾,çB

fpf%of[]f^fOf<[]fv:[]@-Ú“l,ìpf%of[]f^fOf<[]fv,đ'!đ,μ,Ä,,¾,¾,ç[]Bfpf%of[]f^,ªClient 32*f\ftfgfEjFjA,É
—^,!,é%œe<¿,đŠm”F,·,é[]ê[]‡,É,±,lfRf“fgf[]f<,đŽg—p,μ,Ä,,¾,¾,ç[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Parameter_Groups_Notes!)} **ff.**

fpf%of[f^fof<[fv,ÉŠÖ,-,éf]f,

- ,±,ê,ÍE»Ý'í'ð,³,ê,Ä,ç,éfpf%of[f^fof<[fv,ðŽ!,μ,Û,·B
- ,±,ê,ç,ìfpf%of[f^,ð•ĪX,·,é,½,ß,ÉNovell* NetWare* Client* 32*fvf[fpfefB,ð•\Ž!,·,é•û-@,É,Ä,ç,Ä,ĪA,±,Īs,ðfNfŠfbfN,μ,Ä,,³/₄,³,çB

*fmfxf<,Īx•W@**fT[fhfp[fefB,Īx•W
ĪŪx,Īx•W,ðŽQ/Æ,μ,Ä,,³/₄,³,çB

fpf%of□□[f^,ì"íí:□@'l'ð,μ,½fpf%of□□[f^,Éžw'è,μ,½'l,a•\Žl,³,ê,Ä,ç,é'l,ì"íí"à,É, ,é,±,Æ,ðŠm"F,μ,Ä,-
,³/₄,³,ç□B

fpf%of[]f^,lf^fu

ŠĀ««Ÿ'è,ìŽ©"®ĈËŸo
Ÿ½ÀÑŠĀ««Ÿ'è

NetWare*/IP* ÄpÒ²Ÿ-¼
‹N"®Žž,ìDSS,Ö,ìÄŽŸs
ÄŽŸsŠÖ,ì•b"
—DæSAPfT[fo—v<,ðflfbfgf[fN,É^êÄ'—M
NetWare/IP 1.1ĈËŸ•«

ç'.

*fmx<,ìx•W@**fT[fhfp[feB,ìx•W
Úx,ìx•W,ðŽQÆ,μ,Ä,,¾,¾,çB

fvfŠf“f^fhf%oCfoftf@fCf<,lfpfX,đŽw’è,μ,Ä,,¾,¾,¼B,È,é,x,—D□æfpfX,đŽg—p,·,é,æ,x,É,μ,Ä,,¾,¾,¼B
{button ,JI(`NWCFG95.HLP>nwc32',`Point_and_Print_Path_Notes')} fff

f|fCf"fg,ÆfvfŠf"fg,lfpfX,ÉŠÖ,-,éf[]f,

ffftfHf<fg:[]@\\server \SYS\PUBLIC\WIN95\DRIVERS

ffftfHf<fgfpfX,lft[]fo,lfvfŠf" f^,Ü,½,lfvfŠf"fgfLf...[][-p,lft[]fo,Å,·[]B

- fpfX,É,lftfjfo[]lftf<f[]f~f"fo<K-ñ(UNC),É[]€<',μ,½-¼'O,đŽg—p,μ,Ä,,¾,¾,ç[]B
- fvfŠf" f^fhf%ofCfoftf@fCf<,lŽw'è,μ,½fffBfCEfNfgfŠ,ÉfRfs[][,¾,è,Ü,·[]B
- ft[]fU,lfpfX,ÉŽw'è,μ,½fT[]fo,Éf[]OfCf" ,μ,È,~,é,Î,È,è,Ü,¹,ñ[]B
- fvfŠf" f^fhf%ofCfoftf@fCf<,đŽw'è,lfffBfCEfNfgfŠ,ÉfRfs[][,μ,½,è[]AŽw'è,lfffBfCEfNfgfŠ,¾'¶[]Ý,μ,È,ç,Æ,«,É[]ì[]-,·,é,ì,É[]·¾,ÈCE —,đŽ[],Á,Ä,ç,È,~,é,Î,È,è,Ü,¹,ñ[]B
- f|fCf"fg,ÆfvfŠf"fg,đŽg—
p,μ,ÄfvfŠf" f^,đ[]Ý'è,·,é,É,l[]Aft[]fU,lfpfX,ÉŽw'è,μ,½fT[]fo,Éf[]OfCf" ,μ[]AŽw'è,μ,½fffBfCEfNfgfŠ,l"Ç,Ý[]ž,Ý
CE ,Æftf@fCf<fXfLfff"CE ,đŽ[],Á,Ä,ç,È,~,é,Î,È,è,Ü,¹,ñ[]B
- fvfŠf" f^f,fff<,đ'l'đ,·,é,Æ[]AfvfŠf" f^fhf
%ofCfoftf@fCf<,¾Žw'è,lfffBfCEfNfgfŠ,ÉfRfs[][,¾,é,é,½,ß[]AfpfX,đ·İ[]X,μ,½[]è[]±,Í·K, ,fvfŠf" f^f,fff<,đ'l'đ,μ'¼,¾,
È,~,é,Î,È,è,Ü,¹,ñ[]B
- fvfŠf" f^,lfv[]f[]f[]B,l[]mf|fCf"fg,ÆfvfŠf"fg,l[]Ý'è[]nf^fu,đŽg—p,·,é,Î[]A,±,l[]Ý'è,đ·İ[]X,Å,«,Ü,·[]B

VGNMA f f, fŠ, İŽ-‘OŠ,,, è“-., Ä: VGNMA—p, ÉfRf“fxf“fVf†fif·f□f, fŠ, đŠ,,, è“-., Ä, é□ê□†, Í□A, ±
, İf`fFfbfNf{fbfNfX, Éf`fFfbfNf}□[fN, đ•t, ¯, Ä,, ¾, ¾, ç□B
{button ,JI(`NWCFG95.HLP>nwc32',`Pre_Allocate_VGNMA_Memory_Notes')} } **f□f.**

VGNMAf f, fš, iž- 'OŠ,, è"- , Ä, ÉŠÖ, , , éf f,
ffftfHf<fg: @off

- , » , è ^ ÈŠÖ, ì • û - @ , Å, Í , μ, " @ , μ, È, ç ê # A16 frfbfgGNMAf ÇE fXf|
f" f_fAfvfšP [fVf#f" , ÉVGNMAf f, fš, ðŽ- 'OŠ,, è"- , Ä, μ, Ä, , ¾, ¾, ç B
- , ± , ì Y' è, Í Ž Ÿ, ì, ç, , è, ©, É, æ, Ä, Ä • ì X, Å, «, Ü, • B
IPX 32-bit Protocol for Novell NetWare f f p f e f B, ì [IPX* Y' è] f ^ fu
fVfXfef€f|fšfV [fGfffBf^
Admin. lffftfHf<fg

Admin, lffftfHf<fg, ì î • ñ

f|fvfVf#f" : @Protocol IPX

\ • ¶ : @Pre-Allocate VGNMA Memory=on boff

— á : @PROTOCOL IPX

PRE-ALLOCATE VGNMA MEMORY=ON

*f m f x f < , ì , μ • W @ * * f T [f h f p [f e f B , ì , μ • W
 Ì Ú x , Ì , μ • W , ð Ž Q / E , μ, Ä, , ¾, ¾, ç B

—DæDSSfT[fo: @—DæÚ'±, ,éDSSfT[fo,đŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Preferred_DSS_Notes')} **fif.**

—DæDSSfT[fo@'Ç%Á: @fT[fo,đŽw'è,μ,½, ,ÆA,»,ìfT[fo,đ—DæDSSfT[fo,ìfŠfXfg,É'Ç
%Á,·,éê†,í'm'Ç%Án,đ'l'đ,μ,Ä,,¾,³,çB

—DæDSSfT[fo,ÉŠÖ,·,éf

ffftfHf:fg: @,É,μ

- fAfhfCfX,Æ-¼'O,Í—DæDSSfT[fo,ðCE©,Â,¯,é,½,ß,lfKfCfh,Æ,μ,ÄŽg—p,μ,Ü,·B,Ç,ìDSSfT[fo,àŽg—p,Â,«,É,çê#ADNS,ìDSSfT[fofSfXfg,ªÆ%oi,³,ê,Ü,·B
- ,±,ê,ÍNetWare*/IP*,lfjvfVfj“Y'è,Â,·B
- —DæpÚ'±,·,éDSSfT[fo,ð5,Â,Ü,ÄŽw'è,Â,«,Ü,·B
- fzfXfg-¼AS®'S,ÈCE`Ž®,lfzfXfg-¼AIPfAfhfCfXf}fXfN,ì,ç,,è,©,ðŽg—p,μ,ÄDSSfT[fo-¼,ðŽw'è,μ,Ä,,¾,¾,çB

—á:

dss	fzfXfg-¼
dss.atlantic.cam	Š®'S,ÈCE`Ž®,lfzfXfg-¼
2.33.44.55	mydss,ìIPfAfhfCfX
2.33.0.0	mydss,ìIPfAfhfCfXf}fXfN

- ,±,ìY'è,ÍŽY,ì,ç,,è,©,É,æ,Á,Ä·ìX,Â,«,Ü,·B
Novell* NetWare/IPvf fgrRf,lfvf fpfefB,ìmfT[fo^nf^fu
fVfXfef€fjŠfV[fGfffBf^
Admin,ìffftfHf:fg

Admin,ìffftfHf:fg,ìî•ñ

fjvfVfj“: @NWIP

\\•1:@Preferred DSS=server_names

—á: @NWIP

PREFERRED DSS=LOCALDSS.ATLANTIC.COM 222.33.0.0

*fmjxf,ì•W@**fT[fhfp[fefB,ì•W
 Ùx,ì•W,ðŽQÆ,μ,Ä,,¾,¾,çB

—DæDSSfT[fœ@íœ: fT[fo,ðŽw'è,μ,½, ,ÆA—
DæDSSfT[fo,lfŠfXfg, ©,ç,» ,lfT[fo,ðíœ,·,éê‡,ímiœn,đ'l'đ,μ,Ä,,¾,³,†B

—DæDSSfT[fo@'u,«Š·,!:@ŒðŠ·,·,éft[fo,ðŽw'è,μA—
DæDSSfT[fo,lfŠfXfg,©,çV,μ,çft[fo,ð'l'ð,μ,½, ,ÆACEðŠ·,ðŽÀs,·,éê†,Ím'u,«Š·,|n,ð'l'ð,μ,Ä,-
,¾,³,çB

—Dæ»°Éb: Å%º,ÉfAf^fbf` ,.éNetWare*fT[fo,ðÝ'è,µAflfbfgf[fN,Æ,ì'±,ð•ÙØ,µ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Preferred_Server_Notes')} ff

—D□æ»°Éþ,ÉŠÖ,·,éí□f,

ffftfHf<fg:□@,È,μ

- Žw'è,μ,½fT□[fo,ÉŽg—p%oÅ"\\,È□Ú'±,ª, ,é,Æ□AClient 32*,Í,»,ìfT□[fo,ÉfAf^fbf` ,μ,Û,·□BŽg—p%oÅ"\\ ,È□Ú'±,ª,È,ç□ê□#□A—D□æ^ê□Á'—□MfT□[fo,É%ož"š,μ,Û,·□B
- —D□æfçŠ□[(NetWare*fffBfCEfNfgfŠfT□[frfX*—p),Æ—D□æfT□[fo(fofCf"f_fŠfT□[frfX—p),ì— ¼•û,ªŽw'è,ª,È,Á,ç,é□ê□#□AfAf^fbf` ,É□—CE÷,μ,½□Á□%o,ìfvf□fgfRf<,ªŽg—p,ª,È,Û,·□B
- ,±,ì□Y'è,ÍŽY,ì,ç, , ,é,©,É,æ,Á,Ä•ï□X,Á,«,Û,·□B
Novell* NetWare* Client* 32*fvf□fpfefB,ì□mClient 32□nf^fu
fVfXfef€fìfŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

fìfvfVf†f“:□@NetWare DOS Requester*

□\•†:□@Preferred Server="server_name"

—á:□@NETWARE DOS REQUESTER

PREFERRED SERVER=MKT_9

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W

□Ú□x,ì□x•W,ðŽQ□Æ,μ,Á,,¾,¾,ç□B

—DæfcfŠ[:@fcfŠ[,^a•j", ,éê†ANetWare* 4*fjfbfgf[fN,ÅÅ%,ÉÚ'±
,.éffBfCEfNfgfŠfcfŠ[,ðŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Preferred_Tree_Notes')} f.f.

1ŽŸf{[]fh

1ŽŸf{[]fh,í[]Aflfbfgf[]NÚ'±,đ1,Â,¾, -Žg—p,Â,«,é[]f[]v[]f[]š[]f[]P[]f[]V[]f[]f[]",ì,½,ß,ì~—
[]f{[]fh,Â,·[]B16frfbfg!PX*/SPX*f[]f[]v[]f[]š[]f[]P[]f[]V[]f[]f[]",ì,±,ì1ŽŸf{[]fh,É,æ,Á,Ä,ì,Y"®[]i,μ,Ü,·[]B

1ŽŸ~_—f{fh: @IPX*,^a1ŽŸf{fh,Æ,μ,ÄŽg—p,·,é~ —f{fh,đŽw'è,·,éê†,íA,±
,í`fFbfNf{fbfNfX,É`fFbfNf} [fN,đ•t, ,Ä,,³/₄,³,çBftfCE [fÉf^fCfv,đŽw'è,·,é,±,Æ,É,æ,è~_—
f{fh,đŽw'è,μ,Ú,·B
ffftfHf<fg,Å,íAIPX,í1ŽŸf{fh,đŽ©“@“l,ÉŒŸo,μ,Ú,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Primary_Board_Notes')}} **f**.

1ŽŸ~_—f{[fh,ÉŠÖ,·,éf

ffftfHf<fg: @ f`fFfbfNf} [fN, a•t, ç, Ä, ç, È, çó'Ô BIPX*, ÍŽ © “ @ “ l, É1ŽŸf{ [fh, ðŸŸo, µ, Ü, ·B

- , ±, ìfjfvfVf†f“, a'1'ð, 3, è, Ä, ç, È, ç
 ,Æ, « AIPX, ÍŽ © “ @ “ l, É1ŽŸf{ [fh, ð'1'ð, ·, é, ½, ß, ÉŽ © “ @ ÇŸ ofAf<fSfŠfyf€, ðŽg—
 p, µ, Ü, ·BIPX, a³, µ, ç1ŽŸf{ [fh, ð'1'ð, Ä, «, È, çé†, É, ±, ìfjfvfVf†f“, ð'1'ð, µ, Ä, , ¾, 3, çB
- , ±, ìŸ'è, ÍŽŸ, ì, ç, , , è, ©, É, æ, Ä, Ä•ïX, Ä, «, Ü, ·B

IPX 32-bit Protocol for Novell NetWarefvfïpfefB, ìmÚxŸ'ènf^fu

fVfXfef€fìfŠfV [fGfffBf^

Admin.ìffftfHf<fg

Admin, ìffftfHf<fg, ìî•ñ

fjfvfVf†f“: @Protocol IPX

•1: @ Primary=FrameType

—á: @PROTOCOL IPX

PRIMARY=ETHERNET_802.2

*fmfxf<, ì•W @**fT [fhfp [fefB, ì•W

Üx, ì•W, ðZQ Æ, µ, Ä, , ¾, 3, çB

Print Header: @fjſf“fgfWf†fu,²,Æ,Éfjſf“f^,đ%Šú
%»·,·é,½,ß,ìî•ñ,đ•ŰŽ,·,éfofbftf@,íTfCfY,đfofCfg” ,ÅŸ’è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Print_Header_Notes')} fff.

Print Header,ÉŠÖ,-,éf

ffffHf<fg:@64

"í^í:@0` 1024(fofCfg)

f

▪ fwfbf_,É'½,,ìŽwŽ!(fGf~f...fĈ[fgf,[]fh,É[]#,í,½fvfŠf"f^,ì%Šú
%»»,Ü,½,ffffHf<fg[]AftjHf"fjgZfĈfNfVf#f"[]Afy[]fW':[]A—pŽt•úĈü,ì•ì[]X,È,Ç),đŠÜ,bfvfŠf"fjgWf#fu,đ'—
[]M,μ,½[]é[]#[]AfvfŠf"f^,ª—v<[],³,è,½'@[]«,đ[]o—í,μ,Ä,ç,È,ç,Æ,«,í[]APrint Header,ìTjCfY,đ'[]%Ä,μ,Ä,-
,¾,¾,ç[]B

▪ PostScript**fvfŠf"f^,đŽg—p,μ,Ä,ç,Ä[]AfvfŠf"fjgWf#fu,ª[]³,μ,^ó[]ü,³,è,Ä,ç,È,ç[]é[]#,í[]APrint
Header,ìTjCfY,đ'[]%Ä,μ,Ä,,¾,¾,ç[]B

▪ ,±,ì[]Ý'è,ìŽÿ,ì,ç,,è,©,É,æ,Á,Ä•ì[]X,Ä,«,Ü,·[]B
Novell* NetWare* Client* 32*fvf[]fpfefB,ì[]m[]Ú[]x[]Ý'è[]nf^fu
fVfXfef€f[]fŠfV[][]fGfffBf^
Admin,ffffHf<fg

Admin,ffffHf<fg,ìî•ñ

fifvfVf#f":@NetWare DOS Requester*

[]•[]:[]@Print Header=*number*

—á:[]@NETWARE DOS REQUESTER

PRINTER HEADER=960

*fmfxf<,ì[]x•W[]@**fT[]fhfp[][]fefB,ì[]x•W
[]Ú[]x,ì[]x•W,đŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

Print Tail: @fvfŠf“fgfWf#fu,ì|—
¹ĈEă,ÉfvfŠf“f^,đfŠfZfbfg,·,é,½,β,ì|î•ñ,đ•ŮŽ|,·,éfofbftf@,ífTfCfY,đfofCfg|”,Ă|Ý'è,μ,Û,·|B
{button ,Jl(`NWCFG95.HLP>nwc32',`Print_Tail_Notes')} **f|f.**

Print Tail,ÉŠÖ,.,éf

ffftfHf<fg:@16

"í^í: @0 1024(fofCfg)

f

- fvfŠf"fgfWf#fu,ì|—¹CEã,ÉfvfŠf"f^,afofbftf@,ð<ó,É,Å,«,È,çêê#,âAfŠfZfbfg,Å,«,È,çêê#,íAPrint Tail,ìftfCfY,ð'%'oÁ,μ,Ä,,³/₄,³,çB
- ,±,ìÝ'è,ÍŽÝ,ì,ç,,è,©,É,æ,Á,Ä•ìX,Å,«,Ü,·B
Novell* NetWare* Client* 32*fvf[]pfefB,ìm[]Úx[]Ý'ènf^fu
fVfXfef€f|fVfŠfGfffBf^
Admin,ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f|fvfVf#f":@NetWare DOS Requester*

[\•¶: @Print Tail=*number*

—á: NETWARE DOS REQUESTER

PRINT TAIL=64

*fmfxf<,ìx•W@**fT[]fhfp[]fefB,ìx•W
[]Úx,ìx•W,ðŽQ[]Æ,μ,Ä,,³/₄,³,çB

fvfŠf“f^,lfvf[]pfefB

fvfŠf“f^ftfHf<f_,lfvfŠf“f^

.±,lfvf[]pfefBfv[]fg,ì•\Z!•û-@

fvfŠf“f^[]Y’è,lf^fu

WindowsfGfNfXfvf[]f%o,Ü,½,lf|fbfgf[]fNfRf“fsf...[]f^,lfvfŠf“f^

.±,lfvf[]pfefBfv[]fg,ì•\Z!•û-@

NetWare*,lfvfŠf“f^,lf^fu

NetWare.lfLf...[]l,lf^fu

f|fCf“fg,ÆfvfŠf“fg,ì[]Y’è,lf^fu

*fmfxf<,ì[]•W[]@**fT[]fhfp[]fefB,ì[]•W

[]Ü[]x,ì[]•W,δZQ[]Æ,μ,À,,¾,³,ç[]B

fvfšf“f^□Y'è,lf^fu
ŠT=v

□o—í,ì□Y'è

•“□”

—pŽt,ìŽí—p

ftfH□[f€ftfB□[fh

f^fu,ìŽg—p

fXfy□[fX□”

fofi□L,ì□Y'è

fofi□L,ìŽg—p

□Á□%o,lfofi□□[-¼

2”Ô-U,lfofi□□[-¼

,» ,ì¼,ì□Y'è

•ŮŽ□

fi□[fgfGf“fhfLfffbfv

Œp'±

'Ê'm

fvfŠf“f^□Ÿ'èf^fu,ìŠT—v

fvfŠf“f^,ìŸ'è,đŽw'è,·,é□è□‡,É□mfvfŠf“f^□Ÿ'è□nf^fu,đŽg—p,μ,Ä,,¾,³,¢□B
,±,ê,ç,ìŸ'è,í'đ,μ,½fvfŠf“f^,É,¾,~“K—p,³,ê,Û,·□B

fvfŠf“f^,Æf,fff€,lf^fu
f□□[flf<fvfŠf“f^

f□□[flf<f,fff€

'Ç%ooÁ
□í□œ
'u,«Š·z!

'Ç%ooÁ
□í□œ
'u,«Š·z!

fvf[]ftf@fCf·fXfNfŠfvg:[]@fOf

%oftfBfjff<f[]OfCf“ft[][fefBfŠfefB,É,æ,Á,Äf[]fOfCf“ ,·,é,Æ,«,ÉffftfHf<fg,ÅŽÀ[]s,·,éfvf[]ftf@fCf·fXfNfŠfvg,ì-¼‘O,ð“ü—l,μ,Á,,¾,³,ç[]B

{button ,JI(`NWCFG95.HLP>nwc32',`Profile_Script_Notes')} **f[]f.**

fvf[]ftf@fCf<fXfNfŠfvfg,ÉŠÖ,·,éf[]f,

ffftfHf<fg:[]@,È,μ

- fvf[]ftf@fCf<fXfNfŠfvfg-¼,ð“ü—Í,·,é[]ê[]±[]AfpfX,Æftf@fCf<-¼,ð'g,Ý[]±,¹,é,©[]ANetWare*fffBfÇefNfgfŠfcfS[]l.fvf[]ftf@fCf<flfufWfFfNfg-¼,ðŽw'è,μ,Ü,·[]B
- fvf[]ftf@fCf<flfufWfFfNfg,³fOf %oftfBfjff<f[]OfCf“ft[]lfeBfŠfefB,l[]m[]Ú'±[]nf^fu,ÉŽw'è,μ,½fRf“fefLfXfg,É,È,ç[]ê[]±,Í[]Afvf[]ftf@fCf<flfufWfFfNfg,lŠ®'S-¼(MobileProfile.Sales.ACME,È,Ç),ðŽw'è,μ,Ä,,¾,¾,³,ç[]B
- ,±,ì[]Ý'è,ÍŽŸ,ì,Ç,¿,ç,©,É,æ,Á,Ä·ï[]X,Å,«,Ü,·[]B
Novell* NetWare* Client* 32*fvf[]fpfefB,l[]mf[]OfCf“[]nf^fu
fVfXfef€[]fŠfv[]lGfffBf^
- ,±,ì[]Ý'è,ÍAdmin,l[]ffftfHf<fg,ðŽg—p,μ,Ä,à·ï[]X,Å,«,Ü,¹,ñ[]B

*fmfxf<,l[]x·W[]@**fT[]l[]fhfp[]l[]fefB,l[]x·W
[]Ú[]x,Í[]x·W,ðŽQ[]Æ,μ,Ä,,¾,¾,³,ç[]B

fvf[]pfefBfV[]fg, iŠT—v

fvf[]pfefBfV[]fg, dŽg—p, ., é, ĩAf[][]fNfXfe[]fVf[]f“, ÅClient 32*, ĩŸ’è, ð•\
Ž!, μ, É, æ, ç• ĩX, Å, «, Û, .[]B• ĩX, ĩ, » ĩf[][]fNfXfe[]fVf[]f“, É, ¾, “K—p, ³, è, Û, .[]B, ., ©, É—
LCEø, É, É, é• ĩX, à[]Af[][]fNfXfe[]fVf[]f“, ðÅ<N“ ©, μ, É, , è, ĩ—LCEø, É, É, ç, É, ç• ĩX, à, , è, Û, .[]B, » ĩê[]#[]AfRf“fsf
...[]f^, ðÅ<N“ ©, ., é, æ, æ, ÉŽwŽ!, ., éf[]fbfZ[]fW, æ•\Ž!, ³, è, Û, .[]B

Ÿ’è, ð• ĩX, ., é, É, ĩAfRf“fgf[][]f<fpf[]f<, ĩmf[]fbf[]gf[]fN[]n, ð•\Ž!, μAfCf“fXfg[]f<[]İ, ŸfRf“f[]
[]f[]f“fg, ð’l’ð, μ[]A[]mfvf[]pfefB[]n, ð’l’ð, μ, Å[]A’í%ž, ., éf^fu, ð’l’ð, μ, Û, .[]B

*fmjxf<, ĩ[]æ•W[]@**fT[]fhfp[]f[]f[]B, ĩ[]æ•W
[]Ú[]x, ĩ[]æ•W, ðŽQ[]Æ, μ, Å, , ¾, ¾, ç[]B

Read Only Compatibility: "Ç,Ýž,Ýê—p,ìftf@fCf<,ð"Ç,Ý',«fAfNfZfX,ÅŠJ,¯,é,æ,π,É,·,é,©,Ç,π
,©,ðŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Read_Only_Compatibility_Notes')} ff.

Read Only Compatibility,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@off

—LCEø,É'!:□@on□boff

f_fCfif~fbfNfpf%o□□[f^

f□f,

- Microsoft** Office,ì,æ,æ,Énext=offfRf}f“fh,ðŽg—p,·,éfAfvfŠfP□[fvf#f“ ,ðŽg—p,μ,Ä,ç,é□ê□#,í□A•K,,±,ì□Ý'è,ð□mon□n,É,μ,Ä,,³/₄,³,ç□B
- NetWare* 2.1^È'O,Á,í□A“Ç,Ý□ž,Ý□ê—pftf@fCf<,ð□',«□ž,ÝfAfNfZfX,ÁŠJ,ç,Ä,à□AfGf%o□[,É,È,è,Ü,¹,ñ,Á,μ,¹/₂□B,¹/₂,³/₄,μ□A“Ç,Ý□ž,Ý□ê—pftf@fCf<,É□',«□ž,à,æ,Æ,·,é,Æ□AfGf%o□[,“ - □¶,μ,Ü,μ,¹/₂□B,±,ì□Ý'è,ð□mon□n,É,·,é,Æ□A,±,ê,Æ“—l,É,È,è,Ü,·□B,±,ì□Ý'è,ð□moff□n,É,·,é,Æ□A“Ç,Ý□ž,Ý□ê—pftf@fCf<,ð□',«□ž,ÝfAfNfZfX,ÁŠJ,,±,Æ,í,Ä,«,Ü,¹,ñ□B
- ,±,ì□Ý'è,íŽÝ,ì,ç,,ê,©,É,æ,Ä,Ä•í□X,Ä,«,Ü,·□B
Novell* NetWare* Client* 32*fvf□pofefB,ì□m□Ú□×□Ý'è□nf^fu
fVfXfef€fjŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f|fvfVf#f“:□@NetWare DOS Requester*

□\•¶:□@Read Only Compatibility=on□boff

—á:□@NETWARE DOS REQUESTER

READ ONLY COMPATIBILITY=ON

*fmfxf<,ì□æ•W□@**fT□[fhfp□[fefB,ì□æ•W
□Ú□×,í□æ•W,ðŽQ□Æ,μ,Ä,,³/₄,³,ç□B

æ“Ç,ÝfLfffbfVf“fO

, ±, ìfLfffbfVf“fO•û-@, ðŽg—p, ·, é, Æ□AClient 32*, í—v<□, ³, ê, ½ff□[f^, ¾, -, Å, È, -
□A4KB, Û, Å, ìfuf□fbfN‘S‘ì, ðfìfbfgf□□[fN, ©, ç“Ç, Ý□ž, Ý, Û, ·. □Bftf@fCf<, ðfV□[fPf“fVfff<, É“Ç, Ý□ž, p□è□#□A□æ“Ç, ÝfL
fffbfVf“fO, ìfìfbfgf□□[fN, ì“Ç, Ý□ž, Ý%ñ□”, ðCE, , ç, μ□Aftf@fCf<, Ö, ìfAfNfZfX, ð□, ‘¬%»», Å, «, Û, ·. □B
‘åCE^ftf@fCf<, ìf%of“f_f€“Ç, Ý□ž, Ý, ì□è□#□A□æ“Ç, ÝfLfffbfVf“fO, É, æ, Å, Åftf@fCf<, Ö, ìfAfNfZfX, ³x, , È, é%Å“\
□«, ², , é, ½, B□AClient 32, ìftf@fCf<, ²f%of“f_f€, É“Ç, Ý□ž, Û, é, Å, ç, é, ±, Æ, ðCEÿ□o, ·, é, Æ□Af
%of“f_f€“Ç, Ý□ž, Ý, ²□l, í, é, Û, Å□æ“Ç, ÝfLfffbfVf“fO, ìŽg—p, ð‘tŽ~, μ, Û, ·. □B

íœ: @ŒXfg, ©, çíœ, ·, éftfE[f€f^fCfv, ð'l'ð, µ, ½, , ÆA m íœn, ð'l'ð, µ, Ä, , ¾, ³, çB

fŠf[]fx

f[]f[]f[]<f.fff€

f[]f[]f[]<fvfŠf“f^

f[]f[]f[]<fe[]fvfhf%ofCfu

f<[]fg.©.cfT[]f`.-.éfffBf€fNfgfŠf€fx<

'C%oÁ.lfT[]f`fpfX

<N“®Žž,İDSS,Ö,İÄŽŽs:[]@%ož“š,đ“¾,ç,ê,Ë,©,Á,½DSS—v<[],đÄŽŽ[s,.,é%oñ[]”,đŽw'è,μ,Û,·[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Retries_to_DSS_During_Startup_Notes')} **fif.**

<N"®Žž,İDSS,Ö,İÄŽŽs,ÉŠÖ,·,éfİf,

ffftfHf<fg:İ@1

"ÍÍ:İ@0İ`10(İÄŽŽs)

- ,±,ê,İNetWare*/IP*,İfİfvfVfİf"İÝ'è,Á,İB
- ,±,İİÝ'è,İŽÝ,İ,ç,·,ê,©,É,æ,Á,Ä•İİX,Á,«,Ü,İB
Novell* NetWare*/IPfvİfgfRf<,İfvİfpfefB,İmfpf%ofİİf^İnf^fu
fVxfef€fİfŠfVİİfGffBf^
Admin.İffftfHf<fg

Admin,İffftfHf<fg,İİİ•ñ

fİfvfVfİf":İ@NWIP

İ\•İ: İ@Autoretries=*number*

—á: NWIP

AUTORETRIES=3

*fmfxf<,İİ•W@**fTİfİfİfİfB,İİ•W
İÜİx,İİ•W,đZQİÆ,µ,Á,,³/₄,³,çİB

f·[fg,ì—LŒøŽžŠÔ: @f\ [fXf· [fefBf“fOfe [fuf<,đ X V, ., é•p“x,đ•b”, ÅŽw’è,μ,Û,· B
{button ,JI(`NWCFG95.HLP>nwc32',`Routes_Expire_Notes')} f

f<[fg, l—LCEøŽžŠÖ, ÉŠÖ, , éf, f,

ffftfHf<fg: @10

—LCEø, È'! : @0 255(•b)

- , ±, lfpf%of [f^, ÅŸ'è, µ, ½ŠúŠÔCE»Ÿ, lf<[fg, Žg—p, ³, è, È, ç, ÆA\ [fXf< [fefBf“fOfef [fuf<, í<-
 ŸS“l, ÉV, µ, çf< [fg, ÅXV, ³, è, Ü, .B, ±, lŸ'è, É, æ, èAclient 32*f\ [fXf< [fefBf“fO<@“\, lf\
 [fXf< [fefBf“fOfufŠfbfW, af_fEf“, , é, Æ“ @“l, É'ă'Öf< [fg, δCE^è, Å, «, Ü, .B
- , ±, lŸ'è'l, δm0n, É, , é, ÆA\ [fXf< [fefBf“fOfef [fuf<, lf<[fg, ÍŠúCEÀØ, è, É, È, è, Ü, ¹, ñBfNf
 %ofCfAf“fgf [fNfXfe [fVfj“, ÅŸ'è'l m0n, Žg—p, , é, ÆA\fbfjgf [fN, lfjg%oftfBfbfN, δ'áCE, , Å, «, Ü, .B
- , ±, lŸ'è, lfjvfVfj“, Å, .B
- , ±, lŸ'è, lAfjg [fNf“fŠj“fO, Ü, ½, íFDDl, lfjfbfjgf [fNfAf_fvf^, lfvf [pfefBfV [fg, l)mSRoute
 32nf^fu, Žg—p, µ, Å•lX, Å, «, Ü, .B

*fmfxf<, l)α•W @**fT [fhfp [fefB, l)α•W
 Üx, l)α•W, δŽQ Æ, µ, Å, , ¾, ³, çB

fXfNfŠfvfg, iŽÀs: @Å%o, ĩfOfCf“Žž, ÉfOfCf“fXfNfŠfvfg, đŽÀs,³ ¹/₂, çê‡, íA, ±
, ĩf`fFbfNf{fbfNfX, É`fFbfNf}[]fN, đ•t, ¯, Ä,,³/₄,³, çBfOfCf“fXfNfŠfvfg^—, đflft, É, μ,¹/₂, çê‡, íA, ±
, ĩf`fFbfNf{fbfNfX, ĩf`fFbfNf}[]fN, đŠO, μ, Ä,,³/₄,³, çB
{ button ,JI(`NWCFG95.HLP>nwc32',`Run_Scripts_Notes')} **fif.**

fXfNfŠfvg, lŽA□s, ÉŠÖ, -, éf□f,

ffftfHf<fg:□@on

- , ±, ì□Ý'è, ÍŽŸ, ì, Ç, ÷, ç, ©, É, æ, Á, Ä, Ì□X, Å, «, Ü, ·□B
Novell* NetWare* Client* 32*fvf□fpfefB, ì□mf□fOfCf“□nf^fu
fVfXfef€f|fŠfV□|fGfffBf^
- , ±, ì□Ý'è, ÍAdmin, ìffftfHf<fg, ðŽg—p, μ, Ä, à, Ì□X, Å, «, Ü, ¹, ñ□B

*fmfxf<, ì□x•W□@**fT□|fhfp□|fefB, ì□x•W
□Ü□x, ì□x•W, ðŽQ□Æ, μ, Ä, ³/₄, ³, ç□B

SNMP

ŠÄŽ<fRf~f...fjfefB

ŠÄŽ<fRf~f...fjfefB,ì—LCEø%ø»

ŠÄŽ<fRf~f...fjfefB,ì—LCEø%ø»

ŠÄŽ<fRf~f...fjfefB

"F□Øfgf%øfbfv,ì—LCEø%ø»

fVfXfef€fRf“f^fNfg

fVfXfef€^Ê'u

fVfXfef€-¼

SNMP, ðf^fu

fRf~f...fjfeB, ðY'è

ŠÄZ<fRf~f...fjfeB, ð—LCEø%o>

ŠÄZ<fRf~f...fjfeB

□\$CEäfRf~f...fjfeB, ð—LCEø%o>

□\$CEäfRf~f...fjfeB

fVfXfef€-¼

fVfXfef€^É'u

fVfXfef€fRf“f^fNfg

"F□Øfgf%ofbfv, ð—LCEø%o>

SPX'tŽ~,ìf^fCf€fAfEfg: □Ú'±,ì'SŽè'α,©,ç%ož"š,đŽó□M,μ,È,¢
,Æ,«□A,Ç,ê,¾,~'Ö<@,μ,Ä,©,çSPX*fvf□fgfRf<,³fZfbfVf†f",đ□|—¹,·,é,©,đ•\,·ŽžŠÔ,đf`fbfN□",ĂŽw'è,μ,Û,·□B
{button ,Jl(`NWCFG95.HLP>nwc32',`SPX_Abort_Timeout_Notes')} **f□f.**

SPX'tž~,lf^fCf€fAfEfg,ÉŠÖ,-,éf□f,

ffftfHf<fg:□@540

"í^í:□@1□`65535(f`fbfN)

f_fCfif~fbfNfpf%of□□lf^

f□f,

- SPX*,lf^fCf€fAfEfg,ª□,·,¬,é□è□‡^ÈŠÖ,í□A,±,ì□Ý'è,ð'²□@,μ,È,ç,Å,,¾,³,ç□B
- ,±,ì□Ý'è,ÍŽŸ,ì,ç,,è,©,É,æ,Á,Ä•ï□X,Å,«,Ü,·□B

IPX* 32-bit Protocol for Novell NetWarefjffpfefB,ì□mSPX□nf^fu

fVfXfef€fj|fŠfV□|fGfffBf^

Admin,lfHf<fg

Admin,lfHf<fg,ì□î•ñ

f|fVfjff“:□@Protocol IPX

□\•¶:□@SPX Abort Timeout=*number*

—á: PROTOCOL IPX

SPX ABORT TIMEOUT=300

*fmjxf<,ì□ª•W□@**fT□|fhfp□|fefB,ì□ª•W

□Ú□x,í□ª•W,ðŽQ□Æ,μ,Å,,¾,³,ç□B

SPX*Ú±: @, ±, ìî•ñ, ðÆ%öï, ·, éfAfvfŠfP[fVf+f“, É—^, !, éÚ‘±”, ðŽw’è, μ, Û, ·B
{button ,JI(`NWCFG95.HLP>nwc32', `SPX_Connections_Notes')} **fif.**

SPX Ú'±,ÉŠÖ,·,éf

ffftfHf<fg:@15

"í^í:@1`255

f_fCfif~fbfNfpf%of[f^

f

- SPX*, íSPX Ú'±,ì" ,ð\$CEÀ,·,é,ì,É,±,ì"Žš,ðŽg—p,μ,Ü,¹,ñB
- SPX Ú'±,ì" ,íŽg—p%Å"vf,fŠ,ì—É,É,æ,Á,Ä,¾,`\$CEÀ,³,è,Ü,·B
- ,±,ìÝ'è,íA,±,ìî•ñ,ìÆ%ïCE<%É,ÉŠî,Ä,ç,ÄCE'^è,ðs,rfAfvfŠfP[fVfjf" ,Æ,ìCEÝŠ·«,ð•Ü,Â,½,ß,É—p^Ó,³,è,Ä,ç,Ü,·B
- ,±,ìÝ'è,íŽÿ,ì,ç,,è,©,É,æ,Á,Ä•ìX,Ä,«,Ü,·B

IPX* 32-bit Protocol for Novell NetWarefvfppfefB,ìmSPXnf^fu

fVfXfef€fjŠfV[fGfffBf^

Admin.lffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f!fvfVfjf":@Protocol IPX

\\•!:@SPX Connections=*number*

—á: PROTOCOL IPX

SPX CONNECTIONS=100

*fmfxf<,ì•W@**fT[fhfp[fefB,ì•W

Úx,ì•W,ðŽQÆ,μ,Ä,,¾,³,çB

SPXfŠfbfXf“,if^fCf€fAfEfg: □Ú'±,ì'SŽè'α,©,çfpfPfbfg,đŽó□M,Ā,«,È,ç,Æ,«□A□Ú'±,^aŮ,^{3/4}—LŒø,©,Ç,α
,©Šm"�,·,éfpfPfbfg,đ'—□M,·,é,Ů,ĀSPX*fvf□fgfRf<,ª'Ō<@,·,éŽžŠŌ,đf`fbfN□",ĀŽw'è,μ,Ů,·□B
{button ,JI(`NWCFG95.HLP>nwc32',`SPX_Listen_Timeout_Notes')} **fif.**

SPXfšfbfXf“ ,lf^fCf€fAfEfg,ÉŠÖ,.,éff,

ffftfHf<fg: @108

”í^í: @1`65535(f`fbfN)

f_fCfif~fbfNfpf%of f f^

f f,

▪ SPX*, í, ±, ±, ÅŸ'è, μ, ½ŽžŠÖ“à, ÉÚ'±, ì'Šžè'α, ©, cfpfPfbfg, đŽóM, μ, È, ç, ÆAÚ'±, a—LCEø, ©, Ç, α, ©Šm”F, ., éfpfPfbfg, đ'Šžè'α, É'—M, μ, Ü, ·B

▪ SPX, lf^fCf€fAfEfg, a' , ., -, éê f^ÉŠÖ, íA, ±, ìŸ'è, đ'² @, μ, È, ç, Å, , ¾, ¾, çB

▪ , ±, ìŸ'è, ÍŽŸ, ì, ç, , ê, ©, É, æ, Á, Ä·ïX, Å, «, Ü, ·B

IPX* 32-bit Protocol for Novell NetWarefjffpfefB, ìmSPXnf^fu

fVxfef€fjŠfV[fGfffBf^

Admin, lffftfHf<fg

Admin, lffftfHf<fg, ìî•ñ

fjfvfjff“: @Protocol IPX

\•¶: @SPX Listen Timeout=*number*

—á: PROTOCOL IPX

SPX LISTEN TIMEOUT=200

*fmfxf<, ìα•W @**fT[fhfp[fefB, ìα•W

Úx, ìα•W, đŽQÆ, μ, Å, , ¾, ¾, çB

SPX,if^fu

SPX* □Ú'±

SPXĈÿ□,if^fCf€fAfEfg

SPXfŠfbfXf“,if^fCf€fAfEfg

SPX'tŽ~,if^fCf€fAfEfg

□Ú'±fEfHfbf`fhfbfO<-‰oÂ

*fmfxf<,l□x•W□@**fT□[fhfp□[fefB,l□x•W
□Ú□x,l□x•W,đŽQ□Æ,μ,Ä,,³/₄,³,ç□B

SPXĈŸ, Ìf^fCfAfEfg: SPX*fvfƒgfRf<, aÚ'±, Ì'SŽè'α, ÉÚ'±, a—LĈø, Å, ,é, ±
,Æ, ð'É'm, ,é•p"x, ðf`fbfN", ÅŽw'è, μ, Ů, ·B
{button ,JI(`NWCFG95.HLP>nwc32', `SPX_Verify_Timeout_Notes')} f

SPXCEY,lf^fCf€fAfEfg,ÉŠÖ,.,éf,f,

ffftfHf<fg:@54

"íí:@1`65535(f`fbfN)

f_fCfif~fbfNfpf%of[f^

f,f,

▪ fZfbfVfjf",đŠm—š,μ,½\ftfgfEjFfA,SPX*Ú'±,ÁfpfPfbfg,đCEđŠ,μ,Ä,č,È,čê#ASPX,í,»,ìÚ'±,a—
LCEø,Á, ,é,±,Æ,đŽ!,.,½,ß,É^ê'è,ìŠÖSu,ÁfpfPfbfg,đ'—M,μ,Û,·B

▪ SPX,lf^fCf€fAfEfg,a'.,-,éê#^ÉŠÖ,íA,±,ìÝ'è,đ'²@,μ,È,č,Á,,¾,¾,čB

▪ ,±,ìÝ'è,ÍŽŸ,ì,č,,ê,©,É,æ,Á,Ä•ïX,Á,«,Û,·B

IPX* 32-bit Protocol for Novell NetWarefjffpfefB,ìmSPXnf^fu

fVxfef€f]fŠfV[fGfffBf^

Admin,iffftfHf<fg

Admin,iffftfHf<fg,ìî•ñ

fifvfVfjf":@Protocol IPX

|\•¶:@SPX Verify Timeout=*number*

—á:@PROTOCOL IPX

SPX VERIFY TIMEOUT=108

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W

Úx,ìx•W,đŽQÆ,μ,Ä,,¾,¾,čB

Route 16, jf^fu

ROUTE.COMftf@fCf<,Í16frfbfgODI*Afq[fNf“fŠf“fO,ìLANfhf%ofCfo,Éf\ [fXf<[fefBj“fO,đ'ñ<ÿ,μ,Û,·BROUTE.COMftf@fCf<,íAUTOEXEC.BATftf@fCf<,ÉŽw'è,μ,Û,·B•K—v,É %ož,¶,ÁAUTOEXEC.BATftf@fCf<,đ•ïX,μAROUTE.COMftf@fCf<,ÉfRf}f“fhf%ofCf“fpf%of[f^,đ'Ç%oÁ,·,é,± ,Æ,â,Á,«,Û,·BROUTE.COMfRf}f“fhf%ofCf“fpf%of[f^,É,Á,ç,Á,ífwf<fv,íDOSfvf“fvfg,ÁROUTE.COM@/? ,Æ“ù—í,·,é,±,Æ,É,æ,è•\Ž!,Á,«,Û,·B

f f,

- —¼•ù,ìfg[fNf“fŠf“fOfTfCE[f€f^fCfv(fg[fNf“fŠf“fO,ÆToken-Ring_SNAP),É'í,μROUTE.COM,đf[fh,μ,½,çéê‡,íAAUTOEXEC.BATftf@fCf<,ÉROUTE.COM,đ2%oň(ftfCE[f€f^fCfv,²,Æ,É1%oň)Žw'è,μ,Á,,¾,³,çB
·,±,é,íFDDIlfbfbgf[fNfAf_fvf^,đŽg—p,μ,Á,ç,ééê‡,É,à—
,Á,í,Û,è,Û,·BFDDIlfbfbgf[fNfAf_fvf^,Á,í2,Á,íftfCE[f€f^fCfv(FDDI_802.2,ÆFDDI_Snap),đŽg—
p,Á,«,Û,·B

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Ûx,ìx•W,đŽQÆ,μ,Á,,¾,³,çB

SRoute 32, ĩf^fu

f̂[̂fXf<[̂fefBf“fo.ĭftfĈE[̂fēf^fCfv:
—LĈEø%oo»

ŽŸ, ĩ'Sf<[̂fg(AR)^ê[̂Ā'—[̂M%ož“š

^ê"Ê"Ĭ,Ê^ê[̂Ā'—[̂M(GBR)

•s-¾,ĚfAfhfĈEfX(DEF)

f}f<f`fLfffXfgfAfhfĈEfX(MBR)

f<[̂fg,ĭ—LĈEøŽžŠŌ

f^fĈfĈfAfEfĈf<[̂fg,ĭ—[̂M(XTX)

^ê[̂Ā'—[̂M,ĭ%ož“š(RSP)

'ă'ŌfŠf“fo,Ō,ĭ^ê[̂Ā'—[̂M%oň[̂]"(TRA)

-{fŠf“fo,ĭ,Ÿ,ĭ^ê[̂Ā'—[̂M%oň[̂]"(TRO)

f fOfCf“□I—¹Žž,É□Ý’è,đ•Ů‘¶: •i□X,μ,½□Ý’è,đfOf%oftfBjlf:f□fOfCf“ft□[fefBfŠfefB,É<L%□,μ,Ä□AŽg—
p,·,é□ê□‡,í□A,±,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}□[fN,đ•t,~,Ä,,¾,¾,ç(ffftfHf<fg)□BfOf
%oftfBjlf:f□fOfCf“ft□[fefBfŠfefB,đŽg—p,·,é,½,Ń,É“~,¶ffftfHf<fg□Ý’è,đŽg—p,·,é□ê□‡,í□A,±
,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}□[fN,đŠO,μ,Ä,,¾,¾,ç□B
{button ,JI(`NWCFG95.HLP>nwc32',`Save_Settings_Notes')} f□f.

f fOfCf“ i—¹Žž,É Y’è,ð•Ú‘¶,ÉŠÖ,.,é f f,
ffftfHf<fg: @off

- ,±,ì Y’è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Á,Ä•ï X,Á,«,Ü,· B
Novell* NetWare* Client* 32*f v f f p f e f B, ì m f f f O f C f “ n f ^ f u
f v X f e f € f j f Š f V □ [f G f f f B f ^
- ,±,ì Y’è,í Admin,ì f f f t f H f < f g, ð Ž g — p, μ, Ä, à • ì X, Á, «, Ü, ¹, ñ B

*f m f x f <, ì x • W □ @ ** f T □ [f h f p □ [f e f B, ì x • W
□ Ú □ x, ì x • W, ð Ž Q □ Æ, μ, Ä, , ³/₄, ³, ç □ B

Search Dir First: DIRfRf}}f"fh,đŽg—p,μ,½,Æ,«,ÉfffBfĈefNfgfŠ,Æftf@fCf<,ì,Ç,ì,ç,đ□Å□%oo,É•\
Ž!,·,é,©,đŽw'è,μ,Û,·□B
{button ,JI(`NWCFG95.HLP>nwc32',`Search_Dirs_First_Notes!)} fff.

Search Dir First,ÉŠÖ,.,éf

ffftfHf<fg: @off

—LCEø,È'!:@onboff

f

- **moffn,ÉÝ'è,.,é,ÆAftf@fCf<,ªÅ%º,É•\Ž|,³,èAŽŸ,ÉfffBfĚfNfgfŠ,ª•\Ž|,³,è,Û,·B**
- **monn,ÉÝ'è,.,é,ÆAffBfĚfNfgfŠ,ªÅ%º,É•\Ž|,³,èAŽŸ,Éftf@fCf<,ª•\Ž|,³,è,Û,·B**
- **,±,ìÝ'è,ÍŽŸ,ì,ç,.,é,©,É,æ,Á,Ä•ïX,Á,«,Û,·B**
Novell* NetWare* Client* 32*fvfƒpfefB,ìmÚxÝ'ènf^fu
fVXfef€f]fŠfV[fGfffBf^
Admin,ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f!fvfVf#f“:@NetWare DOS Requester*

\•!:@Search Dir First=onboff

—á: NETWARE DOS REQUESTER

SEARCH DIR FIRST=ON

***fmfxf<,ì•W@**fT[fhfp[fefB,ì•W**
Úx,ì•W,đŽQÆ,µ,Ä,¾,³,çB

Search Mode: fffCEf"fgffBfCEfNfgfŠ,É,È,tfjf@fCf<,đClient 32*,a'T,.,Æ,«,ì•û-@,đ•İX,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Search_Mode_Notes')} **fif.**

Search Mode,ÉŠÖ,·,éf

ffftfHf<fg: @1

"í^í: @1 7

f

- ^È'O,ìNetWare* Client*fvtfgfEfffAfo[fWf#f",É,ÍAffffHf<fgfhf%ofCfu,ðflfbfgf[fNfhf %ofCfu,É,µ,È,ç,ÆA,±,ìÝ'è,ª—LCEø,É,È,ç,È,ç,à,ì,à, ,è,Ü,µ,½B,µ,©,µClient 32,Ä,íACE»Ý,lfhf %ofCfu,ÉŠÖCEW,È,A,±,ìÝ'è,ì,·, x,Ä,ì.EXEftf@fCf<,Æ.COMftf@fCf<,É'í,µ,Ä—LCEø,Ä,·B
- Search Mode,ðŽg—p,·,é,Æ,«,íA.EXEftf@fCf<,Æ.COMftf@fCf<,ì,Ü,Æ,ñ,ç,Å³,µ,- "®ì,·,éft[f`f, [fh,ð'í'ð,µ,Ä,,¾,¾,çB
- "Á'è,ì.EXEftf@fCf<,Ü,½,í.COMftf@fCf<,Éft[f`f, [fh,ðÝ'è,µ,½,çè# ,íAFLAG,ìmSearch Mode[nflfvfVf#f",ðŽg—p,µ,Ä,,¾,¾,çB
- ,±,ìÝ'è,ìŽÿ,ì,ç, ,è,©,É,æ,Ä,Ä·ìX,Ä,«,Ü,·B
Novell* NetWare* Client* 32*fvtfgfB,ìmÜxÝ'ènf^fu
fVfXfef€fjŠfV[fGfffBf^
Admin.lffffHf<fg

Admin,ìffffHf<fg,ìî•ñ

fifvfVf#f": @NetWare DOS Requester*

\•f: @ Search Mode=*number*

—á: NETWARE DOS REQUESTER

SEARCH MODE=2

***fmfxf<,ìx•W @**fT[fhfp[fefB,ìx•W**
Üx,ìx•W,ðŽQÆ,µ,Ä,,¾,¾,çB

f^fCfEfAfEfg,Ü,Ä,ì•b": ÅÆä,ìff[f^,ðŽóM,μ,Ä,©,çfvfŠf“fgfWf#fu,ðl—
¹,·,é,Ü,Ä,ÉfIfyfÆ[fefBf“fOfVfXfef€²Ò<@,·,é•b”,ðŽw’è,μ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Seconds_Before_Timeout_Notes!)} fff.

f^fCf€fAfEfg,Ü,Ä,ì•b",ÉŠÖ,.,éf,f,

ffftfHf·fg: @0

"í^í: @0` 1000(•b)

■ Novell* NetWare* Client* 32*fvf[fpfefB,đ•Žì,μ,Ä,±,ìY'è,đ•ìX, : é•û-@,É,Ä,ç,Ä,íA,±
,ìs,đfNfŠfbfN,μ,Ä,,¾,¾,çB

*fmx<,ìx•W @**fT[fhfp[feB,ìx•W
Ux,ìx•W,đZQÆ,μ,Ä,,¾,¾,çB

'l'ø,μ,½fvfŠf“f^,É,Â,ç,Äf□□[fj,Æf,ffç,ì□î•ň,ðŽw'è,Å,«,é,æ,α,É,μ,Û,·□B

f^fCf€fAfEfgf<[fg,ì'—M(XTX): f^fCf€fAfEfg,ª"¶,μ,½f<[fg,Å<€f<[fg,đŽg—p,μ,Ä"']'—,·,é
%oñ",đŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Send_on_Timed_Out_Routes_Notes')}} f¶f.

f^fCf€fAfEfjf<[fg,l'—M(XTX),ÉŠÖ,.,éf,f,

ffftjHf<fg: @2

—LCEø,È'!:@0`255(%oň)

- ,±,ìY'è,ífjvfVf#f",Å,·B
- ,±,ìY'è,íAfg[fNf"fŠf"fo,Ü,½,íFDDI,ífjfbfgf[fNfAf_fvf^,ífvf[fpfefBfv[fg,ìmSRoute
32[nf^fu,đŽg—p,μ,Á•íX,Á,«,Ú,·B

fT[]fo,lf^fu

—D[]æNetWare*/IP*fT[]fo

'C%ooÁ

[]í[]œ

'u,«Š·;!

—D[]æDSSPfT[]fo

'C%ooÁ

[]í[]œ

'u,«Š·;!

*fmx<,l[]x•W[]@**fT[]fhfp[]fefB,l[]x•W
[]Ú[]x,l[]x•W,đZQ[]Æ,μ,Á,,³/₄,³,ç[]B

Set Station Time: fNf%ofCfAf“fgf[]fNfXfe[]fVf#f“,i“úŽž,ð[]AfNf%ofCfAf“fgf[]fNfXfe[]fVf#f“,ª[]Å[]%o
,ÉfAf^fbf` ,.éNetWare*fT[]fo,i“úŽž,Æ“~Šú%o»,μ,Û,·[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Set_Station_Time_Notes')} **ff.**

Set Station Time,ÉŠÖ,·,éf

ffftfHf<fg:@on

—LCEø,È'!:@onboff

f

- ,±,ìfpf%of[f^,ì'l,ðmoffn,ÉÝ'è,·,é,ÆA“~Šú%»»,^{a-3}CEø,É,È,è,Ù,·B
- ,±,ìÝ'è,ÍŽŸ,ì,ç,,ê,©,É,æ,Á,Ä•ïX,Å,«,Ü,·B
Novell* NetWare* Client* 32*fvffpfefB,ìmÚxÝ'ènf^fu
fVxfef€f]fŠfV[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ìî•ñ

f]fvfVf#“:@NetWare DOS Requester*

]\•¶:@Set Station Time=onboff

—á:@NETWARE DOS REQUESTER
SET STATION TIME=OFF

*fmx<,ì•W@**fT[fhfp[fefB,ì•W
Úx,ì•W,δZQ/Æ,μ,Ä,,^{3/4},³,çB

□Ÿè: 'l'ð,μ,½fpf%of□□f^,ì'l,ðŽw'è,μ,Û,·□B
{button ,JI(`NWCFG95.HLP>nwc32',`Setting_Notes')} **f□f.**

□Y'è,ÉŠÖ,.,éf□f,

- fpf%of□□[f^,É,Ä,ç,Ä,ì□î•ñ,ðŽæ“¾,.,é,É,í□A,»,ìfpf%of□□[f^,ð'l'ð,μ□A<F1>,ð%oÿ,μ,Ä,,¾,¾,ç□B
- Novell* NetWare* Client* 32*fvf□fpfefB,ð•\Ž!,μ,Ä,±,ê,ç,ìfpf%of□□[f^,ð•ï□X,.,é•û-@,É,Ä,ç,Ä,í□A,±,ì□s,ðfNfŠfbfN,μ,Ä,,¾,¾,ç□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ú□x,í□x•W,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

f|fCf“fg,ÆfvfŠf“fg,ìŸ’è,ìf^fu

ŠT=v

fhf%oofCfoftf@fCf<,đf_fEf“f□□[fh,.,éfpfX:

=D□æfpfX,ìŽg=p

Ě»Ÿ,ìfvfŠf“f^f,fff<:

f|fCf“fg,ÆfvfŠf“fg,ì⁻³Ěø%o»

Ě»Ÿ,ìŸ’è,ìNfŠfA

fvfŠf“f^f,fff<,l’l’đ

Short Machine Type: fNf%ofCfAf"fgf[]fNfXfe[]fVf+f",lf}fVf"f^fCfv,đŽw'è,μAŽg—
p,·,éfi[]fofCfCtf@fCf<,đŽw'è,μ,Ů,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Short_Machine_Type_Notes')}} **f[]f.**

Short Machine Type,ÉŠÖ,·,éf□f,

fffftHf<fg:□@DOSV (or PC98)

—á: AST

f□f,

- ,±,ì□Ý'è,Ífì□[fofCfCftf@fCf<,¾,¯,ÅŽg—p,¾,è,é“_δ□œ,«□Af□f“fOf}fVf“f^fCfv,ÆŽ—,Ä,ç,Ü,·□B
- %SMACHINE·ì□” ,ÉfAfNfZfX,·,é,Æ,« ,É,±,ì□Ý'è,ðŽg—p,μ,Ä,,¾,¾,ç□B
- ,±,ì□Ý'è,ì□Å'â',í4·¶Žš,Å,·□B
- ,±,ì□Ý'è,Æ'l,ðŽg—p,·,éftf@fCf<,ì—
 á,Æ,μ,Ä,ì□AWindowsft□[fefBfŠfefB,ìIBM\$RUN.OVLftf@fCf<,â□ANetWaref□fjf...□[—p,ìfffftHf<fg,ìf,fmfNf□fjf
 %□□[fjpfCefbfg,ðŽg—p,·,éCMPQ\$RUN.OVLftf@fCf<,É,Ç,ª, ,è,Ü,·□B
- ,±,ì□Ý'è,ÍŽŸ,ì,ç,·,è,©,É,æ,Á,Ä·ì□X,Å,« ,Ü,·□B
Novell* NetWare* Client* 32*fvf□f□fefB,ì□m□Ú□×□Ý'è□nf^fu
fVfXfef€f]fŠfV□[fGfffBf^
Admin,ìfffftHf<fg

Admin,ìfffftHf<fg,ìî•ñ

f]fvfVf†f“:□@NetWare DOS Requester*

□\•¶:□@Short Machine Type="name"

—á: NETWARE DOS REQUESTER

SHORT MACHINE TYPE="AST"

*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W
□Ú□×,ì□¤•W,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

Show Dots: @ftf@fCf<,âffBfĈfNfgfŠ,ìŽw'è,ðs,κ,Æ,«AeffBfĈfNfgfŠ,ð•\,fsfŠfjfh(..)
,ðfŠfXfgf{fbfNfX,É•\Z!,·,é,©,Ç,κ,©,ðŽw'è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Show_Dots_Notes')}} **ff**

NetWare, iCE — nfvf ppefBfy [fW, i·Ž!

ft [fU, mNetWare*, iCE — nfvf ppefBfy [fW, Ž! , Å, «, é, æ, x, É, ·, é, É, í A, ±
, if` fFfbfNf {fbfNfX, Éf` fFfbfNf} [fN, Ž·t, , Å, , ¾, ¾, ç B

NetWare, iCE — nfvf ppefBfy [fW, Ž! , Å, «, È, ç, æ, x, É, ·, é, É, í A, ±
, if` fFfbfNf {fbfNfX, if` fFfbfNf} [fN, ŽSO, µ, Å, , ¾, ¾, ç B

f ,

- ffftfHf<fg, Å, í Af+ [fU, i NetWare, iCE — nfvf ppefBfy [fW, Ž! , Å, «, Ü, · B
- , ±, í Y`è, ifVfXfef€f [fŠfV [fGfffBf^, Å·i X, Å, «, Ü, · B

*fmfxf<, i x·W @**fT [fhfp [fefB, i x·W
Ú x, i x·W, ŽQ E, µ, Å, , ¾, ¾, ç B

Signature Level: Šg'£fZfLf...fŠfefB<@"\,İfTf|[]fg,İfĈfxf<,đŽw'è,μ,Û,·[]B
{button ,JI(`NWCFG95.HLP>nwc32',`Signature_Level_Notes')} **fif.**

f\ftfgfEfFfAft[]f`,if^fu

f<[]fg,©,cfT[]f`,.,éfffBfCefNfgfŠfCefxf<
'C%oÁ,ìft[]f`fpfX

fuf%ofEfY

'C%oÁ

[]í[]œ

'u,«Š·!

NDIS,lf\[]fXf<[]fJfBf“fO—LCEø%»»,ÉŠÖ,·,éf[]f,
ffftfHf<fg:[]@off

- fg[]fNf“fŠf“fO,Ü,½,ÍFDDI,ìfìfJfGf[][]fNfAf_fvf^,ÉNDIS**fhf%ofCfo,ðŽg—p,μ,Ä,ç,é[]ê[]#[]A\ []fXf<[]fJfBf“fO,ðŽg—p,·,é,É,í[]A,±,ìf`fFfBfNf{fbfNfX,Éf`fFfBfNf}[]fN,ð•t,¯,Ä,,¾,¾,ç[]B
- ,±,ì[]Ý’è,Í,·,x,Ä,ìfg[]fNf“fŠf“fOfhf%ofCfo,ÆFDDI NDISfhf%ofCfo,Á’ñ<Ý,¾,é,é,·,x,Ä,ì~—[]f{}[]fth,É“K —p,¾,é,Ü,·[]B
- ODI* LANfhf%ofCfo,Í,±,ì<@“\,ðŽg—p,μ,Ü,¹,ñ[]BODIfhf%ofCfo,ìŽg—pŽž,ìf[]fXf<[]fJfBf“fO,É,Ä,ç ,Ä,í[]ASRoute_32,ìf^fu,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B
- ,±,ì[]Ý’è,ÍŽÝ,ì,Ç,¿,ç,©,É,æ,Á,Ä•ì[]X,Á,«,Ü,·[]B
IPX 32-bit Protocol for Novell NetWarefv[]fpfJfB,ì[IPX*[]Ý’è]f^fu
fVfXfef€fìfŠfV[]fGfffBf^
- ,±,ì[]Ý’è,ÍAdmin,ìffftfHf<fg,ðŽg—p,μ,Ä,à•ì[]X,Á,«,Ü,¹,ñ[]B

*fmfxf<,ì[]x•W[]@**fT[]fHfP[]fJfB,ì[]x•W
[]Ú[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

f [Xf [fefBf "fo, É, Ä, ç, Ä

fg [fNf "fšf "fo, Ü, ½, ÍDDI LAN, lfhf %ofCfo, IBMCEÝŠ, lf
[Xf [fgfufšfbfW, ð'É, ¶, ÄANetWare*, ©, çpfPfbfg (tfCE [f€), ð'n, 1, é, æ, x, ÉAf [Xf [fefBf "fo, ð—
LCEø, É, µ, Ü, B32frfbfgODI* LANfhf %ofCfo, íê [Af [Xf [fefBf "fo, ð—LCEø, É, ·, é, ±,
Æ, ð, Ä, «AftjCE [f€ "à, lf

[Xf [fefBf "fo ð'ñ, fg [fNf "fšf "fo, Ü, ½, ÍDDI, lffbfg [fNfAf_fvf ^, ìfvf [pfefBfV [fg, ìmSRoute
32 [nf ^fu, ðŽg—p, µ, ÄY "è%oÄ "\, Ä, BNDIS** LANfhf %ofCfo, íê [Af [Xf [fefBf "fo, **IPX 32-bit**
Protocol for Novell NetWarefvf [pfefB, ìIPX*Y "è [f ^fu, ðŽg—p, µ, Ä—LCEø, É, ·, é, ±, Æ, ð, Ä, «, Ü, B

[Xf [fefBf "fo, íAf [Xf [fefBf "fofufšfbfW, ð'É, ¶, Äff [f ^, ðf [fefBf "fo, ·, é, ½, ß, ÉIBM**, ðŽg—p, µ, Ä, ç,
é•û—@, Ä, BNetWare [Xf [fefBf "fofvf [fOf %of€ , ðŽg—

p, ·, é, íIBMfg [fNf "fšf "fof [fbfg [fNfufšfbfW, ANetWarefpfbfg (tfCE [f€), ð"] —, ·, é, ±, Æ, ð, Ä, «, Ü, B

IBMfufšfbfW, íP ^êf [fg ^êÄ' —M, Ü, ½, í'Sf [fg ^êÄ' —

M, Æ, µ, ÄÄ« [Y "è, Ä, «, Ü, (fftfHfçfg, íP ^êf [fg ^êÄ' —M, Ä, ·)B

■ 'P ^êf [fg ^êÄ' —M:

Žw'è, µ, ½'P ^êf [fgfufšfbfW, ¾, ¯, ðpfPfbfg, ð'n, µAf [fbfg [fN, ìSefšf "fo, É, ìpfPfbfg, ìRfs [1, Ä, ¾, "í, «, Ü,
B'P ^êf [fgfufšfbfW, íP ^êf [fgpfPfbfg A'Sf [fgpfPfbfg A'Ä, Éf [fgŽw'è, ¾, ½pfPfbfg, ð'—
M, Ä, «, Ü, B

■ 'Sf [fg ^êÄ' —M: fpfPfbfg, ìfbfg [fN "à, ì%oÄ "\, È'Sf [fg, ð'É, ¶, Ä' —

M, ¾, é, é, ½, ßA ^¶æ, É"í, -

fpfPfbfg, ìRfs [1, ì", ìfbfg [fN "à, ìfufšfbfW, ì", Æ" ¯, ¶, É, È, è, Ü, B'Sf [fgfufšfbfW, í'Sf [fgpfPfbfg, Æ"Á, É
f [fgŽw'è, ¾, é, ½pfPfbfg, ð'—M, Ä, «, Ü, B

*fmfxfç, ìx•W [@**fT [fhfp [fefB, ìx•W

Üx, ìx•W, ðŽQ [Æ, µ, Ä, , ¾, ¾, çB

f\[\fXf<[\fefBf“fO,ìftfE[\fef^fCfv: f\[\fXf<[\fefBf“fO,ì,½,ß,Éÿ`è,·,éftfE[\fef^fCfv,đŽw`è,μ,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Source_Routing_Parms_For_Notes')} ff.

f\[\fXf<[\fefBf"fo,iftfCE[\fef^fCfv,ÉŠÖ,-,éf\],

ffftfHf·fg: @Token-Ring(fg[\Nf" fŠf" fOfIbfbgf[\NfAf_fvf^, \è\#)
,Ü,½,íFDDI_802.2(FDDI\Ibfbgf[\NfAf_fvf^, \è\#)

- \mSRoute
32\nfvf\pfefBfy\fw, í2fy\fw1'g,Á,·\Bfg\Nf" fŠf" fOfIbfbgf[\NfAf_fvf^, \è\#A^è·ù, íToken-Ring\ftfCE[\fef^fCfv,É,Á,ç,Á,ly\fw,Á\A,à,x^è·ù, íToken-Ring_Snap\ftfCE[\fef^fCfv,É,Á,ç,Á,ly\fw,Á,·\B,±, \Y'è, íŠÁ<<\Y'è,μ,½,çftfCE[\fef^fCfv,ðŽw'è,·,é\è\#,ÉŽg—p,μ,Á,-³/₄,³,ç\B1,Á,iftfCE[\fef^fCfv,ðŠÁ<<\Y'è,μ,½,ç\A,à,x1,Á,iftfCE[\fef^fCfv,ðŽw'è,μ,Á\A,»],iftfCE[\fef^fCfv,ðŠÁ<<\Y'è,Á,«,Ü,·\B
- fg\Nf" fŠf" fOfIbfbgf[\NfAf_fvf^, \ftfCE[\fef^fCfv, íToken-Ring,ÆRoken-Ring_Snap,Á,·\B
- FDDI\Ibfbgf[\NfAf_fvf^, \ftfCE[\fef^fCfv, íFDDI_802.2,ÆFDDI_Snap,Á,·\B
- ,±, \Y'è, í\Afg\Nf" fŠf" fO,Ü,½,íFDDI, \Ibfbgf[\NfAf_fvf^, \fv\pfefBfV\fg, \mSRoute
32\nf^fu,ðŽg—p,μ,Á·\X,Á,«,Ü,·\B

fVfXfef€fRf“f^fNfg: f□□[fNfXfe□[fVf‡f“,ìfVfXfef€ŠÇ—□ŽÒ,ì-¼'O,đŽw'è,μ,Û,·□B
{button ,JI(`NWCFG95.HLP>nwc32',`System_Contact_Notes')} **f□f.**

fVfXfef€fRf“f^fNfg,ÉŠÖ,-,éf[]f,

ffftfHf<fg:[]@,È,μ

- f[]fNfXfe[]fVf+f“,ìfVfXfef€ŠÇ—[]ŽÒ(flfbfqf[]fNfX[]fpfofCfU),ðSNMPf}f[]fWff,É’É’m,μ,Ü,·[]B
- f[]fNfXfe[]fVf+f“,ì•Úžç’S“-ŽÒ,ì-¼’O,ðŽw’è,μ,Ü,·[]B
- ,±,ì[]Ý’è,ìfVfVf+f“,Á,·[]B
- ,±,ì~A—[]æ[]î•ñ,ìSNMPŠÇ—[]fXfe[]fVf+f“,ÁÆÝ[]ó,Á,«,Ü,·[]B
- ,±,ì[]î•ñ,ì’P’Æ,ÁŽg—p,·,é,±,Æ,à[]AfvfXfef€-¼[]î•ñ,âfvfXfef€fRf“f^fNfg[]î•ñ,Æ’g[]#,í,¹,ÁŽg—p,·,é,±,Æ,à,Á,«,Ü,·[]B
- ,±,ì[]Ý’è,ìŽŸ,ì,ç,·,ê,©,É,æ,Á,Ä•ì[]X,Á,«,Ü,·[]B
Novell* SNMPfG[]fWfFf“fg,ìfvf[]fpfefB,ìmSNMP[]nf^fu
fVfXfef€f[]fŠfV[]fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì[]î•ñ

fVfVf+f“:[]@Desktop SNMP

[]\•[]:[]@sysContact=*contact*

—á: Desktop SNMP

sysContact = Bob Jones x324

*fmfxf<,ì[]x•W[]@*fT[]fhhf[]fjefB,ì[]x•W

[]Ú[]x,ì[]x•W,ðŽQ[]Æ,μ,Á,,¾,¾,ç[]B

fVfXfef€Ê'u: f[]fNfXfe[]fVf+f",)•" —[]"l,È^Ê'u,đŽw'è,μ,Ü,·[]B
{button ,JI(`NWCFG95.HLP>nwc32',`System_Location_Notes')} **f[]f,**

fVfXfef€^Ê'u,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@,È,μ

- f□□[fNfXfe□[fVf#f“,ì•” —□“l,È^Ê'u,ðSNMPf}f□□[fWff,É'É'm,μ,Ü,·□B
- ,±,ì□Ý'è,ìfìfvfVf#f“,Á,·□B
- ,±,ì^Ê'u□î•ñ,ìSNMPŠÇ—□fXfe□[fVf#f“,Áœÿ□ð,Á,«,Ü,·□B
- ,±,ì□î•ñ,ì'P“Æ,ÁŽg—p,·,é,±,Æ,à□fVfXfef€fRf“f^fNfg□î•ñ,àfVfXfef€-¼□î•ñ,Æ'g□‡,í,¹,ÁŽg—p,·,é,±,Æ,à,Á,«,Ü,·□B
- ,±,ì□Ý'è,ìŽŸ,ì,ç,·,è,©,É,æ,Á,Ä•ì□X,Á,«,Ü,·□B
Novell* SNMPfG□[fWfF“fg.ìfv□fpofefB,ì□mSNMP□nf^fu
fVfXfef€fìfŠfV□[fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì□î•ñ

fìfvfVf#f“:□@Desktop SNMP

□\•f:□@sysLocation=*location*

—á: Desktop SNMP

sysLocation = Building 2

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W

□Ü□x,ì□x•W,ðŽQ□Æ,μ,Á,,¾,¾,ç□B

fVfXfef€-¼: f†[]fU-¼,đŽw'è,μ,Û,·[]B
{button ,JI(`NWCFG95.HLP>nwc32',`System_Name_Notes')} **f[]f.**

fVfXfef€-¼,ÉŠÖ,·,éf[]f,

ffftfHf<fg:[]@,È,μ

- SNMPf}f[]fWff,Éft[]fU-¼,ð'É'm,μ,Ü,·[]B
- Ž©•ª,ìft[]fU-¼,Ü,½,íft[]fOfCf"-¼,ðŽg—p,·,·,é,©[]AŠ,,è"-,Ä,ç,ê,Ä,ç,ê,îTCP/IPft[]fU-¼,ðŽg—p,μ,Ü,·[]B,½,Æ,ì,ì[]Af[]fOfCf"-¼,ªKSMITH,È,ç,ì[]AKSMITH,ÆŽw'è,μ,Ä,,¾,¾,ç[]B
- ,±,ì[]Ý'è,íftfVfVf#f",Ä,·[]B
- ft[]fU-¼[]î•ñ,ìSNMPŠÇ—[]fXfe[]fVf#f",ÄÆÿ[]ö,Ä,«,Ü,·[]B
- ,±,ì[]î•ñ,ì'P"Æ,ÄŽg—p,·,·,é,±,Æ,à[]AfVfXfef€fRf" f^fNfg[]î•ñ,àfVfXfef€^É'u[]î•ñ,Æ'g[]‡,í,¹,ÄŽg—p,·,·,é,±,Æ,à,Ä,«,Ü,·[]B
- ,±,ì[]Ý'è,ÍŽÿ,ì,ç,,è,©,É,æ,Ä,Ä•ì[]X,Ä,«,Ü,·[]B
Novell* SNMPfG[]fWfFf"fg.ìfv[]fpfefB,ì[]mSNMP[]nf^fu
fVfXfef€fìfŠfv[]fGfffBf^
Admin.ìffftfHf<fg

Admin,ìffftfHf<fg,ì[]î•ñ

fìfvfVf#f":[]@Desktop SNMP

[]\•[]:[]@sysName=name

—á: Desktop SNMP

sysName = takahashi

*fmfxf<,ì[]x•W[]@**fT[]fhhf[]fjefB,ì[]x•W
[]Ü[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

fVfXfef€fƒfWfXfgfŠ, ÌŠÂ««Ÿ'è, ÉŠÖ, ·, éf, f,

- NetWare* Client* 32* for Windows**
95**, Å, ÌŠÂ««Ÿ'èfvf[]pfefB, ð•Ù'¶, ·, é, Ì, ÉWindows, ÌfVfXfef€fƒfWfXfgfŠ, ðŽg—p, µ, Å, ç, Û, ·[]BNET.CFGftf@fCf<, ÌŽg—p, µ, Û, ¹, ñ[]BNET.CFGftf@fCf<, É<L~^, ³, é, Å, ç, ½fpf %of[]f^, ÌfƒfWfXfgfŠ, É<L~^, ³, é, é, æ, æ, É, È, è, Û, µ, ½[]B
- fVfXfef€fƒfWfXfgfŠ, Í•İX, µ, È, ç, Å, ³/₄, ³, ç[]BfVfXfef€fƒfWfXfgfŠ, ÉfGf%o[][, ^a, , é, Å[]Af[]fNfXfe[]fVf ‡f“, ^aŽg—p, Å, «, È, È, é, ±, Å, ^a, , è, Û, ·[]B
- ŠÂ««Ÿ'èfvf[]pfefB, Ìfvf[]pfefBfV[]fg, ÅfVfXfef€fƒfWfXfgfŠ, ðŽg—p, µ, Å, Í[]X, Å, «, é, ½, ß[]AfVfXfef€fƒfWfXfgfŠ, ð•İX, ·, é•K—v, Í, , è, Û, ¹, ñ[]B

*fmfxf<, Ì[]x•W[]@**fT[]fhfp[]fjefB, Ì[]x•W
[]Ú[]x, Ì[]x•W, ðŽQ[]/É, µ, Å, ³/₄, ³, ç[]B

fe[]lfvfhf%oofCfu,lf^fu

f[]lfjf<fe[]lfvfhf%oofCfu

'C%ooÁ

[]í[]œ

'u,«Š·z!

f`fbfN

IBM** PC,Æ,»,ìĈÉÝŠ·<@,Á,í1•b,í-ň18.21f`fbfN,Á,·□B,μ,½,^a,Á,Ä□Af`fbfN□” ,ÆŽžŠÔ,İŠÖĈEW,íŽŸ,ì,æ,κ
,É,È,è,Ü,·□B


3•b,í-ň54f`fbfN,Á,·□B

30•b,í-ň545f`fbfN,Á,·□B

1•^a,í-ň1090f`fbfN,Á,·□B

5•^a,í-ň5460f`fbfN,Á,·□B

fzfXfgfŠf [fXMIBfvf fpfefB, i•\Ž!


1.  ŠfNfŠfbfN, μ, Ä, AfRf“fgf [f<fpfif<, i mflfbfgf [fN n, Š•\Ž!, μ, Ä, , ¾, ¾, ç B
2. mHost Resources MIB for Novell* Client* 32* n, Š•\Ž!, μ, Ä, , ¾, ¾, ç B
3. mfvf fpfefB n, Š•\Ž!, μ, Ä, , ¾, ¾, ç B

f f,

- Šefvf fpfefBfy [fW (mfvfŠf“f^, Af, fff€ n A mfe [fvfhf% ofCfu n A, Ü, ½, í mf\ftfgfE fFfAfT [f` n) , Š•\Ž!, , é, É, í A' í%ž, , éf^ fu, ŠfNfŠfbfN, μ, Ä, , ¾, ¾, ç B

*fmfxf<, i x•W @**fT [fhfp [fefB, i x•W
Ü x, i x•W, ŠŽQ Af, μ, Ä, , ¾, ¾, ç B

IPXfvf[]pfefB,ì•\Ž!


1.  ŠfNfŠfbfN,μ,Ä[]AfRf“fgf[][]f<fpf|f<,ì[]mf|fbfgf[][]fN[]n,đ•\Ž!,μ,Ä,,³/₄,³,ç[]B
2. []mIPX* 32-bit Protocol for Novell* NetWare* Client* 32*[]n,đ'ì'đ,μ,Ä,,³/₄,³,ç[]B
3. []mfvf[]pfefB[]n,đ'ì'đ,μ,Ä,,³/₄,³,ç[]B

f[]f.

- Šefvf[]pfefBfy[]fW([]mf[]fCf“fh[]n[]A[IPX[]Ý'è][]A[],“x,ÈIPX[]Ý'è][]A,Ü,½,Í[]mSPX*[]n),đ•\Ž!,•,é,É,Í[]A'í%ž,•,éf^fu,đfNfŠfbfN,μ,Ä,,³/₄,³,ç[]B

*fmfxf<,ì[]x•W[]@**fT[]f[]hfp[]f[]efB,ì[]x•W
[]Ú[]x,ì[]x•W,đŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

flfbfgf[]fNfAf_fvf^fvf[]pfefB,ì•\Ž!


1.  ,đfNfŠfbfN,μ,Ä□Afrf“fgf[]f<fpf|f<,ì□mf|fbfgf[]fN□n,đ•\Ž!,μ,Ä,,³/₄,³,č□B
2. flfbfgf[]fNfAf_fvf^(□m■ Novell* NE2000*□n,È,Ç),đ'ì'đ,μ,Ä,,³/₄,³,č□B
3. □mfvf[]pfefB□n,đ'ì'đ,μ,Ä,,³/₄,³,č□B

f[]f,

- Šefvf[]pfefBfy[]fW(□mODI* Driver□n□A□mSRoute 32□n□A,Ü,½,í□mSRoute 16□n),đ•\Ž!,·,é,É,í□A'í%ž,·,éf^fu,đfNfŠfbfN,μ,Ä,,³/₄,³,č□B

*fmfxf<,ì□x•W□@**fT[]fhfp[]fefB,ì□x•W
□Ú□x,í□x•W,đŽQ□Æ,μ,Ä,,³/₄,³,č□B

Novell NetWare Client 32vfjpfefB,ì•\Ž!


1.  ŠfNfŠfbfN,μ,ÄAfRf“fgf[]f<fpfj<,ìmfjfbfgf[]fN[]n,ð•\Ž!,μ,Ä,,¾,¾,ç[]B
2. []mNovell* NetWare* Client* 32*[]n,ð'ì'ð,μ,Ä,,¾,¾,ç[]B
3. []mfvf[]fpfefB[]n,ð'ì'ð,μ,Ä,,¾,¾,ç[]B

f[]f,

- Šefvf[]fpfefBfy[]fW([]mClient
32*[]n[]A[]mf[]fOfCf“[]n[]A[]mffftfHf<fgfLfffvf`ff[]n[]A,Ü,½,í[]m[]Ú[]x[]Ý'è[]n),ð•\Ž!,.,é,É,í[]A'í
%ož,·,éf^fu,ðfNfŠfbfN,μ,Ä,,¾,¾,ç[]B

*fmfxf<,ì[]x•W[]@*fT[]fhfp[]fefB,ì[]x•W
[]Ú[]x,í[]x•W,ðŽQ[]E,μ,Ä,,¾,¾,ç[]B

NetWare/IP fvf fpfefB, ð•\Ž!

1.  ðfNfŠfbfN, μ, Ä AfRf“ fgf [f< fpf|f<, ðmf|fbfgf [fN ð•\Ž!, μ, Ä, , 3/4, 3, ç B
2. mNovell* NetWare*/IP* protocol ð'! ð, μ, Ä, , 3/4, 3, ç B
3. mfvf fpfefB ð'! ð, μ, Ä, , 3/4, 3, ç B

f f,

- fvf fpfefBfy [fW (mf of Cf“ fh n A mf T [fo n A, Ü, ½, í mf pf % of [f ^ n), ð•\Ž!, , é, É, í A í %ž, , é f ^ fu, ðfNfŠfbfN, μ, Ä, , 3/4, 3, ç B

*fmfxf<, ð•W @**f T [fhfp [fefB, ð•W
Ú x, í x•W, ðŽQ Æ, μ, Ä, , 3/4, 3, ç B

fvfŠf“f^fvf[]pfefB,ì•\Ž!

1. fGfNfXfvf[]f%oo,Ü,½,ífifbfgf[]fNfRf“fsf...[]f^,ÅfvfŠf“f^,Ü,½,ífvfŠf“f^fLf...[][,đ'ì'đ,μ,Ä,,¾,¾,č[]B
2. []mftf@fCf<[]n,đ'ì'đ,μ,Ä,,¾,¾,č[]B
3. []mfvf[]pfefB[]n,đ'ì'đ,μ,Ä,,¾,¾,č[]B

f[]f,

- Šefvf[]pfefBfy[]fW([]mNetWare*fvfŠf“f^[]n[]A[]mNetWareLf...[][]n[]A,Ü,½,í[]mf|fCf“fg,ÆfvfŠf“fg,ì[]Y'è[]n),đ•\Ž!,·,é,É,í[]A'í%ož,·,éf^fu,đfNfŠfbfN,μ,Ä,,¾,¾,č[]B

*fmfxf<,ì[]x•W[]@**fT[]fhfp[]f[]efB,ì[]x•W
[]Ü[]x,ì[]x•W,đŽQ[]Æ,μ,Ä,,¾,¾,č[]B

•W

Copyright © 1994-1996, Novell, Inc. All rights reserved. Patent Pending.

•Ä'Novell, Inc.,)•W

- Client 32,íA•Ä'Novell, Inc.,)•W,Ä,•B
- GroupWise,íA•Ä'Novell, Inc.,)•W,Ä,•B
- IPX,íA•Ä'Novell, Inc.,)•W,Ä,•B
- IPX/SPX,íA•Ä'Novell, Inc.,)•W,Ä,•B
- LANalyzer,íA•Ä',È,ç,Ñ,É'¼,ì',É, ",é•Ä'Novell, Inc.,)•W,Ä,•B
- Link Support Layer, ",æ,Ñ LSL,íA•Ä'Novell, Inc.,)•W,Ä,•B
- ManageWise,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NE2000,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare,íA•Ä',È,ç,Ñ,É'¼,ì',É, ",é•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare 3,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare 4,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Client,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Core Protocol, ",æ,ÑNCP,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Directory Services, ",æ,ÑNDS,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare DOS Requester,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare/IP,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Loadable Module, ",æ,ÑNLM,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Management System, ",æ,ÑNMS,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWire,íA•Ä',È,ç,Ñ,É'¼,ì',É, ",é•Ä'Novell, Inc.,)•W,Ä,•B
- Network Support Encyclopedia Professional Volume, ",æ,ÑNSEP,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell,íA•Ä',È,ç,Ñ,É'¼,ì',É, ",é•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Application Notes,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Authorized Reseller,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Gold Partner,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Labs,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Network Symbol,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Platinum Partner,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Technical Services,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Open Data-Link Interface, ",æ,ÑNODI,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Packet Burst,íA•Ä'Novell, Inc.,)•W,Ä,•B
- SPX,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Storage Management Services, ",æ,ÑSMS,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Virtual Loadable Module, ",æ,ÑVLM,íA•Ä'Novell, Inc.,)•W,Ä,•B

fT[fhfp[fefB,)•W

- CompuServe,íACompuServe, Inc.,)•W,Ä,•B
- Hewlett Packard, ",æ,ÑHP,íAHewlett-Packard Company,)•W,Ä,•B
- IBM,íAInternational Business Machines Corporation,)•W,Ä,•B
- Intel,íAIntel Corporation,)•W,Ä,•B
- Microsoft,íAMicrosoft Corporation,)•W,Ä,•B

MS, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
MS-DOS, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
Netscape, íA Netscape Communications Corporation, ì□¤•W, Å, ·□B
Netscape Navigator, íA Netscape Communications Corporation, ì□¤•W, Å, ·□B
Network Driver Interface Specification, ÿ, æ, ÑNDIS, íAPC-Plus Communications LP, ì□¤•W, Å, ·□B
OS/2, íAInternational Business Machines Corporation, ì“o~^□¤•W, Å, ·□B
PostScript, íAAdobe Systems Incorporated, ì“o~^□¤•W, Å, ·□B
Unicode, íA Transoft Ltd., ì“o~^□¤•W, Å, ·□B
Windows, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
Windows 95, íAMicrosoft Corporation, ì□¤•W, Å, ·□B
Windows NT, íAMicrosoft Corporation, ì□¤•W, Å, ·□B

True Commit: @ftf@fCf<,Ö,ì',«ž,Ý,đfT[fo,ìfffBfXfN,É,·,®,É"½%of,·,é,©,Ç,¤,©,đŽw'è,μ,Ü,·B
{button ,JI(`NWCFG95.HLP>nwc32',`True_Commit_Notes')} **fif.**

True Commit,ÉŠÖ,·,éf□f,

ffftfHf<fg:□@off

—LCEø,É'!:□@on□boff

f_fCfif~fbfNfpf%of□□f^

f□f,

- □d—v,Èff□f^,ð□^—□,·,é,Æ,«,Éff□f^,ìŠ@'S□«,ð•Ù□ø,·,é,É,í,±,ìfpf
%of□□f^,ì'l,ð□mon□n,É□Y'è,μ,Ä,-
,¾,¾,ç□Bf|fbfgf□□fN,É□',«□ž,þff□f^,²f□□fNfXfe□[fVf†f“,âfT□fo,ÅfLfffbfVf...,É•Ù'¶,¾,è,È,ç
,½,ß□AfpftfH□[f}f“fX,²'á%º,μ,Û,·□B
- ,±,ìfpf%of□□f^,ð□moff□n,É□Y'è,·,é,Æ□AfpftfH□[f}f“fX,²CEù□ä,μ,Û,·□B
- ff□f^,ìŠ@'S□«,æ,è,àfpftfH□[f}f“fX,ð—D□æ,·,é□é□‡,í□moff□n,ð'l'ð,μ,Ä,-
,¾,¾,ç□BfpftfH□[f}f“fX,æ,è,àff□f^,ìŠ@'S□«,ð—D□æ,·,é□é□‡,í□mon□n,ð'l'ð,μ,Ä,,¾,¾,ç□B
- ,±,ì□Y'è,ìžY,ì,ç,·,è,©,É,æ,Ä,Ä•ì□X,Ä,«,Û,·□B
Novell* NetWare* Client* 32*fvf□fpfefB,ì□m□Ú□×□Y'è□nf^fu
fVfXfef€f|fŠfv□[fGfffBf^
Admin,ìffftfHf<fg

Admin,ìffftfHf<fg,ì□î•ñ

f|fvfVf†f“: NetWare DOS Requester*

□\•¶:□@True Commit=on□boff

—á: NETWARE DOS REQUESTER

TRUE COMMIT=ON

*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W
□Ú□×,ì□¤•W,ðZQ□Æ,μ,Ä,,¾,¾,ç□B

—pžt, ižt—p: -Ú“l, ì—pžt, ð‘l’ð, μ, Ä, ¾, ¾, t□B
{button ,JI(`NWCFG95.HLP>nwc32', `Type_of_Form_Notes')} **fif.**

—pŽt, lŽí—p, ÉŠÖ, ·, éf□f,

- 'l'ö,µ,½fvfŠf“f^,ÅŽg—p,Å,«,éfvfŠf“f^—pŽt,¾,¯,ª•\Žl,³,ê,Ü,·□B
- fvfŠf“f^—pŽt,ÍNetWare* Admin,Ü,½,ÍPRINTDEF,É,æ,Á,Ä'è`³,ê,Ü,·□B
- fvfŠf“f^,lfvf□pfefB,ðŽg—p,·,ê,î□A“Á'è,lfvfŠf“f^,É,Ä,ç,Ä,±,ì□Ý'è,ð•ï□X,Å,«,Ü,·□B

*fmfxf<,l□ª•W□@**fT□[fhfp□[fefB,l□ª•W
□Ú□x,Í□ª•W,ðŽQ□Æ,µ,Ä,¾,¾,ç□B

f|fCf"fg,ÆfvfŠf"fg,É,Ä,ç,Ä

f|fCf"fg,ÆfvfŠf"fg,ðŽg—p,·,é,î□A□f□□[f],Æf,fff<,ðfvfŠf" f^,Ü,½,lfvfŠf"fgfLf...□[.lf|fufWfFfNfg,Æ'í
%ž,Ä,~,Ä□ACEðSjfAfNfZfX,ª%Ä"\,Éf|fbfgf□□[fNfffBfCefNfgfS,ÉfvfŠf" f^fhf%ofCfo,ð•Ü'¶,·,é,±
,Æ,ª,Ä,«,Ü,·□B,±,ì,½,ß□AfvfŠf" f^,ðŽg—
p,·,éft□[fU,lfvfŠf" f^□Y'è,ªŠÈ'P,É,È,è,Ü,·□Bft□[fU,ìŽ©•ª,lf□□[fNfXfe□[fvf#f",ÉfvfŠf" f^,ð"ö,ì•t,~,é,Æ,«□A,»,ì
fvfŠf" f^,lf□□[f],âf,fff<,ð'm,Ä,Ä,ç,é•K—v,ì,É,□AfvfŠf" f^fhf%ofCfo,ð'T,·•K—v,à, ,è,Ü,¹,ñ□B

Client 32*,Ä,í□Aflfbfgf□□[fNfX□[fpfofCfU,ªSÇ—□,µ,Ä,ç,éft□[fU—p,Éf|
fCf"fg,ÆfvfŠf"fg,ð□Y'è,Ä,«,Ü,·□Bft□[fU,ªf|fCf"fg,ÆfvfŠf"fg,ðŽg—p,µ,ÄfvfŠf" f^,ð□Y'è,·,é,±
,Æ,à,Ä,«,Ü,·□Bflfbfgf□□[fNfX□[fpfofCfU,ªMicrosoft,ìNetWareflfbfgf□□[fNfNf%ofCfAf"fg,ðŽg—
p,µ,ÄfvfŠf" f^,lf|fCf"fg,ÆfvfŠf"fg,ð□Y'è,µ,½□ê□‡,Ä,à□AClient 32,ìft□[fU,lf|fCf"fg,ÆfvfŠf"fg,ðŽg—
p,µ,ÄfvfŠf" f^,ð□Y'è,·,é,±,Æ,ª,Ä,«,Ü,·□B"~^è,lfvfŠf" f^,É'ì,µ,Äf|fCf"fg,ÆfvfŠf"fg,ª2%ñ(NetWare Client
32,É,æ,Ä,Ä1%ñ,ÆMicrosoft,ìNetWareflfbfgf□□[fNfNf
%ofCfAf"fg,É,æ,Ä,Ä1%ñ)□Y'è,ª,è,½"ÁŽè,É□ê□‡,Ä,í□AClient 32,ìft□[fU,ìClient 32,Ä□s,í,è,½f|
fCf"fg,ÆfvfŠf"fg,ì□Y'è,ðŽg—p,µ,Ü,·□B

f|fCf"fg,ÆfvfŠf"fg,lfofCf" f_Š,ÆNetWarefffBfCefNfgfŠfT□[frfX*(NDS*),lfvfŠf" f^,ÆfvfŠf"fgfLf...□[.ÉŽg—
p,Ä,«,Ü,·□B

*fmfxf<,ì□ª•W□@**fT□[fhfp□[fefB,ì□ª•W
□Ú□x,ì□ª•W,ðŽQ□Æ,µ,Ä,,¾,¾,ç□B

• s-¾, ÈfAfhfCfX(DEF): '—M,³,ê,½Unknown UnicastftfC[f€,Æf
[fXf<[fefBf“fOfe[fuf<,É,È,çfAfhfCfX,ðŽ,ÂftfC[f€,ð,·,×,Ä'Sf<[fg^êÄ'—MftfC[f€,Æ,μ,Ä"]—
,·,éê±,íA,±,lf`fFfbfNf{fbfNfX,Éf`fFfbfNf}[fN,ð•t,~,Ä,,¾,¾,ç(,±,ê,ðs,æflfbfgf[fNfgf%oftfBfbfN,è'
%oÄ,μ,Ä,μ,Ü,æ,½,ßA,È,é,x,“ð,~,Ä,,¾,¾,ç)Bf\ [fXf<[fefBf“fOfe[fuf<,É,È,çfAfhfCfX,ðŽ,Ä,·,×,Ä,]ftfC[f€
,ð'P^êf<[fg^êÄ'—MftfC[f€,Æ,μ,Ä"]—,·,éê±,íA,±,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}[fN,ðŠO,μ,Ä,-
,¾,¾,çB
{button ,Jl(`NWCFG95.HLP>nwc32',`Unknown_Addresses_Notes')}} fff.

•s-¾,ÈfAfhfCEfX(DEF),ÉŠÖ,.,éf□f,

ffftjHf<fg:□@off

▪ ,±,ì□Ý'è,ÍfJvfVf#f“,Å,·□B

▪ ,±,ì□Ý'è,í□Afg□[fNf“fŠf“fO,Ü,½,íFDDI,ìfJfbfgf□□[fNfAf_fvf^,ìfvf□□pfefBfV□[fg,ì□mSRoute
32□nf^fu,ðŽg—p,μ,Á•í□X,Á,«,Ü,·□B

CEŸo,³,ê,½ftfCE[fef^fCfv,ð,·,×,ÄŽg—p: IPX*,³CEŸo,μ,½,·,×,Ä,ì__=
ff{fh,ÉIPX,ðŽ©“@“l,ÉfofCf“fh,·,é,É,íA,±,lf{f^f“,ð‘‘ð,μ,Ä,,¾,³,çB
{button ,JI(`NWCFG95.HLP>nwc32',`Use_All_Detected_Frame_Types_Notes')} **ff.**

CEY o, 3, e, 1/2 ftf CE [f e f ^ f C f v, d, ., x, A Z g - p, E S O, ., e f [f, f f t f H f < f g : @ on

- , ±, i p Y ' e, d ' i ' d, ., e, A E A I P X *, I Z © " @ " I, E, ., x, A, i ~ _ [f { [f h, E f o f C f " f h, u, U, . B I P X, i ' O, E L A N f h f % o f C f o, d f [f h, . e • K - v, i, , e, U, 1, n B I P X, I L A N f h f % o f C f o, a f [f h, 3, e, A, c, e, ±, A, E, d C E Y o, ., e, A E A, >, i L A N f h f % o f C f o, E, a e, A, A - ^, !, c, e, e ~ _ [f { [f h, E f o f C f " f h, u, U, . B
- I P X, a Z i, 3, e, 1/2 ~ _ [f { [f h, i ^ e • " , d Z g - p, ., e, i, ., b e [f , i A m Z Y, i f t f C E [f e f ^ f C f v, 3/4, - Z g - p n, d Z g, A, A • K - v, E ~ _ [f { [f h, 3/4, - , d Z w ' e, A, «, U, . B ^ e • " , i ~ _ [f { [f h, 3/4, - , d Z g - p, ., e, A E A f [f N f X f e [f v f f " , l f p f t f H [f] } f " f X, a C E u a, u, U, . B
- , ±, i p Y ' e, d • i X, A, «, e, a e, x, E I P X 32-bit Protocol for Novell NetWare f v f p f e f B, d • Z i, u, A, ±, i p Y ' e, d • i X, ., e • u - @, E, A, c, A, i A, ±, i s, d f N f S f b f N, u, A, , 3/4, 3, c B

* f m f x f < , i x • W @ * * f T [f h f p [f e f B, i x • W U x, i x • W, d Z Q A E, u, A, , 3/4, 3, c B

ŽŸ, ïftfĀ[fĕf^fCfv, ¾, ~Žg—p: IPX*, ïfofCf“fhæ, ï~ —f{[fh, ðŽw'è, , éêĥ, íA, ±, ïf{f^f“, ð'l'ð, μ, Ä, -
, ¾, ¾, çB~ —f{[fh, ðŽw'è, , é, É, íAftfĀ[fĕf^fCfv, ðŽw'è, μ, Û, ·BŽw'è, μ, ½ftfĀ[fĕf^fCfv, ðfŠfXfg, É'Ç
%oÁ, , é, É, ĪA m'Ç%oÁn, ð'l'ð, μ, Ä, , ¾, ¾, çB
{button ,JI(`NWCFG95.HLP>nwc32', `Use_Only_the_Following_Frame_Types_Notes')} **fif.**

—DæpfX, lŽg—p: fvfŠf“f^fhf%fCfoftf@fCf<,É□,,□\$fpfX,đŽg—p,·,é□é□‡,Í□A,±
,lf`fFfbfNf{fbfNfX,É`fFfbfNf}□[fN,đ•t, ,Á,,³/₄,³,¢□B□,,□\$fpfX,đŽg—p,μ,É,¢□é□‡,Í□A,±
,lf`fFfbfNf{fbfNfX,lf`fFfbfNf}□[fN,đŠO,μ,Á,,³/₄,³,¢□B
{button ,JI(`NWCFG95.HLP>nwc32',`Use_Preferred_Path_Notes')} ff.

—DæpfX, lŽg—p, ÉŠÖ, ·, éf, f,

ffftjHf<fg: @on

- , ±, ì, Ý'è, í, A, v, Š, f, ^, ì, v, f, p, f, e, f, B, ì, m, f, l, f, C, f, "f, g, A, e, f, v, f, Š, f, "f, g, ì, Ý'è, ò, n, f, ^, f, u, ð, Ž, g—p, μ, Ä, ·, ì, X, Å, «, Ü, ·, B

Use Video BIOS: Client 32*,^aBIOS,đŽg—p,·,é,©'¼□Úfrfflf□f,fŚfAfNfZfX,đŽg—p,·,é,©,đŽw'è,μ,Û,·□B
{button ,JI(`NWCFG95.HLP>nwc32',`Use_Video_BIOS_Notes')} **fif.**

Use Video BIOS,ÉŠÖ,·,éf

ffftfHf<fg:@off

—LCEø,È'!:@onboff

f

- •ŀŽšf,[]fh,Å,[]fbfjvfAfbfv,ª,¼,Û,“@[]i,µ,É,ç[]ê[]‡,[]A,±,[]pf
%of[]f^,[]l,[]mon[]n,É[]Y'è,µ,Å[]ABIOSfR[]f<,[]žg—p,µ,Å,,¼,³,ç[]B,»è^ÈŠÖ,[]ê[]‡,[]A,±,[]pf
%of[]f^,[]moff[]n,É[]Y'è,µ,Å[]A'¼[]Úfrfff[]f,[]šfAfnfZfX,[]žg—p,µ,Å,,¼,³,ç[]B

- '¼[]Úfrfff[]f,[]šfAfnfZfX,[]BIOSfR[]f<,[]žg—p,·,é[]ê[]‡,æ,è,‘,¬,Å,·[]B

- ,±,[]pf%of[]f^,[]ŀŽšf,[]fh,Å•\Ž,³,è,éf[]fbfZ[]fW,É,¼,“K—p,³,è,Û,·[]B

- ,±,[]Y'è,[]ŽŸ,[]ç,·,è,©,É,æ,Å,Ä•[]X,Å,«,Û,·[]B

Novell* NetWare* Client* 32*fvf[]pfefB,[]m[]Ú[]x[]Y'è[]nf^fu

fVxfef€f[]fšfV[]fGfffBf^

Admin.[]ffftfHf<fg

Admin,[]ffftfHf<fg,[]î•ñ

f[]fvfVf[]f“:@NIOŠ

[]\•ŀ:[]@Use Video Bios=onboff

—á: NIOŠ

USE VIDEO BIOS=ON

*f[]mfxf<,[]x•W[]@**fT[]fhfp[]f[]efB,[]x•W

[]Ú[]x,[]x•W,[]žQ[]/E,µ,Å,,¼,³,ç[]B

NetWare*/IP*,dfgf%ofufjVf...[fefBf“fO,·,éêñ,íA,±,ì`fFbfNf{fbfNfX,Éf`fFbfNf}[fN,ð•t,¯,Ä,-
,¾,³,çB,±,ìfpf%of[f^,ðmonn,É,·,é,ÆANetWare/IP,ì'Ç%oÁf[fbfZ[fW,³fO,É<L~^,³,ê,Û,·B
{button ,JI(`NWCFG95.HLP>nwc32',`Verbose_Notes')} **fff.**

□ç'·,ÉŠÖ,-,éf□f,

ffftfHf<fg:□@off

- ,±,ì□Ý'è,ÍŽŸ,ì,Ç,ì,ç,©,É,æ,Á,Ä•ï□X,Å,«,Ü,·□B
Novell* NetWare*/IP* Protocol.ìfvf□fpfefB,ìmfpf%of□□f^□nf^fu
fVfXfef€f|fŠfV□|fGfffBf^
- ,±,ì□Ý'è,íAdmin,ìffftfHf<fg,ðŽg—p,μ,Ä,à•ï□X,Å,«,Ü,¹,ñ□B

*fmfxf<,ì□x•W□@**fT□|fhfp□|fefB,ì□x•W
□Ü□x,ì□x•W,ðŽQ□Æ,μ,Ä,,³/₄,³,ç□B

• ĩX“_ ,Æ’Ç%°Á“_ : fŠf“fNfTf|[]fg

□V,μ,ϕ□Ý’è

Max Buffer Size

□Ū□×□î•ñ

fŠf“fNfTf|[]fg.)fifvfvf#f“_Æ,»,)□Ý’è,É,Â,ç,Ä,.)□Ū□×,.)□A,±,.)□s,đfNfŠfbfN,μ,Ä,.,³/₄,³□ç□B

• **IPX „,Æ'Ç%Á“ :@IPXfvf ffgfRf<**

IPX*,ìŸ'è,íAIPX 32-bit Protocol for Novell

NetWarefvf ffpfefB,ì[IPXŸ'è]f^fu,Æ[“x,ÈIPXŸ'è]f^fu,ðŽg—p,μ,Äs,ç,Ü,·B

V,μ,çŸ'è

ŽŸ,ìftfÇ[fçf^fCfv,¾,~Žg—p

IPX Diagnostics

VGNMAf f,fŠ,ìŽ-‘OŠ,,è“-,Ä

1ŽŸf{[fh

Source Routing

• **IPX,¾,è,½Ÿ'è**

IPXÄŽŽ[s%ñŸ“

pŽ~,¾,è,½Ÿ'è

ŽŸ,ìIPXŸ'è,íACE»Ÿ,Á,ìŽg—p,¾,è,Ä,ç,Ü,¹,ñBŽw'è,μ,½è# ,í-³Ž<,¾,è,Ü,·B

Bind([mŽŸ,ìftfÇ[fçf^fCfv,¾,~Žg—p]n,É•ìX)

IPATCH

IPX Packet Size Limit

IPX Sockets

Úxîñ

IPXfvf ffgfRf<,ìfvfVf#“ ,Æ,» ,ìŸ'è,É,Ä,ç,Ä,ìÚx,íA,±,ì[s.ðfNfŠfbfN,μ,Ä,,¾,¾,çB

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W

Úx,ìx•W,ðŽQÆ,μ,Ä,,¾,¾,çB

• **İX“ ,Æ'Ç%°Á“ _: @SPXfvf fgvRf<**

SPX*, İY'è, İPX* **32-bit Protocol for Novell NetWarefvf fpfefB**, İmSPX nfu, ðŽg—p, μ, Äs, ç, Ü, ·B

V, μ, çY'è

Ü' ±fEfHfbf`fhfbfO<-%°Á

• **İX,³,è,½Y'è**

SPXÜ' ±

”pŽ~,³,è,½Y'è

ŽY, İSPX Y'è, İACE»Y, Ä, İŽg—p,³,è,Ä,ç,Ü,¹,ñBŽw'è, μ,½ê±, İ-³Ž<,³,è,Ü,·B

Minimum SPX Retries

*fmfxf<, İx•W @**fT[fhfp[fefB, İx•W

Üx, İx•W, ðŽQÆ, μ, Ä, ,³/₄,³, çB

• **SNMPv2-MIB**

SNMPv2-MIB, Novell-SNMPv2-MIB, Novell-SNMPv2-MIB, Novell-SNMPv2-MIB

• **SNMPv2-TC**

SNMPv2-TC, SNMPv2-TC

Enable monitor community

• **SNMPv2-EXT-MIB**

SNMPv2-EXT-MIB, SNMPv2-EXT-MIB, SNMPv2-EXT-MIB, SNMPv2-EXT-MIB

Asynchronous timeout

Enable trap community

Trap community

• **SNMPv2-EXT-TC**

SNMPv2-EXT-TC, SNMPv2-EXT-TC, SNMPv2-EXT-TC, SNMPv2-EXT-TC

SNMPv2-EXT-TC, SNMPv2-EXT-TC, SNMPv2-EXT-TC, SNMPv2-EXT-TC

SNMPv2-EXT-TC, SNMPv2-EXT-TC, SNMPv2-EXT-TC, SNMPv2-EXT-TC

•İX“_,Æ'Ç%Å“_:@ŠT—v

•K—v□Á'áCEÀ,İŠÅ«□Ý'è

Client 32*,İ□□—CEÀ,İŠÅ«□Ý'è,ÅŽg—p,Å,«,é,æ,π,É□ÝCEv,³,è,Ä,ç,Ü,·□B,Ü,Æ,ñ,Ç,İ□Ý'è,É,Í,»,ì,Ü,ÜŽg—p,Å,«,éfffffHfçfg'l,žw'è,³,è,Ä,ç,Ü,·□BClient 32,Í,ç,,Ä,©,İ□Ý'è,ð□A□%Sú'l,Æ,μ,ÅŽg—p,μ,Ä,©,ç□AZA□sŽž,É“K,μ,½'l,É“@“l,É'²□@,μ,Ü,·□B,μ,½,²,Ä,Ä□AClient 32,İŠÅ«□Ý'è,É'½,,İŽžŠÖ,ð“i,à,·•K—v,Í,,è,Ü,¹,ñ□B

□_“î,ÉŠÅ«□Ý'èİfVfVfj#“

ft□[fU“ÆŽ©,İ—v□,ð-ž,½,,½,ß,É□AClient 32,Ä,Í□A□_“î,ÉŠÅ«□Ý'è,ð•İX,Å,«,é,æ,π,É,È,Ä,Ä,ç,Ü,·□B

□V,μ,çŠÅ«□Ý'è•û-@

Client 32,Ä,İ□Afv□pfefBfV□[fg,Ü,½,İfVfXfefçfİfŠfV□[,ðŽg—p,μ,ÄŠÅ«□,ð□Ý'è,Ä,«,Ü,·□BfCf“fXfg□[fçŽž,ÉADMIN.CFGftf@fCfç,ðŽg—p,μ,ÄŠÅ«□,ð□Ý'è,·,é,±,Æ,à%Å“\,Ä,·□B16frfjfbgODI* LANfhf%ofCfo,ðŽg—p,·,é□è□#,âfCf“fXfg□[fçŽž,ÉŠù'¶,İ□Ý'è,ðŽç,·□è□#,ð□œ,ç,Ä□ANET.CFGftf@fCfç,ðŽg—p,μ,ÄClient 32,ðŠÅ«□Ý'è,·,é,±,Æ,Í,,è,Ü,¹,ñ□B

fVf□pfefBfV□[fg,İŽg—p

fVf□pfefBfV□[fg,ðŽg—p,·,è,İ□AŠe□Ý'è,É,Ä,ç,Äfwfçfv,ð•Žž,Ä,«,éfof%oftfBjffçfCf“f^ftfF□[fX,É,æ,Ä,Ä□A□□[fnfXfe□[fVfj#“,ÄClient 32,İ□Ý'è,ð•İX,Å,«,Ü,·□B

fVfXfefçfİfŠfV□[,İŽg—p

fVfXfefçfİfŠfV□[,ðŽg—p,·,è,İ□Afvfjfbg□□[fN□ã,İ,·,x,Ä,İWindows** 95**f□□[fnfXfe□[fVfj#“,É,Ä,ç,ÄClient 32,ðŠÅ«□Ý'è,Ä,«,Ü,·□B,±,İ□Ý'è,İfŠf,□[fg,Ä,àŽA□s,Ä,«,é,½,ß□AŠef□□[fnfXfe□[fVfj#“,©,ç□s,π•K—v,Í,,è,Ü,¹,ñ□B1,Ä,İfRf“fsf...□[f^,©,ç,·,x,Ä,İ□içÆ,ðŽA□s,Ä,«,é,Í,,Ä,·□BŠÅ«□Ý'è,İ't,É,İ□AfvfXfefçfİfŠfV□[,Ä,É,·,è,İ□Ý'è,Ä,«,É,ç,à,İ,à,,è,İ□AfvfXfefçfİfŠfV□[,Ä,İ□Ý'è,Ä,«,É,ç,à,İ,à,,è,Ü,·□B

ADMIN.CFGftf@fCfç,İŽg—p

ADMIN.CFGftf@fCfç,ðŽg—p,·,è,İ□AfvfXfg□[fçŽž,ÉClient 32,İŠÅ«□,ð□Ý'è,Ä,«,Ü,·□BNetWarefT□[fo,©,çfCf“fXfg□[fç,·,è,İ□A“~^è,İADMIN.CFGftf@fCfç,Ä•i□“,İf□□[fnfXfe□[fVfj#“,ðŠÅ«□Ý'è,Ä,«,Ü,·□BADMIN.CFGftf@fCfç,İNET.CFGftf@fCfç,Æ“~,¶□\•¶,ðŽg—p,μ,Ü,·□B,½,¾,μ□ANetWare* Client* 32 for Windows 95,ÄfTf□[fg,³,è,Ä,ç,é□Ý'è,É,Ä,ç,Ä'm,Ä,Ä,“,•K—v,^²,è,Ü,·□B^È'O,İNetWarefNf%ofCfAf“fg,İfpf%of□[f^,İ't,É,İ□Afvf□[fg,³,è,È,È,Ä,½,à,İ,à,à•İX,³,è,½,à,İ,à,,è,Ü,·□B,Ü,½□A□V,μ,çfjpf%of□[f^,à,ç,,Ä,©'Ç%Å,³,è,Ü,μ,½□B

fçfWfXfgfŠ,É•Ü'¶,³,è,éŠÅ«□Ý'è

Client 32,İŠÅ«□Ý'è,İ(NET.CFGftf@fCfç,Ä,Í,É,-)İfVfXfefçfçfWfXfgfŠ,É•Ü'¶,³,è,Ü,·□BfVfXfefçfçfWfXfgfŠ,İ'¼□Ü•Ò□W,μ,È,ç,Ä,-,¾,³,ç□B•İX,·,é,É,İ□Afvf□pfefBfV□[fg,Ü,½,İfVfXfefçfçfWfXfgfŠ,ðŽg—p,μ,Ä,,¾,³,ç□B

“@“İ□Ý'è

Client 32,Í,Ä,«,é,¾,~½,,İ□Ý'è,ð“@“l,É'²□@,μ,Ü,·□B,μ,½,²,Ä,Ä□A^É'O,İNetWarefNf%ofCfAf“fg,ÄŽg—p,³,è,Ä,ç,½□Ý'è,İ't,É,Í•s—v,É,È,Ä,½,à,İ,à,,è□A,»,è,ç,İŽw'è,μ,Ä,à-³Žç,³,è,Ü,·□B

'·,çftf@fCfç-¼,İfTf□[fg

Client 32,İOS/2**,İf□[fçfXfy□[fX,ðŽg—p,μ,Ä□A'·,çftf@fCfç-¼,ðfTf□[fg,μ,Ü,·□B□Ú□x,İ□ANetWarefT□[fo,Ä,İ□€“ð□içÆ,ðŽQ□Æ,μ,Ä,,¾,³,ç□B

*fmfxfç,İ□π•W□@**fT□[fhfp□[fefB,İ□π•W□Ú□x,İ□π•W,ðŽQ□Æ,μ,Ä,,¾,³,ç□B

Āā'«fLfffbfVf“fO

,±,lfLfffbfVf“fO•û-@,đŽg—p,·,é,Æ□AClient 32*,í—v<□,³,ê,½ff□[f^,¾, -,Ā,È,-
□Aff□[f^,lfuf□fbfN'S'ì,đ□',«□ž,Ý,Ü,·□B,·,È,í,ž□Aff□[f^fuf□fbfN,²,č,Á,ì,č,È,È,é,Ü,ĀfLfffbfVf...
,É□',«□ž,ň,Ā,©,ç□Aff□[f^fuf□fbfN'S'ì,đfifbfgf□□[fN,É^é“x,É□',«□ž,Ý,Ü,·□B

