


Version=2.10 Novell Client 32 Overview Help

Copyright=(c) Copyright 1995, 1996, Novell, Inc. All rights reserved.

See also 

ff[]f^fx[]fXftf@fCf<,lfLffffbfVf"fo

ff[]f^fx[]fXftf@fCf<,lfLffffbfVf"fo,ª-³CEø,Èf,[]fh,ÅšJ,©,ê,é,±,Æ,ª, ,è,Ü,·[]BClient 32*,íOpportunistic Locking:@",ðŽg—p,μ,Á[]Aff[]f^fx[]fXftf@fCf<,lfLffffbfVf"fo,ð[]s,ç[]AfNf %ofCfAf"fgf[]fNfXfe[]fVfjf",Åff[]f^fx[]fX,ì'€[]i«,ðCEü[]ã,³,¹,Ü,·[]B

Opportunistic Locking,ð—LCEø,É,·,é,Æ[]A'¼,É"~,¶ff[]f^fx[]fXftf@fCf<,ðŽg—p,μ,Ä,ç,éft[]fU,ª,ç ,É,~,ê,î[]AClient 32,í,»,ìftf@fCf<,ðfLffffbfVf"fo,μ,Ü,·[]BfRf"fsf...[]f^,ªftf@fCf<ff[]f^,ðfLffffbfVf"fo,μ,Ä,ç ,é,Æ,«,,É•É,ìfRf"fsf...[]f^,ª,»,ìftf@fCf<,ðšJ,,Æ[]Aftf@fCf<,lfLffffbfVf"fo,ìfift,É,È,è,Ü,·[]B

*fmfxf<,ì[]ª•W[]@**fT[]fhfp[]fefB,ì[]ª•W []Ü[]x,í[]ª•W,ðŽQ[]Æ,μ,Ä,,³/4,³,ç[]B

ftf@fCf<ff[]f^,lfLffffbfVf“fo

flfbfgf[]fNCo—R,Åftf@fCf<,ð•Ù‘¶,·,é,Æ,«f[]fNfXfe[]fVf#f“,ì^—[]‘¬“x,ðEü[]ä,³,¹,é,¹/₂,ß[]AClient
32*,lftf@fCf<,ðfT[]fo,É’—[]M,·,é’O,É,Ü,·fNf%ofCfAf“fg,lflffffbfVf...,É•Ù‘¶,µ,Ü,·[]B,±,ê,É,æ,è[]AClient
32,³fofbfNfOf%ofEf“fh,Åflfbfgf[]fN,Éff[]f^,ð•Ù‘¶,·,éŠÖ[]Af+[]fU,í¹/₄,ì[]<Æ,ð’±,¯,é,±
,Æ,³,Ä,«,Ü,·[]B[]Ü[]x,í[]ANWCFG95.HLPftf@fCf<,lCache Writes,ðŽQ[]Æ,µ,Ä,,³/₄,³,ç[]B

*fmfxf<,ì[]x•W[]@**fT[]fhfp[]fefB,ì[]x•W
[]Ü[]x,í[]x•W,ðŽQ[]Æ,µ,Ä,,³/₄,³,ç[]B

Client 32, ĩfvf ĩfgfRfĳfTf ĩfg

Client 32*, ĩ• ĩ” , ĩĳÆŠE•W ĩĳfvf ĩfgfRfĳ, ĳfTf ĩfg, μ, Å, ĳ, Ü, • ĩB

- Windows** 95**, ĳŽÀ’•, , éTCP/IP ĩAfT ĩfof ĩfbfZ ĩfWfuf ĩfbfN(SMB) ĩAWindows Socket (Winsock) ĩA-¼’O•t, ĳfpfCfv ĩANetBIOS
- Client 32 IPX*fvf ĩfgfRfĳfXf ĳfbfN, ĩWindows 95 WSOCK32.DLL, ĳfTf ĩfg, μ, Ü, • ĩB
- ŠÈ^Ŏf ĩfbfuf ĩĳfNŠÇ— ĩfvf ĩfgfRfĳ(SNMP)
- NetWare* Client* 32 for Windows 95, ĩMicrosoft** Client for Microsoft Networks, ĳ ĩAMicrosoft Networks ĳfT ĩfX(SMBfT ĩfo)—p, ĳftf@fCfĳ, ”, æ, ĩfvfŠf“f ĳ^ĳ—L, ĳĳĳ’ĳ, Å, ĳ, Ü, • ĩB

*fmfxfĳ, ĩĳ•W ĩ@**fT ĩfhfp ĩfĳB, ĩĳ•W
ĩÜ ĳx, ĩĳ•W, ĳŽQ ĳÆ, μ, Å, , ¼, ¼, ĳ ĩB

Client 32,î^À'è□◀

Client 32*, íĈ»□Ÿ"ì" ,,,³,ê,Ä,ç,éNetWare*f|fbfgf□□[fN—p,ìfNf
%oƒCfAf"fgfŠfNfGfXf^,ì't,Å□Å,à^À'è□◀,à, ,è,Ü,·□BClient
32fŠfNfGfXf^,ìfvf□fefNfgf,□[fh,Å" @□ì,·,é,½,ß□Af}fvf"□ä,ì'¼,ìfvf□fOf%oƒ€,íClient 32fŠfNfGfXf^—p,É—\—
ñ,³,ê,Ä,ç,éƒ□f,Œg—p,·,é,±,Æ,í,Ä,«,Ü,¹,ñ□Bf|fbfgf□□[fNfT□[frfX,àZ,"s,μ,½□è□‡,Å,à□AfRf"fsf...
□[f^,à" @□ì,μ,½,Ü,Ü,ì□ó'Ô,Å□AfNf%oƒCfAf"fg,íZ,"s,μ,½fT□[frfX,É□Ä□Ü'±,μ,Å□AfRf"fsf...
□[f^,ìf|fbfgf□□[fNŠ^◀◀,ð□Ä□\z,·,é,±,Æ,à,Å,«,Ü,·□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ü□x,ì□x•W,ðZQ□Æ,μ,Ä,,³/₄,³,ç□B

Client 32,É,æ,éf_fCf,,f<fAfbfvflfbfgf□□[fN,lfTf|□[fg

Client 32*,íWindows** 95**f_fCf,,f<fAfbfvflfbfgf□□[fN,ðfTf|□[fg,μ,Û,·□BfRf“fsf...
□[f^,³f,fff€□AISDNflfbfgf□□[fNfAf_fvf^□A,Û,½,ìX.25flfbfgf□□[fN□Ú'±,ð'•"ð,μ,Ä,ç,ê,î□AWindows
95,É•t'©,lf_fCf,,f<fAfbfvflfbfgf□□[fNfvf□fOf%œf€,ðŽg—p,·,é,±,Æ,³,Ä,«,Û,·□Bf_fCf,,f<fAfbfvflfbfgf□□[fN,É,Ä,ç
,Ä,ì□Ú□×,í□A□wMicrosoft** Windows 95fŠf□[fXfLfbfg□x,ðŽQ□Æ,μ,Ä,,³/4,³,ç□B

Client 32,lf_fCf,,f<fAfbfvflfbfgf□□[fN,ì,½,ß,É□ANovell* NetWare Client 32—p,ìIPX* 32frfbfgfvf□fgfRf<,ðŽg—
p,μ,Û,·□B
f,fff€,ð'É,¶,Ä_fCf,,f<fAfbfv□Ú'±,ðŠm—š,·,é,Æ□A'¼,lf_lfbfgf□□[fNfAf_fvf^,É,æ,éflfbfgf□□[fN□Ú'±,í
%œð□œ,³,ê,Û,·□B

*fmfxf<,ì□œ•W□@**fT□[fhfp□[fefB,ì□œ•W
□Ú□×,í□œ•W,ðŽQ□Æ,μ,Ä,,³/4,³,ç□B

Client 32,Æ¼,ìNetWareNf%ofCfAf“fg,ì”äŠr

Client 32*, íAVLM*fftfgEfffA,Æ,í^ù,È,éæi,lfA[fLfefNf`ff,ð]—p,μ,Ä,ç,Û,·□B,±
,ìV,μ,çfA[fLfefNf`ff,Ä,íAWindows** 3.1x,ÆDOS,lfNf%ofCfAf“fg,³vf[fefNfgf,□lfh,ÅNf%ofCfAf“fgf
fftfgEfffA,ðŽÀ□s,Ä,«,Û,·□BClient 32,Ä,í•K—v,ÈRf“fxf“fvf#fj:fj,fS,³4KB-ç-
ž,Ä, ,é,½,ß□Aflfbfgf□□[fNfLfffbfvf...,É'½,,lf□f,fS,ðŽg—p,Ä,«,Û,·□B

NetWare* Client 32* for Windows 95**,íŽŸ,ì“_Ä,àVLMffftfgEfffA,âNetWare Client 32 for
DOS/Windows,Æ^Û,È,Ä,Ä,ç,Û,·□B

- Client 32,ðf□□lfh,·,é,ì,ÉSTARTNET.BATftf@fCf<,ðŽg—p,μ,Û,¹,ñ□BWindows 95,í<N“ @Žž,ÉClient
32,ðf□□lfh,μ,Û,·□B

- NET.CFGftf@fCf<,íÊ□í•K—v, ,è,Û,¹,ñ□BŠÄ<«Ý'è,lfvf□f□efBfV□□[fg,ðŽg—
p,μ,Ä□s,ç□A□Ý'è,lfCfWfXfgfS,É•Û'¶,³,è,Û,·□B

- Client 32,íWindows 95,ÉŽÀ'•,³,è,Ä,ç,éMicrosoft**,ìWinsock□A-¼'0•t,«fpfCfv□ANetBIOS□ATCP/
IP,ì,ÆCEÝŠ·□«,³, ,è,Û,·□B

- fXfgfC□□[fWf}f□□[fWf]f“fgfT□[fX*(SMS*)—p,lf^□[fQfbfgfT□[fXfgG□[fWfFf“fg,í, ,è,Û,¹,ñ□B

- Client 32,íWindows 95fCf“f^ftfF□[fX,ðŽg—p,μ□Aflfbfgf□□[fNfRf“fsf...[f^□AfGfNfXfvf□□[f
%□□AfRf“fgf□□[f<fpfj<,ì<@\,ðŠg'£,μ,Û,·□B,±
,é,É,lfifbfgf□□[fNfvfSf“f^□Aflfbfgf□□[fNfpfXf□□[fh□Aft□[fUfvf□ftf@fCf<□AfVfXfef€fjSfV,É'í,·,éftfj
□[fg,àŠÛ,Û,è,Û,·□B

*fmfxf<,ì□•W□@**fT□[fhfp□[fefB,ì□•W
□Û□x,ì□•W,ðŽQ□Æ,μ,Ä,,¼,³,ç□B

fLfffbfVf...,İff[]f^Š®‘S[]«,İ•Ü[]Ø

Client 32*, í[]Aff[]f^,đ•Ü‘¶,µ,½,Æ,ç,æ%ž“š,đfT[]fo,©,çŽó, ~Žæ,é,Ü,ÅfNf
%ofCfAf“fg,İf[]f,fS,Éff[]f^,đ•ÜŽ[],µ,Ü,·[]Bff[]f^,đfT[]fo,É•Ü‘¶‘t,ÉfT[]fo,žg—p,Å,«,È,,È,é,Æ[]AClient
32,İ[]Ü‘±,žg—p%oÅ“\,É,È,Å,½ŽŽ“_„Å“~,¶ff[]f^,đfT[]fo,É[]Ä’—[]M,µ,Ü,·[]B,±,İff[]f^•ÜCEi<@“\,İ[]M—
Š[]«,ÍAuto Reconnect Levelpf%of[]f^,İ[]Ý’è,É,æ,Å,ÅÆ^,Ü,è,Ü,·[]B

*fmfxf<,İ[]æ•W[]@**fT[]fhfp[]fefB,İ[]æ•W
[]Ü[]x,Í[]æ•W,đŽQ[]Æ,µ,Å,,¾,¾,ç[]B

%ü‘P,³,ê,½ŠÂ«‘Y’è

Client 32*, íŠJ, ç, Ä, ç, é\ſPfbfg“, âŠJ, ç, Ä, ç, éftf@fCf<“, È, Ç, ðŽ!, .fpf%of[f^, ðŽ©“®“l, É’²® , µ, Ü, .B, ±, ê, ç, .lfpf%of[f^, Å, ÍŠÂ«‘Y’è, lŽèŠÓ, ðE, , ±, Æ, ³, Å, «, Ü, .B

Client 32—p, .lfpf%of[f^, ímfſfbfgf[fNnfRf“fgf[f<fpf<, ðŽg—p, µ, Ä‘Y’è, Å, «, Ü, .BClient 32, .lfpf%of[f^, É%Å, l, ½•íX, l’½, , l, , ®, É—LÆø, É, È, è, Ü, .B•íX, ð—LÆø, É, , é, ½, ß, ÉAfRf“fsf...
[f^, ðÅN“®, , é•K—v, í, , è, Ü, ¹, ñB

*fmfxf<, l̂x•W@**fT[fhfp[fefB, l̂x•W
Úx, l̂x•W, ðŽQÆ, µ, Å, , ¾, ³, çB

%ü‘P,³,ê,½f,fšŽg—p-@,ÆfLfffbfVf“fO

Client 32*,í4KB,μ,©fRf“fxf“fVf#fif:fff,fš,ðÁ“i,μ,Ü,¹,ñBŽc,è,lf,fš,íXMSff,fš,ÉŠ,,,è“-
,Ä,ç,ê,Ü,·BfRf“fsf...ff^,ÄŽg—p,Ä,«,éff,fš—É,É%ž,¶,ÄAClient 32,íó,«ff,fš,í75%,Ü,Ä,ðfLfffbfVf...
ff,fš,Æ,μ,ÄŽg—p,Ä,«,Ü,·B

ffftfHf<fg,Ä,íAflfffbfVf“fO—p,ÉŠ,,,è“-.,Ä,ç,ê,éff,fš—É,íACLIENT32.NLMftf@fCf<,íffffhŽž,Éó,ç,Ä,ç
,éff,fš,í25%,Ä,·BCLIENT32.NLMftf@fCf<,íWindows** 95**,ì, ,Æ,Éffffh,³,ê,Ü,·BfLfffbfVf...fTfCfY,íMax
Cache Sizefpf%ffff^,É,æ,Ä,ÄY’è,Ä,«,Ü,·B,Ü,½AFile Cache Levelfpf
%ffff^,í‘,ðm0n,ÉY’è,μ,Ä,àAflfffbfVf“fO,ðfft,É,Ä,«,Ü,·B

ff,

,±,ífššffX,Ä,íAflfffbfVf...ff,fš,íÄ“í,ÉŠ,,,è“-.,Ä,ç,ê,é,½,ßAfvfXfef€,Æ<—L,·,é,±,Æ,í, ,è,Ü,¹,ñB Client
32,í<—^,ífššffX,Ä,íA<—LfvfXfef€ff,fš,ðftffg,·,é—\’è,Ä,íB,Ä,Ü,èA•K—v,É%ž,¶,ÄfvfXfef€—
p,Éff,fš,ð%ð•ú,·,é,æ,æ,É,É,è,Ü,·B

*fmfxf<,íx•W@**fTffhfpffefB,íx•W
Üx,íx•W,ðŽQÆ,μ,Ä,,¾,¾,çB

fcf“fxfg□lf<,Æ•ŮŽç

flfbfgf□□[fNfX□[fpf ofCfU, í□AACU, Ů, ½, íNetWare Application Manager, đŽg—
p, μ, Ā□Aflfbfgf□□[fN□ā, lfRf“fsf...□[f^, ÉClient 32*, đ“z•t, ., é, ±, Æ, ā, Ā, «, Ů, .□B, ³, ç, É□AMSBATCH Setup, Æ, ç
, xfcf“fxfg□[f<fvf□fOf%of€, đ1%ñŽĀ□s, ., é, ¾, -, Ā□AWindows** 3.1x, lfRf“fsf...□[f^, đWindows 95**, ÆClient
32, ÉfAfbfvfOfC□[fh, ., é, ±, Æ, à, Ā, «, Ů, .□B

Client 32, ÍŠÈ‘P, É•ŮŽç, Ā, «, é, æ, x, É□ì□-, ³, ê, Ā, ç, Ů, .□BACU, đŽg—p, ., é, Ī□A□□[fjf<fRf“fsf...
□[f^, âflfbfgf□□[fN□ā, lfRf“fsf...□[f^, lfvtfgfEjFfA, đf□fOfCf“Žž, ÉŠÈ‘P, ÉfAfbfvfOfC□[fh, ., é, ±,
, Æ, ā, Ā, «, Ů, .□BClient 32, ÍŠĀ««□Y’è□î•ñ, đfCfWfXfgfŠ, É•Ů‘¶, ., é, ½, ß□AClient 32, lfpf%of□□[f^, lfVfXfef€f|
fŠVfGfffBf^, đŽg—p, μ, ĀŠÇ—□, ., é, ±, Æ, ā, Ā, «, Ů, .□B

*fmx<, ì□x•W□@**fT□[fhfp□[fefB, ì□x•W
□Ů□x, ì□x•W, đŽQ□Æ, μ, Ā, , ¾, ³, ç□B

LANfhf%ofCfo,ìĈŸŠ·«

Client 32*, í32frfbfg,Æ16frfbfg,ìODI,ÆENDIS,ìLANfhf%ofCfo,ðfTf|[]fg,μ,Û,·[]BĈ»[]ÝŽg—p,μ,Ä,ç
,éf|fbfgf[]fNfAf_fvf^,É'í%oož,μ,½32frfbfgLANfhf%ofCfo,ª, ,è,ìA,È,é,x,,»è,ðŽg—p,μ,Ä,,¾,¾,ç[]B
NDISfhf%ofCfo,É"à,x,é,Æ[]AODI LANfhf%ofCfo,É,ívf[]fgfRf<'ñ^È'¶[]«[]A^À`è[]«[]AfptfH[]f}f"fx,ª—Ç,ç,Æ,ç
,x—~"_,ª, ,è,Û,·[]BClient 32,íf,fWf...[]f<,íNetWare*f[]f_fuf<f,fWf...[]f<*(NLM)Ĉ`Ž@,ðŽg—
p,·,é,½,[]B[]ANetWare* 4*fT[]fo,Á"®[]ì,·,éODI LANfhf%ofCfo,ðŽg—p,·,é,±
,Æ,ª,Ä,«,Û,·[]BfT[]fhfp[]fefBfxf"f_ì,Û,Æ,ñ,Ç,ì[]Aflfbfgf[]fNfAf_fvf^—p,É16frfbfg,Æ32frfbfg,ìODIfhf
%ofCfo,ð<Ÿ<<,μ,Ä,ç,Û,·[]BODIŽd—I,Á,ì[]AFDDIflfbfgf[]fNfAf_fvf^,àfTf|[]fg,Ä,«,Û,·[]B16frfbfgNetWarefNf
%ofCfAf"fg,É,æ,Á,ÁfTf|[]fg,¾,è,Ä,ç,éARCnet,à'¼,lfgf|f[]fW,ì[]A16frfbfgODI LANfhf
%ofCfo,ðPC32MLID,Æ^è[][],ÉŽg—p,·,é,±,Æ,É,æ,è[]AClient 32,Á,àfTf|[]fg,¾,è,Û,·[]B
NetWare Client* 32* for Windows** 95**,ìŽŸ,ìLANfhf%ofCfo,ðfTf|[]fg,μ,Û,·[]B

- []wODI* Developer's Guide for NetWare Server Driver Hardware Specific Modules Driver Specification Versiton 3.3[]x,Û,½,ì[]wNetWare HSMS (C language) Version 1.10[]x,ìŽd—I,É[]€<',·,é32frfbfgODI LANfhf%ofCfo[]BNetWare 4.1j—p,ì"F`è[]ì,Yfhf%ofCfo,ì^è",íClient 32,ÆĈŸŠ·«,ª, ,è,Û,·[]B

- 16frfbfgODI LANfhf%ofCfo.

- 32frfbfg,Æ16frfbfg,lf|fbfgf[]fNfffofCfXfCf"f^ftfF[]fXŽd—I**(NDIS**)fAf_fvf^fhf%ofCfo fmfxf<,ì,±,lfŠfŠ[]fX,ÉŠÛ,Û,è,Ä,ç,éfhf%ofCfo,¾,~,ðfefXfg,μ,Û,μ,½[]B

*fmfxf<,ì[]x•W[]@**fT[]fhfp[]fefB,ì[]x•W
[]Û[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

NetWare Application Manager

NetWare Application Manager,É,Â,ç,Ï,Ú,×,Í,AAPPSNAP.HLPftf@fCf<,öŽQ,Æ,μ,Ä,,¾,³,çB

V,μ,¢<@”\

Windows**fOfCf“
fGfNfXfvf[f%o,âflfbfgf[fNfRf“fsf...[f^,Æ,ì“
Windows 95**,&,ìNDS*fTf|f|fg
%ü‘P,³,ê,½ŠÀ<<Ï’è
%ü‘P,³,ê,½fpftfH[f}f“fX
%ü‘P,³,ê,½fLfffbfVf“fO
f_fCfAf<fAfbfvf|fbfgf|fN,ìfTf|f|fg
32frfbfgLANfhf%ofCfo,ìfTf|f|fg
•i“fvf|fgfRf<,ìfTf|f|fg
WWW(World Wide Web)fuf%ofEfU,ìŽg—p

*fmfxf<,ìx•W@**fT|[fhfp|[fefB,ìx•W
Ux,ìx•W,ðZQÆ,μ,À,,¾,¾,¢B

ŠĀ««,İfjxf^f}fcfy,İŠT—v

fppf%of□□[f^,đ'²□@,·,é,İClient 32*,đŽ©•ª,İfİfbfgf□□[fNŠĀ««,É□‡,æ,æ,æ,É□Ā“K%»»,·,é,±,Æ,ª,Ā,«,Ü,·□BClient
32fppf%of□□[f^,İffftfHf<fg'l,İf□f,fŠ,đ—]•ª,ÉŽg—p,·,é,±,Æ,È,□A□Ā'â,İfpftfH□[f}f“fX,đŽĀ«»»,·,é,æ,æ,
,É□Y'è,³,ê,Ā,ç,Ü,·□Bf□f,fŠ,İŽg—p—È,đCE,·,ç,μ,½,è□A'—“x,ª'x,,È,Ā,Ā,àff□[f^'¹Ž,·,đ-h,®),æ,æ,æ,ÉClient
32,đ'²□@,·,é,±,Æ,ª,Ā,«,Ü,·□B

ŽŸ,İ•\,É□A'—“x□Afff□[f^,İŠ@'S□«□Afff□f,fŠ,İ,»»,é,¼,ê,đ'İ□Ü,ÉClient 32,đ□Ā“K%»»,·,é□é□‡,İCEø
%»É,đŽİ,μ,Ü,·□B

□Ā“K	'á%»»»,·,é,à,İ
%»»,İ'İ□Ü	
'—“x	f□f,fŠ□Afff□[f^,İŠ@'S□«
ff□[f^,İŠ@'S	'—“x
□«	
f□f,fŠ	'—“x

*fmxxf<,İ□æ•W□@**fT□[fhfp□[fefB,İ□æ•W
□Ü□x,İ□æ•W,đŽQ□Æ,μ,Ā,,¾,³,ç□B

ftfo,iffbfxfNfXfy[fX,a•s'«.,μ,½ê‡

Client 32*,ÍTfo,É,«ž,Þ'O,ÉffNfXfe[Vf‡],Íf,fŠ,Éftf@fCf<,ð•Ú'¶,μ,Û,·B,±,ì,½,ßAClient
32,afofbfNfOf%Ef"fh,ÁfIfbfgf[fN,Éff[f^,ð•Ú'¶,·,é,ì,Æ•Ås,μ,ÅAfAfvfŠfP[fVf‡",Í<Æ,ð'±,·,é,±,
Æ,ª,Å,«.,Û,·B

ftf@fCf<,ð•Ú'¶,·,é,ì,É\ª,ÉfXfy[fX,ª,É,çfIfbfgf[fNftfHf<f_,Éft[fU,af@fCf<,ð•Ú'¶,μ,æ,ª
,Æ,·,é,ÆAftf@fCf<,ð•Ú'¶,μ,½fAfvfŠfP[fVf‡",ª•Ú'¶,É-CE÷,μ,½,Æ'É'm,μ,½ê‡,Å,àAClient
32,ÍfIfbfgf[fNftfHf<f_,ÁffBfXfNfXfy[fX,a•s'«.,μ,Å,ç,é,±,Æ,ð'm,ç,¹,Û,·B
,±,ì,æ,ª,Éê‡,ÍAftf@fCf<,ð•É,ÍftfHf<f_,É•Ú'¶,·,é,©AÅ%
,Æ"·,ÍftfHf<f_,ìó,«fXfy[fX,ð',â,μ,Å,©,çÅ"xftf@fCf<,ì•Ú'¶,ð's,Å,Ä,,¾,¾,ç,çB

ŽŸ,É,±,ì-â'è,ðª,©,è,â,·,à-¾,μ,Û,·B

1. fAfvfŠfP[fVf‡",ÍfIfbfgf[fNfhf%ofCfu,Éff[f^,ð',«ž,Ÿ,Û,·B
2. Client 32,ÍfAfvfŠfP[fVf‡",ÉA-CE÷,μ,½,±
,Æ,ðŽ,·fR[fh,ð•Ô,μ,Û,·BfAfvfŠfP[fVf‡",í¼,Ívf[fZfX,ð'±,·,Û,·B
3. Client 32,ÍAfNf%ofCfAf"fgrf"fsf...[f^,ÍfIfbfgf...f,fŠ,©,çTfo,Öff[f^,ð"']—,μ,Û,·B
4. "']—,ì"r't,ÅAftfo,ÍOUT_OF_DISK_SPACEfGf%ofR[fh,ðClient 32,É•Ô,μ,Û,·B
5. Client 32,ÍNf%ofCfAf"fgrf"fsf...[f^â,ŽŸ,ÍfXfe[f^fXf[fZ[fW,ð'É'm,μ,Û,·B

"Out of disk space writing file <filename> to server <server name>."

"Try deleting some files before continuing."

"Warning: You will lose data if you hit 'Cancel'."

ftfHf<f_,ìó,«fXfy[fX,ð',â,μ,½, ,ÆmRetryn,ð'l'ð,·,é,ÆAff[f^,ªž,·,í,è,·,Éftf@fCf<,af@fCf<,É',«ž,Û,è,
Û,·BmCanceln,ð'l'ð,·,é,ÆAff[f^"]—fvf[fZfX,Í—
¹,μAftf@fCf<,ÍTfo,É•Ú'¶,³,è,Û,¹,ñBft[fU,Íftf@fCf<,ðž,·,í,È,ç
,æ,ªA•É,ÍftfHf<f_,Éftf@fCf<,ð•Ú'¶,·,é,x,«.,Å,·B

Client 32,Áff[f^,ðfIfbfgf[fNfhf%ofCfu,É'¼Û•Ú'¶,·,éê‡,ÍACache Writespf
%of[f^,ðmoffn,ÉY'è,μ,Å,,¾,¾,ç,çB

*fmxf<,ìª•W@**fT[fhfp[fefB,ìª•W
Û×,Íª•W,ðŽQÆ,μ,Å,,¾,¾,ç,çB

•W

Copyright © 1994-1996, Novell, Inc. All rights reserved. Patent Pending.

•Ä'Novell, Inc.,)•W

- Client 32,íA•Ä'Novell, Inc.,)•W,Ä,•B
- GroupWise,íA•Ä'Novell, Inc.,)•W,Ä,•B
- IPX,íA•Ä'Novell, Inc.,)•W,Ä,•B
- IPX/SPX,íA•Ä'Novell, Inc.,)•W,Ä,•B
- LANalyzer,íA•Ä',È,ç,Ñ,É'¼,ì',É, ",é•Ä'Novell, Inc.,)•W,Ä,•B
- Link Support Layer, ",æ,Ñ LSL,íA•Ä'Novell, Inc.,)•W,Ä,•B
- ManageWise,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NE2000,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare,íA•Ä',È,ç,Ñ,É'¼,ì',É, ",é•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare 3,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare 4,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Client,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Core Protocol, ",æ,ÑNCP,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Directory Services, ",æ,ÑNDS,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare DOS Requester,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare/IP,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Loadable Module, ",æ,ÑNLM,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWare Management System, ",æ,ÑNMS,íA•Ä'Novell, Inc.,)•W,Ä,•B
- NetWire,íA•Ä',È,ç,Ñ,É'¼,ì',É, ",é•Ä'Novell, Inc.,)•W,Ä,•B
- Network Support Encyclopedia Professional Volume, ",æ,ÑNSEP,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell,íA•Ä',È,ç,Ñ,É'¼,ì',É, ",é•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Application Notes,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Authorized Reseller,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Gold Partner,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Labs,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Network Symbol,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Platinum Partner,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Novell Technical Services,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Open Data-Link Interface, ",æ,ÑNODI,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Packet Burst,íA•Ä'Novell, Inc.,)•W,Ä,•B
- SPX,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Storage Management Services, ",æ,ÑSMS,íA•Ä'Novell, Inc.,)•W,Ä,•B
- Virtual Loadable Module, ",æ,ÑVLM,íA•Ä'Novell, Inc.,)•W,Ä,•B

fT[fhfp[fefB,)•W

- CompuServe,íACompuServe, Inc.,)•W,Ä,•B
- Hewlett Packard, ",æ,ÑHP,íAHewlett-Packard Company,)•W,Ä,•B
- IBM,íAInternational Business Machines Corporation,)•W,Ä,•B
- Intel,íAIntel Corporation,)•W,Ä,•B
- Microsoft,íAMicrosoft Corporation,)•W,Ä,•B

MS, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
MS-DOS, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
Netscape, íA Netscape Communications Corporation, ì□¤•W, Å, ·□B
Netscape Navigator, íA Netscape Communications Corporation, ì□¤•W, Å, ·□B
Network Driver Interface Specification, ÿ, æ, ÑNDIS, íAPC-Plus Communications LP, ì□¤•W, Å, ·□B
OS/2, íAInternational Business Machines Corporation, ì“o~^□¤•W, Å, ·□B
PostScript, íAAdobe Systems Incorporated, ì“o~^□¤•W, Å, ·□B
Unicode, íA Transoft Ltd., ì“o~^□¤•W, Å, ·□B
Windows, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
Windows 95, íAMicrosoft Corporation, ì□¤•W, Å, ·□B
Windows NT, íAMicrosoft Corporation, ì□¤•W, Å, ·□B

16frfbfgODI LANfhf%ofCfo,ìŽg—p

Client 32,íwNovell ODI Specification: 16-bit DOS Client HSMs□x,É□€<',,é16frfbfgODI LANfhf %ofCfo,đfTf|□[fg,μ,Ü,·□B

Client 32,Å16frfbfgODIfhf%ofCfo,đŽg—p,μ,½□ê□#□ASetup,đŽÀ□s,·,é,Æ□A16frfbfgODIfhf%ofCfo,ÅŽg— p,³,é,é16frfbfgAPI,đ32frfbfgAPI,É•İŠ,·,é,½,ß,lfjftfgfEjFfA,³f□□[fh,³,é,Ü,·□BClient 32,Å,±,ì•İŠ,·,é,é,č ,é,ì,íPC32MLID.LAN,Å,·□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W □Ú□x,ì□x•W,đŽQ□Æ,μ,Å,,³/₄,³,ç□B

Client 32,Æ,Í,H

NetWare* Client* 32* for Windows** 95**,đŽg—p,·,é,ÆAWindows 95,ª“@i,·,éfRf“fsf...[]f^,©,çNovell*
NetworkfŠf[]fX,ÉfAfNfZfX,Å,«,é,æ,x,É,È,è,Û,·BClient 32,ÍA”ñí,É,‘¬,ÅM—Š«,ì,·,cfNf%ofCfAf“fgf\
ftfgfEfFfA,Å,·BClient 32,ÍfCf“fXfg[]f<,Æ·ÙŽç,ªŠÈ’P,Å, ,èAfmfxf<flfbfgf[]fNfT[]fjfX,ÆWindows
95,đfV[]f€fCfX,É“[]f,μ,Û,·B

*fmjxf<,ìx•W@**fT[]fhfp[]fefB,ìx•W
[]Úx,Íx•W,đŽQÆ,μ,Å,,¾,³,çB

Windows 95,Æ,ì“□□‡

Client 32*,íWindows** 95**ŠÂ<«,Æ^ê'ì%oo»,μ,Ä□AfGfNfXfvf□□[f%oo,âf|fbfgf□□[fNfRf“fsf...□[f^,È,Ç,ìWindows
95,ìft□[fefBfŠfefB<@“\,ð<%oo»,μ,Ü,·□B,±,ê,É,æ,Á,ÁClient 32,ÆWindows 95fRf“fsf...□[f^,ìŠÇ—
□,ªŠÈ'P,É,È,è,Ü,·□BClient 32,í'·,çftf@fCf<-¼,àfTf|□[fg,μ,Ü,·□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ü□x,í□x•W,ðZQ□Æ,μ,Ä,,¾,¾,ç□B

Windows fOfCf

Client

32, Å, í ANetWare*flfbfgf fN, Ö, lfOfCf, a"ñí, ÉŠÈ'P, É, È, è, Ü, µ, ½ BWindows**ŠÂ««, ©, çflfbfgf fN, ÉfOfCf, µ, Ä AfOfCf" fXfNfŠfvfg, đŽÄs, Å, «, Ü, · Bflfbfgf fNfX fpfOfCfU, ðfjXf^f€fOfCf, ð—LCEø, É, µ, Ä, ç, éê#AZg—p, ·, éfOfCf" fXfNfŠfvfg, AE<N" ® flfvfVf+f", ðft fU, ðfŠfNfGfXf^, ÅŽw'è, ·, é, ±, Æ, à, Å, «, Ü, · B

*fmfxf<, ìx•W @**fT fhfp ffeB, ìx•W
Üx, íx•W, đŽQ Æ, µ, Å, , ¾, ¾, ç B.

