

VeRsIoN=2.10 Novell Client 32 Troubleshooting Help
CoPyRiGhT=(c) Copyright 1994-1996, Novell, Inc. All rights reserved.

80286^È'Ø,ífTf|Ø[fgšO

Client 32*,í32frfbfg,ífAfvfŠfPØ[fVftf“,Å, ,é,½,ßØAIntel*
80386,ÆŒÝŠ·Ø«,í, ,é32frfbfgf}fCfNfØfvfØfZfbfT,³•K—v,Å,·ØB

*fmfxf<,íØ¤•WØ@**fTØ[fhfpØ[fefB,íØ¤•W
ØÚØx,íØ¤•W,ðŽQØÆ,µ,Å,,¾,³,¢ØB

'Ç‰Å,ífwf·fvfŠf\ fX

fn  [fhfEfFfA, f}fjf...fAf 

ManageWise

fn  [fhfEfFfA, Ef tfgfEfFfA, fgf‰ufuf Vf...  [fefBf fO

<@”\,É,æ,éØø,è•¤,-

-â’è,¤, ,é<@”\,ð’lð,μ,Ã,,¾,³,¢B

▪ LANhf%ofCfo

▪ NetWare*/IP*

*fmfxf<,í¤¤•W¤@**fT¤[fhfp¤[fefB,í¤¤•W
¤Ú¤x,í¤¤•W,ðžQ¤Æ,μ,Ã,,¾,³,¢B

ŽÀs't, ï^—, É, æ, éØ, è•¤, —

, Ç, ñ, È^—, ð, µ, Ä, ç, Ü, µ, ½, © B

- Client 32*, fCf“fXfg [f_c
- NLM*, f [f_h
- VLM*, f [f_h
- f [f_{bfgf} [f_N, Ö, f [f_{OfCf}“
- f [f_{bfgf} [f_N ^ ó ü, Y'è
- • i” , iDOSCEYS f { fbfNfx, f } f ` f ^ fXfN
- ftf@fCf, Ö, i • i X, i • Ü ' ¶
- fAfvfSfP [fVff“, i ŽÀs
- ftf@fCf, Ü, ½, ffffBfCEfNfgfS, i • Ž;

*fmfxf, i¤•W@**fT[fhfp[fefB, i¤•W
Ú¤x, i¤•W, ðZQ¤Æ, µ, Ä, , ¾, ³, ¢ B

Client 32, fgf%o fuf<fvf...][fefBf“fO

ŠT—v

fgf%o fuf<fvf...][fefBf“fO, É, ¢, Ä

fgf%o fuf<fvf...][fefBf“fO

-â‘è, i]Ø, è•²,

'C%o Ä, ifwf<fvfŠf]fX

fVfXfef€f][fbfZ][fW

*fmfxf<, i]¤•W@**fT][fhfp][fefB, i]¤•W
Ú]x, i]¤•W, ðŽQ]Æ, µ, Ä,, ¾, ³, ¢B

fmx~~f~~~~fefNfiflf~~~~fT~~~~T~~[frfX,Ö,]-â,c~~t~~,i,¹

fmx~~f~~*~~fefNfiflf~~~~fT~~~~f~~~~fg~~,~~L~~-~~z~~,~~fT~~~~[frfX,Å,~~~~B~~-~~L~~-~~zfTf~~~~[fg,ðžó,~~~~é~~~~ê~~~~A~~~~•~~~~ä~~~~o~~~~,~~~~í~~~~1~~~~-~~~~800~~~~-~~
NETWARE,~~Ü~~~~,~~~~½~~~~,~~~~í~~~~1~~~~-~~~~801~~~~-~~~~429~~~~-~~~~5588~~,~~É~~~~Å~~~~f~~~~'~~~~[[f]~~~~bfp~~,~~Æ~~~~'~~~~†~~~~"~~~~Œ~~~~n~~~~^~~~~æ~~,~~í~~~~+49~~~~-~~~~211~~~~-~~~~5277~~~~-~~~~744~~,~~É~~~~Å~~~~f~~~~A~~~~f~~~~WfA~~~~'~~~~¾~~~~•~~~~½~~~~-~~
~~m~~~~n~~~~^~~~~æ~~,~~Å~~~~,~~~~í~~~~+61~~~~-~~~~2~~~~-~~~~925~~~~-~~~~3133~~,~~Ü~~,~~Å~~~~,~~~~"~~~~d~~~~~~~~~b~~~~,~~~~,~~~~¾~~~~,~~~~³~~~~,~~~~¢~~~~B~~

*fmx~~f~~,~~í~~~~¤~~~~•~~~~W~~~~@~~~~**~~~~fT~~~~T~~~~[fhfp~~~~[fefB,í~~~~¤~~~~•~~~~W~~
~~Ú~~~~x,í~~~~¤~~~~•~~~~W,ðžQ~~~~Æ,μ,Å,~~~~,~~~~¾~~~~,~~~~³~~~~,~~~~¢~~~~B~~

„**ß.,ífmfxf<Œû,Ö,í-â,cít,i,1**

fmfxf<,íPartnerNet*fvf[]fOf%of€,ðŽg—p, .,é,íAfmfxf<Œû,É~A—[],µ,ÄAfT[]frfX,ðŽ6,~,é,± ,Æ,º,Å,«,Ü,·BPartnerNet,í”í” „AfRf“fTf^f“fg[]AfefNfjf]f<frfX,É,Ç,iŽå—v,Éfmfxf<fvf[]fOf%of€ ,ð“[]f,µ[]A[],•iŽ,ífSf...[]fvf[]f“,ð’ñ·Y,µ,Ü,·B,Ü,½ANovell Platinum Partner*fvf[]fOf%of€,íŠé<Æ<KŠi,Åf fSf...[]fvf[]f“,ð’ñ·Y,µ[]ANovell Gold Partner*fvf[]fOf%of€,í“Á'é,í[]•i,É,Â,¢,ÄfTf] []fg,µ,Ü,·Bfmfxf<,Å,í[],•iŽ,ífT[]frfX,ÆfTf]fg,ðft[]fU,É’ñ·Y,Å,«,é,æ,¤[]b^ç[]—,É“w,ß,Ä,¢,Ü,·B ÅŠñ,è,ífmfxf<Œû,É,Â,¢,Å,íAfAf[]fSf],Æfjfif_,Å,í1-800-338-6272,É~A—[],µ,Ä,,¾,³,¢[]B

*fmfxf<,í[]•W[]@**fT[]fhfp[]fefB,í[]•W
Ú[]x,í[]•W,ðŽQ[]Æ,µ,Ä,,¾,³,¢[]B

Client 32*, jfwf<fv, íACOMMAND.COMftf@fCf<, ðŠJ,,±,Æ,É,æ,Á,ÄMS-DOS**fvf[]f“fvfg,ð<N“ ®,µ,æ,¤,Æ,µ,Ü,µ,½,¤AŽ, "s,µ,Ü,µ,½BMS-DOSfvf[]f“fvfg,ð<N“ ®,·,é,É,íAf^fXfNfo[], ÅmfXf^[]fg[]n,ð'l'ð,µA mfXf^[]fg[]nf[]fj...[], Åmfvf[]fOf%of€[]n,ð'l'ð,µ,Ä,©,çA mfvf[]fOf%of€[]nf[]fj...[], ÅmMS-DOS fvfv[]f“fvfg[]n,ð'l'ð,µ,Ä,,¾,³,¢B MS-DOSfvf[]f“fvfg,ð-³Œø,É,·,é,±,Æ,à‰oÃ"'\,Å,·Bf[]fNfXfe[]fVf[]f“,Å,±,ê,ðs,¤,ÆAMS-DOSfvf[]f“fvfg,ð<N“ ®,·,é,±,Æ,àMODULESfRf}f“fh,ðZg—p,·,é,±,Æ,à,Å,«,É,è,Ü,·B

ffffBfXfNfCEfXf□□[fNfXfe□[fVf#f“,ífTf]□[fgšo

Client 32*,íRPL(Remote Program Load),âfffBfXfNfCEfXf□□[fNfXfe□[fVf#f“,ífTf]□[fg,µ,Ü,¹,ñ□B,Ü,½□AClient
32f ftfgfEfFfA,í<¤—Lfrfs□[,íŽÀ¤s,Å,«,Ü,¹,ñ□BRPLfTf]□[fg,¤•K—v,É¤é¤‡,í□ANetWare Client* for
DOS/Windows** (VLM*fNf%o fCfAf“fg),ðŽg—p,µ,Å,,¾,³,¢□BRPLfTf]□[fg,íNetWare Client 32 for Windows
95**, í^É¤~,ífŠš□[fX,Å'ñ<Ý,³,ê,é—`è,Å,·□B

*fmfxf<,í¤¤•W¤@**fT¤[fhfp¤[fefB,í¤¤•W
¤Ú¤x,í¤¤•W,ðŽQ¤Æ,µ,Å,,¾,³,¢¤B

f□□[fh□i, Yf, fWf...□[f<, i•\Z]

1.  , öfNfŠfbfN, μ, Ä, A, mMS-DOS**fvf□f“fvfg□nf_fCfAf□fOf{fbfNfX, öŠJ, ç, Ä,, ¾, ³, ¢, B
2. □uMODULES□v, Æ“ü—í, μ, Ä,, ¾, ³, ¢, B

f□f,

- MODULESfRf}f“fh, íf□□[fNfXfe□[fVf#f“, ÉŒ»□Yf□□[fh, ³, ê, Ä, ç, éClient 32* NLM*fvf□fOf%ofo€, ö•\Z!, μ, Ü, ·, B

*fmfxf<, i□x•W□@**fT□□[fhfp□[fefB, i□x•W
□Ú□x, i□x•W, öZQ□Æ, μ, Ä,, ¾, ³, ¢, B

NetWire, ©,ç,í•Z■p■í•ñŽæ“³/

NetWire*,ífmfxf<,íŠj■Ý,µ,½<Z■p■í•ñftfH■[f‰of€,Å■Afmfxf<*,í■»•i,Æ<Z■p,ÉŠÖ,·,é■Å■V■í•ñ,ð'ñ,µ,Ä,¢,<Ü,·■BNetWire,Ef■fOfCf“,·,é,í■A■í•ñ,ðŒÝ■ö,µ,Äf■fEf■f■■[fh,·,é,±,Æ,å■A■æ■ifT■[fU,©,çfAfhsfCfX,ðŽó,·,Ä,^–å,ð‰øðŒ^,·,é,±,Æ,ä,Å,«,Ü,·■Bfmfxf<,íf/fXfef€flfyfŒ■[f^ (Sysop),³CompuServe**ftfH■[f‰of€,ðf`fFfbfN,µ,Ä,¢,Ä■A■K–v,¤¶¶,¶,é,Æfmfxf<ftf■[fg,í•Z■pZO,É’¼■U”A—■,µ,Ü,·■BNetWire,E,©,é—í•à,íZg—p,µ,Ä,¢,éflf“f‰ofCf“ft■[frjX,í•W■€■U”±—í•à,³/4,·,Ä,·■B

NetWire,É,íZÝ,í■í•ñ,³fAfbfvf■■[fh,³,é,Ä,¢,Ü,·■B

- f■fEf■f■■[fh‰øA”\,Éftf@fCf<■Afpfbf`■Afhf‰øfCfo
- ‘å—É,í•Z■p■í•ñ•¶¶’(TID)
- ■»•if}fjj...fAf<
- NetWarefAfvfSfP■■[fVff“fm■■[fg*
- GroupWarefvf■■ftfFfbfVfif■fKfCfh
- Novell Labs**F‰øÅŒfŽ!“Å

NetWire,É,íZÝ,í■é■S,©,çfAfNfZfX,Å,«,Ü,·■B

fCf“f^■■[f]fbfg

World Wide Web http://
netwire.novell.com,Ü,½,íhttp:
//netwire.de

FTP ftp://
ftp.novell.com,Ü,½,íftp://
ftp.novell.de

Gopher gopher://
gopher.novell.com,Ü,½,ígopher://gopher.novell.de

Compuserve

CompuServe,ífvf■f“fvfg,É■uGO NETWIRE■v,Æ“ü—í,µ,Ä,,³/4,³,¢■B

*fmfxf<,í■x•W■@**ft■[fhfp■[fefB,í■x•W■Ú■x,í■x•W,ðŽQ■Æ,µ,Ä,,³/4,³,¢■B

fn [fhfEfFfA, f}fjf...fAf<

fIfbfgf[]N,ÉŠÖ,·,é-â'è,ì'½,,ífn[fhfEfFfA,íŒë“®ì,³Œ‘^ö,Å”¶¶,μ,Ü,·B

-â'è,ð“Á'è,ífRf“fsf...[]f^fRf“f|

[]f|“fg,Ü,½,ífP[]fuf<fZfOf[]f“fg,É“Á'è,Å,«,½,ç]AŠÖŒW,·,éfn[fhfEfFfA,íf}fjf...fAf<,ðŠm”F,μ,Ä,,¾,³,¢B

fgf%ofuf<fvf...@{fefBf“fo,i,½,ß,ifn@fhfEfFfA,AEf\ftfgfEfFfA

“ÃŽê,Èfn@fhfEfFfA,AEf\ftfgfEfFfAfpfbfP@fW(Novell* LANalyzer**f\ftfgfEfFfA,È,Ç),íflfbfgf@@@fN,ì-â’è,ð”Á’è,·é,½,ß,É—”—p,Å,«,Ü,·@B

Novell LANalyzer,ì“üŽè•û-@,É,Â,ç,Ä,í@fmfxf<”F’èfŠfZf%o@,É~A—@,µ,Ä,,¾,³,¢@B

*fmfxf<,í@¤•W@@**fT@fhfp@fefB,í@¤•W
Ú¤×,í@¤•W,ðŽQ@Æ,µ,Ä,,¾,³,¢@B

VLM,ifh

Client 32*, íŠg'£Žq, a. VLM, iftf@fCf<, íf[fh, µ, Ü, ¹, ñ BVLM*fvf[fh, fOf‰f€, öf[fh, ·, éê‡, íANetWare Client* for DOS/Windows** (VLM\ftfgfEfFfA), öZg—p, µ, Ä,, ¾, ³, ¢ B

*fmfxf<, í¤•W@**fT[fhfp[fefb, í¤•W
¤Ú¤x, í¤•W, öZQÆ, µ, Ä,, ¾, ³, ¢ B

NLM,if[[fh

Client 32*,íNLM*Œ`Ž®,ðŽg—p,µ,Ä,¢,Ü,·,¤AfNf%oCfAf“fgNLMfvf[]fOf%oƒ€
,ðNetWare*fT[]fo[]ä,ÅŽÀ[]s,µ,½,èfT[]foNLMfvf[]fOf%oƒ€,ðfNf%oCfAf“fg,ÅŽÀ[]s,µ,½,è,·,é,±
,Æí,å,«,Ü,¹,ñBfNf%oCfAf“fg,ÆfT[]fo,ì—¼•û,ISÂ<«,ðfTf|[]fg,·,é,í,íALANfhf%oCfo(NE2000.LAN,È,Ç)
,È,Ç,ì[],íNLMfvf[]fOf%oƒ€,ÈŒÀ,ç,ê,Ü,·,B

*fmfxf<,í¤•W@**fT[]fhfp[]fefB,í¤•W
¤Ú¤x,í¤•W,ðŽQÆ,µ,Ä,,¾,³,¢B

fOffbfZ[fW

1.  ðfNfŠfbfN,μ,Ä,AfVfXfef€fGffffBf^,ð<N“®,μ,Ä,,¾,³,¢B
2. (ðê‡,É,æ,Ä,ÄŽÄ)s SYSTEM.INIftf@fCf<,ð•Žl,μ,Ä,¢éfEfBf“fhfE,ì^è•”,¤Œ©,!,É,¢ê‡fA,» ,fEfBf“fhfE,ðfNfŠfbfN,μ,Ä,ë”ÖŽè’O,É,Ú“®,μ,Ä,,¾,³,¢B
3. fffj...[fo][,i[mŒÝ]ö[n,ð'l'ð,μ,Ä,,¾,³,¢B
4. [mŒÝ]ö[n,ð'l'ð,μ,Ä,,¾,³,¢B
5. [u]m386Enh[n]v,Æ“ü—í,μ,Ä,,¾,³,¢B
6. [mžY,ðŒÝ]ö[n,ð'l'ð,μ,Ä,,¾,³,¢B
7. [m386Enh[n,‰,i[s,É,uNWEnableLogging=True]v,Æ“ü—í,μ,Ä,,¾,³,¢B
8. fffj...[fo][,Ä,mftf@fCf<n,ð'l'ð,μ,Ä,,¾,³,¢B
9. [m]ä,«•Ü'¶n,ð'l'ð,μ,Ä,,¾,³,¢B

fOfbfZ[fW

- ffbfZ[fW,ðf]fOftf@fCf<,É<L~^,μ,Ä,“,Æff,ì,Æ,«,É-ð-§,ż,Ü,·B
- fffOftf@fCf<,ì-¼’O,İNIOS.LOG,Ä,·Bf]fOftf@fCf<,ì-¼’O,Log Filefpf%o fff[f^,ðŽg—p,μ,Ä•i[X,Ä,«,Ü,·Bf]fOftf@fCf<,NetWare,ifz]ffBfŒfNfgfS,É, ,è,Ü,·B
- ffbfZ[fW,ðf]fOftf@fCf<,É<L~^,·é,Æ[Af]ff[fNfXfe]ff,ì<N“®ŽzŠO,¤‰Ä,μ,Ü,·B
- fffO,ðflft,É,·é,É,í[A(SYSTEM.INIftf@fCf<,i[m386Enh[n]fZfNfVff,É, ,é)NWEnableLogging,ì]Y’è,ð]mFalse[n,É-ß,μ,Ä,,¾,³,¢B
- fffOftf@fCf<,ifTfCfY,Log File Sizefpf%o fff[f^,ðŽg—p,μ,Ä•i[X,Ä,«,Ü,·B
- i•ñ,Log File Size,Ä]Y’è,μ,½’l,É’B,·é,Ü,Ä]Af]fOftf@fCf<,ì]I,í,è,É’Ç‰Ä,³,è,Ü,·B]Y’è’l,É’B,·é,Æ]A]i•ñ,iftf@fCf<,ì]æ“a,É“ü—í,³,è]A]i•ñ,ì]Zn,Ü,è,Æ]i,í,è,ðZl,·f}][f],äftf@fCf<,É“ü—í,³,è,Ü,·B
- fffOftf@fCf<,í[Af]ff[fNfXfe]ff,Éf]ff[fh,³,è,Ä,¢éNetWare*f]ff[f_fuf,fWf...][f*(NLM*)]AŽg—p,³,è,Ä,¢éfvf]fpfefB]ANLM,©,ç,i]f]ff]fbfZ]ffW,É,Ä,¢,ÄZl,μ,Ü,·B

*fmfxf,ì]¤•W]@**fT]ffhfp]fefB,ì]¤•W
Ú]x,í]¤•W,ðŽQ]Æ,μ,Ä,,¾,³,¢B

ManageWise

ManageWise*f\ftfgfEfFfA,íflfbfgf[]fN,ífT[]foAf[]fNfXfe[]fVf#f“AfCf“ftf%o fXfgf%o fNf`ff,ðŠÇ—
[],·é,í,É•Ö—~,Å,·B
flfbfgf[]fN,ÂManageWise,ðŽg—p,·éê‡,íAfmxfx,*"F'èfŠfZf%o[],É~A—[],µ,Å,,³/₄,³,¢B

*fmfxf<,í¤•W@**fT[]fhfp[]fefB,í¤•W
Ú¤×,í¤•W,ðŽQÆ,µ,Å,,³/₄,³,¢B

Œ©,Â,©,ç,È,¢ftf@fcf^ç,Ü,½,ífffBfŒfNfgfŠ

- NetWare* 3.11,¡ftf@fcf^ç,ÆffffBfŒfNfgfŠ,¡†,ÉAfGfNfXfvf‰[f‰,Ü,½,ímMS-DOS**
fvf‰f“fvfg‰nf_fCfAf‰fOf{fbfNfx,É•\Z|,³,ê,È,¢,à,ì,², ,è,Ü,·,©‰B
SHORTAFX.NLM,í,·,x,Ä,¡3.11fT‰[fo,Éf‰‰[fh,µ,È,¬,ê,î,È,è,Ü,¹,ñBSHORTAFX.NLM,íAClient 32*,¡CD-
ROM,¡ADMIN\PATCHES\NW311ftfHf\f_A,Ü,½,íADMIN1fffBfXfn,¡PATCHES\NW311ftfHf\f_,É, ,è,Ü,·‰B
.·,x,Ä,¡NetWare
3.11fT‰[fo,ÅOS2OPNFX.NLM,ðf‰‰[fh,µ,È,¬,ê,î,È,è,Ü,¹,ñBOS2OPNFX.NLM,íSHORTAFX.NLM,Æ“-,¶ftfHf^ç
f_,É“ü,Ä,Ä,¢,Ü,·‰B

*fmfxf^ç,¡‰¤•W‰@**fT‰[fhfp‰[fefB,¡‰¤•W
‰Û¤x,¡‰¤•W,ðŽQ‰Æ,µ,Ä,,³/4,³,¢‰B

• i”,IMS-DOSfvfjf“fvfg,if}f·f^fxfN

• i”,imMS-DOS** fvff”fvfg_nf_fCfAfOf{fbfNfX,ðf}f·f^fxfN^—
;,é,É,íAí,ÉŽÀs’t’ffvfefB,ðmMS-DOS
fvff”fvfg_nf_fCfAfOf{fbfNfX,²,Æ,Éflft,ÉÝ’è,μ,È,_,é,î,È,è,Ü,¹,ñBí,ÉŽÀs’t’ffvfefB,IMS-DOS
fvff”fvfg,ifvfefB,im,»,l¹/₄nf^fu,imofbfNfOf%oEf“fhZž,lÝ’èon,Æ,¢,¤CE©o,μ,ì‰o,É, ,è,Ü,·B

*fmfxf<,í¤•W@**fT[fhfp[feefB,í¤•W
Ú¤x,í¤•W,ðZQÆ,μ,Ä,,¾,³,¢B

-â'è, ìØ, è•¤,-

ŽÀs't, ï^—, É, æ, éØ, è•¤,-

fn[fhfEfFfA, É, æ, éØ, è•¤,-

f\ftfqfEfFfA, É, æ, éØ, è•¤,-

<@"\", É, æ, éØ, è•¤,-

fOffbfZ[fW, É, æ, éØ, è•¤,-

f[fh\ff, fWf...[f<, ï•\Ž!, É, æ, éØ, è•¤,-

NetWare/IP,fgf%ofofuf<fvf...[fefBf“fO

- TDI(Transport Driver Interface)€‘,TCP/IPfXf^fbfN,ðfCf“fXfg[f<,μ,Ü,μ,½,©B
NetWare*/IP*,TDI€‘,TCP/IPfvf[fgfRf<fxf^fbfN,ð•K—v,Æ,μ,Ü,·B
- fT[fo,NetWare/IP 1.1,ðŽÀs,μ,Ä,¢,Ü.,©B
NetWare/IPfNf%ofofuf<fvf,ANetWare/IP 1.1,ÆŒÝš·«,ðŽ[],Ä,æ,¤,ÉŠÂ<«Ý'è,³,ê,Ä,¢
é,é,é,ðœ,«ANetWare/IP v1.1fvfŠfpfbf,ðŽÀs,μ,Ä,¢,éfT[fo,Æ^é,É“®l,·,é,±,Æ,í,Å,«,Ü,¹,ñB

*fmfxf<,í¤•W@**fT[fhfp[fefB,í¤•W
Ú¤x,í¤•W,ðŽQÆ,μ,Ä,,³/4,³,¢B

fmx~~f~~f~~f~~Nfjfjf~~f~~T~~f~~[frfX

ŠT—v

fmx~~f~~f~~f~~Nfjfjf~~f~~T~~f~~[frfX*,É,Â,¢,Ä

□Ú□x

NetWire*,©,ç,ì~~Z~~p~~í~~•ñŽæ“³/₄

NSEPro*,í~~f~~T~~f~~[f`

„~~ß~~,í~~fmx~~f~~f~~f~~Nfjfjf~~f~~T~~f~~[frfX,Ö,ì-â,¢,í,¹~~

fmx~~f~~f~~f~~Nfjfjf~~f~~T~~f~~[frfX,Ö,ì-â,¢,í,¹

*fmx~~f~~f~~f~~,í~~ó~~•W~~ó~~@**fT~~f~~[fhfp~~ó~~[fefB,í~~ó~~•W
□Ú□x,í~~ó~~•W,ðŽQÆ,µ,Ä,,³/₄,³,¢B

Windows 95, LfRfs, iZAs

Client 32*, ÅíAflfbfgf[fn, ÉÚ'±, 1, , ÉWindows** 95**, ï—LfRfs[], öŽÀs, ·, é, ±, Æ, í, Å, «, Ü, 1, ñBflfbfgf[fn, ÉÚ'±, 1, , ÉWindows 95, ï—LfRfs[], öŽÀs, ·, é, ê, íANetWare* Client* for DOS/Windows(VLM*fNf‰fCfAf"fg), öŽg—p, µ, Å,, ¾, ³, ¢BWIndows 95, ï—LfRfs[], iZAs, íANetWare Client 32 for Windows 95, ï—É~-, lfSfS[fX, ÅfTf][fg, ³, ê, é—\`é, Å, ¤B

*fmfxf<, ï—¤•W@**fT[fhfp[feFB, ï—¤•W
¤Ú¤x, ï—¤•W, öŽQ¤Æ, µ, Å,, ¾, ³, ¢B

NSEPro_ifTif

NSEPro*(Network Support Encyclopedia Professional Volume*)f\ftfgfEfFfA,í\ACD-ROM,É“ü,Á,½fmfxf<*

NSEPro,É,íŽY,í\i•ñ,aŠÜ,Ü,ê,Ä,¢,Ü,·\B

- f_fEf“f\|f\|fh‰oÅ”\,Èftf@fCf<\Af\|fbf` \Af\|h‰o\|Cfu
 - ‘å—Ê,ì<Z\p\i•ñ•¶\|(TID)
 - \»•if}fjj...fAf<
 - fmfxf<Afvf\|SfP\|fVf\|f“fm\|fg*
 - GroupWarefvf\|ftf\|fbfVf\|fif<fKfCf\|
 - Novell Labs**F‰oÅŒfž!”Å
- fmfxf<,©,ç,ìNSEPro,í\i\U”z•t("NŠOŒ_-ñ),ðšó-],·,é\|é\|#AfAf\|f\|Sf\|,Æf\|fif_,Å,í1-800-377-4136,É~A—\,µ,Ä,,³/₄,³,¢\BNSEPro,í,C,ìfmfxf<<Œû,©,ç,Å,à—~—p,Å,«,Ü,·\Bfmfxf<<Œû,f\|SfXfg,ð“üžè,·,é,É,í\|AfAf\|f\|Sf\|,Æf\|fif_,Å,í1-800-338-6272,É~A—\,µ,Ä,,³/₄,³,¢\B

*fmfxf<,í\|x•W\|@**fT\|f\|hp\|f\|efB,í\|x•W\|U\|x,í\|x•W,ðžQ\|Æ,µ,Ä,,³/₄,³,¢\B

□¤•W

Copyright © 1994-1996, Novell, Inc. All rights reserved. Patent Pending.

•Ä¤'Novell, Inc.,ì¤¤•W

Client 32,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
GroupWise,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
IPX,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
IPX/SPX,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
LANalyzer,í¤A•Ä¤',È,ç,Ñ,É'¼,í¤',É,“,“,é•Ä¤'Novell, Inc.,ì“o~^¤¤•W,Å,·¤B
Link Support Layer,“,æ,Ñ LSL,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
ManageWise,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NE2000,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare,í¤A•Ä¤',È,ç,Ñ,É'¼,í¤',É,“,“,é•Ä¤'Novell, Inc.,ì“o~^¤¤•W,Å,·¤B
NetWare 3,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare 4,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare Client,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare Core Protocol,“,æ,ÑNCP,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare Directory Services,“,æ,ÑNDS,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare DOS Requester,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare/IP,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare Loadable Module,“,æ,ÑNLM,í¤A•Ä¤' Novell, Inc.,ì¤¤•W,Å,·¤B
NetWare Management System ,“,æ,ÑNMS,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
NetWire,í¤A•Ä¤',È,ç,Ñ,É'¼,í¤',É,“,“,é•Ä¤'Novell, Inc.,ì“o~^¤¤•W,Å,·¤B
Network Support Encyclopedia Professional Volume,“,æ,ÑNSEP,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Novell,í¤A•Ä¤',È,ç,Ñ,É'¼,í¤',É,“,“,é•Ä¤'Novell, Inc.,ì“o~^¤¤•W,Å,·¤B
Novell Application Notes,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Novell Authorized Reseller,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Novell Gold Partner,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Novell Labs,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Novell Network Symbol,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Novell Platinum Partner,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Novell Technical Services,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Open Data-Link Interface,“,æ,ÑODI,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Packet Burst,í¤A•Ä¤' Novell, Inc.,ì¤¤•W,Å,·¤B
SPX,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Storage Management Services,“,æ,ÑSMS,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B
Virtual Loadable Module,“,æ,ÑVLM,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B

fT¤[fhfp¤[fefB,ì¤¤•W

CompuServe,í¤ACompuServe, Inc.,ì“o~^¤¤•W,Å,·¤B
Hewlett Packard,“,æ,ÑHP,í¤AHewlett-Packard Company,ì“o~^¤¤•W,Å,·¤B
IBM,í¤AIInternational Business Machines Corporation,ì“o~^¤¤•W,Å,·¤B
Intel,í¤AIIntel Corporation,ì“o~^¤¤•W,Å,·¤B
Microsoft,í¤AMicrosoft Corporation,ì“o~^¤¤•W,Å,·¤B

MS,í AMicrosoft Corporation,ì“o~^í ¤•W,Å,· B
MS-DOS,í AMicrosoft Corporation,ì“o~^í ¤•W,Å,· B
Netscape,í A Netscape Communications Corporation,í ¤•W,Å,· B
Netscape Navigator,í A Netscape Communications Corporation,í ¤•W,Å,· B
Network Driver Interface Specification,“,æ,ÑNDIS,í APC-Plus Communications LP,í ¤•W,Å,· B
OS/2,í AIinternational Business Machines Corporation,í“o~^í ¤•W,Å,· B
PostScript,í AAdobe Systems Incorporated,í“o~^í ¤•W,Å,· B
Unicode,í A Transoft Ltd.,í“o~^í ¤•W,Å,· B
Windows,í AMicrosoft Corporation,í“o~^í ¤•W,Å,· B
Windows 95,í AMicrosoft Corporation,í ¤•W,Å,· B
Windows NT,í AMicrosoft Corporation,í ¤•W,Å,· B

fAfvfŠfP[fVftf“,ÉŠÖ,·,é-â’è,ifgf‰ofuf<fvf...][fefBf“fO

- fAfvfŠfP[fVftf“,É,f^fXfNfXfCfbf`ff,Ü,½,f^fXfNfXf[fbfp,aŠÜ,Ü,ê,Ä,¢,Ü,·,©]B
f^fXfN]Ø,è’Ö,·,fTf|][fg,ð-³CEø,É,µ,Ä,,¾,³,¢]BCClient 32*,f^fXfNfXfCfbf`ff,ðfTf|][fg,µ,Ä,¢,Ü,¹,ñ]B
- fAfvfŠfP[fVftf“,í“Á’è,iftfCE][f€f^fCfv,ðŽg—p,µ,Ä,¢,Ü,·,©]B
fAfvfŠfP[fVftf“,aŽg—p,·,é1ŽY~—f{][fh,iftfCE][f€f^fCfv,ð]Y’è,µ,Ä,,¾,³,¢]B’Ê]AClient 32,í•K—v,ÈftfCE][f€f^fCfv,ðCEY]o,µ]A1ŽY~—f{][fh,ð“K]Ø,É]Y’è,µ,Ü,·]B,µ,©,µ]A,±,i]Y’è,ðfT][fU,ðŽè“®,ÅŽw’è,µ,È,·,ê,ł,È,ç,È,¢,±,Æ,à,·,è,Ü,·]B
- f][fNfXfe][fVftf“,Àf]f,fS,·•s’«,µ,Ü,µ,½,©]B
]Ú]x,í]f]fNfXfe][fVftf“,if]f,fS,ÉŠÖ,·,é-â’è,í‰]CE^•û-@,ðŽQ]Æ,µ,Ä,,¾,³,¢]B

*fmfxf,í]x•W]@**fT][fhfp][fefB,í]x•W
]Ú]x,í]x•W,ðŽQ]Æ,µ,Ä,,¾,³,¢]B

fn [fhfEfFfA, É, æ, é Ø, è • a, -

žg—p, µ, Ä, ç, éfn [fhfEfFfA, ð’l’ð, µ, Ä,, ¾, ³, ç] B

- Intel** 80286^È’O, ìCPU(Ü, ½, í, », ìŒÝŠ·CPU)
- fffBfxNfcefxf [fNfxfe] [fvftf“
- PCfj] [fh(PCMCIA), iflfbfgf [fNfAf_fvf^
- fq] [fNf“fSf“fOflfbfgf [fNfAf_fvf^

*fmfxf, ì¤•W@**fT [fhfp] [fefB, ì¤•W
Ú¤x, ì¤•W, ðŽQÆ, µ, Ä,, ¾, ³, ç] B

f\ftfgfEfFfA,É,æ,éØ,è•¤,-

Žg—p,µ,Ä,¢,éf\ftfgfEfFfA,ð'l'ð,µ,Ä,,¾,³,¢B

- Windows** 95**.jf\ftfgfEfFfA,ð'l'ð,µ,Ä,,¾,³,¢B
- DOS"ÅGroupWise*
- JetAdmin
- Windows NT**

*fmfxf<,í¤¤•W¤@**fT¤[fhfp¤[fefB,í¤¤•W
¤Ú¤x,í¤¤•W,ðžQ¤Æ,µ,Ä,,¾,³,¢B

DOS"ÀGroupWise,ìfgf‰oſuf<ſVſ...■[ſefBſ“ſO

DOS"ÀGroupWise*,ðŽÀſs,·é,É,íA/dafRf}f“fhf‰oſCf“fXfCfbf`ðŽg—p,μ,Ü,·B,±,ìfXfCfbf`íDOSf^fXfNØ,è'Ö,|API,ìfTf|Ø[fg,ð-³Œø,É,μ,Ü,·BCClient 32*,íf^fXfNfXfCfbf`ff,ðfTf|Ø[fg,μ,Ä,¢,Ü,¹,ñB

*fmfxf<,í¤•W@**fTØ[fhfpØ[ſefB,í¤•W
ØÚ¤x,í¤•W,ðŽQÆ,μ,Ä,,¾,³,¢B

fCf“fXfg@[f<,ÉŠÖ,·,é-â’è,]fgf%ofofuf<fvf...[]fefBf“fO

- ,ç,,ê,©,íftf@fCf<,ðfXfLfbfv,µ,Ü,¹,ñ,À,µ,½,©ïB
ftf@fCf<,äŒ©,À,©,ç,È,©,Á,½,±,Æ,ð'É'm,·,éfïfbfZï[fW,äfCf“fXfg@[f<,í“r't,À•\Ž|,³,é,é,±,Æ,ä, ,è,Ü,·ïB,±,ífïfbfZï[fW,ä•\Ž|,³,é,½,çïACopy files from:fvfï[f“fvfg,í%o°,É•\Ž|,³,é,éfpfX,ðïAftf@fCf<,ä“ü,À,Ä,¢,éftfHf<_,É•íïX,µ,À,,¾,³,¢ïB
ftf@fCf<,ðfXfLfbfv,·,é,ÆïAClient 32*,íï³,µ,“®ï,µ,È,,È,è,Ü,·ïB
- fCf“fXfg@[f<fpfX,É‘,¢ftf@fCf<-½,ðŽï,ÀftfHf<_,äŽw’è,³,é,À,¢,Ü,¹,ñ,©ïB
Client 32,ífCf“fXfg@[f<fvfï[fOf%ofof(SETUP.EXE),Ó,ífpfX,É,íïA‘,¢ftf@fCf<-½,ðŽï,ÀftfHf<_,ðŽw’è,À,«,Ü,¹,ñïBfpfX“à,ì,·,x,À,íftfHf<_,í8.3,íftf@fCf<-½-¼<K-ñ,Éï€‘,µ,À,¢,È,~,é,î,È,è,Ü,¹,ñïB
‘,¢ftf@fCf<-½,ðŽï,½,È,¢ftfHf<_,©,çSETUP.EXE,ðŽÀïs,µ,À,,¾,³,¢ïB
- fTï[fo,©,çWindows** 95**,ðŽÀïs,µ,æ,¤,Æ,µ,À,¢,Ü,¹,ñ,©ïB
Client 32,À,ífTï[fo,©,çWindows 95,ðŽÀïs,À,«,Ü,¹,ñïB
- Client 32 TCP/IPfvfïfgfRf<fxf^fbfN,ðŒ©,À,~,æ,¤,Æ,µ,À,¢,Ü,¹,ñ,©ïB
Client 32,íŒ»ÝTCP/IPfvfïfgfRf<fxf^fbfN,ð'ñ,µ,À,¢,Ü,¹,ñïBTCP/IPfTfï[fg,ä•K—v,Èïéï‡,íïAMicrosoft** TCP/IPfvfïfgfRf<,ðŽg—p,µ,À,,¾,³,¢ïB

"ñ'í~bŒ^,ífCf“fXfg@[f<,íïêï‡

- DOS,Ü,½,íWindows,ÀfTï[fofxï[fX,ífZfbfgfAfbfvfvfï[fOf%ofof(NETSETUP.EXE),ðŽÀïs,µ,æ,¤,Æ,µ,Ü,¹,ñ,À,µ,½,©ïB
fTï[fofxï[fX,ífZfbfgfAfbfvfvfï[fOf%ofof,íWindows 95,ÀŽÀïs,µ,È,~,é,î,È,è,Ü,¹,ñïBWindows
3.x,À,àŽÀïs,À,«,Ü,~,¤ïAWindows 95,ðfTï[fofCf“fXfg@[f<fpfX,ÉfRfsï[·,é,±,Æ,í,À,«,Ü,¹,ñïB
- DOS,Ü,½,íWindows,ÀINFfCf“fXfg@[f<fvfï[fOf%ofof(INFINST.EXE),ðŽÀïs,µ,æ,¤,Æ,µ,Ü,¹,ñ,À,µ,½,©ïB
INffCf“fXfg@[f<fvfï[fOf%ofof,íWindows 95,ÀŽÀïs,µ,È,~,é,î,È,è,Ü,¹,ñïB

*fmfxf<,íï¤•Wï@**fTï[fhpï[fefB,íï¤•W
Úï¤x,íï¤•W,ðŽQïÆ,µ,À,,¾,³,¢ïB

LANfhf‰oCfo,fgf‰ofuf·fvf...[fefBf“fo

- 16frfbfgDOS ODI* LANfhf‰oCfo,ðŽg—p,·,éflfbfgf‰oCfo,ð•;”Žg—p,μ,Ä,¢,Ü,¹,ñ,©B
☐l,!,ç,ê,é-â’è,É,Ä,íAClient 32* README.TXTftf@fCf<,ðŽQÆ,μ,Ä,,³/₄,³,¢B
- fpftfH[f}f“fx,ì’á‰o,âfhf‰oCfofGf‰o[,º”¶,μ,Ä,¢,Ü,¹,ñ,©B
žY,ì•û-@,ì,ç,ê,©,ÅLANfhf‰oCfo,ðXV,·,é,æ,x,É,μ,Ä,,³/₄,³,¢B
- Client 32,É•t’®,ì32frfbfgfhf‰oCfo(CNE2000.LAN,È,Ç),ðŽg—p,μ,Ä,,³/₄,³,¢B
- flfbfgf‰oCfo,ð•;”¶,μ,Ä,,³/₄,³,¢B
flfbfgf‰oCfo,ð•;”¶,μ,Ä,,³/₄,³,¢B
- NetWare* 4.1ftfo—p,ìÅV,ì32frfbfgfTfofghf‰oCfo,ðŽg—p,μ,Ä,,³/₄,³,¢B
- Client 32,É•t’®,ì16frfbfgODIfhf‰oCfo(NE2000.COM,È,Ç),ðŽg—p,μ,Ä,,³/₄,³,¢B

*fmfxf<,ì¤•W@**ftfofhp[fefb,ì¤•W
Ú¤x,ì¤•W,ðŽQÆ,μ,Ä,,³/₄,³,¢B

f\fofcf“,ÉŠÖ,·,é-â‘è,ifgf%ofofuf<fvf...\\[fefBf“fo

- fl\{[f\{fRf“fefLfxfg,^,μ,Ü’è,^,é,Ä,ç,Ü,·,©\B
Novell* NetWare* Client* 32*fvf\fpfeBfV\{fg,ìName contextfpf%ofof\{f^,ì'l,ðf`fFfbfN,μ,Ä,,^,^,ç\B
- f\{[f^,^,fEf“,μ,Ä,ç,Ü,^,ñ,©\B
f\{[fNfxfe\{fvf\{f“,Æflfbfgf\{[fN,ÉšÖ,Éf\{[f^,^,é\{ê\{,íA,»,ìf\{[f^,^,é\{N“®,μ,Ä,ç,Ä“®\{t,Ä,È,ç,Æ\{Af\{[fNfxfe\{fvf\{f“,©,çflfbfgf\{[fN,Éf\{OfCf“,Ä,«,Ü,^,ñ\B
- IPX*,^,μ,ç~—\{f\{fh,Éfofcf“fh,^,é,Ä,ç,Ü,·,©\B
IPX,ìfofcf“fh\æ~—\{f\{fh,ìftf\{E\{f\{f\{fCfv,^,ä\{Af\{fbfgf\{[fN\{ä,ìfT\{[fo,äf\{[fNfxfe\{fvf\{f“,Åžg—
p,^,é,Ä,ç,éftf\{E\{f\{f\{fCfv,Æ“é‘v,μ,Ä,ç,é,©\{S\{,©,β,Ä,,^,^,ç\B\{m1žY~—
f\{[fh\{n,Æ\{mžY,ìftf\{E\{f\{f\{fCfv,^,žg—p\{n,ìY’è,ðf`fFfbfN,μ,Ä,,^,^,ç\B
- flfbfgf\{[fNfP\{[fuf\{,^,ä\{flfbfgf\{[fNfAf_fvf\{,É\{U’±,^,é,Ä,ç,Ü,·,©\B
flfbfgf\{[fNfP\{[fuf\{,^,ä\{[fNfxfe\{fvf\{f\{ä,ìflfbfgf\{[fNfAf_fvf\{,É\{U’±,^,é,Ä,ç,é,±,Æ,ðS\{,©,β,Ä,-
,^,^,ç\B
- LANfhf%ofofCfo,^,ä\{fh,^,é,Ä,ç,é,±,Æ,ðS\{,©,β,Ä,,^,^,ç\B
LANfhf%ofofCfo,^,ä\{[fh,^,é,Ä,ç,é,±,Æ,ðS\{,©,β,Ä,,^,^,ç\B
- PC Card(PCMCIA)flfbfgf\{[fNfAf_fvf\{,^,ä\{’•...,^,é,Ä,ç,Ü,·,©\B
PCfj\{[fhfbfgf\{[fNfAf_fvf\{,^,ä\{fm\{[fgfufbfNfRf“fsf...\\[f^,Ü,^,íf%ofofbfvfgfbfvfRf“fsf...\\[f^,É‘•...,^,é,Ä,ç,
,é,±,Æ,ðS\{,©,β,Ä,,^,^,ç\B
- GUI\{[fOfCf“st\{[fefBf\{fefB(LOGINW95.EXE),^,ä\{Nf%ofofCfAf“fgf\{[fNfxfe\{fvf\{f“,ìf\{[f]f\{fhf%ofofCfu,É, ,
é,Ü,·,©\B
LOGINW95.EXE,ìflfbfgf\{[fN,©,ç,ížA\{s,Ä,«,Ü,^,ñ\B
- \{mMS-DOS** fv\{f“fvfg\{nfEfBf“fhfE,^,ä\{S\{,ç,^,Ü,Ü,É,È,Ä,Ä,ç,Ü,^,ñ,©\B
\u\#\{vfRf\}f“fh(\#CAPTURE,É,C),ðžw’è,μ,^,ä\{f\{OfCf“fx\{Nf\{fvg,ðžg—
p,·,é,Æ\{A\{S\{#\{vfRf\}f“fh,ðžA\{s,·,é,^,ä\{mMS-DOS fv\{f“fvfg\{nfEfBf“fhfE,^,ä\{S\{,«,Ü,·,ä\{B\{S\{,ç,Ä,ç,
,é\{EfBf“fhfE,^,æ,éžY,ì\{’\{,ðžA\{s,·,é,Æ\{A\{mMS-DOS fv\{f“fvfg\{nfEfBf“fhfE,^,ä\{Z\{“®“I,É•Ä,¶,é,æ,\{
,é,Ä,«,Ü,·\B
- 1. \{mMS-DOS fv\{f“fvfg,ìfv\{fpfeB\{n,ð•\{ž!,μ,Ä,,^,^,ç\B
a. \{mMS-DOS fv\{f“fvfg\{nfEfBf“fhfE,ì\{’\{ä<\{,ðfNf\{S\{fbfN,μ,Ä,,^,^,ç\B
b. \{mfv\{fpfeB\{n,ð•\{ž!,μ,Ä,,^,^,ç\B
- 2. \{mfv\{fpfeB\{n,ð•\{ž!,μ,Ä,,^,^,ç\B
^žž,ÉfEfBf“fhfE,ð•Ä,¶,é\{nf\{FfbfNf\{fbfNfX,Éf`fFfbfNf\{[fN,ð•t,^,ä,,^,^,ç\B
- 3. \{mOK\{n,ð•\{ž!,μ,Ä,,^,^,ç\B

*fmfxf\{,ì\{’\{W\{@**fT\{[fhfp\{[fefB,ì\{’\{W
Ü\{x,ì\{’\{W,ðžQ\{Æ,μ,Ä,,^,^,ç\B

fvfšf“f^Y’è,ifgf‰uf:fVf...][fefBf“fo

- HP** JetAdmin(NetWare*fTf]fg)fT][frfX,Ü,½,íHP
JetAdminfT][frfX,ðfCf“fxfg][f<,μ,Ü,¹,ñ,Ä,μ,½,©B
,±,í2,Ä,]fT][frfX,íClient 32*fVf gfEfFfA,ÆŒÝŠ·»«,², ,è,Ü,¹,ñB
JetAdmin,ÆClient 32,ðZÄs,·,é,É,íAWindows** 3.x—p,É»¬,³,ê,½NetWare”ÄHP JetAdminf
ftfgfEfFfA,ðZg—p,μ,Ä,,¾,³,¢BCE»Zž“_Ä,íA,±,]fVf gfEfFfA,ÍNOVUT1.EXE,ÆNOVUT2.EXE,Æ,¢,x-
¼’O,ÄAfCf“f^flfbfg,]fz][f€fy][fWftp://f,”p.hp.com/html/novell.html,©,ç“üZè,Ä,«,Ü,·B
- -Ú“I,]fvfšf“fgfLf...][,ðŒ©,Ä,“,é,Æ,«,É-â’è,²”¶,μ,Ü,¹,ñ,Ä,μ,½,©B
flfbfgf][fNfvfšf“f^,ðY’è,·,é,É,íAfIfbfgf][fNfRf“fsf...][f^,Ü,½,íGfNfXfvf][f‰o,ðZg—
p,μ,ÄAfVfšf“fgfLf...][,ðŒ©,Ä,“A,»,)fvfšf“fgfLf...][,ðSj,¢,Ä,-
,¾,³,¢BZÝ,ÉAfVf][“fvfg,ÄmYes][n,ð’l’ð,μ,½, ,ÆA]mfvfvšf“f^fEfBfU][fh][n,ðZg—p,μ,Ä,-
,¾,³,¢BÚx,íAfIfbfgf][fNfvfšf“f^,íY’è,ðZQ]Æ,μ,Ä,,¾,³,¢B

*fmfxf<,í¤•W@**fT][fhfp][fefB,í¤•W
Úx,í¤•W,ðZQ]Æ,μ,Ä,,¾,³,¢B

ftf@fCf<•Ù‘¶,ífgf‰ofuf<fvf...■[fefBf“fo

«—L^á”½,ð•\,·fGf‰■[f]fbfZ■[fW,ðžó,¬žæ,Á,½ê‡,í■AOpportunistic_Locking,í'l,ð■moff■n,É■Y'è,μ,Ä,Y,Ä,,¾,³,¢■B

PCfJ■[fhflfbfgf■■[fNfAf_fvf^,ifgf%o fuf<fvf...■[fefBf“fO

PCfJ■[fh(PCMCIA)fIfbfgf■■[fNfAf_fvf^,²³,μ,'•'...³,ê,Ä,é,±,Æ,ðŠm,©,ß,Ä,³/₄,³,¢■B

fgfg“fSf“fOfIfbfgf^{fg}[fNfAf_fvf^,ifgf%o fu fVf...][fefBf“fO

fgfg“fSf“fOfIfbfgf^{fg}[fN,Äf[Xf<][fefBf“fOfufSfbfW,ðŽg—p,μ,Ä,¢,é]é]f[Af][fXf<][fefBf“fO—p,ÉSÀ<<]Y’è,μ,Ä,,^{3/4},³,¢B]U]x,í]A32frfbfgODI*—p,if[Xf<][fefBf“fO,í]SÀ<<]Y’è,Ü,^{1/2},í]NDIS**—p,if[Xf<][fefBf“fO,í]SÀ<<]Y’è,ðŽQ]Æ,μ,Ä,,^{3/4},³,¢B

*fmfxf<,í]¤•W]@**fT][fhfp][fefB,í]¤•W
]U]x,í]¤•W,ðŽQ]Æ,μ,Ä,,^{3/4},³,¢B

fmx_ff_efNfjflf_fT_T[frfX,É,Â,¢,Ä

fmx_ff_e,©,ç»»í,ðw“ü,·,éê‡A•K—v,È<ZpÛî•ñ,ð'ñ<Ý,·,éfT[frfX,ð,¢,ë,Æ—p^Ó,µ,Ä, ,è,Ü,·Bfmx_ff_e,Å,íÅ‰‰,©,çZ,í,,¢fefNfjflf_fT[frfX,ð'ñ<Ý,·,é,±,Æ,ð-U•W,Æ,µ,Ä, ,èA,±,íÆŠE,ÅÅ,àŒoŒ±-L•x,ÉfT[frfXfOf_f[fv,©,çfT[frfX,ðZÓ, ,ç,é,Ü,·B

fefNfjflf_fT_f|||[fg,É,í,¢,Â,©,íZí—þ,^—p^Ó,³,ê,Ä,¢,Ü,·B

- NetWire*,©,ç,í<ZpÛî•ñžæ“³/
- NSEPro*,ífT[frfX
- fmx_ff_efNfjflf_fT_T[frfX,Ö,í-â,¢‡,í,¹
- ,“<ß,ífmx_ff_eŒû,Ö,í-â,¢‡,í,¹

*fmx_ff_e,í¤•W@**fT[frfp[fefB,í¤•W
Ú¤x,í¤•W,ðZQÆ,µ,Ä,³/⁴,³,¢B

fgf‰uffVf...|[fefBf“fO,É,Â,¢,Ä

'Ê»íAClient 32*,ÍWindows** 95**f[]fNfXfe[]fVftf“,Å»³í,É”®í,µ,Ü,·B-â’è,²”¶,µ,½ê‡,É,íA,± ,ífwf,fvftf@fCf^ç,çfgf‰uffVf...|[fefBf“fOí•ñ,ðŒÝð,µAŒ`^ö,ðŒ©,Â,¬,ÅA-â’è,ðC³,µ,Ä,,³/4,³,¢B
fgf‰uffVf...|[fefBf“fO,É,Â,¢,Ä,íÚx,íAClient 32 README.TXTftf@fCf^àZQÆ,µ,Ä,,³/4,³,¢B
”¶,µ,½-â’è,É,Â,¢,Äà-³/4,³,ê,Ä,¢,éê‡A’Èí,íSÈ’P,È‰øðŒ^•û-@,â‰øñ”ð•û-@,²ž!,³,ê,Ä,¢,Ü,·B

*fmfxf^ç,í¤•W@**fT[fhfp|[fefB,í¤•W
íÚx,í¤•W,ðZQÆ,µ,Ä,,³/4,³,¢B

Windows NT

NetWare* Client* 32* for Windows** 95**, íÀWindows NT**, à“ ®ì, ·, éfíí[fNfXfeí[fVfíí, Å, íí³, µ,-“ ®ì, µ, Ü, ¹, ñíB

*fmfxf<, í¤•W@**fTí[fhfpí[fefb, í¤•W
íÚ¤x, í¤•W, ðZQíÆ, µ, Å, , ¾, ³, ¢íB

