

Version=2.10 Novell Client 32 Installation Help

Copyright=(c) Copyright 1994-1996, Novell, Inc. All rights reserved.

ADMIN.CFG

, ±, ê, í, Æ Admin.iffthfg, iŠÂ««'ètf@fCf—á, Å, ·B

fRfs

CD-ROM: @NIHONGOftfHf<f_

ftf **fbs** **[ffBfXfN:** @fZfbfgfAfbjvftf fbs [ffBfXfN

fRfs **[æ:** @\NOVELL\CLIENT32

AUTOEXEC.BATftf@fCf<

Client 32*,Äf,fWf...[f<,ðf[]fh,·,é[]é[]#[]A'É[]í,íAUTOEXEC.BATftf@fCf<,ðŽg—
p,μ,Ü,¹,ñ[]B,μ,©,μ[]A16frfbfjgODILANfhf%°fCfo,ðŽg—p,μ,Ä,ç,é[]é[]#[]A•K—v,Èf,fWf...
[]f<,íAUTOEXEC.BATftf@fCf<,ðŽg—p,μ,Äf[]fh,μ,Ü,·[]BŽÿ,É[]A16frfbfjgODILANfhf%°fCfo,É•K—
v,ÉAUTOEXEC.BATftf@fCf<“à,ìŽw'è—ñ,ðŽ!,μ,Ü,·[]B

C:\NOVELL\NWCLIENT\LSL.COM -C=C:\NOVELL\NWCLIENT\NET.CFG

C:\NOVELL\NWCLIENT\N16ODI.COM

C:\NOVELL\NWCLIENT\NESL.COM

C:\NOVELL\NWCLIENT\NE2000.COM

fl[f€fxfy[fX,ì'Ç%Á,ÉŠÖ,·,éf[f,

ADD NAME SPACEfRf}f“fh,đŽg—p,μ,Äfl[f€fxfy[fX,đ1%ň,¾, f{fŠf...[f€,É'Ç%Á,·,é•K—v,^a, ,è,Ü,·B


fl[f€fxfy[fX,đ'Ç%Á,μ,½f{fŠf...[f€,đf}fEf“fg,·,é,½,Ñi,½,Æ,ì,îAfT[fö,đ<N“@,·,é,½,Ñj,ÉA'î

%ž,·,éf[f€fxfy[fXf,fWf...[f<,ž©“@f[fh,³,è,Ü,·B,μ,½,^aÁ,ÄAAUTOEXEC.NCfftf@fCf<,ÉADD NAME

SPACEfRf}f“fh,đ“ü,é,é•K—v,ì, ,è,Ü,¹,ñB

TCP/IP fTfj [fg, i' Ç%oÁ

□d—v: □@TCP/IP, ð□³, μ, □Ý'è, ·, é, É, Í □AWindows** 95**, ìCABftf@fCf<, ÉfAjNfZfX, ·, é•K—v,ª, ,è,Ü, ·□B

1.  , ðfNfSfjbfN, μ, Ä □Afrf“fgf□□[f<fpf]f<, ì□mf]fbfgf□□[fN□n, ð•\Ž|, μ, Ä,, ¾, ¾, ¾, ç□B
2. □m'Ç%oÁ□n, ð'í'ð, μ, Ä,, ¾, ¾, ¾, ç□B
3. □mfvf□fgfRf<□n, ð'í'ð, μ, Ä,, ¾, ¾, ¾, ç□B
4. □m'Ç%oÁ□n, ð'í'ð, μ, Ä,, ¾, ¾, ¾, ç□B
5. □mMicrosoft□n, ð'í'ð, μ, Ä,, ¾, ¾, ¾, ç□B
6. □mTCP/IP□n, ð'í'ð, μ, Ä,, ¾, ¾, ¾, ç□B
7. □mOK□n, ð'í'ð, μ, Ä,, ¾, ¾, ¾, ç□B
8. f]fbfgf□□[fN, É□±, í, ¾, ÄTCP/IPfvf□fgfRf<, ðŠÂ<<□Ý'è, μ, Ü, ·□B
9. □mOK□n, ð'í'ð, μ, Ä,, ¾, ¾, ¾, ç□B

*fmfxf<, ì□x•W□@**fT□[fhfp□[fefB, ì□x•W
□Ú□x, ì□x•W, ðŽQ□Æ, μ, Ä,, ¾, ¾, ¾, ç□B

Admin, lffftfHf<fg

ŠT—v

ADMIN.CFGftf@fCf<,ÉŠÂ<<Ÿ'è, lffftfHf<fg'l,đŽw'è,·,é,Æ□AClient 32*,đŠÈ'P,ÉfCf"fXfg□[f<,Á,«,Ü,·□B,±,İŠÂ<<Ÿ'è•û-@,İ□ANET.CFG,İ□•¶,ÉŠµ,é,Ä,ç,éŠÇ—□ZÖ,³Client 32,İfCf"fXfg□[f<,ÆŠÂ<<Ÿ'è,đ"~Žž,É□s,µ□è□#,Á□AfVfXfefēfJfŠfV□[fGfffBf^,đŽg—p,Á,«,É,çŠÂ<<Ÿ'è,³•K—v,Æ,ç,µ,Æ,«,É"K,µ,Ä,ç,Ü,·□B

□mAdmin Defaults□nflfvfVf#f"

ADMIN.CFGftf@fCf<,İ'æ1□s-Ú,É,İ□uAdmin Defaults□v,Æ•\Ž!,³,é,Ä,ç,é,Í,.,Ä,·□B,±,é,İ□Admin, lffftfHf<fg,İ□V,µ,çŠÂ<<Ÿ'èflfvfVf#f",Á,·□B,±,İflfvfVf#f",İfpf %of□□[f^,İOVERWRITE,ÆVERSION,Ä,·□B

OVERWRITEfjpf%of□□[f^

OVERWRITEfjpf %of□□[f^,İ'l,İ□mTRUE□n,Æ□mFALSE□n,Á,·□B□mTRUE□n,Ä,İ□AADMIN.CFGftf@fCf<,İ,·,x,Ä,İŠÂ<<Ÿ'è,şfCEfWfXfgfŠ,É□',«□ž,Ü,é,Ü,·□B□mFALSE□n,Á,İ□AADMIN.CFGftf@fCf<,İŠÂ<<Ÿ'è,şfCEfWfXfgfŠ,É'¶□Ÿ,µ,É,ç□è□#,³/4,~□',«□ž,Ü,é,Ü,·□B

VERSIONfjpf%of□□[f^

VERSIONfjpf%of□□[f^,İ□m0□n□`□m4□n,□m294□n,□m967□n,□m295□n,İ□"'l,Á,·□B,±,İ'l,şfCEfWfXfgfŠ,É•Ü'¶,³,é,Ä,ç,éADMIN.CFGfo□[fWf#f"'l,æ,è'â,«,ç□è□#□AADMIN.CFGftf@fCf<,İŠÂ<<Ÿ'è,şfCEfWfXfgfŠ,É□',«□ž,Ü,é□A,±,İ□"'l,şfCEfWfXfgfŠ,É□mV,µ,çfo□[fWf#f"'Ō□†,Æ,µ,Ä•Ü'¶,³,é,Ü,·□BADMIN.CFGfo□[fWf#f"'l^É%º,İ□è□#□A,±,İ'l,İ□',«□ž,Ü,é,·□AfCEfWfXfgfŠ,İ□Ÿ'è,İ•İ□X,³,é,Ü,¹,ñ□BClient 32,đ□%º,ß,ÄfCf"fXfg□[f<,·,é□è□#□Afo□[fWf#f"'Ō□†,İfCEfWfXfgfŠ,É□Ÿ'è,³,é,Ä,ç,Ü,¹,ñ□B,±,İ□è□#□Afo□[fWf#f"'Ō□†,đŠÜ,þAdmin, lffftfHf<fg,şfCEfWfXfgfŠ,É□',«□ž,Ü,é,Ü,·□B

Admin, lffftfHf<fg—á

Admin Defaults

Overwrite = false

Version = 0

f□f,

- ADMIN.CFGftf@fCf<,İ□AClient 32,đfCf"fXfg□[f<,·,é,İ,ÉŽg—p,·,éSETUP.EXEftf@fCf<,Æ"~,¶ftfHf<f_É,É,~,é,İ,É,è,Ü,¹,ñ□B
- ADMIN.CFGftf@fCf<,ÁŽw'è,Á,«,éŠÂ<<Ÿ'è,É,Ä,ç,Ä,İ□ANWCFG95.HLPftf@fCf<,İAdmin, lffftfHf<fgfjpf %of□□[f^,đŽQ□Æ,µ,Ä,,³/4,³,ç□B

*fmfxf<,İ□µ•W□@**fT□[fhfp□[fefB,İ□µ•W □Ū□x,İ□µ•W,đŽQ□Æ,µ,Ä,,³/4,³,ç□B

ACU(Automatic Client Upgrade),i"à—e

ACU(Automatic Client Upgrade),iŠT—v

ACU,iŠT—v

ft[]fU,É•Ži,³,ê,éf_fCfAf[]fOf{fbfNfX

ACU,i<@"

ACUfCf"fXfg[]f<ftfHf<f_,i[]i[]—

f[]fOfCf"fXfNfŠfvfg,i[]C[]³

MS,iNetWaref[]fbfgf[]fNfNf%ofCfAf"fg,iŽg—p

<[]\$AfbfvfOfCE[]fh

*fjmfxf<,i[]x•W[]@**fT[]fhfp[]fjefB,i[]x•W

[]U[]x,i[]x•W,ðZQ[]Æ,μ,Ä,,³/4,³,ç[]B

ACU(Automatic Client Upgrade),İŞT—v

,İ,ŋ,ß,É

fmfxf<,İACUİACU Automatic Client Upgradeİj,İANetWare* Client* 32* for Windows** 95**fł
ftfgfEjFfA,đŽ©“@“İ,ÉfAfbfvfOfCEİfh,μ,Û,·BACU,İAflfbfgfİİfNŞÇ—
İŽÖ,âfİfOfCf“fXfNfŞfvfg,ĂŽw’è,μ,½Žèİİ,đŽĂs,μAfİfOfCf“Žž,ÉfNf
%ofCfAf“fg,đŽ©“@“İ,ÉfAfbfvfOfCEİfh,μ,Û,·B,Û,½AMS,İNetWareflfbfgfİİfNfNf
%ofCfAf“fg,àfAfbfvfOfCEİfh,μ,Û,·BACU,İANETXfvfİfOf%of€,âVLM*fvfİfOf%of€,Ă,İŽg—p,Ă,«,Û,¹,ñİB
ACU,đŽg—p,·,é,É,İAŞÇ—İŽÖ,âİİ%oo,ÉNetWare Client 32 for Windows
95fCf“fXfgİf<ftf@fCf<,ÆWindows 95fCf“fXfgİf<.CABftf@fCf<,đftfHf<f_,É“ü,è,Û,·BfNf
%ofCfAf“fg,İfİfOfCf“t,İA,±,İftfHf<f_,©,ç,±,è,ç,İftf@fCf<,đ“Ç,Ýİo,·,±,Æ,^aĂ,«,Û,·BŞÇ—İŽÖ,İŽÿ,É,±
,İftfHf<f_,©,çACU,đŽĂs,·,éŽèİİ,đAfİfOfCf“fXfNfŞfvfg,É’Ç%oĂ,μ,Û,·BfAfbfvfOfCEİfh,İ•K—
v,^a,É,çİèİİAfNf%ofCfAf“fgfİfOfCf“,âÉİ,Ç,“,è,ÉŽĂs,³,è,Û,·B,μ,©,μAfİİfNfXfeİfVf#f“,İfNf
%ofCfAf“fgfoİfWf#f“,âfTİfofoİfWf#f“,Æ^Û,É,éİèİİAIV,μ,çftf@fCf<,âŋİY,·,é,±
,Æ,đŽ!,·f_fCfAfİfOf{fbfNfX,^a·\Ž!,³,è,Û,·BfNf%ofCfAf“fgfł
ftfgfEjFfA,đfAfbfvfOfCEİfh,·,éİèİİ,İm’±İsİfVfVf#f“,đAfAfbfvfOfCEİfh,đfLfff“fZf<,·,éİèİİ,İmfLfff“fZf
<İnfİfVfVf#f“,đ’İđ,μ,Û,·B

*fmfxf<,İİ•Wİ@**fTİfHfpİfefB,İİ•W
İÛİx,İİ•W,đZQİÆ,μ,Ă,,³/₄,³,çİB

fP[fufŠf“fo,ÉŠÖ,·,éf[f,

- fP[fufŠf“fo—vCE,É,Â,ç,Ä,ÍAfifbfgf[fNf{[fhf[fj[.ìf}fjf...fAf<,đŽQAE,μ,Ä,¾,³,çB
- fg[fNf“fŠf“fofifbfgf[fNf{[fh,Â,ÍAfNf%ofCfAf“fgf\ftgfEjFfA,đŽÀs,·,é’O,ÉMAU,ÉfP[fuf<,đÚ’±,μ,È,·,è,Ì,È,è,Ú,¹,ñBÚ’±,μ,È,ç,ÆAfG[fNf“fŠf“fOLANfhf%ofCfo,íf[fh,³,è,Ú,¹,ñB

READMEftf@fCf<,ª•\Ž!,³,ê,È,çê#

mREADME,ì•\Ž!n,đ'!đ,.,é,ÆAWindows**,íC:\NOVELL\CLIENT32\README.TXTftf@fCf<,đŠ),±,¤
,Æ,μ,Û,·BClient 32*,ìREADME.TXTftf@fCf<,ª,±,ìfpfX,É,È,çê#AREADME.TXTftf@fCf<,đCEÝö,μ,Ä,-
,³/4,³,çB

fcf“fxfg[f<flfvVf#f“,i•iX

1. mfCf“fxfg[f<flfvVf#f“n,đ'l'đ,μ,Ä,,¾,¾,çB
2. •K—v,ÉCf“fxfg[f<flfvVf#f“,đY'è,μ,Ä,,¾,¾,çB
3. mOKn,đ'l'đ,μ,Ä,,¾,¾,çB

f,f,

- ,±,±,Ä'½,,ìflfvVf#f“,đY'è,μ,Ä,,¾,¾,çWindows** 95**,ÆClient 32*,đCf“fxfg[f<,é,Æ,«,ÉY'è,đÉ—ª,Ä,«,Û,.B

*fmfxf<,i•W@**fT[fhfp[fefB,i•W
Üx,i•W,đZQÆ,μ,Ä,,¾,¾,çB

MSBATCH.INF,if`fFfbfN

ŽŸ,ìMSBATCH.INFftf@fCf<,ìfL[] ,đAINFfCf“fXfg[]f<fvf[]fOf%of€,â[][]- ,,éfl[] ,Æ” äŠr,μ,Ä,-
,¾,¾,¾,¾B'ì'đ,¾,¾,¾s,ì,Ç,è,©,â^Ù,É,é[]é[]#[]Afwf<fvftf@fCf<,ì'ì'đ,¾,¾,¾s,đfNfŠfbfN,μ[]AZw'è,ì^Ó-i,đ[]à-
¾,μ,Ä,ç,éf[]f,,đ“Ç,Ý[]A•K—v,É%ž,¶,ÄMSBATCH.INFftf@fCf<,đ•ì[]X,μ,Ä,,¾,¾,¾,ç[]B

f[]f,

- MSBATCH.INFpf%of[][]f^,É,Ä,ç,Ä,ì[]Ú[]×,í[]A[]wMicrosoft** Windows** 95**fŠf
[]fXfLfbfg[]x,đŽQ[]Æ,μ,Ä,,¾,¾,¾,ç[]B
- fCf“fXfg[]f<Žž,ÉClient 32,ìfvf[]pfefB,ì'ì,đŽ©“@“ì,É[]Ý'è,·,é,É,í[]AADMIN.CFGftf@fCf<,đŽg—
p,μ,Ü,·[]B

—ā

[Setup]

Express=1
EBD=0
DevicePath=0

[Network]

ComputerName=Sample
Workgroup="Sample Group"
Description="Computer"
Protocols=NWLINK, NOVELLIPX32
Clients=NOVELL32
IgnoreDetectedNetCards=1
NetCards=*PNP8300

[MSTCP]

*fmfxf<,ì[]x•W[]@**fT[]fhhfp[]fefB,ì[]x•W
[]Ú[]×,ì[]x•W,đŽQ[]Æ,μ,Ä,,¾,¾,¾,ç[]B

NetWare Client 32 for Windows 95, ðfwf<fv

ŠT—v

•i X“ ,Æ’Ç%ooÁ“

Client 32*, ðfCf“fXfg[]f<

README

fCf“fXfg[]f<

Client 32, ðŠÂ<<[]Ý’è

ŠÂ<<[]Ý’è

Client 32, ðŽg—p

fgf^ooofuf<fVf...[]fefBf“fO

fqf“fg

flfbfgf[]fN, ðŽg—p

fwf<fv, ð^óü

[]Ž;

[]•W

•Ü[]Ø

*fmfxf<, ð[]•W[]@**fT[]f hfp[]f efB, ð[]•W
[]Ü[]x, ð[]•W, ðŽQ[]Æ, µ, Á, ,³/₄,³, ç[]B


Clients=NOVELL32

INfCf"fxfg[f·fvfOf%of€,^a,±,ìs,ð'Ç%oÁ,μ,Û,·B'¼,lfNf%ofCfAf"fg,í,·,×,Äíœ,μ,Û,·B

ComputerName=Sample

Windows** 95**,Å,í,±,ì'l,ª•K—v,Å,·,ª□AClient 32*,Å,ÍŽg—p,μ,Û,¹,ñ□B
,½,¾,μ□AMS**,ìNetWarelfbfjgf□□[fNfNf%ofCfAf"fg,ª'ñ<Y,·,éfsfAfc□[fsfA,lfbfjgf□□[fN,đŽg—p,μ,Ä,¢
,é□ê□#,í□AfRf"fsf...□[f^-¼□iComputerName□j,ÅŠef□□[fNfXfe□[fVf#f",đŽ~•É,·,é•K—v,ª, ,è,Û,·□B

TCP/IP fTfj [fg, iŠÂ««Ÿ'è


1.  ,đfNfŠfjbfN,μ,ÄAfRf"fgf [f<fpfif<,ìmfjfbfgf [fN [n,đ•\Ž!,μ,Ä,,³/₄,³,ç [B
2. [mTCP/IP [n,đ'! 'đ,μ,Ä,,³/₄,³,ç [B
3. [mfvf [fpfefB [n,đ'! 'đ,μ,Ä,,³/₄,³,ç [B
4. •K—v,É%ž,ŋ,Ä•İ [X,μ,Ä,,³/₄,³,ç [B
5. [mOK [n,đ'! 'đ,μ,Ä,,³/₄,³,ç [B
6. [mOK [n,đ'! 'đ,μ,Ä,,³/₄,³,ç [B

f [f,

■
fjfbfgf [fN,É [†,í,¹,ÄTCP/IPvf [fgfRf<,đŠÂ««Ÿ'è,μ,Ü,· [BNetWare*/IP*,Ä,í [AZè [i<Æ,Ä,Ü,¹/₂,íDHCP,đŽg—
p,μ,ÄDNS,đŠÂ««Ÿ'è,μ,É,·,è,í,È,è,Ü,¹,ñ [B

*fmfxf<,ì [x•W [[@**fT [[fhfp [[fefB,ì [x•W
 [Ü [x,í [x•W,đŽQ [Æ,μ,Ä,,³/₄,³,ç [B

fŠfAf<f, [fh i16frfbfg jNDISfhf%ofCfo, đŽg—p, ., é, ½, B, ÌŠÂ<<Ÿ'è

1.  đfNfŠfbfN, μ, Ä AAUTOEXEC.BATftf@fCf<, đ•İX, μ, Ä,, ¾, ¾, çB
 2. AUTOEXEC.BATftf@fCf<, ÅNET STARTfRf}f“fh, đŽÅs, ., é, æ, x, É, μ, Ä,, ¾, ¾, çB
 3. Client 32*, afnf“fOfAfbfv, μ, ½ê+AClose_Behind_Ticksfpf%of[f^, Ìl, đm0n, ÉŸ'è, μ, Ä,, ¾, ¾, çB
- f f, :** @Close Behind Ticksfpf%of[f^, Ìl, đm0n, ÉŸ'è, ., é, ÆfpftfH[f}f“fX, a'á
%oº, μ, Ü, .B16frfbfgNDISfhf%ofCfo, đŽg—p, ., éê±, ÆClient
32, afnf“fOfAfbfv, ., éê±, ¾, ^m0n, ÉŸ'è, μ, Ä,, ¾, ¾, çB

*fmfxf<, Ìx•W @**fT[fhfp[fefB, Ìx•W
Úx, Ìx•W, đŽQ Æ, μ, Ä,, ¾, ¾, çB

Žg—p—á

Žè#2,Á[]-μ,½ftfHf<f_@C:\C32TEMP,ÁfT[]fo,lfCf“fXfg[]f<fpfX,ªF:\WIN95,ìè[]#AŽÿ,lfRf}f“fh,ðŽg—
p,μ,Ä.INFftf@fCf<,ðfRfs[]l,μ,Ü,·B

- COPY C:\C32TEMP*.INF F:\WIN95
- COPY C:\C32TEMP*.INF F:\WIN95\INF
- COPY C:\C32TEMP*.INF F:\WIN95\SUWIN

NETDEF.INF, ĭfRfs

Žg—p—á

fhf%ofCfuD:,đŽg—p,μ,ÄCD-ROMfhf%ofCfu,ÉAfnfZfX,·,éê±,ÉAMS BATCH SetupfCf“fXfg[f<ftfHf<f_ªF:\WIN95,ĭ,Æ,«AZŸ,ĭfRf}f“fh,đŽg—p,μ,ÄNETDEF.INFftf@fCf<,đfRfs[μ,Ü,·B

D:

```
CD \ADMIN\BATCH95\NLS\NIHONGO
COPY NETDEF.INF F:\WIN95\NETDEF.INF
ATTRIB -R F:\WIN95\INF\NETDEF.INF
COPY NETDEF.INF F:\WIN95\INF\NETDEF.INF
ATTRIB -R F:\WIN95\SUWIN\NETDEF.INF
COPY NETDEF.INF F:\WIN95\SUWIN\NETDEF.INF
```

fhf%ofCfuA:,đŽg—p,μ,Äftf[fbfs[fffBfXfN,©,çCf“fXfg[f<,·,éê±,ÉAMS BATCH SetupfCf“fXfg[f<ftfHf<f_ªF:\WIN95,ĭ,Æ,«Afhf%ofCfuA:

,ÉADMIN2fffBfXfN,đ’}“ü,μ,Ä,©,çAZŸ,ĭfRf}f“fh,đŽg—p,μ,ÄNETDEF.INFftf@fCf<,đfRfs[μ,Ü,·B

A:

```
CD \BATCH95\NLS\NIHONGO
COPY NETDEF.INF F:\WIN95\NETDEF.INF
ATTRIB -R F:\WIN95\INF\NETDEF.INF
COPY NETDEF.INF F:\WIN95\INF\NETDEF.INF
ATTRIB -R F:\WIN95\SUWIN\NETDEF.INF
COPY NETDEF.INF F:\WIN95\SUWIN\NETDEF.INF
```

f

- ŽŸ,ÉAClient 32*—p,ÉNETDEF.INFftf@fCf<,És,Á,½,“,à,È•ĭX%ÓŠ,đŽĭ,μ,Ü,·B
- mNETWAREnfZfNfVf#f“
 - ĭX’O
[NETWARE]
00000000=NETWARE3
00032600=NETWARE3
00040000=NETWARE4
 - ĭXÆã
[NETWARE]
00000000=NOVELL32
00032600=NOVELL32
00040000=NOVELL32
- mTYPICALnA mCOMPACTnA mPORTABLEn,ĭŠefZfNfVf#f“ ĭi ĭX,μ,½s,¾, Žĭ,μ,Ä, ,è,Ü,·j
XVÆã
NetTrans=NWLINK,NOVELLIPX32
NetClient=NOVELL32
NetWare*/IP*,ĭê±ANetTrans—p,ÉNWIP,àŽw’è,·,é•K—v,ª, ,è,Ü,·B
NetTrans=NWLINK,NOVELLIPX32,NWIP

*fmx<,ĭx•W@**fT[fhfp[fefB,ĭx•W
Üx,ĭx•W,đŽQÆ,μ,Ä,,¾,¾,çB

INFtf@fCf<,lfRfs[]

f[]f,

- Client 32* CD-ROM,ADMIN\BATCH95\NLS\NIHONGOftfHf<f_Ü,½,ADMIN2ftf[]fbfs[]fffbfXfN,IBATCH95\NLS\NIHONGOftfHf<f_©,ç.INFtf@fCf<,ðfRfs[][,μ,Ü,·BfRfs[][æ,lfthf<f_É,íClient 32,ì,·,x,Ä,lfthf@fCf<,ð“ü,ê,Ü,·[]B
- ŽŸ,lfthf@fCf<,í•K,·fRfs[][,μ,Ä,,¾,¾,ç[]B
NWCLIENT.INF
NWTRANS.INF
NWLAYOUT.INF
- NetWare/IP*,ðftf[][]fg,·,é[]ê[]#[]AZŸ,lfthf@fCf<,ðfRfs[][,μ,Ä,,¾,¾,ç[]B
NWIP.INF
- SNMP,ðftf[][]fg,·,é[]ê[]#[]AZŸ,lfthf@fCf<,ðfRfs[][,μ,Ä,,¾,¾,ç[]B
NWSERV.INF
- Client 32fwf<fv,ðWindows**
95**fVfXfef€fwf<fv,Æ“[][]#,·,é[]ê[]#[]ANWCLIENT.INFtf@fCf<,ð•Ò[]W,μ[]AOEM.CNT[]s,ì[]æ“^a,É,·,éfZf~fRf[]f“
[];[]j,ð[]í[]œ,μ,Ü,·Bfwf<fv,ì“[][]#,É,Ä,ç,Ä,í[]AClient 32fwf<fv,ì“[][]#: ŠT—v,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

*fmfxf<,ì[]x•W[]@**fT[][]fhfp[][]fefB,ì[]x•W
[]Ü[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

MSBATCH.INF

1. BATCH.EXE, s, , , ,
2. jY'èi•ñ, ð"ü—í, , , ,
3. ffbfgfNfVfVf, ðíœ, , , ,
4. Cf"Xfg[f<fVfVf, ð•íX, , , ,
5. jfVfVf"jVfVf, lRf"flf"fg, ð'I'ð, , , ,
6. mDonen, ð'I'ð, , , ,
7. d•j, , , , C32BATCH.INF, È, Çj, ðŽw'è, , , , MSBATCH SetupCf"Xfg[f<ftfHf<f_iF:\WIN95, È, Çj, É•Ú'¶, , , ,
8. ði-, , , , MSBATCH.INF, ð'uŠ, , , ,
 - a. Šù'¶, MSBATCH.INF, ©, ç"Ç, Ýž, Ýê—p'@<, ðíœ, , , ,
 - b. Šù'¶, MSBATCH.INF, ðfŠf[f€, , , ,
 - c. ði-, , , , O, MSBATCH.INF, É•íX, , , ,

```

ATTRIB -R MSBATCH.INF
RENAME MSBATCH.INF MSBATOLD.INF
RENAME C32BATCH.INF MSBATCH.INF

```

f

- BATCH.EXE, íWindows** 95** CD-ROM, íADMIN\NETTOOLS\NETSETUPftfHf<f_É, , è, Ü, ·B
- BATCH.EXE, íWindows 3.x, Ü, ½, íWindows 95, ÅŽÀs, Å, <, Ü, ·B
- BATCH SetupiBATCH.EXEj, É, Å, ç, Ä, ðÚ×, íA[wMicrosoft Windows 95fŠf\ [fXflfbfgx, ðŽQAE, , , ,
- MSBATCH.INF, íAŽ"è"®, Å, ài- A•íX, Å, <, Ü, ·BŽ"è"®, Ås, s•û-@, É, Å, ç, Å, íA[wMicrosoft** Windows 95fŠf [fXflfbfgx, ðŽQAE, , , ,

```

*fmfxf<, ðs•W@**fT[fhfp[fefB, ðs•W
Ú×, ís•W, ðŽQAE, , , ,

```

lfjXf^f}fCfY,ÉŠÖ,.é,f

mfjXf^f}fCfYn,đ'ı'đ,.é,ÆAfRf"fgf[f<fpflf<,lmfjfbfgf[fNn,a*\
Zı,é,Ü,.BfRf"fgf[f<fpflf<,lmfjfbfgf[fNn,đŽg—p,.é,ÆAf[fNfXfe[fVf#f",lfjXf^f}fCfY,É•K—
v,ÉŽŸ,l'€ı,a,Ä,«,Ü,.B

- Client 32*,İŠÄ<<ıY'è
- flfvfVf#f"<@"\.ıY'è
- ft[fU.İflfbfgf[fNfAf_fvf^,Éı,ı,½LANfhf%ofCfo,İ•ıX
- fŠfAf<f.ı[fhıı16frfbfgııNDİS**fhf%ofCfo,đŽg—p,.é,½,B,İŠÄ<<ıY'è

ŽŸ,ı,±,Æ,É'ı^Ó,μ,Ä,,¾,¾,ıB

- ımNovell ODİNSUPn,đııœ,μ,É,ı,Ä,,¾,¾,ıB
- ımİPX/SPX ĆÉŠ·fvfıfgfRf<n,đııœ,μ,É,ı,Ä,,¾,¾,ıB

'€ı,aı,ı,Ä,½,ıAfRf"fgf[f<fpflf<,lmfjfbfgf[fNn,ÅmOKn,đ'ı'đ,μ,Ä,©,ıAfRf"fsf...
ı[f^,đÄ<N"@,μ,Ä,,¾,¾,ıB

*fmfxf<,ıı•Wı@**fTı[fhfpı[feB,ıı•W
ıUıx,ıı•W,đŽQıÆ,μ,Ä,,¾,¾,ıB

Description="Computer"

,±,ê,íAf[]fNfXfe[]fVf+f“,É,Â,ç,Ä<L[]q,·,élfvfVf+f“,lfRf[]“fg,Å,·BClient 32,Å,í,±,ì'l,đŽg—p,μ,Ü,¹,ñ[]B

DevicePath=0

.INFftf@fCf<—p,ìf\[]fXfffBfCEfNfgfŠfjpfX,ð'Ç%Á,μ,Û,¹ñ[]B.INFftf@fCf<,ð'T,·,½,β,ÉfpfX,ÉfCf"fxfg[]f<f\ []fXfffBfCEfNfgfŠ,ð'Ç%Á,·,é[]é[]#,ì[]A[]uDevicePath=1[]v,ÆŽw'è,μ,Á,,¾,³,ç[]B
[],,[]\$:@•i[]",ìff[]f^fx[]fX[]Ä[]'z,ð"ð,¯,é,½,β[]uDevicePath=0[]v,ÆŽw'è,μ,Û,·[]B[]uBuilding driver information database[]v,Æ,ç,ϣf[]fbfZ[]fW,É,æ,Á,ĂŽ!,³,ê,Û,·[]B

•ÚØ

Novell* Inc., ,æ,Ñfmfxf<Š”Ž®%ižĐ,ÍANetWare*f\ftfgfEjFfA,ì”à—e□A,Ü,½,ÍŽg—p,μ,½CE<%oÊ,É,Â,ç,Ä,ç
,©,É,é•\~¾,â•ÚØ,à□s,ç,Ü,¹,ñ□B,Ü,½□A□x•i□«□A□S—LCE □A“Á’è,ì-Ú“l,Ö,ì“K□#□«,É,Â,ç,Ä□A,ç,©,É,é-
¾Ž,Ü,½,í,à-ÚŽ,ì•ÚØ,à”Ú”F,μ□A”r□œ,μ,Ü,·□B,Ü,½□A•¾ŽĐ,ì□’-Ê,É,æ,é“^-Ó,³,É,ç,©,¬,è□ANetWaref\
ftfgfEjFfA,ì”z•z,đ<Ö,¶,Ü,·□B•¾ŽĐ,ÍNetWaref\ftfgfEjFfA,ì”z•z,đ’t’f,·,éCE CEÀ,à—L,μ,Ä,ç,Ü,·□B

•¾ŽĐ,Ä,Í□A’¹Ž, □A\ftfgfEjFfA,ÍŽg—p•s”\□Aff□[f^,ì•’Ž, □A•
’Ž,ff□[f^,ì□Ä□\’zRfXfg□A’ă’Ö<@Ší,Ü,½,Ífvf□fOf%of€,ÍRfXfg□A’æŽOŽÒ,É,æ,éfNfCE□[f€,É’í,μ,Ä□Ó”C,đ•%
,ç,Ü,¹,ñ□B

f\ftfgfEjFfA,đfCf”fXfg□[f<,·,é’O,É•K, ,fofbfNfAfbfv,đ—p^Ó,μ,Ä,,¾,¾,ç□B,±,ì\ftfgfEjFfA,ì<Z□pfTf|
□[fg,Ífmfxf<,ì”»’f,ÉŠî,Ä,ç,Ä□s,ç,Ü,·□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ú□x,Í□x•W,đŽQ□Æ,μ,Ä,,¾,¾,ç□B

EBD=0

<Ù<}—p<N“@ffBfXfN,đì□¬,μ,Û,¹,ñ□B<Ù<}—

p<N“@ffBfXfN,đì□¬,·,é,É,í□Aft□[fU,ª□uEBD=1□v,ÆŽw'è,·,é•K—v,ª, ,è,Û,·□B

Šù'ŋ, ÌODlfhf%ofCfo

Client 32*, Ā, ÍAfJfbfgf[]fNfAf_fvf^, Æ, μ, ÄŠù'ŋ, ÌODlfhf%ofCfo, ð'Í'ð, Ā, «, Ü, ¹, ñB
Šù'ŋ, ÌODlfhf%ofCfo, ðfCf"fxfg[]f<, ³, ê, Ä, ç, éé[]#[]AClient 32fCf"fxfg[]f<fvf[]fOf
%of€[]iSETUP.EXE[]j, ðŽÄ[]s, ., é, Æ[]AŠù'ŋ, ÌODlfhf%ofCfo, íí[]œ, ³, ê, Ü, .[]B

*fmfxf<, Ì[]x•W[]@**fT[]lfhfp[]lfefB, Ì[]x•W
[]Ú[]x, Í[]x•W, ðŽQ[]Æ, μ, Ä, , ³/4, ³, ç[]B

Express=1

Windows** 95**, ÿZfbfgfAfbfvŽž, Éft[]fU, ¢“ü—í, ·, é•K—v, í, , è, Ü, ¹, ñ[]B, Ü, ½“ü—í, ·, é, ±, Æ, à, Å, «, Ü, ¹, ñ[]Bft[]fU, ¢“ü—í, Å, «, é, æ, x, É, ·, é, É, í[]A[]uExpress=0[]v, ÆŽw'è, µ, Å, , ¾, ³, ç[]B

fAf<ftf@fxfbfg□†.iftf@fCf<f\$fxfg

1250_UNI.001...1256_UNI.001

1252_UNI.081

932_UNI.081

ADMIN.CFG

APPSNAP.DLL

APPSNAP.HLP

CAB4680.LAN

CALWIN16.DLL

CALWIN32.DLL

CB4680.LAN

CLIENT32.NLM

CLNWIN16.DLL

CLNWIN32.DLL

CLNWINTH.DLL

CLXWIN16.DLL

CLXWIN32.DLL

CMSM.MSG

CMSM.NLM

CNE1500T.LAN

CNE1500T.MSG

CNE2.LAN

CNE2.MSG

CNE2000.LAN

CNE2000.MSG

CNE2100.LAN

CNE2100.MSG

CNE2_32.LAN

CNE2_32.MSG

CNE3200.LAN

CNE3200.MSG

CNTR2000.LAN

CNTR2000.MSG

ETHERTSM.MSG

ETHERTSM.NLM

FDDITSM.MSG

FDDITSM.NLM

FJN00I.LAN

HOSTMIB.MSG

HOSTMIB.NLM

IPX.NLM

LOCWIN16.DLL

LOCWIN32.DLL

LOGIN.DAT

LOGIN.MSG

LOGINW95.EXE

LOGINW95.HLP

LSL.COM

LSLC32.MSG

LSLC32.NLM

MADGEODI.COM

MSBATCH.INF

N16ODI.COM

NAL.EXE
NAL.HLP
NALRES32.DLL
NALW95.EXE
NCPWIN16.DLL
NCPWIN32.DLL
NE1000.COM
NE1000.INF
NE1000.LAN
NE1500T.COM
NE15_21.INF
NE2.COM
NE2.INF
NE2000.COM
NE2000.INF
NE2100.COM
NE2_32.COM
NE2_32.INF
NE3200.COM
NE3200.INF
NESL.COM
NESL.MSG
NETDEF.INF
NETWARE.DRV
NETWIN16.DLL
NETWIN32.DLL
NIOS.VXD
NIOSLIB.DLL
NMR.NLM
NOVELLNP.DLL
NOVELNPR.DLL
NOVPP32.DLL
NTR2000.COM
NTR2000.INF
NWCALLS.DLL
NWCFG95.CNT
NWCFG95.HLP
NWCLIENT.INF
NWGDI.DLL
NWHOSTX.MIB
NWICFG.NLM
NWIP.INF
NWIP95.NLM
NWIPXSPX.DLL
NWLAYOUT.INF
NWLINK2.VXD
NWLOCALE.DLL
NWMSG95.CNT
NWMSG95.HLP
NWNED.DLL
NWOVER95.CNT
NWOVER95.HLP
NWPASSWD.DLL
NWPOPUP.EXE

NWPSRV.DLL
NWSERV.INF
NWSETUP.DLL
NWSETUP.INI
NWSHELLX.DLL
NWSIPX32.DLL
NWSIPX32.NLM
NWTIPS95.CNT
NWTIPS95.HLP
NWTRANS.INF
NWTSG95.CNT
NWTSG95.HLP
NWUSE95.CNT
NWUSE95.HLP
ODI3COM.INF
ODIDEC.INF
ODIFUJ.INF
ODIHP.INF
ODILOAD.VXD
ODIMADGE.INF
ODINEC.INF
ODINSUP.INF
ODINSUP.SYS
ODIPAGE.DLL
PB4680.LAN
PC32MLID.LAN
PC32MLID.MSG
PHASERS.WAV
PRTWIN16.DLL
PRTWIN95.DLL
README.NAL
README.TXT
ROUTE.COM
RFC1514.MIB
SETUP.EXE
SETUPNW.CNT
SETUPNW.HLP
SNMP.MSG
SNMP.NLM
SNMPDLL.DLL
SNMPIPX.EXE
SNMPUDP.EXE
SPX_SKTS.NLM
SROUTE.MSG
SROUTE.NLM
SUPWIN16.DLL
TLI_SPX.DLL
TLI_WIN.DLL
TOKENSM.MSG
TOKENSM.NLM
TRXNET.COM
UNI_1250.001...UNI_MON.001
UNI_1252.081
UNI_932.081

UNI_MON.081
VMLID.NLM

ftfHf·f_·Ê,iftf@fCf·fŠfXfg

\Novell\Client32

\Novell\Client32\Install

\Novell\Client32\Nls\language

\Novell\Nwclient

\Windows

\Windows\Help

\Windows\Inf

\Windows\Nls\language

\Windows\System

Other

Client 32ftf@fCf<

fAf<ftf@fxfbfg□#.lftf@fCf<fŠfXfg
ftfHf<f_•Ê.lftf@fCf<fŠfXfg
f□□[fhfp□[fefB,lLANfhf°%fCfofŠfXfg
LANfhf°%fCfoftf@fCf<

LANfhf%oCfoftf@fCf<

32frfbfgLANfhf%oCfo

CNE1500T.LAN
CNE2.LAN
CNE2000.LAN
CNE2100.LAN
CNE2_32.LAN
CNE3200.LAN
CNTR2000.LAN
NE1000.LAN
FJN001.LAN
CAB4680.LAN
CB4680.LAN
PB4680.LAN

16frfbfgLANfhf%oCfo

MADGEODI.COM
NE1000.COM
NE1500T.COM
NE2.COM
NE2000.COM
NE2100.COM
NE2_32.COM
NE3200.COM
NTR2000.COM
TRXNET.COM

“¼,iftfHf<f_iftf@fCf<fŠfXfg
SNMPŠÇ—[]fXfe[]lfVf#f“ftf@fCf<
RFC1514.MIB
NWHOSTX.MIB

\Novell\Client32\ftfHf<f_iftf@fCf<fSfXfg

CLIENT32.NLM

CMSM.NLM

CNE2000.LAN

CNE3200.LAN

ETHERTSM.NLM

FDDITSM.NLM

IPX.NLM

LGNW9532.DLL

LOGINW95.EXE

LSLC32.NLM

NMR.NLM [iNMR,øfCf“fXfg[f<,μ,Ä,ç,éê#]

NWIP95.NLM [iNetWare/IP,øfCf“fXfg[f<,μ,Ä,ç,éê#]

NWPOPOP.EXE

NWSIPX32.NLM

PC32MLID.LAN

PHASERS.WAV

README.TXT

SETUPNW.CNT

SETUPNW.HLP

SPX_SKTS.NLM

SROUTE.NLM

TOKENTSM.NLM

VMLID.NLM

\Novell\Client32\Install\Hf<f_`iftj@fCf<f5jXfg
ADMIN.CFG

\Novell\Client32\Nls\languageftfHf<f_>ìftf@fCf<fŠfXfg

LOGIN.DAT

LOGIN.MSG

f□f,

- ,±,ìftfHf<f_>ì-¼'O,í□AŽg—p,·,éĒ¼ĒĒ,É,æ,è^Ù,È,è,Ü,·□B“ú-{ĒĒ,ì□é□#□A□u\Novell\Client32\Nls\NIHONGO□v,Ā,·□B

\Novell\Nwclient\Hf\j_iftf@fCf\šfXfg

,±,iftfHf<f_Æ,»,'†,iftf@fCf<,í16frfbfgODI* LANfhf%ofCfo,iftf|[]fg—p,Å,·B16frfbfgODI LANfhf%ofCfo,đŽg
—p,μ,È,č[]ê[]†,í•s—v,Å,·[]B

LSL.COM

N16ODI.COM

NESL.COM

NET.CFG

,½,Æ,í,îNE2000.COM,í[]A16frfbfgLANfhf%ofCfo—p,ì.COMiftf@fCf<,Å,·B16frfbfgODI LANfhf
%ofCfofšfXfg,É,Å,č,Ä,í[]ALANfhf%ofCfoftf@fCf<,đŽQ[]Æ,μ,Å,,¾,¾,č[]B

*fmfxf<,í[]x•W[]@**fT[]fhfp[]fjefB,í[]x•W
[]Ú[]x,í[]x•W,đŽQ[]Æ,μ,Å,,¾,¾,č[]B

\WindowsftfHf<f_!ftf@fCf<f\$Xfg
LSL.COM

\Windows\Help\Hf<f_>iftf@fCf<fŠfXfg

LOGINW95.HLP

NWCFG95.HLP

NWMSG95.HLP

NWOVER95.HLP

NWTIPS95.HLP

NWTSG95.HLP

NWUSE95.HLP

f[]f,:[]@,±,ê,ç,lfwf<fvftf@fCf<,É,í[]AŽŸ,iftf@fCf<f^fCfv,İŠÖ~Aftf@fCf<,a“ü,Á,Ä,ç,é,±,Æ,â, ,è,Ü,·[]B

- CNT[]i“à—e[]j
- FTS[]i’S•¶CEŸ[]ö[]j
- GID[]ifwf<fvftf@fCf<,İŠÂ<<[]Ÿ’è[]j

\Windows\Inf\ftfHf<f_iftf@fCf<fŠfXfg

NE1000.INF

NE15_21.INF

NE2.INF

NE2000.INF

NE2_32.INF

NE3200.INF

NETDEF.INF

NTR2000.INF

NWCLIENT.INF

NWIP.INF

NWLAYOUT.INF

NWSERV.INF i98"Å.ðœ. j

NWTRANS.INF

ODINSUP.INF

\Windows\Nls\language\ftfHf:f_iftf@fCf:fŠfXfg

NOVELNPR.DLL

f f,

- ,±,iftfHf<f_ì-¼'O,íŽg—p,μ,Ä,ç,éŒ¾Œê,É,æ,Á,Ä^Ù,È,è,Û,·B“ú-{Œê,ìê#A u\Windows\Nls\NIHONGOv,É,È,è,Û,·B

\Windows\SystemftfHf<f_iftf@fCf<fŠfXfg

CALWIN16.DLL
CALWIN32.DLL
CLNWIN16.DLL
CLNWIN32.DLL
CLNWINTH.DLL
CLXWIN16.DLL
CLXWIN32.DLL
LOCWIN16.DLL
LOCWIN32.DLL
NCPWIN16.DLL
NCPWIN32.DLL
NETWARE.DRV
NETWIN16.DLL
NETWIN32.DLL
NIOS.VXD
NIOSLIB.DLL
NOVELLNP.DLL
NOVPP32.DLL
NWCALLS.DLL
NWDRVLGO.BMP
NWGDI.DLL
NWIPXSPX.DLL
NWLINK2.VXD
NWLOCALE.DLL
NWNET.DLL
NWPASSWD.DLL
NWPSRV.DLL
NWSETUP.DLL
NWSHELLX.DLL
NWSIPX32.DLL
ODILOAD.VXD
ODINSUP.SYS
ODIPAGE.DLL
PRTWIN16.DLL
PRTWIN95.DLL
SUPWIN16.DLL
TLI_SPX.DLL
TLI_WIN.DLL

<fAfbfvfOfCElfh

fNf%ofCfAf"fg'S'i,dfAfbfvfOfCElfh,1,,ÉA^è•",lftf@fCf<,¾,ŠÇ—ŽÒ,afAfbfvfOfCElfh,.,è,í,æ,çêë,², ,è,
Ü,·B,½,Æ,í,íA<@"\,đ'Ç%Á,μ,½LOGINW95.EXE,íVfo[fWf+f",đfmfxf<,afŠfŠ[fX,μ,½êëAŠÇ—
ŽÒ,í,·,x,Ä,lfNf%ofCfAf"fg,²,±,lftf@fCf<,đŽg—p,·,é•K—v,², ,é,©"»'f,Ä,«,Ü,·B,±,è,íNovell* NetWare*fNf
%ofCfAf"fg,íVfo[fWf+f",Ä,í,È,ç,í,ÄAACU,af`fFbfN,·,éNf%ofCfAf"fg%ú`ù"Ót,í,È,AFNf
%ofCfAf"fg,ÍŽ©"@`I,É,lfAfbfvfOfCElfh,³,è,Ü,¹,ñB,±,íêëAŠÇ—ŽÒ,íACU,đŽg—p,μ,ÁfNf%ofCfAf"fg,đ<-
p\$`I,ÉfAfbfvfOfCElfh,μA,·,x,Ä,lfNf%ofCfAf"fg,²A`Vftf@fCf<,đŽg—p,·,é,æ,²,É,Ä,«,Ü,·B
NWSETUP.INI,íANetWare Client 32* for Windows** 95*fCf"fXfg[f<ftf@fCf<,²•Ü'¶,³,è,Ä,ç
,éftfHf<f_`à,É, ,è,Ü,·B,±,INWSETUP.INI,íkClient
Version[fZfNfVf+f",É,ífsfŠfIfh,Åæø,ç,è,½4,Ä,í"Ót,², ,è,Ü,·i0.0.3.0,È,çjB4"Ô-
Ü,í"i,ífCfxf<"ÓtAFNf%ofCfAf"fg,lfAfbfvfOfCElfh,ÉŽg—p,μ,Ü,·BfAfbfvfOfCElfh,đ<-
p\$,·,é,É,íANWSETUP.INI,đA%oo,ÉŠj,ç,½,Æ,«,æ,è,æ,è,à,·,çfCfxf<"Ót,ÉŠÇ—
ŽÒ,²Y`è,μ,Ü,·B,Ä,Ü,èA"Ót,²m0n,È,ç,íA`m1n,É,μ,Ü,·B,±,²,·,é,ÆAACU,lfNf
%ofCfAf"fg,ífOfCf"Žž,ÉfCfxf<"Ót,đ"äŠr,μA^U,È,Ä,Ä,ç,è,ífVfXfef€,íA`Vftf@fCf<,Éë,í,¹,ÄfNf
%ofCfAf"fg,dfAfbfvfOfCElfh,μ,Ü,·B

*fmfxf<,í²•W@**fTlfhfp[fefB,í²•W
ÜÜx,í²•W,đŽQÆ,μ,Ä,,¾,³,çB

HOSTMIB.NLM

Internet Engineering Task Force, NetWare* Host Resources Extensions
MIB, IETF, A, W, X, MIB, Ž, A, •, μ, Ů, B, ±, i-Ú, i, ASNMP, S, —, f, t, f, g, f, E, f, f, A, , f, N, f
%, f, C, f, A, f, “, f, g, f, “, f, N, f, X, f, e, “, f, V, f, f, “, i, •, —, “, f, S, f, “, f, X, , Ÿ, S, Ç, —, “, Å, «, é, æ, x, É, , é, ±, Æ, Å, ., B

IgnoreDetectedNetCards

Windows** 95**, 16frfbfgODI*fhf%ofCfo, ðŒŸo, μ, Ä, » , ê, ðŽg—
p, ·, é, ì, ð" ð, ¯, é, É, íA ulgnoreDetectedNetCards=1v, Æ, ç, ɣs, ð'Ç%oÁ, μANetCardfpf
%of[f^, ì³, μ, çflfbfgf[fNfAf_fvf^, ðŽw'è, μ, Ä, , ³/4, ³, çBClient 32*, Å, íAŠù'¶, ðODifhf
%ofCfo, ðflfbfgf[fNfAf_fvf^, Æ, μ, ÄŽg—p, Å, «, Û, ¹, ñB

fCf“fXfg□[f<,iŠ®—¹

□mfŠfu□[fg□n

Client 32*,đŽg—p,·,é,É,í□mfŠfu□[fg□n,đ'í'đ,μ,Û,·□Bf□□[fNfXfe□[fVf#f“,đ□Ä<N“®,·,é,Æ□AClient 32,ÍŽ©“®“í,É<N“®,μ,Û,·□B

□mWindows,É-ß,é□n

f□□[fNfXfe□[fVf#f“,đ□Ä<N“®,·,é'O,ÉWindows** 95**,đŽg—p,·,é,É,í□A□mWindows,É-ß,é□n,đ'í'đ,μ,Û,·□BClient 32,đŽg—p,·,é—p^Ó,²,Ä,«,½,ç□AWindows 95,đfVfffbfjgf_fEf“,μ,Äf□□[fNfXfe□[fVf#f“,đ□Ä<N“®,μ,Ä,,¾,¾,¾,ç□B

□mfjXf^f}fCfY□n

ŠÄ<<□Y'è,Éf|fvfVf#f“<@“\,đ'Ç%Á,·,é,©Client 32fvf□fpfefB,đ•í□X,·,é,É,í□A□mfjXf^f}fCfY□n,đ'í'đ,μ,Û,·□BfRf“fgf□□[f<fpf|f<,ìmf|fbfjgf□□[fN□n,đŽg—p,μ,Äfvf□fgfRf<,Û,½,íft□[frfX,đ'Ç %Á,·,é,©fvf□fpfefB,đ•í□X,μ□A□mOK□n,đ'í'đ,μ,Ä,©,çf□□[fNfXfe□[fVf#f“,đ□Ä<N“®,μ,Û,·□B

fwf·fv

Client 32,ÉŠÖ,·,é□à-¾,í,“,à,Éfwf<fvftf@fCf<,É“ü,Ä,Ä,ç,Û,·□BClient 32,|fCf“fXfg□[f<□AŠÄ<<□Y'è□AŽg—p-@□Afgf%ofuf<fVf...□[fefBf“fO,É,Ç,É,Ä,ç,Ä□à-¾,²,è,Û,·□BClient 32fwf<fv,ì-ÚZY,đ•\ Ž!,·,é,É,í□A□mfjgfsfbfN□n,đ'í'đ,μ,Ä,,¾,¾,¾,ç□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W □Ú□x,í□x•W,đŽQ□Æ,μ,Ä,,¾,¾,¾,ç□B

fCf" fXfg[]f<,lfwf·fv

□mŠjŽn□n

NetWare* Client* 32* for Windows** 95** ,đfCf" fXfg[]f< ,·,é,É,Í□A□mŠjŽn□n,đ'í'đ,μ,Ü,·□BŠù'¶,ìNetWarefNf %ofCfAf"fg,ª,·,x,Ä□í□œ,³,ê□AClient 32,ª'Ç%oÁ,³,ê,Ü,·□B

□d—v:□@NetWare DOS fŠfNfGfXf^*□iVLM*□jfNf

%ofCfAf"fg,©,çAfbfvfOfCE□[fh,·,é□ê□‡,â□Aflfbfgf□□[fnfnf%ofCfAf"fgf\ftfgfEfffA,đfCf" fXfg[]f<,μ,Ä,ç ,É,ç□ê□‡,í□AWindows 95 CD-ROM,©ftf□fbfs□[fffBfXfN□A,Ü,½,íWindows 95 CABftf@fCf<,đ—p^Ó,·,é·K— v,ª,·,è,Ü,·□B

□mfLfff" fZf<□n

fCf" fXfg[]f<,đ"r'†,Á□—¹,·,é,É,Í□A□mfLfff" fZf<□n,đ'í'đ,μ,Ü,·□B

f` fFfbfNf{fbfNfX

ODI* LANfhf%ofCfo,đŽg—p,·,é,É,Í□A f` fFfbfNf{fbfNfX,Éf` fFfbfNf}□[fn,đ·t,¯,Ü,·□B,± ,lf` fFfbfNf{fbfNfX,Éf` fFfbfNf}□[fn,đ·t,¯,é,Æ□AClient 32fCf" fXfg[]f<:fvf□fOf %of€□iSETUP.EXE□j,lf'fbfgf□□[fnfAf_fvf^,ìODI LANfhf%ofCfo,đ'T,μ,ÄfCf" fXfg[]f<,μ,Ü,·□BODI LANfhf %ofCfo,đŽg—p,Ä,«,É,ç□ê□‡□A,±,lf` fFfbfNf{fbfNfX,í·\Ž!,³,ê,Ü,¹,ñ□B

fww·fv

Client 32,ÉŠÖ,·,é□à-¾,í,¨,à,Éfwf<fvftf@fCf<,É"ü,Á,Ä,ç,Ü,·□BClient 32,lfCf" fXfg[]f<□AŠÁ««□Y'è□AŽg—p- @□Afgf%ofuf<vf...□[fefBf"fo,È,Ç,É,Ä,ç,Ä□à-¾,ª,·,è,Ü,·□BClient 32fwf<fv,ì-ÚŽY,đ·\ Ž!,·,é,É,Í□A□mfGfsfbfN□n,đ'í'đ,μ,Ä,,¾,³,ç□B

README,ì·\Ž!

Client 32 README.TXTftf@fCf<,đ·\Ž!,·,é,É,Í□A□mREADME,ì·\Ž!□n,đ'í'đ,μ,Ü,·□B

*fmfxf<,ì□x·W□@**fT□[fhfp□[fefB,ì□x·W □Ú□x,ì□x·W,đŽQ□Æ,μ,Ä,,¾,³,ç□B

Client 32fCf“fXfg[f<,É,Ä,ç,Ä

NetWare* Client* 32* for Windows** 95**,đfCf“fXfg[f<,·,é‘O,É□Af□□fNfXfe□fVf#f“,lf□□fhfEjFfAfSf\□[fX,ª□\•ª,Ä, ,é,©□A,Ü,½•K—v,ÉfjftfgfEjFfA,ª“μ,Ä,Ä,ç,é,©,Ç,æ,©Sm“F,μ,Ä,,¾,¾,ç□BClient 32,É•t,ç,Ä,-,éfpbf` ,đNetWarefT□fo,ÉfCf“fXfg[f<,·,é,±,Æ,à-Y,ê,È,ç,Ä,,¾,¾,ç□B

f□□fNfXfe□fVf#f“,ÆfT□fo,l—p^Ó,ª,Ä,«,½,ç□AZÿ,ì,ç,, ,é,©,ì•û-@,đŽg—p,μ,ÄClient 32,đfCf“fXfg[f<,μ,Ü,·□B

- Windows 95,đfCf“fXfg[f<,μ,Ä,©,ç□Af□□fNfXfe□fVf#f“,Ä‘î~bŽ®,ÉfCf“fXfg[f<,·,é•û-@□B f□□fNfXfe□fVf#f“,đ,Ü,¾fjfbfgf□□fN,É□Ü‘±,μ,Ä,ç,È,ç□é□#□A,±,ì•û-@,ª“K,μ,Ä,ç,Ü,·□B
- Windows 95fZfbfgfAfbfvfjvf□Of%œf€,ìj)jXf^f€fZfbfgfAfbfvfjvfVf#f“,đŽg—p,μ,ÄfCf“fXfg[f<,·,é•û-@□B
- Windows 95,đfCf“fXfg[f<,μ,Ä,ç,È,ç□é□#,ÉŽg—p,Ä,«,Ü,·□B,½,¾,μ□A□Ä□%œ,ÉWindows 95,đfCf“fXfg[f<,μ,Ä,©,ç□A,±,é^ÈSO,ì•û-@,đŽg—p,μ,ÄClient 32,đfCf“fXfg[f<,·,é,æ,æ,É,μ,Ä,,¾,¾,ç□B
- ACU<@“\,đŽg—p,·,é•û-@□B
 - ;□“,ìf□□fNfXfe□fVf#f“,đMS,ìNetWarefjfbfgf□□fNfNf%œfCfAf“fg,©,çClient 32,ÉŽ©“®“l,ÉfAfbfvfOfœ□fh,·,é□é□#□A,±,ì•û-@,ª“K,μ,Ä,ç,Ü,·□B

*fmfxf<,ì□æ•W□@**fT□fhfp□fjefB,ì□æ•W □Ü□x,ì□æ•W,đŽQ□Æ,μ,Ä,,¾,¾,ç□B

Client 32,lfCf“fXfg□lf<

ŠT—v

Client 32fCf“fXfg□lf<,É,Ä,č,Ä

□€”ö□i<Æ

f□□lfNfXfe□lfVf#f“,É•K—v,Éfn□lfhfEfEfA

f□□lfNfXfe□lfVf#f“,É•K—v,Éf\ftfgfEfEfA

NetWarefT□fo,Ä,ì□€”ö□i<Æ

ftf□bfs□lfffBfXfN,ì□□□

Žè†

flfvfVf#f“1 : Windows** 95** a,.,Ä,ÉfCf“fXfg□lf<,ž,é,Ä,č,éf□□lfNfXfe□lfVf#f“,Ö,lfCf“fXfg□lf<

flfvfVf#f“2 : Windows 95,lfjXf^f€fZfbfgfAfbfv,ðŽg—p,μ,½fCf“fXfg□lf<

flfvfVf#f“3 : ACU

flfvfVf#f“<@”

'C%oÁfvf□fgfRf<,ÆflfvfVf#f“<@”\,lfCf“fXfg□lf<

'C%oÁfvf□fgfRf<,ÆflfvfVf#f“<@”\,ì□í□œ

□í□œ□i<Æ

□í□œ

ŽQ□Æ□œ

Client 32ftf@fCf<

*fmfxf<,ì□x•W□@**fT□lfhf□lfefB,ì□x•W

□Ú□x,ì□x•W,ðŽQ□Æ,μ,Ä,,¾,¾,č□B

Ī~bĈ^,ĭfCf“fXfg□f<

NetWare* Client* 32* for Windows 95**,đZfbfgfAfbfv,·,éêê†**

□d—v:□@NetWare DOSfŠfNfGfXf^*□iVLM*□jNf%ofCfAf“fg,©,çfAfbfvfOfĈ□fH,·,éêê†,â□Aflfbfgf□□fNfNf%ofCfAf“fgfVtfgfEfFfA,đ,Û,¾fCf“fXfg□f<,μ,Ä,ç,É,ç□ê□†,ĭ□AWindows 95,ĭCD-ROM,©ftf□fbfs□□fHfBfXfN□A,Û,½,ĭWindows 95 CABftf@fCf<,đ—p^Ō,·,é•K—v,ª, ,è,Û,·□B

1. fCf“fXfg□f<fvf□fOf%of€,ĭSETUP.EXE,đŽÄ□s,μ,Ä,,¾,¾,ç□B
2. □m,ĭ,ç□n,Û,½,ĭ□m,ç,ç,ĭ□n,đ'ĭ'đ,μ,Ä□Afmfxf<*,ĭf%ofCfZf“fXĈE_—ñ,É%ž,ĭ,Û,·□B
3. □mŠ|Žn□n,đ'ĭ'đ,μ,Ä□ANetWare Client 32 for Windows 95,đfCf“fXfg□f<,μ,Ä,,¾,¾,ç□B
4. □i□ê□†,É,æ,Ä,ÄŽÄ□s□jflfbfgf□□fNfAf_fvf^,ĭ'ĭ'đ,đ<□,β,é□fbfZ□fW,ª•
Ž,¾,é,½□ê□†□Afn□□fHfEfFfA,É“K,μ,½fAf_fvf^,đ'ĭ'đ,μ,Ä,,¾,¾,ç□B
5. □i□ê□†,É,æ,Ä,ÄŽÄ□s□jCf“fXfg□f<,đfjXf^f}fCfY,μ,È,,Ä,æ,ç□ê□†□A□mfŠfu□f□n,đ'ĭ'đ,μ,Ä,,¾,¾,ç□B
Û,½,ĭ
□i□ê□†,É,æ,Ä,ÄŽÄ□s□jflfvfvf†f“<@“\,đ'Ç
%oA,·,é,©f□□fNfXfe□□fVf†f“,đŠÄ<<□Ÿ'è,·,éêê†□A□mfĭfXf^f}fCfY□n,đ'ĭ'đ,μ,Ä,,¾,¾,ç□B

f□f,

- Client 32ftf@fCf<,đNetWarefT□□fo,ĭftfHf<f_É“ü,è,Ä□A,»,ĭftfHf<f_Éfhf%ofCfu,đf}fbfv,μ□Af}fbfv,μ,½fhf%ofCfu,©,çSETUP.EXE,đŽÄ□s,Ä,«,Û,·□B

*fmfxf<,ĭ□x•W□@**fT□□fhfp□□fefB,ĭ□x•W
□Ū□x,ĭ□x•W,đŽQ□Æ,μ,Ä,,¾,¾,ç□B

Windows** 95**, ÅWINDOWS.HLPftf@fCf<, ðŠJ,, ±, Æ,ª, Å, «, Û,¹, ñB
WINDOWS.HLPftf@fCf<, ð'T,µ, ÄŠJ,, É, ÍAWindows 95, ìCEÿðö<@"\, ðŽg—
p,µ,Û,·BWINDOWS.HLPftf@fCf<, ðfŠf[]f€µ,½ê±Aµ,ç-¼'O,Å'T,µ,ÄŠJ,ç,Ä,,¾,¾,çB,±
,lftf@fCf<,ðÁ<Ž,µ,½ê±,âWindows 95fwf<fv,ðfCf"fXfg[]f<,µ,Ä,ç,È,çê±,ÍAClient 32*fwf<fv,ðWindows
95fVfXfef€fwf<fv,É"±,·,é'O,ÉWindows 95fwf<fv,ðfCf"fXfg[]f<,·,é•K—v,ª, ,è,Û,·B

ŽŸ, ĺfRf}f“fh, đ³í, ÉŽÀs, Ā, «, Ů, ¹, ñB

WINHELP -G WINDOWS.HLP

, ±, ĺfRf}f“fh, íAWindows** 95**fwf<fv, đÄ%Šú%» , μ, ĀAWINDOWS.GIDftf@fCf<, ÉClient
32*fwf<fv, ÉŠÖ, , éí•ñ, đV, μ, “ü, é, é, ĺ, ÉŽg—p, μ, Ů, ·B





, ±, ĺfRf}f“fh, đŽÀs, Ā, «, È, ©, Ā, ½, ĺ, íAWindows

95, ĀWINHELP.EXEftf@fCf<, Ů, ½, íWINDOWS.HLP, đĈ©, Ā, ¯, é, ±, Ą, Ā, «, È, ©, Ā, ½, ½, ß, Ā, ·B, ±
, é, ç, ĺftf@fCf<, Ā, Ç, ±, Ē, , é, ©, Ā•Ā, ©, Ā, Ā, ç, éê#Ĳ, ĺAZŸ, ÉŽ!, , æ, x, ÉŠeftf@fCf<, ĺftf<fpfX, đŽg—
p, μ, ĀfRf}f“fh, đ“ü—ĺ, μ, Ů, ·B

C:\WINDOWS\WINHELP.EXE -G C:\WINDOWS\HELP\WINDOWS.HLP

, ±, é, Ā, àŽÀs, Ā, «, È, çê#AWINDOWS.GIDftf@fCf<, đíœ, μAWindows 95, ĀWindows 95fwf<fv, đÄ%Šú%» , μ, Ů, ·BWINDOWS.GIDftf@fCf<, í%B, μftf@fCf<, Ā, ·B’Éí, ĺAWindowsfwf<fvftfHf<f_í’Éí, ĺC:\
Windows\Helpj, É, , è, Ů, ·BWINDOWS.HLPftf@fCf<, đ•Ž!, μ, æ, x, Ą, μ, ½, Ą, «, ÉĈ©, Ā, ©, , ç, È, ç
, ĄAWindowsfwf<fv, íWINDOWS.GIDftf@fCf<, đ, à, x^ê“xì¬, μ, Ů, ·B

Client 32fwf<fv,ì“□□‡

1.  ,đfNfŠfjbfN,μ,Ä□AClient 32*fwf<fv,ª,·,Ä,É“□□‡,³,ê,Ä,ç,é,©,Ç,¤,©Šm”F,μ,Ä,,¾,³,ç□B
2. fwf<fvfgfsfbfN,ì□m“à—e□nf^fu,É  Novell* NetWare* Client 32,ª•\Žì,³,ê,½□ê□‡□AClient 32fwf<fv,ì,·,Ä,ÉWindows 95fvfXfef€fwf<fv,Æ“□□‡,³,ê,Ä,,è□A,±,ì□i<Æ,ì□i,ñ,Ä,ç,Ü,·□B,»„,ê^ÈŠO,ì□ê□‡□AZŸ,ìŽè□‡,Ó□i,ñ,Ä,,¾,³,ç□B
3. Windows**fwf<fvftfHf<f_□i'É□í,ÍC:\Windows\Help□j,ìOEM.CNTftf@fCf<,Æ□AClient 32,É•t'©,ìOEM.CNTftf@fCf<□iCD-ROM,ìNIHONGOftfHf<f_,É, ,è,Ü,·□j,đ”äŠr,μ,Ä,,¾,³,ç□B
4. □i□ê□‡,É,æ,Ä,ÄŽÄ□s□jWindows**fwf<fvftfHf<f_,ìOEM.CNTftf@fCf<,ªClient 32,É•t'©,ìOEM.CNTftf@fCf<,Æ^Ü,É,é□ê□‡□AClient 32 OEM.CNTftf@fCf<,đWindowsfwf<fvftfHf<f_,É'Ç %oÁ,μ,Ä,,¾,³,ç□B
5. □i□ê□‡,É,æ,Ä,ÄŽÄ□s□jWindowsfwf<fvftfHf<f_,ÉOEM.CNTftf@fCf<,ª,É,ç□ê□‡□AClient 32 OEM.CNTftf@fCf<,đWindowsfwf<fvftfHf<f_,ÉfRfs□□,μ,Ä,,¾,³,ç□B
6. □i□,,□\$□j  ,đfNfŠfjbfN,μ,Ä□A,±,ìfwf<fvfgfsfbfN,đ^ó□ü,μ,Ä,,¾,³,ç□B
7.  ,đfNfŠfjbfN,μ,Ä□AClient 32fwf<fv,đ“□□‡,μ,Ä,,¾,³,ç□B “□□‡,É,ì□”•b,©,©,è,Ü,·□B,±,ê,ª,·,p,Æ□A,±,ìfwf<fvftf@fCf<,ì•\Žì,³,ê,È,,È,è,Ü,·□BClient 32fwf<fv,ª“□□‡,³,ê,½,±,Æ,đŠm”F,·,é,É,ì□AZŸ,ìŽè□‡,É□□,ç,Ü,·□B
8. □mfljfff“fZf<□n,đ'l'đ,μ,Ä□mfjgfsfbfN,ìCEŸ□đ Windows,ìfwf<fv□n,đ•Ä,¶,Ä,,¾,³,ç□B
9. f^fXfNfo□□,Ä□mfXf^□□fjg□n,đ'l'đ,μ,Ä,,¾,³,ç□B
10. □mfwf<fv□n,đ'l'đ,μ,Ä,,¾,³,ç□B
11. Žè□‡2,đŽQ□Æ,μ,Ä,,¾,³,ç□B

*fmfxf<,ì□¤•W□@**fT□□fhfp□□fjefB,ì□¤•W □Ü□x,ì□¤•W,đŽQ□Æ,μ,Ä,,¾,³,ç□B

Client 32fwf<fv,ì“□□‡

Client 32*fwf<fv,ðWindows**

95**fvfXfef€fwf<fv,Æ“□□‡,μ,½□ê□‡□Af^fXfNfo□[,ÅmfXf^□[fg□n,ð'l'ð,μ,Ä,©,ç□A□mfwf<fv□n,ð'l'ð,μ□A□Å
Æä,É□mNovell* NetWare* Client 32□n,ðf_fuf<fNfŠbfN,·,ê,ìClient 32fwf<fv,ð•\Z|,Ä,«,Ü,·□B

,±,ì“□□‡,É,íOEM.CNTftf@fCf<,ª•K—v,Ä,·□B,±,ìftf@fCf<,ªWindowsfwf<fvftfHf<f_□'É□í,ÍC:\Windows\
Help□j,É,É,ç□ê□‡□AClient 32fCf“fXfg□[f<fvf□fOf%of€,ª,±,ìftf@fCf<,ð,»,±,ÉfRfs□[,μ,Ü,·□B,±,ì□ê□‡□AClient
32fwf<fv,íWindows 95fwf<fv,É“□□‡,³,ê,Ü,·□B,±,ì,æ,æ,É“□□‡,μ,½,,É,ç□ê□‡,ìAOEM.CNTftf@fCf<,ðfŠf□[f€
,·,é,©□í□œ,μ,Ü,·□B

f□□[fNfXfe□[fvf‡f“ ,É,·,Ä,ÉOEM.CNTftf@fCf<,ª ,é□ê□‡□AClient
32,É•t'® ,íOEM.CNTftf@fCf<,ðŠù'¶,ìOEM.CNTftf@fCf<,É'Ç%Å,·,ê,ì□AClient 32fwf<fv,ð“□□‡,Ä,«,Ü,·□B

*fmfxf<,ì□‡•W□@**fT□[fhfp□[fefB,ì□‡•W
□Ü□×,í□‡•W,ðŽQ□Æ,μ,Ä,,¾,¾,³,ç□B

fwf<fv,ì“□□‡

ŠT—v

Client_32fwf<fv,ì“□□‡iŠT—v□j

Žè□‡

Client_32fwf<fv,ì“□□‡

LOGINW95.HLPftf@fCf<

,±,ê,í□AfOf%°ftfBjff<f□fOfCf“ft□[fefBfŠfefB,lfwf<fvftf@fCf<,Å□ASETUPNW.CNTftf@fCf<,ÉfŠf“fN,³,ê,Ä,ç
,Ü,·□BNWUSE95.CNTftf@fCf<,íLOGINW95.HLPftf@fCf<,ÉfŠf“fN,³,ê,Ä,ç,Ü,·□B

LSL.COMftf@fCf<

,±,ê,íA16frfbfg,lfŠf“fNfTf|f[f'w|iLSL*jjvfOf%of€,Å,·B16frfbfgODI* LANfhf%ofCfo,Æ^ê,ÉŽg—
p,μ,Û,·BAUTOEXEC.BATftf@fCf<,Å¼,Client 32*fvfOf%of€,æ,èæ,Éf[fh,³,ê,Û,·B
32frfbfgLSLjvfOf%of€,íLSLC32.NLM,Å,·B,±,ê,íAUTOEXEC.BATftf@fCf<,©,ç,íf[fh,³,ê,Û,¹,ñB

f fOfCf“fXfNfšfvg

#\\LAHF\SYS:PUBLIC\CLIENT\ACU\SETUP.EXE /ACU

1 : MSBATCH Setup

ŠT—v

MSBATCH Setup,É,À,ç,Ä

Žè#

Žè#1: @fT[fofx[fxfZfbfgfAfbfv[iNETSETUP.EXEj,đŽÀ[s,:éB

Žè#2: @ftfHf<f,É,:x,Ä,Client 32*tf@fCf<,đRfs[l,:éB

Žè#3: @Žè#2,İftfHf<f,©,ç,:x,Ä,İ.INFtf@fCf<,điœ,:éB

Žè#4: @BATCH95ftfHf<f,©,çŽè#2,İftfHf<f,É.INFtf@fCf<,đRfs[l,:éB

Žè#5: @MSBATCH.INFtf@fCf<,đi—,:éB

Žè#6: @Client 32,đMSBATCH.INFtf@fCf<,É'Ç%Á,:é,½,ß,ÉINFcf“fXfg[f<fvf[Of
%œi[INST.EXEj,đŽÀ[s,:éB

Žè#7: @MSBATCH.INFtf@fCf<,đ`fFbfN,:éB

Žè#8: @BATCH95ftfHf<f,©,çMSBATCH
SetupCf“fXfg[f<ftfHf<f,Æ,».İTfufHf<f [iINF,ÆSUWINj,ÉNETDEF.INFtf@fCf<,đRfs[l,:éB

Žè#9: @Windows 95fZfbfgfAfbfvf[Of%œiSETUP.EXE MSBATCH..INFj,đŽÀ[s,:éB

*fmjxf<,İ•W@**fT[fhfp[fefB,İ•W
Üx,İ•W,đZQÆ,μ,Ä,,¾,¾,çB

MSBATCH SetupfCf“fXfg□[f·ftfHf<f_

,±,İftfHf<f_□iffBfCefNfgfS□j,İfT□[foã,É, ,è,Ü,·□BWindows** 95**ftf@fCf<,ÆClient
32*ftf@fCf<,ðSÜ,þfffBfCefNfgfS□\`ç,İf<□[fg,Å,·□B,±,İftfHf<f_É,IWindows 95fZfbfgfAfbfvf□fOf
%of€□iSETUP.EXE□j,ÆfZfbfgfAfbfvfXfNfSfjvf□iMSBATCH.INF□j,ª, ,è□AWindows 95,ÆClient
32,ð“~Žž,ÉfCf“fXfg□[f<,.é□é□‡,ÉŽg—p,μ,Ü,·□B
,±,é,İ□Aft□[fofx□[fXfZfbfgfAfbfv□iNETSETUP.EXE□j,ðŽg—p,μ,ÄWindows
95ftf@fCf<,ðfCf“fXfg□[f<,μ,½ftfHf<f_Å,·□B,±
,İftfHf<f_İfT□[fofCf“fXfg□[f<fpfX,Æ,μ,Ä□Y`è,μ,Ü,·□BINFfCf“fXfg□[f<fvf□fOf%of€□iINFINST.EXE□j,ðŽg—
p,μ,Ä,ç,é□é□‡,İ□A,±,é,ðfT□[fofpfX,Æ,μ,Ä□Y`è,μ,Ü,·□B
Žg—p—á:□@F:\WIN95

MSBATCH Setup,É,Â,ç,Ä

Windows** 95**,ÆClient 32*,ð•i□",ìf□□[fNfXfe□[fVf#f",ÉfCf"fXfg□[f<,μ,È,~,ê,î,È,ç,È,ç□ê□#□AMSBATCH
Setup,ðŽg—p,.,é,©,Ç,α,©,ð'²,x,Û,·□BMSBATCH Setup,ðŽg—p,.,é,î,É,í□€"ð□i<Æ,ª•K—
v,Å,.,ª□Af□□[fNfXfe□[fVf#f",Å,ìfCf"fXfg□[f<,ªŠÈ'P,É,È,è,Û,·□B,½,Æ,ì,ì□AfCf"fXfg□[f<Žž,ÉClient
32,Æ'í~b,.,é•K—v,ª,È,È,è,Û,·□BWindows 95,Æ,ì'í~b,à□Å□—CEÀ,Å□ì,ÿ,Û,·□B

□€"ð□i<Æ,Å,í□AWindows 95,ìft□[fefBfŠfefBfvf□fOf%of€,ðŽg—p,μ,Û,·□B,±,ìfvf□fOf%of€,í□AWindows
95,ìCD-ROM,É,ì"ü,Å,Ä,ç,Û,.,ª□Aftf□fbfs□[fffBfXfN,É,ì"ü,Å,Ä,ç,Û,¹,ñ□B,±,ìf}fj...
fAf<,ì□i□—Žž"_,Å,ì□AfCf"f^□[fifbfg,ð'È,¶,ÅMicrosoft**,©,ç"üŽžè,.,é,±,Æ,à,Å,«,Û,·□B,±,ìfvf□fOf%of€
,ìftf@fCf<fT□[fo□ã,ÉWindows 95ftf@fCf<,ÆClient 32ftf@fCf<,ð—p^Ô,.,é,ì,Å□AWindows 95,ÆClient
32,ð"~Žž,ÉfCf"fXfg□[f<,Å,«,Û,·□BfCf"fXfg□[f<'†,É□Aft□[fo,©,çf□□[fNfXfe□[fVf#f",Éftf@fCf<,ªRfs□[.³,ê,Û,·□B

*fmfxf<,ì□α•W□@**fT□[fhfp□[fefB,ì□α•W
□Ü□x,ì□α•W,ðŽQ□Æ,μ,Å,.,¾,³,ç□B

ftf[]fbfs[][fffBfXfN,ì[]ì[]-

1. ftfH[][f}fbfg[]í,Ý,ìftf[]fbfs[][fffBfXfN,ð7-#—p^Ó,μ,Ä,,¾,¾,¾,ç[]B
2. Client 32* CD-ROM,ðCD-ROMfhf%ofCfu,É'}“ü,μ,Ä,,¾,¾,¾,ç[]B
3. CD-ROM,ìf<[][fgfffBfCefNfgfŠ,É, ,é<@Ží•ÊfffBfCefNfgfŠ,©,çMAKEDISK.BAT,ðŽÀ[]s,μ,Ä,,¾,¾,¾,ç[]B
4. f[]fbfZ[][fW,É[]],Á,Äftf[]fbfs[][fffBfXfN,ð'}“ü,μ[]Af%ofxf<,ð•t, -,Ä,,¾,¾,¾,ç[]B

*fmfxf<,ì[]x•W[]@**fT[][fhfp[][fefB,ì[]x•W
[]Ú[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,¾,ç[]B

f fOfCf“fXfNfŠfvg,ìC³

,Ç,ìf fOfCf“fXfNfŠfvg,ðC³,·,é,©,É,æ,Á,Ä fAfbfvfOfCf[fh,Á,«,éfNf%ofCfAf“fg,ª^Ù,È,è,Û,·B

- ft fUf fOfCf“fXfNfŠfvg,ðC³,·,é,ÆA,»,ìft fU,¾,¯,ªŽ©“@“l,ÉfAfbfvfOfCf[fh,³,è,Û,·B
- fRf“fefif fOfCf“fXfNfŠfvg,ðC³,·,é,ÆA,»,ìRf“fefe“à,ì,·,x,Ä,ìNf %ofCfAf“fg,ªŽ©“@“l,ÉfAfbfvfOfCf[fh,³,è,Û,·B
- fvf ftf@fCf:f fOfCf“fXfNfŠfvg,ðC³,·,é,ÆA,»,ìf fOfCf“fXfNfŠfvg,ðŽg—p,·,é,·,x,Ä,ìNf %ofCfAf“fg,ªŽ©“@“l,ÉfAfbfvfOfCf[fh,³,è,Û,·B

ACU,ðŽg—p,·,é,É,íANetWare* Client* 32* for Windows** 95**fCf“fXfg f ftf@fCf<,ÆWindows 95fCf“fXfg f f<—p.CABftf@fCf<,ª·Ù’¶,³,è,Ä,ç,éftfHf<f_É’í,µ,Ä AACU,ÉfAfNfZfX,·,é,·,x,Ä,ìNf %ofCfAf“fg,ª“Ç,Ýž,ÝCE ,Æftf@fCf:fXfLfff“CE ,ðŽ,Á,Ä,ç,é,©ŠÇ—ŽÖ,ªŠm”F,·,é•K—v,ª,è,Û,·BŠm”F,µ,½ ,ç ASÇ—ŽÖ,ìf fOfCf“fXfNfŠfvg,É#\servername\volume\...\setup.exe/acu,ð’Ç%Á,µ,Û,·B,± ,é,ìAf{fŠf... f€-¼,ìCEã,ë,É%~<L f i j,Á<æ∅,Á,½,·,x,Ä,ìfffBfCfNfgfŠ,ðŽw’è,µ,½,à,ì,Ä,·B

Žg—p—á

*fmx f<,ìx•W @**fT f fhfp f fefB,ìx•W
Ü x,ìx•W,ðŽQÆ,µ,Ä,¾,³,çB

N16ODI.COMftf@fCf<

,±,ê,í,AŠ,,èž,Ý^—,ì²@,É•K—v,È16frfbfgODI*’²@ftf@fCf<,Å,·B,±,ê,í16frfbfgODI LANfhf
%ofCfo,Æ^ê,ÉŽg—p,μ,Û,·BAUTOEXEC.BATftf@fCf<,ì†,ÅALSL.COM,æ,è, ,ÆA,©,ÅNESL.COM,æ,èæ,
Éf[fh,μ,Û,·B

NESL.COMftf@fCf<

,±,ê,íA16frfbfg,ìNetWarefCfxf“fgfT[fjfX'w,Å,·B16frfbfgODI* LANfhf%ofCfo,Æ^èÉŽg—
p,μ,Û,·BAUTOEXEC.BATftf@fCf<.l'†,ÅAN16ODI.COM,æ,è, ,ÆA,©,Å16frfbfgODI LANfhf
%ofCfoiNE2000.COM,È,Çj,æ,èæ,Éf[fh,μ,Û,·B

NET.CFGftf@fCf<

16frfbfgODI* LANfhf%oofCfo,iŠÂ<<□Ý'è,Å,¾, -Žg—
p,μ,Ü,·□B,½,Æ,!,î□AS@'S,ÈNET.CFGftf@fCf<,É,íŽÿ,ì□s,ª, ,è,Ü,·□B

LINK DRIVER NE2000

IRQ #1 3

PORT #1 300

Frame Ethernet_802.2

Frame Ethernet_SNAP

Frame Ethernet_II

Frame Ethernet_802.3

fXf} [fgffftfHf<fg,ì,½,ß,ìNET.CFG—vĀ

NET.CFGfifvfVfjf“

ŽŸ,ìNET.CFGfifvfVfjf“,íAfcfWfXfgfŠ,É^Ú“ @,³,ê,Û,·B,»,ê^ÈŠO,ìNET.CFGfifvfVfjf“,í-
³Ž<,³,ê,Û,·B“pŽ~,³,ê,½NET.CFGfpf%of[f^,à-³Ž<,³,ê,Û,·B

- DESKTOP SNMP
- LINK SUPPORT
- NETWARE DOS REQUESTER
- NIOS
- NWIP
- PROTOCOL IPX
- RESOURCES

NET.CFG,ì\•ŋ

ŽŸ,ì\•ŋ<K'¥,É,¤,¤K—v,ª, ,è,Û,·B

- NET.CFGfifvfVfjf“,ìfXfyf<,íä<L,ì,Æ,“,è,É<Lq,·,é•K—v,ª, ,è,Û,·B
- NET.CFGfifvfVfjf“,í'â•ŋŽš,Æ—•ŋŽš,ð<æ•É,µ,Û,¹,ňB
- 1□s,ì'•,³,í512Žš^È%º,Â,È,¯,ê,í,È,è,Û,¹,ňB
- fXfy□[fX□Af^fu□A“™ □†,ðŽg—p,µ,Äfpf%of[f^,Æ'l,ð<æ□Ø,é,±,Æ,ª,Â,«,Û,·B
- fpf%of[f^,É,í—LÆØ,È'l,ðŽw'è,·,é•K—v,ª, ,è,Û,·B

NET.CFG,ì^Ê'u

- Ā»ŸNovell* NetWare* Client*,ðŽÀ□s,µ,Ä,ç,é□ê□#□A,»,ìNET.CFGftf@fCf<,ðŽg—p,µ,Û,·B
- Ā»ŸŽg—p,µ,Ä,ç,È,ç□ê□#□AZŸ,ìftfHf<f_,Â□Â□%º,ÉĀŸ□o,³,ê,½NET.CFGftf@fCf<,ðŽg—p,µ,Û,·B
- \NOVELL\CLIENT32
- \NWCLIENT
- \NET\BIN
- ftfHf<f_,©,çĀ©,Â,©,ç,È,ç□ê□#□AfpfX-¼,Â□Â□%º,ÉĀŸ□o,³,ê,½NET.CFGftf@fCf<,ðŽg—p,µ,Û,·B

*fmfxf<,ì¤•W□@**fT□[fhfp□[fefB,ì¤•W
□Ú□x,í□¤•W,ðŽQ□Æ,µ,Ä,,¾,¾,ç□B

NETWARE.DRVftf@fCf<

NetWare*fffofCfXfhf%ofCfo,íANetWare,ª”FŽ˘,Å,«,é[]—

^,ì16frfbfgWindows**fAfvfŠfP[]fVf#” ,Æ,ìŒYŠ·«,ð•Û,Â,½,ß—p^Ó,³,ê,Ä,ç,Û,·[]B

NWCFG95.HLPftf@fCf<

,±,ê,ÍClient 32*ŠÁ<<□Ý'è—p,Ífwf<fvftf@fCf<,Å,·□B,±

,Íftf@fCf<,í□ALOGINW95.HLP□ANWOVER95.HLP□ANWUSE95.HLP□ANWTSG95.HLP□ASETUPNW.HLP□ASETUPNW.CNT,íŠeftf@fCf<,ÉfŠf“fN,μ,Ä,ç,Ü,·□B

NWCLIENT.INF

Client 32*,\fCj"Xfg[f<,ÆŠù'¶,ìNetWare* Client*\ftfgfEjFfA,ìíœ,ÉŠÖ,.,éî•ñ,ª"ü,Á,Ä,ç,Û,·B

NWHOSTX.MIBftj@fCf

, ±, ÌŠÇ—□□î•ñfx□[fX□iMIB□j, Í□ANovell* NetWare*fT□[fo, ìzfXfgfŠf□[fXMIB, ÌŠg'£, ð'è<` , μ, Û, ·□B

fRfs□[Œ³:

CD-ROM: □@ADMIN\NMSftfHf<f_

ftf□fbfs□[fffBfXfN: □@ADMIN1ftf□fbfs□[fffBfXfN□ANMS*fHf<f_

fRfs□[æ: □@SNMPŠÇ—□fXfe□[fVf#“□B□Ú□x, Í□ASNMPŠÇ—□f\ftfgfEgfA, ÌŽè□# , ðŽQ□Æ, μ, Ä, , ¾, ³, ç□B

f□f,

- 'î%ž, , é^¶□æ, ÉŽè□ì<Æ, ÅfRfs□[, , é•K—v, ª, , è, Û, ·□B

NWIP.INFtf@fCf:

f[]fNfXfe[]fVfjf“,Ö,ìNetWare/IP*,ìfCf“fXfg[]f<,ÉŠÖ,;é[]à-¾,ª“ü,Á,Ä,ç,Û,·[]B

NWLAYOUT.INFftf@fCf<

fCf“fXfg[]f<ftf@fCf<,Ö,lfpfX,ª“ü,Á,Ä,ç
,Ü,·[]BfCf“fXfg[]f<'t,ÉE»[]Y,lfthf<f_,Áftf@fCf<,ªE©,Â,©,ç,È,ç[]ê[]#[]AClient
32*,INWLAYOUT.INFftf@fCf<,Áftf@fCf<,Ö,lfpfX,ð'²,x,Ü,·[]B—
ň<“,³,ê,½fpfX,Éftf@fCf<,ª,E,ç[]ê[]#[]Aftf@fCf<fpfX,í“ü—í,ð<[],ß,éf[]fbfz[]fW,ª•\Ž!,³,ê,Ü,·[]B

NWMSG95.HLPftf@fCf<

,±,ê,íAClient 32*fVfXfef€f[]bfZ[]fW[]î•ñ,ìfwf<fvftf@fCf<,Å,·B,±
,ìftf@fCf<,íANWCFG95.HLP[]ANWTSG95.HLP[]AWINDOWS.HLP[]ASETUPNW.CNT,ìŠeftf@fCf<,ÉfŠf“fN,³,ê,Ä
,ç,Û,·B

NWOVER95.HLPftf@fCf<

,±,ê,í□Aclient 32*,iŠT—v,ÉŠÖ,·,éfwf<fvftf@fCf<,Å,·□B,±

,iftf@fCf<,í□ANWCFG95.HLP□ASETUPNW.HLP□AWINDOWS.HLP□ASETUPNW.CNT,ìšeftf@fCf<,ÉfŠf“fN,³,ê,Ä,
ç,Ú,·□B

NWSERV.INFtf@fCf

SNMP,ÆfzfxfgfŠf\lfXMIB,lfCf“fxfg\lf<,ÉŠÖ,·.éî•ñ,²“ü,Á,Ä,ç,Ü,·B

NWSHELLX.DLL

Windows** 95**, ìfVfFf<Šg'£,đ'ñ<ÿ,μ,Ü,·□B

NWTIPS95.HLPftf@fCf<

,±,ê,í□AClient 32*,ìfCf“fXfg□[f<□AŠÂ««□Ý’è□AŽg—p-@,ìfqf“fg,²“ü,Á,Ä,ç,éfwf<fvftf@fCf<,Å,·□B,±
,ìftf@fCf<,í□ANWCFG95.HLP□ANWOVER95.HLP□ANWTSG95.HLP□ANWUSE95.HLP□ASETUPNW.HLP□ASET
UPNW.CUT,ìŠeftf@fCf<,ÉfŠf“fN,³,ê,Ä,ç,Ü,·□B

NWTRANS.INFtf@fCf<

32frfbfgIPX*fvf□fgfRf<,ÉŠÖ,·,é□î•ñ,ª“ü,Á,Ä,ç,Û,·□B

NWTSG95.HLPftf@fCf<

,±,ê,í□Aclient 32*fgf%ofuf<fvf...□[fefBf“fOî•ñ,lfwf<fvftf@fCf<,Å,·□B,±

,lftf@fCf<,í□ANWCFG95.HLP□ANWMSG95.HLP□ANWTSG95.HLP□ANWUSE95.HLP□ASETUPNW.CNT,ìŠeftf
@fCf<,ÉfŠf“fN,³,ê,Ä,ç,Ü,·□B

NWUSE95.HLPftf@fCf<

,±,ê,í□AClient 32*,iŽg—p,ÉŠÖ,·,éfwf<fvftf@fCf<,Å,·□B,±

,iftf@fCf<,í□ALOGINW95.HLP□ANWCFG95.HLP□ASETUPNW.CNT,ìŠeftf@fCf<,ÉfŠf“fN,³,è,Ä,†,Ü,·□B

NetCards

'îû,É,È,éffNfXfeVf#",ìfìbfqfNfAf_fvf^,ìfffofCfXID,đŽw'è,μ,Û,·B

Network Board Installation, ÉŠÖ, ·, éf□f,

- flfbfgf□□[fNf{□[fh,lfCf“fXfg□[f<,É,Â,ç,Ä,Í□Af□□[fj□[,lf}fjf...fAf<,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B
- NetWare* Client* 32 for Windows** 95**,Í□AODI*fhf%ofCfo,ÆENDIS**fhf%ofCfo,ðfTfj□[fg,μ,Ü,·□B

,ϕ,ϕ,!

□m,ϕ,ϕ,!,□n,đ'!đ,;é,Æ□AŽc,è,ìŽè□‡,đ-³Ž<,μ,Ä□l-¹,μ,Û,·□B,±,ì□ê□‡NetWare* Client* 32* for Windows**
95**,ìŽg—p,Ä,«,Û,¹,ñ□B

Novell* ODINSUP,ª,Ç,ìODI*fAf_fvf^,É'® ,µ,Ä,ç,é,©•ª,©,Á,Ä,ç,éêë,ðœ,ç
,ÄAfRf“fgf[f<fpflf<,ìmfllfbfgf[fNn,©,çNovell* ODINSUP,ì%ŠúÝ'è,ðíœ,µ,È,ç,Å,-
,¾,¾,çB1'í1,Äf}fbfsf“fO,µ,Ä,ç
,é,½,ßA,Ç,è,àíœ,Å,«,Û,¹,ñBfAf_fvf^,ðíœ,·,é,ÆAfRf“fgf[f<fpflf<,ìmfllfbfgf[fNn,ª•Ä,¶,½, ,Æ,Å
Novell ODINUSP,àŽ©“®“l,Éíœ,¾,ê,Û,·BŽg—p't,lfAf_fvf^,ª1,Ä,µ,©,È,çêëANovell
ODINSUP,ðíœ,·,é,ÆClient 32*,ªíœ,¾,ê,Û,·B

ODINSUP,İŞT—v

ODI* NDIS**fTf|[]fjf,fWf...[]f<[]iODINSUP[]j,Í[]ANDISfhf%oofCfo,ÆODI LANfhf
%oofCfo,İŞÖ,ÉfCf“f^ftfF[]fX,ð'ñ<ÿ,·,éODIfvf[]fgfRf<fXf^fbfN,Å,·[]B

ODINSUP,Í[]AODI,É,æ,Á,ÄNDISfvf[]fgfRf<,ðfTf|[]fg,µ,Ü,·[]B,±,ê,É,æ,è[]AODI LANfhf
%oofCfo,Æ^ê[][],ÉMicrosoft**f|fbfgf[][]fN—pfRf“f|[]f|f“fg,ðŽg—p,Å,«,Ü,·[]B,½,Æ,i,Í[]AODINSUP,ðŽg—
p,·,é,Æ[]AODIfhf%oofCfo,ÅClient for Microsoft Networks,ðŽg—p,Å,«,Ü,·[]B,Ü,½[]AODIfhf%oofCfo,ÅMicrosoft
TCP/IPfvf[]fgfRf<,ðŽg—p,·,é,±,Æ,à,Å,«,Ü,·[]B

*fmfxf<,ì[]x•W[]@**fT[]fhfp[]fB,ì[]x•W
[]Ú[]x,Í[]x•W,ðŽQ[]Æ,µ,Å,,¾,¾,ç[]B

OEM.CNTftf@fCf<

,±,iftf@fCf<,íAClient 32*fwf<fv,ðWindows** 95**fVfXfef€fwf<fv,Æ“□□‡,·,é,ì,ÉŽg—p,μ,Û,·□B
□Ú□x,íAClient_32fwf<fv,ì“□□‡:□@ŠT—v,ðŽQ□Æ,μ,Ä,,¾,¾,¢

Windows 95, NetWare Client 32 for Windows 95

Windows 95, NetWare Client 32 for Windows 95

- 1. Windows 95
- 2. Windows 95

Windows 95

- 1. NetWare Client 32 for Windows 95
- 2. NetWare Client 32 for Windows 95

- a. NetWare Client 32 for Windows 95
- b. NetWare Client 32 for Windows 95
- c. NetWare Client 32 for Windows 95
- d. NetWare Client 32 for Windows 95
- e. NetWare Client 32 for Windows 95
- f. NetWare Client 32 for Windows 95

- 3. NetWare Client 32 for Windows 95

- a. NetWare Client 32 for Windows 95
- b. NetWare Client 32 for Windows 95
- c. NetWare Client 32 for Windows 95
- d. NetWare Client 32 for Windows 95

NetWare Client 32 for Windows 95

fvf[]fgfRf<,Æ<@”\,ì’Ç%oÁfCf“fXfg[]f<,ìŠT—v

Client 32*, í[]Af!fvfVf#f” ,ÁNetWare*/IP*[]ANMR[]ASNMP[]AfzfXfgfŠf[]fXMIB,ðfTf[]f[]g,μ,Û,·[]B,±
,é,ç,ìf!fvfVf#f” ,í[]AClient
32,ðfCf“fXfg[]f<,μ,½, ,Æ,Á[]Afrf“fgf[]f<fpf!f<,ì[]mf!fbfgf[]fN[]n,© ,çfCf“fXfg[]f<,Á,«,Û,·[]B

Novell SNMPfG[]fWfFf“fg,ÆfzfXfgfŠf[]fXMIB

SNMP,ìfNf[]fXfVf[]fgfRf<Æ¾Æè,È,ì,Á[]AŠÇ—[]ŽÒ,í^ÙŽí,ìf!fbfgf[]fNfVf%ofbfgftfH[]f€[]ă,ìfRf“fsf...[]f^,ðŠÇ
—[]A,«,Û,·[]B

ŠÇ—[]fRf“f[]f<,³ŠÇ—[]î•ñfx[]fX[]iMIB[]jftf@fCf<,ðfTf[]f[]g,·,é[]é[]#[]AfNf%ofCfAf“fg,ÉfzfXfgMIBfTf[]f[]g<@”\
,ðf[]f[]fh,·,é,±,Æ,à,Á,«,Û,·[]BzfzfXfgMIBfTf[]f[]g<@”\,ðf[]f[]fh,·,é,Æ[]AŠÇ—[]fRf“f[]f<,ìSNMPfNf
%ofCfAf“fg,ìÛYÆÉèî•ñ,ðf[]f[]Šf“fO,Á,«,Û,·[]B

NetWare/IP

NetWare/IP,í[]AIPX*fpfPfbfg,ð!PCE`Ž@,Á’—Žó[]M,μ,Û,·[]BNetWare/IP,ðŽg—p,·,é,Æ[]AIPX,¾,¯,ðŽg—
p,·,é!f!fbfgf[]fNfAfVfŠfP[]fVf#f” ,àTCP/
IPf!fbfgf[]fN,ð’È,¶,Á’È[]M,Á,«,Û,·[]B•È[]X,ìIPxf!fbfgf[]fN,³IPfx[]fX,ìf!fbfgf[]fNŠÔ[]Ú’±,ð’È,¶,Á’È[]M,·,é,±
,Æ,à,Á,«,Û,·[]B

NMR

NMR[]iNetwork Management
Responder[]j,í[]A’È[]í,Á,í“üŽè,Á,«,È,çf[]f[]fNfXfe[]fVf#f” ,ìŠÁ<<[]Ý’è[]î•ñ,ð•Ô,·fAfVfŠfP[]fVf#f”ft[]f[]fX,Á,·[]B

*fmfxf<,ì[]x•W[]@**fT[]f[]hfp[]f[]fB,ì[]x•W
[]Ú[]x,ì[]x•W,ðŽQ[]Æ,μ,Á,,¾,¾,¾,ç[]B

Client 32\ftfgfEjFfAíœ,İŠT—v

Client 32*, İfRf“fgf[]f<fpflf<, İmfIfbfgf[]fN[]n, đŽg—p, μ, Äíœ, Å, «, Ü, ·BClient
32, đíœ, μ, Ä, àA^ê•”, İClient 32î•ñ, İfEfwfXfgfŠ, ÉŽc, Á, Ä, ç, Ü, ·B, ±, ê, É, æ, èClient
32, İŠÅ««Y’è, İ•Ü’¶, ³, ê, Ä, ç, é, ½, ßAClient 32, đÄfCf“fXfg[]f<, ·, é, Æíœ‘O, Æ“”, ¶İŠÅ««Y’è, É, È, è, Ü, ·B

*fmfxf<, İœ•W[]@**fT[]fhfp[]fefB, İœ•W
Üx, İœ•W, đZQÆ, μ, Ä, , ¾, ¾, çB

PC32MLID.LANftf@fCf

PC32MLID.LANftf@fCf<,íA16frfbfgDOS ODI*Žd—l,Æ32frfbfgC-ODIŽd—l,í^á,ç
,đ'²@,μ,Û,·B,Â,Û,èA32frfbfgLANfhf%ofCfo,ì,æ,æ,É" @ì,μ,Û,·,ªAŽAÛ,É,í16frfbfg,ìLANfhf%ofCfo,đŽg—
p,μ,Áf|fbfgf[]fNff[]f^,đ'—ŽóM,μ,Û,·B16frfbfgDOS ODI LANfhf%ofCfo,đClient 32,Æ^ê,ÉŽg—
p,·,éê#A,±,ê,đŽg,æ•K—v,ª, ,è,Û,·B
16frfbfgODI LANfhf%ofCfo,đfCf“fXfg[]f<,·,é,Æ[]APC32MLID.LAN,ªfCf“fXfg[]f<,ª,è,Û,·B,±
,ê,í<N“@fvf[]ZfX,í^ê•”,Æ,μ,Áf[]fh,ª,è,Û,·B

PHASERS.WAV

FIRE PHASERS
FH—P, I WAVE
FH—P, I WAVE
FH—P, I WAVE

NetWare 3.12

—v: @f{fšf... [f€, Éf [f€fXfy [fX, ð'Ç%Á, , é, É, í AfT [fof, fš, a—] •a, É•K—v, É, È, è, Û, · Bf {fšf... [f€, Éf [f€fXfy [fXfTf] [fg, ð'Ç%Á, , é, Æ, «, Éf, fš, a' «, è, È, ç, Æ [A, » ,lf {fšf... [f€, lf} fEf "fg, Á, «, Û, 1, ñ Bf [f€fXfy [fX, lfTf] [fg, É•K—v, Éf, fš—É, ðvŽZ, , é•ù-@, É, Á, ç, Á, í A wfvfXfef€fAfhf~ffjXfgfCE [fvf#f" x, ðŽQ Æ, µ, Á, , 3/4, 3, ç B

—v: @f [f€fXfy [fX, ðf {fšf... [f€, É'Ç%Á, µ, 1/2, , Æ, Å Af {fšf... [f€, ©, ç, » ,lf [f€fXfy [fX, ðíœ, , é, É, í Af {fšf... [f€, ðíœ, µ, Á [—, µ' 1/4, , © VREPAIR í wft [fefBfšfefBfšftf@fCEf "fX xŽQ Æ j, ðŽg—p, µ, È, , è, í, È, è, Û, 1, ñ B

1. fT [fo, É SUPERVISOR 'Š" -, lf AfjEf "fg, Å f OfCf", µ ASY" -fT [fo, í SYS f {fšf... [f€,

í SYSTEM fffBfCEfNfgfšfB, É, , é OS2.NAM, V_OS2.NLM , í' @ «, ðfm [f} f< • í X, µ, Û, · B

FLAG \SYSTEM\OS2.NAM N

FLAG \SYSTEM\V_OS2.NLM N

2. ä<L, í, Q, Á, lf tf@fCf, ð, » , è, 1/4, è OS2.OLD V_OS2.OLD "™", Éfšf [f€, µ, Û, · B

3. C³ "Á OS2.NAM, <y, ñ V_OS2.NLM , ð SYSTEM fffBfCEfNfgfšf, ÉfRfs [, µ A' @ «, ð "Ç, Ýž

, Ý è—p, É • í X, µ, Û, · B

FLAG \SYSTEM\OS2.NAM ROS

FLAG \SYSTEM\V_OS2.NLM ROS

4. ŠY" -fT [fo, ðí—1, µ Af [ffjffBfXfN ä, í SERVER.EXE , í, , éffBfCEfNfgfšf, É, , é

OS2.NAM, V_OS2.NLM , ð, » , è, 1/4, è OS2.OLD V_OS2.OLD "™", Éfšf [f€, µ, Û, · B

5. Client32/Win95, É•t' @, í OS2.NAM, <y, ñ V_OS2.NLM , ð ä<L fffBfCEfNfgfšf, ÉfRfs [, µ, Û, · B

Client 32 CD-ROM, í è# AADMIN\PATCHES\

NW312ftfHf<f_É, , è, Û, · B ftf bfs [ffBfXfN, í è# AADMIN1 fffBfXfN, í PATCHES\NW312ftfHf<f_É, , è, Û, · B

6. ä<LfCf "fXfg [f< í—1 È ä AfT [fo, ð Ä<N" @, µ, Á, , 3/4, 3, ç B

7. ' í Ú f {fšf... [f€, a OS/2 f [f€fXfy [fXfTf] [fg<@ " \, a •t%Á, 3, è, Á, ç, È, ç è# A ^ È%o, ðžè

[ž, ðŽÁ s, µ AOS/2 f [f€fXfy [fX, ð •t%Á, µ, Á, , 3/4, 3, ç B

LOAD OS2

ADD NAME SPACE OS2 to <f {fšf... [f€-1/4>

*fmfxf<, í x•W @**fT [fhfp [fefB, í x•W

Ú x, í x•W, ðŽQ Æ, µ, Á, , 3/4, 3, ç B

NetWare 4.1JfT[fo,Ä,ì€"öì<Æ

□d—v:□@f{fŠf...□[f€,Éf□[f€fXfy□[fX,δ'Ç%oÁ,·,é,É,í□AfT□[fof□f,fŠ,ª—]•ª,É•K—v,É,È,è,Ü,·□Bf{fŠf...□[f€,Éf□[f€fXfy□[fXfTf]□[fg,δ'Ç%oÁ,·,é,Æ,«,Éf□f,fŠ,ª'«,è,È,ç,Æ□A,»}f{fŠf...□[f€,í}fEj"fg,Ä,«,Ü,¹,ñ□Bf□[f€fXfy□[fX,íTf]□[fg,É•K—v,Éf□f,fŠ—É,δCvŽZ,·,é•ù-@,É,Ä,ç,Ä,í□A□wfX□[fpfofCfUfKfCfh□x,δZQ□Æ,μ,Ä,,³/₄,³,ç□B

□d—v:□@f□[f€fXfy□[fX,δf{fŠf...□[f€,É'Ç%oÁ,μ,¹/₂,,Æ,Ä□Af{fŠf...□[f€,©,ç,»}f□[f€fXfy□[fX,δ□í□œ,·,é,É,í□Af{fŠf...□[f€,δ□í□œ,μ,Ä□□¬,μ'¹/₄,·,©VREPAIR□í□wf□[fefBfŠfefBfŠftf@fCef"fx□xŽQ□Æ□j,δŽg—p,μ,È,·,è,î,È,è,Ü,¹,ñ□B

1. NetWare* 4.1J,ípfbf` ,δfT□[fo,ìSYS\SYSTEMftfHf<f_ÉfRfs□[μ,Ä,,³/₄,³,ç□B
fpbf` ,É,íPM410.NLM,ÆNSWILDFX.NLM,ª, ,è,Ü,·□BClient 32 CD-ROM,ì□ê□#□AADMIN\PATCHES\NW410ftfHf<f_É, ,è,Ü,·□Bftf□bfs□[fffBfXfN,ì□ê□#□AADMIN1fffBfXfN,ìPATCHES\NW410ftfHf<f_É, ,è,Ü,·□B
2. OS/2**f□[f€fXfy□[fX,δf□□[fh,μ,Ü,·□BfT□[fofRf" f□[f<,ífvf□f"fvfg,Ä□AZŽ,ì,æ,ª,É"ü—í,μ,Ä,,³/₄,³,ç□B
LOAD OS2.NAM
3. fpbf` ,δf□□[fh,μ,Ü,·□BfT□[fofRf" f□[f<,ífvf□f"fvfg,Ä□AZŽ,ì,æ,ª,É"ü—í,μ,Ä,,³/₄,³,ç□B
LOAD PM410
LOAD NSWILDFX
4. OS/2f□[f€fXfy□[fX,δ'Ç%oÁ,μ,Ü,·□BfT□[fofRf" f□[f<,ífvf□f"fvfg,Ä□AZŽ,ì,æ,ª,É"ü—í,μ,Ä,,³/₄,³,ç□B
ADD NAME SPACE OS2 TO VOLUME *volume_name*
5. fpbf` —pf□□[fhfRf}f"fh,δAUTOEXEC.NCFtf□@fCf<,É'Ç%oÁ,μ,Ä,,³/₄,³,ç□B

*fmfxf<,ì□ª•W□@**fT□[fhfp□[fefB,ì□ª•W
□Ü□x,ì□ª•W,δZQ□Æ,μ,Ä,,³/₄,³,ç□B

NetWareT[fo,Á,ì€"öì<Æ

ŠT—v

NetWareT[fo,Á,ì€"öì<Æ

fpbf` ,Æf[["fOftf@fCf<-¼,lfTf|f[fg,lfCf"fxfg[f<

NetWare 4.1]fT[fo,Á,ì€"öì<Æ

NetWare 3.12]fT[fo,Á,ì€"öì<Æ

ŽQ[ÆE³

f[f€fxfy[fX,ì'Ç%oÁ,ÉŠÖ,.,éf[f.

NetWarefT[fj,Á,ì€"õì<Æ

f[f"foftf@fCf<-¼fTf[fj,ì'Ç%oÁ

f[f"foftf@fCf<-¼,ðfTf[fj,·,é,É,íAŠeNetWare* 4*fT[fj,ÆNetWare
3*fT[fj,ÉOS/2**f[f€fXfy[fX,ðf[fh,μ,Ä,,·K—v,ª, ,è,Ü,·Bf{fŠf...[f€É,àOS/2f[f€fXfy[fX,ð'Ç
%oÁ,μ,È,·,è,ì,È,è,Ü,¹,ñB

f[f€fXfy[fX,ðf{fŠf...[f€É'Ç%oÁ,·,é,É,íAŠT[fj,af,af,af]·ª,É•K—v,É,È,è,Ü,·Bf{fŠf...[f€
,Éf[f€fXfy[fXfTf[fj,ð'Ç%oÁ,·,é,Æ,«Éf[f,af,af'«è,È,ç,ÆA,»}f{fŠf...[f€
,f}fEj"fg,Á,«,Ü,¹,ñBf[f€fXfy[fXfTf[fj,É•K—v,Éf[f,af—É,ðEvŽZ,·,é•ù-
@,íA[wfX[fjpfofCfUfKfCfh[xiNetWare 4*,ìê#j,Ü,½,íwfvfXfefAfhf~fjXfgf€[fvf#f"xiNetWare
3*,ìê#j,ðZQ/Æ,μ,Ä,,¾,¾,çB

f[f€fXfy[fX,É,íAfffBfXfNfXfy[fX,ª252KB,,·Á•K—v,Á,·B

f[f€fXfy[fX,ðf{fŠf...[f€É'Ç%oÁ,μ,½, ,Æ,ÁAf{fŠf...[f€©,ç,»}f[f€fXfy[fX,ðíœ,·,é,É,íAf{fŠf...
[f€,ðíœ,μ,Ä,·,μ'¼,·,©VREPAIRi[wft[fefBfŠfBfŠf@f€f"fxXZQ/Æj,ðZg—
p,μ,È,·,è,ì,È,è,Ü,¹,ñB

NetWarefCf"fxfg[fj'žè#,íASYS\SYSTEMfffBf€fNfgfŠ,ìOS2.NAMftf@fCf<íOS/2f[f€fXfy[fXj,É, ,è,Ü,·
B

fjfbf` ,ìf[fh

Client 32,íNetWare 3.12jT[fj,ÆNetWare 4.1jT[fj—p,ìfjfbf` ,ð—p^Ó,μ,Ä,ç,Ü,·B,±,è,ç,ìfjfbf` ,ì,È,é,x,-
f[fh,μ,Ä,,¾,¾,çB

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
íUx,ìx•W,ðZQ/Æ,μ,Ä,,¾,¾,çB

fNfXfeVfj",É•K—v,ÉftfgEfFfA

NetWare* Client* 32* for Windows** 95**,đfCf"Xfg[f<,·,éê±,ÉfNfXfeVfj",É•K—v,Éf ftfgEfFfA,ÍŽŸ,ì,Æ, ",è,Å,·B□V,μ,†fNfXfeVfj",ÉClient 32,đfCf"Xfg[f<,·,éê±,íA□æ,ÉfNfXfeVfj",É•K—v,ÉfnfhfEfFfA,ì€"òì<Æ,đ,·,Ü,¹,Å,,³/₄,³,†B

•K—vđCE

- Windows 95,^a"@ì,μ,Å,†,é•K—v,^a, ,è,Ü,·B
- NetWare Client 32 for Windows 95,ìCD-ROM,Ü,¹/₂,ìftfbfs[fBfXfN,đ—p^Ó,μ,Ü,·B
- NetWare 3*fT[fo,ÆNetWare4*fT[fo,ìê±□AClient 32,É•t'® ,ìfpbf` ,đfCf"Xfg[f<,μ,Ü,·B
 □Ú×,íANetWareT[fo,Å,ì€"òì<Æ,đŽQ□Æ,μ,Å,,³/₄,³,†B
- NetWare DOSfSfNfGfXf^*iVLM*fNf%ofCfAf"fg,©,†fAfbvfOfCE[fh,·,éê±,âfBfgf[fNfNf %ofCfAf"fgftfgEfFfA,đfCf"Xfg[f<,μ,Å,†,É,†ê±□AWindows 95,ìCD-ROM,©ftfbfs[fBfXfN□A,Ü,¹/₂,ìWindows 95 CABftf@fCf<,đ—p^Ó,·,é•K—v,^a, ,è,Ü,·B

f

- ŽŸ,ìfBfgf[fNfRf"fi[fif"fg,ìNetWare Client 32 for Windows 95,ÆEŸŠ·□«,^a, ,è,Ü,¹,ñB
- □mMicrosoft*nNetWarefBfgf[fNfNf%ofCfAf"fg
- □mMicrosoftnNetWarefBfgf[fN,Å<α—L,μ,Å,† ,étf@fCf<,Æfvš" f^□BNetWarefRfAfvf[fGfRf<*iNCP*†ftf@fCf<,Æ^óüfT[frfX,đfGf~f...fCE[fG,μ,Ü,·B
- □mMicrosoftnService for NetWare Directory Services*
- Novell* NetWareiWorkstaion Shell 3.x □iNETX□j□j**
- Novell NetWareiWorkstation Shell 4.0^È±□iVLM□j□j
- Novell IPX* ODI*fvf[fGfRf<

f,:□@,±,è,ìNETXfNf%ofCfAf"fg,ÆVLMfNf%ofCfAf"fg—p,ì16fBfgf,fWf...[f<,Å,·BClient 32,Å,ìNovell NetWare Client 32—p,ìIPX 32fBfgfvf[fGfRf<,đŽg—p,μ,Ü,·B

,±,è,†,ìfBfgf[fNfRf"fi[fif"fg,ìClient 32,Æ□Œ"È,μ,Ü,·B,±,ì,æ,α,ÈfBfgf[fNfRf"fi[fif"fg,ì,α ,ì,Ç,è,©,đfCf"Xfg[f<,μ,Å,†,é,Æ□AClient 32fCf"Xfg[f<fvf[fOf%of€ ,ìŒ"È,đCEŸo,μ□AŒ"È,·,éfBfgf[fNfRf"fi[fif"fg,đí□æ,μ,Ü,·B

*fmfxf<,ì□•W□@**fT[fhfp[fefB,ì□•W □Ú×,ì□•W,đŽQ□Æ,μ,Å,,³/₄,³,†B

fwf:fv,ì^óü

1. □mfqfsfbfN□n,ð'ì'ð,μ,Ä,,¾,¾,ç□B
2. □i□ê□‡,É,æ,Á,ÄŽÀ□s□j□m-ÚŽŸ□nf^fu,ª•\Ž|,¾,è,Ä,ç,È,ç□ê□‡□A□m-ÚŽŸ□n,ð'ì'ð,μ,Ä,,¾,¾,ç□B
3. ^óü,μ,½,çfufbfN,ð'ì'ð,μ,Ä,,¾,¾,ç□B
4. □m^óü□n,ð'ì'ð,μ,Ä,,¾,¾,ç□B
5. fvfŠf“f^î•ň,ª□¾,μ,ç,©,Ç,‡,©Šm”F,μ,Ä,,¾,¾,ç□B
6. □mOK□n,ð'ì'ð,μ,Ä,,¾,¾,ç□B

protocols=NWLINK, NOVELLIPX32

- INfCf"fxfg[f<fvfOj%of€‚,Á,±,ìs,đ'Ç%oÁ,μ,Ä,¨,•K—v,ª, ,è,Ü,·BNetWare/
IP,đfCf"fxfg[f<, ,éêê‡,đœ,ç,ÄA,±,ìs,É,íNWLINK,ÆNOVELLIPX32,¾,¯,đŽw'è,μ,Ä,,¾,¾,çB
- NetWare/IP,ìê‡
- fvffgfRf<•¶,íŽŸ,ì,æ,α,ÉŽw'è,μ,È,¯,ê,î,È,è,Ü,¹,ñB
protocols=NWLINK, NOVELLIPX32, NWIP
- NetWare/IP*,íMSTCPfvfgfRf<,đŽ©“®“i,Éf[fh, ,é,ì,ÁAMSTCPfvfgfRf<,íŽw'è,μ,È,ç,Ä,,¾,¾,çB

Client 32

- NetWare*
%of€iINFINST.EXEj, AfNfZfX, Å, «, éêŠ, È, ç, Ì, Ç, ±, É, À"z'u, Å, «, Ù, ·B
- Client 32* CD-ROM, NIHONGO Client 32 ffs, ©, çtf@fCf<, ðfRfs [μ, Ù, ·B
- À, ÌŽŽ"_, Å, Ì Client 32 CD-ROM, ADMIN\BATCH95\NLS\ NIHONGO ADMIN2ffBfXfN, BATCH95\NLS\NIHONGO, ©, ç, ±, ÌtfHf<f_Ötf@fCf<, ðfRfs [μ, È, ç, Å, , 3/4, 3, çB

*fmx<, Ìx•W@**f [fhfp [fefB, Ìx•W Ùx, Ìx•W, ðŽQÆ, μ, Å, , 3/4, 3, çB

README.TXT

README.TXT Client 32, ©, È, ÷, è, Ì, È, ç, È, ç, Ì, ã, ü, Á, Ä, ç, Ù, ·

fRfs

CD-ROM: @NIHONGO

ftf @fZfbfgfAfbfvftf

fRfs @\NOVELL\CLIENT32

README.TXT, ð, Ž, é, É, í, AREADME, Ì, Ž, ð, Ž, Q, Æ, µ, Ä, ¼, ç

RFC1514.MIB

fzXfgfŠ\ [fXŠÇ—□□î•ñfx□[fX□iMIB□j,đ'è<` ,μ,Û,·□B

fRfs [Æ³:

CD-ROM: □@ADMIN\NMSftfHf<f_

ftf□fbfs [fffBfXfN: □@ADMIN1ftf□fbfs□[fffBfXfN□ANMS*ftfHf<f_

fRfs [□æ: □@SNMPŠÇ—□fXfe□[fVf#f“□B□Ú□×,Í□ASNMPŠÇ—□f\ftfgfEfFfA,lf}ffj...fAf<,đŽQ□Æ,μ,Ä,,¾,³,ç□B
f□f,

- □³,μ,ç^¶□æ,ÉŽè□ì<Æ,ÅfRfs□[,μ,Ä,,¾,³,ç□B

ROUTE.COMftf@fCf<

NetWare*f\[]fXf<[]fEfBf“fOfhf%oCfo[]iROUTE.COMftf@fCf<[]j,đŽg—
p,·,é,Æ[]AIBM**fg[]fNj“fŠj“fOfjfbfgf[]fNfufŠfbfW,đ’É,¶,Á’É[]M,Á,«,Ü,·[]B,±,è,í16frfbfg,ìODI* LANfhf
%oCfo,ì[]ê[]+,¾,~Žg—p,μ,Ü,·[]B

ROUTE.COM,í[]AAUTOEXEC.BATftf@fCf<,É,æ,Á,Ä[]A16frfbfgODI LANfhf%oCfo,ì, ,Æ,Éf[][]fh,³,è,Ü,·[]B\
[]fXf<[]fEfBf“fO,đŽg—p,·,éftf[][]f€f^fCfv,²,Æ,ÉROUTEfRf}f“fh,đŽÀ[]s,·,é•K—v,ª, ,è,Ü,·[]B

NetWarefT[]fo,àf\[]fXf<[]fEfBf“fO[]iROUTE.NLM[]j,đf[][]fh,·,é•K—v,ª, ,è,Ü,·[]B

Client 32, ěíœ

NetWare* Client* 32* for Windows** 95**, ěíœ, ., é, É, Í

1. ěfNfŠfbfN, μ, ÄAfrf“fgf[f<fpflf<, ěmflfbfgf[fNn, ě•Ž!, μ, Ä,, 3/4, 3, čB
2. ěmNovell NetWare Client 32n, ě'íě, μ, Ä,, 3/4, 3, čB
3. ěměíœn, ě'íě, μ, Ä,, 3/4, 3, čB
4. ,»ě^ÉŠO, ěClient 32flfbfgf[fNfRf“f[f“fgiNovell ODINSUPfRf“f[f“fg, âNovell* NetWare Client 32—p, ěIPX* 32fRfbfgfvf[fgfRf<, È, Ç, ě—l, Éěíœ, μ, Ä,, 3/4, 3, čB
5. ěmOKn, ě'íě, μ, Ä,, 3/4, 3, čB
6. ěm, č, č, ěn, ě'íě, μ, Ä,, 3/4, 3, čB
7. Client 32ftf@fCf<, ěíœ, μ, Ů. ěClient 32ftf@fCf<fŠfXfg, É, Ä, č, Ä, ěAClient 32ftf@fCf<, ěŽQě, μ, Ä, -, 3/4, 3, čB

*fmfxf<, ěx•W@**fT[fhfp[fefB, ěx•W
ěÚx, ěx•W, ěŽQě, μ, Ä,, 3/4, 3, čB

NetWarefNf%ofCfAf“fg,ìííœ

NetWare*fNf%ofCfAf“fg,ðííœ,·,é,É,Í

1. fNf%ofCfAf“fg-¼,ð'í'ð,μ,Ä,,¾,¾,ç□B
-¼'Ö,ÍŽŸ,ì,ç,,ê,©,Ä,È,¯,ê,Î,È,è,Û,¹,ñ□B
Client for NetWare Networks
Novell* NetWare□iWorkstation Shell 3.X□iNETX□j□j
Novell NetWare□iWorkstation Shell 4.0^È□~□iVLM*□j□j


2. □m□ííœ□n,ð'í'ð,μ,Ä,,¾,¾,ç□B

f□f,

,±,ìŽž“_ÁfRf“fgf□□[f<fpf]f<,ìmf]fbfgf□□[fN□n,ð□-¹,μ,¾,èfRf“fsf...□[f^,ð□Ä<N“®,,·,é•K—v,Í, ,è,Û,¹,ñ□B


*fmfxf<,ì□¤•W□@**fT□[fhfp□[fefB,ì□¤•W
□Ú□x,ì□¤•W,ðZQ□Æ,μ,Ä,,¾,¾,ç□B

ODINSUP,ÆfAf_fvf^,ìííœ

1.  ðfNfŠfbfN,µ,ÄfRf“fgf□□[f<fpf|f<,ì□mf|fbfgf□□[fN□n,ð•\Ž!µ,Ä,,¾,¾,ç□B
2. □mNovell ODINSUP□n,ð'!ð,µ,Ä,,¾,¾,ç□B
3. □m□ííœ□n,ð'!ð,µ,Ä,,¾,¾,ç□B
4. flfbfgf□□[fNfAf_fvf^-¼□iNE2000* Compatible,È,Ç□j,ð'!ð,µ,Ä,,¾,¾,ç□B
5. □m□ííœ□n,ð'!ð,µ,Ä,,¾,¾,ç□B
6. □mOK□n,ð'!ð,µ,Ä,,¾,¾,ç□B
7. □i□ê□‡,É,æ,Á,ÄŽÄ□s□jClient 32*ftf@fCf<,Ü,½,ÍWindows** 95** CABftf@fCf<,ªflfbfgf□□[fNfhf %ofCfu□ã,É, ,é□ê□‡□A□m,ç,ç,ì□n,ð'!ð,µ,Ü,·□BfRf“fsf...□[f^,Í□Ä<N“® ,µ,È,ç,Ä,- ,¾,¾,ç□B□Ä<N“® , ,é,Æ□AClient 32,ìfCf“fXfg□[f<,É•K—v,Èftf@fCf<,ÉfAfNfZfX,Ä,«,Ü,¹,ñ□B ,Ü,½,Í
□i□ê□‡,É,æ,Á,ÄŽÄ□s□jflfbfgf□□[fNfhf%ofCfu□ã,É,È,ç□ê□‡□A□m,Í,ç□n,ð'!ð,µ,ÄfRf“fsf... □[f^,ð□Ä<N“® ,µ,Ä,,¾,¾,ç□B

*fmfxf<,ìíí•W□@**fT□[fhfp□[fefB,ìíí•W
□Ú□x,Ííí•W,ðŽQ□Æ,µ,Ä,,¾,¾,ç□B

fjfvfVf#f" <@ "\, ìííœ

1. , ðfNfŠfbfN, µ, Ä AfRf" fgf [f<fpf]f<, ìmf]fbfgf [fN n, ð • \Ž! , µ, Ä, , ¾, ¾, ¾, ç B
2. ííœ, ·, é]fvfVf#f" <@ "\, ðŽŸ, l'†, ©, ç 'l' ð, µ, Ä, , ¾, ¾, ¾, ç B
 - Novell* Client* 32*—p, ìfzfXfgfŠf [fXMIB
 - NetWare Client 32—p, ìNMR
 - Novell NetWare/IP*fvf]fgfRf<
 - Novell SNMPfG [fWfFf" fg
3. m ííœ n, ð 'l' ð, µ, Ä, , ¾, ¾, ¾, ç B
4. mOK n, ð 'l' ð, µ, Ä, , ¾, ¾, ¾, ç B

f]f,

- fzfXfgfŠf [fXMIB, É, íSNMP, a • K—v, È, ì, Ä ASNMP, ð ííœ, ·, é, Æ AfzfXfgfŠf [fXMIB, à ííœ, ¾, è, Ü, · B

*fmfxf<, ìíœ • W [@ **fT [fhfp [f]efB, ìíœ • W
Ú x, ííœ • W, ðŽQ Æ, µ, Ä, , ¾, ¾, ¾, ç B

flfbfgf[] [fNflfvfVf#f" , i i oe

1. []mflfbfgf[] [fN flfvfVf#f" []n, ð' l' ð, μ, Ä, , ¾, ¾, ç []B
2. f` fFfbfNf} [] [fN, ð•t, ¯, ½fvf[]fgfRf<[]AfT[] [frfX[]AfNf %ofCfAf" fg[]A, Ü, ½, í, » , ê ^ ÈSO, ìflfvfVf#f" , ìf` fFfbfNf} [] [fN, ð, í, , μ, Ä, , ¾, ¾, ç []B
3. []mIPX/SPX* ĆËŠ·fvf[]fgfRf<[]n, Éf` fFfbfNf} [] [fN, ð•t, ¯, Ä, , ¾, ¾, ç []B, ±, ê, Í[]mfCf" fXfg[] [f<, ., éfvf[]fgfRf<[]n, ì %oº, É, , è, Ü, . []B
4. []mOK[]n, ð' l' ð, μ, Ä, , ¾, ¾, ç []B

*fmfxf<, ì []x•W [] @**fT [] [fhfp [] [fefB, ì []x•W [] Ú [] x, Ì [] x•W, ðŽQ [] /Æ, μ, Ä, , ¾, ¾, ç []B

frf“fsf...[f^,ìÄ<N“®

1. ftjfbfs[fffBfXfNfhf%ofCfu,Éftjfbfs[fffBfXfN,ä“ü,Á,Ä,ç,é,Æ,«,ÍAZæ,èo,μ,Ä,,¾,¾,çB
2. mfVfXfef€Ý’è,ì•ìXnfEfBf“fhfE,Åm,í,çn,ð‘l’ð,μ,Ä,,¾,¾,çB

fj,

mfVfXfef€Ý’è,ì•ìXnfEfBf“fhfE,Å,íAfrf“fsf...[f^,ðÄ<N“®,·,é,©,Ç,α,©q,Ë,Ä,«,Û,·B,±,lf|
fbfvfAfbfvfEfBf“fhfE,í^è•”,Û,½,í’S’ì,ª%oB,è,Ä,ç,é,±,Æ,ª,è,Û,·B,±,lf|
fbfvfAfbfv,ªCE©,·,Ë,çèè#A,Û,©,lfEfBf“fhfE,ðÄ[¬%o»,·,é,©•Ä,¶,Ä,,¾,¾,çB


mfVfXfef€Ý’è,ì•ìXnfEfBf“fhfE,ª•Ž!,ª,è,Ä,ç,Ë,çèè#AZÿ,ìŽè#ðŽÀs,μ,Äfrf“fsf...
[f^,ðÄ<N“®,μ,Ä,,¾,¾,çB

1. f^fXfNfo[.ÅmfXf^[fgn,ð‘l’ð,μ,Ä,,¾,¾,çB
2. mWindows,ì[—¹n,ð‘l’ð,μ,Ä,,¾,¾,çB
3. mfrf“fsf...[f^,ðÄ<N“®,·,éçn,ð‘l’ð,μ,Ä,,¾,¾,çB
4. m,í,çn,ð‘l’ð,μ,Ä,,¾,¾,çB

SETUP.EXE, İZÄ

1. İndirilen, E, A, ZÄ dosyasını [ffBfXfN, ©, çfCf“fXfg[f<, ., éê# , İAfZfbfgfAfbfvfffBfXfN, ð’} “ü, µ, Ä, -, ¾, ¾, çB , Ü, ½, İ

İndirilen, E, A, ZÄ dosyasını CD-ROM, ©, çfCf“fXfg[f<, ., éê# ANetWare* Client* 32* for Windows** 95** CD-ROM, ð’} “ü, µ, Ä, ¾, ¾, çB

2. İndirilen, E, A, ZÄ dosyasını CfuA: , İftf bfs [ffBfXfN, ©, çfCf“fXfg[f<, ., éê# A  , ðfNfSfbfN, µ, Ä AfCf“fXfg[f<fvfOf%œ İSETUP.EXE j, ðZÄ s, µ, Ä, ¾, ¾, çB , Ü, ½, İ

İndirilen, E, A, ZÄ dosyasını CfuA: , İftf bfs [ffBfXfN, ©, çfCf“fXfg[f<, µ, È, çê# AClient 32ftf@fCf<, , éftHf<f_ , ©, çSETUP.EXEfvfOf%œ , ðZÄ s, µ, Ä, ¾, ¾, çB

f ,

Client 32ftf@fCf<, Ö, İfpfX, È, İ Af“fOf“fCf<-¼, İftHf<f_ , ð“ü, è, é, ± , Æ, Å, Å, Ü, ½, ñ BpfX“à, İftHf<f_ , İA8.3, İftf@fCf<-¼K-ñ, È“K , µ, Ä, ç, È, , é, İ, È, è, Ü, ½, ñ B

*fmx, İx•W @**fT [fhfp [fefB, İx•W Üx, İx•W, ðZQ Æ, µ, Ä, ¾, ¾, çB

fT[fofx[fXfZfbfgfAfbfv,iŽA]s

1. i[e]É,É,æ,Á,ŽÀ[s]jNetWare*fT[fo,Éf[fOfCf“,µAft[fU,ªWindows** 95**,ÆClient 32*,ðfCf“fXfg[f<,·,é,Æ,«,ÉŽg—p,·,éf{fŠf...[f€,Éf[fbfgf[fNfhf%ofCfu,ðf}fbfsf“fO,µ,Ä,,¾,¾,ç[B
2. Windows 95,ÁNETSETUP.EXE,ðŽÀ[s,µ,Ä,,¾,¾,ç[B
NETSETUP.EXE,íWindows 95 CD-ROM,ìADMIN\NETTOOLS\NETSETUPftfHf<f_É, ,è,Ü,·[B
3. fT[fofCf“fXfg[f<f<pfX,ðMSBATCH_SetupfCf“fXfg[f<ftfHf<f_ [iF:WIN95,È,Ç[j,ÉŸ“è,µ,Ä,,¾,¾,ç[B
 - a. mSet Path[n,ð‘l’ð,µ,Ä,,¾,¾,ç[B
 - b. fpfX,ð“ü—í,µ,Ä,,¾,¾,ç[B
 - c. mOK[n,ð‘l’ð,µ,Ä,,¾,¾,ç[B
4. Windows 95f[fXftf@fCf<,ðfT[fofCf“fXfg[f<f<pfX,ÉfCf“fXfg[f<,µ,Ä,,¾,¾,ç[B
 - a. mInstall[n,ð‘l’ð,µ,Ä,,¾,¾,ç[B
 - b. mLocal hard drive[n,ð‘l’ð,µ,Ä,,¾,¾,ç[B
Client 32,Á,íAft[fo[ã,Á<—Lftf@fCf<,ÆWindows 95,ð^è[ÉŽÀ[s,Á,«,Ü,¹,ñ[B
 - c. mPath to install from[n,ÉWindows 95fLfff[r]fbfgftf@fCf<[*].CAB[j,Ö,lfpfX[iF:WIN95CAB,È,Ç[j,ð“ü—í,µ,Ä,,¾,¾,ç[B
 - d. mOK[n,ð‘l’ð,µ,Ä,,¾,¾,ç[B
 - e. mCreate Default[nfvf[f“fvfg‘í,µ,Ä“ü—í,µ,Ä,,¾,¾,ç[B,Ç,¿,ç,©,lf[vfVf#f“,ð‘l’ð,µ,Ü,·[B
 - f. ,±,ê^ÈŠO,lfvf[f“fvfg,ª·\Ž‘,³,è,½[é[íA,»,ìŽwŽ‘,É[í],Á,Ä“ü—í,µ,Ä,,¾,¾,ç[B
 - g. fCf“fXfg[f<,ªŠ@—¹,µ,½,ç[A]mExit[n,ð‘l’ð,µ,Ä,,¾,¾,ç[B

f[f,

- fT[fofx[fXfZfbfgfAfbfv]iNETSETUP.EXE[j,íWindows 95,ÁŽÀ[s,µ,É, ,è,í,É,è,Ü,¹,ñ[B,»,è^ÈŠO,lf[yfC[fefBf“fOfVfXfe€f,Á,í[³,µ,ŽÀ[s,Á,«,Ü,¹,ñ[B
- fT[fofx[fXfZfbfgfAfbfv]iNETSETUP.EXE[j,íAfn[fXftfHf<f_ [iPath to install from[j,lfLfff[r]fbfg[*].CAB[jftf@fCf<,©,çWindows 95f[fXftf@fCf<,ðŽæ,è[o,µ[A—U“lftfHf<f_ [iPath to install to[j,É“ü,è,Ü,·[B

fT[fofx[fXfZfbfgfAfbfv]iNETSETUP.EXE[j,ðŽÀ[s,·,é,ÆAfn[fNfXfe[fVf#f“,áf[fbfgf[fN,lfptfH[f]f“fX,É,æ,è15[´45ª,©,©,è,Ü,·[B

- fT[fofx[fXfZfbfgfAfbfv]iNETSETUP.EXE[j,É,Á,ç,Ä,ìÚ[×,í[AwMicrosoft** Windows 95fŠA [fXfLfbfg[x,ðŽQ[Æ,µ,Ä,,¾,¾,ç[B

*fmfxf<,ì[×•W[®**fT[fhfp[fefB,ì[×•W [Ú[×,í[×•W,ðŽQ[Æ,µ,Ä,,¾,¾,ç[B

Windows 95, Client 32, if Cf "fXfg [f<

1. iê, É, æ, Á, Ā, Ž, Ā, s, j, NetWare* fT [fo, É f fOf Cf", μ Af fbf g f [fNfhf% fCfu, δ MSBATCH Setup Cf "fXfg [f< ftHf< f_ , É f} fbfsf" fO, μ, Ā, , 3/4, 3, ç B
2. Ā % , ĩ p f % f [f ^ , É MSBATCH.INF, δ Ž w' è, μ, Ā SETUP.EXE, δ Ž Ā s, μ, Ā, , 3/4, 3, ç B
— á: [@ SETUP F:\WIN95\MSBATCH.INF

f [f,

- MSBATCH.INF ft f @ f Cf < , ĩ Š @ ' S f p f X, δ Ž w' è, μ, Ū, . B
- Windows 95 f Z f b f g f A f b f v f v f [fOf % f € [i SETUP.EXE [j, δ Ž g — p, μ, Ū, . B, ±, é, ĩ MSBATCH Setup Cf "fXfg [f< ftHf< f_ [i F:\WIN95, É, Ç [j, É, , è, Ū, . B
- SETUP.EXE, δ Ž Ā s, . , é, 1/2, B, ĩ f [fNfXfe [fVf f", ĩ δ € [, à Windows 95 f Z f b f g f A f b f v f v f [fOf % f € [i SETUP.EXE [j, É, Ā, ç, Ā, ĩ Ū x, ĩ A w Microsoft** Windows 95 f Š f [fXf l f b f g x, δ Ž Q [Æ, μ, Ā, - , 3/4, 3, ç B [Y' è f l f v f v f f", ĩ Š É ' P, É [à - 3/4, δ • \ Ž ĩ , . , é, É, ĩ A [u SETUP /? [v, Æ " ü — ĩ, μ, Ū, . B

* f m f x f < , ĩ [x • W [@ ** f T [f h f p [f e f B, ĩ [x • W
[Ū x, ĩ [x • W, δ Ž Q [Æ, μ, Ā, , 3/4, 3, ç B

SROUTE.NLMftf@fCf<

, ±, ê, í Afñ [fXf< [fgNLM*fvf [fOf%of€ , Å , · BClient 32* , ì f [f< f< [fefBf“fO , ì fTf [[fg, ð-Ú “l, Æ, μ, Å, ç, Ü, · Bf\ [fXf< [fefBf“fO, Ê, æ, è [AIBM**fg [fNf“fSj“fOf [fbfgf [[fNfufSfbfWCEo— R, ì É [M, ð, Å, «, Ü, · BSROUTE.NLM, ì AROUTE.COM, ì 32frfbfg” Å, Å, · B

*fmfxf< , ì [x•W [@**fT [fhfp [fefB, ì [x•W [Ü [x, ì [x•W, ð ZQ [Æ, μ, Å, , ¾, ¾, ç [B

flfbfgf[]fNfAf_fvf^,ìÿ'è

1. []mNovell[]n,Ü,½,íf[]fbfgf[]fNfAf_fvf^,íf[][]f[][,ð'l'ð,μ,Ä,,¾,¾,¾,ç[]B
2. fn[]f[]hfE[]F[]fA,É"K,μ,½flfbfgf[]fNfAf_fvf^,ð'l'ð,μ,Ä,,¾,¾,¾,ç[]B
½,Æ,ì,í,[]ANE2000*,Ü,½,ífRf"fpf`flfbfgf[]fNfAf_fvf^,ª, ,é[]ê[]#[]A[]mNE2000
Compatible[]n,ð'l'ð,μ,Ü,·[]B
3. []mOK[]n,ð'l'ð,μ,Ä,,¾,¾,¾,ç[]B

f[]f,

- Novell* IPX*^è'ìCE^fhf%ofCfo,ífTf|[]fg,¾,è,Ü,¹,ñ[]B
- ODI* LANfhf%ofCfo,²,Æ,É'î%ž,·,éNovell ODINSUPfRf"[]f[]f[]fg,ª,È,¯,è,î,È,è,Ü,¹,ñ[]B,±
,è,íŽ"®"l,ÉfCf"fxfg[]f<,¾,è,Ü,·[]B[]Ú[]x,íODINSUP,ìŠT—v,ðŽQ[]Æ,μ,Ä,,¾,¾,¾,ç[]B
- 'É[]í,í[]ANovell ODINSUP,ªfvfxfef€"à,ì—B^è,ìODINSUP,Å, ,é[]ê[]#,ð[]œ,ç
,Ä[]AfRf"fgf[]f[]fpf[]f<,ì[]mflfbfgf[]fN[]n,©,ç[]í[]œ,μ,Ä,í,È,è,Ü,¹,ñ[]B

*fmfxf<,ì[]x·W[]@**fT[]f[]hfp[]f[]f[]B,ì[]x·W
[]Ú[]x,í[]x·W,ðŽQ[]Æ,μ,Ä,,¾,¾,¾,ç[]B

f!fvfVf#f" <@"\,lfCf" fXfg[]f<

ŠT—v

f!fvfVf#f" <@"\,lfCf" fXfg[]f<,lŠT—v

Žè[]‡

fzfXfgfŠ\[]fXMIB,lfCf" fXfg[]f<

NetWare*/IP*,lfCf" fXfg[]f<

NMR,lfCf" fXfg[]f<


SNMP,lfCf" fXfg[]f<

fwf<fv,l"[]‡

*fmfxf<,l[]‡•W[]@**fT[]f[hfp[]fefB,l[]‡•W
[]Ú[]x,l[]‡•W,δZQ[]Æ,μ,Å,,³/₄,³,ç[]B

SNMP, iY'è

d—v:@SNMP, d, m, Y'è, , é, É, íAWindows** 95** CABftf@fCf<, ÆNetWare* Client* 32* for Windows
95ftf@fCf<, ÉfAfNfZfX, , é•K—v, a, , è, Ü, •B

1.  ðfNfŠfbfN, µ, ÄAfRf“fgf[f<fpfIf<, ìmfIfbfgf[fNn, ð•\Ž!, µ, Ä, , 3/4, 3, çB
2. m'Ç%oA n, ð'I'ð, µ, Ä, , 3/4, 3, çB
3. mfT[frfX n, ð'I'ð, µ, Ä, , 3/4, 3, çB
4. m'Ç%oA n, ð'I'ð, µ, Ä, , 3/4, 3, çB
5. mNovell n, ð'I'ð, µ, Ä, , 3/4, 3, çB
6. mNovell SNMP Agent n, ð'I'ð, µ, Ä, , 3/4, 3, çB
7. mOK n, ð'I'ð, µ, Ä, , 3/4, 3, çB
8. ifIfvIf+“iSNMP, ðŠÄ<<Y'è, µ, Ä, , 3/4, 3, çB
9. iê†, É, æ, Ä, ŽÄs iTCP/IP, IfC“fXfg[f<, , ñ, Ä, ç, È, çê†AfCf“fXfg[f<, µ, Ä, , 3/4, 3, çB

*fmfxf<, ìx•W@**fT[fhfp[fefB, ìx•W
Üx, íx•W, ðZQÆ, µ, Ä, , 3/4, 3, çB

Host Resources MIB, ð'ð, µ, Ä, ¾, ¾, ¾

ð—v: @fzfXfgfŠf [fXMIB, ð'ð, µ, Ä, ¾, ¾, ¾, é, É, Í ANetWare* Client* 32* for Windows**
95**ftf@fCf<, ÉfAfNfZfX, ., é•K—v, ª, , è, Ü, . □B

1. ðfNfŠfbfN, µ, Ä AfRf“fgf [f<fpf|f<, ð'ð, µ, Ä, ¾, ¾, ¾, ç □B
2. m'Ç%oAn, ð'ð, µ, Ä, ¾, ¾, ¾, ç □B
3. mfT [fzfXn, ð'ð, µ, Ä, ¾, ¾, ¾, ç □B
4. m'Ç%oAn, ð'ð, µ, Ä, ¾, ¾, ¾, ç □B
5. mNovelln, ð'ð, µ, Ä, ¾, ¾, ¾, ç □B
6. mHost Resources MIB for Novell Client 32n, ð'ð, µ, Ä, ¾, ¾, ¾, ç □B
7. mOKn, ð'ð, µ, Ä, ¾, ¾, ¾, ç □B
8. iflvVf+“ ifzfXfgfŠf [fXMIB, ðŠÄ«ð'è, µ, Ä, ¾, ¾, ¾, ç □B
9. iðé±.É.æ.Ä.ŽÄs iTCP/IP, ifCf“fXfg [f<, ª, ð, ñ, Ä, ç.É.ç ðé± AfCf“fXfg [f<, µ, Ä, ¾, ¾, ¾, ç □B

f□f,

- flfbfgf [fNŠÇ—fXfe [fVf+“ ,ÖfRfs [l, µ, É, , è, Î, È, ç, È, ç MIBftf@fCf<, ª2, Ä, , è, Ü, . □B
NWHOSTX.MIB
RFC1514.MIB
- fzfXfgfŠf [fXMIB, ÍClient 32, iflvVf+“ <@“\, Ä, . □B
- Novell Client 32—p, ifzfXfgfŠf [fXMIB, ÍNovell
SNMPfG [fWfFf“fg, Æ, ¾, ¾, ÇEYŠ· □«, ª, , è, Ü, . □B, » , è^ÈŠO, ÌSNMPfG [fWfFf“fg, Æ, ÍCEYŠ· □«, ª, , è, Ü, 1, ñ □B

*fmfxf<, ðx•W [ð**fT [fhfp [fefB, ðx•W
Ü □x, ðx•W, ðZQ □Æ, µ, Ä, ¾, ¾, ¾, ç □B

fXf} [fgfftfHf<fg

Client 32*, }fCf"fXfg [f<Žž,ÉpAZŸ,ìŸ'è,šm"F,³,èA"KØ,Å, ,é,ÍŽg—p,³,é,Ü,·B

- MS,ìNetWarefjfbfg [fNfNf%ofCfAf"fj,šfCf"fXfg [f<,³,é,Ä,ç,éèè#AClient 32,É"K—p,Å,«,éŸ'è,ì,ì,•Ü'Ÿ,³,é,Ü,·B
- NET.CFGftf@fCf<,š'ŸŸ,·,éèè#A"K—p%Å"\
,É,·,x,Ä,ìNET.CFGGf"fjgS,ífCfWfXfgfS,É^Ú,³,é,Ä,Ü'Ÿ,³,é,Ü,·BClient 32,Å,ÍŽg—p,µ,É,ç,©•s—v,Éfpf
%of [f^,íAfcfWfXfgfS,É^Ú"®,³,é,Ü,¹,ñB,Ä,Ü,èANET.CFGfpf
%of [f^,ìè•",šfCfWfXfgfS,É^Ú"®,³,é,Ü,·B

NetWare Client 32 for Windows**
95**,É,í"ÆŽ©,ìTCP/IPfvf [fgfRf<fXf^fbfN,ª, ,è,Ü,¹,ñB,µ,½,ª,Ä,ÄASù'Ÿ,ìTCP/IPfpf
%of [f^,šNET.CFGftf@fCf<,©,çfCfWfXfgfS,É^Ú"®,³,é,é,±,Æ,í, ,è,Ü,¹,ñB

- ADMIN.CFGftf@fCf<,š'ŸŸ,·,éèè#A,»,±,ÅŽw'è,³,é,½fpf
%of [f^,ífCfWfXfgfS,É^Ú"®,³,é,Ü,·BÜÜx,íAAdmin.ìfftfHf<fg,ðŽQÆ,µ,Ä,,¾,¾,çB

- Client 32fCf"fXfg [f<fvf [fOf%of€iSETUP.EXE [j,ðŽÀs,·,é,ÆAfXf} [fgfftfHf<fg<@"\
,à•K, ,ŽÀs,³,é,Ü,·B,µ,½,ª,Ä,ÄAfXf} [fgfftfHf<fg,ÍŽŸ,ífCf"fXfg [f<•ù-@,ÅŽg—p,Å,«,Ü,·B
- flfvfVf#f"1 : Windows 95,ª,·,Ä,ÉfCf"fXfg [f<,³,é,Ä,ç,éèè [fNfXfe [fvf#f",Ö,ífCf"fXfg [f<
- flfvfVf#f"3 : ACU
- NET.CFGftf@fCf<,©,çfCfWfXfgfS,Öfpf%of [f^,ð^Ú"®,·,é•ù-@,É,Ä,ç
,Ä,íAfcf} [fgfftfHf<fg,ì,½,ß,ìNET.CFG—vCf,ðŽQÆ,µ,Ä,,¾,¾,çB

*fmx<,ìx•W [@**ft [fhfp [fefB,ìx•W
ÜÜx,íx•W,ðŽQÆ,µ,Ä,,¾,¾,çB

fXf}[]fjgCf“fXfg[]f<,ÉŠÖ,.,éf[]f,

- Šù‘¶,ìNetWare* Client*f\ftfgfEfFfA,²í[]œ,³,è,Ü,·[]B“Á,ÉŽŸ,ìNetWarefNf%ofCfAf“fgf\ftfgfEfFfA,ÍCEŸ[]o,³,è,é,Æ[]í[]œ,³,è,Ü,·[]B
- Novell* NetWare[]iWorkstation Shell 3.x[]iNETX[]j[]j
- Novell NetWare[]iWorkstation Shell 4.0^È[]~[]iVLM*[]j[]j
- Novell NetWare Client 32*
- []mMicrosoft[]nNetWaref\fbfgf[][]fNfNf%ofCfAf“fg
- []mMicrosoft[]nService for NetWare Directory Services*
- NetWare Client 32 for Windows** 95**,²fCf“fXfg[]f<,³,è,Ü,·[]B
- Client 32,ìftf@fCf<,²fn[]f\fhfffBfXfN,ÉfRfs[][,³,è,Ü,·[]B
- Client 32ftf[]fbfs[]f\fffBfXfN,ì}“ü,ð<[]B,éf[]fbfZ[]fW,²·\Ž,³,è,½,ç[]Aftf[]fbfs[]f\fffBfXfN,ð}“ü,μ,Ü,·[]B
- •K—v,É%ž,¶,ÄWindows 95 CABftf@fCf<,ìfpfX,Ü,½,ÍClient 32ftf[]fbfs[]f\fffBfXfN,ìfpfX,ðŽw’è,μ,Ü,·[]B
- Client 32,ìftfHf<f_,ìf[]fNfXfe[]fVf#f“,ìWindowsfhf%ofCfu,ìNovell\Client32,Á,·[]BClient 32ftf@fCf<,ì^è•“,ì,±,ìftfHf<f_,ÉfRfs[][,³,è,Ü,·[]B,»è^ÉŠÖ,ìftf@fCf<,ì,»è,¼,è“K[]Ø,ÈWindows 95ftfHf<f_[]\Windows\System[]A\Windows\Inf[]A\Windows\Help,È,Ç[]j,ÉfRfs[][,³,è,Ü,·[]B
- fVfXfef€fCEfWfXfgfŠ,ì[]AWindows 95,²<N“@,.,é,½,Ñ,É[]AClient 32,ðŽ@“@“l,É<N“@,.,é,ì,É•K—v,É[]í•ñ,Á[]X[]V,³,è,Ü,·[]B
- ’É[]í,ì[]AClient 32,Á,ÍSTARTNET.BAT[]ANET.CFG[]AAUTOEXEC.BAT,ì[]~[]A•İ[]X[]AŽg—p,ð,μ,Ü,¹,ñ[]BAUTOEXEC.BATftf@fCf<,ÆNET.CFGftf@fCf<,ðŽg—p,.,é,ì,ì[]A16frfbfg,ìODI LANfhf%ofCfo,ðŽg—p,.,é[]é[]‡,¾,~,Á,·[]B
- fCf“fXfg[]f<fvf[]fOf%of€,ìfvfXfef€fCEfWfXfgfŠ,ÆNET.CFGftf@fCf<,ìŠù‘¶,ì[]Ÿ’è,ðŠm”F,μ,Ü,·[]B“K—p%oÁ”,È[]Ÿ’è,²CE@,Á,©,é,Æ[]AClient 32,²Zg—p,.,éfvfXfef€fCEfWfXfgfŠ,ì—ì^æ,É^Ü,³,è,Ü,·[]B[]Ü[]x,ì[]AfXf}[]f\gffftfHf<fg,ðŽQ[]Æ,μ,Ä,,¾,³,ç[]B
- Šù‘¶,ìODI*fhf%ofCfo,²fCf“fXfg[]f<,³,è,Ä,ç,é[]é[]‡,ì[]í[]œ,³,è,Ü,·[]B

*fmfxf<,ì[]x•W[]@**fT[]f\hfp[]f\efB,ì[]x•W[]Ü[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,³,ç[]B

fT[fhfp[feB,ìLANfhf%ofCfo

Client 32*,É,ÍŽŸ,lfT[fhfp[feB,ìLANfhf%ofCfo,ŠÜ,Ü,é,Ä,ç,Ü,·B

FJN001.LAN

CAB4680.LAN

CB4680.LAN

PB4680.LAN

*fmjxf<,ìx•W@**fT[fhfp[feB,ìx•W
Üx,ìx•W,šZQÆ,μ,Ä,,³/₄,³,çB

ft[]fU,lf[]fbfgf[]fNfAf_fvf^,É[]ž,í,1,½LANfhf%ofCfo,ì•ï[]X

1. []i[]ê[]ž,É,æ,Á,ÄŽÀ[]s[]j[]f[]Cf“fXfg[]f[]f[]v[]f[]f[]Of%of€[]i[]SETUP.EXE[]j,đ,Ü,¾ŽÀ[]s,μ,Ä,ç,È,ç[]ê[]ž[]AŽÀ[]s,μ,Ä,-¾,¾,ç[]B
 2. []i[]ê[]ž,É,æ,Á,ÄŽÀ[]s[]j[]f[]Rf“fgf[]f[]f[]p[]f[]f<,ì[]m[]f[]l[]b[]f[]b[]g[]f[]f[]N[]n,ª•\Ž,¾,é,Ä,ç,È,ç[]ê[]ž[]A[],đfNfŠfbfN,μ,Ä•\Ž,¾,Ä,¾,¾,ç[]B
 3. fCf“fXfg[]f[]f<[]İ,Ý,lf[]fbfgf[]f[]f[]NfAf_fvf^,đ'í'đ,μ,Ä,¾,¾,ç[]B
 4. []m[]í[]ce[]n,đ'í'đ,μ,Ä,¾,¾,ç[]B
 5. []i[]ê[]ž,É,æ,Á,ÄŽÀ[]s[]j[]f[]b[]f[]g[]f[]f[]NfAf_fvf^,ªfvf%ofAf“fhfvf[]Cf[]Cf[]Af_fvf^[]i[]Windows**95**,ªž“@“@“l,É[]C[]Y[]o,μ,Ä'í%ž,·,éfhf%ofCfo,đfCf“fXfg[]f[]f<,·,é[]j,ì[]ê[]ž[]A[]f[]Rf“fgf[]f[]f[]p[]f[]f<,ì[]m[]f[]l[]b[]f[]b[]g[]f[]f[]N[]n,Ä[]m[]OK[]n,đ'í'đ,μ[]A[]f[]Rf“fsf...[]f^,đ[]Ä<N“@,μ,Ä,¾,¾,ç[]B
- Ü,½,í
[]i[]ê[]ž,É,æ,Á,ÄŽÀ[]s[]j[]fvf%ofAf“fhfvf[]Cf[]C,É'í%ž,μ,Ä,ç,É,ç[]ê[]ž[]i[]f[]b[]f[]b[]g[]f[]f[]NfAf_fvf^,ªISA,©MCA,ì[]ê[]ž[]i[]A[]m'ç%oÄ[]n[]A[]m[]f[]Af_fvf^[]n[]A[]m'ç%oÄ[]n,ì[]ž,É'í'đ,μ,Ä,ç,ç[]A•K—v,ÉLANfhf%ofCfo,đ'í'đ,μ,Ä,¾,¾,ç[]B

f[]f,

- Client 32*,}[]Cf“fXfg[]f[]f<[]C[]E[]ä[]A[]fvf%ofAf“fhfvf[]Cf[]Cf[]Af_fvf^,đWindows 95,ª[]C[]Y[]o,·,é,Æ[]A[]f[]l[]b[]f[]b[]g[]f[]f[]NfAf_fvf^—p,ÉODI LANfhf%ofCfo,đŽg—p,Ä,«,é[]ê[]ž[]A[]Windows 95,íODI* LANfhf%ofCfo,đf[]l[]b[]f[]b[]g[]f[]f[]NfAf_fvf^—p,Éž“@“@“l,É[]f[]Cf“fXfg[]f[]f<,μ,Ü,·[]B
- Windows 95,ªž“@“@“l,É[]C[]Y[]o,μ,Ä'í%ž,·,éfhf%ofCfo,đfCf“fXfg[]f[]f<,·,éfvf%ofAf“fhfvf[]Cf[]Cf[]Af_fvf^,ì[]ê[]ž[]A[]f[]Rf“fgf[]f[]f[]p[]f[]f<,ì[]m[]f[]l[]b[]f[]b[]g[]f[]f[]N[]n,đŽg—p,μ,Äf[]l[]b[]f[]b[]g[]f[]f[]NfAf_fvf^,đ'ç%oÄ,·,é,Æ[]A2,Ä,ìLANfhf%ofCfo,ªfCf“fXfg[]f[]f<,¾,é,Ü,·[]B,μ,½,ª,Ä,Ä[]Až[]è[]<Æ,Ä,í,É,[]A[]Windows 95,ªf[]l[]b[]f[]b[]g[]f[]f[]NfAf_fvf^,đ[]C[]Y[]o,μ[]A'í%ž,·,éfhf%ofCfo,đfCf“fXfg[]f[]f<,·,é,æ,æ,É,μ,É,·,é,í,È,è,Ü,¹,ñ[]B
- fRf“fsf...[]f^,đ[]Ä<N“@,·,é,Ü,Ä[]V,μ,çLANfhf%ofCfo,íŽg—p,¾,é,Ü,¹,ñ[]B
- Client 32,đfCf“fXfg[]f[]f<,μ,½,Æ,«,É[]A[]f[]l[]b[]f[]b[]g[]f[]f[]NfAf_fvf^,ìODI LANfhf%ofCfo,ª,·,Ä,É[]f[]Cf“fXfg[]f[]f<[]İ,Ý,ì[]ê[]ž[]A[]f[]t[]f[]U,ª•í[]X,·,é[]ê[]ž,đ[]ce,ç,Ä[]A,»,ìLANfhf%ofCfo,ªžg—p,¾,é,Ü,·[]B
- SETUP.EXE,đŽg—p,μ,ÄClient 32,đfCf“fXfg[]f[]f<,μ,½,Æ,«,ÉNDIS* LANfhf%ofCfo,ª,·,Ä,É[]f[]Cf“fXfg[]f[]f<[]İ,Ý,Ä,·,é,Æ[]A[]SETUP.EXE,ì[]C[]Y[]S·[]«,ì,·,éODI LANfhf%ofCfo,đ'T,»,ª,Æ,μ,Ü,·[]B,»,è,ª[]C[]©,Ä,ç,é,Æ[]ANDISfhf%ofCfo,íODI LANfhf%ofCfo,É'uš,¾,é,Ü,·[]B

*f[]m[]f[]x[]f<,ì[]x•W[]@**f[]T[]f[]h[]f[]p[]f[]f[]e[]f[]B,ì[]x•W
Ü[]Ü[]x,ì[]x•W,đŽQ[]Æ,μ,Ä,¾,¾,ç[]B

•W

Copyright © 1994-1996, Novell, Inc. All rights reserved. Patent Pending.

•Novell, Inc.,

- Client 32, Novell, Inc.,
- GroupWise, Novell, Inc.,
- IPX, Novell, Inc.,
- IPX/SPX, Novell, Inc.,
- LANalyzer, Novell, Inc.,
- Link Support Layer, Novell, Inc.,
- ManageWise, Novell, Inc.,
- NE2000, Novell, Inc.,
- NetWare, Novell, Inc.,
- NetWare 3, Novell, Inc.,
- NetWare 4, Novell, Inc.,
- NetWare Client, Novell, Inc.,
- NetWare Core Protocol, Novell, Inc.,
- NetWare Directory Services, Novell, Inc.,
- NetWare DOS Requester, Novell, Inc.,
- NetWare/IP, Novell, Inc.,
- NetWare Loadable Module, Novell, Inc.,
- NetWare Management System, Novell, Inc.,
- NetWire, Novell, Inc.,
- Network Support Encyclopedia Professional Volume, Novell, Inc.,
- Novell, Novell, Inc.,
- Novell Application Notes, Novell, Inc.,
- Novell Authorized Reseller, Novell, Inc.,
- Novell Gold Partner, Novell, Inc.,
- Novell Labs, Novell, Inc.,
- Novell Network Symbol, Novell, Inc.,
- Novell Platinum Partner, Novell, Inc.,
- Novell Technical Services, Novell, Inc.,
- Open Data-Link Interface, Novell, Inc.,
- Packet Burst, Novell, Inc.,
- SPX, Novell, Inc.,
- Storage Management Services, Novell, Inc.,
- Virtual Loadable Module, Novell, Inc.,

f[hfp]fB,

- CompuServe, CompuServe, Inc.,
- Hewlett Packard, Hewlett-Packard Company,
- IBM, International Business Machines Corporation,
- Intel, Intel Corporation,
- Microsoft, Microsoft Corporation,

MS, íAMicrosoft Corporation, ì“ó~^AM, Å, ·AB
MS-DOS, íAMicrosoft Corporation, ì“ó~^AM, Å, ·AB
Netscape, íA Netscape Communications Corporation, ìAM, Å, ·AB
Netscape Navigator, íA Netscape Communications Corporation, ìAM, Å, ·AB
Network Driver Interface Specification, ÿ, æ, ÑNDIS, íAPC-Plus Communications LP, ìAM, Å, ·AB
OS/2, íAInternational Business Machines Corporation, ì“ó~^AM, Å, ·AB
PostScript, íAAdobe Systems Incorporated, ì“ó~^AM, Å, ·AB
Unicode, íA Transoft Ltd., ì“ó~^AM, Å, ·AB
Windows, íAMicrosoft Corporation, ì“ó~^AM, Å, ·AB
Windows 95, íAMicrosoft Corporation, ìAM, Å, ·AB
Windows NT, íAMicrosoft Corporation, ìAM, Å, ·AB

ftfjR[fhftf@fCf<,É,Â,ç,Ä

NetWare*

4*fffBfCEfNfgfŠff[f^fx[fX“à,ì,·,×,Ä,ìfufWfFfNfg,Æ,»,'@<,íAftfjR[fh[i16frfbfgjCE`Ž@,Å•Ù‘¶,³,ê,Û,·
BftfjR[fhftf@fCf<,íANetWareft[fefBfŠfefB,ðŽA[s,uffBfCEfNfgfŠff[f^fx[fX,ðŠÇ—,·,é,ì,É•K—
v,ÉftfjR[fh•iS·fe[fuf<,i[W,Û,è,Ä,·B

f[f,

- Windows** NLSftfHf<f_í'Éí,íC:\WINDOWS\NLSj,Û,½,íNovell* NLSftfHf<f_í'Éí,íC:\NOVELL\NLSj,É“KØ,ÉftfjR[fhftf@fCf<,ª•K—v,Ä,·B

▪

ftfjR[fhftf@fCf<,É,íAWindowsfR[fhfy[fWftf@fCf<AftfjR[fhftf@fCf<,Ö,ìWindowsfR[fhfy[fW AftfjR
[fhf,fmfP[fXftf@fCf<AftfjR[fhRfCE[fefBf“fOftf@fCf<,ª, ,è,Û,·B

- ftfjR[fhftf@fCf<,i<@“\—á,ðŽŸ,ÉŽ!,µ,Û,·B
- 1252_UNI.001,íAfR[fhfy[fW1252,ðftfjR[fh,É•iŠ·,µ,Û,·B
- UNI_1252.001,íAftfjR[fh,ðfR[fhfy[fW1252,É•iŠ·,µ,Û,·B
- UNI_MON.001,íAf,fmfP[fXftf@fCf<,Å,·B'å•¶Žš,Æ—•¶Žš,ð³,µ,í—µ,Û,·B
- UNI_COL.001,íRfCE[fefBf“fOftf@fCf<,Å,·BRfCE[fVf#“,Æf[fgfŠfXfg,ð^—µ,Û,·B
- '¼,ìfR[fhfy[fW,É,Ä,ç,Ä,íA'í%ž,·,éfR[fhfy[fW“Ó†,ìftfjR[fhfe[fuf<,ª•K—v,Ä,·B

*fmx<,ìx•W@**ft[fhfp[fefB,ìx•W
Úx,íx•W,ðŽQ/Æ,µ,Ä,,¾,³,çB

Microsoft Client, iŽg—p

Windows** 95** ,É•t' @, iNetWarefIbfjgf□□fNfNf%ofCfAf“fg, đŽg—p, ., é□ê□‡□AACU, đ—
LCEø, É, ., é, É, í□Af□□fU, ifofCf“f_fŠf□fOfCf“fXfNfŠfvg□iSYS:MAILfffBfCefNfgfŠ, É, , è, Ü, .□j, ©, cfZfbfgfAfbfvf□
fOf%of€ , đŽÀ□s, ., é•K—v, ³, , è, Ü, .□BNetWareffBfCefNfgfŠfT□fxfX*—p, iNetWarefIbfjgf□□fNfNf
%ofCfAf“fgfT□fxfX, AACU, đŽg—p, ., é□ê□‡, í□Af□fOfCf“ , if^fCfv, É‘
%ož, μ, ½f□fOfCf“fXfNfŠfvg□ifofCf“f_fŠ, Ü, ½, iNDS□j, ÅfZfbfgfAfbfvf□fOf%of€ , đŽÀ□s, μ, È, -, é, î, È, è, Ü, ¹, ñ□B

*fmfxf<, i□x•W□@**fT□fxfp□fxfB, i□x•W
□Ü□x, i□x•W, đŽQ□Æ, μ, Å, , ³/₄, ³, ç□B

README, ĭ•\Ž!

, ±, ĭfwf<fvfgfsfbfN, đ•\Ž!, ., é, Æ□A%oÂ"\, È□ê□#, É, ÍClient 32* README.TXTftf@fCf<, à•\Ž!, ³, é, Û, .□B
, ±, ĭftf@fCf<, ĭfCf"fxfg□f'<O, ĭ•Û'¶□ê□Š, ÆfCf"fxfg□f'<Æä, ĭ•Û'¶□ê□Š, É, Ä, ç
, Ä, ĭ□AREADME.TXTftf@fCf<, đŽQ□Æ, μ, Ä,, ³/4, ³, ç□B

*fmfxf<, ĭ□x•W□@**fT□fhhfp□fjefB, ĭ□x•W
□Ú□x, ĭ□x•W, đŽQ□Æ, μ, Ä,, ³/4, ³, ç□B

ft[]fU,É•\Ž!,³,ê,éf_fCfAf[]fOf{fbfNfX

ft[]fU,³fNf%ofCfAf“fgf[]fNfXfe[]fVf#f“,Åf[]fOfCf“,·,é,Æ[]AACU,íNf
%ofCfAf“fg,íftf@fCf<,ðf fFfbfN,μ,Å[]AfVfXfef€ftf@fCf<,³fNf%ofCfAf“fgftf@fCf<,æ,è[]V,μ,ç,©,Ç,κ
,©Šm“F,μ,Û,·[]B[]V,μ,ç[]ê[]#[]AZÿ,íf_fCfAf[]fOf{fbfNfX,³•\Ž!,³,ê,Û,·[]B

■

[]mÆp’±[]n,ð’l’ð,·,é,Æ[]AfAfbfVfOfCE[]fh,³Ž©“@“l,ÉŠjŽn,μ[]Aftf@fCf<,³fRfs[][,³,ê,Ä,ç
,éŠÖfCf“fXfg[]f<,í[]i[]s[]ó<μ,³•\Ž!,³,ê,Û,·[]B[]mfLfff“fZf<[]n,ð’l’ð,·,é,Æ[]AfífbfVfOfCE[]fh,¹,,É[]^
—[],ð’±[]s,μ,Û,·[]B,½,¾,μ[]Aft[]fU,³<CEfNf
%ofCfAf“fg,Åf[]fOfCf“,·,é,½,Ñ,É[]Aftf@fCf<,³”äŠr,³,é[]AfAfbfVfOfCE[]fh,·,é,©,Ç,κ,©[]q,Ë,éf[]fbfZ[]fW,³•\
Ž!,³,ê,Û,·[]B

fNf%ofCfAf“fg,³fAfbfVfOfCE[]fh,³,ê,½,,Æ[]Af[]fNfXfe[]fVf#f“,ð[]Å<N“@,·,é,©,ð,Ç,κ
,©[]q,Ë,éf_fCfAf[]fOf{fbfNfX,³•\Ž!,³,ê,Û,·[]BNetWare*,í[]V,μ,çfo[]fWf#f“,ð—LCEø,Ë,·,é,É,í[]AfNf
%ofCfAf“fgf[]fNfXfe[]fVf#f“,ð[]Å<N“@,·,é•K—v,³,è,Û,·[]B

*fmfxf<,í[]x•W[]@**fT[]fhfp[]fB,í[]x•W
[]Ü[]x,í[]x•W,ðZQ[]Æ,μ,Ä,,¾,¾,ç[]B

Workgroup="Sample Group"

Windows** 95**,Å,í,±,ì'l,ª•K—v,Å,·,ª□Aclient 32*,Å,í•s—v,Å,·□B

[MSTCP]

Microsoft** TCP/IPvf[]fgfRf<, ìfvf[]pfefB[]iPFAfhfCEfX, È, Ç[]j, í[]mMSTCP[]nfZfNfVf+f+“ , ÅŽw’è, µ, Ü, ·[]B, ±
, ìfvf[]fgfRf<, Æ, ±, ìfZfNfVf+f+“ , í[]ANetWare/IP*, ÆClient 32, íSNMP<@”\, Å•K—v, Å, ·[]B
TCP/IP[]ANetWare/IP[]A, Ü, ½, íSNMP, ðŽg—p, µ, Å, ç, È, ç[]ê[]#[]A, ±, ìfZfNfVf+f+“ , í•s—v, Å, ·[]B

