

## fpfXf□□[fh,i•i□X

-Ú“í

fpfXf□□[fh,i—LCEøŠúCEÀ,ø□Ø,ê,Ä,ç,Ü,·□B

,±,ìf\_jCfAf□□Of{fbfNfX,ðŽg,Á,Ä•i□X,·,é,Æ□Af□□OfCf“,ìŽè□‡,ð‘±□s,Å,«,Ü,·□B

## flfvfVf‡“

fpfXf□□[fh,i•i□X

□V,μ,çfpfXf□□[fh,i“ü—í

□V,μ,çfpfXf□□[fh,i□Ä“ü—í

\* Novell,ì□x•W \*\* fT□[fhfp□[fefB,ì□x•W □Ú,μ,,í□x•W,ðŽQ□Æ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

**fRf}f“fhf%ofCf“fifvfVf#f“**

-Ú“l

NetWare\*, ìfOfCf“fvfOf%of€, ÅfRf}f“fhf  
%ofCf“, ðDOSã, ÅŽw`è, ·, éê±AZŽY, ìfOfCf“fRf}f“fh, ìfifvfVf#f“, ðŽg—p, Å, «, Ü, ·B

**'Ç%oÁ, ìfifvfVf#f“**

/a

**ŠÖ~A€-Ú**

Ú'±f^fuAfXfNfŠfvgf^fuA•ï“f^fu

fOfCf“Žž, ìft[fU, ì'€ì, ð\$€ä, ·, é

fOfCf“, ÆfOfAfEfgiŠT—vji

\* Novell, ìx•W \*\* fT[fhfp[fefB, ìx•W Ú, μ, , íx•W, ðŽQÆ, μ, Ä, , ¾, ¾, çB

Ú±

-Ú“!

f f b f g f [ f N , É Ú ± , , é % ß ' ö , ð § Ç Ä , , , é , É , Í , ± , ì f ^ f u , ð Ž g — p , μ , Ü , · □ B

f!f v f v f f “

f c f Š □ I

f T □ I f o

f o f C f “ f \_ f Š □ Ú ±

f R f “ f e f L f X f g

Ç È » Ñ Ÿ , ì □ Ú ± , ð f N f Š f A , , , é

Š Ö ~ A □ € - Ú

f □ f O f C f “ □ A f X f N f Š f v f g f ^ f u □ A • Ì □ “ f ^ f u

f □ f O f C f “ □ Ú ± , ì % ß ' ö , ð § Ç Ä , , , é

f □ f O f C f “ f X f N f Š f v f g , ì % ß ' ö , ð § Ç Ä , , , é

f f f t f H f < f g , ì f □ f O f C f “ , ì Ñ Ÿ ' è , ð , , é

f R f “ f e f L f X f g , ì Ç È Ÿ □ ð □ ± □ ~

f □ f O f C f “ , Æ f □ f O f A f E f g □ i Š T — v □ i

\* Novell, Ì □ x • W \*\* f T □ I f h f p □ I f e f B , Ì □ x • W □ Ú , μ , , Í □ x • W , ð Ž Q □ Æ , μ , Ä , , ¾ , ¾ , ç □ B





**f\_fCfAf□fOf{fbfNfXfifvfVf‡f“**

**Šî- {fifvfVf‡f“**

f□fOfCf“

□, “x, ÈfifvfVf‡f“

□Ú’ ±f^fu

fXfNfŠfvfqf^fu

•ï□”f^fu

**fTfuf\_fCfAf□fOf{fbfNfXfifvfVf‡f“**

fpfXf□□[fh.ì.ï□X

œÿ□ö

**fGf%o[]**

,±,ìVf#[]fGfJfbfg,íNetWare\*f[]fOfCf“fvf[]fOf%of€,àffftfHf·fg,ìfffBfCefNfgfŠ,Å, ,é[]AC:\NOVELL\CLIENT32,ÉfCf“fXfg[]f<,³,è,Å,ç,é[]è[]#,É,ì,Y“®[]ì,μ,Ú,·[]B

NetWare\*f[]fOfCf“fvf[]fOf%of€,ðC©,Å,¯,é,É,í[]AWindows\*\*,ì[]mfXf^[]fG[]nf[]jf...  
[][,©,ç[]mCÉY[]ð[]n,ð'ì'ð,μ[]AŠY“-,:éŽÀ[]sftf@fCf<,ðCÉY[]ð,μ,Å,,¾,³,ç[]B

ĀĲō

-Ū“!

f!f!f!gf[]fN, ©, ç—~—p%oĀ“\,ÈfcfŠ[]Ü, ½, ÍfT[]fo,đ'!đ,·,é,ì,É,±,ìf\_fCfAf[]fOf{fbfNfX,đŽg—p,μ,Ū,·[]B

f!f!f!f!f!f!f!“

ĀĲō



## **f fOfCf“ ,Æf fOfAfEfg**

### **-Ú“l**

f fOfCf“ , , é, ÆNetWare\*, ìf fbf g f fN, ÅŽg—p, μ, ½, ç ftf @ fCf < Afvf Šf“ f ^ Af fbf Z fW, È, Ç, ì Š fA  
 fX, â fT f fX, a—L C E Ø, É, È, è, Û, · B

f fOfAfEfg, , , é, Æf fbf g f fN, ©, ç, ì ^ è • “, Û, ½, Ì, ·, x, Ä, ì Ú ‘ ± % ø ð œ, a, Å, «, Û, · B

### **Ž-‘O, É•K—v, È ð ð C E**

- fRf“ fsf... f ^ , a • “ — “ l, É f fbf g f fN, ì f fff B f A ì f P [ fuf < , ì Ú ‘ ± fvf % of O A ‘ ¼ j, É Ú ‘ ±, μ, Å, ç, é, ±, Æ
- Novell\* NetWare Client 32\* f ftf g f E f f A, a f C f “ f X f g [ f < , ³, è, Ä, “, è A < N “ @, μ, Å, ç, é, ±, Æ

### **f fOfCf“**

f fbf g f fN, É f fOfCf“ , , é, É, Ì A Ž Ÿ, ì, x, ç, P, Å, ð Ž g—p, μ, Å, , ¾, ³, ç:

- NetWare f fOfCf“ fvf fOf % of € i Windows\*\* j
- LOGIN fRf} f“ fh i DOS j

f fOfCf“ Ž Ž, É f fOfCf“ ID, a “ F Ø, ³, è A f Š f A [ f X, Æ f T [ f r f X, É ‘ Ì, , é C E — ~, a Š m “ F, ³, è, Û, · B

### **f fOfAfEfg**

f fbf g f fN, ©, ç f fOfAfEfg, , , é, É, Ì A Ž Ÿ, ì, x, ç, P, Å, ð Ž g—p, μ, Å, , ¾, ³, ç:

- fGfNfXfvf f % , ì m f f X f N f g f b f v - f l f b f g f fN f R f “ f s f ... [ f ^ n, Å % E ‘ x  
, ì ‘ < , ì f T [ f o, ð ‘ ð, μ A m f t f @ f C f < n f f j f ... [ , ©, ç m f fOfAfEfg n, ð ‘ ð, , é i Windows 95\*\* j
- NetWare User Tools fvf fOf % of € , ð < N “ @ , , é i Windows 3.1, Æ Windows NT\*\* j
- LOGOUT fRf} f“ fh, ð Ž g—p, , é i DOS j

### **NetWare f fOfCf“ , Ì Ž g—p-@**

f f f t f H f < f g, ì NetWare f fOfCf“ fvf fOf % of € , ì f f t f H f < f g, ì f fOfCf“ , ì Y ‘ è, ð Ž g—p, , é f C f A f fOf { f b f N f X, ð • \  
 Ž Ì, μ, Û, · B f v f X f e f € Š C — Ž Ö, a § C E A, μ, È, ç C E A, è A f f t f H f < f g, ì f fOfCf“ , ì Y ‘ è, Ì • Ö W, Å, «, Û, · B

NetWare f fOfCf“ fvf fOf % of €

, ì f fOfCf“ f C f A f fOf { f b f N f X “ à, Å, “ x, È ì f v f v f f “ , ì f ^ f u, ð f C f “ f N f < [ f h, , é, ½, B, ì Y ‘ è, a, Å, «, Û, · B, ±  
, è, ç, ì ì f v f v f f “ , ð Ž g, x, Æ A NetWare f fOfCf“ fvf fOf % of €  
, ð Ž A s, , é, ½, Ñ, È f f t f H f < f g, ì f fOfCf“ , ì Y ‘ è, ð • Ö W, Å, «, é, æ, x, É, È, è, Û, · B

\* Novell, ì x • W \*\* f T [ f h f p [ f e f B, ì x • W [ Ú, μ, , Ì x • W, ð Ž Q ð Æ, μ, Å, , ¾, ³, ç B

**f fOfCf“**

-Ú“l

NetWare\*, ðf fbfjg f fN, Éf fOfCf“, ., é, ð, ÉA, ±, ðf fCf Af fOf fbfNfX, ðŽg—p, µ, Ü, ·B

**f!fVfVf#f“**

-¼’O

f p f X f f f h

**ŠÖ~A f€-Ú**

f Ú’ ± f ^ fu A f X f N f Š f v f g f ^ fu A • ð “ f ^ fu

f fOfCf“ f Ú’ ±, ð % ß ’ ö, ð f € ä, ., é

f fOfCf“ f X f N f Š f v f g, ð % ß ’ ö, ð f € ä, ., é

f R f “ f e f L f X f g, ð e Ÿ ð ö f # f ~

f fOfCf“ , Æ f fOf Af Ef g f i Š T — v f j

\* Novell, ð f x • W \*\* f T f h f p f f e f B, ð f x • W f Ú, µ, , ð f x • W, ð Ž Q f Æ, µ, Ä, , ¾, ³, ç f B

**fvfOf%of€ftf@fCf<-¼**

NetWare\*fOfCf“fvfOf%of€,İŽÀsftf@fCf<,İ-¼‘O,İŽŸ,İ,Æ,“,è,Å,∴

- LOGINW95.EXE (Windows\*\* 95\*\*)
- LOGINW31.EXE (Windows 3.1)
- LOGINWNT.EXE (Windows NT\*\*)

\* Novell,İx•W \*\* fT[fhfp[fefB,İx•W Ú,μ,,Íx•W,đŽQÆ,μ,Ä,,¾,¾,çB

## **fXfNfŠfvg**

-Ú“l

fOfCf“fXfNfŠfvg,ì%ß’ö,ð§CEä,.,é,ì,ÉŽg—  
p,μ,Ü,·Bft[fU,Ü,½,lfvftf@fCf<fOfCf“fXfNfŠfvg,ð•ÒW,Å,«,Ü,·B

## **fIfvVf†f“**

fOfCf“fXfNfŠfvg

fvftf@fCf<fXfNfŠfvg

fXfNfŠfvg,ìŽÀs

fXfNfŠfvgCE<%Ê,ðŽ©“@“l,É•Â,¶,é

## **ŠÖ~A¶€-Ú**

fOfCf“¶A¶Ú’±f^fu¶A•ï“f^fu

fOfCf“fXfNfŠfvg,ì%ß’ö,ð§CEä,.,é

fOfCf“Žž,ìft[fU,ì’€ñ,ð§CEä,.,é

fOfCf“¶Ú’±,ì%ß’ö,ð§CEä,.,é

fOfCf“,ÆfOfAfEfg¶iŠT—v¶i

**f fOfCf“fXfNfŠfvg, ì%ß'ö, ðŒä, ., é**

**-Ú“l**

f fOfCf“, ì%ß'ö, ìffftfHf<fg, ìŸ'è, ð•ÖW, ., é, Ì, É, ±, ì%ß'ö, ðŽg—  
p, μ, Ū, . fBf f fU f Afv f ftf @ fCf< f fOfCf“ fXfNfŠfvg, È, Ç, ð•ÖW, Å, «, Ū, . fB

**Žè†**

1. f fOfCf“ f fCf Af f Of { fbfNfX, ð•\Ž, ., é, É, í fA , ðfNfŠfN, μ, Ä, -  
 , ¾, ¾, ç fB mfXfNfŠfvg n, Æ m • í n, ìf^fu, af fCf Af f Of { fbfNfX, È•\Ž, ., é, È, ç è †, í fffftfHf<fg, ìŸ'è, ð  
 = L Ç Ø, È, μ, Ä, , ¾, ¾, ç fB
2. mfXfNfŠfvg n f^fu, ÅŠó-], ., é Ÿ'è, ð, μ, Ä, , ¾, ¾, ç:
  - f fOfCf“ fXfNfŠfvg, ð•ÖW, ., é, É, í mf f OfCf“ fXfNfŠfvg n, È“ü—í, μ, Ä, , ¾, ¾, ç
  - fvf ftf @ fCf< f fOfCf“ fXfNfŠfvg, ð•ÖW, ., é, É, í A mf v f ftf @ fCf< fXfNfŠfvg n, È“ü—í, μ, Ä, , ¾, ¾, ç
  - ., x, Ä, ì f fOfCf“ fXfNfŠfvg, ð'È  
%ß, ., é, È, í mfXfNfŠfvg, ìŽA s n f^ fFbfNf { fbfNfX, ìf^ fFbfNf } n, ðŠO, μ, Ä, , ¾, ¾, ç
  - mf f OfCf“ Ç<%É n f E f B f^ f h f E, ðŠJ, , ½, Ū, Ū, È, μ, Ä, , ç, Ä f f OfCf“, ì  
%ß'ö, ì Ç<%É, ðŠm, ©, ß, é, È, í A  
mfXfNfŠfvg Ç<%É, ðŽ©“ @ “l, È•Ä, 1, é n f^ fFbfNf { fbfNfX, ìf^ fFbfNf } n, ðŠO, μ, Ä, , ¾, ¾, ç
3. m • í n, ìf^fu %2 A %3 A %4 A %5 ä, Å, í Af f OfCf“ fXfNfŠfvg v f fZf b f T, ð'È%ß, ¾, 1, ½, ç f p f  
% f n f f^, ð“ü—í, μ, Ä, , ¾, ¾, ç fB
4. mf f OfCf“ n, ìf^fu, Å, í A mf f OfCf“ -¼ n, Æ m f p f X f n f f h n, ð“ü—í, μ, Ä, m O K n, ð' l' ð, μ, Ä, , ¾, ¾, ç fB

**ŠÖ~A€-Ú**

ffftfHf<fg, ìŸ'è, ð, ., é  
f fOfCf“ Ÿ'±, ì%ß'ö, ðŒä, ., é  
f fOfCf“ ŽŽ, ì f fU, ì'€ n, ðŒä, ., é  
f fOfCf“, Æ f f Of Af E f g n i Š T—v n

\* Novell, ìx•W \*\* f n f h f p n f e f B, ìx•W n Ÿ, μ, í x•W, ðŽQ Æ, μ, Ä, , ¾, ¾, ç fB

**f fOfCf“Ú±,ì%ß’ö,ð\$CEä,.,é**

**-Ú“l**

f c fŠ [Ü, ½, Í f T [fo, Ö, ð f fOfCf“, È, Ç Af fOfCf“ Ú±, ì%ß’ö, Å f f fHf <fg, ð Ý’ è, ð • Ö W, ., é, ð, È Ž g—p, µ, Ü, . B

**Ž è †**

1. f fOfCf“ f fCf Af fOf {fbfNfX, ð • Ž |, ., é, É, Í A [ , ð fNfŠ fbfN, µ, Ä, , ¾, ¾, † B  
 f fCf Af fOf {fbfNfX, É m Ú’ ± n, ð ^ fu, ð • Ž |, ¾, é, È, † ê †, Í A f f fHf <fg, ð Ý’ è, ð — L CE Ø, É, µ, Ä, , ¾, ¾, † B
2. m Ú’ ± n, ð ^ fu, Å Š ó — ], ., é Ý’ è, ð, µ, Ä, , ¾, ¾, † :
  - **f c f Š [** -- m f c f Š [ n f l f v f v f † “, Æ m f R f “ f e f l f X f g n f l f v f v f † “, ð Ž g—p, µ, Ä, , ¾, ¾, †
  - **f T [fo (NetWare\* Directory Services\*)** -- m f T [fo n f l f v f v f † “, Æ m f R f “ f e f l f X f g n f l f v f v f † “, ð Ž g—p, µ, Ä, , ¾, ¾, †
  - **f T [fo (Bindery Services)** -- m f T [fo n f l f v f v f † “, Æ m f o f C f “ f Š Ú’ ± n f l f v f v f † “, ð Ž g—p, µ, Ä, , ¾, ¾, †
3. m Ú’ ± n, ð ^ fu, Å, Í A Ú’ ±, ð’ u, « Š ., |, é ê †, Ü, ½, Í Ú’ ±, ð’ a, ., ê †, É m CE » Ý, ð Ú’ ±, ð fNfŠ fA, ., é n f l f v f v f † “, ð Ž g—p, µ, Ä, , ¾, ¾, † B
4. m f fOfCf“ n, ð ^ fu, Å A f c f Š [ , Ü, ½, Í f T [fo, ð m f fOfCf“ — ¼ n , Æ m f p f X f n [ f h n , ð “ ü — Í, µ, Ä m O K n, ð’ l’ ð, µ, Ä, , ¾, ¾, † B

**Š Ö ~ A [ € - Ú**

f f f fHf <fg, ð f fOfCf“, ð Ý’ è, ð, ., é  
f R f “ f e f l f X f g, ð CE Ý [ ð ð † [ ~  
f fOfCf“ f X fNfŠ f v f g, ð %ß’ö, ð \$ CE ä, ., é  
f fOfCf“, Æ f fOf Af Ef g [ i Š T — v [ j

\* Novell, ð x • W \*\* f T [ f h f p [ f e f B, ð x • W [ Ú, µ, ., Í x • W, ð Ž Q [ Æ, µ, Ä, , ¾, ¾, † B

**f fOfCf“Žž,ìft[fU,ì€ì,ð§CEä,·,é**

**-Ú“l**

f fOfCf“,ì%òB‘ò,Àft[fU,ì€ì,ìfCEfx<,ð§CEä,·,é,½,B,ìfqf“fg,ÍŽŸ,ì,Æ,“,è,À,·B

**fqf“fg**

- f fCfA fOf{fbfNfXä,ì,“x,Èf^fu i mÚ‘±nA mfXfNfŠfvfg nA m•İ“n j,ð•Ž!A”ñ•\ Ž!,ðØ,è‘Ö,ì,é,É,íA Windows\*\*,ì mfRf“fg f f<fpf f<-flfbfg f fN n,©,ç m Novell NetWare Client 32 n,ð‘l‘ð,μ,Ä mfvf f p f e f B n,ð%Ÿ,μ A mf fOfCf“ n,ìf^fu,ÅSY“-,·,é m‘,ì•\ Ž! n f` f F b f N f { f b f N f X, È f` f F b f N f } n f N, ð“ ü, è, ½, è A Ž æ, Á, ½, è, μ, Ä Ÿ‘ è, μ, Ä,, ¾, ¾, ç B NetWare\*, ì f R f } f` f h f % o f C f“ , / a f l f v f V f f“ , ð, Ä, -, Ä f fOfCf“ , ·, é, Æ, ±, è, ç, ì, “x, È f^fu, ð, Ì Ÿ‘ è, ð—LCEø, É, ·, é, ± , Æ, ¾, Ä, <, Ú, · B

- m f fOfCf“ CE<%ò È n f E f B f“ f h f E, ð Ž © “ @ “ l, É • Ä, ¶, é, É, í A m f X f N f Š f v f g CE<%ò È, ð Ž © “ @ “ l, É • Ä, ¶, é n f` f F b f N f { f b f N f X, È f` f F b f N f } n f N, ð, Ä, -, Ä,, ¾, ¾, ç

- f fCfA fOf{fbfNfXä,ì,“x,Èf^fu i mÚ‘±nA mfXfNfŠfvfg nA m•İ“n j,ð•Ž!A”ñ•\ Ž!,ðØ,è‘Ö,ì,é,É,íA Windows\*\*,ì mfRf“fg f f<fpf f<-flfbfg f fN n,©,ç m Novell NetWare Client 32 n,ð‘l‘ð,μ,Ä mfvf f p f e f B n,ð%Ÿ,μ A mf fOfCf“ n,ìf^fu,Ä mf fOfCf“ Ì— ½ Žž, É Ÿ‘ è, ð • Ú “ ¶ n f` f F b f N f { f b f N f X, È f` f F b f N f } n f N, ð, Ä, -, Ä,, ¾, ¾, ç

**ŠÖ~A€-Ú**

- ffffHf<fg,ì f fOfCf“, Ì Ÿ‘ è, ð, ·, é
- fRf}f“fhf%o fCf“flfvfVf f“
- f fOfCf“, Æ f fOf Af E fg Ì Š T—v j

\* Novell, Ì n • W \*\* f T [ f h f p [ f e f B, Ì n • W Ì Ú, μ,, í n • W, ð Ž Q ð Æ, μ, Ä,, ¾, ¾, ç B

**ffftfHf<fg,ìŸ'è,ðŽg—p,μ,½fOfCf“**

**-Ú“!**

ffftfHf<fg,ìŸ'è,Àf|fbfgf[]fN,ÉfOfCf“,·,é,ì,ÉŽg—p,μ,Û,·B

**Žè‡**

1. fOfCf“f\_fCfAfOf{fbfNfX,ð•\Ž!,·,é,É,íA,ðfNfŠfbfN,μ,Ä,,¾,¾,çB
2. mfOfCf“n,ìf^fu,ÅAfcfŠ[,Û,½,ífT[fo,ìmfOfCf“—¾n,ÆmpfXf[]fhñ,ð“ü—  
í,μ,ÄmOKñ,ð'!ð,μ,Ä,,¾,¾,çB

**ŠÖ~A€-Ú**

ffftfHf<fg,ìŸ'è,ð,·,é  
fOfCf“,ÆfOfAfEfq[]iŠT—v[]

\* Novell,ìx•W \*\* fT[]fhfp[]fB,ìx•W []Ú,μ,,íx•W,ðŽQÆ,μ,Ä,,¾,¾,çB



**¶•W**

Copyright © 1994-1996, Novell, Inc. All rights reserved. Patent Pending.

**•Ä'Novell, Inc.,ì¶•W**

- Client 32,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- GroupWise,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- IPX,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- IPX/SPX,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- LANalyzer,íA•Ä',È,ç,Ñ,É'¼,ì',É," ,é•Ä'Novell, Inc.,ì"o~^¶•W,Ä,·B
- Link Support Layer,"æ,Ñ LSL,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- ManageWise,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NE2000,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare,íA•Ä',È,ç,Ñ,É'¼,ì',É," ,é•Ä'Novell, Inc.,ì"o~^¶•W,Ä,·B
- NetWare 3,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare 4,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare Client,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare Core Protocol,"æ,ÑNCP,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare Directory Services,"æ,ÑNDS,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare DOS Requester,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare/IP,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare Loadable Module,"æ,ÑNLM,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWare Management System , ,æ,ÑNMS,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- NetWire,íA•Ä',È,ç,Ñ,É'¼,ì',É," ,é•Ä'Novell, Inc.,ì"o~^¶•W,Ä,·B
- Network Support Encyclopedia Professional Volume,"æ,ÑNSEP,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Novell,íA•Ä',È,ç,Ñ,É'¼,ì',É," ,é•Ä'Novell, Inc.,ì"o~^¶•W,Ä,·B
- Novell Application Notes,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Novell Authorized Reseller,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Novell Gold Partner,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Novell Labs,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Novell Network Symbol,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Novell Platinum Partner,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Novell Technical Services,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Open Data-Link Interface,"æ,ÑNODI,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Packet Burst,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- SPX,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Storage Management Services,"æ,ÑSMS,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B
- Virtual Loadable Module,"æ,ÑVLM,íA•Ä'Novell, Inc.,ì¶•W,Ä,·B

**fT[fhfp[fefB,ì¶•W**

- CompuServe,íACompuServe, Inc.,ì"o~^¶•W,Ä,·B
- Hewlett Packard,"æ,ÑHP,íAHewlett-Packard Company,ì"o~^¶•W,Ä,·B
- IBM,íAInternational Business Machines Corporation,ì"o~^¶•W,Ä,·B
- Intel,íAIntel Corporation,ì"o~^¶•W,Ä,·B
- Microsoft,íAMicrosoft Corporation,ì"o~^¶•W,Ä,·B

MS, í Microsoft Corporation, ì“ó~^ ç•W, Å, · çB  
MS-DOS, í Microsoft Corporation, ì“ó~^ ç•W, Å, · çB  
Netscape, í A Netscape Communications Corporation, ì ç•W, Å, · çB  
Netscape Navigator, í A Netscape Communications Corporation, ì ç•W, Å, · çB  
Network Driver Interface Specification, ÿ, æ, ÑNDIS, í APC-Plus Communications LP, ì ç•W, Å, · çB  
OS/2, í International Business Machines Corporation, ì“ó~^ ç•W, Å, · çB  
PostScript, í Adobe Systems Incorporated, ì“ó~^ ç•W, Å, · çB  
Unicode, í A Transoft Ltd., ì“ó~^ ç•W, Å, · çB  
Windows, í Microsoft Corporation, ì“ó~^ ç•W, Å, · çB  
Windows 95, í Microsoft Corporation, ì ç•W, Å, · çB  
Windows NT, í Microsoft Corporation, ì ç•W, Å, · çB



**Version and Copyright Notices**

The following text strings are included to enable the NDIR utility to report version and copyright information for this Help file. This topic should not be translated, except for possibly the actual version and copyright strings below (if these are normally translated).

VeRslon=Version 1.5

CoPyRiGhT=(c) Copyright 1996, Novell, Inc. All rights reserved.



**ĀĲō**

€-Ū-¼, ĩĀ%o, ĩ” •ŲŽš, đf^fCfv, ·, é, Æ€-Ū, đfŠfXfg, ©, ç'í'đ, Ā, <, Ū, ·B

- flfbfgf [fN, ĩ'ā, «, ³, É, æ, Ā, Ā, ífŠfXfg, đ ĩ - , ·, é, ĩ, É'½ ŽžŠŌ, a, ©, ©, é, ±, Æ, à, , è, Ū, ·BfŠfXfg, a ĩ - , ³, è, é, Ū, Ā€-Ū, đ'í'đ, ·, é, ĩ, đ'Ō, Ā •K-v, ĩ, , è, Ū, ¹, ģB

## fpfXf□□[fh,i•i□X

CE»□Y□Ú'±,<sup>3</sup>,ê,Ä,ç,éçfŠ□□[,ÆfT□□[fo,Å□AfpfXf□□[fh,Æ,»,ì—LCEøŠúCEÀ,<sup>a</sup>"~,¶,à,ì,ìfŠfXfg,ð•\Ž!,μ,Ü,·□B

- □V,μ,çfpfXf□□[fh,<sup>a</sup>l'ð,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>,·,×,Ä,ìfŠfXfg,Å"K□#,μ,Ü,·
- fpfXf□□[fh,ð•i□X,μ,<sup>1</sup>/<sub>2</sub>,,È,ççfŠ□□[,âfT□□[fo,<sup>a</sup>, ,é□ê□#,í,±,ê,ð'l'ð,©,çŠO,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç
- fpfXf□□[fh,ì—LCEøŠúCEÀ,<sup>a</sup>□ø,ê,<sup>1</sup>/<sub>2</sub>□ê□#,í,±,ê,ð'l'ð,©,çŠO,·,±,Æ,í,Ä,«,Ü,<sup>1</sup>,ñ

**V,μ,ϕpfXf[]fh,i"ü—í**

mfpfXf[]fh,i•iXn,İŠfXfg,ÅŽw'è,μ,½AV,μ,ϕcfŠ[.ÆfT[]fo,İpfXf[]fh,đ"ü—í,μ,Ä,,¾,¾,ϕB

▪ "ü—í,μ,½•¶Žš,İfAfXf^[]fŠfXfN,Æ,μ,Ä•\Ž!,¾,è,Ü,·

▪ "K"—,ÈfpfXf[]fh,i',¾,¾•¾,©,ç,È,ϕé#̂,ÍAfİfbfgf[]fNŠÇ—

ŽÒ,Éq,È,é,©A,Ü,½,íNWAdmin(NetWare\* Administrator)fvf[]fO%of€,đ'²,x,Ä,,¾,¾,ϕB



□V,μ,ϕfpfXf□□[fh,ì□Ä“ü—í

□mfpfXf□□[fh,ì“ü—í□n,Å“ü—í,μ,½,à,ì,Æ“¬,¶fpfXf□□[fh,δ□³Šm,É,à,π^ê“x“ü—í,μ,Ä,,¾,³,ϕ□B

**/a**

□m□,“x,ÈfljvfVf‡“□nf^fu□i□m□Ú’±□n‡□mfXfNfŠfvg□n□A□m•i□”□n□j,‡f□fOfCf“f\_fCfA□fOf{fbfNfX,É•\  
,í,ê,Û,·□B

—á: **c:\novell\client32\loginw95.exe /a**

## fofCf“f\_fŠÚ±

fT□[fo□Ú'±,³fofCf“f\_fŠfT□[frfXf,□[fh(NetWare\* 2 ,Æ 3),Å , ,é,©NetWare Directory Services (NetWare 4\*)f,□[fh,Å , ,é,©,ðŽw'è,μ,Û,·□B

- ,±,ìfjfvfVf±f“,í□mfcfŠ□□n,³'I'ð,³,è,Ä,ç,é,Æ-³Ž<,³,è,Û,·□B
- fAfNfZfX,μ,½,çfŠf□[fX,Û,½,íft□[fU,ì□gCE³□Ø-¾,ì,ç, , ,é,©,³fofCf“f\_fŠfT□[frfX,É,æ,Á,Ä,μ,©%oÂ“\ ,Å,È,ç□ê□#□A,±,ì`fFfbfNf{fbfNfX,É^ó,ð•t, , ,Ä,,¾,¾,ç□B
- NetWare Directory Services,ìft□[fU,Æ,μ,Äf□fOfCf“,μ,½,çŽž,í□A,±,ì`fFfbfNf{fbfNfX,ì^ó,ðŠO,μ,Ä,- ,¾,¾,ç□B

**fT[fO, lU'±, d%δœ, , é**

CE»Y, iflfbfgf[fN, lU'±, dV, μ, fOfCf"U'±, , é, ©U'±, δX, É, â, , ©, Ç, x, ©, đŽw'è, μ, Ů, ·B

- , , x, Ä, iflfbfgf[fN, lU'±, d%δœ, μ, ½, çê, ÍA, ±, if`fFfbfNf{fbfNfX, É^ó, đ, Ä, -, Ä, -, ¾, ¾, çB[i, ½, Ä, , íA'cfS[. ©fT[fO, đ·í, , ½, ç, Ä, ©·É, ift[fU, Ä, μ, ÄfOfCf", μ, ½, çê, Ä, ·B]
- CE»Y, iflfbfgf[fN, lU'±, d^UŽ, μ, ½, çê, ÍA, ±, if`fFfbfNf{fbfNfX, l^ó, đŠO, μ, Ä, -, ¾, ¾, çB[i, ½, Ä, , íA'Ç%Á, ifcfS[. ©fT[fO, lU'±, d[¬'t, l, æ, x, Éê, Ä, ·B[V, μ, U'±, , é, ½, B, ifOfCf"fxfNfŠfvfg, íA"~, ¶lfhf%ofCfufCef^[, âf[lfg"Ô+"™, đŽg—p, μ, Ä, ç, éf}fbfsf"fo, đ, , x, Ää, «, μ, Ä, μ, Ů, ç, Ů, ·B

**f fOfCf“fXfNfŠfvgŒ<%oÊfEfBf“fhfE,ðŽ©“®“l,É•Â,ŕ,é**

f fOfCf“Œ<%oÊfEfBf“fhfE,ªA f fOfCf“,l%oß’ö,ªl,í,é,ÆŽ©“®“l,É•Â,ŕ,é,©,Ç,ª,©,ðŽw’è,µ,Û,·BI

- Ž©“®“l,ÉŒ<%oÊfEfBf“fhfE,ª•Â,ŕ,é,½,ß,É,íA,±,lf`fFbfNf{fbfNfX,É^ó,ð,Â,¯,Ä,,¾,¾,ç
  - Œ<%oÊfEfBf“fhfE,ðŠJ,¯,½,Û,Û,É,µ,Ä,¯,,½,ß,É,íA,±,lf{fbfNfX,É^ó,ð,Â,¯,È,ç,Ä,,¾,¾,ç
- f f,:** f fOfCf“fXfNfŠfvgfGf%o[ª<N,±,Ä,Ä f fbfZ[fW,ª•Žl,¾,é,½êªAŒ<%oÊfEfBf“fhfE,í,Ç,ì,æ,ª,ÉJfVfVfª“,ðÿ’è,µ,æ,ª,ÆŠJ,ç,½,Û,Û,É,È,è,Û,·BI

## fRf“fefLjXfg

ft□[fUfifufWjFfNfg,δCEŸ□ō,μ,½,è□Aft□[fU,ìCE —~,đŠm“F,·,é,æ,▣ifcfŠ□[,ì†,ì□jRf“fefLjXfg,ÉŽw’è,μ,Û,·□B


- %oÂ”\,ÈftfB□[f<fh,Å□AŠó–],ìRf“fefLjXfg,đ“ü—í,·,é,©’I’đ,μ,Û,·□B  
—á: **Sales.ACME**

- □mf□fOfCf“□nf^fu,ì□m–¼’O□nflfvjVf#f“,Åft□[fU,ìŠ@’S,Èftf<fl□[f€,đ“ü,è,é,Æ,±,ìRf“fefLjXfg,đ□ã□’,«,μ,Û,·□B

## fT[]fo

fT[]fo, i[]Ú'±, ðŽw'è, μ, Ü, ·[]B

- %oÂ"\.ÈftfB[][f<fh, ÅŠó-], ìfT[][fo-¼, ð"ü—í, ·, é, ©'l'ð, μ, Ü, ·[]i-¼'O, l't, É, ífRf"fefLfXfg, ð"ü, è, È, ç, Å, -, ¾, ¾, ç[][]B, ·, é, ç, í%oÂ"\.ÈfT[][fo, ìfŠfXfg


 ð'l'ð, μ, Ü, ·

- []mfT[][fo[]nflfvfVf#f", ð'l'ð, ·, é, Æ[]AŽw'è, μ, ½fT[][fo, É[]Ú'±, ¾, ê[]mfçfŠ[][[]nflfvfVf#f", í-¾Ž<, ¾, è, Ü, ·[]B

## fcfŠ[]

fcfŠ[][,iÚ'±,ðŽw'è,μ,Û,·□B

▪ %oÂ"\,ÈftfB[]f<fh,ÅŠó-[]\fcfŠ[][-¼,ð"ü—í,·,é,©'l'ð,μ,Û,·□B,Û,½,í%oÂ"\,ÈfcfŠ[][-¼,lfŠfXfg,ð"¾,é,½,ß

 ,ð'l,Ñ,Û,·□B

▪ []mfcfŠ[][\nfjfvfVf#f",ð'l'ð,·,é,ÆŽw'è,μ,½fcfŠ[][,iffftfHf<fgfT[]fo,ÉÚ'±,³,è□A□mfT[]fo[\nfjfvfVf#f",l-³Ž<,³,è,Û,·□B

ffftfHf<fgfT[]fo,[]ANetWare\* Directory,ì't,É•Ú'¶,³,è,Ä,ç,éft[]fUfufWfFfNfg,lfvf[]fpfefB,Ä,·□B,±,lfT[]fo,lfNf%oofCfAf"fg\ftfgfEfFfA,ÅŽg—p,³,è,Ä,ç,é□m—D□æfT[]fo[]n,ìY'è,Æ,í•É,Ä,·□B



-¼'0

f\_fCfAfOf{fbfNfX,ì't,ÉŽw'è,<sup>3</sup>,è,½fcfŠ[] . ©fT[]fo,ì,½,ß,Éft[]fU-¼,ð"ü—í,μ,Ä,,¾,<sup>3</sup>,ç[]B

- Š@'S,Éftf<f[]f€,ð"ü,è,Ä,,¾,<sup>3</sup>,ç[]B

—á: .MSmith.Engineering.ACME

## fpfXf[]fh

f\_fCfAf[]fOf{fbfNfX,ì't,ÉŽw'è,<sup>3</sup>,è,½fcfŠ[][,©fT[]lfo,ì,½,ß,Éf[]OfCf“fpfXf[]fh,ð“ü—í,μ,Ä,,¾,<sup>3</sup>,ç[]B

- fpfXf[]fh,ð“ü—í,.,é,Æ[]AfAfXf^fŠfXfN,¾,¯,ª•\Ž!,<sup>3</sup>,è,Ü,·[]B
- fpfXf[]fh,ð-Y,è,½,ç[]Af[]fbfgf[]fNŠÇ—[]ŽÒ,É[]q,È,Ä,,¾,<sup>3</sup>,ç[]B

## f fOfCf“fXfNfŠfvg

ft fUf fOfCf“fXfNfŠfvg, ì' ä, í, è, É AŽÀ s, ·, é fOfCf“fXfNfŠfvg, đŽw' è, μ, Ü, · B

▪ ±, ì f f v f v f f f “, đŽg—p, ·, é, ½, ß, É, Í A%oA“\, È f t f B [f < f h, É Š ó—], ì f X f N f Š f v f g—¼, đ “ ü—Í, ·, é, © ' l' đ, μ, Ä, -  
, ¾, ¾, ç B

▪ f X f N f Š f v f g—¼, Í Š @ ' S, È f t f @ f C f <—¼ [ ì f h f % o f C f u [ A f p f X [ A f t f @ f C f <—¼ ] j, © A, ·, é, ç, ì f f O f C f “, μ, Ä, ç  
, é f c f Š [ , ì ' t, ì f f u f W f F f N f g, ì—¼ ' O, Á, à, ©, Ü, ç, Ü, ¹, ñ B f l f u f W f F f N f g, Í A ' Ç, Ý [ ž, Ý Ç E , ì, ·, é f f O f C f “ f X f N f Š f v f g f v f f p  
f e f B, đ Ž [ , Á, Ä, ç, é • K—v, ª, ·, è, Ü, · B

**fvf[]ftf@fCf<fXfNfŠfvg**

fvf[]ftf@fCf<f[]OfCf“fXfNfŠfvg,ì'ä,í,è,É[]AŽÀ[]s,·,éf[]OfCf“fXfNfŠfvg,đŽw'è,μ,Ü,·[]B

- ,±,lf[]fVf[]f“,đŽg—p,·,é,½,β,É,Í[]A%oÂ“\,ÈftfB[][f<fh,ÉŠó-],lfXfNfŠfvg-¼,đ“ü—Í,·,é,©'l'đ,μ,Ü,·[]B
- fXfNfŠfvg-¼,ÍŠ®'S,Èftf@fCf<-¼[]ifhf%ofCfu[]AfpfX[]Aftf@fCf<-¼[]j,©[]A, ,é,ç,lf[]OfCf“,μ,Ä,ç ,éf[]fŠ[][,l'†,lf[]fufWf[]fNfg,l-¼'O,Á,à,©,Ü,ç,Ü,<sup>1</sup>,ñ[]B[]fufWf[]fNfg,Í[]A“Ç,Ý[]ž,Ý[]E ,l, ,éf[]OfCf“fXfNfŠfvgf[]f[]p fefB,đŽ[],Á,Ä,ç,é•K—v,<sup>a</sup>, ,è,Ü,·[]B

## ŽÁřXfNfŠfvg

Ÿ'è,³,ê,½,·,x,Ä,lfOfCf“fXfNfŠfvg,đŽÀs,É^Ú,μ,Û,·B

- ,·,x,Ä,lfOfCf“fXfNfŠfvg,ìŽÀs,đ”đ,¯,éê±,íA,±,lf`fFbfNf{fbfNfX,ì^ó,đŠO,μ,Ä,,¾,³,¢B

**%2, %3, %4, %5**

fOfCf“fXfNfŠfvg,i•i” ,i’uŠ·l,đŽw’è,μ,Ü,·B

▪ ,±,lfpf%of[f^,íADOS,ìLOGINfRf}f“fh,ì’í%ž,·,éfpf%of[f^,Æ“~,¶,Å,·BÚx,Ífbfvgf[fN,iŠÇ—  
□,đŽQ□Æ,μ,Á,,¾,³,¢B



**ffftfHf<fg,lfOfCf“Ų’è**

-Ų“l

NetWare\*,lfOfCf“fvfOf%œ,É,æ,Á,ĂŽg—p,<sup>3</sup>,é,ffftfHf<fg,lfŲ’è,ÉŽg—p,μ,Ų,·

**Žè‡**

1. ,±,±,đNfŠfbfN,μ,Ă Windows\*\*,lfRf“fgf[f<fpflf<,©,çmfllfbfgf[fNn,đŠ],ç,Ă,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç
2. mNovell\* NetWare Client\* 32\*n,đ‘đ,μ,ĂmfvfpfefBn,đ%Ų,μ,Ă,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç
3. mClient 32n,ÆmfOfCf“n,lf^fu,ÁffftfHf<fg,lfŲ’è,É,μ,<sup>1</sup>/<sub>2</sub>,çfOfCf“,ì€-Ų,đ‘đ,μ,ĂmOKn,đ%Ų,μ,Ă,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç

f, F fVfXfef€ŠÇ—ŽÒ,É,æ,Á,Ă,lfRf“fgf[f<fpflf<,lmfllfbfgf[fNn,lfŲ’è,Ö,lfAfNfZfX,đŠ€À,μ,Ă,ç,éê‡,<sup>3</sup>, ,è,Ų,·B

**ŠÖ~A€-Ų**

ffftfHf<fg,lfŲ’è,đŽg—p,μ,<sup>1</sup>/<sub>2</sub>fOfCf“  
fOfCf“Žž,lf[fU,ì’€ì,đŠ€ä, .é•Ų-@  
fOfCf“,ÆfOfAfEfg,ìŠT—v

\* Novell,ìx•W \*\* fT[fhfp[fefB,ìx•W ŲŲ,μ,,íx•W,đŽQÆ,μ,Ă,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB



## ffOfAfeFg

-Ú“l

,. , x, Ä, Ü, ½, Í^ê•”, ìNetWaref|fbfgf□□[fN, ìÚ’±, ð%øðœ, μ, Ü, .

Žg—p, μ, Ä, ç, é|fbfgf□□[fNfŠf□□[fx, ðØ’f, μ, ½, ç□ê□‡, ÉŽg—p, μ, Ä, , ¾, ¾, ç□B

Žè‡

1. Windows\*\*, ìfGfNfXfvf□□[f%o, È, Ç, ìf+□[fefBfŠfefBfvf□fOf%of€  
, ©, çf□fOfAfeFg, μ, ½, çfcfS□[, Ü, ½, ìfT□[fo, ð’l’ð, μ, Ä, , ¾, ¾, ç

2. □mftf@fCf<□nf□fjf...□[, ©, ç□mf□fOfAfeFg□n, ð’l’ð, μ, Ä, , ¾, ¾, ç

, ½, Æ, í, ìWindows, ìfGfNfXfvf□□[f%o, ì□ê□‡, Ì□A□¶’x, ì’<, Ä, ç, Ä, ½, ñ□mffXfnfgfbfv□n, ð’l’ð, μ, Ä%oE’x, ì’<, É•\  
Žl, ¾, é□mf|fbfgf□□[fNfRf“fsf...□[f^□n, ðf\_fuf<fNfŠfbfN, μ□A%oE’x, ì’<, É-Ú“l, ìfcfS□[, Ü, ½, ìfT□[fo, Ì^ê—  
, ð•Žl, ¾, ¾, é•K—v, ¾, è, Ü, .□B, ±, ±, ©, ç□mftf@fCf< - f□fOfAfeFg□n, ð’l’ð, μ, È, , è, ìf□fOfAfeFg, ., é, ±  
, Æ, Í, Ä, «, Ü, ¾, ñ□B

\* Novell, ì□x•W \*\* fT□[fhfp□[fefB, ì□x•W □Ú, μ, , Ì□x•W, ðŽQ□Æ, μ, Ä, , ¾, ¾, ç□B



