

**address,É, ,éfCf“fXfg@f·í,ÝVxdf,fWf...@f<,³-¢'è<` ,íNLMŠÖ”(function\_name)**  
,**ÉfAfNfZfX,µ,æ,¤,Æ,µ,Ü,µ,½**

à-¾

•\Z!,³,ê,½<@"\,ðANIOS,Ü,½,íf@f@fh@í,Ý,íNLM\*fvf@fOf%o@,³fGfNfXf|@fg,µ,Ä,¢,Ü,¹,ñBŒÄ,Ño,µ'¤  
,íVxDfvf@fOf%o@,Æ@A,» ,íVxDfvf@fOf%o@,³<@"\,ífGfNfXf|@fg@æ,Æ'z'è,µ,Ä,¢,éNLMfvf@fOf%o@,Æ,ífo@fWftf“,í•s^ê'v,³@l,¡,ç,ê,Ü,·@B

\*fmfxf<,í@¤•W@\*\*fT@fhfp@fefB,í@¤•W  
Ú@x,í@¤•W,ðŽQ@Æ,µ,Ä,,³/4,³,¢@B

**VMLID: Free called with uninitialized Zone!**

à-¾  
“à•”ƒf,fŠ,ì”j‰oó,ºŒÝo,³,êÜ,µ,½B

## **VMLID: Lost in Zone Array!**

□à-¾  
“à•”ƒƒf,fŠ,ƒ”j‰oó,¤ŒÝo,³,êÜ,µ,½B

## **ABENDf[]fbfZ[]fW**

à-¾

NetWare\* Client\* 32\*, ðŽÀs, µ, æ, x, Æ, µ, ½, Æ, «, Éd'å, ÈfGf%o[, ²"¶, µ, Ü, µ, ½B

^'u

f[]fbfZ[]fW, ³•\Ž|, ³, ê, ½, Æ, «, És, Á, Ä, ¢, ½^—, ÆA•\Ž|, ³, ê, ½ABENDf[]fbfZ[]fW, ð<L~^, µ, Ä, -  
¾, ³, ¢BŽÝ, Èf[]fNfXfe[]fVf†f“, ðÄ<N“®, µ, Ü, ·B

## **“Á’è, ìClient 32f,fWf...[]f<, ÉCEÅ—L, ìABENDf[]fbfZ[]fW**

NIOS

- address, É, , éfCf“fXfg[]f<[], ÝVxdf,fWf...[]f<, ²-¢'è` , ìNLMŠÖ”(function\_name), ÉfAfNfZfX, µ, æ, x  
Æ, µ, Ü, µ, ½B
- Invalid conventional memory pointer during call to DosConvMemFree:Address *Invalid address value*  
*Name of module who called the function with invalid parameters*
- Invalid conventional memory pointer during call to DosConvMemFree:Address *address value*  
*Module name*

VMLID

- VMLID: Free called with uninitialized Zone!
- VMLID: Lost in Zone Array!

\*fmfxf<, ìæ•W@\*\*fT[]fhp[]fefB, ìæ•W  
Úx, ìæ•W, ðŽQÆ, µ, Ä, , ¾, ³, ¢B

**CLIENT32 Application name is incompatible with NetWare enhanced security support.**

□^'u

•\Zl,³,ê,½fAfvfŠfP [fVf#f“,ð V,µ,¢fo [fWf#f“,ÉfAfbfvfOfŒ [fh,µ,Ä,,¾,³,¢ B

**CLIENT32 Drive letter: to server name could not be auto-reconnected because AUTO RECONNECT LEVEL = value which is too low.**

□^'u

Auto Reconnect Level pf%o f□□[f^, É□Y'è, ·, é'l, ð'å, «,, μ, Ä,, ¾, ³, ¢□B Windows\*\* 95\*\*, ï□ê□‡□A, ±, ï□Y'è, ÍNetWare\* Client\* 32\*fvf□fpfefB, ï□m□Ú□x□Y'è□nfy□[fW, É, , è, Ü, ·□BDOS, Ü, ½, ÍWindows 3.x, ï□ê□‡□A, ±, ï□Y'è, ÍANET.CFGftf@fCf<, ï□mNETWARE DOS REQUESTER□nfZfNfVftf“, É, , è, Ü, ·□B

\*fmfxf<, ï□¤•W□@\*\*fT□[fhfp□[fefB, ï□¤•W  
□Ú□x, ï□¤•W, ðŽQ□Æ, μ, Ä,, ¾, ³, ¢□B

**CLIENT32 Drive letter: to server name could not be auto-reconnected because access was denied.**

□^'u

"K□³,Èft□[fU,Å, ,ê,î□A•\Ž|,³,ê,½fT□[fo,ÉfAfNfZfX,·,é,ì,É•K—v,ÈŒ —~,ð,»,íft□[fU,É—^,!,Ä,,³/4,³,¢□B

**CLIENT32 Drive letter: to server name could not be auto-reconnected because of an unknown reason error code.**

□^'u

,à,¤^ê“xf fOfCf“,·,é,© A•ž!,³,ê,½fT [fo,Éfhf‰ofCfu,ð Ä,Ñf}fbfsf“fO,µ,Ä,,³/4,³,¢ BfGf‰o [fR [fh,É,Ä,¢,Ä,í AfIj“f‰ofCf“f}fjj...fAf w VjXfef f fbfZ [fW x,í ufGf‰o [fR [fh v,ðžQ Æ,µ,Ä,,³/4,³,¢ B

**CLIENT32 Drive letter: to server name could not be auto-reconnected because search rights changed.**

□^'u

•\u0107l,³,ê,½fT[]fo,É'î,·,éft[]fU,íŒ—~,ðŠm"F,µ,Ä,,¾,³,¢B“K[]³,Èft[]fU,Ä, ,ê,íŒAfT[]fo,ÉfAfNfZfX,·,é,íŒ•K—v,ÉŒ—~,ð,»,lft[]fU,ÉS,,è“-,Ä,Ä,,¾,³,¢B

**CLIENT32 Drive letter: to server name could not be auto-reconnected because the path was deleted while the network connection was interrupted.**

□à-¾

•\Z!;,³,ê,½fpjfX,aAft[]fU,aflfbfgf[]fN,ÉÚ'±,μ,Ä,¢,È,¢ŠÔ,Éíœ,³,ê,Ü,μ,½B

□^'u

,±,jf[]fbfZ[]fW,aÄ,Ñ•\Z!;,³,ê,È,¢,æ,¤,É,·,é,É,íA•\Z!;,³,ê,½fT[]fo,Ö,¡fhf  
‰ofCfuf}fbfsf"fo,ð•íX,Ü,½,ííœ,μ,Ä,,³/4,³,¢B

**CLIENT32 Drive letter: to server name could not be auto-reconnected because this version of the server does not support it.**

□^'u

•\Zl,³,ê,½fT□[fo,ifftfgfEfFfA,ð□AAUTO-RECONNECTED,ðfTf|□[fg,μ,Ä,¢,éfo□[fWftf“,ÉfAfbfvfOfŒ□[fh,μ,Ä,-  
,³/4,³,¢□B

**CLIENT32 Drives to server name could not be auto-reconnected because of a low memory condition.**

□^'u  
f□□[fNfXfe□[fVf+f“,í<ó,«f□f,fS,ð'□,â,µ,Ä,,¾,³,¢□Bf□□[fNfXfe□[fVf+f“,]f□f,fS,ÉŠÖ.:é-â’è,í‰oðŒ^•û-  
@,ðŽQ□Æ,µ,Ä,,¾,³,¢□B

**CLIENT32 File in use during a file open. File: name**

^u  
ftf@fCf<äf]fbfN,³,ê,Ä,¢,È,¢,©A,Ü,½,í,·,Å,Éžg—p't,Å,È,¢,©Šm" F,µ,Ä,,¾,³,¢]B,»í, ,Æ]A,à,¤^ê"xftf@fCf<  
ðŠj,¢,Å,Ý,Ä,,¾,³,¢]B

**CLIENT32 File in use during an fcb file open. File: *name***

à-¾

ftf@fU,ftf@fCf<,ðŠJ,±,¤,Æ,µ,½,Æ,«Aftf@fCf<fRf“fgf[]f<fu[]fbfN(FCB),ížg—p’t,Å,µ,½B

^'u

ftf@fCf<,·,Å,Éžg—p’t,Å,È,¢,©Šm”F,µ,Ä,,¾,³,¢B,»,ì, ,ÆA,à,¤^ê“xftf@fCf<,ðŠJ,¢,Ä,Ý,Ä,,¾,³,¢B

**CLIENT32 File in use during delete of a file. File: name**

**^u**

ftf@fCf<,·,Ä,Éžg—p't,Ä,È,¢,©Šm”F,µ,Ä,,¾,³,¢B,»„,ì, ,ÆA,à,¤^ê“xftf@fCf<,ðíœ,µ,Ä,Ý,Ä,,¾,³,¢B

**CLIENT32 File locked during a file open. File: *name***

**□^'u**

ftf@fCf<,·,Å,ÉŽg—p't,Å,È,¢,©Šm”F,µ,Å,,¾,³,¢□B,»„,ì, ,Æ□A,à,¤^ê“xftf@fCf<,ðŠJ,¢,Å,Ý,Å,,¾,³,¢□B

**CLIENT32 File locked during rename a file. File: *name***

**□^'u**

ftf@fCf<,·,Å,ÉŽg—p't,Å,È,¢,©Šm”F,µ,Å,,¾,³,¢□B,»„,ì, ,Æ□A,à,¤^ê“xftf@fCf<,ðfŠfl□[f€,µ,Å,Ý,Å,,¾,³,¢□B

**CLIENT32 File name could not be auto-reconnected because AUTO RECONNECT LEVEL =value which is too low.**

□^'u

%oÂ"\,Å, ,ê,Í»A•Í»X“à—e,áŽ,,í,ê,È,¢,æ,¤ftf@fCf<,ðfÍ»[f]f<sup>þ</sup>f%o fCfu,É•Ü'¶,µ,Ä,,¾,³,¢ B-â'è,á<N,±,ç,È,¢ ,æ,¤,É,·,é,É,Í»AAuto Reconnect Levelfpf%o fÍ»[f^,É ÙY'è,·,é'l,ð'å,«,,µ,Ü,·BWindows\*\* 95\*\*,Í»êÍ»‡A,± ,Í»Y'è,ÍNetWare\* Client\* 32\*fvfÍ»fpfefB,Í»mÍ»ÚÍ»xÍ»Y'èÍ»nfyÍ»fW,É, ,è,Ü,·BDOS,Ü,½,ÍWindows 3.x,Í»êÍ»‡A,±,Í»Y'è,Í»ANET.CFGftf@fCf<,Í»mNETWARE DOS REQUESTERÍ»nfZfNfVftf“,É, ,è,Ü,·B

\*fmfxf<,Í»¤•WÍ»@\*\*fTÍ»[fhfpÍ»[fefB,Í»¤•W  
Í»ÚÍ»x,Í»¤•W,ðŽQÍ»Æ,µ,Ä,,¾,³,¢ B

**CLIENT32** File name could not be auto-reconnected because access was denied.

□^'u

%oÂ"\,Å, ,ê,îA•ïX“à—e,âŽ,,í,ê,È,¢,æ,¤ftf@fCf<,ðf[]fjh%oCfu,É•Ü'¶,µ,Ä,-  
,³/4,³,¢Bftf@fCf<,ÆfffBfŒfNfgfS,É'í,·,éft[]fU,ìŒ — ~,ðSm"F,µ,Ü,·B"K³,Éft[]fU,Å, ,ê,îAftf@fCf<,Ü,½,ífffB  
fŒfNfgfS,lfAfNfZfX,É•K—v,ÈŒ — ~,ð,»,lft[]fU,ÉS,,è“-,Å,Å,,³/4,³,¢B

**CLIENT32** File name could not be auto-reconnected because it was deleted while the network connection was interrupted.

^u  
ftf@fCf<^œ,^,^ö,É,Â,ç,Ä,íAf!fbfgf][fNfX][fpfofCfU,É-â,ç‡,í,¹,Ä,,³/⁴,³,çB

**CLIENT32 File name could not be auto-reconnected because of a low memory condition.**

□^'u

f□□[fNfXfe□[fVf+f“,í<ó,«f□f,fŠ,ð’□,â,µ,Ä,,³/4,³,¢□Bf□□[fNfXfe□[fVf+f“,]f□f,fŠ,ÉŠÖ,·,é-â’è,¡‰oðŒ^•û-  
@,ðŽQ□Æ,µ,Ä,,³/4,³,¢□B

**CLIENT32 File name could not be auto-reconnected because of an unknown reason.**

□^'u

%oÂ"\,Å, ,ê,î]A•ï]X“à—e,âŽ,,í,ê,È,¢,æ,¤ftf@fCf<,ðf]Û[f]f<fhf‰fCfu,É•Û'¶,µ,Ä,-  
,³/4,³,¢]Bftf@fCf<,É'í,·,éftÛ[fU,¡Œ —  
~,â“K]Ø,©Šm”F,·,é,©]Aftf@fCf<,¤'¶]Y,·,é,©Šm”F,µ,Ü,·]Bftf@fCf<,¡Ž©“®ÛÛ'±,ð,à,¤^ê“xŽŽ,µ,Å,,³/4,³,¢]B

**CLIENT32 File name could not be auto-reconnected because the file could not be re-created.**

□à-¾

,±,ìfGf%oo[.,º"¶,.·,éŒ `^ö,íŽŸ,¡2,Â,Å,·B

▪ ftf@fCf<,Ö,ìfpfX,ºíœ,³,ê,Ä,¢,Ü,·B

▪ flfbfgf[]fN]Ú'±,º'f,µ,Ä,¢,éŠÔ,Éft[]fU,ìŒ —~,º•í]X,³,ê,Ä,¢,Ü,·B

□^u

%oÃ"\,Å, ,ê,í]A•í]X“à—e,ºž, ,í,ê,È,¢,æ,¤ftf@fCf<,ðf[]fjjf<fhf%o fCfu,É•Ù'¶,µ,Ä,,³/4,³,¢BŽŸ,É,à,¤^ê"x]Ú'±,µ,Ä,Ý,Ü,·Bftf@fCf<,Ö,ìfpfX,ºíœ,³,ê,Ä,¢,±,Æ,Æ¤ftf@fCf<,É'í,·,éft[]fU,ìŒ —~,ðŠm" F,µ,Ü,·B"K]³,Éft[]fU,Å, ,ê,í]Aftf@fCf<,ðfAfNfZfX,·,é,í,É•K—v,ÉŒ —~,ð,»,ìft[]fU,ÉŠ,,è“-,Ä,Ä,-,³/4,³,¢B

**CLIENT32 File name could not be auto-reconnected because the file's locks could not be reestablished.**

□^'u  
‰oÂ"\,Å, ,ê,Í¤A•Í¤X“à—e,áŽ.,í,ê,È,¢,æ,¤ftf@fCf<,ðfÍ¤[f]f<fhf‰oƒCfu,É•Ù'¶,µ,Ä,-  
,³/₄,³,¢¤BŽY,Éftf@fCf<,É,à,¤^ê“xfAfNfZfX,µ,Ä,Y,Å,-  
,³/₄,³,¢¤BftÍ¤[fU,¤ftf@fCf<,ÉfAfNfZfX,Å,«,È,¢¤ê¤ftÍ¤[fU,í¤Ú'±,ðfNfŠfA,µ,Äftf@fCf<,ð‰oð•ú,µ,Ä,-  
,³/₄,³,¢¤B,±,ê,Å¤AftÍ¤[fU,íftf@fCf<,ÉfAfNfZfX,Å,«,é,Í,„Å,·¤B,½,³/₄,µ¤A•Ù'¶,µ,Ä,¢,È,¢•Í¤X“à—e,ÍŽ.,í,ê,Ü,·¤B

**CLIENT32 File name could not be auto-reconnected because the utility that opened the stream file is too old.**

□à-¾

NetWare Administrator(NETADMIN),È,Ç]Aftf@fCf<,ðŠJ,,Æ,«,ÉŽg—p,µ,½ft][fefBfŠfefB,¤AUTO-  
RECONNECTED,ðfTf|][fg,µ,À,¢,Ü,¹,ñ]B

□^'u

ftf@fCf<,ðŠJ,¢,½ft][fefBfŠfefB,ðfAfbfvfOfŒ][fh,µ,À,,¾,³,¢]B,»], ,Æ]A,à,¤^ê“xftf@fCf<,ðŠJ,«]Ä]Ú'±  
,ðZZ,µ,À,,¾,³,¢]B

**CLIENT32 File name could not be auto-reconnected because this version of the server does not support it.**

□^'u  
%oÂ"\,Å, ,ê,î]A•ï]X“à—e,âŽ,,í,ê,È,¢,æ,¤ftf@fCf<,ðf]f[f]f<fhf%o fCfu,É•Û'¶,µ,Ä,,¾,³,¢]BfT]fo,]f\ftfgfEfFfA,ð]AAUTO-RECONNECTED,ðfTf|]fg,µ,Ä,¢,éfo]fWf]f“,ÉfAfbfvfOfŒ]fh,µ,Ä,,¾,³,¢]B

## **CLIENT32f[fbfZ][fw]**

CLIENT32 Application *name* is incompatible with NetWare enhanced security support.

CLIENT32 Drive *letter*: to server *name* could not be auto-reconnected because access was denied.

CLIENT32 Drive *letter*: to server *name* could not be auto-reconnected because AUTO RECONNECT LEVEL = *value* which is too low.

CLIENT32 Drive *letter*: to server *name* could not be auto-reconnected because of an unknown reason error code.

CLIENT32 Drive *letter*: to server *name* could not be auto-reconnected because search rights changed.

CLIENT32 Drive *letter*: to server *name* could not be auto-reconnected because the path was deleted while the network connection

CLIENT32 Drive *letter*: to server *name* could not be auto-reconnected because this version of the server does not support it.

CLIENT32 Drives to server *name* could not be auto-reconnected because of a low memory condition.

CLIENT32 File in use during a file open. File: *name*

CLIENT32 File in use during an fcb file open. File: *name*

CLIENT32 File in use during delete of a file. File: *name*

CLIENT32 File locked during a file open. File: *name*

CLIENT32 File locked during rename a file. File: *name*

CLIENT32 File *name* could not be auto-reconnected because access was denied.

CLIENT32 File *name* could not be auto-reconnected because AUTO RECONNECT LEVEL =*value* which is too low.

CLIENT32 File *name* could not be auto-reconnected because it was deleted while the network connection was interrupted.

CLIENT32 File *name* could not be auto-reconnected because of a low memory condition.

CLIENT32 File *name* could not be auto-reconnected because of an unknown reason.

CLIENT32 File *name* could not be auto-reconnected because the file could not be re-created.

CLIENT32 File *name* could not be auto-reconnected because the file's locks could not be reestablished.

CLIENT32 File *name* could not be auto-reconnected because the utility that opened the stream file is too old.

CLIENT32 File *name* could not be auto-reconnected because this version of the server does not support it.

CLIENT32 NETX cannot be loaded without exiting all DOS boxes.

CLIENT32 Please wait while *command\_from\_application* retries request to *server\_name*.

CLIENT32 Please wait while *server\_name* is processing request for *command\_from\_application*.

**CLIENT32 NETX cannot be loaded without exiting all DOS boxes.**

□à-¾

'½,¡DOSŒÝŠ·f{fbfNfX,ðŠJ,¢,Ä,¢,é,Æ,«,É]AWindows\*\*,¡DOSŒÝŠ·f{fbfNfX,©,çCLIENT32.NLMfvf]fOf%oƒ€,ðƒAf"f]f[fh,µ,æ,¤,Æ,µ,Ü,µ,½]B

□^'u

ŽŸ,ì,ç,¿,ç,©,ðŽÀ]s,µ,Ä,,¾,,³,¢]B

■ ŠJ,¢,Ä,¢,éDOSŒÝŠ·f{fbfNfX,ð,·,x,Ä•Å,¶,Ä,©,çCLIENT32.NLMfvf]fOf%oƒ€,ðƒAf"f]f[fh,µ,Ä,-,¾,,³,¢]B

■ Windows,ð]l—¹,µ,Ä,©,çCLIENT32.NLMfvf]fOf%oƒ€,ðƒAf"f]f[fh,µ,Ä,,¾,,³,¢]B

\*fmfxf<,í]¤•W]@\*\*fT]fhp]fe]B,í]¤•W  
]Ú]x,í]¤•W,ðŽQ]Æ,µ,Ä,,¾,,³,¢]B

**CLIENT32 Please wait while *command\_from\_application* retries request to *server\_name*. To stop waiting, press Enter. NetWare will then return an error and try to reconnect in the background.**

□à-¾

,±,íf]fbfZ]fW,íŽÝ,ì,¢,,ê,©,í]é]‡,É•\Ž|,³,ê,Ü,·]B

- flfbfgf]fN,²'á'¬,À,·]B
- fAfvfŠfP]fVf†f“,©,ç,ì—v<],É'Î,·,éfT]fo,í%oož“š,²'á'¬,À,·]B
- fT]fo,²f\_fEf“,µ,À,¢,Ü,·]B
- flfbfgf]fNfP]fuf<,²f]fNfXfe]fVf†f“,©,çŠO,ê,À,¢,Ü,·]B

□^'u

fT]fo,Ö,ífAfvfŠfP]fVf†f“,í—v<],ðNetWare\* Client\* 32\*,²]—,·,é,Ü,À'ò,À,À,,³/4,³,¢]B—v<],ð]—,·,é,Æ]Af]fbfZ]fW,íŽ©“®“I,ÉfNfŠfA,³,ê,Ü,·]B

fT]fo,²%oož“š,µ,È,¢,±,Æ,²Šm,©,È]é]‡]A<Enter>,ð%ooÝ,µ,À,,³/4,³,¢]Bf]fbfZ]fW,²fNfŠfA,³,ê]AfT]fo,²flf“f %ooCf“,É,È,À,½,Æ,«,ÉNetWare Client 32,²fofbfNfOf%oofEf“fh,ÀfAfvfŠfP]fVf†f“,ðfT]fo,É]À]U'±,µ,Ü,·]B  
flfbfgf]fNfP]fuf<,²f]fNfXfe]fVf†f“,É]U'±,³,ê,À,¢,é,±,Æ,ðŠm”F,µ,À,,³/4,³,¢]B

\*fmfxf<,í]¤•W]@\*\*fT]fhp]fefB,í]¤•W  
]U]x,í]¤•W,ðZQ]Æ,µ,À,,³/4,³,¢]B

**CLIENT32 Please wait while *server\_name* is processing request for  
*command\_from\_application*. To stop waiting, press Enter. NetWare will then return an error  
and try to reconnect in the background.**

□à-¾

,±,íf]fbfZ][fW,íŽÝ,ì,¢,,ê,©,í]é]‡,É•\Ž|,³,ê,Ü,·]B

- flfbfgf][fN,³'á'¬,Å,·]B
- fAfvfŠfP][fVf†f“,©,ç,ì—v<],É'î,·,éfT][fo,í‰ož“š,³'á'¬,Å,·]B
- fT][fo,³f\_fEf“,µ,Å,¢,Ü,·]B
- flfbfgf][fNfP][fuf<,³f][fNfXfe][fVf†f“,©,çŠO,ê,Ä,¢,Ü,·]B

□^'u

fT][fo,Ö,ífAfvfŠfP][fVf†f“,í—v<],öNetWare\* Client\* 32\*,³]—,·,é,Ü,Å'Ö,Å,Ä,,³/4,³,¢]B—v<],ö]—  
[],·,é,Æ]Af]fbfZ][fW,íŽ©“®“I,ÉfNfŠfA,³,ê,Ü,·]B  
fT][fo,³‰ož“š,µ,È,¢,±,Æ,³Šm,©,È]é]‡]A<Enter>,³‰ož“š,µ,È,·,é,Ü,Å'Ö,Å,Ä,,³/4,³,¢]Bf]fbfZ][fW,³fNfŠfA,³,ê]AfT][fo,³flf“f  
‰ofCf“,É,È,Å,½,Æ,«,ÉNetWare Client 32,³fofbfNfOf‰ofEf“fh,ÅfAfvfŠfP][fVf†f“,öfT][fo,É]Å]U'±,µ,Ü,·]B  
flfbfgf][fNfP][fuf<,³f][fNfXfe][fVf†f“,É]U'±,³,ê,Ä,¢,é,±,Æ,öŠm”F,µ,Ä,,³/4,³,¢]B

\*fmfxf<,í]¤•W]@\*\*fT][fhp][fefB,í]¤•W  
]U]x,í]¤•W,öZQ]Æ,µ,Ä,,³/4,³,¢]B

**fGf%o][fR][fh**

fGf%o][,^”¶¶,μ,½Œ`^ö,đŽ!,·16¶i”,Ü,½,í10¶i”,Å,·BNetWare\*,]fGf%o][fR][fh,đŽ!,μ,½•\,íAflf“f  
‰œfCf“f}ff...fAf<wfVfXfef€ffbfZ][fW¶x,lu•t~^ ,`v,É, ,è,Ü,·B

—á:@16¶i, FFFFFD93, 10¶i, -621

**f****fbfZ****Z****[fW****•¶****Žš—ñ**

-â'è,É,Â,ç,Äft[fU,Éà-¾,·,éfefLfxfg,Å,·B"¶¶,μ,½fGf%o[¶A¶l,l,ç,ê,éŒ‘^ö¶A%oñ•œ•û-  
@,È,C,³,ê,Ü,·B

**fGf%o** [f] **fbfZ** [fW

'é[i, ð'±, ̄, é'O, ÉC³, μ, È, ̄, ê, î, È, ç, È, ç-â'è, ðft[fU, É'm, ç, ¹, Ü, ·]B

**fXfe**■**f^fX('È'm)f**■**fbfZ**■**fW**  
f\ftfgfEfFfA,âfn■[fhfEfFfA,ïŒ»■Y,ï■ó'Ô,ðf†■[fU,É'm,ç,¹,Ü,·■B

**Exhibit f**

—,í'±s,Å,«,·,¤A»—,jfGf%o[,"¶,ð-h,®,½,ß,É%o½,ç,©,ì^'u,¤•K—v,È,±,Æ,ðŽ!,µ,Ü,·B

**fvf%ofbfgftfH][f€Žw'è**

•\Z{,³,ê,½fbfZ][fW,ì”¶¶Œ³,²,Ç,}fvf%ofbfgftfH][f€(DOS]AOS/2]AMac,È,Ç),Å, ,é,©,ðŽ!,µ,Ü,·]B

f\[[fxf,fWf...][f<-½

f\fbfZ\[\fW,\f\]¶¬,μ,½\[\fX,Ü,½,íf,fWf...][f<(NIOS\AClient32\AIPX\ACNE2000,È,Ç),í-½'Ô,Å,·\B

**d•i,μ,È,¢Ž⁻•È⁻¹/₄**

ñ,ÆŠÖ~A•t,~,é,Æ,«,É,Af,fbfZ,fW,ð^ê^Ó,ÉŽ⁻•È,·,é"Žš,Å,·B

**fo**|[fWftf“

f□fbfZ□[fW,đ□¶□¬,μ,½f,fWf...□[f<,]fo□[fWftf“,đŽ|,·□”Žš,Å,·□B

**IPX -x- 102: fTf|[]fg,³,ê,Ä,È,çŽÀsŠÅ<<,Å,·B,±,INLM,ÍDOS@Windows 3.X@A,Ü,½,ÍWindows 95,Åf@@[fh,µ,È, ,ê,Ì,È,è,Ü,¹,ñ**

à-¾

fT[]fU,²,±,INLM\*fvf[]fOf%oƒ€,ðfT[]fo,Éf[]fh,µ,æ,¤,Æ,µ,Ü,µ,½BNLMfvf[]fOf%oƒ€,íNf%oƒCfAf“fgf[]fNfXfe[]fVf#f“,³/₄,⁻,Åžg—p,·,éfvf[]fOf%oƒ€,Å,·B

^'u

,±,INLMfvf[]fOf%oƒ€,ðf[]fh,·,é,ì,íNf%oƒCfAf“fgf[]fNfXfe[]fVf#f“,³/₄,⁻,É,µ,Ä,,³/₄,³,¢B

\*fmfxf<,í¤•W@\*\*fT[]fhfp[]fefB,í¤•W  
Ú¤x,í¤•W,ðŽQ¤Æ,µ,Å,,³/₄,³,¢B

**IPX -x- 103: IPX.NLM,IPX/SPXfAfvfŠfP|[fVftf“fCf“f^ftfF|[fx,É•K—v,ÈV86fR|[f~~f~~fofbfNfAfhfŒfx,đŠ,,è“-,Ä,é,±,Æ,<sup>a</sup>,Å,«,Ü,<sup>1</sup>,ñ**

à-¾

fmfxf<,j16frfbfgIPX/SPXfCf“f^ftfF|[fx,Æ,í  
‰o^ÈŒYS·|[«,ð•Ü,Ä,½,ß,É|AIPX\*,ífRf“fxf“fVftfif<f|[f,fŠ,Æ16frfbfg,ífR|[f~~f~~fofbfNfAfhfŒfx,đŠ,,è“-,Ä,é•K—v,<sup>a</sup>, ,è,Ü,·BIPX,<sup>a</sup>,±,ê,ç,ífŠf|[fx,í,¢, ,ê,©,íŠ,,è“-,Ä,ÉŽ,"s,·,é,Æ|AIPX,í‰oŠú‰o»,Å,«,Ü,<sup>1</sup>,ñ|B

^u

À|Vfo|[Wftf“,íNetWare\* Client\* 32\*fftgfeffA,đft|[fU,äžg—p,μ,Ä,¢,é,©šm”F,μ,Ä,<sup>3</sup>/<sub>4</sub>,¢|B

\*fmfxf<,í|[x•W@\*\*fT|[fhfp|[fefB,í|[x•W  
Ú|x,í|[x•W,đžQ|Æ,μ,Ä,<sup>3</sup>/<sub>4</sub>,¢|B

**IPX -x- 104: IPX.NLM,ÍIPX/SPXfAfvfŠfP█[fVftf“fCf“f^ftfF█[fx,É•K—v,ÈfRf“fxf“fVftfif<f█f,fŠ,,è“-,Å,é,±,Æ,²,Å,«,Ü,¹,ñ**

█à-¾

fmfxf<,í16frfbfgIPX/SPX\*fCf“f^ftfF█[fx,Æ,í%oº^ÈŒYS·█«,ð•Ù,Å,½,ß,É█AIPX\*,ífRf“fxf“fVftfif<f█f,fŠ,Æ16frfbfg,ífR█[f<fofbfNfAfhfŒfx,ðŠ,,è“-,Å,é•K—v,², ,è,Ü,·█BIPX,²,±,ê,ç,ífŠf█[fx,í,¢, ,ê,©,íŠ,,è“-,Å,ÉŽ,"s,·,é,Æ█AIPX,í%oŠú%o»,Å,«,Ü,¹,ñ█B

█^'u

█Å█Vfo█[Wftf“,íNetWare\* Client\* 32\*fVftgfEfFfA,ðft█[fU,²žg—p,μ,Ä,¢,é,©šm”F,μ,Ä,,¾,³,¢█B

\*fmfxf<,í█¤•W█@\*\*fT█[fhfp█[fefB,í█¤•W█Ú█x,í█¤•W,ðžQ█Æ,μ,Ä,,¾,³,¢█B

**IPX -x- 106:** "½,lf,fWf...lf<,žg—p't,ì,½,B@AIPX.NLM,đfAf“f@@[fh,À,«,Ü,¹,ň

„^'u

ŠJ,ç,Ä,ç,éIPX/SPX\*fAvfjŠfP@fVftf“,ð,.,x,Ä•À,¶,Ä,,¾,³,ƒB,»,ì, ,Æ@AIPX.NLMfvf]fOf%oƒ€  
,ð,à,¤^ê“xfAf“f@@[fh,µ,À,Ý,À,,¾,³,ƒB

\*fmfxf<,l@¤•W@@\*\*fT@fhp@[fefB,l@¤•W  
Ú@x,í@¤•W,ðŽQ@Æ,µ,À,,¾,³,ƒB

**IPX -x- 114: 1,À^Èä,IGNMAŽóMŽÒ,³“o~^,³,é,Ä,¢,Ü,·**

à-¾

16frfbfg,Ü,½,í32frfbfg,IGNMA(Generic Network Management Agent)fŒfXf|f“f\_,ð1,À^ÈäfŒ[fh,µ,À,¢,é,é,ƒ,AIPX\*,ð,³,í,ÉfAf“fŒ[fh,·,é,±,Æ,í,À,«,Ü,¹,ñ,BGNMAfŒfXf|f“f\_,í,AIPX,í,f'f@”\,Æ,í,fCf“f^ftFŒ[fX,ðZæ,éfvfŒfO%oƒ€,À,·B

^u

IPX.NLMfvfŒfOf%oƒ€,ðfAf“fŒ[fh,·,é,O,ÉŒAfmfxf<,Ü,½,ífTŒ[fhfpŒ[fefBŒ»,í,·,x,Ä,IGNMAfŒfXf|f“f\_,ðfAf“fŒ[fh,µ,À,,³,¢B

\*fmfxf<,íŒ¤•WŒ@\*\*fTŒ[fhfpŒ[fefB,íŒ¤•W  
ŒÚŒx,íŒ¤•W,ðZQŒÆ,µ,À,,³,¢B



## IPX -x- 12: IPX,Í,Ç,Ìf{[]fh,É,àfofCf“fh,Å,«,Ü,¹,ñ,Å,µ,½

□à-¾

Windows\*\* 3.x, Íê‡A‡mProtocol IPXnfZfNfVftf, ÅNet BindfL[f]fh, ðŽg—  
p, µ, Ä“Á’è, If{[]fh, IfofCf“fh, ª’è<, µ, Ä, , è, Ü, ·B, Ü, ½ AWindows\*\*  
95\*\*, Íê‡A‡m, “x, ÉIPXÝ’ènfvf]fpfefBfy[fW, ÍmZÝ, IftfŒ[f€f^fcfv, ¾, -Žg—pnfB[f<fh, ÉAŽg—  
p, Ä, «, É, f]Y’è, ðŽw’è, µ, Ä, f, Ü, ·B, ±, Íê‡AŽ©“®fofCf“fhfpf%ofofCf, —  
³Œø, É, è, Ü, ·Bf†[fU, ªŽw’è, µ, ½f{[]fh, ðŽg—  
p, Ä, «, É, f]ê‡AIPX\*, Í, Ç, Iffbfgf]nfNf{[]fh, É, àfofCf“fh, ³, è, Ü, ¹, ñB

□^’u

Net Bind, Ü, ½, Ifvf]fpfefBfy[fW, ÍY’è, ª³, µ, f, © Šm”F, µ, Ä, , ¾, ³, f]B  
‰½, ª³, µ, f]Y’è, © •², © , ç, È, f]ê‡, ÍANET.CFGftf@fCf, ÍNet  
Bind]Y’è, ðfRf]f“fg]s, È, ·, è, © A‡m, “x, ÉIPXÝ’ènfvf]fpfefBfy[fW, IfjfXf^f€]Y’è, ðíœ, ·, è, ±  
, È, Å AIPX, ðf{[]fh, ÉZ©“®fofCf“fh, µ, Ä, , ¾, ³, f]B

\*fmfxf, Íœ•W@\*\*fT]fhp]fefB, Íœ•W  
Úœ, Íœ•W, ðŽQÆ, µ, Ä, , ¾, ³, f]B

**IPX -x- 13: f{][fh"Ô¶†number,ÍLSL,É“o~^,³,ê,Ä,¢,é,±,Æ,àÅBind•¶,ÅŒJ,è•Ô,³,ê,Ä,¢,é,±,Æ,à, ,è,Ü,¹,ñ**

¶à-¾

fŒfWfXfgfŠ,Ü,½,ÍNET.CFGftf@fCf<,ímProtocol IPXnfZfNfVf#f“,íNet BindÝ'è,¤d•i,µ,Ä,¢,é‰oÂ”\

„«,², ,è,Ü,·BIPX\*,íAŽw'è,³,ê,Ä,¢,é,»,ê,½,é,lf{][fh,ÉfofCf“fh,µ,æ,¤,Æ,·,é,i,ÅAf{][fh,íY'è,¤d•i,µ,Ä,¢

,é,Æ,À,±,if]bfZ][fW,²•\Žl,³,ê,Ü,·B

¶^'u

PrimaryfL][f][fh,Ü,½,íNet BindfL][f][fh,ðŽg—  
p,µ,Ä,À,m,“x,ÈIPXÝ'è,ñfvf]fpfefBfy][fW,Ü,½,ÍNET.CFG,íY'è,¤ŠÔ^á,Ä,¢,È,¢,©Šm”F,µ,Ä,,¾,³,¢B

\*fmfxf<,í¤•W@\*\*fT][fhfp][fefB,í¤•W  
Ú¤x,í¤•W,ðŽQÆ,µ,Ä,,¾,³,¢B

## **IPXf fbfZ [fw**

IPX -x- 11: IPX.NLM, ,

IPX -x- 12: IPX, ,

IPX -x- 13: f ,

IPX -x- 102: f ,

IPX -x- 103: IPX.NLM, ,

IPX -x- 104: IPX.NLM, ,

IPX -x- 106:  ,

IPX -x- 114: 1, , , , , , , , , , , , , , , , , , , ,

## **NIOSf<sub>1</sub>fbfZ<sub>1</sub>[fW**

NIOS-x-001:; f<sub>1</sub>fbfZ<sub>1</sub>[fWftf@fCf<name,í-³Œø,Å,·Bfvf<sub>1</sub>fOf%o<sub>1</sub>f€,íf<sub>1</sub>fh,í'†ž~,³,ê,Ü,µ,½

NIOS-x-024: VCPI•ÙŒif,í[fhfGf“fgfŠf]fCf“fg,ðŽæ“³/₄,µ,æ,¤,Æ,µ,Ü,µ,½,³AŽ,“s,µ,Ü,µ,½

NIOS-x-027: ,±,íf}fVf“,ÉfCf“fxfg<sub>1</sub>[f<,³,ê,Ä,¢,éBIOS,ÍINT 15hfL<sub>1</sub>f{í[fhfCf“f<sub>1</sub>fzfvfg<sub>1</sub>@”\,ðfTf|í[fg,µ,Ä,¢,Ü,¹,ñBNIOS.EXE,í,±,íf}fVf“,ÄZg—p,Å,<,Ü,¹,ñ

NIOS-x-028: ,·,x,Ä,íXMSf<sub>1</sub>f,íS,³Zg—p't,©íAXMSfGf%o<sub>1</sub>[,³”¶,µ,Ü,µ,½

NIOS-x-029: %%ŠúXMSf<sub>1</sub>f,íS,„,è“-,Ä,³Z,“s,µ,Ü,µ,½BfGf%o<sub>1</sub>[fRí[fh(XMS\_error\_code, hex\_value)

NIOS-x-030: %%ŠúXMSf<sub>1</sub>f,íSfuf<sub>1</sub>fbfN,ðf<sub>1</sub>fbfN,µ,æ,¤,Æ,µ,Ü,µ,½,³AŽ,“s,µ,Ü,µ,½BfGf%o<sub>1</sub>[fRí[fh(XMS\_error\_code, hex\_value)

NIOS-x-036: XMS Move XMSf<sub>1</sub>f,íSfuf<sub>1</sub>fbfN(XMS\_error\_code: hex\_value),íŒÄ,Ñ<sub>1</sub>o,µZž,ífGf%o<sub>1</sub>[,Å,

NIOS-x-037: ,±,íf,fWf...í[f<,í,·,Å,Éf<sub>1</sub>í[fh,³,ê,Ä,¢,Ü,

NIOS-x-039: “ç,Ý<sub>1</sub>ž,Ý,ì,½,ß,ÉNIOS.EXE,ðŠJ,±,¤,Æ,µ,Ü,µ,½,³AŽ,“s,µ,Ü,µ,½

NIOS-x-040: NIOS.NLMftf@fCf<,ð“ç,Ý<sub>1</sub>ž,þ,í,Éí\•²,È<ó,«í[fg,íS,³, ,è,Ü,¹,ñ

NIOS-x-041: NIOS.EXE,ð“ç,Ý<sub>1</sub>ž,à,¤,Æ,µ,Ü,µ,½,³AŽ,“s,µ,Ü,µ,½

NIOS-x-042: -³Œø,ÈfRf}f“fhf%o<sub>1</sub>fCf“flfvfVf#f“,³,ê,Ü,µ,½: í[uoption\_specified\_by\_user]v

NIOS-x-043: -³Œø,Èf,í[fhfXfCfbf`f<sub>1</sub>fCfví[uswitch\_type]v]Bfwf<fv,ð•\Ž,·,é,É,ÍNIOS /?,Æ“ü—í,µ,Ä,³/₄,³,¢

NIOS-x-044: -³Œø,ÉXMS APIfGf“fgfŠf]fCf“fgí[Bfcf“fxfg<sub>1</sub>[f<,³,ê,Ä,¢,éí[fg,íSf}fí[fwff,íXMS•W]€,Æ,íŒÝš·í<,³, ,è,Ü,¹,ñ

NIOS-x-066: í^ž—f,fWf...í[f<name,í,j%oó,³,ê,é’O,É1,Å^Èíä,ífSfí[fx,ð‰ø•ú,µ,Ü,¹,ñ,Å,µ,½

NIOS-x-067: XMS,©,çS,„,è“-,Ä,ç,ê,Ä,¢,é•—í[fg,íSfuf<sub>1</sub>fbfN,íNIOSfŠfjjAfAfhfŒfxf}fbfsf“fO,ð’’,í,Ä,¢,Ü,·í[Blocation]TfCfYnumberofCfg,íS,„,è“-,Äfuf<sub>1</sub>fbfN,íÅíä^é,í•—í[AfhfŒfxlocation,ðnumberofCfg•²’,í,Ä,¢,Ü,

NIOS-x-069: NetWare Client,³Vffffbfgf\_fEf“,·,éŠÓ,“’Ò,·,·,³/₄,³,¢

NIOS-x-070: -³Œø,Èš,„,è,ž,Ýuvalue]v,³,ê,Ü,µ,½Bš,„,è,ž,Ý,í0`F,í”í,í,í16í,“Å,È,·,é,í,È,è,Ü,¹,ñ

NIOS-x-071: f,fWf...í[f<name,í-³Œø,Èf,fWf...í[f<fnf“fhf<sub>1</sub>fpf%o<sub>1</sub>[f<sub>1</sub>,ðNIOSŠÖ]”(name),É“n,µ,Ü,µ,½

NIOS-x-072: NIOS,Å•K—v,ÈfŠfjjAfAfhfŒfx”í^í,í,·,Å,ÉZg—p,³,ê,Ä,¢,Ü,

NIOS-x-073:

fí[fg,íSf}fí[fwff,íGDT,ÅfZfŒfNf^,³Œ©,Å,©,è,Ü,¹,ñBNIOS.EXE,ðfí[fh,·,é,Æ,«,íŒÝš·VCPIf,í[fh]Ø,è’Ö,ífRf}f“fhf%o<sub>1</sub>fCf“flfvfVf#f“/MV,ðZg—p,µ,Ä,³/₄,³,¢

NIOS-x-074: -³Œø,Èfí[fg,íSf}fí[fwffIDT]uInvalid

OpcodeívfZfŒfNf^íBNIOS.EXE,ðfí[fh,·,é,Æ,«,íŒÝš·VCPIf,í[fh]Ø,è’Ö,ífRf}f“fhf%o<sub>1</sub>fCf“flfvfVf#f“/MV,ðZg—p,µ,Ä,³/₄,³,¢

NIOS-x-075: NetWare Client 32,íWindows v3.0,ðfTfí[fg,µ,Ä,¢,Ü,¹,ñ

NIOS-x-076: fCf“fxfg<sub>1</sub>[f<,³,ê,Ä,¢,éNetWare Client 32,í,±,ífoí[fwftf“,íWindows,ðfTfí[fg,µ,Ä,¢,Ü,¹,ñ

NIOS-x-077: fGf“fnf“fxf,í[fhWindows,íTfjí[fg,É•K—v,ÈNIOS\_path\_and\_filename,³Œ©,Å,©,è,Ü,¹,ñ

NIOS-x-078: WindowsŠÄ<sub>1</sub>“í,íTfjí[fg,É•K—v,ÈNIOS\_path\_and\_file\_name,©,çí•ñ,ðŽ“@í[fh,µ,æ,Æ,µ,½,Æ,«,ÉfGf%oí[,³”¶,µ,Ü,µ,½B,±,íftf@fCf,Èí,µ,Äí[œíA^Ü“@íA•íX,í,C,é,àíS,í,é,Ä,¢,È,¢,±,Æ,ðSm“F,µ,Ä,³/₄,³,¢íBWindows,ífí[fh,í'†ž~,³,ê,Ü,

NIOS-x-083: NIOS,íEISA BIOS Int 15h,Ö,íŒÄ,Ñ<sub>1</sub>o,µ,ð”í[fg,·,é,í,È•K—v,È2KB,í”éžfRf“fxf“fvftfif<sub>1</sub>f,íSfXf^fbfN,ðS,„,è“-,Ä,é,±,Æ,³,Å,«,Ü,¹,ñ,Å,µ,½BWindows,³N“®,µ,Ä,¢,éí[fg,±,í,á,é,íWindows,í”‰Šú‰»žž,ÉNIOS,ðSm•Ü,·,éfRf“fxf“fvftfif<sub>1</sub>f,íS,ð’‰øÁ,·,é,±,Æ,É,æ,Á,Ä‰ø”ð,Å,«,Ü,

NIOS-x-085: NetWare Client 32,í^íXfNfXfCfbf`ff,ðfTfí[fg,µ,Ä,¢,Ü,¹,ñ

NIOS-x-087: NIOS.NLM,íNIOS.EXE,ÉŠÖ~A•t,·,ç,ê,Ä,¢,Ü,¹,ñ

NIOS-x-088: fí[fbfZí[fwftf@fCf<,©,çNIOS.NLMfífbfZí[fw,ð“ç,Ý<sub>1</sub>ž,ñ,Å,¢,é,Æ,«,ÉfGf%oí[,³”¶,µ,Ü,µ,½

NIOS-x-090: f,fWf...í[f<,ðfí[fh,·,é,í,Éí\•²,È<ó,«í[fg,íS,³, ,è,Ü,¹,ñ

NIOS-x-091: í[fhftf@fCf<NLModule\_name,³Œ©,Å,©,è,Ü,¹,ñ

NIOS-x-092: í[fhftf@fCf<fpfXpath and filename,ð“WŠJ’t,ífGf%oí[,Å,·

NIOS-x-093: f,fWf...í[f<,ðfí[fh,·,é,í,Éí\•²,È<ó,«í[fg,íS,³, ,è,Ü,¹,ñ

NIOS-x-094: f,fWf...|[f<name,<sup>ä</sup>íí“,μ,Ä,¢,Ü,¹,ñ,Å,μ,½

NIOS-x-096: NLM\_module\_name,í—LŒø,Èf,fWf...|[f<-¼,Å,í, ,è,Ü,¹,ñ

NIOS-x-097: f,fWf...|[f<NLM\_module\_name,íf[]|[fh,³,ê,Ü,¹,ñ

NIOS-x-105: Žw’è,μ,½ftf@fCf<,¤Œ©,Å,©,ç,È,©,Á,½,½,ß[]Amodule\_NLM\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-106: f,fWf...|[f<,ìftf@fCf<,ðfAfNfZfX,μ,Ä,¢,é,Æ,«,ÉfGf%oo[],¤”-  
¤¶,μ,½,½,ß[]Amodule\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-107: f[]f,fS,¤•s‘,μ,Ä,¢,é,½,ß[]Amodule\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-108: f,fWf...|[f<,¤—LŒø,ÈNLMftf@fCf<,Å,È,¢,½,ß[]Amodule\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-109: f,fWf...|[f<,¤-¢’è<sup>‘</sup>,ìŠO•”ŠÖ[]”:  
name\_of\_external\_API\_function\_needed\_by\_module,ðŽQ[]Æ,μ,æ,¤  
,Æ,μ,½,½,ß[]Amodule\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-110: f,fWf...|[f<,¤,·,Å,ÉfGfNfXf[]|[fg,³,ê,Ä,¢,éŠÖ[]”:  
name\_of\_exported\_API\_function\_already\_exported\_by\_another\_module,ðfGfNfXf|[]|[fg,μ,Ä,¢,é,½,ß[]Amodule\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-111: f,fWf...|[f<,ìf[]fbfZ[]|[fWftf@fCf<,ÉfAfNfZfX,μ,Ä,¢,é,Æ,«,ÉfGf%oo[],¤”-  
¤¶,μ,½,½,ß[]Amodule\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-112: f,fWf...|[f<,ìf[]fbfZ[]|[fWftf@fCf<,¤-  
¤Œø,Å, ,é,©•s[]³,Èfo[]|[fWftf”,Å, ,é,½,ß[]Amodule\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-113: f,fWf...|[f<,¤,·,Å,Éf[]|[fh,³,ê,Ä,“,è¤A2%oñ^È¤äf[]|[fh,·,é,±,Æ,¤,Å,«,È,¢  
,½,ß[]Amodule\_name,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-114: ‘O,Éf[]|[fh,μ,½f,fWf...|[f<,Æfo[]|[fWftf”,¤^Ü,È,Å,¢,é,½,ß[]Amodule\_name,ð¤Ä“xf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-115: f,fWf...|[f<module\_name\_already\_loaded,ímodule\_name\_to\_be\_loaded,ìf[]|[fh,ð<”Ü,μ,Ä,¢  
,½,½,ß[]Amodule\_name\_to\_be\_located,ðf[]|[fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½

NIOS-x-116: module\_name,ðfAf“f[]|[fh,Å,«,Ü,¹,ñ

NIOS-x-117: module\_name,ímodule\_name,É,æ,Å,Äžg—p’t,Å, ,é,½,ßfAf“f[]|[fh,Å,«,Ü,¹,ñ

NIOS-x-118: -¤Œø,Èf,fWf...|[f<fnf“fhf<,¤NiosUnload,É“n,³,ê,Ü,μ,½

NIOS-x-119: ,¤,¤,Åmodule\_name,ífAf“f[]|[fh,Å,«,Ü,¹,ñ

NIOS-x-120: f,fWf...|[f<refusing\_module\_name,¤desired\_module\_name,ìfAf“f[]|[fh,ð<”Ü,μ,Ä,¢  
,½,½,ß[]Adesired\_module\_name,ìfAf“f[]|[fh,Å,«,Ü,¹,ñ

NIOS-x-123: f,fWf...|[f<name,í1,Å,ìfŠ[]|[fx,ð]³,μ,%oð•ú,μ,Ü,¹,ñ,Å,μ,½

NIOS-x-124: f,fWf...|[f<name,ínumber,ìfŠ[]|[fx,ð]³,μ,%oð•ú,μ,Ü,¹,ñ,Å,μ,½

NIOS-x-150: f[]fOftf@fCf<name,ðŠJ,,¤,Æ,¤,Å,«,Ü,¹,ñ

NIOS-x-169: f[]f,fŠfv[]|[f<,ðnumberofCfg•¤‰¤,·,é,ì,É\br/>•¤,È<¤,¤XMSfnf“fhf<,¤, ,é,Ü,¹,ñ[]Bf[]f,fŠuf}f[]|[fWffXMSfnf“fhf<,ì[],ð’¤‰¤,·,é•K—v,¤, ,é,Ü,·(—á)  
DEVICE=HIMEM.SYS /NUMHANDLES=xx)

NIOS-x-178: Š,,¤,é“-,Ä¤,Ýf[]f,fŠuf}fbfNnumber,ìf,fWf...|[f<fnf“fhf<,¤S—LŽOftfB[]|[f<fh,¤-  
¤Œø,Å,·(modHand,¤=number)

NIOS-x-179: module\_name,í-¤Œø/\*s[]³,Ü,½,í,·,Å,É  
‰¤¤•ú,³,ê,½f[]f,fŠuf}fbfNnumber,¤NiosFree,ð¤Ä,¤o,μ,Ü,μ,½

**NIOS -x- 001: ffbfZ[fWftf@fCf<name,í-³Œø,Å,·Bfvf]fOf‰of€,jf][fh,í'†Ž~,³,ê,Ü,μ,½**

à-¾

NIOSf,fWf...][f<,jf]fbfZ[fWftf@fCf<,ðf][fh,Å,«,Ü,¹,ñ,Å,μ,½]B

^'u

žY,ì,±,Æ,ðŽÀ]s,μ,Ä,,³/₄,³,¢]B

- Žw'è,μ,½Œ³/₄Œê,²NWL LANGUAGEŠÅ<<•í”,”,É]³,μ,]Y'è,³,ê,Ä,¢,é,© Šm”F,μ,Ä,,³/₄,³,¢]B
- •È,]f]fvfŠ]P][fVftf”,²ŠO+”f]fbfZ[fWftf@fCf<,ðŠJ,¢,Ä,¢,È,¢,© Šm”F,μ,Ä,,³/₄,³,¢]B
- ŠO+”f]fbfZ[fWftf@fCf<('¶]Y,·,é]ê]‡),²]³,μ,¢]ê]Š,É, ,é,© Šm”F,μ,Ä,,³/₄,³,¢]BŒ³/₄Œêf,fWf...][f<,ížY,ì,æ,¤,ÉŒY]ö,³,ê,Ü,·]B\LOADfffBfŒfNfgfŠ,]A•]Z|,³,ê,½f]fbfZ[fWftf@fCf<,², ,é]ê]Š,Å,·]B  
ff]fŒf“fgfffBfŒfNfgfŠ,Å.MSGftf@fCf<,ð'T,μ,Ü,·]BŒ©,Å,©,ç,È,¢]ê]‡]ANWL LANGUAGEŠÅ<<•í”,”,²]Y'è,³,  
ê,Ä,¢,é,©,ç,¤,©f`fFfbfN,μ,Ü,·]B
- NWL LANGUAGEŠÅ<<•í”,”,²]Y'è,³,ê,Ä,¢,È,¢]ê]‡]ALOADfffBfŒfNfgfŠ,É.MSGftf@fCf<,², ,é,©f`fFfbfN,  
μ,Ü,·]B.MSGftf@fCf<,²,È,¢]ê]‡]Af,fWf...][f<,ÉfofCf“fh,³,ê,Ä,¢,é]f]fbfZ[fWftf@fCf<,ðŽg—p,μ,Ü,·]B
- NWL LANGUAGEŠÅ<<•í”,”,²]Y'è,³,ê,Ä,¢,é]ê]‡]A<load path>\NLS  
YYY,ì'†,Åf]fbfZ[fWftf@fCf<,ð'T,μ,Ü,·(YYY,ÍNWL LANGUAGE,É]Y'è,³,ê,Ä,¢,é'I,Å,·)B,»,  
±,È,È,¢]ê]‡]Af,fWf...][f<,ÉfofCf“fh,³,ê,Ä,¢,é]f]fbfZ[fWftf@fCf<,ðŽg—p,μ,Ü,·]B

## NIOS -x- 024: VCPI•ÜŒìf,ïfghfGf“fgfŠf|fCf“fg,ðŽæ“¾,µ,æ,¤,Æ,µ,Ü,µ,½,¤Až,”s,µ,Ü,µ,½

¤à-¾

,±,ìfGf‰oï[,¤”¶¶,·,é,±,Æ,í,Ü,Æ,ñ,Ç, ,è,Ü,¹,ñB”¶¶,·,é,ì,íAžY,ì,æ,¤,Èê¤‡,Å,·B

- fff,fŠf}fl[fWff,¤VCPI Presence Detection<@"\,É"KØ,É‰ž"š,µAGet Protected Mode Interface<@"\",É,Í‰ž"š,µ,È,¢ê¤‡

▪ fff,fŠf,¤"j‰ó,³,ê,Ä,¢,éê¤‡

▪ fff,fŠf}fl[fWff,¤"j‰ó,³,ê,Ä,¢,éê¤‡

¤^u

¤Å‰o,ÉAf}fvf“,ðÄ<N“®,µ,Ä,Ý,Ä,,¾,³,¢B¤Ä<N“®Œ¤,¤ANIOS,ìf¶¶[fh't,É,±,ìfbfZ¶[fw,¤•\z,³,ê,éê¤‡¤A•È,ìf,fŠf}fl[fWff,ð"üžè,µ,Ä,-,¾,³,¢B,½,¾,µAŒ»¤Y,ìf,fŠf}fl[fWff,¤Emm386,ìê¤‡,íAEmm386,ðíœ,µ,ÄHIMEM.SYS,¾,¬,ðžg—p,µ,Ä,,¾,³,¢B

**NIOS -x- 027:** ,±,íf}fvf“,ÉfCf“fxfg[]f<,³,ê,Ä,¢,éBIOS,ÍINT 15hfL[]f{[]fhfCf“f^fZfvfg<@”\,ðfTf|  
[]fg,µ,Ä,¢,Ü,¹,ñBNIOS.EXE,l,±,íf}fvf“,Äžg—p,Å,«,Ü,¹,ñ

à-¾

,Ü,Æ,ñ,Ç,íf}fvf“,íBIOS,Å,íAfL[]f{[]fhS,,èž,Ý(9h)”¶ž,ÉAIN 15hftf@f“fNfVftf“,í4fh,í¶¶¬,ðfTf|  
[]fg,µ,Ä,¢,Ü,·BNIOS,É,íAfffofbfKfTf|[]fg,âfEfH[]f€fu[]fgfNfS[]f“fAfbfv,É,Ç,í<@”\,ífTf|[]fg,É,±  
,íftf@f“fNfVftf“,²•K—v,Å,·B

^u

,±,íftf@f“fNfVftf“,ðfTf|[]fg,·,éBIOS,ÉŒðš·,µ,Ä,,³/4,³,¢B

**NIOS -x- 028:** ,·,×,Ä,ìXMSf[]f,fŠ,¤Žg—p’t,©AXMSfGf‰o[]l,¤”[]¶,μ,Ü,μ,½

à-¾

NIOS,í'å•”•¤,íXMSf[]f,fŠ,Éf[]f[fh,³,ê,é,ì,Å]ANIOS,]f[]f[fhžž,ÉXMSf[]f,fŠ,¤Žg—p,Å,«,È,~,ê,î,È,è,Ü,¹,ñ]B,±,]f[]fbfZ[]fW,¤•\Ž|,³,ê,é,ì,í]A<ó,«XMSf[]f,fŠ,¤Šm”F,·,é,½,ß,ÉNIOS,¤]f,fŠf}f[]fWff,É’í,μ,ÄŽÅ]s,·,é]‰oŠú]Æ‰oí,ÉZ, ”s,μ,½]ê]f]A,Ü,½,í]ó,«f[]f,fŠ,¤,È,¢,±,Æ,¤Ž|,·fGf‰o[]l,¤]A,±,í]Æ‰oí,É,æ,Å,ÄfAfvfŠfP[]fVff,É•Ö,³,ê,½]ê]f,Å,·]B

^u

<ó,«XMSf[]f,fŠ,¤’]A,μ,Ä,,¾,³,¢]Bf[]f[fNfXfe[]fVff,]f[]f,fŠ,ÉŠÖ,·,é-â’è,]‰oðCE^•û-@,ðŽQ]Æ,μ,Ä,,¾,³,¢]B

**NIOS -x- 029:** %oŠúXMSfjf,fšš,,è“-,Ä,äŽ, "s,μ,Ü,μ,½BfGf%o[fR][fh(XMS\_error\_code, hex\_value)

à-¾

NIOS.EXE,jf[fhŽž,ÉXMSfjf,fš,đš,,è“-,Ä,é,±,Æ,ä,Å,«,Ü,¹,ñ,Å,μ,½B

^u

^u,í•\ž|,³,ê,éfGf%o[fR][fh,É‰ž,¶,Ä^Ù,È,è,Ü,·BfGf%o["Ô]t,ì, ,Æ,ÉfGf%o[fR][fh,ì]à-¾,ä•\ž|,³,ê,Ü,·B•\ž|,³,ê,é"Ä'è,]XMSfGf%o[fR][fh,É,Å,¢,Ä,]AŽg—p,μ,Ä,¢,éfjf,fšf}fl[fWff,if}fjf... fAf<,đŽQÆ,·,é,©Afjf,fšf}fl[fWff,]fxf"f\_,É-â,¢‡,í,¹,Å,,³/4,³,¢B

**NIOS -x- 030:** %ŠúXMSf)f,fŠufufbfN,ðf)fbfN,µ,æ,x,Æ,µ,Ü,µ,½,²AŽ,"s,µ,Ü,µ,½BfGf  
‰o[fR][fh(XMS\_error\_code, hex\_value)

à-¾

NIOS.EXE,]f][fhŽž,ÉXMSf)f,fŠ,ðf)fbfN,Å,«,Ü,¹,ň,Å,µ,½B

^u

^u,í•\ž,³,é,éfGf‰o[fR][fh,É‰ož,¶,Ä^Ù,È,è,Ü,·BfGf‰o["Ôt,ì, ,Æ,ÉfGf‰o[fR][fh,]à-¾,²•\ž,³,é,Ü,·B•\ž,³,é,é"Ä'e,XMSfGf‰o[fR][fh,É,Å,¢,Ä,]AŽg—p,µ,Ä,¢,éf)f,fŠf}fl[fWff,if}fjf...  
fAf,ðZQÆ,·,é,©Af)f,fŠf}fl[fWff,fxf"f\_,É-â,¢‡,í,¹,Å,,³/4,³,¢B

**NIOS -x- 036: XMS Move XMSfjf,fSufjfbfN(XMS\_error code: hex\_value),** ïŒÄ, Ño, µžž, jfGf  
‰o[., Å, ·

à-¾

NIOS.EXE, jf[fhŽž, ÉXMSfjf,fS, ð^Ú“®, Å, «, Ü, ¹, ñ, Å, µ, ½]B

^u

^u, í•\ž, ^, éfGf‰o[fR[fh, É‰ož, ¶, Ä^Ù, È, è, Ü, ·BfGf‰o["Ôt, l, , Æ, ÉfGf‰o[fR[fh, ]à-¾, ²•\ž, ^, é, Ü, ·B•\ž, ^, é, é"Ä'e, jXMSfGf‰o[fR[fh, É, Å, f, Ä, lAžg—p, µ, Ä, f, éfjf, fSf}fl[fWff, lf}fjf...  
fAf, ðžQÆ, ·, é, ©Afjf, fSf}fl[fWff, lfxf"f\_, É-â, f‡, i, ¹, Å, , ³/4, ^, f]B

**NIOS -x- 037:** ,±,íƒ,ƒWf...íƒ<,í,·,Å,Éfíƒ[fh,³,é,Ä,¢,Ü,·

íƒ-¾

,·,Å,Éfíƒ[fhíƒ,Ý,íNIOS.EXE,ðfíƒ[fh,μ,æ,¤,  
,Æ,μ,Ü,μ,½íBNIOS.EXE,ð,·,Å,ÉZÅíƒ's'†,í,Æ,«,ÉíAÅÄ,ÑNIOS.EXE,ðfíƒ[fh,·,é,±,Æ,í,Å,«,Ü,¹,ñíB

íƒ^u

NIOS.EXE,ð2%oñfíƒ[fh,μ,È,¢,Å,,³/₄,³,¢íB

**NIOS -x- 039:** "Ç,Ýż,Ý,½,ß,ÉNIOS.EXE,ðŠJ,±,¤,Æ,µ,Ü,µ,½,²AŽ,"s,µ,Ü,µ,½

à-¾

NIOSfNf‰ojCfAf"fg,íA‰‰Šú‰»'t,Æ‰‰Šú‰»Œä,ÉNIOS.EXEfjf@fCf<,ð"Ç,Ýż,Ý—p,ÉŠJ,•K—v,ª, ,è,Ü,·B  
,±,ìfGf‰o[,íANIOS.EXE,ð‰‰Šú‰»»,Å,«,½,²A"Ç,Ýż,Ý—p,ÉŠJ, ,È,¢,±,Æ,ð•\,µ,Å,¢,Ü,·B

^u

ft|[fU,ìŒ —~,ª"K—p,³,ê,éf|||[fNfXfe|||fVf†f"||ä,ÅNIOS.EXEfjf@fCf<,ð"Ç,Ýż,þŒ —~,ðft|[fU,²Ž,Å,Ä,¢  
,é,©A,Ü,½NIOS.EXEfjf@fCf<,l'®||«,²"Ç,Ýż,Ý‰Å"\,É,È,Å,Ä,¢,é,©Šm"F,µ,Å,-  
,³/₄,³,¢B'¹/₄,ìfAfvfSfP|[fVf†f",²NIOS.EXE,ðŠJ,¢,Å,¢,±,Æ,àŠm"F,µ,Å, ,³/₄,¢B

**NIOS -x- 040: NIOS.NLMftf@fCf<,ð“Ç,Ýż,þ,ł,É\•²,È<ó,«fłf,fS,², ,è,Ü,¹,ñ**

à-¾

NIOS.NLMftf@fCf<,íNIOS.EXE,ÉfSf”fN,<sup>³</sup>,ê,Ü,·BNIOS,ažg—p,·,éfRf”fxf”fVf#fif<fłf,fS,íA%oŠú  
‰»Œä,í”ñí,É¬,<sup>³</sup>,,È,è,Ü,·,²A‰oŠú‰»’t,í’å—È,Å,·BNIOS,í‰oŠú  
‰»,ł,½,ß,łfRf”fxf”fVf#fif<fłf,fS,²•s’«,μ,Å,¢,Ü,·B

^u

fNfXfe[fVf#f”,łfRf”fxf”fVf#fif<fłf,fS,łó,«,ð’å,â,μ,Ä,,¾,<sup>³</sup>,¢BfNfXfe[fVf#f”,łfłf,fS,ÉŠÖ,·,é-â’è,ł  
‰ðŒ^•ù-@,ðZQAE,μ,Å,,¾,<sup>³</sup>,¢B

**NIOS -x- 041: NIOS.EXE,ð“Ç,Ýż,à,¤,Æ,µ,Ü,µ,½,² AZ, ”s,µ,Ü,µ,½**

à-¾

NIOS,íA‰‰Šú‰»'†,Æ‰‰Šú‰»Œä,ÉNIOS.EXEf<sup>t</sup>f@fCf<,ð“Ç,Ýż,p•K—v,², ,è,Ü,·Bft[U,²NIOS.EXE,ðŽ  
Às,µ,ÄA“Ç,Ýż,Ý—p,ÉSj,,±,Æ,í,Ä,«,Ü,µ,½,²ANIOS,²NIOS.EXEf<sup>t</sup>f@fCf<,ð“Ç,Ýż,Y't,ÉfGf‰[,²"-  
¶,µ,Ü,µ,½Bftf@fCf<,²‰ó,ê,Ä,¢,é‰ó"\\«,², ,è,Ü,·B

^u

'¹/₄,lfAfvfŠfP[U[fVftf",²Œ»ÝNIOS.EXEf<sup>t</sup>f@fCf<,ðŠj,¢,Ä,¢,È,¢,±,Æ,ðŠm" F,µ,Ä,-  
,³/₄,³,¢B'¹/₄,lfAfvfŠfP[U[fVftf",²Šj,¢,Ä,¢,È,¢éÛ‡,à,±,lf[UfbfZ[U[fW,²•\Z|,³,é,é,Æ,«,ÍANIOS.EXEf<sup>t</sup>f@fCf<,²  
‰ó,ê,Ä,¢,é‰ó"\\«,², ,è,Ü,·B,±,l[UéÛ‡,ÍANIOS.EXEf<sup>t</sup>f@fCf<,ð[U V,µ,¢ftf@fCf<,ÆŒðŠ·,µ,Ä,,³/₄,³,¢B

**NIOS -x- 042: -³Œø,ÈfRf}f“fhf‰oƒCf“flfvfVf‡f“,³Žw'è,³,ê,Ü,µ,½:  
□uoption\_specified\_by\_user□v**

□à-¾

NIOS.EXE,ðf□□[fh,·,é,Æ,«,É□A-³Œø,ÈfRf}f“fhf‰oƒCf“flfvfVf‡f“,ð“ü—í,µ,Ü,µ,½□B,±,ìf□fbfZ□[fW,Æ^ê□□,É□A  
—LŒø,ÈflfvfVf‡f“,ìfŠfXfg,³•Žl,³,ê,Ü,·□B

□^'u

NIOS.EXE,ðf□□[fh,·,é,Æ,«,É□A—LŒø,ÈflfvfVf‡f“,ð“ü—í,µ,Ä,,³¼,³,¢□BflfvfVf‡f“,ìfŠfXfg,ð,à,¤^ê“x•\  
Žl,·,é,É,í□A□uNIOS /?□v,Æ“ü—í,µ,Ä<Enter>,ð‰Ÿ,µ,Ä,,³¼,³,¢□B

**NIOS -x- 043:** -³Œø,Èf, IfhfXfCfbf`f^fCfv uswitch\_type v Bfwf<fv,ð•\Z|,.é,É,ÍNIOS /?,Æ“ü—í,µ,Ä,,³/4,³,¢

 à-³/4

NIOS.EXE,ðf  Ifh,.é,Æ,«,É A-³Œø,ÈfXfCfbf`f^fCfv,ð“ü—í,µ,Ü,µ,½ B

 ^'u

NIOS.EXE,ðf  Ifh,.é,Æ,« A—LŒø,ÈfIfvfVf†f“,ð“ü—í,µ,Ä,,³/4,³,¢ BfŠfXfg,ð•\Z|,.é,É,Í A uNIOS /? v,Æ“ü—í,µ,Ä<Enter>,ð‰ Y,µ,Ä,,³/4,³,¢ B

**NIOS -x- 044: -³Œœ,ŒœXMS APIfGf“fgfŠf|fCf“fgBfCf“fXfgI[fc,³,ê,Ä,¢,éf]f,fŠf}flI[fWff,ŒœYŠ·I<,², ,è,Ü,¹,ñ**

à-¾

NIOS.EXE,íAXMS,íŽd—I,ÉŽ|,³,ê,½•Û-@,ðŽg—p,µ,ÄAXMSf]f,fŠf}flI[fWff,íAPIfGf“fgfŠf|fCf“fg,ð“ü—í,·,é•K—v,², ,è,Ü,·BNIOS.EXE,²³í,É“®í,·,é,É,íAf]f,fŠf}flI[fWff,²,±,Í•Û-@,ðfTf|l[fg,µ,Ä,¢,È,¬,ê,Î,È,è,Ü,¹,ñBfCf“fXfgI[fc,³,ê,Ä,¢,éf]f,fŠf}flI[fWff,Æ^ê,ÉNIOS.EXE,ðŽÀs,·,é,±,Æ,²,Ä,«,Ü,¹,ñB

^u

•Ê,íf]f,fŠf}flI[fWff,ðfCf“fXfgI[fc,µ,Ä,,³/₄,³,¢B,»),í, ,ÆA,à,¤^ê“xNIOS.EXE,ð‰‰Šú‰»,µ,Ä,Ý,Ä,,³/₄,³,¢B

**NIOS -x - 066:** <^Ž—f,fWf...|[f·name,í"j‰oó,³,ê,é'Ó,É1,Â^È[]ã,lfŠf|[fX,ð‰oð•ú,µ,Ü,¹,ñ,Â,µ,½

à-¾

NIOS,Å,í[]AŽÀ[]Û,í“-,lf,fWf...|[f<,l^è•”,¾,²•Ê,lf,fWf...|[f<,l,æ,x,É^µ,í,ê,é[]u<^Ž—f,fWf...  
|[f<,v,ð[]Af[]|[fh[]Í,Ý,lf,fWf...|[f<,É,æ,Á,Ä[]l[]-,Å,«,Ü,·BNIOS,í[]Af[]|[fh[]Í,Ý,lfSf,fWf...  
|[f<,É,æ,éf[]|[NfXfe|[fVftf“fSf|[fX,lZg—p(f[]f,fSS,,è“-,Å,â““SúflufWfFfNfg,É,C),ðfgf  
%fbfLf“fO,µ,Ü,·Bf[]|[fh[]Í,Ý,lf,fWf...|[f<,ðfAf“f[]|[fh,·,é,AE,«[]A,»,lf,fWf...|[f<,í[]AŽg—p,µ,Å,¢  
,½,·,x,Å,lf[]|[fNfXfe|[fVftf“fSf|[fX,ð‰oð•ú,µ,É,\_,ê,í,É,è,Ü,¹,ñ[]Bf[]fbfZ[]|[fW,É•|Ž|,³,ê,½f,fWf...|[f<,í[]AŽg—  
p,µ,Å,¢,½fSf|[fX,ð‰oð•ú,µ,Ü,¹,ñ,Å,µ,½[]B

^u

f[]|[fU,í[]<Æ,ð‘±[]s,Å,«,é,±,Æ,à, ,è,Ü,·,ä[]Af[]|[fNfXfe|[fVftf“,lSÅ<“,²•s^À’è,É,È,Å,Å,¢  
,Ü,·Bf[]|[fNfXfe|[fVftf“,ð[]Å·N“®,µ,Å,¾,³,¢[]B-â’è,²^ø,«’±,«”[]¶,·,é[]ê[]‡,í[]A•|Ž|,³,ê,½f,fWf...  
|[f<,lfxf“f\_,É-â’è”,ð•ñ[],µ,Å,.,¾,³,¢[]B

**NIOS -x- 067: XMS, ©, ç Š,, è“-, Ä, ç, ê, Ä, ç, é•” —**  
 ☐f□f,fŠuf□fbfN,ÍNIOSfŠfjfAfAfhfŒfXf}fbfsf“fO,ð’’,!,Ä,ç  
 ,Ü,·☐BlocationTfCfYnumberofCfg,ÍS,,è“-, Äuf□fbfN,íÅä^È,ì•” —  
 ☐fAfhfŒfXlocation,ðnumberofCfg•²’’,!,Ä,ç,Ü,  
 ☐à-¾

☐‰‰Šú‰‰»Žž,ÉNIOS,íÅAf□□[fNfXfe□[fVf#f“,if□f,fŠ,ìÅä^È,]•” —□f□f,fŠfAfhfŒfX,ð”»'è,μ,Ä□A,±,ifAfhfŒfX^È  
 %‰,!,·,x,Ä,if□f,fŠ,ðfŠjfAfAfhfŒfX,Éf}fbfsf“fO,μ,Ü,·☐BfCf“fXfg□[f<,³,ê,Ä,ç,éf□f,fŠf}fl□[fWff,íÅA‰‰Šú  
 %‰»Žž,ÉNIOS,³”»'è,μ,½fAfhfŒfX,æ,èÅä^È,ifAfhfŒfX,ð•Ó,μ,Ü,μ,½☐B,±,í'S^á,³¶,¶,½Œ‘^ö,íÅAŽÝ,ì3,Ä,!,ç  
 ,,,ê,©,Æ□I,!,ç,ê,Ü,·☐B

- f□f,fŠ,³”j‰‰ó,³,ê,Ä,ç,Ü,·☐B
- f□f,fŠf}fl□[fWff,ÉfofO,³,è,Ü,·☐B
- NIOS,³” —□f□f,fŠ,ìÅä^È,ð□³,μ,”»'è,μ,Ä,ç,Ü,¹,ñ☐B

☐^’u

f□□[fNfXfe□[fVf#f“,ðÅÄ<N”®,μ,Ä,,³/₄,³,ç☐B,±,ì-å’è,³^ø,«‘±,«“¶,·,éÅêÅAf□f,fŠf}fl□[fWff,ð•íÅX,μ,Ä,Ý,Ä,-  
 ,³/₄,³,ç☐B

\*fmfxf<,íÅx•W@\*\*fT□[fhfp□[fefB,íÅx•W  
 ☐ÚÅx,íÅx•W,ðZQÅE,μ,Ä,,³/₄,³,ç☐B

## **NIOS -x- 069: NetWare Client, aVffffbfgf\_fEf“, ., éŠÔ, “’Ò, „, ¾, ³, ¢**

à-¾

,±,íf]fbfZ][fW,í]Aft][fU,^<Ctrl>+<Alt>+<Del>,ð‰oÝ,µ,½,Æ,«,É•\ Ž|,³,ê,Ü,·Bf][fNfxfe][fVf]f“,ífVffffbfgf\_fEf“,íO,É]Af][fh]Í,Ý,ì,·,×,Ä,íf,fWf... Íf<sup>k</sup>,ÉNIOS.EXE,a]NfS][f“fAfbfv(fLffffb]Vf...,íftf‰fb]Vf...,â]U‘±,í‰oœ,È,Ç),í<@‰oï,ð—^,í,Ä,¢,éŠÔ]A,± ,íf]fbfZ][fW,^•\Ž|,³,ê,Ü,·B

^'u

1. f}fVf“,^]Ä<N“®,·,é,Ü,À’Ò,À,À,¾,³,¢]B
2. f}fVf“,í“dŒ¹,ð]Ø,À,À,¾,³,¢(ff][f^,^]Z,í,ê,é]ê]‡,^, ,è,Ü,·)B

**NIOS -x- 070: -**

**³Œø,ÈŠ,,èŽ,Ýuvvaluev,Žw'è,³,ê,Ü,µ,½BŠ,,èŽ,Ý,í0`F,ì"íí,ì16i",Å,È,“,ê,î,È,è,Ü,¹,ñ**

**·à-¾**

NIOS,íALANfhf%ofoCfo,lfRf}f“fhf%ofoCf“,ð%ooðÍ,·,éfT[frfX,ðLANfhf%ofoCfo,É'ñ<Ý,µ,Ü,·BLANfhf%ofoCfo(CNE2000.LAN,È,Ç),‰ooðZß,Å,«,È,¢'I,ðfRf}f“fhf%ofoCf“,luint=v,ì”•¤,ÉŽw'è,µ,ÅLANfhf%ofoCfo,ðf[]fh,µ,½ê#A,±,lf[]fbfZ[]fW,¤•\Z|,³,ê,Ü,·B

**^u**

—LŒø,ÈŠ,,èŽ,Ý'I,ðZg—p,µ,ÅLANfhf%ofoCfo,ðf[]fh,µ,Å,,¾,³,¢B

**NIOS -x- 071: f,fWf...|[f<name,í-³Œø,Èf,fWf...|[f<fnf“fhf<fpf%ofof||f^,ðNIOSSÖ”(name),É“n,µ,Ü,µ,½**

à-¾

•\Z|,³,ê,½f,fWf...|[f<,ÉfofO,², ,è,Ü,·B,Ü,½,íf|||[fNfXfe|[fVf#f“,íf||f,fS,²”j‰oó,³,ê,Ä,¢,é‰oÂ”\“<sup>a</sup>, ,è,Ü,·B

^u

ft|[fU,í||<Æ,ð'±s,Å,«,é,±,Æ,à, ,è,Ü,·,²||Af|||[fNfXfe|[fVf#f“,íšÅ<“,²•s^À'è,É,È,Á,Ä,¢,Ü,·Bf|||[fNfXfe|[fVf#f“,ð||Ä·N“®,µ,Å,,³/₄,³,¢||B-â'è,²^ø,«'±,«”¶,·,é||ê||‡,í||A•\Z|,³,ê,½f,fWf...|[f<,ífxf“f\_,É-â'è”,ð•ñ||,µ,Å,,³/₄,³,¢||B

**NIOS -x- 072: NIOS, Å•K—v, ÈfŠfjfAƒAfhfŒfx”íí, í, ·, Å, ÉŽg—p, ³, ê, Ä, ç, Ü, ·**

□à-¾

fVfxfef€fŒfxf<, ÅŽÅs, ³, ê, é'¼, jfvfŒfOf‰of€, AŒØ“È, µ, Å, ç, Ü, · ØB'¼, jfvfŒfOf‰of€, afŒŒ[fh, ³, ê, Å, ç, éSØANIOS, ðŽÅs, Å, «, Ü, ¹, ñŒB

□^u

Ø“È, µ, Å, ç, éfvfŒfOf‰of€, aŒ©, Å, ©, é, Ü, ÅŒAfvfŒfOf‰of€, ð^ê“x, É1, Å, , ÅfAf“fŒŒ[fh, µ, Å, , ¾, ³, çŒBØ“È, µ, Å, ç, éfvfŒfOf‰of€, ðŒíœ, µ, Å, , ¾, ³, çŒB



**NIOS -x - 074: -³Œø,ÈfŒf,fŠf}fIŒ[fWffIDTŒuinvalid**  
**OpcodeŒvfZfŒfNfŒBNIOS.EXE,ŒfŒ[fh,·,é,Æ,«,ÍŒÝŠ·VCPIf,Œ[fhŒØ,è'Ö,ŒfRf}fŒfhf**  
**%ŒfCfŒflfvfVftfŒ/MV,Œžg—p,µ,À,,³/₄,³,¢**

Œà-³/₄

EMM386fŒf,fŠf}fIŒ[fWff,ŒŒÝŒo,·,é,ÆŒANIOS,ŒAEMM386,æ,èŒ,‘¬,ŒfvfŒfZfbfT,Œf,Œ[fh,ŒØ,è'Ö,!,é“À•Œ,Œ<@”,Œžg—p,µ,ÀŒAEMM386fŒf,fŠf}fIŒ[fWff,Œ•WŒ<@”,Œ-³Œø,Œ,µ,æ,¤,Æ,µ,Ü,·ŒB,±,Œ,‘¬,Œ<@”,À,ŒA-  
³Œø,Œ%œŒZŒfRŒ[fhftfHfŒfg,Œš,,èŒž,Œ,ŒftfbfN,³,é,Œ,·ŒB,±  
,Œš,,èŒž,Œ,Œ»ŒY,ŒZŒfNfŒ,Œ16frfbfg,Œ80386(Œ~),Œš,,èŒž,ŒfQŒ[fg,À,Œ,Œ,ŒéŒ#ŒANIOS,Œ•WŒŒ  
,ŒVCPIf,Œ[fhŒØ,è'Ö,!,µ,Œžg—p,À,«,Œ,¹,ŒB

Œ^Œu

NIOS.EXE,À•WŒŒ,ŒVCPIf,Œ[fhŒØ,è'Ö,!,Œžg—p,·,é,Œ,ŒAfRf}fŒfhfŒŒfCfŒflfvfVftfŒ,Œ/MV,Œžg—  
p,µ,ŒANIOS.EXE,ŒÄŒfŒ[fh,µ,À,,³/₄,³,¢ŒB

**NIOS -x- 075: NetWare Client 32, Windows v3.0, ðfTf|fg, µ, Ä, ¢, Ü, ¹, ñ**

□^'u

Windows\*\*, ðV, µ, ¢fo[fWf#f“, ÉfAfbfvfOfŒ[fh, µ, Ä,, ¾, ³, ¢B

\*fmfxf<, ï¤•W@\*\*fT[fhfp[fe[B, ï¤•W  
¤Ú¤x, ï¤•W, ðŽQÆ, µ, Ä,, ¾, ³, ¢B

**NIOS -x- 076: fCf“fXfg@I[fc,³,ê,Ä,¢,éNetWare Client 32,í,±,lfo@fWftf“,lWindows,đfTf|**  
lfg,µ,Ä,¢,Ü,¹,ñ

à-¾

NIOS.EXE,af@@[fh,³,ê,Ä,¢,é,Æ,«,ÉWindows\*\* 95\*\*,đŽg—p,µ,Ä‰‰Šú‰»»,µ,æ,¤,Æ,·,é,ÆA,±  
,lfgfbfZ@fW,²•\Z!,³,ê,Ü,·B

^u

Windows 95,đŽg—p,·,éê‡ANetWare\* Client\* 32\* for Windows 95,đCf“fXfg@fç,µAžg—p,·,é,æ,¤  
,É,µ,Ä,,³/4,³,¢B

\*fmfxfç,l¤¤•W@@\*\*fT@[fhfp@[fefB,l¤¤•W  
lÚ¤x,l¤¤•W,đŽQÆ,µ,Ä,,³/4,³,¢B

**NIOS -x- 077: fGf“fnf“fXf,][fhWindows,]fTf][fg,É•K—v,ÈNIOS\_path\_and\_filename,³Œ©,Â,©,è,Ü,¹,ñ**

][à-¾

Windows\*\* 3.1x,]fGf“fnf“fXf,fh,]fTf][fg,:é,É,íA•\Z,³,ê,½ftf@fCf<,íœ,â•íX,ðs,Á,Í,È,ç,,íA“Ç,Ýž,Y‰oÂ”\,Á,È,~,ê,Í,È,è,Ü,¹,ñB,±,]fbfZ][fW,íA•\Z,³,ê,½ftf@fCf<,ðNIOS,“Ç,Ýž,Y—p,ÉSJ,~,È,©,Á,½,±,Æ,ðZ,µ,Á,¢,Ü,·B

][^'u

•Z,³,ê,½éš,Éfile\_name,“¶Y,:é,©Šm”F,µA,»,]ftf@fCf<‘®«,“Ç,Ýž,Y‰oÂ”\,É,È,Á,Ä,¢,é,±,Æ,ðŠm”F,µ,Á,,¾,³,¢B

\*fmfxf<,í¤•W@\*\*fT][fhfp][fefB,í¤•W  
][Ú¤x,í¤•W,ðZQÆ,µ,Á,,¾,³,¢B

**NIOS -x- 078: Windows** ŠÄ««, jTf|fg, É•K—v, ÈNIOS\_path\_and\_file  
name, ©, ç, ï•ñ, ðŽ© “@f||[fh, µ, æ, x, Æ, µ, ½, Æ, «, ÉfGf%o|[, ä”||, µ, Ü, µ, ½||B, ±  
, lftf@fCf<, È'í, µ, Ä||œ||A^U“@||A•||X, ì, Ç, è, à||s, í, ê, Ä, ç, ±, Æ, ðŠm”F, µ, Ä, -  
, ¾, ³, ç||BWindows, if||[fh, í'tž~, ³, ê, Ü, ·

||à-¾

Windows\*\* 3.1x, jGf“fnf“fxhf, ||[fh, ðfTf||[fg, ·, é, É, ||A•\|  
Ž|, ³, è, ½ftf@fCf<, ||íœ, à•||X, ð||s, Ä, Ä, í, È, ç, , ||A“Ç, Y||ž, Y%ooÅ”\, Ä, È, -, è, í, È, è, Ü, ¹, ñ||B, ±, jfbfZ||[fW, ||A•\|  
Ž|, ³, è, ½ftf@fCf<, ðNIOS, “Ç, Y||ž, Y—p, ÈSj, , ±, Æ, í, Ä, «, ½, ²Aftf@fCf<, ð“Ç, Y||ž, Y't, È'¼, l-â'è, ²”||, µ, ½, ±  
, Æ, ðŽ|, µ, Ä, ç, Ü, ·||Bftf@fCf<, ²”j‰oó, ³, è, Ä, ç, é, ||Af||f, fS, Èf||[fh||, Y, ||NIOS, Èfo||[fWf||f“, ²”Ü, È, Ä, ç, é‰oÅ”\|  
||«, ², , è, Ü, ·||B

||^’u

ftf@fCf<, ²‰oó, è, Ä, ç, é||ê||f, ||A||V, µ, çftf@fCf<, ð“üžè, µ, Ä, -  
, ¾, ³, ç||Bfo||[fWf||f“, ²”Ü, È, é||ê||f, ||Af||[fnfXfe||[fvf||f“, ð||Ä<N”®, µ, Ä||ACÉ»||Yf||f, fS, Èf||[fh, ³, è, Ä, ç  
, éfo||[fWf||f“, Ä, í, È, ||Af||fbfZ||[fW, ÈŽ|, ³, è, ½ftf@fCf<, ðf||[fh, µ, Ä, , ¾, ³, ç||B

\*fmfxf<, ||¤•W||@\*\*fT||[fhfp||[fefB, ||¤•W  
||Ú||x, ||¤•W, ðŽQ||Æ, µ, Ä, , ¾, ³, ç||B

**NIOS -x- 083: NIOS, ÍEISA BIOS Int 15h, Ö, lŒÄ, Ño, µ, ð" s, ·, é, l, É•K—  
v, Ë2KB, l^éŽžfRf“fxj“fVftfif<f)f, fSfxf^fbfN, ðS,, è“, Ä, é, ±  
, Ä, ã, Å, «, Ü, , ñ, Ä, µ, ,½BWIndows, ã·N“®, µ, Ä, ç, é, ê, t, A, ±, l-â‘è, ÍWindows, l, %oŠú  
‰»Žž, ÈNIOS, ãŠm•Ü, ·, éfRf“fxj“fVftfif<f)f, fS, ð’%oÅ, ·, é, ±, Ä, È, æ, Á, Ä‰oñ”ð, Ä, «, Ü, ·  
l^u  
ffftfHf, fg, Å, ÍNIOS.EXE, È8KB—\-ñ, , õ, Ü, , ·, aANET.CFGftf@fCf<, ÍNIOS GLOBAL V86 WIN PAGESfpf  
‰ofÛÛ[þ^, È•È, l'l, ðŽw'è, ·, é, ÄfTfCfY, ð•lÛX, Å, «, Ü, ·ÛB**

## **NIOS -x- 085: NetWare Client 32,íf^fXfNfXfCfbf`ff,ðfTf|][fg,µ,Ä,¢,Ü,¹,ñ**

à-¾

Windows\*\*,ífXf^f“f\_][fhf,][fh,àŠÜ,ß,ÄANetWare\* Client\* 32\*,íf^fXfNfXfCfbf`ff,ðfTf|][fg,µ,Ä,¢,Ü,¹,ñB

^'u

fAfvfŠfp][fvf#f“,íf^fXfNfXfCfbf` ,ð-³Œø,É,µ,Ä,,¾,³,¢BGroupWise\* for  
DOS,É,Ç,í^é•”,ífAfvfŠfp][fvf#f“,É,í]A-³Œø,É,Ä,«,éf^fXfNfXfCfbf`ff, ,è,Ü,·B-  
³Œø,É,Ä,«,È,¢é]f]A,» ,ífAfvfŠfp][fvf#f“,íNetWare Client 32,AE^é]f]A,É,í]g—p,Ä,«,Ü,¹,ñB

\*fmfxf<,í]¤•W@\*\*fT][fhfp][fefB,í]¤•W  
Ú]x,í]¤•W,ðZQ]Æ,µ,Ä,,¾,³,¢B

**NIOS -x- 087: NIOS.NLM,²NIOS.EXE,ÉŠÖ˜A•t,~,ç,ê,Ä,¢,Ü,¹,ñ**

□à-¾

NIOS.EXEftf@fCf<,²%oó,ê,Ä,¢,é,©□A□³,μ,fSf“fN,³,ê,Ä,¢,Ü,¹,ñ□B

□^'u

□V,μ,¢NIOS.EXEftf@fCf<,ð“üŽè,μ,Ä,,³/₄,³,¢□B

**NIOS -x- 088: ffbfZ[fWftf@fCf<, © , ç NIOS.NLMffbfZ[fW, ð“ç, ýž, ñ, Å, ¢, é, AE, «, ÉfGf‰oI[, ^”- 1, µ, Ü, µ, ½**

^u

ž, ý, i, ±, AE, ðž, Å, s, µ, Ä, , ¾, ³, ¢ B

- žw'è, µ, ½Œ³/4Œê, ^NWLANGUAGEŠÄ<<•í”, ÉÝ’è, ³, ê, Ä, ¢, é, ©Šm”F, µ, Ä, , ¾, ³, ¢ B
- •È, jfvfSfp[fVff”, ^SO•”fbfZ[fWftf@fCf<, ðšJ, ¢, Ä, ¢, È, ¢, ©Šm”F, µ, Ä, , ¾, ³, ¢ B
- šO•”fbfZ[fWftf@fCf<('¶Ý, ·, ééé#), ^³, µ, ¢ééŠ, É, , é, ©Šm”F, µ, Ä, , ¾, ³, ¢ BŒ³/4Œéf, fWf...  
íf<, íž, i, æ, x, ÉŒÝö, ³, ê, Ü, ·B\LOADfffBfŒfNfgfŠ, íA•\ž, ³, ê, ½fbfZ[fWftf@fCf<, ^, éééŠ, Å, ·B  
jjfŒf“fgfffBfŒfNfgfŠ, Å.MSGftf@fCf<, ð’T, µ, Ü, ·BŒ©, Å, ©, ç, È, ¢éé#ANWLANGUAGEŠÄ<<•í”, ^Ý’è, ³,  
é, Ä, ¢, é, ©, Ç, x, ©f`jFfbfN, µ, Ü, ·B
- NWLANGUAGEŠÄ<<•í”, ^Ý’è, ³, ê, Ä, ¢, È, ¢éé#ALOADfffBfŒfNfgfŠ, É.MSGftf@fCf<, ^, é, ©f`jFfbfN,  
µ, Ü, ·B.MSGftf@fCf<, ^, È, ¢éé#Af, fWf...[f<, ÈfofCf“fh, ³, ê, Ä, ¢, ÈffbfZ[fWftf@fCf<, ðžg—p, µ, Ü, ·B
- NWLANGUAGEŠÄ<<•í”, ^Ý’è, ³, ê, Ä, ¢, èéé#A<load path>\NLS\  
YYY, i't, ÅfbfZ[fWftf@fCf<, ð’T, µ, Ü, (YYY, íNWLANGUAGE, ÉÝ’è, ³, ê, Ä, ¢, è'l, Å, ·)B, », ±, È, È, ¢éé#Af, fWf...  
íf<, ÈfofCf“fh, ³, ê, Ä, ¢, ÈffbfZ[fWftf@fCf<, ðžg—p, µ, Ü, ·B

**NIOS -x- 090: f,fWf...[f<,ðf[]fh,·,é,í,É\•¤,È¤ó,«f[]f,fš,¤, ,è,Ü,¹,ñ**

**à-¾**

f[]fNfXfe[]fVf+f“,íXMSf[]f,fš,í¤ó,«,¤•s’«,µ,Ä,¢,é,½,ß¤A—v<[],³,ê,½f,fWf...[f<,ðf[]fh,Å,«,Ü,¹,ñ¤B

**^'u**

Žg—p,Å,«,éXMSf[]f,fš,ð'[],â,µ,Ä,,¾,³,¢¤Bf[]fNfXfe[]fVf+f“,íf[]f,fš,ÉŠÖ,·,é-â'è,í‰ðŒ^•û-@,ðŽQ¤E,µ,Ä,-,¾,³,¢¤B

**NIOS -x- 091: f@fhftf@fCf<<NLM\_module\_name>,³Œ©,Â,©,è,Ü,¹,ñ**

à-¾

LOADfRf}f“fh,ð“ü—í,μ,½,Æ,«Aftf@fCf<-¼,í³“-,Å,μ,½,²A,»},ftf@fCf<,³fT[f—i^æ,i,C,±,É,à, ,è,Ü,¹,ñB

^'u

NLM\*fvfO%oƒ€,ftf@fCf<-¼,i,Å,Ã,è,Æ,»,ftf@fCf<,i^Ê'u,ðf`fFfbfN,μ,Ä,,³/₄,³,¢B

\*fmfxf<,i¤•W@\*\*fT[fhfp¤[fefB,i¤•W  
Ú¤x,i¤•W,ðZQ¤Æ,μ,Ä,,³/₄,³,¢B

**NIOS -x- 092: f**☐☐**[fhftf@fCf<fpfXpath and filename,ð“WŠJ’t,lfGf%o**☐[,**·**  
☐à-¾  
LOADfRf}f“fh,É’î,μ,Ä☐A•\Ž|,³,ê,½ftf@fCf<,lDOSftf<fpfX-¼,ðNIOS,¤CE^'è,Å,«,Ü,¹,ñ,Å,μ,½☐B  
☐^’**u**  
•Ê,ì^Ê'u,É, ,éf,fWf…☐[f<,ðf☐☐[fh,μ,Ä,Ý,Ä,,¾,³,¢☐B

**NIOŚ -x- 093: f,fWf...|[f<,ðf[]|[fh,·,é,ł,É[],•ą,Ę<ó,«f[]f,f Ś,ą, ,è,Ü,ı,ń**

**ł^'u**

Žg—p,Å,«,éXMSf[]f,f Ś,ð'[],â,μ,Ä,,¾,³,¢[]Bf[]|[fNfXfe[]|[fVf#f“,]f[]f,f Ś,Ę<ó,·,é–â‘è,]‰oĘ<^•ù-@,đžQ[]A,μ,Ä,-,¾,³,¢[]B

**NIOS -x- 094: f,fWf...|[f<name,<sup>a</sup>í“,μ,Ä,¢,Ü,<sup>1</sup>,ñ,À,μ,<sup>½</sup>**

à-¾

,±,íƒŒfbfZŒ[fW,íŒAf,fWf...|[f<,íŽÀŒs,ðŠ®—<sup>1</sup>,μ,<sup>½</sup>, ,Æ,ÉLOADfRf}f“fh,É'Î,μ,Ä•\Ž!,<sup>³</sup>,ê,Ü,·ŒB,±,íƒ,fWf...  
Œ[f<,í,·,À,ÉfŒf,fS,ÉfŒŒ[fh,<sup>³</sup>,ê,À,¢,Ü,<sup>1</sup>,ñŒB

^u

•K—v,À, ,ê,íŒA•\Ž!,<sup>³</sup>,ê,<sup>½</sup>f,fWf...|[f<,ðŒÄfŒŒ[fh,μ,Ä,<sup>¾</sup>,<sup>³</sup>,¢ŒB

**NIOS -x- 096: NLM\_module\_name,í—LŒø,Èf,fWf...□[f<-¼,À,Í, ,è,Ü,¹,ñ**

□à-¾

—v<□,³,ê,½f,fWf...□[f<-¼,²□Af□□[fNfXfe□[fVf+f“,]f!fyfŒ□[fefBf“fOfVfXfef€•W□€,]f!□[f~f“fO<K-ñ,É□€‘,μ,À,¢  
,Ü,¹,ñ□B

□^'u

f,fWf...□[f<-¼,ì,À,Ã,è,ðf`fFfbfN,μ,Ä□AfRf}f“fh,ð□Ä“ü—í,μ,À,,³/₄,³,¢□B

**NIOS -x- 097: f,fWf...|[f<*NLM\_module\_name*,íf|||[fh,<sup>3</sup>,ê,Ü,<sup>1</sup>,ñ**

à-¾

UNLOAD *NLM\_module\_name*fRf}f“fh,ð“ü—í,µ,½,Æ,«íA“ü—í,µ,½f,fWf...|[f<,²Œ»Ýf|||[fh,<sup>3</sup>,ê,Ä,¢,Ü,<sup>1</sup>,ñ,Ä,µ,½B

^u

f,fWf...|[f<-¼,ì,Ä,Ã,è,ðf`fFfbfN,µ,Ä]A]Rf}f“fh,ð]Ä“ü—í,µ,Ä,,¾,<sup>3</sup>,¢B

**NIOS -x- 105:** Žw'è,µ,½ftf@fCf<,³Œ©,Â,©,ç,È,©,Á,½,½,ßA**module\_NLM\_name,ðf[]fh,-,é,±,Æ,²,À,«,Ü,¹,ñ,À,µ,½**

à-¾

- \Zl,³,ê,½f,fWf...[f<,³Œ©,Â,©,è,Ü,¹,ñ,À,µ,½BNIOS,Â,íAŽÝ,ì,æ,¤,Éftf@fCf<,³ŒÝõ,³,ê,Ü,·B
- ftf@fCf<-¼,ÆfpfX,³Žw'è,³,ê,½ê#A—v<,³,ê,½fpfX,Æftf@fCf<-¼,ðf[]fh,µ,æ,¤,Æ,µ,Ü,·B
- ftf@fCf<-¼,³/₄,³žw'è,³,ê,½ê#Af]fŒf“fgffffBfŒfNfgfŠAPATHŠ<<•”É, ,éfffBfŒfNfgfŠANIO SfvfXfef€fffBfŒfNfgfŠ(DOS,ÆWindows\*\* 3.1x,íê‡,íANIOS.EXE,², ,éfffBfŒfNfgfŠBWindows 95\*\*,íê‡,íASYSTEM.INIftf@fCf<,ím386enhnfZfNfvff“,íNWHOMEDIR,íI),í‡,ÉŒÝõ,µ,Ü,·B

^u

\*fmfxf<,í¤•W@\*\*fT[fhp[fefb,í¤•W  
Ú¤x,í¤•W,ðZQÆ,µ,À,,³/₄,³,¢B

**NIOS -x- 106: f,fWf...|[f<,]ftf@fCf<,ðfAfNfZfX,μ,Ä,¢,é,Æ,«,ÉfGf%o|[,¤"-  
¶1,μ,½,½,ß]Amodule\_name,ðf|||fh,·,é,±,Æ,¤,Å,«,Ü,¹,ñ,Å,μ,½  
¶à-¾  
—v<®,³,ê,½f,fWf...|[f<,¤Œ©,Å,©,è,Ü,μ,½,¤A¤³¤í,É¤—¤,Å,«,Ü,¹,ñ,Å,μ,½¤Bftf@fCf<,¤‰¤ó,ê,Ä,¢,é‰¤Å"\  
¤«,¤, ,è,Ü,·¤B  
¤^'u  
,±,]ftf@fCf<,]V,μ,¢fo¤[fWf‡f“,ðf,fWf...¤[f<,]fxf“f\_-,©,ç“üžè,μ,Ä,,¾,³,¢¤B**



**NIOS -x- 108: f,fWf...|[f<,^—LŒø,ÈNL Mftf@fCf<.,Å,È,¢,½,ß]A**module\_name**,ðf||fh,·,é,±,Æ,²,Å,«,Ü,¹,ñ,Å,µ,½**

à-¾

NIOS,íANetWaref||[f\_fuf<f,fWf...|[f<\*(NLM\*)žÀs‰”\ftf@fCf<Œ`Ž®,μ,©fTf||[fg,μ,Å,¢,Ü,¹,ñ]B

^'u

,±,ìf,fWf...|[f<,íf||fh,Å,«,Ü,¹,ñ]B

\*fmfxf<,í¤•W@\*\*fT|[fhfp|[fefB,í¤•W  
Ú¤x,í¤•W,ðŽQÆ,μ,Å,,¾,³,¢]B

**NIOS -x- 109: f,fWf...|[f<,²-¢'è<,íšO•"ŠÖ]|":**  
**name\_of\_external\_API\_function\_needed\_by\_module,ðŽQ|Æ,µ,æ,¤,Æ,µ,½,½,ß|Amodule\_name,ðf||[fh,·,é,±,Æ,²,Å,«,Ü,¹,ñ,Å,µ,½**

■ à-¾  
■ ±,ì-â'è,íŒ`^ö,íŽÝ,í2,Å,Å,·|B

- name\_of\_external\_API\_function\_needed\_by\_module,ðŠÜ,þf,fWf...|[f<,²f||[fh,³,ê,Ä,¢,Ü,¹,ñ|B
- name\_of\_external\_API\_function\_needed\_by\_module,ðŠÜ,þf,fWf...|[f<,²f||[fh,³,ê,Ä,¢,Ü,·,²Afо|[fWj†f",²]³,µ,, ,é,Ü,¹,ñ|B

• Ž!|,³,ê,½f,fWf...|[f<,ífCf“fXfg|[f<žè|‡,É|],Å,½,©,ç,¤,©Šm”F,µ,Ä,,³/⁴,³,¢|Bf|fbfZ|[fW,²^ø,«‘±,«‘•\nŽ!|,³,ê,é|ê|‡|A,ç,íf,fWf...|[f<,Éname\_of\_external\_API\_function\_needed\_by\_module,³,é,©•²,©,ç,È,¬,ê,í|A•Ž!|,³,ê,½f,fWf...|[f<,ífxf“f\_,É-â,¢|‡,í,¹,Å,,³/⁴,³,¢|B

**NIOS -x- 110: f,fWf...|[f<,³,·,Ä,ÉfGfNfXf|[]fg,³,ê,Ä,¢,éŠÖ]:**  
*name\_of\_exported\_API\_function\_already\_exported\_by\_another\_module,ðfGfNfXf|[]fg,µ,Ä,¢,é,¹/₂,ß*Amodule\_name,ðf[]fh,·,é,±,Æ,²,Ä,«,Ü,¹,ñ,Ä,µ,¹/₂

à-¾

“-^é,|fVf“f{f<,Ü,¹/₂,ÍAPIŠÖ”,ð2,Ä,|f,fWf...|[f<,³“-Žž,ÉfGfNfXf|[]fg,·,é,±,Æ,í,Ä,«,Ü,¹,ñB

^’u

,±,é,ç,|f,fWf...|[f<,ð-¹/₄•û“-Žž,Éf[]fh,µ,È,¢,Ä,,³/₄,³,¢B

**NIOS -x- 111: f,fWf...|[f<,]f\fbfZ\|fWftf@fCf<,ÉfAfNfZfX,μ,Ä,¢,é,Æ,«,ÉfGf%o\|l,²"-  
¶1,μ,¹/₂,¹/₂,ß\|Amodule\_name,ðf\||fh,·,é,±,Æ,²,Å,«,Ü,¹,ñ,Å,μ,¹/₂**

¶à-³/₄

•\ž|,³,ê,¹/₂f,fWf...|[f<,]šO•"f\fbfZ\|fWftf@fCf<,ðšJ,,±,Æ,²,Å,«,Ü,¹,ñ,Å,μ,¹/₂\|B

¶^'u

žY,ì,±,Æ,ðžÀ\|s,μ,Ä,,³/₄,³,¢\|B

- Žw'è,μ,¹/₂Œ³/₄Œê,²NWLANGUAGEŠÅ<<•í",É\|Y'è,³,ê,Ä,¢,é,©Šm"F,μ,Ä,,³/₄,³,¢\|B
- •È,]fAfvfSfP\|fVf#f“,²šO•"f\fbfZ\|fWftf@fCf<,ðšJ,¢,Ä,¢,È,¢,©Šm"F,μ,Ä,,³/₄,³,¢\|B
- šO•"f\fbfZ\|fWftf@fCf<('¶\|Y,·,é\|ê\|f),²\|³,μ,¢\|ê\|S,É, ,é,©Šm"F,μ,Ä,,³/₄,³,¢\|BŒ³/₄Œêf,fWf...  
|[f<,ížY,ì,æ,¤,ÉŒY\|ö,³,ê,Ü,·\|B\LOADfffBfŒfNfgfS,|[A•\|Z,³,ê,¹/₂f\fbfZ\|fWftf@fCf<,², ,é\|ê\|S,Å,·\|B  
fjfŒf“fgfffBfŒfNfgfS,Å.MSGftf@fCf<,ð'T,μ,Ü,·\|BŒ©,Å,©,ç,E,¢\|ê\|fANWLANGUAGEŠÅ<<•í",²\|Y'è,³,  
ê,Ä,¢,é,©,ç,¤,©f`fFfbfN,μ,Ü,·\|B
- NWLANGUAGEŠÅ<<•í",²\|Y'è,³,ê,Ä,¢,È,¢\|ê\|fALOADfffBfŒfNfgfS,É.MSGftf@fCf<,², ,é,©f`fFfbfN,  
μ,Ü,·\|B.MSGftf@fCf<,²,È,¢\|ê\|fAf,fWf...|[f<,ÉfofCf“fh,³,ê,Ä,¢,é\|fbfZ\|fWftf@fCf<,ðžg—p,μ,Ü,·\|B
- NWLANGUAGEŠÅ<<•í",²\|Y'è,³,ê,Ä,¢,é\|ê\|fA<load path>\NLS  
YYY,ì't,Åf\fbfZ\|fWftf@fCf<,ð'T,μ,Ü,·(YYY,ÍNWLANGUAGE,É\|Y'è,³,ê,Ä,¢,é'l,Å,·)\|B,»,±,É,È,¢\|ê\|fAf,fWf...  
|[f<,ÉfofCf“fh,³,ê,Ä,¢,é\|fbfZ\|fWftf@fCf<,ðžg—p,μ,Ü,·\|B

**NIOS -x- 112: f,fWf...|[f<,]f[fbfZ|[fWftf@fCf<,a-**  
**³Œø,Å, ,é,©•s³,Èfo|[fWftf“,Å, ,é,½,ßA**module\_name**,ðf[]|[fh,·,é,±,Æ,a,Å,«,Ü,¹,ñ,Å,µ,½**

**·à-¾**

**•\Z!,³,ê,½f,fWf...|[f<—p,]f[fbfZ|[fWftf@fCf<,a³,µ.·]¬,³,ê,Ä,¢,È,¢,©A%oó,ê,Ä,¢,Ü,·B**

**·^'u**

**•\Z!,³,ê,½f,fWf...|[f<,]f[]|[fh,Å,«,Ü,¹,ñBf,fWf...|[f<,]fxf“f\_,©,çV,µ,¢fo|[fWftf“,ð“üZè,µ,Ä,,¾,³,¢B**

**NIOS -x- 113: f,fWf...[f<,í,·,Å,Éf[]fh,³,ê,Ä,“,è,A2‰oñ^Èäf[]fh,·,é,±,Æ,í,Å,«,È,¢,½,B**

**à-¾**

**•\Zl,³,ê,½f,fWf...[f<,ð,·,Å,Éf[]fh]Ý,lê‡A,»,jf,fWf...[f<,íf[]fh,Å,«,Ü,¹,ñB**

**^'u**

**,±,jf,fWf...[f<,ðf[]fh,μ,½,¢ê‡AfAf“f[]fh,μ,Ä,©,çÄf[]fh,μ,Ä,,¾,³,¢B**

**NIOS -x- 114:** 'O,Éf[]fh,μ,½f,fWf...>[]f<,Æfo>[]fWf+f“,³^Ù,È,Á,Ä,¢  
,é,½,ß[]Amodule\_name,ð[]Ä“xf[]fh,·,é,±,Æ,²,Å,«,Ü,¹,ñ,Å,μ,½  
[]à-¾  
fo>[]fWf+f“,³^Ù,È,é“^-^ê,]f,fWf...>[]f<,ð•;”f[]fh,·,é,±,Æ,í,Å,«,Ü,¹,ñ[]B  
[]^'u  
f[]fh,μ,æ,¤,Æ,μ,½f,fWf...>[]f<,]fo>[]fWf+f“,²[]A'O,Éf[]fh,μ,½f,fWf...>[]f<,]fo>[]fWf+f“,Æ“-,¶,©,Ç,¤  
,©Sm" F,μ,Ä,,¾,³,¢[]B

**NIOS -x- 115: f,fWf...**

**if<module\_name\_already\_loaded,imodule\_name\_to\_be\_loaded,if[]fh,ð<'"Ü,µ,Ä,¢  
,½,½,ßAmodule\_name\_to\_be\_loaded,ðf[]fh,-é,±,Æ,²,Å,«,Ü,¹,ñ,Å,µ,½**

**à-¾**

**f,fWf...[f<,ðŽÀÜ,Éf[]fh,·,é'Ø,ÉANIOS,íA,·,Å,Éf[]fh|i,Ý,]f,fWf...[f<,³V,µ,¢f,fWf...[f<,]f[]fh,ð<-  
‰Å,·,é,©,Ç,¤,©f`fFfbfN,µ,Ü,·B<-‰Å,µ,È,¢ê‡A,»,ì—R,²•\Ž!,³,ê,é,í,,Å,·B**

**^'u**

**ft[]fU,ì^'u,É,Å,¢,Ä,íAf[]fh|i,Ý,]f,fWf...[f<,³•Ø,·à-¾,ð“Ç,ñ,Å,,³/₄,³,¢Bf[]fh|i,Ý,]f,fWf...  
[f<,ðfAf“f[]fh,µ,Ä,©,çA\V,µ,¢f,fWf...[f<,ð,à,¤^ê“xf[]fh,µ,Ä,Ý,Å,,³/₄,³,¢B**

-NIOS -x- 116: **module\_name**,**ofAf“fh][fh,À,«,Ü,¹,ñ**

**à-¾**

**•\Zl,³,ê,½f,fWf...][f<,íAf†][fU,²Af“fh][fh,À,«,È,¢,æ,¤,É][¬,³,ê,Ä,¢,Ü,·]B**

**^'u**

**,±,jf,fWf...][f<,íAf“fh][fh,µ,È,¢,À,³/4,³,¢]B**

**NIOS -x- 117:** *module\_name*,!*module\_name*,É,æ,Á,ÄŽg—p’t,Å, ,é,½,ßfAf“f[]fh,Å,«,Ü,¹,ñ  
[]à-¾  
Œ>ÛY•Ê,¡f,fWf...[]f<,äŽg—p,µ,Ä,¢,éf,fWf...[]f<,ífAf“f[]fh,Å,«,Ü,¹,ñB  
[]^’u  
•Ê,¡f,fWf...[]f<,ðæ,ÉfAf“f[]fh,µ,Ä,,¾,³,¢B,»,í, ,ÆA-U“l,¡f,fWf...[]f<,ðfAf“f[]fh,µ,Ä,,¾,³,¢B

**NIOS -x- 118: -³Œœ,Èf,fWf...Œf·fnf“fhf<sup>¶</sup>,²NiosUnload,É“n,³,ê,Ü,µ,½**

Œà-¾

fVjXfef€API,ðŽg—p,µ,Äf,fWf...Œf·fnf“fhf<sup>¶</sup>,²NiosUnload,É“n,³,ê,Ü,µ,½ŒB—v<Œ,µ,½f,fWf...Œf<sup>¶</sup>,²fŒŒ[fh,³,ê,Ä,¢,È,¢,©ŒA'¶Y,µ,Ä,¢,Ü,¹,ñŒB

Œ^’u

fŒŒ[fnfXfeŒ[fvf†f“,ðŒÄ<N“® ,µ,Ä,,¾,³,¢ŒB

\*fmfxf<sup>¶</sup>,Œœ•WŒ@\*\*fTŒ[fhfpŒ[fefB,Œœ•W  
ŒÚŒx,Œœ•W,ðŽQŒÆ,µ,Ä,,¾,³,¢ŒB

**NIOS -x- 119:** ,±,±,Ãmodule\_name,ÍfAf“f[]fh,À,«,Ü,¹,ñ

¤à-¾

UNLOADfRf}f“fh,Ü,½,ífVfXfef€API,ðŽg—p,μ,Äf,fWf...[]f<,ðfAf“f[]fh,:é,Æ,«ANIOS,íA AfAf“f[]fh,ð<-%oÀ,:é,©,Ç,¤,©,»,[f,fWf...[]f<,É-â,¢‡,í,¹,Ü,·Bf,fWf...[]f<,¤-‰oÀ,μ,È,©,À,½¤ê‡A,±,íffbfZ[]fW,¤•\Z!,³,ê,Ü,·B

¤^'u

,±,ì¤ó'Ô,í^éŽž“I,È¤ê‡,¤, ,è,Ü,·BŽžŠÔ,ð,“,¢,Äf,fWf...[]f<,ðfAf“f[]fh,μ,Ä,Ý,À,,³/4,³,¢B

**NIOS -x- 120: f,fWf...[f<*refusing\_module\_name*,<sup>2</sup>*desired\_module\_name*,IfAf“f[]fh,ð<”Ü,µ,Ä,¢,<sup>1</sup>/<sub>2</sub>,<sup>1</sup>/<sub>2</sub>,ß]A*desired\_module\_name*,ífAf“f[]fh,À,<,Ü,<sup>1</sup>,ñ**

à-¾

UNLOADfRf}f“fh,Ü,<sup>1</sup>/<sub>2</sub>,ífVfXfef€API,ðŽg—p,µ,Äf,fWf...  
[f<,ðfAf“f[]fh,·,é,Æ,«]ANIOS,ífVfXfef€fCfxf“fg,ð[]¶¬,µ,Ä]AfAf“f[]fh,ð<”Ü,À,<,é,·,x,Ä,]ŠÖ~Af,fWf...  
[f<,É'È'm,µ,Ü,·]B*refusing\_module*,<sup>2</sup>UNLOAD—v<,ð<”Ü,µ,<sup>1</sup>/<sub>2</sub>—R,<sup>2</sup>]A*refusing\_module*,íf]fbfZ[]fW,É•\  
Ž|,<sup>3</sup>ê,Ä,¢,é,Í,.,Ä,·]B

^u

*refusing\_module*,ð]æ,ÉfAf“f[]fh,µ,Ä,Ý,À,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢]B,»], ,Æ]A*desired\_module*,ífAf“f[]fh,ð,à,¤^é“xŽŽ,µ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢]B

**NIOS -x- 123: f,fWf...|[f<name,í1,Â,lfŠf|\[fx,ð³,μ,%ooð•ú,μ,Ü,¹,ñ,Â,μ,½**

à-¾

NIOS,íAf|||[fh||,Ý,]Šef,fWf...|[f<,É,æ,éf|||[fNfXfe|||fVf+f“fŠf\||[fx,]Žg—p(f||f,fŠS,,è“-  
,Ä,â“-Šúf|fufWfFfNfg,È,Ç),ðfgf%ofbfL“fO,μ,Ü,·Bf|||[fh||,Ý,]f,fWf...|[f<,ðfAf“f|||[fh,·,é,AE,«A,»,]f,fWf...  
|[f<,íAŽg—p,μ,Ä,¢,½,·,×,Ä,lf|||[fNfXfe|||fVf+f“fŠf\||[fx,ð%ooð•ú,μ,É,“,è,Í,È,è,Ü,¹,ñBf||fbfZ|||fW,É•\  
Ž|,³,ê,½f,fWf...|[f<,íAŽg—p,μ,Ä,¢,½fŠf\||[fx,ð%ooð•ú,μ,Ü,¹,ñ,Â,μ,½B

^u

ft|||[fU,í||<AE,ð'±||s,Ä,«,é,±,Æ,à, ,è,Ü,·,äAf|||[fNfXfe|||fVf+f“,]ŠÄ<“,ä•s^À’è,É,È,Ä,Ä,¢  
,Ü,·Bf|||[fNfXfe|||fVf+f“,ð||Ä·N”®,μ,Ä,³,¢||B-â’è,ä^ø,«'±,«”||¶,·,é||ê||‡,í||A•\Ž|,³,ê,½f,fWf...  
|[f<,lfxf“f\_,É-â’è“,ð•ñ||,μ,Ä,.,³,¢||B

**NIOS -x- 124: f,fWf...|[f<name,Inumber,lfSf|[fx,ð³,μ,%oð•ú,μ,Ü,¹,ñ,À,μ,½**

à-¾

NIOS,íAf|||[fh||,Ý,]Šef,fWf...|[f<,É,æ,éf|||[fNfXfe|||[fVf#f“fŠf\||[fx,]Žg—p(f||f,fŠS,,è“-  
,Ä,â“-Šúf|fufWfFfNfg,È,Ç),ðfgf%ofbfLf“fO,μ,Ü,·Bf|||[fh||,Ý,]f,fWf...|[f<,ðfAf“f|||[fh,·,é,Æ,«A,»,]f,fWf...  
|[f<,íAŽg—p,μ,Ä,¢,½,·,×,Ä,]f|||[fNfXfe|||[fVf#f“fŠf\||[fx,ð‰oð•ú,μ,È,“,è,]f,fWf...|[f<,íAŽg—p,μ,Ä,¢,½fŠf\||[fx,ð‰oð•ú,μ,Ü,¹,ñBf||fbfZ|||fW,È•\  
Ž|,³,ê,½f,fWf...|[f<,íAŽg—p,μ,Ä,¢,½fŠf\||[fx,ð‰oð•ú,μ,Ü,¹,ñ,À,μ,½B

^u

ft|||[fU,í||<Æ,ð'±s,À,«,é,±,Æ,à, ,è,Ü,·,äAf|||[fNfXfe|||[fVf#f“,]ŠÀ<«,ä•s^À'è,É,È,À,Ä,¢  
,Ü,·Bf|||[fNfXfe|||[fVf#f“,]ŠÀ'è,Ä,N”®,μ,Ä,,¾,³,¢B-â'è,äø,«'±,«”¶,·,éê‡,íA•\Ž|,³,ê,½f,fWf...  
|[f<,]fxf“f\_,É-â'è“,ð•ñ|||,μ,Ä,,¾,³,¢B

**NIOS -x- 150: f@fOftf@fCf·name,ðŠJ.,±,Æ,²,Å,«,Ü,¹,ñ**

à-¾

fffbfZ[fW,]fO—p,ÉŽw'è,μ,½ftf@fCf<,ðŠJ,~,Ü,¹,ñ,Å,μ,½B

^u

•É,]fAfvfŠfP[fvf“²,»],ftf@fCf<,ðŠJ,¢,Ä,¢,È,¢,©A,Ü,½,ftf@fCf<,í‘®“ç,Ý‘,«‰oÂ”\,É,È,Á,Ä,¢,é,©Šm”F,μ,Å,,¾,³,¢B

**NIOS -x- 169: f\{,f\\$fv\|f<,ðnumberofCfg•²’‰‰Á,·,é,í,É\\\**  
•²,È<sup>ó</sup>,«XMSfnf“fhf<,², ,è,Ü,¹,ñ\Bf\{,f\\$f}fl\|fWffXMSfnf“fhf<,l\”,ð’‰‰Á,·,é•K-v,², ,è,Ü,·(-á:  
**DEVICE=HIMEM.SYS /NUMHANDLES=xx)**

□à-¾

NIOS\Af\|f\fh\|l,Ý,|f,fWf...|[f<\A,»,l’¹/₄,|fAfvf\\$fP\|fVf#f“,É,æ,Á,Á,·,x,Á,|XMSf\|f,f\\$fnf“fhf<,²žg—p,³,ê,Á,¢,Ü,·\Bfnf“fhf<,l—],è,²,È,¢\ê\#AXMSf\|f,f\\$,ð,»,ê^È\äS,,è“-,Á,é,±,Æ,Í,Á,«,Ü,¹,ñ\B

□^'u

XMSf\|f,f\\$f}fl\|fWff,²žg—p,·,éfnf“fhf<,l\”,ð’\,â,µ,Á,,³/₄,³,¢\B•û-@,É,Á,¢,Á,í\Ažg—p,µ,Á,¢,é\|f,f\\$f}fl\|fWff,lf}fjf..fAf<,ð\ZQ\Æ,µ,Á,,³/₄,³,¢\Bfnf“fhf<\”,ð’\,â,¹,È,¢\ê\#,\í\AXMSf\|f,f\\$,ðžg—p,·,é’¹/₄,|fAfvf\\$fP\|fVf#f“,ð,¢,,Á,©\í\œ,µ,Á,,³/₄,³,¢\B

**NIOS -x- 178: Š,,è“-,Äï,Ýf,fšfufbfNnumber,lf,fWf...[f<fnf“fhf<Š—LŽØftfB[B[f<fh,a-  
³CEø,Å,·(modHand,í=number)**

à-¾  
f[NfXfe[fVf#f“,]f[f, fŠ, ª”j‰oÓ, ª, è, Ä, ç, é‰oÂ”\“«, ª, , è, Ü, ·B

^u  
f[NfXfe[fVf#f“,ðÄ<N“®,µ,Å,,¾,³,¢B

**NIOS -x- 179: module\_name,í-³Œø/•s³,Ü,½,í,·,À,É  
‰œð•ú,³,ê,½f,fŠfuffbfNnumber,ÃNiosFree,ðŒÄ,Ño,µ,Ü,µ,½**

à-¾

•\Zl,³,ê,½f,fWf...lf,ÉfofO,², ,é,©Af[fNfXfe][fVf+f“,lf,fS,²”j‰œó,³,ê,À,¢,Ü,·B

^u

ft[fU,í]<Æ,ð'±s,À,«,é,±,Æ,à, ,è,Ü,·,af[fNfXfe][fVf+f“,išÅ<«,²•s^À'è,É,È,À,À,¢  
,Ü,·Bf[fNfXfe][fVf+f“,ð]À·N“®,µ,À,,³/4,³,¢B

\*fmfxf<,l¤•W@\*\*fT[fhfp[fefB,l¤•W  
Ú¤x,l¤•W,ðŽQÆ,µ,À,,³/4,³,¢B

**NIOSWIN -x- 1: fCf“fXfg|[f<,³,ê,Ä,¢,éNIOS.EXE,ÍNIOSWIN.NLM,ÆŒÝŠ·»»,², ,è,Ü,¹,ñ**

à-¾

NIOS.EXEftf@fCf<,ì“à—e,²”j‰ó,³,ê,Ä,¢,é‰oÂ”\»»,², ,è,Ü,·B

^'u

NetWare\* Client\*,ì”z•zftf|fbfs|[fffBfXfN,Ü,½,ÍCD-ROM,©,çNIOS.EXEftf@fCf<,ðfRfs|[,µ,Ä,-,³/₄,³,¢B,»,ì, ,ÆAft|[fNfXfe|[fVftf“,ðÄ<N“®,µ,Ä,,³/₄,³,¢B

\*fmfxf<,í¤•W@\*\*fT|[fhfp|[fefB,í¤•W  
í¤x,í¤•W,ðŽQÆ,µ,Ä,,³/₄,³,¢B

**NIOSWIN -x- 2: Windows** – L, fvf\fff...[fTfCfxf“fg, ð“o~^, ., é, l, É\•ä, Ë<sup>ó</sup>, «f\,f\,f\,S, ä, , è, Ü, , ñ

à-¾

f\NfXfe\fVf\“ ,\f\,f\,f\,S, ä<É[ ,É\,È, ç\ê\#Windows\*\* 3.x, \‰\‰\‰\‰»\t\fF\fY, Ä, ±, \fGf\‰\[, ä”\¶\¶, :é, ±, Ä, ä, , è, Ü, \B

^u

Žg—p, Ä, «, éXMSf\f, f\,S, ð‘\,â, µ, Ä, , ¾, , ³, ç\B\f\f\fNfXfe\fVf\“ ,\f\,f\,f\,S, É\,Ö, ., é-â'è, \‰\ð\Œ^•\û-\@, \ð\ZQ\Ä, µ, Ä, -, ¾, , ³, ç\B

\*fmfxf\,l\¤•W\@\*\*fT\fhp\fefB, l\¤•W  
Ú\¤x, l\¤•W, \ð\ZQ\Ä, µ, Ä, , ¾, , ³, ç\B

**NIOSWIN -x- 4: NIOS Windows, ï‰%oŠú‰o»Žž, ÉWindowsfZf}ftfH, ðï¬-, µ, æ, x  
, Æ, µ, Ü, µ, ½, ãAŽ, "s, µ, Ü, µ, ½**

ñà-¾  
fññ[fNfXfe][fVf#f", ïf]f,fS, a<É'[, É[], È, çêññAWindows\*\* 3.x, ï‰%oŠú‰o»ftfF][fY, Å, ±, ïfGf‰o][, ã"ñ¶, :, é, ±  
, Æ, ã, , è, Ü, ·B

ñ^'u  
Žg—p, Å, «, éXMSf]f,fS, ð'ñ, å, µ, Ä, , ¾, ³, çñBf][fNfXfe][fVf#f", ïf]f,fS, ÉŠÖ, :, é-å'è, ï‰ðŒ^•û-@, ðŽQ]Æ, µ, Ä, -  
, ¾, ³, çñB

\*fmfxf<, ï‰¤•W@\*\*fT][fhfp][fefB, ï‰¤•W  
ñÚñx, ï‰¤•W, ðŽQ]Æ, µ, Ä, , ¾, ³, çñB

**NIOSWIN -x- 5: NIOS Windows, ï‰%oŠú‰o»Žž, ÉIRQ*Interrupt\_number*, ðftfbfN, µ, æ, x  
æ, µ, Ü, µ, ½, a ÄZ, "s, µ, Ü, µ, ½**

ñà-¾

Windows\*\*, ï‰%oŠú‰o»Žž, Éfï‰[fh, ³, ê, ½fnï‰[fhfEfFfAfffofCfXfhf‰ofoCfo, a Aflfbfgfï‰[fNf{ï‰[fh, a Žg—p, µ, Ä, ç  
éIRQ(fnï‰[fhfEfFfAS,, è ïž, Ý), ð—v<, µ, Ü, µ, ½ B

ñ^'u

fifbfgfï‰[fNf{ï‰[fh, a Žg—p, ·, éIRQ, ð•ï‰X, ·, é, © A ï‰“E, ·, éfffofCfX, a Žg—p, ·, éIRQ, ð•ï‰X, µ, Ä, Ý, Ä, -  
¾, ³, ç Bfifbfgfï‰[fNf{ï‰[fh, Ü, ½, í ï‰“E, ·, éfffofCfX, a Žg—p, ·, éIRQ, í f'f, É, í AMS-  
DOS, IMSD.EXEftï‰[fefBfSfefB, ð—~—p, Å, «, Ü, · B

\*fmfxf, ï‰x•W@\*\*ftï‰[fhfpï‰[fefB, ï‰x•W  
Úx, ï‰x•W, ðŽQæ, µ, Ä, , ¾, ³, ç B

**NIOSWIN -x- 6: NIOS Windows, ï‰ošú  
‰o»žž, Éœýš·«, i, È, çVPICD.386, lfoïfWftf“, æœýo, ³, ê, Ü, µ, ½**

à-¾  
±, ïfGf‰oï[, íANIOS.EXE, æœýš·«, i, È, çWindows\*\* 3.x, lfoïfWftf“, ðfïf[fh, ·, é, Æ”¶, ·, é, ±, Æ, ³, , è, Ü, ·B

\*fmfxf<, ï¤•W@\*\*fTï[fhfpï[fefb, ï¤•W  
Ú¤x, ï¤•W, ðžQÆ, µ, Å, ³/4, ³, çB

## **NIOSWINf]fbfZ]fW**

NIOSWIN -x- 1: fCf“fXfg[]f<,³,ê,Ä,ç,éNIOS.EXE,ÍNIOSWIN.NLM,ÆŒÝŠ·»«,², ,è,Ü,¹,ñ

NIOSWIN -x- 2: WindowsŒÅ—L,ìfvf[]fff...[]fTfCxj“fg,ð“o~^.,,é,ì,É[]\•²,È<ó,«f[]f,fS,², ,è,Ü,¹,ñ

NIOSWIN -x- 4: NIOS Windows,ì[]%oŠú%o»Žž,ÉWindowsfZf}ftfH,ð[]i[]-,µ,æ,¤,Æ,µ,Ü,µ,½,²]AŽ, "s,µ,Ü,µ,½

NIOSWIN -x- 5: NIOS Windows,ì[]%oŠú%o»Žž,ÉIRQInterrupt\_number,ðftfbfN,µ,æ,¤,Æ,µ,Ü,µ,½,²]AŽ, "s,µ,Ü,µ,½

NIOSWIN -x- 6: NIOS Windows,ì[]%oŠú%o»Žž,ÉŒÝŠ·»«,ì,È,¢VPICD.386,ìfo[]fVf#f“,²]ŒÝ[]o,³,ê,Ü,µ,½

**NetWarefefNfjjff<JTf|[]fgflfvfvftf“**

—p^Ó,³,é,Ã,¢,éNetWarefefNfjjff<JTf|[]fgflfvfvftf“,É,Ã,¢,Ã,íÚx,íA“KØ,ÈNetWare\* Client\*  
32\*fwf<fvftf@fCf<AWindows\*\* 95\*\*ADOS/Windows,ðZQÆ,µ,Ã,,¾,³,¢B

\*fmfxf<,í¤•W@\*\*fT[fhfp[fefb,í¤•W  
íÚx,í¤•W,ðZQÆ,µ,Ã,,¾,³,¢B

## f\fbfZ\fW,ÉŠÖ~A,µ,½î•ñ,íŒÝó•û-

“Á’è,íf\fbfZ\fW,ÉŠÖ~A,µ,½î•ñ,ð’T,·,É,í[AŽŶ,ì2,Â,ì•û-@,³, ,è,Ü,·B

1. mŒÝõn,ðŽg—p,µ,ÄAfgsfbfN“à,íf\fbfZ\fW•¶žš—ñ,ðŒÝõð,µ,Ä,,¾,³,¢B  
ftf@fCf<-¼[AŠÖ”-¼Aftf@fCf<fpfxAfo\fWftf”,È,C,ì‰oA•íî•ñ,íA,±,íf}ff...  
fAf<,Å,ífile\_name,È,C,ì,æ,x,ÉfCf^fSfbfN’i,Å•,µ,Ä,¢,Ü,·B

,½,Æ,I,íA\uNIOS-020-001:f\fbfZ\fWftf@fCf<NIOS.MSG,í-³Œø,Å,·Bfvf\fOf‰f€  
,íR\fh,í'tž~,³,ê,Ü,µ,½v,Æ,¢,xf\fbfZ\fW,íA\uNIOS-x-001: f\fbfZ\fWftf@fCf<file\_name,í-  
³Œø,Å,·Bfvf\fOf‰f€,íR\fh,í'tž~,³,ê,Ü,µ,½v,Æ•\ž,³,ê,Ü,·B

2. f,fWf...[f<-¼,Æ\ddot,j,µ,È,çž-•È-¼,ðŽg—p,µ,ÄAf\fbfZ\fW•¶žš—ñ,ðŒÝõð,µ,Ä,,¾,³,¢Bf,fWf...  
[f<,È,Å,¢,Ä,íAModule Names,ÉfAf<ftf@fxfbfg\ft,íSfxfg,³, ,è,Ü,·Bſef,fWf...[f<,È,íA,»,íf,fWf...  
[f<,íf\fbfZ\fW,², ,è,Ü,·Bf\fbfZ\fW,íA‰o,ß,É”Ót\#AŽŶ,ÉfAf<ftf@fxfbfg\ft,È•A,ñ,Å,¢,Ü,·B

,±,ífwf<fvftf@fCf<,í“à—e

,±,ífVfXfef€f[]fbfZ[]fWfwf<fv,É,íANetWare\* Client\* 32\* for Windows\*\* 95\*\*f\ftfgfEfFfA,íf,fWf...  
ílf<,²¶¶¬,·,éf[]fbfZ[]fW,³/₄,·,ð<LÚ,μ,Ä,·,è,Ü,·B

,±,ífwf<fvftf@fCf<,íA[]f'f,Ü,½,ífgf%o fuf<fvf...ílfefBf“fO,ífKfCfh,AE,μ,Äžg—p,·,é,ì,Ä,í,È,íAfGf  
‰,í,ò’ò,AE,À,»,é,ç,ífGf%o,í,È,í,é,í,ü,ò,à,–,¾,μ,½,ífSftf@fCf“fX,AE,μ,Äžg—p,μ,Ä,,¾,³,¢,B,Œ,±,í,éN  
etWareft[]fU,ð,í,Ü,É<Lq,μ,Ä,·,è,Ü,·B

,±,íftf@fCf<,Ä,íAfgf‰,í,í,¶,Œ,^,ö,Æ,‰,ð,Œ,^,•,û,–,ð,–,‰,ð,·,é,í,È,ç,‰,Å,í,ñ,³,•,K,–  
v,Èf[]fbfZ[]fW,³/₄,·,ð,ž,μ,Ä,·,è,Ü,·B,–,‰,ð,·,é,½,ß,í,ò,ñ,ä,š,Ü,é,Ä,¢,éf[]fbfZ[]fW,È,Ä,¢,Ä,í,ò,Ä,í,ò,Ä,  
,íftf@fCf<,Ä,í,ò,à,–,¾,μ,Ä,¢,Ü,¹,ñ,ò,B,±,íftf@fCf<,í,ò,A,±,í,í,ftfgfEfFfA,ä,¶,ò,–,·,é,·,×,Ä,í,ò,fbfZ[]fW,ð,ž,μ,½,à,ì,Ä,í,  
·,è,Ü,¹,ñ,ò,B

fšfXfg,É,·,é,šef[]fbfZ[]fW,É,í,ò,Až,Ý,ì,¤,·,1,Ä,ò,A,Ü,½,í,–,¾,·,û,í,ò,ñ,ä,ò,L,³,é,Ä,¢,Ü,·B

- ð,à,–,¾,:í,ò,±,í,•,·,ä,É,í,ò,Af[]fbfZ[]fW,³,·,ò,ž,μ,Ü,·B
- ð,^,u,í,ò,±,í,•,·,ä,É,í,ò,Af[]fbfZ[]fW,È,ž,μ,Ü,·B

\*fmfxf<,í,ò,¤,·,W,í,ò,¤,·,W@\*\*fT[]fhp[]fefB,í,ò,¤,·,W  
í,ò,Ü,í,ò,¤,·,W,ð,ž,Q,ò,Æ,μ,Ä,,¾,³,¢,B

## **NetWarefVfXfef€f□fbfZ□[fW,Æ,í□H**

NetWare\*fVfXfef€f□fbfZ□[fW,Æ,í□Aflfbfgf□□[fLf“fOfLfgfEfFfA,íNetWare,<sup>2•\</sup>Žl,·,éf□fbfZ□[fW,Å,·□BNetWarefVfXfef€f□fbfZ□[fW,É,í□AŽY,í3Ží—þ,<sup>2</sup>, ,è,Ü,·□B

- fGf%o□I
- Œx□□
- fXfe□[f^fX

NetWarefVfXfef€f□fbfZ□[fW,É,í□AŽY,í^ê•”,Ü,½,í,·,×,Ä,<sup>2•\</sup>Žl,<sup>3</sup>,ê,Ü,·□B

- f□□[fXf,fWf...□[f<-½
- fo□[fWf‡“,Ü,½,ífvf%ofbfgftfH□[f€Žw’è
- □d•;μ,È,¢Ž^-•È-½
- f□fbfZ□[fW•¶Žš—ñ
- fGf%o□[fR□[fh

NIOS,í“TŒ^“I,Èf□fbfZ□[fW,í□AŽY,í,æ,¤,É•\Žl,<sup>3</sup>,ê,Ü,·□B

NIOS-020-001: f□fbfZ□[fWftf@fCf<NIOS.MSG,í-³Œø,Å,·□Bfvf□fOf%oƒ€,íf□□[fh,í’tž~,<sup>3</sup>,ê,Ü,μ,½

‘Á’è,ífOf<□[fv,íf□fbfZ□[fW,í□AŒ`Ž®,<sup>2</sup>□,μ^Ü,È,è,Ü,·□B,½,Æ,í,í□ALANfhf

%oƒCfo,íf□fbfZ□[fW,É,í□Afo□[fWftf””Ô□t,í’ä,í,è,Éfvf%ofbfgftfH□[f€Žw’è,<sup>2•\</sup>Žl,<sup>3</sup>,ê,Ü,·□B

CNE2000-DOS-001: LSL,í□□[fh,<sup>3</sup>,ê,Ü,<sup>1</sup>,ñ,Å,μ,½□B

\*fmfxf<,í□¤•W□@\*\*fT□[fhfp□[fefB,í□¤•W  
□Ú□x,í□¤•W,ðŽQ□Æ,μ,Å,,¾,³,¢□B

## f<sub>0</sub>[fNfxfe][fVftf“,]f<sub>1</sub>f,f<sub>2</sub>S,ÉŠÖ,·,é-à‘è,í‰øŒ^•ù-@

DOS/Windows\*\*f<sub>0</sub>[fNfxfe][fVftf“,]f<sub>1</sub>ê‡

fRf“fxf“fVftfif<f<sub>1</sub>f,f<sub>2</sub>S,ì<ó,«—l`æ,ð’,â,·,É,íAŽY,ì,±,Æ,ðŽÀs,µ,Ä,,¾,³,¢B

▪ •s-v,ÈfAfvfŠfp[fVftf“,ð•Ä,¶,Ä,,¾,³,¢B

▪ •s-v,ÈTSR(f<sub>1</sub>f,f<sub>2</sub>S)“Œ^“fVfOf‰f€,ðfAf“f<sub>0</sub>[fh,µ,Ä,,¾,³,¢(DOS/Windows,ì,Ý)B

▪ fffofCfXfhf‰fCfo,âTSRfvfOf‰f€,ðAXMSAEMS AfnfCf[f,f<sub>2</sub>S,Éf<sub>0</sub>[fh,µ,Ä,,¾,³,¢(DOS/Windows,ì,Ý)B

▪ f<sub>0</sub>[fNfxfe][fVftf“,]SÅ<<,ðC<sub>0</sub>A“-Žž,ÉŠ,\_,éftf@fCf<sub>0</sub>”AfffBfXfNfhf‰fCfo,ÉŠ,,è“-Ä,éfofbftf@”ADOSÅ<<-p,ÉfVfFf<,äS,,è“-,Ä,éf<sub>1</sub>f,f<sub>2</sub>SfTfCfY,ðŒ,,ç,µ,Ä,,¾,³,¢B

▪ f<sub>0</sub>[fNfxfe][fVftf“,]f<sub>1</sub>f,f<sub>2</sub>S,ð’ÙY,µ,Ä,,¾,³,¢B

Žg—p,Ä,«,éXMSf<sub>0</sub>f,f<sub>2</sub>S,ì—È,ð’,â,·,É,íAŽY,ì,±,Æ,ðŽÀs,µ,Ä,,¾,³,¢B

▪ %oÂ”,Ä,„é,íAf<sub>0</sub>f,f<sub>2</sub>S}f<sub>0</sub>[fWff,ìSÅ<<ÝèfvfOf‰f€,ðŽg—p,µ,Äf<sub>0</sub>[fNfxfe][fVftf“,Ä,]f<sub>1</sub>f,f<sub>2</sub>S,ìŽg—p-@,ðYè,µ’¼,µ,Ä,,¾,³,¢B

▪ XMSf<sub>0</sub>f,f<sub>2</sub>S,ðŽg—p,·,é-s—v,ÈfvfOf‰f€,Ü,½,íf,fWf...f<sub>0</sub>[f,<sub>2</sub>œ,µ,Ä,,¾,³,¢B

▪ “Ä’è,]fvfOf‰f€,äZg—p,·,éXMSf<sub>0</sub>f,f<sub>2</sub>S,ì—È,ðŒ,,ç,µ,Ä,,¾,³,¢B

▪ EMSf<sub>0</sub>f,f<sub>2</sub>S,Ö,ìS,,è“-,Ä,ðŒ,,ç,µ,Ä,,¾,³,¢B

▪ XMSf<sub>0</sub>f,f<sub>2</sub>S,ðŽg—p,·,é-s—v,ÈNLMfvfOf‰f€,ðfAf“f<sub>0</sub>[fh,µ,Ä,,¾,³,¢B

▪ NetWare\* Client\* 32\*,]flfbfgf<sub>0</sub>[fNfLffffbfVf...],]TfCfY,ðŒ,,ç,µ,Ä,,¾,³,¢BMax Cache

SizeÝè,ð’²@®,µ,Ä,,¾,³,¢B,±,iÝè,]’²@®,É,Ä,¢,Ä,íANetWare Client 32fwf<fvftf@fCf,ðŽQÆ,µ,Ä,-¾,³,¢B

▪ f<sub>0</sub>[fJf<ffffBfXfNfLffffbfVf...(SMARTDRV.EXE,È,Ç),]TfCfY,ðŒ,,ç,µ,Ä,,¾,³,¢B

▪ f<sub>0</sub>[fNfxfe][fVftf“,]f<sub>1</sub>f,f<sub>2</sub>S,ð’ÙY,µ,Ä,,¾,³,¢B

Windows 95f<sub>0</sub>[fNfxfe][fVftf“,]f<sub>1</sub>ê‡

DOS/Windows,ì,Ý,ÆŽw’è,µ,½¢-Ú’ÈŠO,íADOS/Windows,Ä,ì•ù-@,äŽg—p,Ä,«,Ü,·B,½,¾,µAWindows 95,]f<sub>1</sub>f,f<sub>2</sub>S-—,ì’È’O,]fo[fWftf“,]Windows,Æ,íÜ,È,Ä,Ä,¢,Ü,·B,Ü,,]AWindows 95,]fwf<fv,È<L,³,ê,Ä,¢,é•ù-@,É,¢,äA,»,é,©,çA,±,]fgfsfbfN,ì•ù-@,ðŽg—p,µ,Ä,,¾,³,¢B

\*fmfxf<,íÛ¤•W@\*\*fT[fhfp[fe,fB,íÛ¤•W  
íÛ¤•W,ðŽQÆ,µ,Ä,,¾,³,¢B

 **VfXfef€f□fbfZ□[fW**

**ŠT—v**

NetWare\*VfXfef€f□fbfZ□[fW,Æ,íH  
±,ìfwf<fvftf@fCf<,ì“à—e  
f□fbfZ□[fW,ÉŠÖ~A,µ,½□•ñ,ìŒÝ□õ•û-@

**f,fWf...□[f<-¼**

ABEND

CLIENT32

IPX

NIOS

NIOSWIN

VMLID

\*fmfxf<,ì□¤•W□@\*\*fT□[fhfp□[fefB,ì□¤•W  
□Ú□x,í□¤•W,ðŽQ□Æ,µ,Ä,,¾,³,¢□B

## **□¤•W**

Copyright © 1994-1996, Novell, Inc. All rights reserved. Patent Pending.

### **•Ä¤'Novell, Inc.,ì¤¤•W**

Client 32,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
GroupWise,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
IPX,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
IPX/SPX,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
LANalyzer,í¤A•Ä¤',È,ç,Ñ,É'¼,í¤',É,“,“,é•Ä¤'Novell, Inc.,ì“o~^¤¤•W,Å,·¤B  
Link Support Layer,“,æ,Ñ LSL,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
ManageWise,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NE2000,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare,í¤A•Ä¤',È,ç,Ñ,É'¼,í¤',É,“,“,é•Ä¤'Novell, Inc.,ì“o~^¤¤•W,Å,·¤B  
NetWare 3,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare 4,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare Client,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare Core Protocol,“,æ,ÑNCP,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare Directory Services,“,æ,ÑNDS,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare DOS Requester,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare/IP,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare Loadable Module,“,æ,ÑNLM,í¤A•Ä¤' Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWare Management System ,“,æ,ÑNMS,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
NetWire,í¤A•Ä¤',È,ç,Ñ,É'¼,í¤',É,“,“,é•Ä¤'Novell, Inc.,ì“o~^¤¤•W,Å,·¤B  
Network Support Encyclopedia Professional Volume,“,æ,ÑNSEP,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Novell,í¤A•Ä¤',È,ç,Ñ,É'¼,í¤',É,“,“,é•Ä¤'Novell, Inc.,ì“o~^¤¤•W,Å,·¤B  
Novell Application Notes,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Novell Authorized Reseller,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Novell Gold Partner,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Novell Labs,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Novell Network Symbol,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Novell Platinum Partner,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Novell Technical Services,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Open Data-Link Interface,“,æ,ÑODI,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Packet Burst,í¤A•Ä¤' Novell, Inc.,ì¤¤•W,Å,·¤B  
SPX,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Storage Management Services,“,æ,ÑSMS,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B  
Virtual Loadable Module,“,æ,ÑVLM,í¤A•Ä¤'Novell, Inc.,ì¤¤•W,Å,·¤B

### **fT¤[fhfp¤[fefB,ì¤¤•W**

CompuServe,í¤ACompuServe, Inc.,ì“o~^¤¤•W,Å,·¤B  
Hewlett Packard,“,æ,ÑHP,í¤AHewlett-Packard Company,ì“o~^¤¤•W,Å,·¤B  
IBM,í¤AIInternational Business Machines Corporation,ì“o~^¤¤•W,Å,·¤B  
Intel,í¤AIIntel Corporation,ì“o~^¤¤•W,Å,·¤B  
Microsoft,í¤AMicrosoft Corporation,ì“o~^¤¤•W,Å,·¤B

MS,í AMicrosoft Corporation,ì“o~^í x•W,Å,· B

MS-DOS,í AMicrosoft Corporation,ì“o~^í x•W,Å,· B

Netscape,í A Netscape Communications Corporation,í x•W,Å,· B

Netscape Navigator,í A Netscape Communications Corporation,í x•W,Å,· B

Network Driver Interface Specification, „ ,æ,ÑNDIS,í APC-Plus Communications LP,í x•W,Å,· B

OS/2,í AIinternational Business Machines Corporation,í“o~^í x•W,Å,· B

PostScript,í AAdobe Systems Incorporated,í“o~^í x•W,Å,· B

Unicode,í A Transoft Ltd.,í“o~^í x•W,Å,· B

Windows,í AMicrosoft Corporation,í“o~^í x•W,Å,· B

Windows 95,í AMicrosoft Corporation,í x•W,Å,· B

Windows NT,í AMicrosoft Corporation,í x•W,Å,· B

## **VMLIDf\fbfZ\fw**

VMLID: NDIS is not loaded, cannot register VMLID.

VMLID: Received Packet at Interrupt Time

VMLID: VMLID Failed initializing NDIS Protocol Stack: Error *NDIS\_internal\_error\_code*

VMLID: VMLID has not received a ProtocolBindAdapter callback from NDIS.

## **VMLID: NDIS is not loaded, cannot register VMLID.**

□à-¾

VMLID, ðf□□[fh, , é’O, É]NDIS\*\* (Network Driver Interface Specification\*\*) VxD, ðf□□[fh, μ, Ä, „, •K—v, „, , è, Ü, ·]BNDIS VxD, ðf□□[fh, „, è, Ä, ç, È, ç]é]#AŠÄ<<]Ý'è, É-â'è, „, , é%oÄ"\\«, „, è, Ü, ·]B

□^u

f□□[fNfXfe□[fVf]f“, ð]Ä<N“®, μ, Ä, „, ¾, „, ç]BfGf‰o□[„, „ø, «‘±, «“]¶, , é]é]#ANetWare\* Client\* 32\*f\ftfgfEfFfA, ð]ÄfCf“fXfg□[f<>, μ, Ä, „, ¾, „, ç]B

\*fmfxf<>, l]¤•W]@\*\*fT]□[fhfp□[fefB, l]¤•W  
Ú]x, l]¤•W, ð]ZQ]Æ, μ, Ä, „, ¾, „, ç]B

## VMLID: Received Packet at Interrupt Time

à-¾

Š,,èžž,Ýžž,ÉANDIS,ªNDISfvfjfgfRf·fXf^fbfN,Éff[f^,ð“n,µ,Ä,¢,Ü,·B,±,ê,í•s³,È“®ì,Å, ,èAfVfXfef€,ð”j  
‰óó,·,é,±,Æ,ª, ,è,Ü,·B

^u

fJfbfgf[]fNfhf‰ofo,fxf“f\_,É,±,ì-â’è,ð~A—,µ,Ä,,¾,³,¢Bflfbfgf[]fNfhf‰ofo,ðŒðS·,µ,Ä,,¾,³,¢B

\*fmfxf<,ì¤•W@\*\*fT[fhfp[fe]B,ì¤•W  
Ú¤x,í¤•W,ðŽQÆ,µ,Ä,,¾,³,¢B

**VMLID: VMLID Failed initializing NDIS Protocol Stack: Error *NDIS\_internal\_error\_code***

■à-¾

VMLID,ºNDIS\*\*(Network Driver Interface Specification)fhf  
%ofoCfo,ðNDISfvfùfgfRf<fxf^fbfN,Æ,μ,“o~^,Å,«,Ü,¹,ñ,Å,μ,½B

□^'u

fùù[fnfxfeù[fVf+f”,ð Ä<ñ“® ,μ,“¾,³,¢B

\*fmfxf<,ì¤¤•W@\*\*fTù[fhfpù[fefB,ì¤¤•W  
ùÚùx,ì¤¤•W,ð ZQùÆ,μ,“¾,³,¢B

## VMLID: VMLID has not received a ProtocolBindAdapter callback from NDIS.

À-¾

NDIS\*\*, Íê'èžžšô"à, Éflfbfgf[] [fnfAf\_fvf^, l-L-³, ðVMLID, É'È'm, µ, Ü, ¹, ñ, Å, µ, ½B, ±, lf]fbfZ[] [fW, íAPCMCIAfj[] [fh, ð'•'..., µ, È, ¢, Å<N"®, µ, ½f%ofbfvfgfbfvRf"fsf...[] [f^, Å•\žl, ³, è, é, ±, AE, a, , è, Ü, ·B, Ü, ½, íAfŒfWfXfgfS, É-â'è, a, , èAflfbfgf[] [fnfAf\_fvf^, l-L-³, ðVMLID, É'È'm, µ, È, -, è, l, È, ç, È, ¢, ±, AE, ðNDIS, a"FZ-, µ, Å, ¢, È, ¢, AE[], l, ç, è, Ü, ·B

^u

-â'è, lCE ^ö, ð"À'è, ·, é, ½, B, É[AŽY, l, ±, AE, ðZA]s, µ, Ä, , ¾, ³, ¢B

1. <Ctrl>+<Enter>, ð‰Y, µ, Ä]AWindows\*\* 95\*\*, lf[] [fh, ð'±]s, µ, Ä, , ¾, ³, ¢B
  2. lmflfbfgf[] [fnfRf"fgf[] [f·fpflf, ð•\žl, µ, Ä, , ¾, ³, ¢B
  3. fCf"Xfg[] [f<sub>1</sub>, Y, lf]fbfgf[] [fnf]f%oCfo(ufAf\_fvf^)v, aAflfbfgf[] [fnf]f fh-p, l"KØ, Èfhf%oCfo, Å, , ©Sm" F, µ, Ä, , ¾, ³, ¢B
  4. flfbfgf[] [fnf]f%oCfo, lfvf]fpfefB, ðf'fFfbfN, µ, Ä]AŠ,, è, ž, Y]Af]fg, È, Ç, l]Y'è, a]³, µ, ¢, ©Sm" F, µ, Ä, , ¾, ³, ¢B
  5. flfbfgf[] [fnf]f%oCfo, lf]fCf"fh, ðf'fFfbfN, µ, Ä, , ¾, ³, ¢B]mlPX/SPX CEYŠ-fvf]fgfRf]n, AE]mNovell NDIS Support Module]n, AE, ¢, æ2, Å, l]€-U, a•\žl, ³, è, Ä, ¢, é, ©Sm" F, µ, Ä, , ¾, ³, ¢B
- 3] 5, l"à-e, É-â'è, a, È, -, è, l]AŽg-p, µ, Å, ¢, éflfbfgf[] [fnf]f  
‰oCfo, lf]f@fCf<, aWINDOWSf]ffBfŒfNfgfS, Ü, ½, iWINDOWS\SYSTEMf]ffBfŒfNfgfS, É, , è, ©, Ç, æ, ©Sm" F, µ, Ä, , ¾, ³, ¢B
- , , x, Å, l]ŠÅ<<]Y'è]•ñ, a]³, µ, -, è, l]AWindows 95, ð]Ä<N"®, µ, Ä, , ¾, ³, ¢B  
, , x, Å, ðSm" F, µ, ÄWindows 95, ð]Ä<N"®, µ, ½, , AE, à, ±, lf]fbfZ[] [fW, a•\žl, ³, è, é]ê]#Aflfbfgf[] [fnf]f  
‰oCfo, a]³]l, Èf]f] [fh, ³, è, é, ©]A, Ü, ½]VfXfe]f, a]flfbfgf[] [fnf]f%oCfo, ðf]f] [fh, µ, æ, æ, AE, µ, Å, ¢, é, ©, Ç, æ, ©, ðSm" F, µ, Ä, , ¾, ³, ¢Bflfbfgf[] [fnf]f  
‰oCfo, l]VXD, a]f] [fh, ³, è, È, ¢]ê]#Aflfbfgf[] [fnf]f fh, AE, », l]ŠÅ<<]Y'è, È-â'è, a, È, ¢, ©f'fFfbfN, µ, Ä, , ¾, ³, ¢B

\*fmfxf, l]¤•W]@\*\*fT] [fhfp] [fefB, l]¤•W  
Ú]x, l]¤•W, ðZQ]AE, µ, Ä, , ¾, ³, ¢B



