


Version=2.10 Novell Client 32 Overview Help

Copyright=(c) Copyright 1995, 1996, Novell, Inc. All rights reserved.

See also 

ff[]f^fx[]fXftf@fCf<,lfLffffbfVf"fo

ff[]f^fx[]fXftf@fCf<,lfLffffbfVf"fo,ª-³CEø,Èf,[]fh,ÅšJ,©,ê,é,±,Æ,ª, ,è,Ü,·[]BClient 32*,íOppportunistic Locking:<@\,ðŽg—p,μ,Á[]Aff[]f^fx[]fXftf@fCf<,lfLffffbfVf"fo,ð[]s,ç[]AfNf %ofCfAf"fgf[]fNfXfe[]fVfjf",Åff[]f^fx[]fX,ì'€[]i«,ðCEü[]ã,³,¹,Ü,·[]B

Oppportunistic Locking,ð—LCEø,É,·,é,Æ[]A'¼,É"~,¶ff[]f^fx[]fXftf@fCf<,ðŽg—p,μ,Ä,ç,éft[]fU,ª,ç ,É,~,ê,î[]AClient 32,í,»,ìftf@fCf<,ðfLffffbfVf"fo,μ,Ü,·[]BfRf"fsf...[]f^,ªftf@fCf<ff[]f^,ðfLffffbfVf"fo,μ,Ä,ç ,é,Æ,«,,É•É,ìfRf"fsf...[]f^,ª,»,ìftf@fCf<,ðšJ,,Æ[]Aftf@fCf<,lfLffffbfVf"fo,ìfift,É,È,è,Ü,·[]B

*fmfxf<,ì[]x•W[]@**fT[]fhfp[]fefB,ì[]x•W []Ú[]x,í[]x•W,ðŽQ[]Æ,μ,Ä,,³/4,³,ç[]B

ftf@fCf<ff[]f^,lfLffffbfVf“fo

flfbfgf[]fNCo—R,Åftf@fCf<,ð•Ù‘¶,·,é,Æ,«f[]fNfXfe[]fVf#f“,ì^—[]‘¬“x,ðEü[]ä,³,¹,é,¹/₂,ß[]AClient
32*,lftf@fCf<,ðfT[]fo,É’—[]M,·,é’O,É,Ü,·fNf%ofCfAf“fg,lflffffbfVf...,É•Ù‘¶,µ,Ü,·[]B,±,ê,É,æ,è[]AClient
32,³fofbfNfOf%ofEf“fh,Åflfbfgf[]fN,Éff[]f^,ð•Ù‘¶,·,éŠÖ[]Af+[]fU,í¹/₄,ì[]<Æ,ð’±,¬,é,±
,Æ,³,Ä,«,Ü,·[]B[]Ü[]x,í[]ANWCFG95.HLPftf@fCf<,lCache Writes,ðŽQ[]Æ,µ,Ä,,³/₄,³,ç[]B

*fmfxf<,ì[]x•W[]@**fT[]fhfp[]fefB,ì[]x•W
[]Ü[]x,í[]x•W,ðŽQ[]Æ,µ,Ä,,³/₄,³,ç[]B

Client 32, ĨŠT—v

Client 32, Ĩ, ĨH

ĨV, Ĩ, Ĩ: @”\

fCf“fXfg Ĩ Ĩf, Ĩ• ŨŽç

Client 32*, Ĩ’¼, ĨNetWare*fNf%ofCfAf“fg, Ĩ”äŠr

*fmfxf<, ĨĨ•W Ĩ@**fT Ĩ Ĩfhfp Ĩ ĨfefB, ĨĨ•W
ĨŨx, ĨĨ•W, ðŽQ Ĩ Ĩ, Ĩ, Ĩ, ¼, ¼, ç ĨB

Client 32,ìjpfH[]f"fx

Client 32*, íæí,ìA[]lfefNf`ff,ðŽæ,è“ü,è,Ä,ç,é,½,ìA'¼,ìNetWare* Client*,æ,è,à, '¬,Å,·BClient
32,ìtf@fCf<,âfìfbfgf[]fNî•ñ,È,ÇA•p”É,ÉŽg—p,³,é,éff[]f^,ðfLffffVf...f[]f,fS,É“ü,è,Ä, ;,-
,½,ìA[]fbfgf[]fN,ìfgf%oftfBfbfN,^aÇE,è[]AfNf%ofCfAf“fgfRf“fsf...[]f^,ì%ž“šžžŠÖ,^aZ[]k,³,è,Û,·BClient
32,ìNetWaref[]f_fuf<f,fWf...[]f<*(NLM)ftfH[]f}fbfg,É32frfbfgfA[]lfefNf`ff,ð[]—p,µ[]AVLM*fNf
%ofCfAf“fg,æ,è,à—D,è,½jpfH[]f}f"fx,ðŽÆ».,µ,Ä,ç,Û,·B

*fmfxf<,ìx•W[]@**fT[]fhfp[]fefB,ìx•W
[]Ü[]x,ìx•W,ðZQ[]Æ,µ,Ä,,¾,¾,ç[]B

Client 32, ĩfvf ĩfgfRf<fTf ĩfg

Client 32*, ĩ• ĩ” , ĩ<ÆŠE•W ĩ€fvf ĩfgfRf<, ğfTf ĩfg, μ, Å, ç, Ü, · ĩB

- Windows** 95** , ĩŽÀ’• , , éTCP/IP ĩAft ĩfof ĩfbfZ ĩfWfuf ĩfbfN(SMB) ĩAWindows Socket (Winsock) ĩA-¼’O•t, «fpfCfv ĩANetBIOS
- Client 32 IPX*fvf ĩfgfRf<fXf^fbfN, ĩWindows 95 WSOCK32.DLL, ğfTf ĩfg, μ, Ü, · ĩB
- ŠÈ^Ŏf ĩfbfğf ĩĩfNŠÇ— ĩfvf ĩfgfRf<(SNMP)
- NetWare* Client* 32 for Windows 95, ĩMicrosoft** Client for Microsoft Networks, ĩAMicrosoft Networksft ĩĩrfX(SMBft ĩfo)—p, ĩftf@fCf<, ” , æ, ĩfvfŠf“f^<æ—L, Æ<æ’¶, Å, «, Ü, · ĩB

*fmfxf<, ĩĩæ•W ĩ@**ft ĩfhfp ĩfB, ĩĩæ•W
ĩÜ ĩx, ĩĩæ•W, ĩŽQ ĩÆ, μ, Å, , ¼, ¾, ç ĩB

Client 32,î^À'è□«

Client 32*, íĈ»□Ÿ"ì" ,,,³,ê,Ä,ç,éNetWare*f|f|b|f|g|f□□[fN—p,ìfNf
%o|C|f|A|f"fgfSfNfGfXf^,ì't,Å□Å,à^À'è□«,^a, ,è,Ü,·□BClient
32fSfNfGfXf^,ìfvf□fefNfgf,□[fh,Å" @□ì,·,é,½,ß□Af}fVf"□ä,ì'¼,ìfvf□fOj%of€,íClient 32fSfNfGfXf^—p,É—\—
ñ,³,ê,Ä,ç,éf□f,fS,ðZg—p,·,é,±,Æ,í,Ä,«,Ü,¹,ñ□Bf|f|b|f|g|f□□[fNfT□[frfX,^aZ,"s,μ,½□é□‡,Å,à□AfRf"fsf...
□[f^,^a" @□i,μ,½,Ü,Ü,ì□ó'Ô,Å□AfNf%ofCfAf"fg,íZ,"s,μ,½fT□[frfX,É□Ä□Ü'±,μ,Å□AfRf"fsf...
□[f^,ìf|f|b|f|g|f□□[fNŒÂ««^a,ð□Ä□\z,·,é,±,Æ,^a,Å,«^a,Ü,·□B

*f|f|b|f|g|f<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ü□x,ì□x•W,ðZQ□Æ,μ,Ä,,³/₄,³,ç□B

Client 32,É,æ,éf_fCf,,f<fAfbfvflfbfgf□□[fN,lfTf|□[fg

Client 32*,íWindows** 95**f_fCf,,f<fAfbfvflfbfgf□□[fN,ðfTf|□[fg,μ,Û,·□BfRf“fsf...
□[f^,³f,fff€□AISDNflfbfgf□□[fNfAf_fvf^□A,Û,½,ìX.25flfbfgf□□[fN□Ú'±,ð'•"ð,μ,Ä,ç,ê,î□AWindows
95,É•t'©,lf_fCf,,f<fAfbfvflfbfgf□□[fNfvf□fOf%œf€,ðŽg—p,·,é,±,Æ,³,Ä,«,Û,·□Bf_fCf,,f<fAfbfvflfbfgf□□[fN,É,Ä,ç
,Ä,ì□Ú□x,í□A□wMicrosoft** Windows 95fŠf□[fXfLfbfg□x,ðŽQ□Æ,μ,Ä,,³/4,³,ç□B

Client 32,lf_fCf,,f<fAfbfvflfbfgf□□[fN,ì,½,ß,É□ANovell* NetWare Client 32—p,ìIPX* 32frfbfgfvf□fgfRf<,ðŽg—
p,μ,Û,·□B
f,fff€,ð'É,¶,Ä_fCf,,f<fAfbfv□Ú'±,ðŠm—š,·,é,Æ□A'¼,lf_lfbfgf□□[fNfAf_fvf^,É,æ,éflfbfgf□□[fN□Ú'±,í
%œð□œ,³,ê,Û,·□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ú□x,í□x•W,ðŽQ□Æ,μ,Ä,,³/4,³,ç□B

Client 32,Æ¼,ìNetWareNf%ofCfAf“fg,ì”äŠr

Client 32*, íAVLM*fvtfgEfffA,Æ,í^ù,È,éæi,lfA[fLfefNf`ff,ð]—p,µ,Ä,ç,Ü,·B,±
,ìV,µ,çfA[fLfefNf`ff,Ä,ìAWindows** 3.1x,ÆDOS,lfNf%ofCfAf“fg,³vf[feNfgf,[]fh,ÅNf%ofCfAf“fgf
ftfgEfffA,ðŽÀ[s,Ä,«,Ü,·BClient 32,Ä,í•K—v,ÈRf“fxf“fvf#fj:fj,fS,³4KB-ç-
ž,Ä, ,é,½,ßAfjfbfgf[]fNfLfffbfvf...,É’½,,lfj,fS,ðŽg—p,Ä,«,Ü,·B

NetWare* Client 32* for Windows 95**,ÍŽŸ,ì“_Ä,àVLMfvtfgEfffA,âNetWare Client 32 for
DOS/Windows,Æ^ù,È,Ä,Ä,ç,Ü,·B

- Client 32,ðf[]fh,·,é,ì,ÉSTARTNET.BATftf@fCf<,ðŽg—p,µ,Ü,¹,ñBWindows 95,í•N“ @Žž,ÉClient
32,ðf[]fh,µ,Ü,·B
- NET.CFGftf@fCf<,íÊí•K—v, ,è,Ü,¹,ñBŠÄ<«Ý’è,Ívf[]pofefBfv[]fg,ðŽg—
p,µ,Ä[s,çAÝ’è,ÍfCfWfXfgfS,É•Ü’¶,³,è,Ü,·B
- Client 32,íWindows 95,ÉŽÀ’•,³,è,Ä,ç,éMicrosoft**,ìWinsockA-¼’O•t,«fpfCfvANetBIOSATCP/
IP,ì,ÆCEÝŠ·««,³,è,Ü,·B
- fXfgfC[]fWf}f[]fWf“fgfT[]fX*(SMS*)—p,lf^[]fQfbfgfT[]fXfgG[]fWfFf“fg,í, ,è,Ü,¹,ñB
- Client 32,íWindows 95fCf“f^ftfF[]fX,ðŽg—p,µAfjfbfgf[]fNfRf“fsf...[]f^[]fGfNfXfvf[]f
%[]fRf“fgf[]f<fpfj<,ì<@\,ðŠg’£,µ,Ü,·B,±
,é,É,Ífjfbfgf[]fNfvfS“f^[]fjfbfgf[]fNfpfXf[]fh[]fAft[]fUfvf[]ftf@fCf<[]fVfXfef€fjSfV,É’í,·,éftfj
[]fg,àŠÜ,Ü,è,Ü,·B

*fmfxf<,ì•W[]@**ft[]fhfp[]fefB,ì•W
[]Üx,ì[]•W,ðŽQ[]Æ,µ,Ä,,¾,¾,ç[]B

fLfffbfVf...,İff[]f^Š®‘S[]«,İ•Ü[]Ø

Client 32*, í[]Aff[][f^,đ•Ü‘¶,µ,½,Æ,ç,æ%ž“š,đfT[]fo,©,çŽó, ~Žæ,é,Ü,ÅfNf
%ofCfAf“fg,İf[]f,fS,Éff[]f^,đ•ÜŽ[],µ,Ü,·[]Bff[]f^,đfT[]fo,É•Ü‘¶‘t,ÉfT[]fo,žg—p,Å,«,È,,É,é,Æ[]AClient
32,İ[]Ú‘±,žg—p%oÅ“\,É,È,Å,½ŽŽ“_„Å“~,¶ff[]f^,đfT[]fo,É[]Ä‘—[]M,µ,Ü,·[]B,±,İff[]f^•ÜCEi<@“\,İ[]M—
Š[]«,ÍAuto Reconnect Levelpf%of[]f^,İ[]Y’è,É,æ,Å,ÅÆ^,Ü,è,Ü,·[]B

*fmfxf<,İ[]æ•W[]@**fT[]fhfp[]fefB,İ[]æ•W
[]Ü[]x,Í[]æ•W,đŽQ[]Æ,µ,Å,,¾,¾,ç[]B

%ü'P,³,ê,½ŠÂ«Y'è

Client 32*, íŠJ, ç, Ä, ç, é\ſPfbfg", âŠJ, ç, Ä, ç, éftf@fCf<", È, Ç, ðŽ!, .fpf%of[f^, ðŽ©"®"l, É'²® , μ, Ü, ·B, ±, ê, ç, ìfpf%of[f^, Å, ÍŠÂ«Y'è, ÌŽèŠÓ, ðE, , ±, Æ, ³, Å, «, Ü, ·B

Client 32—p, ìfpf%of[f^, ímfſfbfgf[fNnfRf"fgf[f<fpf<, ðŽg—p, μ, ÄY'è, Å, «, Ü, ·BClient 32, ìfpf%of[f^, É%Å, ì, ½•íX, ì'½,, ì, ·, ®, É—LÆø, É, È, è, Ü, ·B•íX, ð—LÆø, É, ·, é, ½, ß, ÉAfRf"fsf...
[f^, ðÅ·N"®, ·, é•K—v, ì, , è, Ü, ¹, ñB

*fmfxf<, ìx•W@**fT[fhfp[fefB, ìx•W
Üx, ìx•W, ðŽQÆ, μ, Å, , ¾, ¾, çB

%ü‘P,³,ê,½f,fšŽg—p-@,ÆfLfffbVf“fO

Client 32*,í4KB,μ,©fRf“fxf“fVf#fif:fff,fš,ðÁ“i,μ,Ü,¹,ñBŽc,è,lf,fš,íXMSff,fš,ÉŠ,,,è“-
,Ä,ç,ê,Ü,·BfRf“fsf...ff^,ÄŽg—p,Ä,«,éff,fš—É,É%ž,¶,ÄAClient 32,íó,«ff,fš,í75%,Ü,Ä,ðfLfffbVf...
ff,fš,Æ,μ,ÄŽg—p,Ä,«,Ü,·B

fftfHf<fg,Ä,íAflfffbVf“fO—p,ÉŠ,,,è“-.,Ä,ç,ê,éff,fš—É,íACLIENT32.NLMftf@fCf<,íffffhŽž,Éó,ç,Ä,ç
,éff,fš,í25%,Ä,·BCLIENT32.NLMftf@fCf<,íWindows** 95**,ì, ,Æ,Éffffh,³,ê,Ü,·BfLfffbVf...fTfCY,íMax
Cache Sizepf%ffff^,É,æ,Ä,ÄY’è,Ä,«,Ü,·B,Ü,½AFile Cache Levelfpf
%ffff^,í,ðm0n,ÉY’è,μ,Ä,àAflfffbVf“fO,ðfft,É,Ä,«,Ü,·B

ff,

,±,ífššffX,Ä,íAflfffbVf...ff,fš,íÄ“í,ÉŠ,,,è“-.,Ä,ç,ê,é,½,ßAfvXfef€,Æ<—L,·,é,±,Æ,í, ,è,Ü,¹,ñB Client
32,í<—^,ífššffX,Ä,íA<—LfvXfef€ff,fš,ðTf|ffg,·,é—\’è,Ä,íB,Ä,Ü,èA•K—v,É%ž,¶,ÄfvXfef€—
p,Éff,fš,ð%ð•ú,·,é,æ,æ,É,É,è,Ü,·B

*fmfxf<,íx•W@**fTffhfpffefB,íx•W
Üx,íx•W,ðŽQÆ,μ,Ä,,¾,¾,çB

fcf"fxfg[]f<,Æ•ŮŽç

flfbfgf[][fNfX[]fjpfofCfU, í[]AACU, Ů, ½, íNetWare Application Manager, đŽg—
p, μ, Ā[]Aflfbfgf[][]fN[]ã, lfRf"fsf...[]f^, ÉClient 32*, đ"z•t, ., é, ±, Æ, ð, Ā, «, Ů, .[]B, ³, ç, É[]AMSBATCH Setup, Æ, ç
, xfcf"fxfg[]f<fvf[]fOf%of€, đ1%ñŽĀ[]s, ., é, ¾, -, Ā[]AWindows** 3.1x, lfRf"fsf...[]f^, đWindows 95**, ÆClient
32, ÉfAfbfvfOf[]f[]fh, ., é, ±, Æ, à, Ā, «, Ů, .[]B

Client 32, ÍŠÈ'P, É•ŮŽç, Ā, «, é, æ, x, É[]ì[]-, ³, ê, Ā, ç, Ů, .[]BACU, đŽg—p, ., é, Ī[]Af[][]fjff<fRf"fsf...
[]f^, àflfbfgf[][]fN[]ã, lfRf"fsf...[]f^, lfvtfgfEjFfA, đf[]fOfCf"Žž, ÉŠÈ'P, ÉfAfbfvfOf[]f[]fh, ., é, ±,
, Æ, ð, Ā, «, Ů, .[]BClient 32, ÍŠĀ«[]Y'è[]î•ñ, đf[]fWfXfgfŠ, É•Ů'¶, ., é, ½, ß[]AClient 32, lfpf%of[][]f^, lfVfXfef€f|
fŠVfGfffBf^, đŽg—p, μ, ĀŠÇ—[], ., é, ±, Æ, ð, Ā, «, Ů, .[]B

*fmfxf<, l[]x•W[]@**fT[]f[]hfp[]f[]f[]B, l[]x•W
[]Ů[]x, l[]x•W, đŽQ[]Æ, μ, Ā, , ¾, ³, ç[]B

LANfhf%ofCfo,ìĈŸŠ·«

Client 32*, í32frfbfg,Æ16frfbfg,ìODI,ÆENDIS,ìLANfhf%ofCfo,ðfTf|[]fg,μ,Û,·[]BĈ»[]ÝŽg—p,μ,Ä,ç,é,f|fbfgf[]fNfAf_fvf^,É'í%oož,μ,½32frfbfgLANfhf%ofCfo,ª, ,è,ìA,È,é,x,,»è,ðŽg—p,μ,Ä,,¾,¾,ç[]BNDISfhf%ofCfo,É"à,x,é,Æ[]AODI LANfhf%ofCfo,É,ívf[]fgfRf<'ñ^È'¶[]«[]A^À'è[]«[]Af|pftfH[]f}f"fx,ª—Ç,ç,Æ,ç,æ—,æ—~"_,ª, ,è,Û,·[]BClient 32,í,fWf...[]f<,íNetWare*f[]f_fuf<fWf...[]f<*(NLM)Ĉ`Ž@,ðŽg—p,·,é,½,ß[]ANetWare* 4*fT[]fo,Á"®[]ì,·,éODI LANfhf%ofCfo,ðŽg—p,·,é,±,Æ,ª,Ä,«,Û,·[]BfT[]fhfp[]f|fBfxf"f_ì,Û,Æ,ñ,Ç,ì[]Aflfbfgf[]fNfAf_fvf^—p,É16frfbfg,Æ32frfbfg,ìODIfhf%ofCfo,ð<Ÿ<<,μ,Ä,ç,Û,·[]BODIŽd—I,Á,ì[]AFDDI|f|fbfgf[]fNfAf_fvf^,àfTf|[]fg,Ä,«,Û,·[]B16frfbfgNetWarefNf%ofCfAf"fg,É,æ,Á,ÁfTf|[]fg,¾,è,Ä,ç,éARCnet,à'¼,ífgf|f[]fW,ì[]A16frfbfgODI LANfhf%ofCfo,ðPC32MLID,Æ^è[][],ÉŽg—p,·,é,±,Æ,É,æ,è[]AClient 32,Á,àfTf|[]fg,¾,è,Û,·[]BNetWare Client* 32* for Windows** 95**,ìŽŸ,ìLANfhf%ofCfo,ðfTf|[]fg,μ,Û,·[]B

- []wODI* Developer's Guide for NetWare Server Driver Hardware Specific Modules Driver Specification Versiton 3.3[]x,Û,½,ì[]wNetWare HSMS (C language) Version 1.10[]x,ìŽd—I,É[]€<',·,é32frfbfgODI LANfhf%ofCfo[]BNetWare 4.1j—p,ì"F`è[]ì,Ÿfhf%ofCfo,ì^è",íClient 32,ÆĈŸŠ·«,ª, ,è,Û,·[]B

- 16frfbfgODI LANfhf%ofCfo.

- 32frfbfg,Æ16frfbfg,í|fbfgf[]fNffofCfXfCf"f^ftfF[]fXŽd—I**(NDIS**)fAf_fvf^fhf%ofCfofmfxf<,ì,±,íŸŸŸ[]fX,ÉŠÛ,Û,è,Ä,ç,éfhf%ofCfo,¾,~,ðfefXfg,μ,Û,μ,½[]B

*fmfxf<,ì[]x•W[]@**fT[]fhfp[]f|fB,ì[]x•W[]Û[]x,ì[]x•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

NetWare Application Manager

NetWare Application Manager,É,Â,ç,Ï,Ú,×,Í,AAPPSNAP.HLPftf@fCf<,öŽQ,Æ,μ,Ä,,¾,³,çB

V,μ,¢<@”\

Windows**fOfCf“

fGfNfXfvf[f%o,âflfbfgf[fNfRf“fsf...[f^,Æ,ì“

Windows 95**,&A,ìNDS*fTf|f|fg

%ü‘P,³,ê,½ŠÀ<<Ï’è

%ü‘P,³,ê,½fpftfH[f}f“fX

%ü‘P,³,ê,½fLfffbfVf“fO

f_fCfAf<fAfbvflfbfgf[fN,ìTf|f|fg

32frfbfgLANfhf%ofCfo,ìTf|f|fg

•i“fvf|fgfRf<,ìTf|f|fg

WWW(World Wide Web)fuf%ofEfU,ìŽg—p

*fmfxf<,ìx•W@**fT|[fhfp|[fefB,ìx•W

Ux,ìx•W,δZQÆ,μ,À,,¾,¾,¢B

ŠĀ««,İfjxf^f}fcfy,İŠT—v

fppf%of□□[f^,đ'²□@,·,é,İClient 32*,đŽ©•ª,İfİfbfgf□□[fNŠĀ««,É□‡,æ,æ,æ,É□Ā“K%»»,·,é,±,Æ,ª,Ā,«,Ü,·□BClient
32fppf%of□□[f^,İffftfHf<fg'l,İf□f,fŠ,đ—]•ª,ÉŽg—p,·,é,±,Æ,È,□A□Ā'â,İfppftfH□[f}f“fX,đŽĀ«»»,·,é,æ,æ,
,É□Y'è,³,ê,Ā,ç,Ü,·□Bf□f,fŠ,İŽg—p—È,đCE,·,ç,μ,½,è□A'—“x,ª'x,,È,Ā,Ā,àff□[f^'¹Ž,·,đ-h,® ,æ,æ,ÉClient
32,đ'²□@,·,é,±,Æ,ª,Ā,«,Ü,·□B

ŽŸ,İ•\,É□A'—“x□Aff□[f^,İŠ®'S□«□Aff□f,fŠ,İ,» ,é,¼,ê,đ'İ□Ü,ÉClient 32,đ□Ā“K%»»,·,é□é□‡,İCEø
%»É,đŽİ,μ,Ü,·□B

□Ā“K	'á%»» ,·,é,à,İ
%»»,İ'İ□Ü	
'—“x	f□f,fŠ□Aff□[f^,İŠ®'S□«
ff□[f^,İŠ®'S	'—“x
□«	
f□f,fŠ	'—“x

*fmfxf<,İ□æ•W□@**fT□[fhfp□[fefB,İ□æ•W
□Ü□x,İ□æ•W,đŽQ□Æ,μ,Ā,,¾,³,ç□B

ftfo,iffbfxfNfXfy[fX,a•s'«.,μ,½ê‡

Client 32*,ÍTfo,É,«ž,Þ'O,ÉfNfXfe[Vf‡],Íf,fŠ,Éftf@fCf<,ð•Ú'¶,μ,Û,·B,±,ì,½,ßAClient
32,afofbfNfOf%Ef"fh,ÁfIfbfgfN,Éff[f^,ð•Ú'¶,·,é,ì,Æ•Ås,μ,ÅAfAfvfŠfP[fVf‡",Í<Æ,ð'±,·,é,±,
Æ,ª,Ä,«.,Û,·B

ftf@fCf<,ð•Ú'¶,·,é,ì,É\ª,ÉfXfy[fX,ª,É,çfIfbfgfNfNfHf<f_,Éft[fU,afTf@fCf<,ð•Ú'¶,μ,æ,ª
,Æ,·,é,ÆAftf@fCf<,ð•Ú'¶,μ,½fAfvfŠfP[fVf‡",ª•Ú'¶,É-CE÷,μ,½,Æ'É'm,μ,½ê‡,Ä,àAClient
32,ÍfIfbfgfNfNfHf<f_,ÁffBfXfNfXfy[fX,a•s'«.,μ,Ä,ç,é,±,Æ,ð'm,ç,¹,Û,·B
,±,ì,æ,ª,Éê‡,ÍAftf@fCf<,ð•É,ÍftfHf<f_,É•Ú'¶,·,é,©AÅ%
,Æ"·,¶ÍftfHf<f_,ìó,«fXfy[fX,ð',â,μ,Ä,©,çÄ"xftf@fCf<,ì•Ú'¶,ð's,Ä,Ä,,¾,¾,ç,çB

ŽŸ,É,±,ì-â'è,ðª,©,è,â,·,à-¾,μ,Û,·B

1. fAfvfŠfP[fVf‡",ÍfIfbfgfNfNfhf%ofCfu,Éff[f^,ð',«ž,Ÿ,Û,·B
2. Client 32,ÍfAfvfŠfP[fVf‡",ÉA-CE÷,μ,½,±
,Æ,ðŽ,·fR[fh,ð•Ö,μ,Û,·BfAfvfŠfP[fVf‡",í¼,ÍvfZfX,ð'±,·,Û,·B
3. Client 32,ÍAfNf%ofCfAf"fgrf"fsf...[f^,ÍfLffbfVf...f,fŠ,©,çTfo,Öff[f^,ð"]-μ,Û,·B
4. "]-,ì"r't,ÅAftfo,ÍOUT_OF_DISK_SPACEfGf%ofR[fh,ðClient 32,É•Ö,μ,Û,·B
5. Client 32,ÍNf%ofCfAf"fgrf"fsf...[f^â,ŽŸ,ÍXfe[f^fXfbfZ[fW,ð'É'm,μ,Û,·B

"Out of disk space writing file <filename> to server <server name>."

"Try deleting some files before continuing."

"Warning: You will lose data if you hit 'Cancel'."

ftfHf<f_,ìó,«fXfy[fX,ð',â,μ,½,ÆmRetryn,ð'l'ð,·,é,ÆAff[f^,ªž,·,í,è,·,Éftf@fCf<,afTfHf<f_,É',«ž,Û,è,
Û,·BmCanceln,ð'l'ð,·,é,ÆAff[f^"]-fvfZfX,Í-
¹,μAftf@fCf<,ÍTfo,É•Ú'¶,³,è,Û,¹,ñBft[fU,Íftf@fCf<,ðž,·,í,È,ç
,æ,ªA•É,ÍftfHf<f_,Éftf@fCf<,ð•Ú'¶,·,é,x,«.,Ä,·B

Client 32,Áff[f^,ðfIfbfgfNfNfhf%ofCfu,É'¼ÛÚ•Ú'¶,·,éê‡,ÍACache Writespf
%of[f^,ðmoffn,ÉY'è,μ,Ä,,¾,¾,ç,çB

*fmxf<,ìª•W@**fT[fhfp[fefB,ìª•W
Û×,Íª•W,ðŽQÆ,μ,Ä,,¾,¾,ç,çB

•W

Copyright © 1994-1996, Novell, Inc. All rights reserved. Patent Pending.

•Novell, Inc.,

- Client 32, Novell, Inc.,
- GroupWise, Novell, Inc.,
- IPX, Novell, Inc.,
- IPX/SPX, Novell, Inc.,
- LANalyzer, Novell, Inc.,
- Link Support Layer, Novell, Inc.,
- ManageWise, Novell, Inc.,
- NE2000, Novell, Inc.,
- NetWare, Novell, Inc.,
- NetWare 3, Novell, Inc.,
- NetWare 4, Novell, Inc.,
- NetWare Client, Novell, Inc.,
- NetWare Core Protocol, Novell, Inc.,
- NetWare Directory Services, Novell, Inc.,
- NetWare DOS Requester, Novell, Inc.,
- NetWare/IP, Novell, Inc.,
- NetWare Loadable Module, Novell, Inc.,
- NetWare Management System, Novell, Inc.,
- NetWire, Novell, Inc.,
- Network Support Encyclopedia Professional Volume, Novell, Inc.,
- Novell, Novell, Inc.,
- Novell Application Notes, Novell, Inc.,
- Novell Authorized Reseller, Novell, Inc.,
- Novell Gold Partner, Novell, Inc.,
- Novell Labs, Novell, Inc.,
- Novell Network Symbol, Novell, Inc.,
- Novell Platinum Partner, Novell, Inc.,
- Novell Technical Services, Novell, Inc.,
- Open Data-Link Interface, Novell, Inc.,
- Packet Burst, Novell, Inc.,
- SPX, Novell, Inc.,
- Storage Management Services, Novell, Inc.,
- Virtual Loadable Module, Novell, Inc.,

f[hfp]fB,

- CompuServe, CompuServe, Inc.,
- Hewlett Packard, Hewlett-Packard Company,
- IBM, International Business Machines Corporation,
- Intel, Intel Corporation,
- Microsoft, Microsoft Corporation,

MS, í Microsoft Corporation, ì“ó~^ ç•W, Å, · çB
MS-DOS, í Microsoft Corporation, ì“ó~^ ç•W, Å, · çB
Netscape, í A Netscape Communications Corporation, ì ç•W, Å, · çB
Netscape Navigator, í A Netscape Communications Corporation, ì ç•W, Å, · çB
Network Driver Interface Specification, ÿ, æ, ÑNDIS, í APC-Plus Communications LP, ì ç•W, Å, · çB
OS/2, í International Business Machines Corporation, ì“ó~^ ç•W, Å, · çB
PostScript, í Adobe Systems Incorporated, ì“ó~^ ç•W, Å, · çB
Unicode, í A Transoft Ltd., ì“ó~^ ç•W, Å, · çB
Windows, í Microsoft Corporation, ì“ó~^ ç•W, Å, · çB
Windows 95, í Microsoft Corporation, ì ç•W, Å, · çB
Windows NT, í Microsoft Corporation, ì ç•W, Å, · çB

16frfbfgODI LANfhf%ofCfo,ìŽg—p

Client 32,íwNovell ODI Specification: 16-bit DOS Client HSMs[x,É€<',,é16frfbfgODI LANfhf %ofCfo,đfTf|[]fg,μ,Ü,·B

Client 32,Á16frfbfgODIfhf%ofCfo,đŽg—p,μ,½ê#[]ASetup,đŽÀ[s,·,é,Æ[]A16frfbfgODIfhf%ofCfo,ÁŽg— p,³,é,é16frfbfgAPI,đ32frfbfgAPI,É•İŠ·,·,é,½,ß,lfjftfgfEjfFA,³f[]fh,³,é,Ü,·BClient 32,Á,±,ì•İŠ·,ð[s,Á,Á,ç ,é,ì,íPC32MLID.LAN,Á,·B

*fmfxf<,ìx•W[]@**fT[]fhfp[]fefB,ìx•W []Ú[x,ìx•W,đŽQ[]Æ,μ,Á,,³/₄,³,çB

Client 32,Æ,Í,H

NetWare* Client* 32* for Windows** 95**,đŽg—p,·,é,ÆAWindows 95,ª“@ì,·,éfRf“fsf...[]f^,©,çNovell*
NetworkfŠf[]fX,ÉfAfNfZfX,Å,«,é,æ,æ,É,È,è,Û,·BClient 32,ÍA”ñí,É,‘¬,ÅM—Š«,ì,·,çfNf%ofCfAf“fgf\
ftfgfEfFfA,Å,·BClient 32,ÍfCf“fXfg[]f<,Æ·ÙŽç,ªŠÈ’P,Å, ,èAfmfxf<flfbfgf[]fNfT[]fjrfX,ÆWindows
95,đfV[]f€fCfX,É“[]f,μ,Û,·B

*fmjxf<,ìx•W@**fT[]fhfp[]fefB,ìx•W
[]Úx,Íx•W,đŽQÆ,μ,Å,,¾,³,çB

Windows 95,Æ,ì“□□‡

Client 32*,íWindows** 95**ŠÂ<«,Æ^ê'ì%oo»,μ,Ä□AfGfNfXfvf□□[f%oo,âf|fbfgf□□[fNfRf“fsf...□[f^,È,Ç,ìWindows
95,ìft□[fefBfŠfefB<@“\,ð<%oo»,μ,Ü,·□B,±,ê,É,æ,Á,ÁClient 32,ÆWindows 95fRf“fsf...□[f^,ìŠÇ—
□,ªŠÈ'P,É,È,è,Ü,·□BClient 32,í'·,çftf@fCf<-¼,àftf|□[fg,μ,Ü,·□B

*fmfxf<,ì□x•W□@**fT□[fhfp□[fefB,ì□x•W
□Ü□x,í□x•W,ðZQ□Æ,μ,Ä,,¾,¾,ç□B

Windows 95, Å, Ì, Î, Ñ, Ò, Ó, Ô, Õ, Ö, Ø, Ù, Ú, Û, Ü, Ý, Þ, ß, à, á, â, ã, ä, å, æ, ç, è, é, ê, ë, ì, í, î, ï, ð, ñ, ò, ó, ô, õ, ö, ø, ù, ú, û, ü, ý, þ, ß

Client 32*, É, æ, Á, Ä, Å, A, Windows** 95**ft[]fU, Í, NetWare*fffBfCefNfgfŠfT[]frrfX*fa[]fLfefNf`ff, Ö, Ø, Ù—
!“, É, f, N, f, Z, f, X, Å, «, Ü, ·, B, Client 32, ð, Ž, g—p, ·, é, î, A, ·, i, “, ì, f, c, Š, [], É, Ü, ½, ¢, Á, Ä, f, l, b, f, g, f, [], f, N, f, T, [], f, r, f, X, ð, f, u, f
%o, f, E, f, Y, µ, ½, è, A, f, l, b, f, g, f, [], f, N, f, R, f, “, f, s, f, . . . [], f, ^, â, f, G, f, N, f, X, f, v, f, [], f, %, ©, ç, ^, ó, ù, ·, é, f, l, b, f, g, f, [], f, N, f, T, [], f, r, f, X, ð—~—
p, Å, «, Ü, ·, B

Client 32, ð, Ž, g—p, ·, é, Å, A, NetWarefAfhf~fjffXfgfC[]f^(NWADMIN), â, NetWare Application Manager, È, Ç, Ì, Š, Ç
—[]Ž, Ö, f, t, [], f, e, f, B, f, Š, f, e, f, B, ð, Windows 95[]ã, Å, Ž, A, [], s, ·, é, ±, Å, à, Å, «, Ü, ·, B, ±
, è, ç, ì, f, t, [], f, e, f, B, f, Š, f, e, f, B, Å, Ì, A, f, t, [], f, U, f, A, f, j, f, E, f, “, f, g, [], A, N, D, S, *f, l, u, f, W, f, f, N, f, g, [], A, f, t, [], f, U, f, \, t, f, g, f, E, f, f, A, È, Ç, à, Š, Ç—[], Å, «, Ü, ·, B

*f, m, f, x, f, <, Ì, []x, ·, W, []@, **f, T, [], f, h, f, p, [], f, e, f, B, Ì, []x, ·, W
[]Ü, []x, Ì, []x, ·, W, ð, Ž, Q, [], Å, µ, Å, , ¾, ¾, ¢, []B

Windows fOfCf

Client

32, Å, í ANetWare*flfbfgf fN, Ö, ð fOfCf, "ñ í, ÉŠÈ'P, É, È, è, Ü, µ, ½ BWindows**ŠÂ««, ©, ç flfbfgf fN, É fOfCf, µ, Ä AfOfCf fXfNfŠfvfg, ðŽÄ s, Å, «, Ü, · Bflfbfgf fNfX fpfOfCfU, ð fXf^f€fOfCf, ð—LCEø, É, µ, Ä, ç, é ê # AZg—p, ·, é fOfCf fXfNfŠfvfg, AE<N" ® flfvfVf+f, ðft fU, ð fŠfNfGfXf^, ÅŽw'è, ·, é, ±, Æ, à, Å, «, Ü, · B

*fmfxf<, ð µ·W @**fT fhfp ffeB, ð µ·W
Ü x, í µ·W, ðŽQ Æ, µ, Å, , ¾, ¾, ç B.

