

VeRslon=2.10 Novell Client 32 Troubleshooting Help
CoPyRiGhT=(c) Copyright 1994-1996, Novell, Inc. All rights reserved.

80286^È'O,ÍfTf|[]fgŠO

Client 32*,í32frfbfg,ljAfvfŠfP[]fvf#f“,Å, ,é,½,β[]Intel*
80386,ÆCEÝŠ·[]«,í, ,é32frfbfgf}fCfNf[]fvf[]fZfbfT,a•K—v,Å,·[]B

*fmfxf<,l[]x•W[]@**fT[]fhfp[]fefB,l[]x•W
[]Ú[]x,í[]x•W,đZQ[]Æ,μ,Ä,,³/₄,³,ç[]B

'Ç%Á,ìfwf<fvfŠf[]fX

fn[]fhfEfFfA,ìf}fif...fAf<

ManageWise

fn[]fhfEfFfA,Æ\ftfgfEfFfA,ìfgf%ofuf<fVf...[]fefBf“fO

<@",É,æ,éØ,è•à,-

-â'è,à, ,é<@"\,đ'ı'đ,μ,Ä,,¾,¾,ç□B

- LANfhf%oofCfo
- NetWare*/IP*

*fmfxf<,ı□•W□@**fT□[fhfp□[fefB,ı□•W
□Ú□x,ı□•W,đZQ□Æ,μ,Ä,,¾,¾,ç□B

ŽÄs't,ì^—,É,æ,éØ,è•²,~

,Ç,ñ,È^—,ð,μ,Ä,ç,Û,μ,½,©B

- Client 32*,ìCf“fXfg[]f<
- NLM*,ìf[]fh
- VLM*,ìf[]fh
- fìfbfgf[]fN,Ö,ìf[]OfCf“
- fìfbfgf[]fN^óü,ìÝ'è
- •;ì”,ìDOSÉÝŠ·f{fbfNfX,ìf}f`f^fXfN
- ftf@fCf<,Ö,ì•ìX,ì•Ù'¶
- fAfvfŠfP[]fVf#f“,ìŽÄs
- ftf@fCf<,Û,½,ìffBfCfNfgfŠ,ì•\Ž!

*fmfxf<,ìx•W[]@**fT[]fhfp[]fefB,ìx•W
[]Üx,ìx•W,ðŽQ[]/E,μ,Ä,,¾,¾,çB

Client 32, ðfgf%ºfuf<fVf... [fefBf“fO

ŠT—v

fgf%ºfuf<fVf... [fefBf“fO,É,Â,ç,Ä

fgf%ºfuf<fVf... [fefBf“fO

-â'è, ð, è, ã

'C%ºA, ðfwf<fvfŠf [fX

fVfXfef€f [fbfZ [fW

*fmfxf<, ðº•W [@**fT [fhfp [fefB, ðº•W
 [Ü [x, ðº•W, ðZQ [Æ, µ, Ä, , ¾, ¾, ç [B

fmfxf<fefNfjff<fT[]frfX,Ö,ì-â,ç[]±,í,¹

fmfxf<*,ìfefNfjff<fTf|[]fg,í—L—ì,fT[]frfX,Å,·□B—L—ìfTf|[]fg,ðŽó,¯,é[]ê[]#[]A•Ä[]',Å,í1-800-
NETWARE,Ü,½,í1-801-429-5588,É[]Af^[]f[]fbfp,Æ't"CE'n^æ,Å,í+49-211-5277-744,É[]AfAfWfA'¾•½—
m'n^æ,Å,í+61-2-925-3133,Ü,Å,““d~b,,¾,¾,ç[]B

*fmfxf<,ì[]±•W[]@**fT[]fhfp[]fefB,ì[]±•W
[]Ü[]x,í[]±•W,ðŽQ[]Æ,μ,Å,,¾,¾,ç[]B

„[S](#)„[lfmfxf](#)‘<€û,ö,ì-â,ç†,í,¹

fmfxf<,ìPartnerNet*fvf¶fOf%of€,ðŽg—p,·,ê,îAfmfxf<‘<€û,É~A—□,μ,Ä□Aft□[frfX,ðŽó,¯,é,±,Æ,ª,Å,«,Ü,·□BPartnerNet,í“ì”„,□Afrf“ftf<f^f“fg□AfefNfjff<ft□[frfX,È,Ç,ìZâ—v,Éfmfxf<fvf¶fOf%of€ ,ð“□□†,μ□A□,•iŽ¿,ìfŠf...□[fvf†f“,ð’ñ<ÿ,μ,Ü,·□B,Ü,½□ANovell Platinum Partner*fvf¶fOf%of€,ÍŠé<Æ<KŠi,Åf fŠf...□[fvf†f“,ð’ñ<ÿ,μ□ANovell Gold Partner*fvf¶fOf%of€,í“Á’è,ì□»•i,É,Ä,ç,Äftfj □[fg,μ,Ü,·□Bfmfxf<,Ä,ì□,•iŽ¿,ìft□[frfX,Æftfj□[fg,ðft□[fU,É’ñ<ÿ,Ä,«,é,æ,æ□I□P^ç□¬,É“w,ß,Ä,ç,Ü,·□B □ÅŠñ,è,ìfmfxf<‘<€û,É,Ä,ç,Ä,ì□AfaftfŠfj,Æfjif_Ä,í1-800-338-6272,É~A—□,μ,Ä,,¾,¾,ç□B

*fmfxf<,ì□æ•W□@**ft□[fhfp□[fefB,ì□æ•W □Ú□x,ì□æ•W,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

Client 32*, ĩfwf<fv, íACOMMAND.COMftf@fCf<, đŠj,, ±,Æ,É,æ,Á,ÄMS-DOS**fvf[]“fvfg,đ<N“® ,μ,æ,κ
,Æ,μ,Û,μ,½,ªAŽ, ”s,μ,Û,μ,½BMS-
DOSfvf[]“fvfg,đ<N“®, ,é,É, íAf^fXfNfo[], ÅmfXf^[]fg[]n,đ'!đ,μAmfXf^[]fg[]nf[]jf...[] .Åmfvf[]fOf
%of€[]n,đ'!đ,μ,Ä, ©,çAmfvf[]fOf%of€[]nf[]jf...[] .ÅmMS-DOS fv[]f“fvfg[]n,đ'!đ,μ,Ä, ,¼,³,çB
MS-DOSfv[]f“fvfg,đ-³Eø,É, ,é,±,Æ, à%oÄ“\,Ä, ·Bf[][]fNfXfe[]fVf#f“, Ä,±,é,đ[]s,κ,ÆAMS-
DOSfv[]f“fvfg,đ<N“®, ,é,±,Æ, àMODULESfRf}f“fh,đŽg—p, ,é,±,Æ, à,Ä,«,É,,É,è,Û, ·B

ffBfXfNfCFXf[]fNfXfe[]fVf:f“,ÍfTf|[]fgŠO

Client 32*,ÍRPL(Remote Program Load),âffBfXfNfCFXf[]fNfXfe[]fVf:f“,ÍfTf|[]fg,µ,Ü,¹,ñB,Ü,½AClient
32f\ftfgfEfFfA,ì<æ—LjRfs[]l,ÍZÀ[]s,Å,«,Ü,¹,ñBRPLfTf|[]fg,^a•K—v,Éê[]‡,ÍANetWare Client* for
DOS/Windows**(VLM*fNf%ofCfAf“fg),ðZg—p,µ,Ä,,³/₄,³,çBRPLfTf|[]fg,ÍNetWare Client 32 for Windows
95**,í^È~~,ÍfŠfŠ[]fX,Ä'ñ<ÿ,³,ê,é—\`è,Ä,·B

*fmjxf<,ì[]æ•W[]@**fT[]fhfp[]fgefB,ì[]æ•W
[]Ú[]x,Í[]æ•W,ðZQ[]Æ,µ,Ä,,³/₄,³,çB

f[h]i.Yf.fwf...[f<,i\Z!

1.  ,dfNfŠfbfN,μ,ÄA[mMS-DOS**fvf[f“fvfg[nf_fCfAf[fOf_{fbfNfX,ðŠ},ç,Ä,,¾,¾,ç[B
2. [uMODULES[v,Æ“ü—í,μ,Ä,,¾,¾,ç[B

f[f,

- MODULESfRf}f“fh,í[f[fNfXfe[fVf#“ ,ÉÇ»[Ýf[f[h,¾,ê,Ä,ç,éClient 32* NLM*fvf[fOf%of€,ð•\Ží,μ,Ü,·[B

*fmfxf<,ì[•W[@**fT[fhf[fp[fefB,ì[•W
[Ú[x,í[•W,ðŽQ[Æ,μ,Ä,,¾,¾,ç[B

fn [fhfEjFfA, ìf} fjjf... fAf<

flfbfgf [fN, ÉŠÖ, ·, é-â'è, ì'½,, ìfn [fhfEjFfA, ìCEë" @ì, aCE ' ^ ö, Å" ¶, µ, Ü, ·, B

-â'è, ð"Á'è, ìfRf"fsf... [f^fRf"f]

[flf"fg, Ü, ½, ìfP [fuf<fZfOf"fg, É"Á'è, Å, «, ½, ç, AŠÖCEW, ·, éfn [fhfEjFfA, ìf} fjjf... fAf<, ðŠm" F, µ, Ä, , ¾, ¾, ç, B

fgf%ofuf<fVf... [fefBj“fo,ì,½,ß,ìfn [fhfEfFfA,Æ\ftfgfEfFfA

“ÁŽè,Èfn [fhfEfFfA,Æ\ftfgfEfFfAfpfbfP [fW(Novell* LANalyzer**ftfgfEfFfA,È,Ç),Ífifbfgf [fN,ì-â'è,ð“Á'è,·,é,½,ß,É— —p,Å,«,Ú,·B

Novell LANalyzer,ì“üžè•û-@,É,Â,ç,Ä,íAfmfxf<“F'èfŠfZf%o [É~A—,μ,Ä,,¾,¾,çB

*fmfxf<,ìx•W@**fT [fhfp [fefB,ìx•W

Úx,íx•W,ðŽQ Æ,μ,Ä,,¾,¾,çB

VLM,if[fh

Client 32*,íŠg'£Žq,^a.VLM,iftf@fCf<,if[fh,μ,Ü,¹,ñBVLm*fvfOf%of€,đf[fh,·,éê±,ÍANetWare Client*
for DOS/Windows**(VLMftfgfEfFfA),đŽg—p,μ,Ä,,³/₄,³,çB

*fmfxf<,ìx•W@**fT[fhfp[feB,ìx•W
Úx,ìx•W,đŽQÆ,μ,Ä,,³/₄,³,çB

NLM,if[fh

Client 32*,íNLM*Ĉ`Ž® ,đŽg—p,μ,Ä,ç,Û,·,ªAfNf%oofCfAf“fgNLMfvf[]fOf%of€
,đNetWare*fT[]fo[]ă,ÅŽÀ[]s,μ,½,èfT[]foNLMfvf[]fOf%of€,đfNf%ofCfAf“fg,ÅŽÀ[]s,μ,½,è,·,é,±
,Æ,Í,Å,«,Û,¹,ñ[]BfNf%oofCfAf“fg,ÆfT[]fo,ì—¼•ù,ÌŠÀ<<,đfTf[]fg,·,é,ì,í[]ALANfhf%oofCfo(NE2000.LAN,È,Ç)
,È,Ç,ì[]”,ìNLMfvf[]fOf%of€,ÉĈĈ,ç,è,Û,·[]B

*fmfxf<,ì[]x•W[]@**fT[]fhfp[]fB,ì[]x•W
[]Ú[]x,í[]x•W,đŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

ManageWise

ManageWise*fjftfgfEjFfA,íflfbfgf[]fN,lfT[]fo[]Af[]fNfXfe[]fVf#f[]AfCf“ftf%ofXfgf%ofNf`ff,đŠÇ—
□,·,é,ì,É•Ö~~,Å,·□B

flfbfgf[]fN,ÅManageWise,đŽg—p,·,é□é□#,í□Afmfxf<*”F’èfŠfZf%□[,É~A—□,μ,Ä,,¾,¾,ç□B

*fmfxf<,ì□x•W□@**fT[]fhfp[]fjefB,ì□x•W

□Ú□x,í□x•W,đŽQ□Æ,μ,Ä,,¾,¾,ç□B

©, Â, ©, ç, È, çftf@fCf<, Ü, ½, íffBfçEfNfgfŠ

- NetWare* 3.11, ìftf@fCf<, ÆffBfçEfNfgfŠ, ì't, ÉfGfNfXfvf[f%o, Ü, ½, ímMS-DOS**
fvf"fvfgnf_fCfAf[fOf{fbfNfX, É•\Z{, ³, è, È, ç, à, ì, ª, , è, Ü, , , ©B
SHORTAFX.NLM, Ì, , x, Ä, ì3.11fT[fO, Éf[fh, µ, È, , è, Ì, È, è, Ü, ¹, ñBSHORTAFX.NLM, íAClient 32*, ìCD-
ROM, ìADMIN\PATCHES\NW311ftfHf<f_ A, Ü, ½, ìADMIN1ffBfçEfN, ìPATCHES\NW311ftfHf<f_ É, , è, Ü, , B
, , x, Ä, ìNetWare
3.11fT[fO, ÅOS2OPNFX.NLM, ðf[fh, µ, È, , è, Ì, È, è, Ü, ¹, ñBOS2OPNFX.NLM, ìSHORTAFX.NLM, Æ" , ¶ftfHf<
f_ É"ü, Ä, Ä, ç, Ü, , B

*fmfxf<, ìx•W@**fT[fhfp[fefB, ìx•W
Üx, ìx•W, ðZQÆ, µ, Ä, , ¾, ¾, çB

•i□",IMS-DOSfvf□f"fvfg,lf}f<f`f^fXfN

•i□",l□mMS-DOS** fvf□f"fvfg□nf_fCfAf□fOf{fbfNfX,δf}f<f`f^fXfN□^—

□,·,é,É,í□A□í,ÉŽÀ□s't'ffvf□fpfefB,δ□mMS-DOS

fvf□f"fvfg□nf_fCfAf□fOf{fbfNfX,²,Æ,Élft,É□Ý'è,μ,È,~,ê,Î,È,è,Û,¹,ñ□B□í,ÉŽÀ□s't'ffvf□fpfefB,IMS-DOS

fvf□f"fvfg,lfvf□fpfefB,l□m,»,l'¼□nf^fu,l□mfobfNfOf%ofEf"fhŽž,l□Ý'è□n,Æ,ç,α□E□o,μ,l%o^o,É,è,Û,□B

*fmfxf<,l□α•W□@**fT□[fhfp□[fefB,l□α•W

□Ú□x,í□α•W,δŽQ□Æ,μ,Ä,,³/₄,³,ç□B

-â'è,ì∅,è•â,~

ŽÀs't,ì^—,É,æ,é∅,è•â,~

fn[[fhfEfFfA,É,æ,é∅,è•â,~

f\ftfEfFfA,É,æ,é∅,è•â,~

:@"\,É,æ,é∅,è•â,~

f∅Of∅bfZ∅[fW,É,æ,é∅,è•â,~

f∅[fh∅ïf,fWf...∅[f:,ì\Ž:,É,æ,é∅,è•â,~

NetWare/IP,ifgf%ofuf<fVf...[fjefBf“fO

- TDI(Transport Driver Interface)€<’,ìTCP/IPfXf^fbfN,ðfCf“fXfg[f<,μ,Û,μ,½,©B
NetWare*/IP*,ìTDI€<’,ìTCP/IPvfjfgfRf<fXf^fbfN,ð•K—v,Æ,μ,Û,·B
- fT[fO,íNetWare/IP 1.1,ðŽÀs,μ,Ä,ç,Û,·,©B
NetWare/IPfNf%ofCfAf“fg,íANetWare/IP 1.1,ÆCEÝŠ·<,ðŽ,Â,æ,æ,ÉŠÂ<<Y’è,³,ê,Ä,ç
,éê±,ðœ,«ANetWare/IP v1.1fvfŠfpbf`,ðŽÀs,μ,Ä,ç,éT[fO,Æ^è,É“@ì,·,é,±,Æ,í,Ä,«,Û,¹,ñB

*fmfxf<,ìx•W@**fT[fhfp[fjefB,ìx•W
Ûx,íx•W,ðŽQÆ,μ,Ä,,³/4,³,çB

fmfxf<fefNfjflf<fT[]frfX

ŠT—v

fmfxf<*fefNfjflf<fT[]frfX*,É,Â,ç,Ä

Üx

NetWire*,©,ç,ì<Z[]p[]î•ňŽæ“¾

NSEPro*,ìfT[]f`

¨<ß,,ìfmfxf<'<CEù,Ö,ì-â,ç[]±,í,¹

fmfxf<fefNfjflf<fT[]frfX,Ö,ì-â,ç[]±,í,¹

*fmfxf<,ì[]¤•W[]@**fT[]f[hfp[]fB,ì[]¤•W
Üx,ì[]¤•W,δZQ[]Æ,μ,Ä,,¾,¾,ç[]B

Windows 95, Ì«—LFRfs, ÌŽÀs

Client 32*, Å, Í Afjfbfgf [fN, ÉÚ' ±, 1, ., ÉWindows** 95**, Ì«—LFRfs, ðŽÀs, ., é, ±, Æ, Í, Å, «, Ü, 1, ñ Bfjfbfgf [fN, ÉÚ' ±, 1, ., ÉWindows 95, Ì«—LFRfs, ðŽÀs, ., é ê, Í ANetWare* Client* for DOS/Windows(VLM*fNf%oCfA"fg), ðŽg—p, µ, Å, , ¾, ¾, ç BWindows 95, Ì«—LFRfs, ÌŽÀs, Í ANetWare Client 32 for Windows 95, Ì^É~ , íŠfŠ [fX, ÅfTf [fg, ¾, é, é—\è, Å, . B

*fmfxf<, Ì«•W@**fT [fhfp [fefB, Ì«•W
Úx, Í«•W, ðŽQ Æ, µ, Å, , ¾, ¾, ç B

NSEPro.ÍfTÍf

NSEPro*(Network Support Encyclopedia Professional Volume*)\ftfgfEjFfA,ÍACD-ROM,É“ü,Á,½fmfxf<*<Zpí•ñ,l'mŽ~fx[fX,Á,·B,±,ìl'í,É<Zpí•ñ,í1"N,É12%ñXV,Æ"z•t,ªs,í,è,Ü,·Bft[fU,É,Æ,Á,Ä•Ö—~ÁŽÀ'H“l,Éí•ñ,ª-žÚ,ª,è,Á,·,èAWindows**ADOSAMacintosh**,ÍVfXfef€,©,çfAfNfZfX,·,é,±,Æ,ª,Á,«,Ü,·B
NSEPro,É,ÍŽŸ,ìí•ñ,ªšÜ,Ü,è,Ä,ç,Ü,·B

- fEf“f[fh%Á“\,Èftf@fCf<Afjfbf` Afhf%ofCfu
- 'â—É,ì<Zpí•ñ•¶(TID)
- »•if}fj...fAf<
- fmfxf<fAfvfšfP[fVf#“fm[fG*
- GroupWarefvf[ftfFfbfVf#fif<fKfCfh
- Novell Labs*“F%ÁÆfŽ!“

fmfxf<,©,ç,ìNSEPro,ì¼Ú“z•t(“NSÔE_ñ),ššó-],·,éè#AfAf[fšj,Æfjif_,Á,í1-800-377-4136,É~A—
μ,Á,,¾,¾,çBNSEPro,Í,Ç,ìmfxf<'<Eù,©,ç,Á,à—
p,Á,«,Ü,·Bmfxf<'<Eù,ìšfXfg,ð“üžè,·,é,É,ÍAfAf[fšj,Æfjif_,Á,í1-800-338-6272,É~A—μ,Á,,¾,¾,çB

*mfxf<,ì•W@**fT[fhfp[fefB,ì•W
Úx,ì•W,ðžQÆ,μ,Á,,¾,¾,çB

®•W

Copyright © 1994-1996, Novell, Inc. All rights reserved. Patent Pending.

•Ä'Novell, Inc.,)®•W

- Client 32,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- GroupWise,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- IPX,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- IPX/SPX,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- LANalyzer,íA•Ä',È,ç,Ñ,É'¼,ì',É,¨,¯,é•Ä'Novell, Inc.,)~^®•W,Ä,·B
- Link Support Layer,¨,æ,Ñ LSL,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- ManageWise,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NE2000,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare,íA•Ä',È,ç,Ñ,É'¼,ì',É,¨,¯,é•Ä'Novell, Inc.,)~^®•W,Ä,·B
- NetWare 3,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare 4,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare Client,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare Core Protocol,¨,æ,ÑNCP,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare Directory Services,¨,æ,ÑNDS,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare DOS Requester,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare/IP,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare Loadable Module,¨,æ,ÑNLM,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWare Management System,¨,æ,ÑNMS,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- NetWire,íA•Ä',È,ç,Ñ,É'¼,ì',É,¨,¯,é•Ä'Novell, Inc.,)~^®•W,Ä,·B
- Network Support Encyclopedia Professional Volume,¨,æ,ÑNSEP,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Novell,íA•Ä',È,ç,Ñ,É'¼,ì',É,¨,¯,é•Ä'Novell, Inc.,)~^®•W,Ä,·B
- Novell Application Notes,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Novell Authorized Reseller,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Novell Gold Partner,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Novell Labs,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Novell Network Symbol,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Novell Platinum Partner,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Novell Technical Services,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Open Data-Link Interface,¨,æ,ÑNODI,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Packet Burst,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- SPX,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Storage Management Services,¨,æ,ÑSMS,íA•Ä'Novell, Inc.,)®•W,Ä,·B
- Virtual Loadable Module,¨,æ,ÑVLM,íA•Ä'Novell, Inc.,)®•W,Ä,·B

fT[fhfp[fefB,)®•W

- CompuServe,íACompuServe, Inc.,)~^®•W,Ä,·B
- Hewlett Packard,¨,æ,ÑHP,íAHewlett-Packard Company,)~^®•W,Ä,·B
- IBM,íAInternational Business Machines Corporation,)~^®•W,Ä,·B
- Intel,íAIntel Corporation,)~^®•W,Ä,·B
- Microsoft,íAMicrosoft Corporation,)~^®•W,Ä,·B

MS, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
MS-DOS, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
Netscape, íA Netscape Communications Corporation, ì□¤•W, Å, ·□B
Netscape Navigator, íA Netscape Communications Corporation, ì□¤•W, Å, ·□B
Network Driver Interface Specification, ÿ, æ, ÑNDIS, íAPC-Plus Communications LP, ì□¤•W, Å, ·□B
OS/2, íAInternational Business Machines Corporation, ì“o~^□¤•W, Å, ·□B
PostScript, íAAdobe Systems Incorporated, ì“o~^□¤•W, Å, ·□B
Unicode, íA Transoft Ltd., ì“o~^□¤•W, Å, ·□B
Windows, íAMicrosoft Corporation, ì“o~^□¤•W, Å, ·□B
Windows 95, íAMicrosoft Corporation, ì□¤•W, Å, ·□B
Windows NT, íAMicrosoft Corporation, ì□¤•W, Å, ·□B

fAfvfŠfP[fVf#f“,ÉŠÖ,·,é-â'è,lfgf%ofuf<fVf...[fefBf“fO

- fAfvfŠfP[fVf#f“,É,lf^fxfnfxfcfbf^ff,Ü,½,lf^fxfnfxfbfp,šÜ,Ü,è,Ä,ç,Ü,·,©B
f^fxfnø,è'Ö,|,lftf|f|fg,ð-³CEø,É,μ,Ä,,¾,¾,çBClient 32*,lf^fxfnfxfcfbf^ff,ðftf|f|fg,μ,Ä,ç,Ü,¹,ñB
- fAfvfŠfP[fVf#f“,í“Á'è,lf^f€f^fcfv,ðŽg—p,μ,Ä,ç,Ü,·,©B
fAfvfŠfP[fVf#f“,²Žg—p,·,é1ŽŸ~—ff{f|fh,lf^f€f^fcfv,ðŸ'è,μ,Ä,,¾,¾,çB'Ê'AClient 32,Í•K—
v,Éftf€f^fcfv,ðCEŸo,μA1ŽŸ~—ff{f|fh,ð“KØ,ÉŸ'è,μ,Ü,·B,μ,©,μA,±
,lŸ'è,ðft|fU,²Žè“©,ÄŽw'è,μ,È,·,è,Ī,È,ç,É,ç,±,Æ,à, ,è,Ü,·B
- f[fNfxfe[fVf#f“,Åf|f,š,²•s'«,μ,Ü,μ,½,©B
Ú×,íAfffNfxfe[fVf#f“,lf|f,š,ÉŠÖ,·,é-â'è,l%ðCE^•û-@,ðŽQÆ,μ,Ä,,¾,¾,çB

*fmfxf<,l|α•W@**fT[fhfp[fefB,l|α•W
Ú×,l|α•W,ðŽQÆ,μ,Ä,,¾,¾,çB

fn[]fhfEjFfA,É,æ,é[]Ø,è•a,~

Žg—p,μ,Ä,č,éfn[]fhfEjFfA,đ'ı'đ,μ,Ä,,¾,¾,¾,č[]B

- Intel** 80286^È'O.ìCPU(,Ü,½,ı,»),ìĎŸŠ·CPU)
- fffBfXfNfĎfXf[]fNfXfe[]fvf+“
- PCfj[]fh(PCMCIA),ìfifbfqf[]fNfAf_fvf^
- fq[]fNf“fŠ“fOfifbfqf[]fNfAf_fvf^

*fmfxf<,ì[]•W[]@**fT[]fhfp[]fefB,ì[]•W
[]Ü[]x,ì[]•W,đZQ[]Æ,μ,Ä,,¾,¾,¾,č[]B

DOS"ÅGroupWise,ìfgf%ofufçvf...[]fBf"fo

DOS"ÅGroupWise*,ðŽÀ[s,·,é,É,í[A/dafRf}f"fhf%ofCf"fXfCbf` ,ðŽg—p,µ,Ü,·B,±
,ìfXfCbf` ,íDOSf^fXfN∅,è'Ö,|API,ìTf|[]fg,ð-³E∅,É,µ,Ü,·BClient 32*,ìf^fXfNfXfCbf`ff,ðTf|[]fg,µ,Ä,ç
,Ü,¹,ñB

*fmjxf<,ìx•W[]@**fT[]fhfp[]fB,ìx•W
[]Üx,ìx•W,ðŽQ[]E,µ,Ä,,³/4,³,çB

fCf“fXfg[]f<,ÉŠÖ,.,é-â‘è,lfgf%ofuf<fVf...[]fJfBf“fo

- ,ç,.,è,©,lfTf@fCf<,ðfXfLfjbfv,μ,Û,¹,ñ,Å,μ,½,©[]B
 fTf@fCf<,ªCE©,Å,©,ç,È,©,Å,½,±,Æ,ð‘È‘m,.,é[]fbfZ[]fW,ªfCf“fXfg[]f<,l“r‘t,Å•\Žl,³,è,é,±,Æ,ª,.,è,Û,·[]B,±
 ,lf[]fbfZ[]fW,ª•\Žl,³,è,½,ç[]ACopy files from:fjvf[]f“fjvf,lf%º,É•\Žl,³,è,é,±,Æ,ª,.,è,Û,·[]B
 ,éftfHf<f_É•l[]X,μ,Å,,¾,¾,ç[]B
 fTf@fCf<,ðfXfLfjbfv,.,é,Æ[]AClient 32*,l[]³,μ,“@[]i,μ,È,.,È,è,Û,·[]B
- fCf“fXfg[]f<fjpfX,É‘.,çftf@fCf<-¼,ðŽ[],ÅftfHf<f_ªŽw‘è,³,è,Ä,ç,Û,¹,ñ,©[]B
 Client 32,lfCf“fXfg[]f<fjvf[]fOf%of€(SETUP.EXE),Ö,ljpfX,É,l[]A‘,çftf@fCf<-
 ¼,ðŽ[],ÅftfHf<f_ðŽw‘è,Å,«,Û,¹,ñ[]BfjpfX“à,l,.,x,Å,lfTfHf<f_l8.3,lfTf@fCf<-½-¼<K-ñ,É[]€<‘,μ,Ä,ç
 ,É,.,è,Û,¹,ñ[]B
 ‘.,çftf@fCf<-¼,ðŽ[],½,È,çftfHf<f_©,çSETUP.EXE,ðŽÀ[]s,μ,Ä,,¾,¾,ç[]B
- fT[]fo,©,çWindows** 95**,ðŽÀ[]s,μ,æ,ª,Æ,μ,Ä,ç,Û,¹,ñ,©[]B
 Client 32,Å,lfT[]fo,©,çWindows 95,ðŽÀ[]s,Å,«,Û,¹,ñ[]B
- Client 32 TCP/IPfvf[]fgfRf<fXf^fbfN,ðCE©,Å,.,æ,ª,Æ,μ,Ä,ç,Û,¹,ñ,©[]B
 Client 32,l[]CE>[]YTCP/IPfvf[]fgfRf<fXf^fbfN,ð‘ñ<ÿ,μ,Ä,ç,Û,¹,ñ[]BTCP/IPfTfj[]fg,ª•K—
 v,É[]é[]ž,l[]AMicrosoft** TCP/IPfvf[]fgfRf<,ðŽg—p,μ,Ä,,¾,¾,ç[]B

”ñ‘l~bCE^,lfCf“fXfg[]f<,l[]ê[]ž

- DOS,Û,½,l[]Windows,ÅfT[]f[]ofx[]fX,lfZfbfjgfAfbfjvf[]fOf%of€(NETSETUP.EXE),ðŽÀ[]s,μ,æ,ª
 ,Æ,μ,Û,¹,ñ,Å,μ,½,©[]B
 fT[]f[]ofx[]fX,lfZfbfjgfAfbfjvf[]fOf%of€,l[]Windows 95,ÅŽÀ[]s,μ,È,.,è,Û,¹,ñ[]BWindows
 3.x,Å,àŽÀ[]s,Å,«,Û,.,ª[]AWindows 95,ðfT[]f[]ofCf“fXfg[]f<fjpfX,ÉfRfs[][,.,é,±,Æ,l,Å,«,Û,¹,ñ[]B
- DOS,Û,½,l[]Windows,ÅINFfCf“fXfg[]f<fjvf[]fOf%of€(INFINST.EXE),ðŽÀ[]s,μ,æ,ª,Æ,μ,Û,¹,ñ,Å,μ,½,©[]B
 INFfCf“fXfg[]f<fjvf[]fOf%of€,l[]Windows 95,ÅŽÀ[]s,μ,È,.,è,Û,¹,ñ[]B

*fmfxf<,l[]ª•W[]@**fT[]f[]hfp[]fJfB,l[]ª•W
[]Ú[]x,lf[]ª•W,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

LANfhf%oCfo,ìfgf%ofuf<fVf...[]fefBf“fo

- 16frfbfgDOS ODI* LANfhf%oCfo,đŽg—p,·,élfbfgf[]fNf{[]fh,đ•;[]“Žg—p,μ,Ä,ç,Û,¹,ñ,©[]B
[]l,ì,ç,è,é-â`è,É,Â,ç,Ä,í[]AClient 32* README.TXTf@fCf<,đŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B
- fpftfH[]f}f“fX,ì`á%o°,âfhf%oCfofGf%o[]l,²“[]¶,μ,Ä,ç,Û,¹,ñ,©[]B
Žÿ,ì•û-@,ì,Ç,è,©,ÅLANfhf%oCfo,đX[]V,·,é,æ,æ,É,μ,Ä,,³/₄,³,ç[]B
- Client 32,É•t’®,ì32frfbfgfhf%oCfo(CNE2000.LAN,È,Ç),đŽg—p,μ,Ä,,³/₄,³,ç[]B
- flfbfgf[]fNfAf_fvf^,ìf[]fj[]l,©,ç[]Å[]V,ìNDIS**fhf%oCfo,Û,¹/₂,íODIfhf%oCfo,đ“üŽè,μ,Ä,,³/₄,³,ç[]B
- NetWare* 4.1fT[]fo—p,ìÅ[]V,ì32frfbfgfT[]fofhf%oCfo,đŽg—p,μ,Ä,,³/₄,³,ç[]B
- Client 32,É•t’®,ì16frfbfgODIfhf%oCfo(NE2000.COM,È,Ç),đŽg—p,μ,Ä,,³/₄,³,ç[]B

*fmfxf<,ì[]æ•W[]@**fT[]fhfp[]fB,ì[]æ•W
[]Ú[]x,ì[]æ•W,đŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

fvfŠf“f^Ÿ'è,lfgf%ufvf...lfefBf“fo

- HP** JetAdmin(NetWare*fTf[fg)fT[frfX,Ü,½,ÍHP
JetAdminfT[frfX,ðfCf“fXfg[f<,µ,Ü,¹,ñ,Á,µ,½,©B
,±,ì2,Á,lfT[frfX,ÍClient 32*f\ftfgfEjFfA,ÆCEÝŠ·«,^a, ,è,Ü,¹,ñB
JetAdmin,ÆClient 32,ðŽÀ[s, ,é,É,ÍAWindows** 3.x—p,É[Ÿ,³,è,½NetWare”ÁHP JetAdminf\
ftfgfEjFfA,ðŽg—p,µ,Ä,,^{3/4,3},çBCE»ŽŽ”_Ä,ÍA,±,lf\ftfgfEjFfA,ÍNOVUT1.EXE,ÆNOVUT2.EXE,Æ,ç,±-
¼’O,ÁAfCf“f^flfbfg,lfz[lf€fy[lfWftp://f,“p.hp.com/html/novell.html,©,ç“üŽè,Á,«,Ü,·B
- -Ú“l,lfvfŠf“fgfLf...[ðCE©,Á, ,é,Æ,«,É-â’è,^a“Ÿ,µ,Ü,¹,ñ,Á,µ,½,©B
flfbfgf[fNfvfŠf“f^,ðŸ'è, ,é,É,ÍAflfbfgf[fNfRf“fsf...[f^,Ü,½,lfGfNfXfvf[f%o,ðŽg—
p,µ,ÁAfvfŠf“fgfLf...[ðCE©,Á, A,» ,lfvfŠf“fgfLf...[ðŠ],ç,Ä,-
,^{3/4,3},çBŽŸ,ÉAfvf“fvfg,ÁmYes[n,ð’l’ð,µ,½, ,ÆAmfvfŠf“f^EjBfU[fh[n,ðŽg—p,µ,Ä,-
,^{3/4,3},çBÚx,ÍAflfbfgf[fNfvfŠf“f^,ìŸ'è,ðŽQÆ,µ,Ä,,^{3/4,3},çB

*fmfxf<,lŸx•W@**fT[fhfp[feB,lŸx•W
Úx,lŸx•W,ðŽQÆ,µ,Ä,,^{3/4,3},çB

ftf@fCf<•Ù'¶,ìfgf%ofuf<fVf...[]fefBf“fO

<π—L^á”½,ð•\,fGf%o[]f[]fbfZ[]fW,ðŽó,~Žæ,Á,½[]ê[]‡,í[]AOpportunistic
Locking,ì'l,ð[]moff[]n,É[]Ý'è,μ,Ä,Ý,Ä,,¾,¾,¾,¾[]B

PCj[]fhfjbfgf[]fNfAf_fvf^,ìfgf%ofuf<fvf...[]fefBf“fO

PCj[]fh(PCMCIA)fjbfgf[]fNfAf_fvf^,³,μ,‘...³,ê,Ä,ç,é,±,Æ,đŠm,©,ß,Ä,,¾,³,çB

fg[]fNf“fŠf“fOfIbfjgfg[][]fNfAf_fvf^,ìfgf%°fuf·fVf...[]fEfBf“fO

fg[]fNf“fŠf“fOfIbfjgfg[][]fN,Åf\[]fXf<[]fEfBf“fOfufŠfbjW, ðŽg—p,μ,Ä,ç,é[]ê[]#[]A[]\[]fXf<[]fEfBf“fO—
p,ĚŠÁ<<[]Y'è,μ,Ä,,³/₄,³,ç[]B[]U[]x,í[]A32frfbfgODI*—p,ì\[]fXf<[]fEfBf“fO,ìŠÁ<<[]Y'è,Û,¹/₂,ìNDIS**—p,ì\[]
[]fXf<[]fEfBf“fO,ìŠÁ<<[]Y'è,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

*fmfxf<,ì[]x·W[]@**fT[]fHfp[]fEfB,ì[]x·W
[]U[]x,ì[]x·W,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

fmxf<fefNjfff<fT[]frfX,É,Â,ç,Ä

fmxf<,©,ç»•i,ðw“ü,.,éèè#A•K—v,È<Zp[]î•ñ,ð'ñ<ÿ,.,éft[]lfrfX,ð,ç,è,ç,è,Æ—p^Ó,μ,Ä, ,è,Ü,·[]Bfmxf<,Ä
,í[]Å[]%o,©,çŽž,ì,çfefNjfff<fT[]frfX,ð'ñ<ÿ,.,é,±,Æ,ð-Ú•W,Æ,μ,Ä,“,è[]A,±,ì<ÆŠE,Å[]Å,àCEoCE±-
L•x,ÉfT[]lfrfXfOf<[]fv,©,çfT[]lfrfX,ðŽó,“,ç,è,Ü,·[]B

fefNjfff<fTf[]lfg,É,í,ç,,Ä,©,ìŽí—p,²—p^Ó,³,é,Ä,ç,Ü,·[]B

- NetWire*,©,ç,ì<Zp[]î•ñŽæ“³/₄
- NSEPro*.ìfT[]f`
- fmxf<fefNjfff<fT[]frfX,Ö,ì-â,ç[]#,í,¹
- ,“<ß,,ìfmxf<'<CEù,Ö,ì-â,ç[]#,í,¹

*fmxf<,ì[]#•W[]@**fT[]lfhfp[]lfeB,ì[]#•W
[]Ü[]x,ì[]#•W,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

fgf%ofuf<fVf...[fefBf“fO,É,Â,ç,Ä

'É[íAClient 32*,íWindows** 95**f[fNfXfe[fVf#f“,Á³í,É“@ì,μ,Û,·B-â'è,ª“ñ,μ,½ê#f,É,íA,±
,lfwf<fvftf@fCf<,©,çfgf%ofuf<fVf...[fefBf“fOî•ñ,ðCEÿð,μACE´^ð,ðCE©,Â,¯,ÄA-â'è,ðC³,μ,Ä,,¾,¾,çB
fgf%ofuf<fVf...[fefBf“fO,É,Â,ç,Ä,ìÚ×,íAClient 32 README.TXTf@fCf<,àŽQÆ,μ,Ä,,¾,¾,çB
“ñ,μ,½-â'è,É,Â,ç,Äà-¾,¾,è,Ä,ç,éê#A'Éí,ÍŠ'P,Ê%ðCE^•û-@,â%ñ“ð•û-@,ªŽ!,¾,è,Ä,ç,Û,·B

*fmfxf<,ìx•W@**fT[fhfp[fefB,ìx•W
Ú×,íx•W,ðŽQÆ,μ,Ä,,¾,¾,çB

Windows NT

NetWare* Client* 32* for Windows** 95**, í Windows NT**, a" @ ì, ., éf [fNfXfe [fVf#f", Å, í³, µ, -
" @ ì, µ, Û, ¹, ñ B

*fmfxf<, ì µ • W @ **fT [fhfp [fefB, ì µ • W
Ú x, ì µ • W, ð Z Q Æ, µ, Å, , ³/4, ³, ç B

