



Remote-Disk for Windows

,Í,ŀ,ß,É

“±“ü•û-@

%oò“•û-@

f{f^f“□Af□fjf...□[

f□fbfZ□[fW

%oñ□ü,ì□ú'±□^□ø'f

'□^óž-□€

fTf|□[fg<y,Ñ~A—□□æ

,Í,Ń,Ŕ,É

Ⓜ@- {Žæ^μ, ϕⓂà-¾Ⓜ', Å, ÍⓂA'Á<LŽ-Ⓜ€, º-³, ϕⓂÈÀ, è
IBM XTⓂAATⓂAPS2ⓂAPS/55 <y, Ñ ⓂÈÝŠ·<@, ð IBM-PCⓂA
NEC PC-9801 (•WⓂ€%øð'œ"x<@)ⓂAPC-9821ⓂAEPSON ⓂÈÝŠ·<@, ð PC-
9801ⓂA
,Æ•\<L, μ, Ü, ·ⓂB

Ⓜ@- {Žæ^μ, ϕⓂà-¾Ⓜ', ÍⓂARemote-Disk , Ì Windows fhf%øfCfoⓂ[—p, Å, ·ⓂB-
{Ⓜ', ð"Ç, P' O, ÉⓂA•K, , RDisk.DOC (Remote-Disk Žæ^μ, ϕⓂà-¾Ⓜ') <y, Ñ Driver.DOC
(Remote-Disk 'ÉⓂMfhf%øfCfoⓂ[Žæ, è^μ, ϕⓂà-¾Ⓜ'Ⓜj, ð, æ, "Ç, ÝⓂARemote-Disk
, É•t, ϕ, Ä—Ⓜ%øð, ðⓂ[, Ŕ, Ä%øº, ³, ϕⓂB

Ⓜ@- {fvfⓂOf%øf€, ÍⓂA**Windows 3.1 , Ì 386 fGf"fnf"fxfhⓂEf, Ⓜ[fh, Å**
%øÒ"®, ·, éWindows "Ä—pfvfⓂOf%øf€, Æ, μ, ÄⓂìⓂ-, ³, è, Ä, ϕ, Ü, ·, Ì, ÅⓂAIBM-PC <y, Ñ
NECPC-9801 <κ, ÉⓂA, Ü, ½fpf%øfⓂf<ⓂÚ'± <y, Ñ fvfŠfAf<"ŠúⓂÚ'±<κ, É"~^è, ÌfvfⓂOf
%øf€, ðⓂÈäŽg—p%øº, ³, ϕⓂB'A, μⓂA**fvfŠfAf<ⓂÚ'±, Å, ÍⓂÈäŽg—**
p, É, È, è, Ü, ¹, ñ, Ì, ÅⓂAⓂÈä'Ⓜ^Ó%øº, ³, ϕⓂB

Ⓜ@, Ü, ½ⓂA- {fvfⓂOf%øf€, Í"ú- {ⓂÈ Windows ^ÈŠO, Å, à%øÒ"-
, Å, «, Ü, ·, ºⓂA, », ÌⓂÈⓂ‡, É, ÍⓂAⓂufwf<fvⓂv, ºŽg—p, Å, «, Ü, ¹, ñⓂBⓂiⓂufwf<fvⓂv, Í"ú-
{ⓂÈⓂBⓂj'A, μⓂAⓂfⓂjf...Ⓜ[, âfⓂbfZⓂ[fW, Ì%øpⓂÈ(?) •\Ž|, É, È, è, Ü, ·, Ì, ÅⓂÈäŽg—
p', , , Ü, ·ⓂB

Ⓜ@- {fvfⓂOf%øf€, ðŽg—p, ·, é, É, ÍⓂA•K, , "±"üⓂì<Æ, ðs, í, È, ϕ, Æ, ϕ
, , Ü, ¹, ñⓂB"±"üⓂì<Æ, É•t, ϕ, Ä, ÍⓂA"±"ü•û-@, ðŽQⓂÆ, μ, Ä%øº, ³, ϕⓂB, Ü, ½%øÒ"-
'O, É, ÍⓂA•K, , 'Ⓜ^ÓŽ-Ⓜ€, ðⓂÈäŠm" F, μ, Ä%øº, ³, ϕⓂB

“±“ü•û-@

@Remote-Disk ,đ Windows ,ÅŽg—p,·,é,½,ß,É,Í,ARemote-Disk for WindowsŽÀ□sf,fWf...□[f<,đĀäŽg—p’t,ì Windows ,É“±“ü□ifZfbfg□EFAfbfv□j,·,é•K—v,^a, ,è,Ü,·□B,±,é,Í□A^È%^o,ì•û-@,É□],ç□s,Á,Ä%^o,³,ç□B

- 1). Remote-Disk □i%^ođ“€Āä,ìftf@fCf<,ì,·,×,Ä□j,đĀäŽg—p’t,ì HDD ,ÉfRfs□[,μ,Ü,·□B(RDISK “™),ìfffBfĀfNfgfŠ□[,đ□ì□¬,μ ,ÄfRfs□[,³,é,é•û,^a□A□f□f“fefif“fX,^aŠy,Ä,·□B□j
- 2). Windows ,đ<N“® ,μ,Ü,·□B
- 3). fvf□fOf%^of€□E□f}f□[fWff□[,æ,è□A□fRfs□[,μ,½fffBfĀfNfgfŠ□[‘t,ì RDiskWin.EXE ,đ<N“® ,μ,Ü,·□B
- 4). <N“®Āä□A□uftf@fCf<□vf□fjf...□[‘t,ì□u“±“ü□v,đ‘l’đ,μ,Ü,·□B ,» ,ìĀä,í□A□fbfZ□[fW,É,μ,½,^a,Ä,Ä%^o,³,ç□B
- 5). “±“ü,^aŠ®—1,·,é,î□A—{fvf□fOf%^of€,đfXf^□[fgfAfbfv□E fOf<□[fv,Ö“o~^ ,μ,Ä%^o,³,ç□BŽŸ%^oñ,ì Windows <N“®Žž,æ,è Remote-Disk ,^aŽg—p%^oÄ\,ÈŠÄ<<,É,È,è,Ü,·□B

@“±“ü□ì<Æ,Ä,Í,ARemote-Disk “±“ü,ÉŽg—p,³,é,½ Remote-Disk ,ìfffBfĀfNfgfŠ□[,É□A•Ī□X‘O,ì Windows ,ì SYSTEM.INI ,đfofbfN□EFAfbfv,μ,Ü,·□B-œ,^a^è,ì□é□# ,í□A,±,é,đĀäŽg—p%^o,³,ç□B

@‘A,μ□A“±“ü,μ,½ Remote-Disk ,ì□í□œ,í□A□u“±“üŽæ,è□Á,μ□v,đ□uftf@fCf<□vf□fjf...□[‘t,É—p^Ó,μ,Ä,ç ,Ü,·□B“±“ü,μ,½ Remote-Disk ,đŽæ,è□Á,·,É,Í□A•K, ,±,ì□ì<Æ,đ□s,Á,Ä%^o,³,ç□B

@Remote-Disk ,đ Windows ,ÅŽg—p,·,éŽè□# ,É•t,ç,Ä,Í□A%^oÒ“•û-@,đŽQ□Æ,μ,Ä%^o,³,ç□B“±“ü,μ,½,³/₄, ,Ä,Í□A□Remote-Disk ,ì Windows ,ÅŽg—p,Ä,« ,Ü,¹,ñ□B

%oÒ“•û-@

□@“±“ü•û-@,É□],ç□ARemote-Disk ,ì“±“ü,ªŠ®—¹,·,ê,Î□A^È%ooº,ìŽè□‡,Å%oÒ“-
,Å,«,Û,·□B

fT□[fo□[<@”\,ìŽg—p

□@Windows <N“®‘O,É DOS ,æ,è Remote-Disk fT□[fo□[<@”\
,đ<N“® ,μ,Û,·□B,» ,ìŒã□AWindows ,đ<N“® ,μ□A-{fvf□fOf%of€
,đ<N“® ,·,ê,Î□AWindows ,ÅfT□[fo□[<@”\,ª%oÒ“ ,μ,Û,·□B-{fvf□fOf%of€ ,đ-^
%oñ<N“® ,·,é,ì,ª-Ê“|,È□ê□‡,Í□A-{fvf□fOf%of€
,đfXf^□[fgfAfbfv□E□fOf<□[fv,Ö“o~^ ,μ,Ä,¨,¯ ,Î□ADOS ,ÅfT□[fo□[<@”\,ª—
LŒø,Å ,ê,Î□AWindows<N“®Œã,ÉŽ©“®“l,ÉŽg—p%oÁ”\,Æ,È,è,Û,·□B

fNf%ofCfAf“fg<@”\,ìŽg—p

□@Windows <N“®‘O,É DOS ,æ,è Remote-Disk fNf%ofCfAf“fg<@”\
,đ<N“® ,μ,Û,·□B,» ,ìŒã□AWindows ,đ<N“® ,·,ê,Î□AZ©“®“l,ÉfNf%ofCfAf“fg<@”\,Í
—LŒø,Æ,È,è,Û,·□B

f{f^f“ Af fjf... [

[@- {fvf fOf %f€ ,É, í A^ È%º, ÉŽ |, · f{f^f“ ,Æf fjf... [,ª ARemote-Disk , ì%Ò -
ó < μ, É, æ, è Ž g — p%º Á “ \, Æ, È, è, Ü, · B

f{f^f“



u f t f @ f C f < v f f j f ... [

“ ± “ ü

“ ± “ ü Ž æ, è Á, μ

□ | —⁻¹

u %º ñ ü v f f j f ... [

f T [f o [[

□ Ú ‘ ±

f N f %º f C f A f “ f g

□ Ú ‘ ±

□ Ø ‘ f

u f w f < f v v f f j f ... [

- Ú Ž Ÿ

f o [[f W f ‡ f “ □ î • ñ

fT[]fo[],đ%ñü,ÉÚ'±,μ,Û,·B
'ŠŽè<ÇfNf%ofCfAf"fg,đÚ'±,·,é'O,ÉA•K, fT[]fo[],đ
%ñü,ÉÚ'±,μA%Ö"ó'Ô,É,·,é•K—v,^a, ,è,Û,·B

%ñü,ìÚ'±^∅'f,đŽQÆ,μ,Ä%^o,³,çB

fNf%ofCfAf“fg,lfhf%ofCfu,Æ‘ŠŽè<ÇfT[]fo[][,ì
fhf%ofCfu,đ□Ú’±,μ□A**Zg—p%oĀ”\,É□Y’è**,μ,Ü,·□B

%oň□ü,ì□Ú’±□^□∅’f,đŽQ□Æ,μ,Ä%o^o,³,ç□B

fT[fō

fT[fō[,đ%ňü,ÉÚ'±,μ,Û,·B
'ŠŽè<ÇfNf%ofCfAf"fg,đÚ'±,·,é'O,ÉA•K,,fT[fō[,đ
%ňü,ÉÚ'±,μA%Ò"óÔ,É,·,é•K—v,^a, ,è,Û,·B

fNf%ofCfAf"fg

fNf%ofCfAf"fg,lfhf%ofCfu,Æ'ŠŽè<ÇfT[fō[,ì
fhf%ofCfu,đÚ'±,μAŽg—p%Å"\,ÉÝ'è,μ,Û,·B

%ňü,ìÚ'±^∅'f,đŽQÆ,μ,Ä%^o,³,çB

fNf%ofCfAf“fg,lfhf%ofCfu,Æ‘ŠŽè<ÇfT[]fo[][,ì
fhf%ofCfu,ð[]Ø’f,μ[]A**Zg—p•s%oA”\,É[]Y’è**,μ,Ü,·[]B

%oñ[]ü,ì[]Ú’±[]^[]Ø’f,ðŽQ[]Æ,μ,Ä%o^o,³,ç[]B

fT[]fo[]l

fT[]fo[]l<@"\,ª“±“ü,³,ê,Ä,ç,È,ç,©[]AfT[]fo[]l,ª%ñü,É
[]U'±,³,ê,Ä,ç,é[]ê[]‡,É[]A,±,ìf{f^f“,ª•\Žl,³,ê,Ü,·[]B

fNf%ofCfAf“fg

fNf%ofCfAf“fg<@"\,ª“±“ü,³,ê,Ä,ç,È,ç,©[]AfNf%ofCfAf“fg,ì
fhf%ofCfu,Æ'SŽè<çfT[]fo[]l,ìfhf%ofCfu,ª[]U'±,³,ê,Ä,ç,é[]ê[]‡,É[]A
,±,ìf{f^f“,ª•\Žl,³,ê,Ü,·[]B

,±,ìf{f^f“,ìŽg—p,Å,«,Ü,¹,ñ[]B

fNf%ofCfAf“fg<@”\,ª“±“ü,³,ê,Ä,ç,È,ç,© AfNf%ofCfAf“fg,ì
fhf%ofCfu,Æ’ŠŽè<ÇfT[fō[l,lfhf%ofCfu,ª∅’f,³,ê,Ä,ç,éê†,ÉA
,±,lf{f^f“,ª•\Ž!,³,ê,Ü,·B

,±,lf{f^f“,íŽg—p,Ä,«,Ü,¹,ñB

Remote-Disk ,đ Windows ,Ö“±“ü,μ,Û,·□B

“±“ü•û-@,đŽQ□Æ,μ,Ä%oo^o,³,ç□B

“±“ü□ĭ,Ÿ Remote-Disk ,ì%ò“šâ««,đ”jšü,μ,Û,·□B

Remote-Disk ,đžg—p,μ,È,,È,ê,î□A,±,ì□ì<Æ,đ□s,ϣž-,É,æ,è□A
^À’S,É Remote-Disk Šâ««,ì,Ÿ”jšü,Ā,«,Û,·□B

Remote-Disk ,đ□I—¹,μ,Û,·□B

'A,μ□ADOS ,Å Remote-Disk ,ª%oÒ“,μ,Ä,ç,é□ê□‡,Í□A
□I—¹f□ffj...□L,©,ç,Í□I—¹,Å,«,Û,¹,ñ□B

,±,lfwf<fv□Eftf@fCf<,đ•\Ž!,μ,Ü,·□B

Remote-Disk ,lfo [fWf#f“ [î•ñ,ð•\Ž!,μ,Û,·B
,Û,½ [Aft [fU [“o~^,ì—L-³,à•\Ž!,μ,Û,·B

fbfZ[fW

@- {fvfOf%of€, aA%O“Žž,É•\
Ž, , éfbfZ[fW, Å, BfbfZ[fW, É, íA•K, fbfZ[fW”Ôt iMESxxxj, a•t, ç
, Ä, ç, Ü, B•\Ž, ³, è, ½fbfZ[fW“à—
e, đŠm”F, , é, É, íAfbfZ[fW”Ôt, đE³, ÉA^È%o, æ, è‘l’đ, μ, Ä%o, ³, çB

- MES201 fvfOf%of€, đl—¹, μ, Ü, B
- MES202 VRDisk.386 ,af[fh, ³, è, Ä, ç, Ü, ¹, ñB
- MES203 f^fCf}[, ðŠl“¾, ÉŽ, ”s, μ, Ü, μ, ½B
- MES204 “±“üì<Æ, đs, Á, Ä%o, ³, çB
- MES205 SYSTEM.INI ftf@fCf<, ðXV, ÉŽ, ”s, μ, Ü, μ, ½B
- MES206 Remote-Disk ,ì“±“ü, đs, ç, Ü, B
- MES207 “±“üï, Ý, ð Remote-Disk , đíœ, μ, Ü, B
- MES208 “±“ü, É•K—v, Èftf@fCf<, a, , è, Ü, ¹, ñB
- MES209 Remote-Disk , a%O“ , μ, Ä, ç, Ü, B
- MES210 Remote-Disk ,ì“±“ü, đs, ç, Ü, μ, ½B
- MES211 “±“üï, Ý, ð Remote-Disk , đíœ, μ, Ü, μ, ½B

fvf[]fOf%of€ ,l[]l-1, a'l'δ, 3, ê, Ü, μ, 1/2[]B

fvf[]fOf%of€ ,δ[]l-1, ·, é[]ê[]‡, l[]A[]uOK[]vf{f^f", δ%oY%oo°, μ, Ä%oo°, 3, ç[]B
[]l-1, μ, È, ç[]ê[]‡, l[]A[]u·-Y¾U[]vf{f^f", δ%oY%oo°, μ, Ä%oo°, 3, ç[]B

Remote-Disk —p,lfhf%oofCfo[][,af[][]fh,³,ê,Ä,ç,Ü,¹,ñ[]B
[]Ä"x[]ARemote-Disk ,ì"±"ü[]ì<Æ,ð[]s,Á,Ä%o^o,³,ç[]B

Windows, ìf^fCf} [Šl“¾, ÉŽ, “s, μ, Ü, μ, ½ B
, ±, ì ó’ Ô, Å, í A Remote-Disk , í%oÒ“ , Å, «, Ü, ¹, ñ B
Remote-Disk , ð%oÒ“ , , é, É, í A **Windows, ð Å N“ ®** , μ, Ä%oº, ³, ç B

Remote-Disk ,^a“±“ü,³,ê,Ä,ç,Ü,¹,ñ□B

“±“ü•û-@,É□],ç□A

Remote-Disk ,ì“±“ü□ì<Æ,ð□s,Á,Ä%^o,³,ç□B

SYSTEM.INI ftf@fCf<,ìXV,ÉŽ,"s,μ,Ü,μ,½B

ÆäŽg—p't,ìfn[fhfffBfXfN,ìó,«—e—Ê,ð'²,μ,Ä%º,³,çB

Remote-Disk fffBfÆfNfgfŠ[,ÉfofbfN[EfAfbfv,ª, ,è,Ü,·,ì,ÅA

•K—v,É%ºž,¶,Ä **SYSTEM.INI** ftf@fCf<,ð•œÆ³,μ,Ä%º,³,çB

Windows , Å Remote-Disk , đŽg—p, Å, «, é—l, É“ ±“ü, μ, Ü, · B

^—, đŒp' ±, ·, éê‡, íA uOK vf{f^f“, đA
'tŽ~, ·, éê‡, íA u·→Y¾Ü vf{f^f“, đ%oÿ, μ, Ä%ooº, ³, ç B

“±“üĭ,Ÿ Remote-Disk ,ìŠÂ««„đ”jŠü,μ,Û,·B
”jŠü,·,é,ÆA**Remote-Disk ,í Windows ,æ,èŽg—p,Â,«,Û,¹,ñ**B

^—,đŒp’±,·,éê‡,íAOKv{f^f“,đA
'tŽ~,·,éê‡,íAu·→Y³/₄Ûv{f^f“,đ%oÿ,μ,Ä%oo^o,³,çB

“±“ü,É•K—v,Èftf@fCf<□iVRDisk.386□j,²□ACE©,Â,©,è,Ü,¹,ñ□B
VRDisk.386 ftf@fCf<,í□A-{fvf□fOf%of€,Æ“~ ,ñffBfœfNfgfŠ□[,É
‘ñ□Ý,μ,Ä,ç,È,¯,ê,í□A“±“ü,í□s,!,Ü,¹,ñ□B

□I—¹,·,é,Æ□A**Remote-Disk**,í%_{oo}Ò“,μ,Û,¹,ñ□B
Remote-Disk ,^a%_{oo}Ò“,μ,Ä,ç,éŠÔ,Í□A□I—¹,μ,È,ç,æ,κ,É,μ,Ä%_{oo}^o,³,ç□B

%_{oo}¹/₂,ç,©,ìŽ-□î,É,æ,è□A,Ç,κ,μ,Ä,à□I—¹,·,é□ê□‡,É,Í□AWindows ,ì
f^fXfN□EfŠfXfg,æ,è□u□I—¹□v,đ'í'đ,μ,Ä%_{oo}^o,³,ç□B

“±“ü,Š®—¹,μ,Ü,μ,½,ì,ÅA-{fvfOf%of€,đXf^[fgfAfbfvEfOf<[fv,É
“o~^,μAWindows,đÄ<N“®,μ,Ä³í,É<N“®,Å,«,éŽ-,đŠm”F,μ,Ä%º,³,çB

“±“ü,ìžæ,èÁ,μ,Š®—¹,μ,Ü,μ,½,ì,ÅAfXf^[]fgfAfbfv[]EfOf<[]fv,É
“o~^[]İ,Ý,ì-{}fvf[]fOf%of€,đ[]í[]œ,μ[]AWindows ,đ[]Ä<N“® ,μ,Ä³[]í,É
Windows ,ä<N“®,Å,«,éŽ-,đŠm”F,μ,Ä%oo³,³,ç[]B

%oñü,ìÚ'±^Ø'f

[@%oñü,ìÚ'±^Ø'f<@"\,ð—~—p,·,éŽ-,É,æ,èARemote-Disk ,ðŽg—p,·,é
2'ä,ì<@Ší,ÅAíŽŽ Remote-Disk ,º%oÒ",μ,Ä,ç,é•K—v«,^²-^³,
,È,è,Û,·B'A,μAÚ'±^Ø'f,ðs,í,ê,ééè‡,É,ÍA^È%oº,ìŽè‡,É],çì<Æ,ðs,Á,Ä
%oº,^³,çB

[@%oñü,ìÚ'±,íAft[fo['x,æ,ès,ç,Û,·B,Û,·AÚ'±
,·,é'O,É•K, fP[fuf<,ª,Q'ä,ì<@ŠíŠÖ,ÅÚ'±,^³,ê,Ä,ç,éŽ-,ðŠm" F,μ,Ä
%oº,^³,çB,»ìÆäAft[fo['x,ð%oñü,ÉÚ'±,μA,»,μ,ÄfNf%ofCfAf"fg'x
,ðft[fo[.ÉÚ'±,μ,Û,·B

[@%oñü,ìØ'f,íAfnf%ofCfAf"fg'x,æ,ès,ç,Û,·Bfnf%ofCfAf"fg'x
,ÅØ'f,·,ê,îAft[fo['x
,íŽ©“®“l,ÉØ'f,^³,ê,Û,·BfsfA[Efc[[]EfsfAÚ'±Žž,ÉAfp[fuf<,ð"²,«·,μ,·,ééè
‡,íA—¼•ù,ì<@Ší,Åfnf%ofCfAf"fg<@"\,ìØ'f,ðs,x•K—v,^ª, ,è,Û,·B

'^ÓŽ-€

@Remote-Disk ,đŽg—p,·,é,É, ,½,èA^È%º,ì'^ÓŽ-€^a, ,è,Ü,·B,±,ê,ç'^ÓŽ-
€^íA**Remote-Disk ,ì^À'è%ºÒ“ ,É”ñí,É<N^ö**,μ,Ü,·B•K, ,A,·,x,Ä,ì“à—
e,đŠm”F,μ,Ä%º³,çB

,·,x,Ä,É“- ,Ä,í,Ü,é'^ÓŽ-€

EDOS/V Ćn<@Ší,Å,ìŽg—pŽž,ÉADOS ‘<,Å^À'è,μ,É,ç DOS fvf
fOf%of€,ì<N“@,íS,í,È,ç,Å%º³,çB,±,ì,æ,κ,ÈfvfOf%of€,íA
DOS ‘S%ºæ-È,Å<N“@,μ,Ä%º³,çB

fvfŠfAf<“~ŠúÚ'±,ì'^ÓŽ-€

ERemote-Disk ,ÅŽg—p't,ìfvfŠfAf<Ef|f|fg,Æ<£±,·,é'¼,ì'ÊM
f|ftfg,í%ºÒ“ ,μ,È,ç,Å%º³,çB

EfvfŠfAf<Ef^vfŠf“f^[-p,ìfXfv|[f%º[^a“±“ü,³ê,Ä,ç,éê±,ÅA
Remote-Disk ,^aŽg—p,μ,Ä,ç,éfvfŠfAf<Ef|f|fg,Æ<£±,μ,Ä,ç,é
ê±,íA^óüì<Æ,đS,í,È,ç,Å%º³,çB

fpf%ofĈf<Ú'±,ì'^ÓŽ-€

Efpf%ofĈf<Ef|f|fg,^aê,Â,μ,©'•”ö,μ,Ä,ç,È,ç<@Ší,đ,²Žg—p,ìê±
,É,íAfXfv|[f%º[ifvfŠf“f^[-j,^aŽg—p,·,é|f|fg,Æ<£±,μ,Ü,
,ì,ÅARemote-Disk %ºÒ“'t,íA^óüì<Æ,íS,í,È,ç,Å%º³,çB

ftf|[]fg<y,Ñ~A—[]æ

[]@Šî-{"I,É,Í[]A<ž"sKEN-NET ,ì **Remote-Disk ,lfm[]fg,Å[]s,ç,Ü,·,ª[]ANifty-Serve ,Æ Internet ,ì"džq MAIL ,đ—~—p,μ,Ä',,ç,Ä,àÆ<[]\,Ä,·[]B**

[]@'A,μ[]A,²žž-â,É,Í•K,, ^È%°°,ì"à—e,đ-¾<L,μ,Ä%°°°,³,ç[]B,"žè[]",¾,Æ,Ížv,ç,Ü,·,ª[]A,±,ê,ç,ì[]î•ñ,Í[]Šú-â'è%°°đÆ^,É,Ä,È,ª,è,Ü,·[]B<X,μ,, "Šè,ç'v,μ,Ü,·[]B

,P. ,²žg—p,ì<@Ší[]ifT[][fo[][]^fNf°°fCfAf"fg<æ[]j

,Q. ,²žg—p't,ì OS (DOS/Windows ,ìf[][]fj[][],Æfo[][]fWf†f")

,R. Remote-Disk []Ú'±'ìÆn[]ifVfŠfAf<"~Šú[]^fpf°°fÆf<[]j

,S. Æ»[]Ú,È,Ç

[]@~A—[]æ
Nifty-Serve

Internet

<ž"sKEN-NET

GHH01155 ,Ü,Å□AMAIL ,É,Ä,¨-â,ç□‡,í,¹%oo,³,ç□B
'A,μ□A'~□ìŒ ŽÒ,ì"s□‡,É,æ,è□A,²•ÖŽ-,a'x,ê,é□ê□‡,a, ,è,Ü,·□B
, ,ç, ©, ¶,ß,²—¹□³%oo,³,ç□B

shige@mbox.kyoto-inet.or.jp ,Ü,Å□AMAIL ,É,Ä,¨-â,ç□‡,í,¹%^{0,3},ç□B
'A,μ□A'~□ìŒ ŽÒ,ì"s□‡,É,æ,è□A,²•ÖŽ-,^ax,ê,é□ê□‡,^a ,è,Û,•□B
, ,ç, ©, ¶,ß,²-¹□³%^{0,3},ç□B

<ž“sKEN-NET : 075-501-3434 (14,400bps ‘î%ž)

Remote-Disk ,lfTf|[]fg[]Efm[]fg,ª, ,è,Ü,·[]B
,±,lfm[]fg,É,í[]A[]Å[]V[]î•ň,âfofO[]î•ň“™,ª[]žžfAfbfv,³,è,Ü,·[]B
,Ü,½[]A[]Å[]V“Å,â[]C[]³“Å“™,àfefXfg“É“,Ë,Ä <ž“sKEN-NET ,Ö
^ê”Ô,É“o~^,µ,Ü,·[]B
,±,lfm[]fg,í[]A[]f[]f[]Of[]C[]f““Éã,lfgfbbfv[]Ef[]fj[]f...[][,æ,è[]A
open pasocon -b58 ,Å“ü,è,Ü,·[]B

<ž“sKEN-NET,í[]A“ü%oižè[]”—ç,àfAfNfZfX%oÛ<à,à•K—v, ,è,Ü,¹,ň
,ì,Å,“<CCEy,ÉfAfNfZfX,µ,Ä%oo²,³,ç[]B

