

Windows 95 を Digital PC で使用する場合の注意 並びに制限事項について

“-ffffffffffffŠŽ%Ž
f□ffffffff□fŽ←•

1995”11E24“

機種分類

	Product	
A	Celebris GL/GL ST	Windows 95 ‘%□•
	Venturis 5xx	Windows 95 ‘%□• (Power Management□,□CEŽ□,,,□
	Digital HiNote Ultra	Windows 95 ‘%□• / BIOS , Upgrade ,•—,,□
B	Digital HiNote	BIOS , Upgrade ,•—,,□
	Celebris XL	Power Management ,,Ž—□CE,,,□
	Venturis 4xx	Plug & Play ‘?’□Power Management ,,Ž—□CE,,,□
	Celebris/Celebris ^{FP}	Power Management ,,Ž—□CE,,,□
C	DECpc LPv	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPv+	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx+	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx 5xx	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc XL	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc Note	Windows 95 Hardware •□Ž—,-,,,,,□
D	DECpc LP	Windows 95 ,,Ž—,,,,,□
	DECpc MT	Windows 95 ,,Ž—,,,,,□
	DECpc MTE	Windows 95 ,,Ž—,,,,,□
	f□f□•	Windows 95 ,,Ž—,,,,,□

-
- A** Windows 95 ‘%□•
 - B** CE‘,, Windows 95,ff□f‘□Š,,,,,□CE□,□CEŽ□,,—%□,□Ž—,,,,,%”,,□
 - C** Windows 95,Ž—,,,,,•□Ž—,-,,,,,□Windows 95,,Ž—,,,,,ff□f‘□Š,,,,,□
 - D** Windows 95,Ž—,,,,,□
-

一般情報

Install

Windows95,ffff□f,,□•, Windows95,ffffff,Š,ffffff□ff□ff□f,,CD-ROM/FD,README.TXT,,“,%o,,□

Windows 95 ,ffff□f,,“,”□□Windows 95 <“ffff□,□□,,”,-,□,,,,,,□%o“,,—,„,fff□f□E,Windows 95
,□,“□,,□□,•—,„,„,□•,□Windows 95 <“ffff□,□□,„,„,□

ffffff 8MB ,fff,□□□ffffff,□’,„,„,„,Windows 95 ,ffff□f,„,„,„,□□,„,„,□

Windows 95 ,ffff□f’,BIOS Setup,Power Management <”„,fff,ffff□‘,„,„,□%o-
,„,„,Š,„,„,□□,„,„,□ffff□f,□,‘,□BIOS Setup ,—,Power Management ,Š,□’,-E,„,„,„,□

DOS / Windows 3.1 ,ffff□f,„,„,fff, Windows 95 ,ffff□ffff□f,,□□,□DOS , CONFIG.SYS
, AUTOEXEC.BAT ,,<□,ffff□f,‘Š,„,„,fff□f□E, Windows 95 ,<“,-„,„,%o—,•^’„,„,□□,„,„,□

Power Management

%o<,□%o,,DECpc/Digital PC,,□Hardware Requirement for Windows 95 ,’□,, APM V1.1 ,Š‘,“%o
,„,„,„,„,□Windows 95 ,ff□ffffff,□□,‘”„,„,„,„,□

Windows 95 ,, Power Management ,<”„,„,„, □<□“,APM 1.0f□f,,(A) □,,□-,—E,„,„,„,„,□□,„,„,□

Display

Windows 95 ,,Ž—,ffffff—,fff,„,„,“•,„,„,„,„,□ffffff,’,<„,„,□□,fff,“•,„,„,„,„,□□,„,„,□

Windows 95 ,, VIPER VLB/PCI —, Driver ,“•,„,„,„,„,□ Microsoft „,„,„, Driver , Windows 95 □,,□Žff□f,„,„,„,„,□

S3 ,ffffff,“„,„,„,„,Ž,□DOS / Windows 3.1ffffff□f□fff,“•,„,„, SMTR.EXE ,—,ffffff,□’,□,„,„,„,„,□%o-
,„,„,□□,„,„,„,□

SMTR.EXE , Windows 95 ,MS-DOSffff,Ž□,„,„,„,„,„,□

ffff□f,’,„,„,□□,„,„,„,„,f□f□—,fff□’f□f,Ž—,fff□’,□,„,„,„,„,„,„,□□,„,„,„,„,□

FR-PCXCR-AH (Philips 2倍速 IDE CD-ROM Drive)

FR-PCXCR-AH (Philips CM207 CD-ROM) , Windows 95 , Ž—, □□□%Š,,□□,Ž,,,,,□

FR-PCXCR-AH,Ž—,,, CONFIG.SYS , DDATAPI.SYS (FR-PCXCR-AH , MS-DOS —,fff)
,‘□,,,□ffffff,, CD-ROM ,fff,□,,,fff,,,,,□Š”□,□□,,,□Windows95ffff□fffĒ,ff’,,Ž—
,□CONFIG.SYS,,DDATAPI.SYS,□□,,,□□,%,□

FR-PCXCR-AH , Secondary Port , Slave ,Masterfff,,□‘,,,fff□fff,—,□□,,,□
,□□,□Master ,□‘,,,,,□

FR-PCXCR-AH,,”CD-ROM,,,□,,, Windows 95 ,Ž—,□□□fff,, CD-
ROM” ,□‘,,, ”,□’,,,,,Ž,,,,,□,,,Ē,,□’,,,□□,□^%Ž□□,□□,,,□

1. fff□fff,Š,□
2. fffffff,ffffff,,□
3. fff□ffff,ffff,,□
4. fffffff□,-,,ff,□,fff,,□
5. □fff,•-,□“%□□”“fff□□’,,□
6. □“—□□•,□,fff,,□—,,□

ICU (ISA Configuration Utility)

Windows 95 Ž□, Plug & Play OS ,,,,□DOS/Windows3.1ffffff□f□fff,fff□f,,,, ICU ,Ž—,•—,,,,,□
Windows 95 □, ICU,“,,,ff□,”□,Ž□,,,,,□

Windows 95 □, Plug & Play ISA card ,□’,,Ē□Dual Boot ,,,<”,—, DOS / Windows3.1 ,<,, ICU ,,Ž—
,,□Windows 95 ,□’,,, ISA Card ,□”Ž,,,,f□f□,,,□Unknown device□,•Ž,,,,□

Getting Started

DOS/Windows3.1ffffff□f□fff,fff□f,,,, Getting Started ,Windows 95 ,Ž—,,,,,,□Windows 95
□,“,,Ž,%”,,,□,’fff□,, Windows 95,,Ž—,,,,,,□

PMCU (Power Management Utility) for DOS / Windows 3.1

DOS / Windows3.1ffffff□f□fff,fff□f,,,, PMCU , Windows 95 □,“%”<”,,,,,Ē,,,□-’,-‘,%
,,,%”□,,,,,□

DMI Editor (Desktop Management Interface Editor)

```
DOS / Winodws3.1 ,ffff, DMI Editor ,ffff□f,,,,□□,,□DOS , CONFIG.SYS ’,, “DEVICE=C:\DECDMI”  
,,□,,,,,REM ,—,ffffff,,□□,,,, Windows 95 fffff□ffff□f,□,,,,□Windows 95 , CONFIG.SYS  
’,□,Ž,□□,,,,□□, “DEVICE=C:\DOS\EMM386.SYS” ,□,,’,□,□Windows 95 ,□Ž,^%  
.ff□fff□f,•Ž,,fff,,□
```

EMM386: Unrecoverable privileged operation error #1 - press enter to reset

```
,,,,□‘Š,□□,,□□Windows 95 □“ffff□ffff□,—,fff,—,□□CONFIG.SYS ’, “DEVICE=C:\DECDMI”  
,,□□□□,, “DEVICE=C:\DOS\EMM386” ,□,‘“,,,,,□
```

```
Windows 95 □, DMI Editor ,Ž—,,,,□^%□,Ž□,□,,,,,□
```

```
AUTOEXEC.BAT ,^%□,□,%□,,,,,□
```

```
\DMI\DOS\BIN\SL.EXE  
PATH=%PATH%;c:\dmi\win16\bin
```

```
,,,□,%□,,,,□^%□,ff□fff□f,•Ž,,,,□
```

```
"cannot find dmiapi.dll".
```

```
Ž,CONFIG.SYS , “DEVICE=C:\DOS\EMM386.EXE” ,□,,’,^%□,□,%□,,,,,□
```

```
DEVICE=C:\DECDMI.SYS
```

```
,,□Windows 95 fffff,, “IOS.INI”ffff, [Safelist] ff□f,%□,^□,%□,,,,,□
```

```
sl.exe ; Service Layer for DMI
```

Logitech Mouse Driver / Utility

```
Logitech Mouse Driver / Utility ,□Windows 95 □,,□,□,□,□Logitech Mouse Driver & Utility , Pre Load ,,,,□Ž  
( Venturis, HiNote, HiNote Ultra, Celebris XL, Celebris GL “□, Windows 95  
.ffff□ffff□f,,,,,f□ffff,,,, Windows 95,‘□,,,,,□^%□,Ž□,□,,,,,Š,,,,,□
```

1. Windows 3.1 ,fffff,fffffffff,,□
2. SETUP ,Ž□,□fff,□fffffffff□,□□,,□
3. ““,ffff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,ffffff,,□
5. WIN.INI ffff, SAVE ,□

3 mode FDD

DOS/Windows3.1—, 3mode FDD Driver , Windows 95 □,Ž—,,,,,,,,,□,□DOS/Windows3.1
 ,fff□f,,,fff, Windows 95, Upgrade Install ,,□□□“—,,,’<,,DOS/Windows3.1—, 3 mode FDD Driver
 , CONFIG.SYS ’, Load ,,,,,,—,”□,,□□,,,,,□,,,,, CONFIG.SYS ,, AUTOEXEC.BAT ,,Š“,, 3mode FDD
 Driver ,□□,,,,,□

Windows 95 , 3mode FDD ,Ž—,,,□Š<Ž□—, 3mode FDD miniport driver ,•—,,□^%o,<Ž,,,,□Windows 95 —
 , 3mode FDD miniport driver ,□”,,,,,□

Ž	Driver –
Digital Venturis 4xx	(digital2.vxd)
Digital Venturis 5xx	(digital1.vxd)
Digital Celebris XL	(digital1.vxd)
Digital HiNote Ultra	(digital3.vxd)
Digital HiNote	(digital3.vxd)

Digital Celebris GL —, 3mode FDD miniport driver , Windows 95 ’,,□”,,,,,□Digital Celebris XL —,,,‘—
 ,,,,,,□Digital HiNote Ultra/ Digital HiNote —, 3mode FDD miniport driver ,,Ž—,,,□□,,□
 %□fff,fff□ffffffffffffff,•Ž,,’,□’,,,,,,□,,□□,□□Ž□,,□

,,Windows 95 — 3mode FDD miniport driver ,□^%o,Ž□,fff□f,,,□

1. ffff□f fff, [ffff] ffff,fffffff
2. [fff ff□ff] ff,ffff
3. [fff□ ffff ffff□f] ,fffffff
4. [fff□f ffff□ ffff ffff□f,ffff] ,fff
5. [ffff] fff,ffff
6. [fff] ff,ffff,□[fff,•□] fff,ffff
7. [,,,ffff,•Ž] ffffffff,ffff
8. ffff□f, [□‘□],[fff],‘,
9. [OK] fff,ffff

Windows 95 , 3mode FDD miniport driver,<”□fff□□MS-DOSffff□,,, 3.5”
 1.2MBfff□,□,,,fff,“□,□,□,‘,fff□ffff□f□ffff□f,,,ff□f,,,□1.2MB
 ffff□,ff□fff,□ff□f,,,,,□

上述した以外の機種については、Windows 95 上での 3mode FDD 対応は予定されておりません。

SCSI Tape Drive

Windows 95 ,“•,,,,,fffffff□f "Microsoft Backup" ,,□SCSI Tape Drive ,Ž—,,,,,□—□Š,,□"Microsoft Backup"
 ,fff,ff□f,,,,,Ž<□,,,,,□

Group A

Celebris GL/ Celebris GLST

DOS / Windows 3.1 ffffff f fff,fff f f,,,, **Getting Started** , Windows 95 ,,, Ž—,,,,, □

Windows 95 Ž □, Plug & Play OS ,,,, DOS/Windows3.1 ffffff f fff,fff f f,,,,, **ICU(ISA Configuration Utility)** ,Ž—,•—,,,,, □ Windows 95 □, ICU, <“ ,,, f f □, ” □, Ž □, ,,,, □

Windows 95 □, Plug & Play ISA card , □’ , E □ Dual Boot ,,, <” —, DOS / Windows3.1 , <“ , ICU ,,, Ž— ,,, □ Windows 95 , □’ ,,, ISA Card , □” Ž ,,, f □ f □, □ Unknown device □, • Ž ,,, □

DOS / Windows 3.1 ffffff f fff,fff f f,,,,, **Logitech Mouse Driver / Utililty** , Windows 95 □, , Ž— ,,,,,, □ Windows 95 , fffff fffff f f, □ □, □, ,,, ^%o, Ž □, □, Windows 3.1 ,, Logitech Mouse Utility , Š ,,,,,, □

1. Windows 3.1 , fffff, fffffffffff, , □
2. SETUP , Ž □, □ fff, □ fffffffffff □, • □, , □
3. ““ , ffff □, □ Windows fffff, , WIN.INI ffff, Š, □
4. load=C:\MOUSE\WBUTTONS.EXE ,,, □, REM ,—, , ffffff, , □
5. WIN.INI ffff, SAVE , , □

DOS / Windows 3.1 ffffff f fff,fff f f,,,,, **MGA Millennium** —, Driver , Windows 95 □, , Ž— ,,,,,, □, ,,, DOS / Windows 3.1 ffffff f fff,fff f f,,,,, Getting Started ,—, “MGA Millennium Windows 95 Drivers” ffff, □ □, ,,,,,, □

DOS / Windows 3.1 ffffff f fff,fff f f,,,,, **MGA Millennium** —, Utility , Windows 95 □, , Ž— ,,,,,, □ Windows 95 , fffff fffff f f, □ □, ,,, Utility ,,,, Windows 95 , ‘ □, ,,,,,, , □ ^%o, Ž □, □, Windows 3.1 ,, MGA Millennium Utility , Š ,,,,,, □

1. ““ , ffff □, □ Windows fffff, , WIN.INI ffff, Š, □
2. run C:\MGA\CPANEL.EXE ,,, □, REM ,—, , ffffff, , □
3. WIN.INI ffff, SAVE , , □

DOS / Windows 3.1 ffffff f fff,fff f f,,,,, f f ffffff f ffff, □ ^E Windows 95 □, , <” ,,,,,, E ,,, □ —’ , — ‘ , %o, , %o” □, ,,,,,, □

DOS / Windows3.1 ffffff f fff, Windows 95, fffff fffff f f, □ □ □, ,,, DOS , AUTOEXEC.BAT ’ , “ ffffff f f, Š, ^%o, < □, REM ,—, , ffffff, ,,,,,, , Windows 95 ffff f f f f f f, □, %o, —, ‘ , □ □, ,,,,,, □

C:\WINDOWS\ESSCFG.EXE
C:\WINDOWS\ESSVOL.EXE

Celebris GL/GLST ““ , ffffff f f, Windows95 □, Ž—, ,,,,,, □ □ □, ffff, •—, ,,,,,, □, , Windows 95 , AUTOEXEC.BAT ’ ,,,,,, < □, ,,,,,, □ □ □, ,,,,,, □

DOS , CONFIG.SYS ’,, DMI (Desktop Management Interface) Editor ,Ž—,.,.,, “DEVICE=C:\DECDCMI”
,,□,.,.,.,,REM ,—,.,fffff,.,.,.,, Windows 95 fffff□ffff□f,□,.,.,,□ Windows 95 , CONFIG.SYS
,.,.,,Ž,□□,.,.,.,,□,□, “DEVICE=C:\DOS\EMM386.SYS” ,□,.,.,.,, Windows 95 ,‘Ž,^%,ff□fff□f,•Ž,fff,.,,□

EMM386: Unrecoverable privileged operation error #1 - press enter to reset

,.,.,,□,Š,□□,.,.,□□ Windows 95 <“ffff□ffff□,—,.,fff,—,□, CONFIG.SYS ’, “DEVICE=C:\DECDCMI”
,.,.,,□□,.,.,, “DEVICE=C:\DOS\EMM386” ; ‘^“ ,.,.,.,,□

Windows 95 □, DMI Editor ,Ž—,.,.,,□^%,Ž□,□,.,.,.,,□

AUTOEXEC.BAT , ^%,□, ’%,.,.,.,,□

\DMI\DOS\BIN\SL.EXE
PATH=%PATH%;c:\dmi\win16\bin

,.,.,,□, ’%,.,.,.,,□^%,ff□fff□f,•Ž,.,.,.,,□

"cannot find dmiapi.dll".

Ž,CONFIG.SYS , “DEVICE=C:\DOS\EMM386.EXE” ,□,.,.,,^%,□, ’%,.,.,.,.,,□

DEVICE=C:\DECDCMI.SYS

,.,.,□ Windows 95 fffff,.,.,, “IOS.INI”ffff, [Safelist] ff□f,^%,^□, ’%,.,.,.,.,,□

sl.exe ; Service Layer for DMI

Windows 95 ,ffff□ffff□パワーマネジメント’,□’,□□□,.,.,,□ff□,□’,.,.,,APM <’,-E,.,.,.,,□APM ,—
,.,.,,□□□□□,□’,.,.,.,.,.,.,.,.,,□□fffff,□□□□□□

Windows 95 □, 3mode FDD ,Ž—,.,.,.,.,,□ Windows 95 —, 3mode FDD miniport driver ,•—,.,,□
DOS / Windows 3.1 —, 3mode FDD Driver,Ž—,.,.,.,.,.,.,.,,□ Celebris GL/GLST —, 3mode FDD miniport driver
, Windows 95 ,“•,.,.,.,.,.,,□ Digital Celebris XL —,.,.,.,,‘—,.,.,,Ž,.,.,.,,□ Windows 95 — 3mode FDD miniport driver ,□^
%,Ž□,ffff□f,.,.,,□

1. fffff□f fff, [ffff] ffff,ffffff
2. [ffff ff□ff] ff,ffff
3. [ffff□ ffff ffff□f] ,ffffff
4. [ffff□f ffff□ ffff ffff□f,ffffff] ,ffff
5. [ffffff] fff,ffff
6. [ffff] ff,ffff,□[ffff,•□] fff,ffff
7. [.,.,,ffff,•Ž] ffffffff,ffff
8. ffff□f, [□‘E],[fff],‘,
9. [OK] fff,ffff

Windows 95 , 3mode FDD miniport driver, <" , fff□□MS-DOSffff□,, 3.5"
1.2MBffff□,□,,fff,“ ,□, ,E,,,,□, ,‘,fff□ffff□f□ffff□f,,ff□f,,,,□1.2MB
ffff□,ff□fffff,□ff□f,,,,,□

Venturis 5xx / Venturis^{FP} 5xx

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, Getting Started ,□Windows 95 □,,Ž—,,,,□

Windows 95 Ž□, Plug & Play OS ,,,, DOS/Windows3.1 fffff□f□fff,fff□f,,,, **ICU(ISA Configuration Utility)** ,Ž—,,•—,,,,□ Windows 95 □, ICU, <“,,ff□,”□,Ž□,,,,□

Windows 95 □, Plug & Play ISA card ,□’ ,E□Dual Boot ,,,<” —, DOS / Windows3.1 <“ , ICU ,,,Ž—
,,□Windows 95 ,□’,, ISA Card ,□”Ž,,,f□f□,,□Unknown device□,•Ž,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,fff□’f□f ”SMTR.EXE” ,□Windows 95 □,,fff□’□,□,,•—
,,,□,•,□,□Windows 95 ffff□fE,%—,,,,,□□,□ SMTR , DOS
f□f, <“ ,□,fffff,□’,,,,,%,□□,□□,□□,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, Logitech Mouse Driver / Utililty , Windows 95 □,,Ž—
,,,,□Windows 95 ,ffff□ffff□f,,□□,□□,□□,□%Ž□,□, Windows 3.1 ,, Logitech Mouse Utility ,Š,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. ““ ,fff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM —, ,fffff,,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, ff□fffff□ffff,□^E Windows 95
□, <”,,,,,E,,,,□—’ ,‘ ,%,,,,%”□,,,,□

Windows 95 □, DMI Editor ,Ž—,,,,□^%Ž□,□□,□,,,,□

AUTOEXEC.BAT ,^%□, %,,,,□

```
\DMI\DOS\BIN\SL.EXE  
PATH=%PATH%;c:\dmi\win16\bin
```

,,,□, %,,,,□^% ,ff□fff□f,•Ž,,,□

"cannot find dmiapi.dll".

Ž,CONFIG.SYS , “DEVICE=C:\DOS\EMM386.EXE” ,□,‘,^%□,‘%□,,,,,□

DEVICE=C:\DECDMI.SYS

,,□Windows 95 ffffff,,, “IOS.INI”ffff, [Safelist] ff□f,^%□,^%□,,,,,□

sl.exe ; Service Layer for DMI

Windows 95 □,□BIOS ,□’,,,System Standby Timer / System Suspend Timer ,<”,,,,□,, Venturis 5xx / Venturis^{FP} 5xx,,□ĚŽ□,,□

Windows 95 □, 3mode FDD ,Ž—,,,,,□Windows 95 —, 3mode FDD miniport driver ,•—,□Venturis 5xx / Venturis^{FP}5xx —, 3mode FDD miniport driver ,□,, Windows 95 ,“•,,,,,□ Windows 95 — 3mode FDD miniport driver ,□^%□,Ž□,ffff□f,,,□

1. ffff□f fff, [ffff] ffff,fffff
2. [ffff ff□ff] ff,ffff
3. [ffff□ ffff ffff□f] ,fffff
4. [ffff□f ffff□ ffff ffff□f,fffff] ,fff
5. [ffff] fff,fff
6. [ffff] ff,fff,□[ffff,•] fff,fff
7. [,,,fff,•Ž] ffffffff,fff
8. ffff□f, [□‘Ě],[fff],‘,
9. [OK] fff,fff

Windows 95 , 3mode FDD miniport driver,<”,□fff□□MS-DOSffff□,, 3.5" 1.2MBffff□,□,,ffff,“□,„Ě,,,,□,‘,ffff□ffff□f□ffff□f,,,ff□f,,,,,□1.2MB ffff□,ff□fffff,□ff□f,,,,,□

Digital HiNote Ultra

Digital HiNote Ultra , Windows 95 ,Ž—,,,,□V1.40 ,,,^□, **System BIOS** ,,Upgrade,□□—fff,,‘□,•—,□

V1.40 ^□, System BIOS , Upgrade ,,□□□V3.05 ^‘, EZ-SCSI ,Ž—
,,ffff□fffff,fff,,,,,□V3.06^□,,, EZ-SCSI Pro V3.5J,,Ž—,□

DOS / Windows 3.1 ffffff□f□ fff,fff□f,,,, Logitech Mouse Driver / Utility ,Windows 95 □,,Ž—
,,,,,□Windows 95 ,ffff□ffff□f,,□□,,□,,,,^%□,Ž□,□, Windows 3.1 ,, Logitech Mouse Utility ,Š,,,,,□

1. Windows 3.1 ,fffff,fffff,fff,,□
2. SETUP ,Ž□,□fff,□fffff,fff□,•□,□
3. ““,ffff□,□Windows ffffff,,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,fffff,,□
5. WIN.INI ffff, SAVE ,,□

BIOS , □ , , , Advanced Power Management , Š , , □ , Windows 95 □ , , □ , , , , , , □ , — Ć , , , , □ , , □ Digital HiNote Ultra , Ž — , , □

Windows 95 □ , 3mode , Ž — , , , , , □ Windows 95 — , 3mode FDD miniport driver , • — , □ Digital HiNote Ultra— 3mode FDD miniport driver , □ , , , Windows 95 , “ • , , , , , □ , , □ , miniport Driver , Ž — , , □ % □ fff , fff □ fff fff fff fff fff fff , — , , , , , • Ž , , , □ , □ Ž — □ , □ Ć Ž □ , □ Windows 95 — 3mode FDD miniport driver , □ ^ % , Ž □ , fff □ f , , , □

1. fff □ f fff , [fff] fff , fff fff
2. [fff ff □ ff] ff , fff
3. [fff □ fff fff □ f] , fff fff
4. [fff □ f fff □ fff fff □ f , fff fff] , fff
5. [ffff] ff , fff
6. [fff] ff , fff , □ [fff , • □] ff , fff
7. [, , , fff , • Ž] fff fff fff
8. fff □ f , [□ Ć] , [fff] , ‘ ,
9. [OK] ff , fff

Windows 95 , 3mode FDD miniport driver , < ” , □ fff □ □ MS-DOS fff □ , , , 3.5" 1.2MB fff □ , □ , , , fff , “ , □ , Ć , , , □ , ‘ , fff □ fff □ f □ fff □ f , , , ff □ f , , , , □ 1.2MB fff □ , ff □ fff fff , □ ff □ f , , , , , □

HiNote Ultra , □ fff fff , □ ’ , 800 □ 600 16colors , , , □ LCD ‘ , • Ž , , , — ^ Š , % — fff □ f , , , , , , , , □

Group B

Digital HiNote

Digital HiNote , Windows 95 ,Ž—, , , V1.40 , , ^ , System BIOS , Upgrade , □□—fff, , , , •—, , □

V1.40 ^ , System BIOS , Upgrade , , □□□V3.05 ^ , EZ-SCSI ,Ž—
 , , ffff□ ffffffff, ffff, , , , , □V3.06 ^ , , , , EZ-SCSI Pro V3.5J, ,Ž—, , , , □

DOS / Windows 3.1 ffffffff□ f□ fff, ffff□ f, , , , , Logitech Mouse Driver / Utility , Windows 95 □ , , ,Ž—
 , , , , □ Windows 95 , fffff□ fffff□ f, , □ , , □ , , , , % ,Ž□ , □ , , Windows 3.1 , , Logitech Mouse Utility ,Š, , , , , □

1. Windows 3.1 , ffffffff, ffffffff, , , □
2. SETUP ,Ž□ , □ fff, □ ffffffff□ , •□ , , □
3. ““ .fff□ , □ Windows fffff, , , WIN.INI ffff,Š, □
4. load=C:\MOUSE\WBUTTONS.EXE , , □ , REM ,—, , ffffffff, □
5. WIN.INI ffff, SAVE , , □

BIOS , □ , , , Advanced Power Management ,Š, □ , □ Windows 95 □ , , □ , , , , □ —E, , , , □ , □ Digital HiNote ,Ž
 —, □

Windows 95 □ , 3mode FDD ,Ž—, , , , □ Windows 95 —, 3mode FDD miniport driver , •—, □ Digital HiNote —
 3mode FDD miniport driver , □ , , , Windows 95 , “ , , , , □ , □ , , miniport Driver ,Ž—, , □
 %□ fff, ffff□ ffffffff ffff, —, , , , , •Ž, , ‘ , □ , □ , □Ž—□ , □ EŽ□ , □ Windows 95 — 3mode FDD miniport
 driver , □ ^ % ,Ž□ , ffff□ f, , , , □

1. ffff□ f fff, [ffff] ffff, ffffffff
2. [ffff ff□ ff] ff, ffff
3. [ffff□ ffff ffff□ f] , ffffffff
4. [ffff□ f ffff□ ffff ffff□ f, fffff] , ffff
5. [ffff] fff, ffff
6. [ffff] ff, ffff, □ [ffff, •□] fff, ffff
7. [, , , ffff, •Ž] ffffffff, ffff
8. ffff□ f, [□ ^ E], [fff], ‘ ,
9. [OK] fff, ffff

Windows 95 , 3mode FDD miniport driver, <” , □ fff□ □ MS-DOS ffff□ , , , 3.5”
 1.2MB ffff□ , □ , , , ffff, “ , □ , , E, , , , □ , ‘ , ffff□ ffff□ f□ ffff□ f, , , ff□ f, , , , □ 1.2MB
 ffff□ , ff□ fff, □ ff□ f, , , , , □

Celebris XL

DOS / Windows 3.1 ffffffff□ f□ fff, ffff□ f, , , , , Getting Started , □ Windows 95 □ , , ,Ž—, , , , , □

Windows 95 Ž□ , Plug & Play OS , , , , □ DOS/Windows 3.1 ffffffff□ f□ fff, ffff□ f, , , , , ICU (ISA Configuration
 Utility) ,Ž—, , , •—, , , , □ Windows 95 □ , ICU, <“ , , , ff□ , ”□ , , Ž□ , , , , □

Windows 95 □, Plug & Play ISA card ,□',,CE□Dual Boot ,,,<'—, DOS / Windows3.1 ,<' , ICU ,,,Ž—
,,□Windows 95 ,□',,, ISA Card ,□”Ž,,,f□f□,,□Unknown device□,•Ž,,,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,,fff□'f□f ”S64MODE.EXE” ,□Windows 95 □,fff□',□,,,•—
,,,□,•',,,,,,□Windows 95 ffff□fCE,%o—,,,,,□□,,□SMTR , DOS
f□f,<'□,fffff,□',,,,,,%,□□,□□,□□,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,, Logitech Mouse Driver / Utililty , Windows 95 □,Ž—
,,,,□Windows 95 ,ffff□ffff□f,,□□,□□,%,Ž□,□, Windows 3.1 ,, Logitech Mouse Utility ,Š,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. “”,fff□,□Windows ffffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,fffff,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,, ff□fffff□fffff,□`E Windows 95
□,<' ,,,,,,CE,,,□-',-,%o,,,%o”□,,,,□

Windows 95 □,,□BIOS ,□',,,Auto-Suspend,<' ,,,,,□,,Ž—□,□EŽ□,,□

Windows 95 □, ffffff□fffff,—E,□',,,□□<□“,APM 1.0f□f,,,(A) □,—
E,,,,,fff□ffff□,ff□ffffffffff,•Ž,,,□□,□□,□

Windows 95 □, 3mode FDD ,Ž—,,,,,□Windows 95 —, 3mode FDD miniport driver ,•—,□Celebris XL—
, 3mode FDD miniport driver ,□,, Windows 95 ,“•,,,,,□ Windows 95 — 3mode FDD miniport driver ,□`%
.Ž□,fff□f,,□

1. ffff□f fff, [ffff] ffff,fffff
2. [fff ff□ff] ff,ffff
3. [fff□ fff fff□f] ,fffff
4. [fff□f fff□ fff fff□f,ffff] ,fff
5. [ffff] ff,fff
6. [fff] ff,fff,□[fff,•□] ff,fff
7. [, ,fff,•Ž] fffffff,fff
8. fff□f, [□`E],[ff],‘,
9. [OK] ff,fff

Windows 95 , 3mode FDD miniport driver,<' ,□fff□□MS-DOSffff□,, 3.5"
1.2MBfff□,□,,fff,“□,□,CE,,,□,‘,fff□ffff□f□ffff□f,,ff□f,,,,□1.2MB
fff□,ff□fffff,□ff□f,,,,,□

Celebris / Celebris^{FP}

Windows 95 Ž□, Plug & Play OS ,,,,,□DOS/Windows3.1 ffffff□f□fff,ffff□f,,,,, **ICU(ISA Configuration Utility)** ,Ž—,•—,,,,,□ Windows 95 □, ICU,<' ,,,ff□,□,Ž□,□□,□

Windows 95 □, Plug & Play ISA card □, CE□Dual Boot ,,,<” —, DOS / Windows3.1 <“, ICU ,,,Ž—
 ,, □Windows 95 □, ,,, ISA Card □”Ž,,,,f□f□,, □Unknown device□, •Ž,,,, □

Windows 95 , CONFIG.SYS ’ EMM386 , fffff “X=E000-EFFF” , <□,,,,, □Plug & Play <”,,,,, Ž—,,,,, □□,,,,, □

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,,fff□’f□f ”SMTR.EXE” , □Windows 95 □, fff□’, □,,,,, •—
 ,,, ‘□, •, ,,,,, □Windows 95 ffff□fCE,%0—,,,,, □□, □SMTR , DOS
 f□f, <“, □, fffff, □’,,,,, ,,%0□,,, □□, □,,,,, □

Windows 95 □, fffffff□ffffff,—CE, □’, □,,,,, 「強制的に APM 1.0 モードにする(A)」,—
 CE,,,,, fff□ffff□ff□ffffff, •Ž,,,, □□, □,,,,, □

ff□ffffff>”,,,,, fffff, ,,, f□ffff, □f□f□f, ,,, “—, fff, “, ,,,, fff, ,,,,,, fffff, ,,,,,, □

Celebris / Celebris^{FP} □, □Windows 95 □, , 3mode FDD はサポートされておりません。

DOS / Windows —, 3mode FDD Driver , Windows 95 □, Ž—,,,,, □, □3mode FDD Driver , Windows 95
 , CONFIG.SYS, Load ,,, □ffff,fff, ,,,, □Š, ^, <, ,,,,,, □CONFIG.SYS’, \$ _12FD.SYS—
 , \$ _12FD2.SYS, <□, ,,, □, ‘□, □□, , □Windows95ffff□fff^‘, ,,, □□□, %0, , □

CELEB590.SYS , DOS , CONFIG.SYS ’, Load ,,,, ffff, Windows 95 , fffff□ffff□f, ,,, fff, ,,, □,,,,, □DOS
 , CONFIG.SYS , CELEB590.SYS , Š, <□, ‘□, ,,, Ž, Š” □‘□, □□□, □□, □,,,,, □

Celebris / Celebris^{FP} CD-ROM fff, “□, ,,,, FR-PCXCR-AH (Philips CM207 CD-ROM Drive) , Windows 95 , Ž—
 ,, □□□%0Š,,, □□, , Ž, ,,,,,, □

FR-PCXCR-AH , Ž—, □, , CONFIG.SYS , DDATAPI.SYS (FR-PCXCR-AH , MS-DOS —, fff)
 , ‘□, , □ffffff,fff, ,,,, □Š, ”□, □□, ,,,, □Windows95ffff□fffCE,ff”“ Ž—
 , □CONFIG.SYS, , DDATAPI.SYS, <□, ,,, □□□, %0, , □

FR-PCXCR-AH , Secondary Port , Slave , Master ,,, □‘, ,,, fff□fff,—, □□, ,,,, □, □□, □Master , □‘, ,,,, □

FR-PCXCR-AH , ”“ CD-ROM Drive ,,, □, ,,, Windows 95 , Ž—, □□□fff, ,,, CD-ROM Drive
 , •□‘, ,,,, ”“ □’ ,,,, Ž, ,,,, □, ,,,, CE, □’ ,,,, □□□, □^%0, Ž□, □□□, ,,,, □

1. fff□fff, Š, □
2. fffffff, fffffff, , □
3. fff□ffff, ffff, , □
4. fffffff□, -, , ff, □, ffff, □
5. □fff, •—, □“%0□, □”“ ffff□, □’ , □
6. □“—□□□•, □, ffff, □—, , □

Venturis 4xx / Venturis^{FP} 4xx

Windows 95 ffff□f',ffff,ffff,,□%o-%o,Ž,,,,,□□,,,,,□ffff□f,,',□BIOS Setup ,,—,ffffffffff,-
Ā,□',,,,,,□

Š•fffff,,,,,, BIOS ,□',Š•fffff,—Ā,,,,,,□Windows ,□—Ž,fffff,,Ž,,,,,□Š•fffff,Ž',,,,,,□□,□BIOS
,Š•fffff,Š,,□',—Ā,,,,,Ž—,,,,,□

Windows 95 □,,□**Plug & Play Card を自動設定できない** □□,,,,,□,,□□,,□Ž“□',,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, **Getting Started** ,□Windows 95 □,,Ž—,,,,,□

Windows 95 Ž□, Plug & Play OS ,,,,,□DOS/Windows3.1 fffff□f□fff,fff□f,,,,, **ICU(ISA Configuration
Utility)** ,Ž—,,—,,,,,□ Windows 95 □, ICU,‘,,,ff□,”□,Ž□,,,,,□

Windows 95 □, Plug & Play ISA card ,□',Ā□Dual Boot ,,,‘,—, DOS / Windows3.1 ,‘,, ICU ,,,Ž—
,,□Windows 95 ,□',, ISA Card ,□”Ž,,,,f□f□,,□Unknown device□,•Ž,,,,□

Windows 95 ,f□ffff,Ž“□',□,□□□““,fffff,□,,□',,,,,□□,,,,,□

Windows 95 ,CONFIG.SYS' ,EMM386 ,fffff “X=E000-EFFF” ,□□,,,,,□ Plug & Play ,□',,,,,,Ž—
,,,,,□□,,,,,□,fffff,□□,,Ž—,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,,fff□'f□f ”SMTR.EXE” ,□Windows 95 □,,fff□',□,,,—
,,,‘□,•',,,,,,□Windows 95 ffff□fĀ,%o-,,,,,,□□,,□SMTR , DOS
f□f,‘□,fffff,□',,,,,,,,%o□,,□□,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, **Logitech Mouse Driver/ Utility** ,Windows 95
□,f□f,,□ffff,fff,,,,—‘^,Ž,,,,,Ž—,,,,,□Windows 95 ,ffff□ffff□f,,□□,,□,,,,,^%o,Ž□,□,, Windows
3.1 ,, Logitech Mouse Utility ,Š,,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. ““,ffff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,fffff,,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, ff□fffff□fffff,□^Ā Windows 95
□,‘”,,,,,Ā,,,,□-’-‘,%o,,,,%o”□,,,,,□

Windows 95 □,ffffffffff□fffff,ff,,□‘, Alt+Ctrl+Esc ,, Key Sequence
,,ffffffffff,Ž□,,□ffff,fff,,,,□Š”□,□□,,,,,□

Windows 95 □, 3mode FDD ,Ž—, , , , , □ Windows 95 —, 3mode FDD miniport driver , •—, , □ Venturis 4xx /
 Venturis^{FP}4xx—, 3mode FDD miniport driver , □, , , Windows 95 , “•, , , , , □ Windows 95 — 3mode FDD miniport
 driver , □^%o, Ž□, ffff□f, , , , □

1. ffff□f fff, [ffff] ffff, ffffffff
2. [ffff ff□ff] ff, ffff
3. [ffff□ ffff ffff□f] , ffffffff
4. [ffff□f ffff□ ffff ffff□f, ffff] , ffff
5. [ffff] fff, ffff
6. [ffff] ff, ffff, □[ffff, •□] fff, ffff
7. [, , , ffff, •Ž] ffffffff, ffff
8. ffff□f, [□‘Œ], [fff], ‘,
9. [OK] fff, ffff

Windows 95 , 3mode FDD miniport driver, <”, □fff□□MS-DOS ffff□, , , 3.5"
 1.2MB ffff□, □, , , ffff, “, □, , Œ, , , , □, ‘, ffff□ ffff□ f□ ffff□ f, , , ff□f, , , , □ 1.2MB
 ffff□, ff□ ffff, □ff□f, , , , , , □

FR-PCXCR-AH (Philips CM207 CD-ROM Drive) , Windows 95 , Ž—, , □□□%Š, , , □□, , Ž, , , , , □

FR-PCXCR-AH , Ž—, , , , CONFIG.SYS , DDATAPI.SYS (FR-PCXCR-AH , MS-DOS —, ffff)
 , ‘□, , , □ ffffffff, fff, , , , □Š, ”□, , □□, , , , , □□□, , , , □

FR-PCXCR-AH , Secondary Port , Slave , Master , , , □‘, , , fff□fff, —, □□, , , , □, □□, □ Master , □‘, , , , , □

FR-PCXCR-AH , , ”‘ CD-ROM Drive , , □, , , Windows 95 , Ž—, , □□□fff, , , CD-ROM Drive
 , •□‘, , , , ”‘, □’ , , , , Ž, , , , , □, , , , Œ, , □’ , , , □□, , □^%o, Ž□, □, □□, , , , , □

1. ffff□fff, Š, □
2. ffffffff, ffffffff, , □
3. fff□ffff, ffff, , □
4. ffffffff□, , - , , ff, □, ffff, □
5. □fff, •-, □“%o□, □”“fff□, □’ , , □
6. □“—□□•, □, ffff, □—, , □

Group C

^%, <Ž, Plug & Play <”, “”, , , , , , , □ Windows 95 , f □ f f f f Ž “ □ ’ <” , Ž — , , , , , , , , □ f f □ f f f f f f <” , — , , , , , , , , □ Windows
95 , — < , , Ž — , ^ , , , , , , □ , , , , , , <Ž , , □ □ E Windows 95 , f f □ f , , % “ □ , ’ , f f f f f f □ f , “ □ , , f f f , Š , , , □ , , , , <Ž , □ Windows
95 , “ □ , , □ , ‘ , , □ □ “ , — ‘ □ , , , Ž , , , , , □ Windows 95 , Ž — , f f □ f ‘ □ Š , , , , , , , — □ Š , , , □

DECpc LPv+
DECpc LPx+
DECpc LPx 5xx
DECpc LPv
DECpc LPx
DECpc XL
DECpc Note

Group D

^%, <Ž, □ Windows 95 , “ □ , , □ , ‘ , , □ □ “ , □ Š , ‘ □ , , % “ □ , □ , □ Windows 95 , Ž — , , , , , , , , , , □

DECpc LP
DECpc MT
DECpc MTE

サーバ製品

DECpc XL Server , Digital PRIORIS Server f f □ f , , , f □ f □ • , □ Windows 95 , f f □ f ‘ □ Š , , , , □

^ □