



Readme

Hewlett-Packard HP-GL/2 & HP RTL Windowsfhf%ofoCfo
Readmeftf@fCf<

□»•i-¼:

HP fffUfCf“fWfFfbfg fvfŠf“f^ fhf%ofoCfo
(HP-GL/2 & HP RTL)
Microsoft Windows 3.1 , „æ,Ñ Windows 95 "Å

fo□[fWf#f“: v2.3

‘‰oožŒ³/Œê: “ú-{Œê

‘‰oož□»•i:

HP fffUfCf“fWfFfbfg(C1633A/B)□@
HP fffUfCf“fWfFfbfg 200
HP fffUfCf“fWfFfbfg 220
HP fffUfCf“fWfFfbfg 230
HP fffUfCf“fWfFfbfg 250C
HP fffUfCf“fWfFfbfg 330
HP fffUfCf“fWfFfbfg 350C
HP fffUfCf“fWfFfbfg 600
HP fffUfCf“fWfFfbfg 650C
HP fffUfCf“fWfFfbfg 700
HP fffUfCf“fWfFfbfg 750C
HP fffUfCf“fWfFfbfg 750C Plus

HP fffUfCf“fWfFfbfg 230/250C ,ð,²Žg—p,ì•û,Ö:

ffffUfCf“fWfFfbfg 230/250C fvfŠf“f^□^fvf□fbf^,É□A,`S,ìfJfbfgŽt,ð‰o
j'u,«,ÉfZfbfg,·,é□Û□A—pŽt,ì□,,³ 210mm ,íŒµ-\$,É'ª'è,³,ê,Ü,·□B
fTfCfY,²□¬,³,ç□ê□‡□A—pŽt,ðfZfbfg,Å,«,È,ç,±,Æ,ª, ,è,Ü,·□B
` ,SfJfbfgŽt,í□c'u,«,ìfZfbfg,ð,“Š©,ß,µ,Ü,·□B

fCf“fXfg□[f<•û-@:

,±,ìftf@fCf<,ì□ÅŒä,É<L□Ú,³,ê,½□A□Ú,µ,ç□à-¾,ðŽQ□Æ,µ,Ä,,¾,³,ç□B

•K—v,ÈOS:

MS Windows 3.1□A,Ü,½,í MS Windows 95

Windows 95,ÅŽg—p,·,é□Û,ì,²'□^Ó□F

fhf%ofoCfoÝ'è,ì[f]fvfVftf"],ìfy[fW,ÅoA[lo—í,lo^—o],ì"oÝËß°À"à",ð'l'ð,μ,Äo—
 í,ðs,¤,ÆASuperVGA,Ü,½,IVGA,ìfrfffjhfoCfo,ðÝ'è,μ,Ä,¢,éê‡A•¶žšo—
 í,¤³í,Éo,í,ê,È,¢,±,Æ,¤,é,Ü,·,ìfrfffjhfoCfo,ìží—þ,í[fRf"fgf[f<fpflf<]
 ,ì[%oæ-Ê],ðf_fufNfSfbfN,μoA[ffffBfXfvfŒfC,ìÚx]
 ,ìfy[fW,Å[ffffBfXfvfŒfC,ì•ïX],ð'l'ð,·,é,ÆoA[fAf_fv^,ìží—þ]
 ,Æ,μ,ÄSm"F,Å,«,Ü,·jB,±,ê,ð-h,®,É,íU,È,éfrfffjhfoCfo,ðfCf"fxfg[f<,μ,Ä,-
 ,¾,³,¢B,à,μ,Å,«,È,¢ê‡,É,íA"ú-{HPfjXfgf}EfTf|fgEfZf"f^,É,²Š'k,-
 ,¾,³,¢B

Ío—í,·,é,Û,ì,²"í^ÓifAfvfSfP[fVftf"•ÊjF

-{€,Å,íA^È‰o,É<,°,éAfvfSfP[fVftf"],ÅoA,±,ìfhfoCfo,ðžg—
 p,μ,½ê‡,ìÅoVí•ñ,ðžl,μ,Ä,¢,Ü,·B

AutoCAD LT

@@@—pŽtfTfCfY,Æo{}fTfCfY(Windows 3.1"Å)

@@@AutoCAD LT ,©,ç,íAžY,ì•ù-@,Å—pŽtfTfCfY,ð'l'ð,Å,«,Ü,·B

@@@1)@@@[/Fì§²Ù]f_fjf...[],©,ç[P/ìBÛ-À],ð'l'ð,·,é,ÆoA[ìBÛ-ÀÝ'è]f_fCfAfOf{
 @@@@fbfNfX,¤•žl,³,ê,Ü,·,ìÅoA,»,±,©,ç[D/o—í•'u,ÆŠù'è'l'ð...]f{f^"
 @@@@,ð‰Y,μ,Ü,·B

@@@2)@@@[lo—í•'u,ÆŠù'è'l'ð]f_fCfAfOf{fbfNfX,©,çA[C/Ý'è•ïX...]f{f^
 @@@@f",ð‰Y,μ,Ü,·B

@@@3)@@@[fvfSf"f^,ìÝ'è]f_fCfAfOf{fbfNfX,¤•žl,³,ê,Ü,μ,½,çA
 @@@@@[-pŽt»²½þ(Z):]^ê—,©,ço{}},μ,½,¢—pŽtfTfCfY,ð'l'ð,μ,Ü,·B

@@@'l'ð,³,ê,½—pŽtfTfCfY,íA[ìBÛ-ÀÝ'è]f_fCfAfOf{fbfNfX,©,ç[S/»²½þ]f{
 @@@f^",ð‰Y,μ,½,Æ,«,É•žl,³,ê,é[pŽt,ìTfCfY]f_fCfAfOf{fbfNfX,í
 @@@[S/»²½þ]fSfXfg,É,à‰e<,μ,Ü,·B,±,±,í^é—,É,í'l'ð,³,ê,½—pŽtfTfCfY,Æ
 @@@,»,ê,æ,è,·,³,¢fTfCfY,ì,Ý,¤•žl,³,ê,Ü,·B,»,μ,ÄoA'l'ð,³,ê,½—pŽtfTfC
 @@@fY,í[MAX],Æ,È,èAAutoCAD,Äžg—p,³,ê,é—]"'if}][fWf"j,ðžæ,è"ü,ê,é
 @@@,æ,¤'®,³,ê,Ä,¢,Ü,·B

@@@[MAX],ð'l'ð,μ,Afvffbfg,³,¹,½ê‡Ao{}fTfCfY,Æ—pŽtfTfCfY,¤^ê'v,μ
 @@@,Ü,·,¤A,»,ê,æ,è,·,³,¢fTfCfY,ð'l'ð,μ,½ê‡,íA{}-È,í,·,³,fvffbfg
 @@@,³,ê,Ü,·,¤A—pŽt,íí,É[MAX]fTfCfY,Åo{}},³,ê,Ü,·,ì,Å'ÛÓ,μ,Ä‰o,³,¢
 @@@B

@@@,,¤ž-¤€Fo{}},·,é—pŽtfTfCfY,¤Œ^,Ü,Á,Ä,¢,é,ì,Å,μ,½,çAä<L,ì•ù-@,Å
 @@@@@@—pŽtfTfCfY,ð'l'ð,μ,ÄoA[—
 pŽt,ìTfCfY]f_fCfAfOf{fbfNfX,í
 @@@@@@@[S/»²½þ]fSfXfg,©,ç[MAX],ð'l'ð,μ,Ä‰o,³,¢B

✉@✉@✉üŽí,ÆÍßÝ•✉

WINSTAR CAD

TrueTypeftfHf“fg,đŽg—p,μ,Ä•¶Žš,đ‰oñ“,³,¹,½ê‡B³í,Éo—
í,μ,È,¢ê
@‡,², ,è,Ü,·B,±,ê,đ-h,®,½,ß,É,ÍA[Ý’è]fijf...[‘®»][ftfHf“fg].Å
@•\ž|,³,ê,é[ftfHf“fg,ì•íX]f_fCfAf_fOf{fbfNfX,í[íßÜíß°¼®ÅÜ],đ-³Œø(x^ó
@,²,È,¢’Ô),É,μ,Ä‰o,³,¢B

Advanced SCHEMATIC

Windows 3.1, Åžg-p, µ, ½-ê-‡-A%oñ”]
, ³, ê, ½-fefLfxfg•¶Žš, ³, µ, ç ^É'u, Éo
Windows 95, Å „žg, ç, ç, ½, ¾,, ±, Æ, ð, „š©, ß, µ, Ü, · B

Personal BLD

“@%oñ”,³,ê,¹/₂fefLfXfg•¶Žš,¤í,È^Ê'u,âŠp“x,Åo—í,³,ê,Ü,¹,ñB

Io-í, ., é Ü, ì, ^Ó i'S" È j F

^ê”Ê

^ê”Ê

Žg—p,³,ê,éftfHf“fg,âA•¶žš’•ü,É,æ,Á,ÄžY,ì,æ,¤,Èo—í,ì§CEÀ,^a, ,è,Ü,·,ì,Å,²—
¹%oo³,³,¢B

Windows3.1

¶@1.%oo^p•¶ftfHf“fg,ì^ê•”(LotusLineDraw,È,Ç),ÅfCf^fSfbfN’ì,É,µ,½ê#A•W
¶@¤@€’ì,Åo—í,³,ê,éB
¶@2.¶žš—ñ,ð”CÓ,ìSp“x,ð,Â,·,Äo—í,³,é,ÆA, ,é“Á’è,ìSp“x,Å,ío—í,³
¶@¤@,ê,È,¢#é#‡,^a, ,éB
¶@3.%oo^ü,â’Å,¿Á,µü,Å’•ü,µ,½•¶žš—ñ,ð90,180,270“x,ìSp“x,Åo—
í,µ,½,Æ
¶@¤@,«,ÉA,»,ì•¶žš,í³í,Éo—í,·,é,¤A’•ü,µ,½%oo^ü,â’Å,¿Á,µü,¤o—í
¶@¤@,³,ê,È,¢#B
¶@4.,©,È,è’å,«,È•¶žš(500Pt^Èä),ðAfhf‰fCfo,ìY’è,ð”ºYÉß°À“à”,ÉY’è,µ,Ä
¶@¤@o—í,µ,½ê#A•¶žš,ìZí—þ,É,æ,Á,Ä’ê•”,¤#‡,·,Åo—í,³,ê,éB

Windows95

¶@1.’¾•¶žš,Å’•ü,µ,½•¶žš—ñ,ð90,180,270“x,ìSp“x,Åo—
í,µ,½,Æ,«,ÉA,»,ì•¶žš
¶@¤@,í•W€’ì,ÅA’¾•¶žš,É,í,È,Á,Ä,¢,È,¢#B
¶@2.,©,È,è’å,«,È•¶žš(500Pt^Èä),ðAfhf‰fCfo,ìY’è,ð”ºYÉß°À“à”,ÉY’è,µ,Ä
¶@¤@o—í,µ,½ê#A•¶žš,ìZí—þ,É,æ,Á,Ä’ê•”,¤#‡,·,Åo—í,³,ê,éB

•¶žš,¤•“h,èZlSp,Æ,È,é

¶@¤@,¢,,Â,©,ì•¶žš,¤A•“h,è,ìZlSp,Åo—í,³,ê,é,±,Æ,^a, ,è,Ü,·B,±,ìCE»Ü
¶@¤@,íAfvffbf^,íf,fff,¤ fffUfCf“fWfFfbfg200,“,æ,Ñ220,ÅAfhf‰fCfo,Ü
¶@¤@,½,ífvffbf^,Å[·,·iZ],ìo—í•iZ,¤’l’ð,³,ê,Å,¢,é,Æ,«,É,í,Y”¶¶,µ,Ü
¶@¤@,·B
¶@¤@,±,ìê#¤,íA^óžš•iZ,ð[·W€],ÉY’è,µ,Ä%oo³,¢#B

f‰fCf“ü,ì--’[,ìCE`óy,ÑCE<#•”•¤,ìCE`ó^—

¶(žå,ÉCADfAfvfSfP¶[fVftf“])

¶@¤@f‰fCf“,ð”ø,¢,½}CE` ,ðo—
í,·,é,Æ,«¤A,»,ì--’[,âCE<#•”•¤i’¼Sp,ÉCE<#‡,µ@
¶@¤@,½,Æ,«,ìSp,ì^—¤j,ìCE`ó,í%oo~CE` ,Æ,È,è,Ü,·B

¶m¤o—í,ì^—¤n,ð”fRf“fsf...¶f^“à”,Å,²žg—p,É,È,é,Æ,«

¶@¤@fvfSf“f^ f¶fg, ,é,¢,ífvfSfAf^c f¶fg,ÉÚ’±,µ,Åo—í,³,ê,é#‡,íA
¶@¤@,È,é,x,¶mfvfSf“fg f}fl¶fWffn,ðžg—p,µ,Ä%oo³,¢#B

fhf‰fCfo,ìfCf“fxfg¶f<ü-

d—v

,±,ìfhf‰fCfo,ðfCf“fxfg¶f<t,íA’¼,ìfAfvfSfP¶[fVftf“,ðN“®,µ,È,¢,Å,-

,³/4,³,¢·B

Windows 3.1 ,Ö,ífCf“fXfg[]f<

1. fRf“fsf...[]f^,íftf[]fbfs[] f hf%o fCfu, É A fhf%o fCfo, ífffBfXfN, ð“ü, ê, Ü, ·B
2. Windows ,ífvf[]fOf%o f€ f}f[]fWff, ímfAfCfRf“nf[]fjf...[], ©, ç mftf@fCf< []@-¼, ðŽw’è, µ, ÄŽÀs[]n, ð'l, Ñ, Ü, ·B
3. mfRf}f“fh f%o fCf“nfefLfxfgf{fbfNfX, É ux:\install\vx:, íftf[]fbfs[], ð'} []@“ü, µ, ½fhf%o fCfu-¼]j, Æf^fCfv, µA]m, n, j]n, ðfNfŠfbfN, µ, Ü, ·B
4. m,g, ofvfŠf“f^ fZfbfgfAfbfv fvf[]fOf%o f€ nf_fCfAf[]fO f{fbfNfX, ðŽg, Á, Ä []@AŠó-], ·, éfvfŠf“f^ -¼, ð'l'ð, µ, Ä, ©, ç A]m, n, j]n, ðfNfŠfbfN, µ, Ü, ·B
5. fCf“fXfg[]f< l—¹Œä A fhf%o fCfo, ífwf<fv fvfxfef€, É, æ, Á, Ä A]ufAfvfŠfP[] []@fvf#f“f ftfgfEfFfA, l—^-Ó_[]v, ^•\Ž|, ^, ê, Ü, ·B, ^Žg—p, ífAfvfŠfP[]fvf#f“ []@, ÉŠO, ·, é€, ð, “Ç, Ý, É, È, é, æ, x, "Š©, ß, µ, Ü, ·B
6. fhf%o fCfo, ífCf“fXfg[]f< ffffBfXfN, ðŽæ, èo, µ, Ü, ·B

Windows 95 ,Ö,ífCf“fXfg[]f<

ŽY, lŽè‡, Ä]A“Á, ÉŽ|, ^, È, ¢ŒÄ, è]Af}fEfX, ífNfŠfbfN, í¶f{f^f“, ðŽg—p, ·, é, ±, Æ, ð'Ø, Æ, µ, Ä, ¢, Ü, ·B

1. Windows 95 ,ð<N“®, µAftf[]fbfs[] ffffBfXfN, Éfhf%o fCfo, ífffBfXfN, ð“ü, ê []@, Ü, ·B mfXf^[]fg[]n, ðfNfŠfbfN, µA]m]Y’è[]n, ð'l'ð, µ, ½, ç A]mfvfŠf“f^[]n, ð []@'l'ð, µ, Ä]mfvfŠf“f^[]nf_fCfAf[]fO f{fbfNfX, ðŠJ, «, Ü, ·B
2. mfvfŠf“f^, l'Ç%o Á]nfAfCfRf“, ðf_fuf<fnfŠfbfN, µA]mfvfŠf“f^ fEfBfU[]fh[]n []@f_fCfAf[]fO f{fbfNfX, ðŠJ, «, Ü, ·B
3. %oæ-È, É•\Ž|, ^, ê, éŽwŽ|, É[], ¢, Ü, ·B fvfxfef€\¬, É, æ, Á, Ä, íAŽY, l, æ, x, ÈŽ{} []@-â, ð, ^, ê, é, ©, à, µ, ê, Ü, ^, ñ]B
fvf[]fbf^, l, Ç, ±, É]Ú'±, ^, ê, Ä, ¢, Ü, ·, ©?

[]@'l'ðflfvfVf#f“F
f[]f[]f< fvfŠf“f^

fvfŠf“f^, ÆfRf“fsf...
[]f^, ^fP[]fuf<, Ä'¼]Ú]Ú'±, ^, ê, Ä, ¢,
, é]ê‡]B
fvfŠf“f^, Æflfbfgf[]fN
flfvfVf#f“i"HP JetDirectflfbfgf[]fN
fCf“f^ftfF[]fX"

flfbfgf[]fN fvfŠf“f^

“™ ï,¤fCf“fXfg[] [f<,³,ê,Ä,¢
,Ä¤AfvfŠf“f^,Æ,í’Ê¤M,ÉŽg—
p.,é¤ê¤‡¤B

fIfbfgf[] [fN fvfŠf“f^,ð’l’ð,µ,½¤ê¤‡¤A¤uMS-DOS,¡fvf[]fOf‰of€,©,ç^ó¤ü
,µ,Ü,·,©?¤v,Æ¤q,È,ç,ê,Ü,·¤B

¤m,¢,¢,|¤n,ð’l’ð,·,é,±,Æ,ð,“Š¤,ß,µ,Ü,·¤B¤m,í,¢¤n,í¤A MS-DOS fhf‰ofC
¤@fo,ðfCf“fXfg[] [f<,µ,Ä,¢,Ä¤A HP fffUfCf“fWfFfbfg fvfŠ[]fY,¡fvf[]fbf^,É
¤@¤o—í,Å,«,é¤ê¤‡¤,É,í’l’ð,µ,Ä,,³/₄,³,¢¤B

fvfŠf“f^,¡¤»‘¢Œ³,Æf,fff<,ð’l’ð,·,é‰¤æ-Ê,É,È,è,Ü,·¤BffffBfXfN,æ,èfCf“fX
¤@fg[] [f<,µ,Ü,·,í,Å[ffffBfXfNŽg—p],ðfNfŠfbfN,µ,Ü,·¤B

[ffffBfXfN,ðŽg—p],ðfNfŠfbfN,·,é,Æ¤A[fvf[]fbfs[] [ffffBfXfN,©,çfCf“fXfg
¤[f<]f_fCfAf¤fO f{fbfNfX,¤•\Z!,³,ê,Ü,·¤B["z•zftf@fCf<,¡fRfs[] [Œ³],í
—“,ÉffffBfXfN,í”ü,Á,Ä,¢,éftf[]fbfs[] [ffffBfXfN fhf‰ofCfu,ð”ü—í,µ,Ä¤A[OK]
,ðfNfŠfbfN,µ,Ü,·¤B[fvfŠf“f^ fEfBfU[]fh]f_fCfAf¤fO f{fbfNfX,¤•\Z!,³,ê
,Ü,·,í,Å¤AfŠfxfg,©,çfCf“fXfg[] [f<,ð¤s,¤ffffUfCf“fWfFfbfg fvfŠf“f^,ð’l
‘ð,µ¤A[ZÝ,Ö],ðfNfŠfbfN,µ,Ü,·¤B,à,µ¤A,·,Å,Éfhf‰ofCfo,¤fCf“fXfg[] [f<,³,ê
,Ä,¢,é¤ê¤‡¤,É,í¤A,»,ê,ð¤ã¤’,«,·,é,±,Æ,ð,“Š¤,ß,µ,Ü,·¤B

fefXfg fy[] [fW,ð^ó¤ü,µ,Ü,·,© ?

¤m,í,¢¤n,ð’l’ð,·,é,±,Æ,ð,“Š¤,ß,µ,Ü,·¤B
fefXfg fy[] [fW,ð^ó¤ü,·,é,Æ¤A,²Žg—p,¡fvfXfef€,ÆfvfŠf“f^,í’Ê¤M,ðfefXfg
¤@,·,é,±,Æ,¤,Å,«,Ü,·¤B

4. fCf“fXfg[] [f<]—¹Œ¤ä¤Afhf‰ofCfo,¡fwf<fv fv fVfXfef€,É,æ,Á,Ä¤A[fAfvfŠfP[] [fV
¤@ftf“f\ftfgfEfFfA,í—”Ó“,¤•\Z!,³,ê,Ü,·¤B,²Žg—p,¡fAfvfŠfP[] [fVf†f“,É
¤@ŠÖ,·,é¤€,ð,“Ç,Ý,È,é,æ,¤,“Š¤,ß,µ,Ü,·¤B

5. fhf‰ofCfo,¡fCf“fXfg[] [f< fffBfXfN,ðŽæ,è¤o,µ,Ü,·¤B

©Copyright Hewlett-Packard Company 1996. All rights reserved.
Version 2.3 September 1996

,±,¡f\ftfgfEfFfA,ÆfhfLf...f[]f“fg,í¤AŒ ‘¥,Æ,µ,ÄŒ¤Ä¤I,ÅŽg—p,·,é¤ê¤‡¤,ÉŒ¤À,è-
³¤ž,Æ,È,è,Ü,·¤B,±,¡f\ftfgfEfFfA,í¤HP[]»•i,ðŽg—p,µ,Ä¤AŽÝ,íž-•¤,ðŽç,Å,Ä,¢
,½,³/₄,¬,ê,í”z•z,¤fRfs[] [,íž¤—R,Å,·¤B

¤@“à—e,ð•í¤X,µ,È,¢,±,Æ

¤@¤¤—p-Ú“I,Æ,µ,È,¢,±,Æ

¤@¤HP[]»•i,í,Ý,í¤L¤¤,Æ,·,é,±,Æ

-³/₄Ž!“I,É,¹,æ-ÙŽ!“I,É,¹,æ,É[]A-{fRf“fsf...[] [f^f]
ftfgfEfFfAfþfbfP[] [fW,Í[] A,»,íŽs[] ê[] «-”,íŠe-Ù“I,É%ož,¶,½-{[]} »•i,í“K[] #[] «,È,C,íŽ-
•ž,ÉŠÖ,µ,Ä[] A^ê[] Ø,í[] Ó”C,ð•%o,¢,Ü,¹,ñ[] B

