

# Windows 95 を Digital PC で使用する場合の注意 並びに制限事項について

“-ffffffffffffŠŽ%Ž  
f□ffffffff□fŽ←•

1995”11E24“

## 機種分類

	Product	
<b>A</b>	Celebris GL/GL <sup>ST</sup>	Windows 95 ‘%□•
	Venturis 5xx	Windows 95 ‘%□• (Power Management□,□CEŽ□,,, □
	Digital HiNote Ultra	Windows 95 ‘%□• / BIOS , Upgrade ,•—,,□
<b>B</b>	Digital HiNote	BIOS , Upgrade ,•—,,□
	Celebris XL	Power Management ,,Ž—□CE,,,□
	Venturis 4xx	Plug & Play ‘?’□Power Management ,,Ž—□CE,,,□
	Celebris/Celebris <sup>FP</sup>	Power Management ,,Ž—□CE,,,□
<b>C</b>	DECpc LPv	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPv+	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx+	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx 5xx	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc XL	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc Note	Windows 95 Hardware •□Ž—,-,,,,,□
<b>D</b>	DECpc LP	Windows 95 ,,Ž—,,,,,□
	DECpc MT	Windows 95 ,,Ž—,,,,,□
	DECpc MTE	Windows 95 ,,Ž—,,,,,□
	f□f□•	Windows 95 ,,Ž—,,,,,□

- 
- A** Windows 95 ‘%□•
  - B** CE‘,, Windows 95,ff□f‘□Š,,,,,□CE□,□CEŽ□,,-‰□,Ž—,,,,,‰”,,□
  - C** Windows 95,Ž—,,,,,•□Ž—,-,,,,,□Windows 95,,Ž—,,,,,ff□f‘□Š,,,,,□
  - D** Windows 95,Ž—,,,,,□
-

# 一般情報

## Install

Windows95,ffff□f,,□•, Windows95,ffffff,Š,ffffff□ff□ff□f,,CD-ROM/FD,README.TXT,,“,%o,,□

Windows 95 ,ffff□f,,“,”□□Windows 95 <“ffff□,□□,,”,-,□,,,,,,□%o“,,—,„,ffff□f□E,Windows 95  
,□,“□,,□□,•—,„,„,„,□•,□Windows 95 <“ffff□,□□,„,„,□

ffffff 8MB ,fff,□□□ffffff,□’,„,„,„,Windows 95 ,ffff□f,„,„,„,□□,„,„,□

Windows 95 ,ffff□f’,BIOS Setup,Power Management <”„,fff,ffff□‘,„,„,□%o-  
,„,„,Š,„,„,□□,„,„,□ffff□f,□,‘,□BIOS Setup ,—,Power Management ,Š,□’,-E,„,„,„,□

DOS / Windows 3.1 ,ffff□f,„,„,fff, Windows 95 ,ffff□ffff□f,,□□,□DOS , CONFIG.SYS  
, AUTOEXEC.BAT ,,<□,ffff□f,‘Š,„,„,ffff□f□E, Windows 95 ,<“,-„,„,%o—,•^’„,„,□□,„,„,□

## Power Management

%o<,□%o,,DECpc/Digital PC,,□Hardware Requirement for Windows 95 ,’□,, APM V1.1 ,Š‘,“%o  
,„,„,„,„,□Windows 95 ,ff□ffffff,□□,<”„,„,„,„,□

Windows 95 ,, Power Management ,<”„,„,„, □<□“,APM 1.0f□f,,(A) □,,□-,-E,„,„,„,„,□□,„,„,□

## Display

Windows 95 ,,Ž—,ffffff—,fff,„,„,“•,„,„,„,„,□ffffff,’,<„,„,□□,fff,“•,„,„,„,„,□□,„,„,□

Windows 95 ,, VIPER VLB/PCI —, Driver ,“•,„,„,„,„,□ Microsoft „,„,„, Driver , Windows 95 □,,□Žff□f,„,„,„,„,□

S3 ,ffffff,“„,„,„,„,Ž,□DOS / Windows 3.1ffffff□f□fff,“•,„,„, SMTR.EXE ,—,ffffff,□’,□,„,„,„,„,□%o-  
,„,„,□□,„,„,□

SMTR.EXE , Windows 95 ,MS-DOSffff,Ž□,„,„,„,„,„,□

ffff□f,’,„,„,□□,„,„,„,„,ff□f□—,fff□’f□f,Ž—,fff□’,□,„,„,„,„,„,„,□□,„,„,„,„,□

## FR-PCXCR-AH ( Philips 2倍速 IDE CD-ROM Drive)

FR-PCXCR-AH (Philips CM207 CD-ROM) , Windows 95 , Ž—, □□□%Š,,□□,Ž,,,,,□

FR-PCXCR-AH,Ž—,,, CONFIG.SYS , DDATAPI.SYS (FR-PCXCR-AH , MS-DOS —,fff)  
,‘□,,,□ffffff,, CD-ROM ,fff,□,,,fff,,,,,□Š”□,□□,,,□Windows95ffff□fffĒ,ff’,,Ž—  
,□CONFIG.SYS,,DDATAPI.SYS,□□,,,□□,%,□

FR-PCXCR-AH , Secondary Port , Slave ,Masterfff,,□‘,,,fff□fff,—,□□,,,□  
,□□,□Master ,□‘,,,,,□

FR-PCXCR-AH,,”CD-ROM,,,□,,, Windows 95 ,Ž—,□□□fff,, CD-  
ROM”’•□‘,,, ”‘□’,,,,,Ž,,,,,□,,,Ē,,□’,,,□□,□^%Ž□□,□□,,,□

1. fff□fff,Š,□
2. ffffffff,fffffff,,□
3. fff□ffff,ffff,,□
4. ffffffff□,-,,ff,□,fff,,□
5. □fff,•-,□“%□□”““fff□□’,,□
6. □“—□□•,,□,fff,,□—,,□

## ICU ( ISA Configuration Utility )

Windows 95 Ž□, Plug & Play OS ,,,,□DOS/Windows3.1ffff□f□fff,fff□f,,,, ICU ,Ž—,,•—,,,,,□  
Windows 95 □, ICU,“,,,ff□,”□,Ž□,,,,,□

Windows 95 □, Plug & Play ISA card ,□’,,Ē□Dual Boot ,,,<’,—, DOS / Windows3.1 ,<,, ICU ,,Ž—  
,,□Windows 95 ,□’,,, ISA Card ,□”Ž,,,,f□f□,,,□Unknown device□,•Ž,,,,□

## Getting Started

DOS/Windows3.1ffff□f□fff,fff□f,,,, Getting Started ,Windows 95 ,Ž—,,,,,,□Windows 95  
□,“,,Ž,%”,,,□,,’fff□,, Windows 95,,Ž—,,,,,,□

## PMCU (Power Management Utility) for DOS / Windows 3.1

DOS / Windows3.1ffff□f□fff,fff□f,,,, PMCU , Windows 95 □,“%”<’,,,,,Ē,,,□-’,-‘,%  
,,,%”□,,,,,□

## DMI Editor (Desktop Management Interface Editor)

```
DOS / Winodws3.1 ,ffff, DMI Editor ,ffff□f,,,,□□,,□DOS , CONFIG.SYS ’,, “DEVICE=C:\DECDMI”  
,,□,,,,,REM ,—,ffffff,,□□,,, Windows 95 fffff□ffff□f,□,,,□Windows 95 , CONFIG.SYS  
’,□,Ž,□□,,,,□□, “DEVICE=C:\DOS\EMM386.SYS” ,□,,’,□,□Windows 95 ,□Ž,^%  
.ff□fff□f,•Ž,,fff,,□
```

### EMM386: Unrecoverable privileged operation error #1 - press enter to reset

```
,,,,□‘Š,□□,,□□Windows 95 “ffff□ffff□,—,fff,—,□□CONFIG.SYS ’, “DEVICE=C:\DECDMI”  
,,□,□□,, “DEVICE=C:\DOS\EMM386” ,‘^“,,,,,□
```

```
Windows 95 □, DMI Editor ,Ž—,,,,□^%o,Ž□,□,,,,,□
```

```
AUTOEXEC.BAT ,^%o,□,%o,,,,,□
```

```
\DMI\DOS\BIN\SL.EXE  
PATH=%PATH%;c:\dmi\win16\bin
```

```
,,,□,%o,,,,□^%o,ff□fff□f,•Ž,,,,□
```

```
"cannot find dmiapi.dll".
```

```
Ž,CONFIG.SYS , “DEVICE=C:\DOS\EMM386.EXE” ,□,,^%o,□,%o,,,,,□
```

```
DEVICE=C:\DECDMI.SYS
```

```
,,□Windows 95 fffff,, “IOS.INI”ffff, [Safelist] ff□f,%o,^□,%o,,,,,□
```

```
sl.exe ; Service Layer for DMI
```

## Logitech Mouse Driver / Utility

```
Logitech Mouse Driver / Utility ,□Windows 95 □,,□,□’,,□Logitech Mouse Driver & Utility , Pre Load ,,,,□Ž  
( Venturis, HiNote, HiNote Ultra, Celebris XL, Celebris GL “□, Windows 95  
.ffff□ffff□f,,,,,f□ffff,,,,, Windows 95,‘□,,,,,□^%o,Ž□,□,,,,,Š,,,,,□
```

1. Windows 3.1 ,fffff,fffffffff,,□
2. SETUP ,Ž□,□fff,□fffffffff□,□□,,□
3. ““,ffff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,ffffff,,□
5. WIN.INI ffff, SAVE ,□

### 3 mode FDD

DOS/Windows3.1—, 3mode FDD Driver , Windows 95 □,Ž—,,,,,,,,,□,□DOS/Windows3.1  
 ,fff□f,,,fff, Windows 95, Upgrade Install ,,□□□“—,,,’<,,DOS/Windows3.1—, 3 mode FDD Driver  
 , CONFIG.SYS ’, Load ,,,,,,—,”□,,□□,,,,,□,,,,, CONFIG.SYS ,, AUTOEXEC.BAT ,,Š“,, 3mode FDD  
 Driver ,□□,,,,,□

Windows 95 , 3mode FDD ,Ž—,,,□Š<Ž□—, 3mode FDD miniport driver ,•—,,□^%o,<Ž,,,,□Windows 95 —  
 , 3mode FDD miniport driver ,□”,,,,,□

Ž	Driver –
Digital Venturis 4xx	(digital2.vxd)
Digital Venturis 5xx	(digital1.vxd)
Digital Celebris XL	(digital1.vxd)
Digital HiNote Ultra	(digital3.vxd)
Digital HiNote	(digital3.vxd)

Digital Celebris GL —, 3mode FDD miniport driver , Windows 95 ’,,□”,,,,,□Digital Celebris XL —,,,‘—  
 ,,,,,,□Digital HiNote Ultra/ Digital HiNote —, 3mode FDD miniport driver ,,Ž—,,,□□,,□  
 %□fff,fff□ffffffffffffff,•Ž,,’,□’,,,,,,□,,□□,□□Ž□,,□

,,Windows 95 — 3mode FDD miniport driver ,□^%o,Ž□,fff□f,,,□

1. ffff□f fff, [ffff] ffff,fffffff
2. [fff ff□ff] ff,ffff
3. [fff□ ffff ffff□f] ,fffffff
4. [fff□f ffff□ ffff ffff□f,ffff] ,fff
5. [ffff] fff,ffff
6. [fff] ff,ffff,□[fff,•□] fff,ffff
7. [,,,ffff,•Ž] ffffffff,ffff
8. ffff□f, [□‘□],[fff],‘,
9. [OK] fff,ffff

Windows 95 , 3mode FDD miniport driver,<”□fff□□MS-DOSffff□,, 3.5”  
 1.2MBfff□,□,,fff,“□,□,□,‘,fff□ffff□f□ffff□f,,ff□f,,,□1.2MB  
 ffff□,ff□fff,□ff□f,,,,,□

上述した以外の機種については、Windows 95 上での 3mode FDD 対応は予定されておりません。

### SCSI Tape Drive

Windows 95 ,“•,,,,,fffffff□f "Microsoft Backup" ,,□SCSI Tape Drive ,Ž—,,,□—□,Š,,□"Microsoft Backup"  
 ,fff,ff□f,,,,,Ž<□,,,,,□

## Group A

### Celebris GL/ Celebris GL<sup>ST</sup>

DOS / Windows 3.1 ffffff f fff,fff f f,,,, **Getting Started** , Windows 95 ,,, Ž—,,,,, □

Windows 95 Ž □, Plug & Play OS ,,,, DOS/Windows3.1 ffffff f fff,fff f f,,,,, **ICU(ISA Configuration Utility)** ,Ž—, ,—,,,,, □ Windows 95 □, ICU, <“ ,,, f f □, ” □, Ž □, ,,,, □

Windows 95 □, Plug & Play ISA card , □’ , , E □ Dual Boot ,,, <” ,—, , DOS / Windows3.1 , <“ , ICU ,,, Ž— ,,, □ Windows 95 , □’ ,,, ISA Card , □” Ž ,,, , f □ f □, , □ Unknown device □, • Ž ,,, , □

DOS / Windows 3.1 ffffff f fff,fff f f,,,,, **Logitech Mouse Driver / Utililty** , Windows 95 □, , Ž— ,,,,,, □ Windows 95 , fffff fffff f f, , □ □, , , , , , , , % Ž □ □, , Windows 3.1 , , Logitech Mouse Utility , Š ,,,,,, □

1. Windows 3.1 , fffff, fffffffffff, , □
2. SETUP , Ž □, □ fff, □ fffffffffff □, • □, , □
3. ““ , ffff □, □ Windows fffff, , WIN.INI ffff, Š, □
4. load=C:\MOUSE\WBUTTONS.EXE ,,, □, REM ,—, , ffffff, , □
5. WIN.INI ffff, SAVE , , □

DOS / Windows 3.1 ffffff f fff,fff f f,,,,, **MGA Millennium** —, Driver , Windows 95 □, , Ž— ,,,,,, □, , , , , , , , DOS / Windows 3.1 ffffff f fff,fff f f,,,,, Getting Started ,—, , “MGA Millennium Windows 95 Drivers” ffff, □ □, ,,,,,, □

DOS / Windows 3.1 ffffff f fff,fff f f,,,,, **MGA Millennium** —, Utility , Windows 95 □, , Ž— ,,,,,, □ Windows 95 , fffff fffff f f, , □ □, , , , , , , , Utility ,,,, , Windows 95 , ‘ □, ,,,,,, , □ % Ž □ □, , Windows 3.1 , , MGA Millennium Utility , Š ,,,,,, □

1. ““ , ffff □, □ Windows fffff, , WIN.INI ffff, Š, □
2. run C:\MGA\CPANEL.EXE ,,, □, REM ,—, , ffffff, , □
3. WIN.INI ffff, SAVE , , □

DOS / Windows 3.1 ffffff f fff,fff f f,,,,, f f ffffff fffff, □ ^ E Windows 95 □, , <” ,,,,,, , E ,,,, □ -’ , - ‘ , % , , , , % ” □ , , , , , □

DOS / Windows3.1 ffffff f fff, Windows 95, fffff fffff f f, , □ □ □, , , , , , , , DOS , AUTOEXEC.BAT , ‘“ ffffff f f, Š, ^ % , < □, REM ,—, , ffffff, ,,,,,, , , Windows 95 ffff f f E, f f f f □, , % , - , ‘ , , □ □, , , , , □

C:\WINDOWS\ESSCFG.EXE  
C:\WINDOWS\ESSVOL.EXE

Celebris GL/GL<sup>ST</sup> ““ , ffffff f f, Windows95 □, Ž—, ,,,,,, □ □ □, ffff, •—, ,,,,,, □, , Windows 95 , AUTOEXEC.BAT , ,,,,,, < □, ,,,,,, , □ □ □, ,,,,,, □

DOS , CONFIG.SYS ' , , DMI (Desktop Management Interface) Editor , Ž— , , , , “DEVICE=C:\DECDCMI”  
 , , , , , , REM , — , , ffffff , , , , , Windows 95 ffffff ffffff f , , , , , Windows 95 , CONFIG.SYS  
 ' , , , , Ž , , , , , , , , , “DEVICE=C:\DOS\EMM386.SYS” , , , , , Windows 95 , ‘Ž , ^% , ff fff f , Ž , fff , , ,

**EMM386: Unrecoverable privileged operation error #1 - press enter to reset**

, , , , , Š , , , , , Windows 95 <“ffff fffff , — , ffff , — , , CONFIG.SYS ’ , “DEVICE=C:\DECDCMI”  
 , , , , , , “DEVICE=C:\DOS\EMM386” ; ‘ , ^ , , , , ,

Windows 95 , DMI Editor , Ž— , , , , ^% , Ž , , , , , , ,

AUTOEXEC.BAT , ^% , , , ^% , , , , , ,

\DMI\DOS\BIN\SL.EXE  
 PATH=%PATH%;c:\dmi\win16\bin

, , , , , ^% , , , , ^% , ff fff f , Ž , , , , ,

"cannot find dmiapi.dll".

Ž , CONFIG.SYS , “DEVICE=C:\DOS\EMM386.EXE” , , , , ^% , , , ^% , , , , , ,

DEVICE=C:\DECDCMI.SYS

, , , Windows 95 ffffff , , , “IOS.INI” ffff , [Safelist] ff f , ^% , ^ , ^% , , , , , ,

sl.exe ; Service Layer for DMI

Windows 95 , ffff ffff パワーマネジメント ’ , □ ’ , □ • □ □ , , , ff □ , □ ’ , , APM <’ , -E , , , , □ APM , —  
 , , , □ □ □ □ □ , □ ’ , , , , , , □ □ fffff , □ □ □ □ □

Windows 95 , 3mode FDD , Ž— , , , , , □ Windows 95 — , 3mode FDD miniport driver , • — , , □  
 DOS / Windows3.1 — , 3mode FDD Driver , Ž— , , , , , , □ Celebris GL/GL<sup>ST</sup> — , 3mode FDD miniport driver  
 , Windows 95 , “• , , , , , , □ Digital Celebris XL — , , , , — , Ž , , , , □ Windows 95 — 3mode FDD miniport driver , □ ^  
 % , Ž , , ffff f , , , , □

1. ffff f fff , [ffff] ffff , ffffff
2. [ffff ff fff] ff , ffff
3. [ffff ffff ffff f] , ffffff
4. [ffff f ffff ffff ffff f] , ffff
5. [fffff] fff , ffff
6. [ffff] ff , ffff , □ [ffff , • □] fff , ffff
7. [ , , , ffff , Ž ] ffffffff , ffff
8. ffff f , [ □ ‘E ] , [ fff ] , ‘ ,
9. [OK] fff , ffff

Windows 95 , 3mode FDD miniport driver, <" , fff□□MS-DOSffff□,, 3.5"  
1.2MBffff□,□,,fff,“ ,□, ,E,,,,□, ,‘,ffff□ffff□f□ffff□f,,ff□f,,,,□1.2MB  
ffff□,ff□fffff,□ff□f,,,,,□

## Venturis 5xx / Venturis<sup>FP</sup> 5xx

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, Getting Started ,□Windows 95 □,,Ž—,,,,□

Windows 95 Ž□, Plug & Play OS ,,,, DOS/Windows3.1 fffff□f□fff,fff□f,,,, **ICU(ISA Configuration Utility)** ,Ž—,,•—,,,,□ Windows 95 □, ICU, <“,,ff□,”□,Ž□,,,,□

Windows 95 □, Plug & Play ISA card ,□’ ,E□Dual Boot ,,,<” —, DOS / Windows3.1 <“ , ICU ,,,Ž—  
,,□Windows 95 ,□’ ,, ISA Card ,□”Ž,,,f□f□,,□Unknown device□,•Ž,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,fff□’f□f ”SMTR.EXE” ,□Windows 95 □,,fff□’□,□,•—  
,,,□,•,□,□Windows 95 ffff□fE,%—,,,,,□□,□ SMTR , DOS  
f□f, <“ ,□,fffff,□’ ,,,,,,%,□□,□□,□□,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, Logitech Mouse Driver / Utililty , Windows 95 □,,Ž—  
,,,,□Windows 95 ,ffff□ffff□f,,□□,□□,□,%,Ž□,□, Windows 3.1 ,, Logitech Mouse Utility ,Š,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. ““ ,fff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM —, ,fffff,,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, ff□fffff□ffff,□^E Windows 95  
□, <” ,,,,,E,,,,□—’ ,□ ,%,%,%”□,□□,□

Windows 95 □, DMI Editor ,Ž—,,,,□^%,Ž□,□□,□□,□□,□

AUTOEXEC.BAT ,^%,□, ’%,,,,,□

```
\DMI\DOS\BIN\SL.EXE  
PATH=%PATH%;c:\dmi\win16\bin
```

,,,□, ’%,,,,,□^%,ff□fff□f,•Ž,,,□

"cannot find dmiapi.dll".





BIOS , □ , , , Advanced Power Management , Š , □ , □ Windows 95 □ , □ , , , , , □ , — Ć , , , , □ , , □ Digital HiNote Ultra , Ž — , , □

Windows 95 □ , 3mode , Ž — , , , , , □ Windows 95 — , 3mode FDD miniport driver , • — , □ Digital HiNote Ultra— 3mode FDD miniport driver , □ , , , Windows 95 , “ • , , , , , □ , □ , , miniport Driver , Ž — , , , □ % □ fff , fff □ fff fff fff fff fff , — , , , , , • Ž , ‘ , , □ , □ Ž — □ , □ Ć Ž □ , □ Windows 95 — 3mode FDD miniport driver , □ ^ % , Ž □ , fff □ f , , , □

1. fff □ f fff , [fff] fff , fff fff
2. [fff ff □ ff] ff , fff
3. [fff □ fff fff □ f] , fff fff
4. [fff □ f fff □ fff fff □ f , fff fff] , fff
5. [ffff] ff , fff
6. [fff] ff , fff , □ [fff , • □] ff , fff
7. [ , , , fff , • Ž ] fff fff fff
8. fff □ f , [ □ Ć ] , [fff] , ‘ ,
9. [OK] ff , fff

Windows 95 , 3mode FDD miniport driver , < ” , □ fff □ □ MS-DOS fff □ , , , 3.5" 1.2MB fff □ , □ , , , fff , “ , □ , Ć , , , □ , ‘ , fff □ fff □ f □ fff □ f , , , ff □ f , , , , □ 1.2MB fff □ , ff □ fff fff , □ ff □ f , , , , , □

HiNote Ultra , □ fff fff , □ ’ , 800 □ 600 16colors , , , □ LCD ‘ , • Ž , , — ^ Š , % — fff □ f , , , , , , , , □



Windows 95 □, Plug & Play ISA card ,□',,CE□Dual Boot ,,,<'—, DOS / Windows3.1 ,<' , ICU ,,,Ž—  
,,□Windows 95 ,□',, ISA Card ,□”Ž,,,f□f□,,□Unknown device□,•Ž,,,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,,fff□'f□f ”S64MODE.EXE” ,□Windows 95 □,fff□',□,,,•—  
,,,□,•',,,,,,□Windows 95 ffff□fCE,%o—,,,,,□□,,□SMTR , DOS  
f□f,<' ,□,fffff,□',,,,,,%,□□,□□,□□,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,, Logitech Mouse Driver / Utililty , Windows 95 □,Ž—  
,,,,□Windows 95 ,ffff□ffff□f,,□□,□□,%,Ž□,□, Windows 3.1 ,, Logitech Mouse Utility ,Š,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. “”,fff□,□Windows ffffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,fffff,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,, ff□fffff□fffff,□`E Windows 95  
□,<' ,,,,,,CE,,,□-',-,%o,,,%o”□,,,,□

Windows 95 □,,□BIOS ,□',,Auto-Suspend,<' ,,,,,□,,Ž—□,□EŽ□,,□

Windows 95 □, ffffff□fffff,—E,□',,□□,□<□“ ,APM 1.0f□f,,,(A) □,—  
E,,,,,fff□ffff□,ff□ffffffffff,•Ž,,,□□,□□,□

Windows 95 □, 3mode FDD ,Ž—,,,,,□Windows 95 —, 3mode FDD miniport driver ,•—,□Celebris XL—  
, 3mode FDD miniport driver ,□,, Windows 95 ,“•,,,,,□ Windows 95 — 3mode FDD miniport driver ,□`%  
.Ž□,fff□f,,□

1. ffff□f fff, [ffff] ffff,fffff
2. [fff ff□ff] ff,ffff
3. [fff□ fff fff□f] ,fffff
4. [fff□f fff□ fff fff□f,fffff] ,fff
5. [ffff] fff,fff
6. [fff] ff,fff,□[fff,•□] fff,fff
7. [, ,fff,•Ž] fffffff,fff
8. fff□f, [□`E],[fff],‘,
9. [OK] fff,fff

Windows 95 , 3mode FDD miniport driver,<' ,□fff□□MS-DOSffff□,, 3.5"  
1.2MBfff□,□,,fff,“ ,□,CE,,,□,‘ ,fff□ffff□f□ffff□f,,ff□f,,□1.2MB  
fff□,ff□fffff,□ff□f,,,,,□

## Celebris / Celebris<sup>FP</sup>

Windows 95 Ž□, Plug & Play OS ,,,,,□DOS/Windows3.1 ffffff□f□fff,ffff□f,,,,, **ICU(ISA Configuration Utility)** ,Ž—,•—,,,,,□ Windows 95 □, ICU,<' ,,,ff□,□,Ž□,□□,□



## Venturis 4xx / Venturis<sup>FP</sup> 4xx

Windows 95 ffff□f',ffff,ffff,,□%o-%o,Ž,,,,,□□,,,,,□ffff□f,,',□BIOS Setup ,,—,ffffffffff,-  
Ā,□',,,,,,□

Š•fffff,,,,,, BIOS ,□',Š•fffff,—Ā,,,,,,□Windows ,□—Ž,fffff,,Ž,,,,,□Š•fffff,Ž',,,,,,□□,□BIOS  
,Š•fffff,Š,,□',—Ā,,,,,Ž—,,,,,□

Windows 95 □,,□**Plug & Play Card を自動設定できない**□□,,,,,□,,□□,,□Ž“,□',,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, **Getting Started** ,□Windows 95 □,,Ž—,,,,,□

Windows 95 Ž□, Plug & Play OS ,,,,,□DOS/Windows3.1 fffff□f□fff,fff□f,,,,, **ICU(ISA Configuration  
Utility)** ,Ž—,,—,,,,,□ Windows 95 □, ICU,‘,,,ff□,”□,Ž□,,,,,□

Windows 95 □, Plug & Play ISA card ,□',Ā□Dual Boot ,,,‘,—, DOS / Windows3.1 ,‘,, ICU ,,,Ž—  
,,□Windows 95 ,□',,, ISA Card ,□”Ž,,,,f□f□,,□Unknown device□,•Ž,,,,□

Windows 95 ,f□ffff,Ž“□',□,□□□““,fffff,□,,□',,,,,□□,,,,,□

Windows 95 ,CONFIG.SYS' ,EMM386 ,fffff “X=E000-EFFF” ,□□,,,,,□ Plug & Play ,□',,,,,,Ž—  
,,,,,□□,,,,,□,fffff,□□,,Ž—,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,,fff□'f□f ”SMTR.EXE” ,□Windows 95 □,,fff□',□,,,—  
,,,‘□,•',,,,,,□Windows 95 ffff□fĀ,%o-,,,,,,□□,,□SMTR , DOS  
f□f,‘□,fffff,□',,,,,,,,%o□,,□□,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, **Logitech Mouse Driver/ Utility** ,Windows 95  
□,f□f,,,□ffff,fff,,,,—‘^,Ž,,,,,Ž—,,,,,□Windows 95 ,ffff□ffff□f,,□□,,□,,,,,^%o,Ž□,□,, Windows  
3.1 ,, Logitech Mouse Utility ,Š,,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. ““,ffff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,fffff,,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, ff□fffff□fffff,□^Ā Windows 95  
□,‘”,,,,,Ā,,,,□-’-‘,%o,,,,%o”□,,,,,□

Windows 95 □,ffffffffff□fffff,ff,,□‘, Alt+Ctrl+Esc ,, Key Sequence  
,,ffffffffff,Ž□,,□ffff,fff,,,,□Š”□,□□,,,,,□

Windows 95 □, 3mode FDD ,Ž—, , , , □ Windows 95 —, 3mode FDD miniport driver , •—, □ Venturis 4xx /  
 Venturis<sup>FP</sup>4xx—, 3mode FDD miniport driver , □, , , Windows 95 , “•, , , , □ Windows 95 — 3mode FDD miniport  
 driver , □^%o, Ž□, ffff□f, , , , □

1. ffff□f fff, [ffff] ffff, ffffffff
2. [ffff ff□ff] ff, ffff
3. [ffff□ ffff ffff□f] , ffffffff
4. [ffff□f ffff□ ffff ffff□f, ffff] , ffff
5. [ffff] fff, ffff
6. [ffff] ff, ffff, □[ffff, •□] fff, ffff
7. [, , , ffff, •Ž] ffffffff, ffff
8. ffff□f, [□‘Œ], [fff], ‘,
9. [OK] fff, ffff

Windows 95 , 3mode FDD miniport driver, <”, □fff□□MS-DOS ffff□, , , 3.5"  
 1.2MB ffff□, □, , , ffff, “, □, , Œ, , , , □, ‘, ffff□ ffff□ f□ ffff□ f, , ff□f, , , , □1.2MB  
 ffff□, ff□ ffff□, □ff□f, , , , , , □

**FR-PCXCR-AH (Philips CM207 CD-ROM Drive)** , Windows 95 , Ž—, , □□□%Š, , , □□, , Ž, , , , □

**FR-PCXCR-AH** , Ž—, , , , CONFIG.SYS , DDATAPI.SYS (FR-PCXCR-AH , MS-DOS —, ffff)  
 , ‘□, , , □ ffffffff, fff, , , , □Š, ”□, , □□, , , , , □□□, , , , □

**FR-PCXCR-AH** , Secondary Port , Slave , Master , , , □‘, , , fff□fff, —, □□, , , , □, □□, □ Master , □‘, , , , , □

**FR-PCXCR-AH** , ”‘ CD-ROM Drive , , □, , , Windows 95 , Ž—, , □□□ ffff, , , CD-ROM Drive  
 , •□‘, , , , ”‘, □’ , , , , Ž, , , , , □, , , , Œ, , □’ , , , □□, , □^%o, Ž□, □, □□, , , , , □

1. ffff□ ffff, Š, □
2. ffffffff, ffffffff, , □
3. fff□ ffff, ffff, , □
4. ffffffff□, , - , , ff, □, ffff, □
5. □ ffff, •—, □“%o□, □”“ ffff□, □’ , , □
6. □“—□□•, □, ffff, □—, , □

## Group C

^%,<Ž, Plug & Play <”,“”,,,,,,,,□Windows 95 ,f□ffffŽ“□’<”Ž—,,,,,,,,,□ff□ffffff<”,—,,,,,,,,,□Windows  
95 ,—<,Ž—,^,,,,,,,,□,,,,,,,,<Ž,,□□E Windows 95 ,ff□f,,%”□,’ ,ffffff□f,“□,,fff,Š,,□,,<Ž,□Windows  
95 ,“□,,□,‘,,□□“,-‘□,,Ž,,,,,,,,□Windows 95,,Ž—,ff□f‘□Š,,,,,,,,,—□Š,,□

**DECpc LPv+**  
**DECpc LPx+**  
**DECpc LPx 5xx**  
**DECpc LPv**  
**DECpc LPx**  
**DECpc XL**  
**DECpc Note**

## Group D

^%,<Ž,□Windows 95 ,“□,,□,‘,,□□“□Š,‘□,,%”□,□,□Windows 95,Ž—,,,,,,,,,,,,□

**DECpc LP**  
**DECpc MT**  
**DECpc MTE**

## サーバ製品

DECpc XL Server ,Digital PRIORIS Serverff□f,,f□f□•,,□Windows 95 ,ff□f‘□Š,,,,□

^ □