

Win95

Pentium,Q 300

Pentium,Q 300

Pentium,Q 300

Pentium,Q 300

Pentium,Q 266

Pentium2 233

PentiumPro 240

PentiumPro 233

PentiumPro 233

PentiumPro 233

PentiumPro 225

PentiumPro 180

Pentium(MMX)292

Pentium(MMX) 233

Pentium(MMX) 233

Pentium(MMX) 233

Pentium(MMX)/233MHz

Pentium(MMX) 225

Pentium(MMX)210

Pentium(MMX) 200

Pentium(MMX) 200

Pentium(MMX) 200

Pentium(MMX) 200

Pentium(MMX)188

Pentium(MMX) 166

Pentium(MMX)ODP 200

Pentium(MMX)ODP 180

Pentium(MMX)ODP 180

Pentium(MMX)ODP 180

Pentium(MMX)ODP 166

Pentium ODP @166

Pentium 225

Pentium 200

Pentium(MMX) 200

Pentium 180

Pentium 166

Pentium 166

Pentium(MMX)ODP166

Pentium 150

Pentium 150

Pentium 133

Pentium 126

Pentium 120

Pentium 100

Pentium 90
PODP83
iDX4 100
iDX4 100
AMD K6 270
AMD K6 233
AMD K6 233
AMD K6 233
AMD K6 233
AMD K6 233
AMD K6 225/75
AMD K6 225
AMD K6 208
AMD K6 208
AMD K6 200
AMD K6 200
AMD K6 200
AMD K6 200
AMD K6 200
AMD K6 166
AMD K5 PR166
AMD K5-PR166 at 116.93MHz
Am5x86/WB/4x 240
Am5x86/WB/4x 133
Am5x86/WB/4x
Am5x86/WT/3x
CyrixMXPR200 (200MHz)
Cyrix6X86MXPR200(187MHz“®i)
Cyrix6X86MXPR200(187MHz“®i)
Cyrix6x86MX-PR166(180MHz)
Cyrix 6x86MX PR200(166MHz)
6x86 PR166+ (75~215Mhz,ÉO.Cj
Cyrix 6x86 100Mz

From: í, ©, 1 <hakase@alles.or.jp>

HDBENCH Ver 2.400
Žg—p<@Ží@’|,è,È,çPC-ATŒÝŠ·<@
Processor@ Pentium,Q 300@ [family 6 model 3 step 3]
%øđ’œ“x@1024x768 1677-œF
Display@ MGA Millennium2 PowerDesk
Memory@195,436Kbyte
OS@Windows 95 4.0 (Build: 1212)
Date@1997/ 9/15@ 8:17

SCSI = Adaptec AIC-7880 PCI SCSI Controller
HDC[?]=Intel 82371SB PCI Bus Master IDE Controllers

A = GENERIC NEC@ FLOPPY DISK
C = IBM DCAS-34330@ Rev S61A
D = IBM DORS-32160W@ Rev WA0A
E = DELTIS MOS321@ Rev 3.40
F = TEAC CD-ROM CD-516S@ Rev 1.0D

ALL •, ® <é %ø~ Text Scroll DD Read Write Cache Drive
13578 24141 19156 23702@3272 10777@ 312 119 7419 7110 26315
C:10MB

From: ""cE' %op^ê" <e-tahara@JEC.CO.JP>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium,Q 300 [family 6 model 3 step 3]

%ođ'œ"x 1024x768 65536□F

Display Matrox Millennium II PowerDesk

Memory 64,516Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/24 16: 5

SCSI = Adaptec AHA-150X/1510/152X/AIC-6X60 SCSI Host Adapter

HDC = Intel 82371SB PCI Bus Master IDE Controller

HDC = fvf%ofCf}fš IDE fRf"fjgf□□[f%o (fff...fAf< FIFO)

HDC = fZfjf"f_fš IDE fRf"fjgf□□[f%o (fff...fAf< FIFO)

A = GENERIC NEC FLOPPY DISK

CE = GENERIC IDE DISK TYPE46

D = GENERIC IDE DISK TYPE80

G = TOSHIBA CD-ROM XM-6002B Rev 0527

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive

18255 24352 19347 36173 4570 37194 731 138 6741 4426 30768

C:10MB

From: ,ñ,ã,ñï“ì ^°-çïj <minami@wao.or.jp>

ïš ïš ïš HDBENCH Ver 2.400 ïš ïš ïš
Žg—p<@Ží Ž©ï,`,sŒÝŠ·<@ (Gateway2000 P5-200 f}f<f`f[]ffBfA %ü)
Processor Pentium,Q 300 [family 6 model 3 step 3]
%üđ'œ“x 1600x1200 1677-œïF
Display Matrox Millennium II PowerDesk
Memory 195,508Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/26 20: 3

SCSI = Adaptec AHA-2940U/AHA-2940UW PCI SCSI Controller
HDC[?]=fXf^f“f_ï[fh PCI IDE fRf“fgfïï[f%ü

A = GENERIC NEC FLOPPY DISK
CD = SEAGATE ST34501W Rev 0015
EF = SEAGATE ST34501W Rev 0015
G = OLYMPUS MOS331 Rev 1.10
H = PLEXTOR CD-ROM PX-20TS Rev 1.00
I = MATSHITA CD-R CW-7501 Rev 1.4D
J = NAKAMICH MJ-5.16S Rev 1.00
K = NAKAMICH MJ-5.16S Rev 1.00
L = NAKAMICH MJ-5.16S Rev 1.00
M = NAKAMICH MJ-5.16S Rev 1.00
N = NAKAMICH MJ-5.16S Rev 1.00

ALL •, ï® <é %ü~ Text Scroll DD Read Write Cache Drive
14485 24360 19339 14493 4877 13703 66 74 13969 3844 35713
C:10MB

From: '†“¹ —³“ň <sasami@osaka.xaxon-net.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium,Q 300 [family 6 model 3 step 3]

%ođ'œ"x 1280x1024 256□F

Display ASUS AGP-V3000 V1.00

Memory 130,028Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/29 20:45

SCSI = Adaptec AHA-2940U/AHA-2940UW PCI SCSI Controller

HDC[?]=fXf^f"f_□[fh PCI IDE fRf"f_gf□□[f%o

HDC[?]=Creative Labs IDE controller

A = GENERIC NEC FLOPPY DISK

CE = SEAGATE ST34371W Rev 0484

DFG = QUANTUM XP34550W Rev LXY4

H = Virtual CD-ROM Drive

I = FUJITSU M2513A Rev 1300

J = IOMEGA ZIP 100 Rev E.08

K = PLEXTOR CD-ROM PX-20TS Rev 1.00

L = SONY CD-R CDU924S Rev 1.1d

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
22309 24305 19270 68802 9818 24761 454 59 7523 6640 39214
C:10MB

%ođ'œ"x 1024x768 256□F
ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
22979 24304 19262 68294 9809 25502 773 59 7780 7613 43477
C:10MB

%ođ'œ"x 800x600 256□F
ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
23491 24300 19284 69318 9779 25520 1375 59 9125 8277 44444
C:10MB

From: "Takeru" <takeru@nnettown.or.jp>

HDBENCH Ver 2.400
Žg—p<@Ží

Processor Pentium,Q 266 [family 6 model 3 step 3]
%ođ'œ"x 1024x768 1677-œF
Display Matrox MGA Millennium PowerDesk
Memory 130,092Kbyte
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/20 15:30

SCSI = MELCO Ultra SCSI IFC-UP
HDC = Intel 82371SB PCI Bus Master IDE Controller
HDC = fvf%ofCf}fŠ IDE fRf"fgf[]f%o (fff...fAf< FIFO)
HDC = fZfjf"f_fŠ IDE fRf"fgf[]f%o (fff...fAf< FIFO)

A = GENERIC NEC FLOPPY DISK
C = GENERIC IDE DISK TYPE01
D = GENERIC IDE DISK TYPE02
F = NEC CD-ROM DRIVE:285 Rev 3.05

ALL	•,	Ⓜ	<é	%o~	Text	Scroll	DD	Read	Write	Cache	Drive
12230	21563	17106	23378	3459	4881	258	0	7424	7008	25000	C:10MB

From: IWASAKI Hiroshi <j9616@edsun6.cs.shinshu-u.ac.jp>

 HDBENCH ver 2.400
Gateway2000 G6-233M
Processor Pentium2 233 [family 6 model 3 step 3]
 1024x768 65536
'çæßæß STB Velocity 128
Memory 64,616Kbyte
OS Windows 95 4.0 (Build:1212)
Date 1997/ 9/24 14:31

SCSI = Iomega Parallel Port Zip Interface
HDC = Intel 82371AB PCI Bus Master IDE Controller
HDC = Primary IDC controller (dual fifo)
HDC = Secondary IDE controller (dual fifo)

A = GENERIC NEC FLOPPY DISK
CDE = GENERIC IDE DISK TYPE40
F = MITSUMI CD-ROM FX140S !B Rev e12
G = IOMEGA ZIP 100 Rev D.08

ALL	•,	®	é	%~	Text	Scroll	DD	Read	Write	Cache	Drive
15044	18804	14916	30210	8634	18988	337	0	8455	8385	26666	

C:10MB

From: %0Á“; Šx <gkato@tky.3web.ne.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží Ž©□iAT□iAsus P/I-P65UP5□j
Processor PentiumPro 240 [family 6 model 1 step 9] 240Mhz (60*4)
%0đ‘œ“x 1024x768 1677-œ□F
Display Matrox Millennium II PowerDesk
Memory 146,400Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/24 19:38

SCSI = Adaptec AHA-2940U/AHA-2940UW/AHA-2940/AHA-2940W PCI SCSI
Controller

HDC = fXf^f“f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf“fgf□□[f%0
HDC = fv%0fCf}fŠ IDE fRf“fgf□□[f%0 (fVf“fOf< FIFO)
HDC[?]=fZffj“f_fŠ IDE fRf“fgf□□[f%0 (fVf“fOf< FIFO)
HDC = fXf^f“f_□[fh PCI IDE fRf“fgf□□[f%0
HDC = fXf^f“f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf“fgf□□[f%0

A = GENERIC NEC FLOPPY DISK
C = SEAGATE ST12550N Rev 0014
DEF = GENERIC IDE DISK TYPE47
G = PLEXTOR CD-ROM PX-12TS Rev 1.01

ALL	•,	□®	<é	%0~	Text	Scroll	DD	Read	Write	Cache	Drive
12199	10710	13049	28026	3065	22928	367	85	4011	2000	25640	
C:10MB											
13206	10710	13049	28026	3065	22928	367	85	6741	6576	27396	
D:1344290080MB											

From: Masaru Takano <takano@pp.iij4u.or.jp>

HDBENCH Ver 2.400
EliteGroupP6FX2fjSfWfif<f>fVf"
Processor PentiumPro 233 [family 6 model 1 step 7]
1024x768 65536
Display Matrox MGA Millennium PowerDesk
Memory 130,072Kbyte
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/17 23:41

SCSI = Promise Technology, Inc. ULTRA33 IDE Controller
HDC = Intel 82371SB PCI Bus Master IDE Controller
HDC = fvf%ofCf}fŠ IDE fRf"fjgf[f%o (fff...fAf< FIFO)
HDC = fZfj"f_fŠ IDE fRf"fjgf[f%o (fff...fAf< FIFO)

A = GENERIC NEC FLOPPY DISK
CE = IBM-DHEA -36480 Rev HE80
D = TOSHIBA MK0803MAT Rev D2.0
F = Virtual CD-ROM Drive
G = MATSHITA PD-1 LF-1196 Rev A104
H = TOSHIBA CD-ROM XM-5602B Rev 1156
I = MATSHITA PD-1 LF-1196 Rev A104

ALL •, ® <é %o~ Text Scroll DD Read Write
Cache Drive
11316 10627 13016 27955 3242 11874 540 0
8640 7266 18691 C:10MB

From: %0Á“; Šx <gkato@tky.3web.ne.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží Ž©□ìAT (Asus P/I-P65UP5)
Processor PentiumPro 233 [family 6 model 1 step 9]
%0đ‘œ“x 1024x768 32bit□F
Display Matrox Millennium II PowerDesk(?RAMDAC,í□A220Mhz,È,ň,Å,.,,ª□B)
Memory 146,400Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/24 14:28

SCSI = Adaptec AHA-2940U/AHA-2940UW/AHA-2940/AHA-2940W PCI SCSI
Controller

HDC = fXf^f“f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf“fgf□□[f%0
HDC = fv%0fCf}fŠ IDE fRf“fgf□□[f%0 (fVf“fOf< FIFO)
HDC[?]=fZffj“f_fŠ IDE fRf“fgf□□[f%0 (fVf“fOf< FIFO)
HDC = fXf^f“f_□[fh PCI IDE fRf“fgf□□[f%0
HDC = fXf^f“f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf“fgf□□[f%0

A = GENERIC NEC FLOPPY DISK
C = SEAGATE ST12550N Rev 0014
DEF = GENERIC IDE DISK TYPE47
G = PLEXTOR CD-ROM PX-12TS Rev 1.01

ALL	•,	□®	<é	%0~	Text	Scroll	DD	Read	Write	Cache	Drive
12041	10403	12677	28025	3216	22928	367	85	4067	2002	24690	
C:10MB											
13332	10403	12677	28025	3216	22928	367	85	7195	7786	27396	
D:10MB											

From: "ISA" <isaac@jin.zen.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží ASUS P/I-XP6NP5
Processor PentiumPro 225 [family 6 model 1 step 9]
%ođ'œ"x 1280x1024 65536□F
Display Matrox MGA Mystique PowerDesk
Memory 86,604Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/14 16:24

SCSI = Adaptec AHA-2940AU PCI SCSI Controller
HDC = Primary Bus Master IDE controller
HDC = Secondary Bus Master IDE controller
HDC = Intel 82371SB PCI Bus Master IDE Controllers

A = GENERIC NEC FLOPPY DISK
C = Maxtor 7 2004 AP Rev 2A3C
D = FUJITSU M2684S-512 Rev 2036
K = NAKAMICH MJ-4.8S Rev 1.05
L = NAKAMICH MJ-4.8S Rev 1.05
M = NAKAMICH MJ-4.8S Rev 1.05
N = NAKAMICH MJ-4.8S Rev 1.05
Q = MITSUMI CD-ROM !B Rev B03

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
8262 10302 12617 13401 2990 4990 71 84 4364 4347 21276
C:10MB

From: ,r,n,b <soc@pisces.bekkoame.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor PentiumPro 180 [family 6 model 1 step 7]

%ođ'œ"x 1024x768 65536□F

Display Matrox MGA Millennium PowerDesk

Memory 80,916Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/23 16:20

SCSI = Adaptec AHA-2940AU PCI SCSI Controller

HDC = Intel 82371SB PCI Bus Master IDE Controllers

HDC = Primary Bus Master IDE controller

HDC[?]=Secondary Bus Master IDE controller

A = GENERIC NEC FLOPPY DISK

CD = WDC AC22 100H Rev 10.0

E = IBM DPES-31080 Rev S31Q

F = MITSUMI CD-ROM FX120T !B Rev b01

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
11083 8206 10045 31264 2150 23249 396 49 3936 2321 18181
C:10MB

From: "dru" <dru@po.cnet-ta.ne.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ

Žg—p<@Ží

Processor Pentium(MMX)292 [family 5 model 4 step 3]i83.3MHz@,~3.5j

%ođ'œ"x 1024x768 65536F

Display Matrox MGA Mystique

Memory 64,536Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 199,V/ 9/27 2:59

SCSI = PCI NCR C810 SCSI Host Adapter

HDC = Intel 82371AB PCI Bus Master IDE Controllers

HDC = Primary IDE controller (dual fifo)

HDC = Secondary IDE controller (dual fifo)

A = GENERIC NEC FLOPPY DISK

CDEF = GENERIC IDE DISK TYPE47

Q = SANYO CRD-254S Rev 1.05

ALL •, ® <é %o~ Text Scroll DD Read Write Cache Drive
15277 17023 18080 29314 4230 21527 109 152 8205 8237 30768
C:10MB

From: ,x,`,r <yas_s@fa2.so-net.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium(MMX) 233 [family 5 model 4 step 3]

‰đ'œ"x 1024x768 65536□F

Display Power Window 3DV

Memory 80,916Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/15 3:14

SCSI = Adaptec AHA-294X/AIC-78XX PCI SCSI Controller

HDC = fXf^f"f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf"f_gf□□[f‰

HDC = fvf‰ofCf}fš IDE fRf"f_gf□□[f‰ (fVf"fOf< FIFO)

HDC[?]=fZfjf"f_fš IDE fRf"f_gf□□[f‰ (fVf"fOf< FIFO)

HDC = fXf^f"f_□[fh PCI IDE fRf"f_gf□□[f‰

A = GENERIC NEC FLOPPY DISK

C = GENERIC IDE DISK TYPE46

D = GENERIC IDE DISK TYPE46

E = OLYMPUS MOS331 Rev 1.30

G = PIONEER CD-ROM DR-U12X Rev 1.06

ALL •, □® <é ‰~ Text Scroll DD Read Write Cache Drive
10283 13635 14479 15970 10929 7827 69 0 4008 3165 22471
C:10MB

From:-k[ã %ë•<kitajo@nucl.kyushu-u.ac.jp>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží

Processor Pentium(MMX) 233 [family 5 model 4 step 3]

%đ'æ"x 1024x768 65536F

Display Power Window 3DV

Memory 64,548Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/16 5:45

SCSI = Adaptec AHA-2940U/AHA-2940UW PCI SCSI Controller

HDC = fv%ofCf}fŠ IDE fRf"fgf[f% (fff...fAf< FIFO)

HDC = fZjff"f_fŠ IDE fRf"fgf[f% (fff...fAf< FIFO)

HDC = Intel PIIIX Bus Mastering PCI IDE Controller

A = GENERIC NEC FLOPPY DISK

CEFG = QUANTUM FIREBALL ST6.4S Rev 0F04

D = GENERIC IDE DISK TYPE46

H = OLYMPUS MOS331 Rev 1.00

I = MITSUMI CD-ROM FX120T !B Rev b03

ALL •, [® <é %~ Text Scroll DD Read Write Cache Drive
10166 13597 14444 15342 10557 7590 69 74 7774 3947 18181
C:10MB

From: Ć'“c ĆGĆs <h-harada@nn.ij4u.or.jp>

Ćš Ćš Ćš HDBENCH Ver 2.400 Ćš Ćš Ćš

Žg—p<@Ží

Processor Pentium(MMX) 233 [family 5 model 4 step 3]
[233.829MHz]

%ođ'œ“x 1024x768 65536ĆF

Display GA-PG3Dx/PCI

Memory 138,192Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/25 19:11

SCSI = Tekram DC-390F/U PCI SCSI Adapter

HDC[?]=fXf^f“f_Ć[fh PCI IDE fRf“fgfĆĆ[f%o

A = GENERIC NEC FLOPPY DISK

C = SEAGATE ST52160N Rev 0285

ALL	•,	Ć®	<é	%o~	Text	Scroll	DD	Read	Write	Cache	Drive
10347	13638	14485	19437	11916	5514	88	59	7003	6862	14183	
C:10MB											

From: " " % , ` @ @ <JCF04520>

š š š HDBENCH Ver 2.400 š š š
Žg—p<@Ží GIGA-BYTE GA-586DX(Rev.2B)
Processor Pentium(MMX)/233MHz [family 5 model 4 step 3]
%øđ'œ"x 1024x768 65536F
Display GA-PGDXX/PCI
Memory 31,848Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/10/ 4 18:52

SCSI = Adaptec AIC-7880 PCI SCSI Controller
HDC[?]=Creative Labs IDE controller
HDC = fvf%øfCf}fš IDE fRf"f_gf[]f%ø (fff...fAf< FIFO)
HDC = fZfjf"f_fš IDE fRf"f_gf[]f%ø (fff...fAf< FIFO)
HDC = Intel 82371SB PCI Bus Master IDE Controller

A = GENERIC NEC FLOPPY DISK
CD = GENERIC IDE DISK TYPE46(Quantum FB1280AT)
E = GENERIC IDE DISK TYPE80 (WD AC2540F)
F = MITSUMI CD-ROM FX800S !B Rev R04

ALL •, ® <é %ø~ Text Scroll DD Read Write Cache Drive
11456 13642 14487 17873 11678 9902 94 119 5817 5807 23808
C:10MB

From: "Kazuo Shishido(JOE109)" <joe@uso-net.vip.co.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium(MMX) 225 [family 5 model 4 step 3]

%ođ'œ"x 1024x768 65536□F

Display Power Window DX

Memory 64,528Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/17 2:14

HDC = fXf^f"f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf"f_gf□□[f%o

HDC = fXf^f"f_□[fh PCI IDE fRf"f_gf□□[f%o

HDC = fvf%ofCf}fš IDE fRf"f_gf□□[f%o (fVf"fOf< FIFO)

HDC[?]=fZfjf"f_fš IDE fRf"f_gf□□[f%o (fVf"fOf< FIFO)

A = GENERIC NEC FLOPPY DISK

C = GENERIC IDE DISK TYPE46

D = IMES ICD-1200AT VC8V Rev A01

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
10977 13069 13882 14921 10714 7377 73 0 7160 6601 25000
C:10MB

From: Žu... "Äžj a_shimizu_xt@msn.com

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží PC-9821Xt/C10W
Processor Pentium(MMX)210 [family 5 model 4 step 3] (60*3.5=210)
%ođ'œ"x 1024x768 65536F
Display GA-PGDxx/98PCI (S3)
Memory 64,600Kbyte
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/15 7:19

SCSI = Adaptec AHA-294X/NEC PC-9821X-B02/B02L PCI SCSI-2

A = nEC DKU363-N Rev 9372
BC = IBM DORS-32160 Rev S82C
D = GENERIC NEC FLOPPY DISK
E = GENERIC NEC FLOPPY DISK
F = GENERIC NEC FLOPPY DISK
G = DELTIS MOS321 Rev 3.40
Q = PIONEER CD-ROM DR-U12X Rev 1.06

ALL •, š® <é %o~ Text Scroll DD Read Write Cache Drive
9735 12096 12841 17483 10354 9425 194 0 4949 4891 15383
B:10MB

From: kenji <kenji-y@orange.ne.jp>

 HDBENCH Ver 2.400
 Žg—p<@Ží Ž©ìĀŸŠ·<@iasus TX-97XE)
Processor Pentium(MMX) 200 [family 5 model 4 step 4]
MMXPentium166Mhz,đOC
%ođ'œ"x 1024x768 65536
Display S3 Inc. ViRGE PCI
Memory 48,268Kbyte
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/14 16:21

SCSI = Tekram DC-390F/U PCI SCSI Adapter
HDC = Intel 82371AB PCI Bus Master IDE Controllers
HDC = Primary Bus Master IDE controller
HDC = Secondary Bus Master IDE controller

A = GENERIC NEC FLOPPY DISK
C = QUANTUM FIREBALL ST3 Rev A0F.
D = MATSHITA CD-R CW-7501 Rev 2.00
E = SONY CD-ROM CDU77E-NE Rev 1.2g

ALL •, ® <é %o~ Text Scroll DD Read Write Cache Drive
12285 11666 12393 10995 6183 5490 72 59 39233 3703 20833
C:10MB

From: "ŠC~VĀ -¾ (ebi@ff.ij4u.or.jp)" <ebi@ff.ij4u.or.jp>

Š Š Š HDBENCH Ver 2.400 Š Š Š

Žg—p<@Ží

Processor Pentium(MMX) 200 [family 5 model 4 step 4]

%øđ'œ"x 1280x1024 65536F

Display Power Window DX

Memory 97,304Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/24 8:57

SCSI = Adaptec AHA-2940U/AHA-2940UW PCI SCSI Controller

SCSI = Adaptec AHA-2910B PCI SCSI Host Adapter

HDC[?]=Intel 82371AB PCI Bus Master IDE Controllers

A = GENERIC NEC FLOPPY DISK

CDE = SEAGATE ST34501W Rev 0017

FG = SEAGATE ST34371W Rev 0484

K = Virtual CD-ROM Drive

L = Virtual CD-ROM Drive

M = Virtual CD-ROM Drive

N = Virtual CD-ROM Drive

R = PLEXTOR CD-ROM PX-20TS Rev 1.00

ALL •, ® <é %~ Text Scroll DD Read Write Cache Drive
9816 11679 12405 11314 8369 1642 29 0 13544 13367 16000
C:10MB

From: [i^ä [L <yugawahi@orange.ocn.ne.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ
Žg—p<@Ží PC9821 V200/M7
Processor Pentium(MMX) 200 [family 5 model 4 step 4]
‰đ'œ"x 1280x1024 65536F
Display PC-9821 V200/M7 (Matrox)
Memory 63,928Kbyte
OS Windows 95 4.0 (Build: 1212)
Date 1997/10/ 2 19:31

SCSI = AIC-7860

HDC = fXf^f"f_[fh IDE fn_[fh fffBfXfN fRf"f_gf_[f‰

AB = GENERIC IDE DISK TYPE00
C = SAMSUNG PLS-31274S Rev G100
D = IBM DPES-31080 Rev S31Q
E = GENERIC NEC FLOPPY DISK
Q = SONY CD-R CDU924S Rev 1.1l
R = PIONEER CD-ROM DR-124X Rev 1.05

ALL •, [® <é ‰~ Text Scroll DD Read Write Cache Drive
8779 11527 12247 10291 10190 10676 46 0 3684 3961 16392
A:10MB

From: , , ñ, ±, ¾, Ü <iwata@3g.kwg.pioneer.co.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium(MMX)188 [family 5 model 4 step 4]

%ođ'œ"x 1024x768 1677-œ□F

Display Matrox MGA Millennium PowerDesk

Memory 48,132Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/16 21:58

SCSI[?]=PCI NCR C810 SCSI Host Adapter

HDC = SiS PCI IDE Controller

HDC = fXf^f"f_□[fh fofX f}fXf^fŠf"fO IDE fn□[fh fffBfXfN fRf"fjgf□□[f%o

HDC = fXf^f"f_□[fh fofX f}fXf^fŠf"fO IDE fn□[fh fffBfXfN fRf"fjgf□□[f%o

A = GENERIC NEC FLOPPY DISK

C = GENERIC IDE DISK TYPE46

J = NEC CD-ROM DRIVE:280 Rev 3.15

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
9950 10898 11579 28804 2151 8924 315 42 5355 5137 16392
C:10MB

From: 'ã, ^ê—Y <k_ootaka@jsdi.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží

Processor Pentium(MMX) 166 [family 5 model 4 step 3]
%ođ'œ"x 800x600 65536□F
Display NeoMagic MagicGraph 128ZV
Memory 31,832Kbyte
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/19 18: 0

HDC = Opti Dual PCI IDE Controller
HDC = fv%f%ofCf}fŠ IDE fRf"fgf□□[f%o (fff...fAf< FIFO)
HDC = fZfjf"f_fŠ IDE fRf"fgf□□[f%o (fff...fAf< FIFO)

A = GENERIC NEC FLOPPY DISK
CDE = GENERIC IDE DISK TYPE<7
R = MATSHITA UJDA110 Rev 1.02

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
6361 9553 10140 5677 1008 4941 87 0 4446 4311 17093
C:10MB

From:-x <twint@blue.plala.or.jp>

HP HDBENCH Ver 2.400
EPSON VM516S+MMXODP 200
Processor Pentium(MMX)ODP 200 [family 15 model 4 step 3]
1024x768 256K
Display Matrox MGA Mistique (Driver ver 4.10.00.1555 by DIRECTX 5.0)
Memory 92,228Kbyte (by MAGNARAM 97 REAL 64M)
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/19 17: 6

SCSI = Adaptec AHA-152X/AHA-1510 SCSI Host Adapter
HDC = IDE Controller [FIFO]
HDC = IDE Controller [FIFO]
HDC = Intel PIIX PCI IDE Controller [Bus Mastering not supported]

A = GENERIC NEC FLOPPY DISK
C = GENERIC IDE DISK TYPE01
D = IOMEGA ZIP 100 Rev N*32
E = UCDJ Rev V2.4

1024*768 256K
ALL •, ® <é %~ Text Scroll DD Read Write Cache Drive
15431 11565 12290 49101 2622 35700 241 59 4757 4747 17856
C:10MB

1024*768 65536K
ALL •, ® <é %~ Text Scroll DD Read Write Cache Drive
11568 11572 12293 29165 2605 21154 109 59 4784 4733 17698
C:10MB

1024*768 1677-K
ALL •, ® <é %~ Text Scroll DD Read Write Cache Drive
9265 11571 12290 17640 1913 13114 35 59 4532 4440 17856
C:10MB

From: masato sugiyama <noa-jp@ceres.dti.ne.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží DESK POWER SE FMV 5120D5
Processor Pentium(MMX)ODP 180 [family 15 model 4 step 3] [179.955MHz]
‰đ'œ"x 800x600 65536□F
Display ATI 3D RAGE II+ ("ú- {ĈÊ) (DirectDraw)
Memory 80,920Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/16 20:39

HDC = fvf‰fCf}fš IDE fRf"fƒƒf□□[f‰ (fVf"fOf< FIFO)
HDC = fZfjf"f_fš IDE fRf"fƒƒf□□[f‰ (fVf"fOf< FIFO)
HDC = CMD PCI-0646 Bus Master PCI to IDE Controller

A = GENERIC NEC FLOPPY DISK
C = GENERIC IDE DISK TYPE95 (WDAC22000)
D = GENERIC IDE DISK TYPE95
E = TOSHIBA CD-ROM XM-5302TA Rev 2865

ALL •, □® <é ‰~ Text Scroll DD Read Write Cache Drive
5988 10469 11133 5116 1112 2581 48 37 6212 5800 11427
C:10MB

From: ¼%Æ@<XŽj@_@@ QZC02520

š š š HDBENCH Ver 2.400 š š š
Žg—p<@Ží PC-9821Xt/c10w
Processor Pentium(MMX)ODP 180 [family 15 model 4 step 3]
%đ'œ"x 1280x1024 65536F
Display ftf<fjf%[] fEfBf"fhfE fAfNfZf%ofCE[]f^ f{[]fh X2/VRAM 3D'Í%ž
(Matrox)
Memory 163,188Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/17 23:30

SCSI = Adaptec AHA-294X/NEC PC-9821X-B02/B02L PCI SCSI-2

A = nEC DKU373 Rev 441C
BC = QUANTUM FIREBALL_TM1280S Rev 300N
DE = nEC D3827 Rev 0410
F = GENERIC NEC FLOPPY DISK
G = PIONEER CD-ROM DR-U12X Rev 1.06
H = NEC CD-ROM DRIVE:501 Rev 2.0

ALL •, []® <é %~ Text Scroll DD Read Write Cache Drive
10221 10382 11028 25527 9571 20976 289 24 2955 1458 9803
A:10MB

From: Makoto Tomiyama <coara@tky.3web.ne.jp>

HDBENCH Ver 2.400
PC-586RJ1LW
Processor Pentium(MMX)ODP 180 [family 15 model 4 step 3]
1024x768 65536
Display Power Driver PCSKB5
Memory 30,820Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/27 10:38

SCSI = I-O DATA SC-98
HDC = IDE

A = GENERIC IDE DISK TYPE00
B = nEC DSE2100S Rev 0306
C = GENERIC NEC FLOPPY DISK
D = FUJITSU M2513A Rev 1200
E = PIONEER CD-ROM DR-A10X Rev 1.04

(1)

ALL	•,	®	<é	%~	Text	Scroll	DD	Read	Write	Cache	Drive
5929	9597	10146	9617	4349	4935		59	36	2738	2402	9523

A:10MB

(2)

ALL	•,	®	<é	%~	Text	Scroll	DD	Read	Write	Cache	Drive
5978	9598	10146	9660	4342	4940		59	36	2761	2402	9900

A:10MB

(3)

ALL	•,	®	<é	%~	Text	Scroll	DD	Read	Write	Cache	Drive
5935	9598	10147	9635	4335	4938		59	36	2762	2333	9615

A:10MB

(4)

ALL	•,	®	<é	%~	Text	Scroll	DD	Read	Write	Cache	Drive
5900	9596	10144	9638	4338	4933		59	36	2772	2362	9258

A:10MB

(5)

ALL	•,	®	<é	%~	Text	Scroll	DD	Read	Write	Cache	Drive
6035	9596	10143	9615	4329	4936		59	36	2816	2570	10255

A:10MB

From: "ŠŮŽR [D]" <y_maru@mxy.meshnet.or.jp>

Š Š Š HDBENCH Ver 2.400 Š Š Š
Žg—p<@Ží PC9821-V12 165.789Mhz
Processor Pentium(MMX)ODP 166 [family 15 model 4 step 4]
%ođ'œ"x 800x600 65536F
Display GA-PG3DVXx/98PCI (S3)
Memory 80,296Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/25 16:54

HDC = fXf^f"f_[fh IDE fn_[fh fffBfXfN fRf"f_gf[f%o

AB = GENERIC IDE DISK TYPE00
CDE = GENERIC IDE DISK TYPE00
F = GENERIC NEC FLOPPY DISK
Q = SONY CD-ROM CDU77E-NE Rev 1.2g

ALL •, [® <é %o~ Text Scroll DD Read Write Cache Drive
8758 9538 10130 18933 6916 8777 156 0 3068 3124 18181
A:10MB

From: ŽR't@%op^êiGate@Of@Dragon
<E_YAMANAKA@classic.msn.com>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží PC-9821Xa9/C8%ü
Processor Pentium ODP@166 [family 5 model 2 step C]
%ođ'œ"x 1024x768 256F
Display PC-9821 TGUI968x,Cyber938x,Providia9685 (Trident)
Memory 130,528Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/20 1:42

SCSI = MIDORI ELEC. SCSI-2 I/F MDC-926Rs(PnP-ON)

HDC = fXf^f"f_[]fh IDE fn[]fh fffBfXfN fRf"fgh[]
f%o

HDC = SunDisk ATA FlashDisk

AB = GENERIC IDE DISK TYPE00

C = GENERIC IDE DISK TYPE00

D = GENERIC NEC FLOPPY DISK

E = GENERIC IDE DISK TYPE00

Q = HITACHI CDR-8130 Rev 0020

ALL	•,	®	<é	%o~	Text	Scroll	DD	Read	Write	Cache	Drive
4500	9381	10079	4226	2113	2417	32	37	2390	2645	7219	

A:10MB

From: <÷□L□@<B t-sumihi@fuk.apl.co.jp (tsuyoshi sumihiro)

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium 225 [family 5 model 2 step C]

%ođ'œ"x 1024x768 1677-œ□F

Display Matrox MGA Millennium PowerDesk

Memory 64,500Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/25 11:52

SCSI = Western Digital wd7296a SCSI Host Adapter

HDC = fv%ofCf}fŠ IDE fRf"fgf□□[f%o (fVf"fOf< FIFO)

HDC[?]=fZfjf"f_fŠ IDE fRf"fgf□□[f%o (fVf"fOf< FIFO)

HDC = fXf^f"f_□[fh PCI IDE fRf"fgf□□[f%o

HDC = fXf^f"f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf"fgf□□[f%o

A = GENERIC NEC FLOPPY DISK

C = GENERIC IDE DISK TYPE47

D = GENERIC IDE DISK TYPE47

EFG = nEC DSE2100S Rev 0306

H = OLYMPUS MOS331 Rev 1.10

Z = SANYO CRD-254P Rev 1.05

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
10216 12939 13902 28484 2941 9618 314 0 5781 5775 12194
F:10MB

From: "selma" <selma@baobab.or.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ

Žg—p<@Ží

Processor Pentium 200 [family 5 model 2 step C]

‰đ'œ"x 1024x768 65536F

Display Matrox Millennium II PowerDesk

Memory 97,272Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/21 2:30

SCSI = Tekram DC-390F/U PCI SCSI Adapter

HDC = Intel 82371SB PCI Bus Master IDE Controller

HDC = Creative Labs IDE controller

HDC = fvf‰fCf}fŠ IDE fRf"fƒƒ[f‰ (fff...fAf< FIFO)

HDC = fZfjff"f_fŠ IDE fRf"fƒƒ[f‰ (fff...fAf< FIFO)

A = GENERIC NEC FLOPPY DISK

CE = IBM DORS-32160 Rev WA6A

DFG = GENERIC IDE DISK TYPE47

H = FUJITSU M2513A Rev 1500

I = TOSHIBA CD-ROM XM-5602B Rev 1796

ALL •, ® <é ‰~ Text Scroll DD Read Write Cache Drive
11653 11549 12408 29231 2667 28003 731 0 5305 4780 10203
C:10MB

From: ^É“; <c3973005@meijo-u.ac.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium 180 [family 5 model 2 step C]

%ođ'œ“x 1024x768 1677-œ□F

Display Power Window DX

Memory 80,916Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/18 0:40

SCSI = I-O DATA SC-UPCI (Symbios Logic 53C875)

HDC = fv%ofCf}fš IDE fRf“fgf□□[f%o (fVf“fOf< FIFO)

HDC = fZfjf“f_fš IDE fRf“fgf□□[f%o (fVf“fOf< FIFO)

HDC = CMD PCI-0646 Bus Master PCI to IDE Controller

A = GENERIC NEC FLOPPY DISK

C = GENERIC IDE DISK TYPE95

DEFG = QUANTUM FIREBALL ST4.3S Rev 0F04

H = NEC CD-ROM DRIVE:280 Rev 3.20

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
5311 10357 11131 7098 3809 3583 37 75 3021 2419 6348
D:10MB

From:kappa <kappa@cmpk.or.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ

Žg—p<@Ží

Processor Pentium 166 [family 5 model 2 step C]

%øđ'œ"x 1024x768 65536F

Display Matrox MGA Millennium PowerDesk

Memory 64,604Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/16 5: 3

HDC = fXf^f"f_[]fh IDE/ESDI fn[]fh fffBfXfN fRf"fgh[][]f%ø

HDC = Primary Bus Master IDE controller

HDC = Secondary Bus Master IDE controller

HDC = Intel 82371SB PCI Bus Master IDE Controllers

A = GENERIC NEC FLOPPY DISK

CDE = GENERIC IDE DISK TYPE47

Q = LG CD-ROM CRD-8240B Rev 1.04

ALL •, ® <é %ø~ Text Scroll DD Read Write Cache Drive

10127 9605 10320 26356 1993 22955 541 42 4755 4571 10049

C:10MB

From: Masahiro Kurahashi <masahiro@eolas-net.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží IBM Aptiva 2176-H5E
Processor Pentium 166(OC) [family 5 model 2 step C]
‰đ'œ"x 800x600 65536□F
Display ATI mach64 PCI ("ú- {Œê) (DirectDraw)
Memory 74,136Kbyte(MagnaRam97Žg—p)ŽÀ'•,148Mbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/17 1:18

HDC = fv%fCf}fš IDE fRf"fgf□□[f‰ (fff...fAf< FIFO)
HDC = fZfjf"f_fš IDE fRf"fgf□□[f‰ (fff...fAf< FIFO)
HDC = Intel PIIX Bus Mastering PCI IDE Controller

A = GENERIC NEC FLOPPY DISK
CD = GENERIC IDE DISK TYPE<7
G = HITACHI CDR-7930 Rev 1023

ALL •, □® <é ‰~ Text Scroll DD Read Write Cache Drive
5233 9538 10253 5814 2063 3091 47 59 3833 3247 9215
C:10MB

From: Tetsuya Yaoka <yaoka@network.or.jp>

 HDBENCH Ver 2.400
PC-9821V10 S7/KC HDBENCH
Processor Pentium(MMX)ODP166 [family 15 model 4 step 4]
 800x600 1677-æF
Display WGP-VG4 (S3)
Memory 80,304Kbyte
OS Windows 95 4.0 (Build: 1111)
Date 1997/10/ 5 23:12

SCSI = Adaptec AHA-1030B SCSI Host Adapter
HDC = fxf^f"f_[]fh IDE fn[]fh fffBfXfN fRf"fjgff[]f%

AB = GENERIC IDE DISK TYPE00
C = GENERIC IDE DISK TYPE00
DE = SEAGATE ST52160N Rev 0285
F = GENERIC NEC FLOPPY DISK
G = GENERIC NEC FLOPPY DISK
H = GENERIC NEC FLOPPY DISK
I = GENERIC NEC FLOPPY DISK
J = NECITSU M2513A Rev 1000
Q = SONY CD-ROM CDU77E-NE Rev 1.2g
R = SONY CD-R CDU924S Rev 2.0a

ALL •, []® <é %~ Text Scroll DD Read Write Cache Drive
8328 9547 10138 16667 6152 7787 237 59 2397 2225 19801
C:10MB

From: Masaru Takano <takano@pp.iij4u.or.jp>

Œ Œ Œ Œ@ HDBENCH Ver 2.400@ Œ Œ Œ
Žg—p<@Ží@@Libretto50 %ü
Processor@ Pentium 150 [family 5 model 2 step C]
%đ'œ"x@@@640x480 65536@F
Display@@@ Chips And Technologies, Accelerator (new)
Memory@@@31,904Kbyte
OS@@@@Windows 95 4.0 (Build: 1111)
Date@@@@1997/ 9/17@ 23:50

HDC = fXf^f"f_@fh IDE/ESDI fn@fh fffBfXfN fRf"f@fgf@@[f%ö

C = IBM-DDLA -21620
D = Virtual@ CD-ROM Drive

ALL •, @® <é %~ Text Scroll DD Read Write Cache Drive
3924@@8576@@9219@@2539@@2346@@ 741@@@55@@
0@@3931@@3667@@ 4246 C:10MB

From: ^É“; <c3973005@meijo-u.ac.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium 150 [family 5 model 2 step C]

%ođ'œ“x 1024x768 65536□F

Display Power Window DX

Memory 80,916Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/17 23:33

SCSI = I-O DATA SC-UPCI (Symbios Logic 53C875)

HDC = fv%ofCf}fš IDE fRf“fgf□□[f%o (fVf“fOf< FIFO)

HDC = fZfjf“f_fš IDE fRf“fgf□□[f%o (fVf“fOf< FIFO)

HDC = CMD PCI-0646 Bus Master PCI to IDE Controller

A = GENERIC NEC FLOPPY DISK

C = GENERIC IDE DISK TYPE95

DEFG = QUANTUM FIREBALL ST4.3S Rev 0F04

H = NEC CD-ROM DRIVE:280 Rev 3.20

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
5269 8627 9270 7981 5345 4088 74 74 3013 2428 6600
D:10MB

%ođ'œ“x 1024x768 1677-œ□F

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
4962 8631 9273 6718 4869 3580 37 75 3019 2453 6078
D:10MB

From: "DACCHO" <alain@ba2.so-net.or.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ
Žg—p<@Ží Ž©ŒŒ<@ GIGA- BYTE GA-586ATX
Processor Pentium 133 [family 5 model 2 step B]
%œđ'œ"x 1152x864 65536ŒF
Display Matrox Millennium II PowerDesk
Memory 48,232Kbyte
OS Windows 95 4.0 (Build: 950a)
Date 1997/ 9/20 16:45

SCSI = Adaptec AHA-150X/1510/152X/AIC-6X60 SCSI Host Adapter
HDC = Primary IDE controller
HDC = Secondary IDE controller
HDC = Intel PIIX4 Bus Master IDE Controllers (Ultra DMA Supported)

A = GENERIC NEC FLOPPY DISK
C = QUANTUM FIREBALL1080 Rev A1M.
DEF = QUANTUM SIROCCO1700A Rev A01.
G = DELTIS MOS320 Rev 3.40
K = MATSHITA CD-ROM CR-506 Rev 8S05

ALL •, Œ® <é %œ~ Text Scroll DD Read Write Cache Drive
8557 7581 8144 21953 1772 19081 533 134 3911 3626 10416
C:10MB

From: OK <okada@ozaki.elec.waseda.ac.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží PC-9821Xa10/C4
Processor Pentium 126 [family 5 model 2 step 5]
%ođ'œ"x 1024x768 65536□F
Display PC-9821 TGUI968x,Cyber938x,Providia9685 (Trident)
Memory 48,540Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/29 1:24

SCSI = Adaptec AHA-294X/NEC PC-9821X-B02/B02L PCI SCSI-2
HDC = fXf^f"f_□[fh IDE fn□[fh fffBfXfN fRf"fgh□□[f%o

A = GENERIC IDE DISK TYPE00
B = GENERIC IDE DISK TYPE00
CD = IBM DORS-32160 Rev WA6A
E = GENERIC NEC FLOPPY DISK
F = SONY CD-ROM CDU76E-NE Rev 1.0f

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
4656 7170 7704 2366 1709 1249 9 37 5286 5243 11172
C:10MB

%ođ'œ"x 1024x768 256□F
ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
4994 7169 7703 4219 2244 2383 32 37 5302 5264 10637
C:10MB

126MHz(84x1.5) □c□cP5-100MHz,đOC□B□®□AŽü"g□"a'èfÀ:125.963MHz

From: OK <okada@ozaki.elec.waseda.ac.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží PC-9821Xa10/C4
Processor Pentium 120 [family 5 model 2 step 5]
%ođ'œ"x 1024x768 65536□F
Display PC-9821 TGUI968x,Cyber938x,Providia9685 (Trident)
Memory 48,540Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/29 0:47

SCSI = Adaptec AHA-294X/NEC PC-9821X-B02/B02L PCI SCSI-2
HDC = fXf^f"f_□[fh IDE fn□[fh fffBfXfN fRf"fgh□□[f%o

A = GENERIC IDE DISK TYPE00
B = GENERIC IDE DISK TYPE00
CD = IBM DORS-32160 Rev WA6A
E = GENERIC NEC FLOPPY DISK
F = SONY CD-ROM CDU76E-NE Rev 1.0f

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
4414 6825 7334 2350 1694 1243 9 37 5324 5291 9661
C:10MB

%ođ'œ"x 1024x768 256□F
ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
4870 6825 7334 4093 2233 2381 32 37 5319 5258 10362
C:10MB

120MHz(80x1.5)□c□cP5-100MHz,đOC

From: "Goto" <goto@he.mirai.or.jp>

HDBENCH Ver 2.400
pc9821v7/s5k + mtc40001 cpu 75MHz
Processor Pentium 100 [family 5 model 2 step 5]
800x600 256
Display fXf^f"f_[fh fffBfXfvfC fAf_fvf^ (9821 fVfS[fY)
Memory 47,508Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/10/ 1 2:29

HDC = fXf^f"f_[fh IDE fn_[fh fffBfXfN fRf"fgf[f%

A = GENERIC IDE DISK TYPE00
B = GENERIC NEC FLOPPY DISK
C = NECITSU M2512A Rev 1505
Q = MATSHITA CD-ROM CR-581 Rev 1.05

ALL	•,	Ⓜ	<é	%~	Text	Scroll	DD	Read	Write	Cache	Drive
2548	5487	5896	2606	627	2377	37	0	1702	1571	2634	

A:10MB

From: ^É“;’å%oî<c3973005@meijo-u.ac.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Pentium 90 [family 5 model 2 step 4]

%ođ’œ“x 1024x768 256□F

Display ftf<fjf%o□[fEfBf“fhfE fAfNfZf%ofCE□[f^ f{□[fh X/VRAM (Matrox)

Memory 62,824Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/17 9:28

SCSI = Logitech LHA-301 SCSI Interface

HDC = fXf^f“f_□[fh IDE fn□[fh fffBfXfN fRf“fgf□□[f%o

A = GENERIC IDE DISK TYPE00

BC = FUJITSU M1606S-512 Rev 6236

D = GENERIC NEC FLOPPY DISK

E = NEC CD-ROM DRIVE:260 Rev 2.05

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
4549 5040 5403 9788 4853 5567 96 0 2012 2128 6060
A:10MB

From: BOIS <bois@blk.mmtr.or.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ

Žg—p<@Ží

Processor PODP83 [family 15 model 3 step 2]

%øđ'œ"x 1024x768 256F

Display PC-9821 86C928 (S3)

Memory 33,200Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/19 3:52

SCSI = NEC PC-9801-55/L/U/FA-02APC-9801-92/PC-9821A-E10 (DMA
Transfer Mode)

HDC = fXf^f"f_[]fh IDE fn[]fh fffBfXfN fRf"fjg[][]f%ø

A = GENERIC IDE DISK TYPE00

BC = FUJITSU M1606S-512 Rev 6234

D = GENERIC NEC FLOPPY DISK

E = GENERIC NEC FLOPPY DISK

F = NECY SMO-F331-00 Rev 1.16

G = PIONEER CD-ROM DR-124X Rev 1.04

ALL •, []® <é %ø~ Text Scroll DD Read Write Cache Drive
3543 3975 4750 9274 2828 2593 45 19 1832 1593 5000
B:10MB

From: "Ichiro Ohishi" <ohishi@rifnet.or.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ
Žg—p<@Ží
Processor iDX4 100 [family 4 model 8 step 0]
‰đ'œ"x 1024x768 65536F
Display Power Window T64EL
Memory 25,048Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/26 10:30

^È‰°4Œ€-Ú,ÍHDBench,É,æ,éSYSTEM•\Ž!
CPU IDX4 [99.102]
FAMIRY 4
MODEL 8
STEP 0

SCSI = MIDORI ELEC. SCSI-2 I/F MDC-926Rs(PnP-OFF)
HDC = fxf^f"f_Œfh IDE fnŒfh fffBfXfN fRf"fƒfŒŒf‰

AB = GENERIC IDE DISK TYPE00
C = GENERIC NEC FLOPPY DISK
D = GENERIC NEC FLOPPY DISK
E = MITSUMI CD-ROM FX600S !B Rev P01
F = IOMEGA ZIP 100 Rev R.41

ALL •, Œ® <é ‰~ Text Scroll DD Read Write Cache Drive
2177 2513 4789 3738 1545 1227 23 28 1944 2119 1694
A:10MB

‰đ'œ"x 1024x768 256F
ALL •, Œ® <é ‰~ Text Scroll DD Read Write Cache Drive
2367 2511 4782 4819 1824 1785 75 28 1919 2098 1492
A:10MB

From: "ŽR̀ì ̀T^ê" <zob17161@ba.mbn.or.jp>

Ÿ Ÿ Ÿ HDBENCH Ver 2.400 Ÿ Ÿ Ÿ
Žg—p<@Ží PC-9821Xp/U7W
Processor iDX4 100 [family 4 model 8 step 0]
‰đ'œ"x 1280x1024 256F
Display PC-9821 Vision864 (S3)
Memory 96,652Kbyte
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/30 10:10

SCSI = MIDORI ELEC. SCSI-2 I/F MDC-926Rs(PnP-OFF)
HDC = fXf^f"f_[]fh IDE fn[]fh fffBfXfN fRf"fgh[][]f‰

A = GENERIC NEC FLOPPY DISK
B = GENERIC NEC FLOPPY DISK
CDE = GENERIC IDE DISK TYPE00
FG = CONNER CP30540 545MB3.5 Rev B0BE
H = FUJITSU M2512A Rev 1505
Q = PIONEER CD-ROM DR-UP124X Rev 2.00
R = SONY CD-R CDU926S Rev 1.1e
S = PIONEER CD-ROM DR-U24X Rev 1.01

ALL •, ̀® <é ‰~ Text Scroll DD Read Write Cache Drive
3703 2670 4936 6485 3694 3323 50 29 3182 3877 5114
C:10MB

From: Akihiro Nakajima <nakajima@ceres.dti.ne.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ

Žg—p<@Ží

Processor AMD K6 270 [family 5 model 6 step 1]

%øđ'œ"x 1152x864 65536F

Display Matrox MGA Millennium PowerDesk

Memory 64,516Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/10/ 1 0:49

SCSI = Iomega Parallel Port Zip Interface

SCSI = Tekram DC-390F/U PCI SCSI Adapter

HDC = Intel 82371SB PCI Bus Master IDE Controller

HDC = fvf%øfCf}fŠ IDE fRf"fgh[f%ø (fff...fAf< FIFO)

HDC = fZfjf"f_fŠ IDE fRf"fgh[f%ø (fff...fAf< FIFO)

A = GENERIC NEC FLOPPY DISK

C = IBM DORS-32160 Rev WA6A

D = GENERIC IDE DISK TYPE47

E = IOMEGA ZIP 100 Rev C.18

F = YAMAHA CDR400t Rev 1.0d

G = IMES ICD-900AT V94T Rev A01

ALL •, Œ® <é %ø~ Text Scroll DD Read Write Cache Drive
14333 16023 19425 26721 3545 21272 395 0 4524 4307 32786
C:10MB

f}fVf"ŒŒ—,í

ASUSŒ@T2P4Œ@MILL220Œ@DC390UŒ@DORS32160Œ@FB1280A

CPU,íK6-233MHz"Å,ø90Œ~3=270MHz,Åfhf%øfCfu,μ,Ä,ç,Ü,ŒB

From: "Tatsuyuki Ishijima" <mv6t-isjm@asahi-net.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor AMD K6 233 [family 5 model 6 step 1]

%ođ'œ"x 1024x768 1677-œ□F

Display GA-PG3Dx/PCI

Memory 64,556Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/15 21:49

SCSI = Adaptec AHA-2940/AHA-2940W PCI SCSI Controller

HDC[?]=PCI IDE Controller

A = GENERIC NEC FLOPPY DISK

C = IBM DORS-32160 Rev WA6A

D = FUJITSU M2513A Rev 1500

E = TOSHIBA CD-ROM XM-5701TA Rev 3136

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive

10162 13885 16830 12340 9482 5508 70 0 4499 4457 24389

C:10MB

From <žĚ 'ă•ã kyogoku@imasy.or.jp

'ă'èšĀ<<

M/B:Tyan S1468(430FX)
 Video:MilleniumII(RAMDAC220MHz,WRAM4MB)
 CPU:K6-PR233{~^3%o'ÊiPowerLeapj
 "®ižü"g":66.6MHzx3.5i233MHzj
 HDBENCH,É,æ,éžü"gi,R%oň'ă'è,i•½<iij
 @@fjfvfVf#f",Ě,μF277.003MHz
 @@<RDTSCfj"232.127MHz
 Video,lhf%ofCfoRevision
 @@PowerDesk:3.63.007i,l,l,w'î%ožj
 @@DirectX:3.0
 @@DDBENCH:1.36

š š š HDBENCH Ver 2.400 š š š
 Žg—p<@ží Ž©i,`sĚÝŠ<@
 Processor AMD K6 233 [family 5 model 6 step 1]
 %ođ'œ"x 1024x768 256F
 Display Matrox Millennium II PowerDesk
 Memory 130,088Kbyte
 OS Windows 95 4.0 (Build: 950)
 Date 1997/ 9/16 11:30

SCSI = Adaptec AHA-2940U/AHA-2940UW PCI SCSI Controller
 HDC = fv%ofCf}fš IDE fRf"fgf[f%o (fff...fAf< FIFO)
 HDC[?]=fzjff"f_fš IDE fRf"fgf[f%o (fff...fAf< FIFO)
 HDC = Intel PIIX Bus Mastering PCI IDE Controller

A = GENERIC NEC FLOPPY DISK
 C = SEAGATE ST32550N Rev 0021©SCSI-2 OnBordCache:WT
 DF = Quantum XP32150W Rev L912©UW-SCSI OnBordCache:WB
 E = Quantum XP32150W Rev L912©UW-SCSI OnBordCache:WB
 G = MITSUMI CD-ROM !B Rev B03

ALL •, ® <é %o~ Text Scroll DD Read Write Cache Drive
 15997 13774 16696 43625 3263 36601 1757 138 6443 2405 19416
 C:10MB
 16703 13774 16696 43625 3263 36601 1757 138 7261 8126 19230
 D:10MB

%ođ'œ"x 1280x1024 256F
 ALL •, ® <é %o~ Text Scroll DD Read Write Cache Drive
 9423 0 0 44295 2711 36793 1012 138 0 0 0

C:10MB
 %00d'ce"x 1152x864 256F
 9045 0 0 41336 3204 35570 1301 138 0 0 0
 C:10MB
 %00d'ce"x 800x600 256F
 9164 0 0 42742 3254 36102 377 138 0 0 0 C:10MB
 %00d'ce"x 640x480 256F
 9663 0 0 43457 3254 35677 4583 138 0 0 0
 C:10MB

%00d'ce"x 1280x1024 65536F
 ALL •, □® <é %00~ Text Scroll DD Read Write Cache Drive
 7100 0 0 28718 3257 31407 520 138 0 0 0 C:10MB
 %00d'ce"x 1152x864 65536F
 8013 0 0 33935 3180 34447 554 138 0 0 0 C:10MB
 %00d'ce"x 1024x768 65536F
 8504 0 0 35731 3250 36830 728 138 0 0 0 C:10MB
 %00d'ce"x 800x600 65536F
 8687 0 0 37661 3272 37080 177 138 0 0 0 C:10MB
 %00d'ce"x 640x480 65536F
 8976 0 0 37994 3238 37284 2268 138 0 0 0
 C:10MB

%00d'ce"x 1280x1024 1677-œF(24bit)
 ALL •, □® <é %00~ Text Scroll DD Read Write Cache Drive
 4313 0 0 18088 3239 17188 301 138 0 0 0 C:10MB
 %00d'ce"x 1152x864 1677-œF
 4420 0 0 18546 3275 17553 405 138 0 0 0 C:10MB
 %00d'ce"x 1024x768 1677-œF
 4534 0 0 19143 3262 17851 550 138 0 0 0 C:10MB
 %00d'ce"x 800x600 1677-œF
 4815 0 0 19361 3284 20591 106 138 0 0 0 C:10MB
 %00d'ce"x 640x480 1677-œF
 5245 0 0 21008 3256 21644 1298 138 0 0 0
 C:10MB

%00d'ce"x 1152x864 1677-œF(32bit)
 ALL •, □® <é %00~ Text Scroll DD Read Write Cache Drive
 5789 0 0 26570 3285 21969 278 138 0 0 0 C:10MB
 %00d'ce"x 1024x768 1677-œF
 6084 0 0 28085 3227 23074 371 138 0 0 0 C:10MB
 %00d'ce"x 800x600 1677-œF
 6638 0 0 30905 3283 24887 670 138 0 0 0 C:10MB

%ođ'œ"x 640x480 1677-œF
7128 0 0 33179 3255 26550 1169 138 0 0 0
C:10MB

From "ñ-Ø ^ÉD <iori@t3.rim.or.jp>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží

Processor AMD K6 233 [family 5 model 6 step 1]

‰đ'œ"x 1024x768 1677-œF

Display Trident 9320/9440/9470/9660/968x/938x, Linear Accelerated for ISA/VL (v5.00.05)

Memory 31,708Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/16 18:48

HDC[?]=fXf^f"f_[]fh IDE/ESDI fn[]fh fffBfXfN fRf"fjgf[]f%

HDC = fvf%ofCf}fŠ IDE fRf"fjgf[]f% (fVf"fOf< FIFO)

HDC = fZfjff"f_fŠ IDE fRf"fjgf[]f% (fVf"fOf< FIFO)

HDC = Intel PIIX4 Bus Master IDE Controllers (Ultra DMA Supported)

A = GENERIC NEC FLOPPY DISK

C = QUANTUM FIREBALL ST2 Rev A0F.

ALL •, ® <é %~ Text Scroll DD Read Write Cache Drive

9458 13893 16838 4812 3311 4230 25 0 7900 7798 26315

C:10MB

From ŽL“†@K—Y@ @ BXL02607

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží Ž©iPC/AT

Processor AMD K6 233 [family 5 model 6 step 1]

‰đ‘œ“x 800x600 256F

Display Power Window DX

Memory 64,508Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/21 22: 3

SCSI = Tekram DC-390F/U PCI SCSI Adapter

HDC = Intel 82371AB PCI Bus Master IDE Controllers

HDC = fvf‰ofCf}fš IDE fRf“fgf[f‰ (fVf“fOf< FIFO)

HDC = fZfjf“f_fš IDE fRf“fgf[f‰ (fVf“fOf< FIFO)

A = GENERIC NEC FLOPPY DISK

C = GENERIC IDE DISK TYPE47

D = GENERIC IDE DISK TYPE47

E = MATSHITA PD-1 LF-1001 Rev A103

Q = MITSUMI CD-ROM FX240S !B Rev j01

R = MATSHITA PD-1 LF-1001 Rev A103

ALL •, ® <é ‰~ Text Scroll DD Read Write Cache Drive
13549 14699 18058 28371 12603 10248 367 75 5837 5446 26315
C:10MB

From: ",ç,³,"" <isao_y@mxp.meshnet.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor AMD K6 225 [family 5 model 6 step 1]

%ođ'œ"x 1152x864 65536□F

Display Diamond Stealth 3D 2000

Memory 64,516Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/28 22: 7

SCSI = PCI NCR C815 SCSI Host Adapter

HDC = fXf^f"f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf"f"fgf□□[f%o

HDC[?]=Creative SB AWE64 PnP

A = GENERIC NEC FLOPPY DISK

CD = GENERIC IDE DISK TYPE46 (QuntumFB1280AT)

E = NAKAMICH MJ-4.4 Rev 4.14

F = NAKAMICH MJ-4.4 Rev 4.14

G = NAKAMICH MJ-4.4 Rev 4.14

H = NAKAMICH MJ-4.4 Rev 4.14

I = FUJITSU M2513A Rev 1300

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive

10502 14228 17481 9554 7784 5092 34 0 4289 4314 31745

C:10MB

CPU,íAMDK6-200,đ75MHz*3,ì225MHz,É,Ä"®□ì,³,¹,Ä,ç,Ü,·□B

From: "•²ïï@ï«ït" <fwbc3530@mb.infoweb.or.jp>

ïš ïš ïš HDBENCH Ver 2.400 ïš ïš ïš
Žg—p<@Ží ASUS TXP4-X (AMD K6-200)
Processor AMD K6 208 [family 5 model 6 step 1] 83MHz*2.5
‰øđ'œ"x 1024x768 65536ïF
Display S3 Trio64V2(DX/GX)
Memory 31,764Kbyte(SDRAM)
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/16 4:45

HDC = Intel 82371AB PCI Bus Master IDE Controllers
HDC = fXf^f"f_ï[fh IDE/ESDI fnï[fh fffBfXfN fRf"fƒƒïï[f‰
HDC = fvf‰ofCf}fš IDE fRf"fƒƒïï[f‰ (fff...fAf< FIFO)
HDC = fZfjff"f_fš IDE fRf"fƒƒïï[f‰ (fff...fAf< FIFO)

A = GENERIC NEC FLOPPY DISK
CD = GENERIC IDE DISK TYPE46 FB-ST 2.1GB(DMA ON)
E = HITACHI CDR-8130 Rev 0021

ALL •, ï® <é ‰~ Text Scroll DD Read Write Cache Drive
11249 13148 16157 16758 5557 3743 73 0 7768 7739 30302
C:10MB

From: ",f,[]',,%o" <Gori@po.kumagaya.or.jp>

□š □š □š HDBENCH Ver 2.410 □š □š □š
Žg—p<@Ží Ž©□ì,`sŒÝŠ·<@ K6-166 83x2.5=[208.271]
Processor AMD K6 208 [AuthenticAMD family 5 model 6 step 1]
%ođ'œ"x 640x480 256□F
Display Diamond Stealth 64 PCI
Memory 80,920Kbyte
OS Windows 95 4.0 (Build: 1212)
Date 1997/10/ 8 0:10

SCSI = Adaptec AHA-294X/AIC-78XX PCI SCSI Controller
HDC = Intel 82371SB PCI Bus Master IDE Controller
HDC = fvf%oƒCf}fš IDE fRf"fgf□□[f%o (fff...fAf< FIFO)
HDC[?]=fZfjf"f_fš IDE fRf"fgf□□[f%o (fff...fAf< FIFO)

A = fffBfXfN fhf%oƒCfu
B = GENERIC NEC FLOPPY DISK
C = GENERIC IDE DISK TYPE46
D = GENERIC IDE DISK TYPE46
E = FUJI FK319S Rev 1.06
F = FUJITSU M2512A Rev 1314
Q = CD-ROM fhf%oƒCfu Rev 3.05
V = CD-ROM fhf%oƒCfu Rev 1.00

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
11017 13134 16138 21711 5669 8279 360 0 4656 2892 26315
C:10MB

From "ñ-Ø ^ÉD <iori@t3.rim.or.jp>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží

Processor AMD K6 200 [family 5 model 6 step 1] 200.465

%øđ'œ"x 1024x768 1677-œF

Display Trident 9320/9440/9470/9660/968x/938x, Linear Accelerated for ISA/VL (v5.00.05)

Memory 31,708Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/16 17:58

HDC[?]=fXf^f"f_[]fh IDE/ESDI fn[]fh fffBfXfN fRf"f_gf[]f%

HDC = fvf%øfCf}fŠ IDE fRf"f_gf[]f%ø (fVf"fOf< FIFO)

HDC = fZfjff"f_fŠ IDE fRf"f_gf[]f%ø (fVf"fOf< FIFO)

HDC = Intel PIIX4 Bus Master IDE Controllers (Ultra DMA Supported)

A = GENERIC NEC FLOPPY DISK

C = QUANTUM FIREBALL ST2 Rev A0F.

ALL •, ® <é %ø~ Text Scroll DD Read Write Cache Drive
8804 11904 14430 4779 3294 4114 25 0 7852 7839 25000
C:10MB

From: , , ñ, ±, ¾, Ü <iwata@3g.kwg.pioneer.co.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor AMD K6 200 [family 5 model 6 step 1]

%ođ'œ"x 1024x768 1677-œ□F

Display GA-PII8/PCI

Memory 96,680Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/16 22: 9

SCSI = Adaptec AHA-294X/NEC PC-9821X-B02/B02L PCI SCSI-2

ABC = IBM DORS-32160 Rev WA6A

D = GENERIC NEC FLOPPY DISK

E = GENERIC NEC FLOPPY DISK

J = TEAC CD-ROM CD-516S Rev 1.0D

K = PIONEER CD-ROM DRM-604X Rev 2405

L = PIONEER CD-ROM DRM-604X Rev 2405

M = PIONEER CD-ROM DRM-604X Rev 2405

N = PIONEER CD-ROM DRM-604X Rev 2405

O = PIONEER CD-ROM DRM-604X Rev 2405

P = PIONEER CD-ROM DRM-604X Rev 2405

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
9355 11614 14087 15561 8696 7775 97 74 4913 4789 16666
A:10MB

From: kenji sunagawa <caa09890@pop01.odn.ne.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ

Žg—p<@Ží

Processor AMD K6 200 [family 5 model 6 step 1]

%øđ'œ"x 1024x768 65536F

Display Matrox MGA Millenium II

Memory 97,248Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/18 1: 8

SCSI = PCI NCR C815 SCSI Host Adapter

HDC = Intel 82371AB PCI Bus Master IDE Controller

HDC = fvf%øfCf}fŠ IDE fRf“fgf[]f%ø (fff...fAf< FIFO)

HDC = fZfjf“f_fŠ IDE fRf“fgf[]f%ø (fff...fAf< FIFO)

A = GENERIC NEC FLOPPY DISK

CE = GENERIC IDE DISK TYPE47

D = nEC D3847 Rev 0311

K = IOMEGA ZIP 100 Rev R.41

Q = GoldStar CD-ROM GCD-R580B Rev 1.05

ALL •, □® <é %ø~ Text Scroll DD Read Write Cache Drive
14573 11853 14371 34800 2815 36998 731 0 6266 5145 18181
C:10MB

From: ʘ™ ŽR <tf-sugi@nsknet.or.jp>

ʘš ʘš ʘš HDBENCH Ver 2.400 ʘš ʘš ʘš
Žg—p<@Ží FMV-5100D5(Deskpower S)
Processor AMD K6 200 [family 5 model 6 step 1] 66.6x3(200M<ì“®ʘj
%ođ'œ“x 1024x768 65536ʘF
Display [?]ATI Graphics Pro Turbo PCI (mach64)
Display GA-PG3Dx/PCI
Memory 48,220Kbyte
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/17 20: 4

SCSI = Adaptec AHA-1510 SCSI Host Adapter
HDC = CMD PCI-0646 Bus Master PCI to IDE Controller
HDC = fvf%ofCf}fš IDE fRf“fgfʘʘ[f%o (fVf“fOf< FIFO)
HDC = fzjff“f_fš IDE fRf“fgfʘʘ[f%o (fVf“fOf< FIFO)

A = GENERIC NEC FLOPPY DISK
C = GENERIC IDE DISK TYPE95
D = GENERIC IDE DISK TYPE95
E = CREATIVE CD820E.1v0789108 Rev 1.02

ALL •, ʘ® <é %o~ Text Scroll DD Read Write Cache Drive
10254 11771 14273 20292 8278 10082 124 0 6015 5833 15625
C:10MB

%ođ'œ“x 1280x1024 65536ʘF
ALL •, ʘ® <é %o~ Text Scroll DD Read Write Cache Drive
10146 11773 14275 19540 8059 8783 72 0 6204 5805 16806
C:20MB

From: "ń-Ø ^ÉD <iori@t3.rim.or.jp>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží Ž©ì

Processor AMD K6 166 [family 5 model 6 step 1] 167.053

%đ'œ"x 1024x768 1677-œF

Display Trident 9320/9440/9470/9660/968x/938x, Linear Accelerated for ISA/VL (v5.00.05)

Memory 31,708Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/16 17:55

HDC[?]=fXf^f"f_[]fh IDE/ESDI fn[]fh fffBfXfN fRf"f_gf[]f%

HDC = fvf%ofCf}fŠ IDE fRf"f_gf[]f% (fVf"fOf< FIFO)

HDC = fZfjf"f_fŠ IDE fRf"f_gf[]f% (fVf"fOf< FIFO)

HDC = Intel PIIX4 Bus Master IDE Controllers (Ultra DMA Supported)

A = GENERIC NEC FLOPPY DISK

C = QUANTUM FIREBALL ST2 Rev A0F.

ALL •, ® <é %~ Text Scroll DD Read Write Cache Drive

7732 9916 12023 4722 3021 3943 25 0 7956 7786 20201

C:10MB

From: "Žs Ć%" <tuchino@zzz.or.jp>

Ĥ Ĥ Ĥ HDBENCH Ver 2.400 Ĥ Ĥ Ĥ

Žg—p<@Ží

Processor AMD 5k86 [family 5 model 3 step 4]

AMD K5 PR166 Over Clock 66MHz~3" { (ŽÀ'aŽü"g"

133.599MHz)

%ođ'œ"x 1024x768 65536F

Display GA-PG3Dx/PCI 2MB

MB GIGA-BYTE GA-586HX 512

Memory 64,616Kbyte FP-60ms

OS Windows 95 4.0 (Build: 950) + Internet Explorer Ver4

Date 1997/10/ 6 0:30

SCSI = Tekram DC-390 PCI SCSI Adapter Ver2.0

HDC = Primary IDE controller

HDC = Secondary IDE controller

HDC = Intel PIIX/PIIX3 Bus Master IDE Controllers Driver Version3.22a

A = GENERIC NEC FLOPPY DISK

C = QUANTUM LIGHTNING 73 Rev A24. IDE

DF = nEC D3847 Rev 0311 SCSI2

E = FUJITSU M2681S-512 Rev 2039 SCSI2

G = TOSHIBA CD-ROM XM-5701TA Rev 3136 SCSI2 12"{'↵

H = MATSHITA CD-ROM CR-574 Rev 1.08 ATAPI 4"{'↵

ALL •, Ĥ® <é %o~ Text Scroll DD Read Write Cache Drive

9039 5545 10409 16995 12481 9855 99 0 3274 3090 19607

C:10MB

9566 5545 10408 17100 12391 9864 99 0 4946 4911 20833

D:10MB

8799 5545 10408 17058 12414 9851 99 0 2103 1099 20618

E:10MB

9143 5545 10404 17105 12460 9858 99 0 3682 3335 19801

F:10MB

16950 0 G:10MB

6200 0 H:10MB

From: ""Š™" <totj4611@mx2.nisiq.net>

Š Š Š HDBENCH Ver 2.400 Š Š Š
Žg—p<@Ží Ž©ì,`sŒÝŠ·<@
Processor AMD K5-PR166 at 116.93MHz
VGA card MATROX MGA-Millenium 4Mbyte W-RAM %ü14.3MHz->16MHz
Memory 139264kbyte
os windows95 build 950
M/B GIGA-BYTE GA586HX 512Kbyte 2nd CACHE
test Date 1997/9/29

HDD=QUANTUM FB2550 2.5GB E-IDE
DRIVE A=GENERIC FLOPPY DISK
DRIVE C=1000MByte
DRIVE D=1000MByte
DRIVE E=243MByte
DRIVE F=196MByte
DRIVE G=NEC ODX656 PD DRIVE
DRIVE H=MITSUMI XF00D1 E QUAD SPED
DRIVE I=NEC ODX656 CD ROM DRIVE

f|fvfVf#f"
READ,©,ç'ª'è OFF
fhf%ofCfuî•ñ,àfRfs[.,.é ON

ALL	•,	®	<é	%~	TEXT	SCROLL	DD	READ	WRITE
CACHE	DD	drive	%ö'œ"x						
12941	4853	9108	41107	2530	31176	736	37	6626	6534
14597	37	C:10MB	1024~768		65536F				
11716	4852	9105	40076	2518	31201	736	37	588	242
16128	37	G:10MB	1024~768		65536F				
12912	4853	9105	42211	2503	29422	425	37	6623	6476
14597	37	C:10MB	1280~1024		65536F				
10692	4853	9105	39395	1970	13292	262	37	6635	6431
14285	37	C:10MB	1600~1200		65536F				

From: " ^É“; Šì-ç " <yo1430@mua.biglobe.ne.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží PC-9821 Xe10
Processor Am5x86/WB/4x [236.918MHz] fl□[fo□[fNf□fbfN 133MHz □”
240MHz
Vendor AuthenticAMD
Family 4
Model f
Step 4
%ođ’œ“x 1024□~768 65536□F
Display WGN-DX4 (S3) (DirectDraw)
Memory 388,260Kbyte <MagnaRAM97Žg—p>
OS Windows 95 4.0 (Build: 1111)
Date 1997/ 9/27

SCSI = MELCO IFC-NN PnPf,□[fh SCSI Interface Board

HDC = fXf^f“f_□[fh IDE fn□[fh fffBfXfN fRf“fgf□□[f%o

ABCD = GENERIC IDE DISK TYPE00

E = GENERIC IDE DISK TYPE00

F = GENERIC NEC FLOPPY DISK

G = OLYMPUS MOS332 Rev 2.50

H = SONY CD-R CDU926S Rev 1.1f

1024x768 256□F

ALL	•,	□®	<é	%o~	Text	Scroll	DD	Read	Write	Cache	Drive
12393	9448	15032	19836	5768	3571	486	93	3868	3536	50000	A:10MB

1024x768 65536□F

ALL	•,	□®	<é	%o~	Text	Scroll	DD	Read	Write	Cache	Drive
11781	9459	15336	15284	4972	3158	398	92	3875	3548	50000	A:10MB

1024x768 1677-œ□F

11305	9450	15586	12218	3986	2954	268	93	3825	3464	50000	A:10MB
-------	------	-------	-------	------	------	-----	----	------	------	-------	--------

From: "Žá—Ñ@'¾~Y" <windom@jimnet.co.jp>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží

Processor Am5x86/WB/4x 133 [family 4 model F step 4]

‰đ'œ"x 800x600 65536F

Display GA-DRx/98 (Trident)

Memory 61,924Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/22 1:29

SCSI = I-O DATA SC-98žV("ňPnPf,[]fh)

HDC = fXf^f"f_[]fh IDE fn[]fh fffBfXfN fRf"fgh[]f‰

A = GENERIC NEC FLOPPY DISK

B = GENERIC NEC FLOPPY DISK

CD = GENERIC IDE DISK TYPE00

E = GENERIC IDE DISK TYPE00

F = CONNER CFA340S Rev 6FS1

G = MATSHITA PD-1 LF-1001 Rev A105

H = MATSHITA PD-1 LF-1001 Rev A105

ALL •, []® <é ‰~ Text Scroll DD Read Write Cache Drive
2248 3489 5506 3078 868 1509 58 0 1747 2085 1898
C:10MB

From: "kitao@%~ŒŽ“‡" <yosikatu@cypress.ne.jp>

ŒŠ ŒŠ ŒŠ HDBENCH Ver 2.410 ŒŠ ŒŠ ŒŠ
Žg—p<@Ží compaq CDTV528 (129.842MHz)
Processor Am5x86/WB/4x [AuthenticAMD family 4 model F step 4]
%ođ'œ"x 640x480 256ŒF
Display Cirrus Logic
Memory 40,028Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/10/ 9 13:45

HDC = fXf^f"f_Œfh IDE/ESDI fnŒfh fffBfXfN fRf"fghŒŒŒf%o

A = GENERIC NEC FLOPPY DISK
C = GENERIC IDE DISK TYPE65
D = MATSHITA CD-ROM CR-574 Rev 1.05

ALL •, Œ® <é %~ Text Scroll DD Read Write Cache Drive
2023 3632 5723 1266 472 990 18 0 1463 1423 3219
C:10MB

From: Suguru Takeda <suguru@msg.biglobe.ne.jp>

Œ@Œš Œš ŒšŒ@ HDBENCH Ver 2.400Œ@ Œš Œš Œš
Žg—p<@ŽíŒ@Œ@ Libretto20
ProcessorŒ@ Am5x86/WT/3xŒ@ [family 4 model 8 step 4]
‰đ'œ"xŒ@Œ@Œ@Œ@ 640x480 65536ŒF
DisplayŒ@Œ@Œ@ Cirrus Logic 7548 1.21t (Cirrus)
MemoryŒ@Œ@Œ@Œ@ 16,056Kbyte
OSŒ@Œ@Œ@Œ@Œ@Œ@Œ@Œ@ Windows 95 4.0 (Build: 950)
DateŒ@Œ@Œ@Œ@Œ@Œ@ 1997/ 9/22Œ@ 19:22

HDC = fXf^f"f_Œ[fh IDE/ESDI fnŒ[fh fffBfXfN fRf"fƒŒŒŒ[f‰

C = GENERIC IDEŒ@ DISK TYPE01

ALL •, Œ® <é ‰~ Text Scroll DD Read Write Cache Drive
1097Œ@2008Œ@3183Œ@ 914Œ@ 242Œ@ 735Œ@Œ@15Œ@ 0Œ@1039Œ@
401Œ@ 1335 C:10MB

From: "%oí-ìžö^ê" <kawano@hokkai.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží PA-2007
Processor CyrixMXPR200 (200MHz) [family 0 model 0 step 0]
%ođ'œ"x 800x600 65536□F
Display GA-PGDXx/PCI
Memory 48,140Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/20 13:19

HDC = fv f%ofCf}fš IDE fRf"fgf□□[f%o (fVf"fOf< FIFO)
HDC = fZfjf"f_fš IDE fRf"fgf□□[f%o (fVf"fOf< FIFO)
HDC = fXf^f"f_□[fh PCI IDE fRf"fgf□□[f%o

A = GENERIC NEC FLOPPY DISK
CDE = GENERIC IDE DISK TYPE47

ALL	•,	□®	<é	%o~	Text	Scroll	DD	Read	Write	Cache	Drive
11262	12180	19507	16903	11521	10078	180	75	5469	3048	22471	
D:10MB											

From: "kawano" <kawano@hokkai.or.jp>

HDBENCH Ver 2.400
ASUST2P4 Rev3.10
Processor Cyrix6X86MXPR200(187MHz) [family 52 model 0 step 0]
1024x768 65536
Display GA-PGDXx/PCI
Memory 48,140Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/16 22:55

SCSI = Tekram DC-390 PCI SCSI Adapter
HDC = IDE (FIFO)
HDC[?] = IDE (FIFO)
HDC = PCI IDE
HDC[?] = IDE/ESDI

A = GENERIC NEC FLOPPY DISK
CDE = GENERIC IDE DISK TYPE47
F = NEC CD-ROM DRIVE 4 M Rev 1.0

ALL •, © <é %~ Text Scroll DD Read Write Cache Drive
11070 11101 18166 15582 11678 8162 93 75 4917 4936 25000
D:10MB

From: "'t'° □E-¾" <koumei@ingnet.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š

Žg—p<@Ží

Processor Cyrix6X86MXPR200(187MHz“®□i) [family 0 model 0 step 0]

‰đ'œ"x 1280x1024 65536□F

Display Matrox MGA Millennium PowerDesk

Memory 130,016Kbyte

OS Windows 95 4.0 (Build: 950)

Date 1997/ 9/20 20:48

SCSI = Tekram DC-390F/U PCI SCSI Adapter

HDC = fvf‰ofCf}fš IDE fRf“fgf□□[f‰o (fVf“fOf< FIFO)

HDC = fZfjf“f_fš IDE fRf“fgf□□[f‰o (fVf“fOf< FIFO)

HDC = fXf^f“f_□[fh PCI IDE fRf“fgf□□[f‰o

A = GENERIC NEC FLOPPY DISK

C = GENERIC IDE DISK TYPE47

DE = GENERIC IDE DISK TYPE47

Q = MITSUMI CD-ROM FX120T !B Rev b03

ALL •, □® <é ‰~ Text Scroll DD Read Write Cache Drive

10942 11121 17446 12728 2683 11222 72 0 5980 5980 31250

C:10MB

,f,™,’,‰,~,U,w,W,U,l,w□iPR200□@75*2,đ75*2.5□@187.5,Å“®,©,μ,Ä,Ü,·

From: "N"^a <wolf@y7.net>

 HDBENCH Ver 2.400

Žg—p<@Ží

Processor No Data [family 0 model 0 step 0] Cyrix 6x86MX
PR200(166MHz)

 1152x864 65536

Display Matrox MGA Millennium PowerDesk

Memory 129,996Kbyte

OS Windows 95 4.0 (Build: 1111)

Date 1997/ 9/19 13:42

SCSI = Symbios Logic 875XS|D PCI SCSI Adapter

HDC = fXf^f"f_[fh PCI IDE fRf"f_gf[f%

HDC = fv%f%_fCf}fŠ IDE fRf"f_gf[f% (fVf"fOf< FIFO)

HDC = fZfjff"f_fŠ IDE fRf"f_gf[f% (fVf"fOf< FIFO)

A = GENERIC NEC FLOPPY DISK

CDE = IBM DORS-32160 Rev WA6A

F = Virtual CD-ROM Drive

G = MATSHITA PD-1 LF-1001 Rev A105

H = MATSHITA PD-1 LF-1001 Rev A105

ALL •, [® <é %~ Text Scroll DD Read Write Cache Drive
13883 9875 14251 32561 2712 26370 483 42 5112 5014 28571
C:10MB

 1024x768 65536

ALL •, [® <é %~ Text Scroll DD Read Write Cache Drive
13883 9872 14156 33879 3050 27402 657 42 5324 5291 25316
C:10MB

 640x480 65536

ALL •, [® <é %~ Text Scroll DD Read Write Cache Drive
14643 9882 14291 37559 2999 30206 1607 42 5296 5258 24690
C:10MB

 640x480 256

ALL •, [® <é %~ Text Scroll DD Read Write Cache Drive
17595 9873 14189 51812 3093 37169 2736 42 5333 5166 28985
C:10MB

 1024x768 256

ALL •, [® <é %~ Text Scroll DD Read Write Cache Drive
17424 9875 14168 51963 3078 35061 1318 42 5321 5264 30768
C:10MB

%ođ'œ"x 1024x768 1677-œF
ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
12731 9877 14335 28466 3078 18929 314 42 5093 5083 29411
C:10MB

%ođ'œ"x 640x480 1677-œF
ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
13397 9873 14079 34792 2652 22249 873 42 4917 4825 26315
C:10MB

From: ,ç,μ,©,í <a3943007@meijo-u.ac.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
Žg—p<@Ží SOYO SY-5EA5
Processor 6x86 PR166+ (75□~2□□150Mhz,ÉO.C□j
%ođ'œ"x 1024x768 65536□F
Display Matrox Millennium II PowerDesk
Memory 64,616Kbyte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/17 9:13

HDC = fXf^f"f_□[fh IDE/ESDI fn□[fh fffBfXfN fRf"f_gf□□[f%o
HDC = fvf%ofCf}fŠ IDE fRf"f_gf□□[f%o (fVf"fOf< FIFO)
HDC = fZfjf"f_Š IDE fRf"f_gf□□[f%o (fVf"fOf< FIFO)
HDC = fXf^f"f_□[fh PCI IDE fRf"f_gf□□[f%o

A = GENERIC NEC FLOPPY DISK
C = GENERIC IDE DISK TYPE80(Seagate ST32140A)

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
12819 7871 14470 33389 1907 34315 731 74 3972 3797 14924
C:10MB

From: %o^a-{{G%oi <kmw@mxr.meshnet.or.jp>

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ
Žg—p<@Ží PC-9821Xa7iCPU@IO-DATA PK-686P125j
Processor Cyrix 6x86 100Mz
%ođ'œ"x 1024~768 256F
Display PC-9821 Xa7/9/10 (Trident)
Memory 40,284,160byte
OS Windows 95 4.0 (Build: 950)
Date 1997/ 9/26

HDC = fXf^f"f_[]fh IDE fn[]fh[]@ffCfXfN[]@fRf"fjf[][]f%o
A = GENERIC IDE DISK TYPE00
B = GENERIC NEC FLOPPY DISK
Q = SONY CD-ROM CDU76E-NE Rev 1.0f

ALL •, []® <é %o~ Text Scroll DD Read Write Cache Drive
3179 5109 9053 2937 774 2240 31 0 1805 1701 4961
A:10MB

WinNT4.0

Pentium,Q 337

Pentium,Q 333

Pentium,Q 300

Pentium,Q 300

Pentium,Q 300

PentiumPro 253

PentiumPro 248

PentiumPro 240

PentiumPro 233

PentiumPro 200(fcfCf“)

Pentium 180

Pentium133

Pentium 120

PODP83

AMD K6 233

AMD K6 200

AMD K6 166

Cyrix 6x86MX PR200(166MHz)

From: M.Sekine [mailto:r32@yyy.or.jp]

Œ Œ Œ HDBENCH Ver 2.400 Œ Œ Œ

Žg—p<@Ží

Processor Pentium,Q 337 [family 6 model 3 step 3]

%ođ'œ"x 1024x768 65536F

Display Matrox Graphics Millennium

Memory 81,332Kbyte

OS Windows NT 4.0 (Build: 1381)

Date 1997/ 9/25 20:43

ALL •, Œ® <é %o~ Text Scroll DD Read Write Cache Drive
24757 30734 24682 29308 8650 16674 115 74 5139 7517 100000
C:10MB

From: -k"l~@@@@ NBA00242

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží

Processor Pentium,Q 333 [family 6 model 3 step 3]

%ođ'œ"x 1280x1024 65536F

Display Matrox Graphics Millennium

Memory 97,716Kbyte

OS Windows NT 4.0 (Build: 1381)

Date 1997/ 9/28 8:47

ALL •, ® <é %o~ Text Scroll DD Read Write Cache Drive
37723 34214 24228 39867 9753 15921 99 0 7745 7687 200000
D:10MB

HDD IBM DCAS32160W

HA DC390F

CLOCK 95.3*3.5MHz

From: í, ©, 1 <hakase@alles.or.jp>

HDBENCH Ver 2.40
Processor Pentium,Q 300 [family 6 model 3 step 3]
1024x768 1677-æF
Display Matrox Graphics Millennium II
Memory 196,020Kbyte
OS Windows NT 4.0 (Build: 1381)
Date 1997/ 9/15 8:47

ALL •, ® <é %~ Text Scroll DD Read Write Cache Drive
19774 13334 21807 21226@7985@ 594@@36@85@6597@6387
100000 C:10MB

From: ㊦'c-¾㊦ <akinori@ca2.so-net.or.jp>

ſ ſ ſ HDBENCH Ver 2.400 ſ ſ ſ
Žg—p<@Ží Ž©ſi<@ ASUS P2L97
Processor Pentium,Q 300 [family 6 model 3 step 3]
266MHz”Ŧ,đ300MHz,ŦŽg—p
%ođ’œ“x 1280x1024 1677-œſF
Display Matrox Graphics Mystique
Memory 64,948Kbyte
OS Windows NT 4.0 (Build: 1381)
Date 1997/ 9/22 15:36

ALL	•,	ſ®	<é	%o~	Text	Scroll	DD	Read	Write	Cache	Drive
20081	30978	21929	5014	4342	814	99	74	9376	8178	100000	

C:10MB

From: "-2"ú" <yuika@osk2.3web.ne.jp>

□š □š □š HDBENCH Ver 2.410 □š □š □š

Žg—p<@Ží ~Q-Ÿ□,Ů,|

Processor Pentium,Q 300 [GenuineIntel family 6 model 3 step 3]

%ođ'œ"x 1024x768 1677-œ□F

Display ASUS AGP-V3000 V1.01

Memory 32,180Kbyte

OS Windows NT 4.0 (Build: 1381)

Date 1997/10/ 6 16: 9

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
15480 27320 21937 9882 4446 536 85 85 4690 5908 64515
C:10MB

%ođ'œ"x 1024x768 65536□F

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
20335 27319 21936 16555 4975 791 313 85 4823 6308 100000
C:10MB

%ođ'œ"x 1024x768 256□F

ALL •, □® <é %o~ Text Scroll DD Read Write Cache Drive
23146 27314 21937 20506 5074 26256 722 85 4845 6427 95237
C:10MB

From: "ISA" <isaac@jin.zen.or.jp>

HDBENCH Ver 2.400
ASUS P/I-XP6NP5
Processor PentiumPro 200 (OC 248Mhz) [family 6 model 1 step 9]
1280x1024 65536
Display Matrox Graphics Mystique
Memory 81,332Kbyte
OS Windows NT 4.0 (Build: 1381) + SP3 + IEPP2
Date 1997/ 9/14 16: 4

ALL •, ® <é %~ Text Scroll DD Read Write Cache Drive
18825 22718 18079 12687 6212 928 29 84 4407 4370 100000
C:10MB

From: Suguru Takeda <suguru@msg.biglobe.ne.jp>

HDBENCH Ver 2.400
PC-9821Cx2%ö
Processor Pentium 180 [family 5 model 2 step C]
800x600 65536F
Display cirrus Device
Memory 96,700Kbyte
OS Windows NT 4.0 (Build: 1381)
Date 1997/ 9/22 19:16

ALL •, ® <é~ Text Scroll DD Read
Write Cache Drive
5837 9968 10499 2456 807 1040 130
2715 2820 22221 A:10MB

-HDD, IBM, DAQA-33240, ÉĎŠ, μ, Ä, ç, Ü, · B
-CPU, P54c-150, 180MHZ çì“ ®, μ, Ä, ç, Ü, · B

From: "DACCHO" <alain@ba2.so-net.or.jp>

□š □š □š HDBENCH Ver 2.400 □š □š □š
PASOCON:MICRON MILLENNIA P-100(100,©,ç133MHz,ÖUP)
HDD :WESTERN DEGITAL Gaviar AC31600(IDE)
VIDEO :Diamond STELTH64 PCI 2MB
(CHIP SET S3-964)
%œœ'œ"x :256□F
O/S :NT 4.0

ALL	•,	□®	<é	%œ~	Text	Scroll	DD	Read	Write	Cache	Drive
8239	7358	7747	12448	2618	6412	106	0	4823	4072	28570	

C:10MB

VIDEO :Diamond FireGL 1000(3D BOAD)

ALL	•,	□®	<é	%œ~	Text	Scroll	DD	Read	Write	Cache	Drive
			11359	2875	5657	54	0				

From: fjjf [f%o mŽÔ“c _ "KURUMADA
Hiroshi" <hkurumad@quartz.ocn.ne.jp> n

š š š HDBENCH Ver 2.400 š š š
Žg—p<@Ží Prova Liberta %ü(for NT Server)
Processor Pentium 120 [family 5 model 2 step 5](P90,60*2,121.717MHz)
%đ'œ“x 1280x1024 256 F (H78.1KHz,V72Hz)
Display S3 Incorporated Vision864/964/866/868/968(9FX Motion771)
Memory 64,948Kbyte
OS Windows NT 4.0 (Build: 1381)
Date 1997/ 9/27 1:37

SCSI Adaptec AHA-2940U(Ver1.23),HDD IBM DORS-32160(CDE:NTFS,F:FAT)

ALL	•,	®	<é	%~	Text	Scroll	DD	Read	Write	Cache	Drive
7113	6749	7106	11691	2411	6756	71	36	2169	2069	25000	
C:10MB											
8039								4799	4603	28168	D:10MB
8061								4484	4711	28571	E:10MB
7845								3624	3625	28571	F:10MB

From: ""i'° ^êS" <mylene@t3.rim.or.jp>

ŝ ŝ ŝ HDBENCH Ver 2.400 ŝ ŝ ŝ
Žg—p<@Ží NEC PC-9821As2/U2
Processor PODP83 [83.330MHz] [family 15 model 3 step 2]
%ođ'œ"x 1024x768 256F
Display CANOPUS Power Window
928GLB/928IILB/964LB(ff,fŠfAfhfÆfX:F0)
Memory 80,316Kbyte
OS Windows NT 4.0 (Build: 1381)
Date 1997/ 9/22 14:36

ALL	•,	®	<é	%o~	Text	Scroll	DD	Read	Write	Cache	Drive
4185	3947	4680	6251	1224	4498	130	0	2409	1197	13333	

B:10MB

From: "ń-Ø ^ÉD <iori@t3.rim.or.jp>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží

Processor AMD K6 233 [family 5 model 6 step 1] 233.811

%ođ'œ"x 1024x768 1677-œF

Display Trident Video Accelerator

Memory 32,180Kbyte

OS Windows NT 4.0 (Build: 1381)

Date 1997/ 9/16 18:24

ALL •, ® <é %o~ Text Scroll DD Read Write Cache Drive
13586 15275 19070 4966 3417 2576 1 0 5272 5036 6666
D:10MB

From: "ń-Ø ^ÉD <iori@t3.rim.or.jp>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží

Processor AMD K6 200 [family 5 model 6 step 1] 200.476MHz

%ođ'œ"x 1024x768 1677-œF

Display Trident Video Accelerator

Memory 32,180Kbyte

OS Windows NT 4.0 (Build: 1381)

Date 1997/ 9/16 17:39

ALL •, ® <é %o~ Text Scroll DD Read Write Cache Drive
10993 13095 16342 4914 3280 2552 1 0 4915 5061 48780
D:10MB

From: "ń-Ø ^ÉD <iori@t3.rim.or.jp>

š š š HDBENCH Ver 2.400 š š š

Žg—p<@Ží

Processor AMD K6 166 [family 5 model 6 step 1] 167.063

%ođ'œ"x 1024x768 1677-œF

Display Trident Video Accelerator

Memory 32,180Kbyte

OS Windows NT 4.0 (Build: 1381)

Date 1997/ 9/16 17:45

ALL •, ® <é %o~ Text Scroll DD Read Write Cache Drive
12483 10911 13617 4806 3055 2505 1 0 5409 5380 6666
D:10MB

From: "N" <wolf@y7.net>

HDBENCH Ver 2.400

Žg—p<@Ží

Processor Cyrix 6x86 [family 5 model 0 step 0] Cyrix 6x86MX
PR200(166MHz)

1024x768 65536

Display Matrox Graphics Millennium

Memory 130,484Kbyte

OS Windows NT 4.0 (Build: 1381)

Date 1997/ 9/19 13:18

ALL •, © <é %~ Text Scroll DD Read Write Cache Drive
17319 11894 15101 32949 5842 12993 99 16 5245 5086 66666
C:10MB

1600x1200 65536

ALL •, © <é %~ Text Scroll DD Read Write Cache Drive
17140 11895 15100 31908 5913 12358 98 16 5215 5112 66666
C:10MB

1024x768 1677-œ

ALL •, © <é %~ Text Scroll DD Read Write Cache Drive
16397 11901 15100 26571 5815 11070 99 16 5243 5112 66666
C:10MB

640x480 1677-œ

ALL •, © <é %~ Text Scroll DD Read Write Cache Drive
17070 11893 15100 32102 5798 11655 111 16 5243 5063 66666
C:10MB

640x480 65536

ALL •, © <é %~ Text Scroll DD Read Write Cache Drive
17477 11895 15100 33906 5890 13262 225 16 5243 5112 66666
C:10MB

640x480 256

ALL •, © <é %~ Text Scroll DD Read Write Cache Drive
17616 11893 15100 33974 5873 14263 453 16 5215 5112 66666
C:10MB

1024x768 256

ALL •, © <é %~ Text Scroll DD Read Write Cache Drive
17514 11895 15100 33540 5879 14052 171 16 5215 5112 66666
C:10MB

