

# NTASK-API

NICOLE TaskBar - Addon Programming Interface

Program by NICOLE., ( NIFTY-Serve ID : BXL01750 ) Copyright 1996.8

☐ceŽg—p☐ã.ì'☐^Ó☐i•K.,,,"C,Ý%°<sup>o</sup>,<sup>3</sup>,ç☐j

☐cefAfhflf“,É.Â,ç.Ä

☐cefAfhflf“,ìŠj”,É•K—v,É,à,ì

☐cefAfhflf“,ìfvf☐fOf%<sup>o</sup>f€,ìŽd•û

☐cefAfhflf“,ìfCf“fXfg☐[f<☐EfAf“fCf“fXfg☐[f<,É.Â,ç.Ä

☐ce“ÆŽ©,ÉŠj”,μ,½fAfhflf“,ì”z•zCEöŠj,É.Â,ç.Ä

☐ceDelphi^ÈŠO,ìCE¾CEê,Ä,ìfAfhflf“Šj”,ìfqf“fg

☐ceTNicoleAddonfRf“f☐[f]f“fg

☐ceŽ;-â,â-â,ç☐‡,í,<sup>1</sup>

☐ce☐ìŽÒ,æ,è

**Žg—pā, l' ^ Ó i • K, , , “ Ç, Ý % ° °, ³, ¢ j**

NTASK-API i INTASKAPI.PAS Afhflf... f f “fg A f \ [ f X f Š f X f g AfTf “fvf < fv f f Of % f € j, È, Ç Af Afhflf “, É Š Ö, ·, é Ž-  
· ç, Í f % of C f Z f “ f X f t f Š [ , / E, μ, Ä - ³ • Û Ø, Å, · B [ , Á, Ä Af Afhflf “, Ì Š J” , É, æ, é f g f % of u f < ANTASK-  
API, ð Delphi, É f C f “ f X f g [ f < , μ, ½ Ž -, É, æ, é • s < i [ † A “Æ Ž ©, É Š J” , μ, ½ f Afhflf “ “ z • z, É Š Ö, ·, é f g f  
% of u f < , È, Ç Af Afhflf “, É Š Ö C E W, ·, é, ±, / E, É, Í ^ ê Ø Ó “ C, Í Ž [ , ç, Ü, ¹, ñ, Ì, Å A, ² Ž g — p, É, , ½, Á, Ä, Í A — \, ß, ² — ¹ ³ Š è, ¢  
, Ü, · B

## fAfhfjf“ ,É,Ä,ç,Ä

NICOLE TaskBarfo [fWf#f“ 4.00,æ,è□AŠO•”fvf□fOf%of€□ifAfhfjf“□j,É,æ,è<@”\Šg’f  
,ā,Ä,«,éŽd’g,Ý□iNTASKAPI□j,āfTf|□[fg,<sup>3</sup>,ê,Ü,μ,½□B,±,ê,É,æ,è NICOLE TaskBar,ð,æ,è•Ö—~,É<@”\<%o»,·,é,±  
,Æ,ā,Ä,«,é,æ,π,É,È,è,Ü,·□B  
,±,ê,í□A•W□€Windows95f^fXfNfo□[,ìfAfCfRf”“É’m—ì^æ,ÉfAfCfRf”,ð’Ç%oÁ,μ,Ä□A—|□X,È<@”\,ð’ñ<Ý,·,é,æ,π  
,ÈŠ’,ñ,ÉŽ—,½,à,ì,Äft□[fU□[,āŽ©•ā,ì□D,«,É<@”\,ðŽ□,Á,½fAfhfjf“ ,ðNICOLE TaskBar,É’g,Ý□ž,P,±  
,Æ,É,æ,è□AŽ©—R,ÉfjXf^f}fCfY,·,é,±,Æ,ā%oÁ”\,É,È,è,Ü,·□B

fAfhfjf“ ,ðŠÈ’P,ÉŠj” ,·,é,±,Æ,ā,Ä,«,é,æ,π,É□ABorlandŽĐ,ìDelphi 2.0J—pfRf”f|  
□[f|f“fg□iTNicoleAddon□j,ÆfTf”fvf<fvf□fOf%of€,ð—p^Ó,μ,Ü,μ,½,ì,Ä□iŽ©—R,É%oü’ç  
,n,j,Ä,·□jDelphif□[fU□[,ì•û,í□A□¥”ñ□AfAfhfjf“Šj” ,ð,μ,Ä,Ý,Ä%o<sup>o</sup>,<sup>3</sup>,ç□B

<@”\“l,É—D,é,½fAfhfjf“ ,â-É”” ,çfAfhfjf“ ,ìé□#□A•W□€fAfhfjf“□W,Æ,μ,Ä NICOLE  
TaskBar,ì”z•zfA□[fjCfu,ÉŽû~^,<sup>3</sup>,<sup>1</sup>,Ä,ç,½,<sup>3</sup>/<sub>4</sub>,,“Šè,ç,ð,·,é,©,à’m,é,Ü,<sup>1</sup>,ñ,ì,Ä□A,»,ìŽž,í<X,μ,,“Šè,ç,μ,Ü,·□B

## fAfhfjf“, ìŠJ” ,É•K—v, È, à, ì

fAfhfjf“, ðòìò—, ·, é, É, Í AŽŸ, ì, à, ì, <sup>a</sup>•K—v, È, È, è, Ü, ·òB

òENICOLE TaskBar foò[fWfj“4.00^Èòä

òENTASK-APIfRf“f|ò[fj“fg

òEBorlandŽĐ, ìDelphi 2.0J

ŠJ” ŠÂ«« ,Æ, μ, Ä Delphi , ðò, „ ‘E, ·, é—ò—R, íòA, Æ, Ä, à<—Í, ÈWindowsfvfòfOf%of€ , ðŒø—|—Ç, òìò—, Å, «, é^ x, Å, ·òB  
, Ü, ½òAfhfjf“, ðŠÈ’P, Éòìò—, ·, é^ x, ì Delphi—pfRf“f|ò[fj“fgòiNTASK-APIfRf“f|ò[fj“fgòj, àfò[X•t, «, Å—  
p^Ó, μ, Ü, μ, ½, ì, ÅòA, , È, ½, ìDelphi, ÉòANTASK-APIfRf“f|ò[fj“fg, ðfCf“fXfgò[f<, ·, é, îòAftfHò[f€, ÉNTASKAPI, ìfRf“f|  
ò[fj“fg, ð’£, è•t, ~vfòpfefB, ðòÝ’è, ·, é, ¾, ~, Å”ñí, ÉŠÈ’P, ÉfAfhfjf“, ðòìò—, Å, «, é, æ, x, È, È, è, Ü, ·òB

**fAfhfjf“ ,lfvf[]fOf%of€ ,ižd•ù**

fAfhfjf“ ,í“Á,É“ÁŽè,Èfvf[]fOf%of€•ù-@,•,đ,•,é,í,•,Á,Í,È,[]A•[]’É,ìWindowsfvf[]fOf%of€,Æ“•,¶,æ,κ,Éfvf[]fOf%of€  
,μ,Û,•[]B

,±,ê,í[]A—á,ì,ìWindows95•W[]€,ìf^fXfNfo[][],ìfAfCfRf“—ì^æ,É’í%ž,μ,½fvf[]fOf%of€,đ[]i,é,ì,ÈŽ—,Á,ç,Û,•[]B

,Û, ,[]ADelphi 2.0J,đ•N“ @ ,μ,½,ç[]ANTASK-APIfRf“f[][]f[]“fg[]iftf@fCf<-¼

NTASKAPI.PAS[]j,đfCf“fXfg[][f<,μ,Û,•[]B

fCf“fXfg[][f<,ìŽè[]±,É,Á,ç,Ä,í[]ADelphi,ìf}ffj...fAf<,đŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

,» ,κ ,• ,é,Æ[]AfRf“f[][]f[]“fgfpfCEfbfg,É Nicole ,đ,ç,κfy[]fW,³Ç%Á,³,ê[]A,» ,±,É[]ANicoleButton,Æ,ç,κfRf“f[]  
[]f[]“fg,³“o~^ ,³,ê,Û,•[]B

,±,ìTNicoleAddonfRf“f[][]f[]“fg,í[]ANICOLE TaskBar,ÆfAfhfjf“ ,Æ,ìf[]fbfZ[]fW,ì,â,è,Æ,è,đffjvfZf<%» ,μ,Ä,ç  
,Û,•[]B

NICOLE TaskBar,Æ,ìf[]fbfZ[]fW^—[] ,Æ, ©-Ê“[]L,ç,±,Æ,í[]A,±,ìTNicoleAddonfRf“f[][]f[]“fg,³’S,Ä,â,Á,Ä,-  
,é,Û,•,ì,Á[]A, ,Æ,í[]A’Ê[]í,ìDelphi,ìfvf[]fOf%of€[]ì~ ,Æ“•,¶,æ,κ,É[]AftfH[][f€,ÉTNicoleAddonfRf“f[][]f[]“fg,đ’É  
,è•t,•,Ä[]A•K—v,Èfvf[]fpfefB,âfCfxf“fg,đ<L[]q,•,é,¾,¾,•,Á[]AfAfhfjf“ ,³[]ì~ ,Á,« ,é,æ,κ,É,È,Á,Ä,ç,Û,•[]B

’[]^Ó“\_ ,Æ,μ,Ä,í[]ATNicoleAddonfRf“f[][]f[]“fg,đ• ;[]”Žg—p,•,é[]ê[]±,â[]AApplication.OnMessage,đ“ÆŽ© ,ÉŽg,ç  
,½,ç[]ê[]±,É,í[]A[]H•v,³•K—v,Á,•[]B

TNicoleAddonfRf“f[][]f[]“fg,í[]AŽÀ[]sŽž,É Application.OnMessage ,É[]ANICOLE

TaskBar,ÆfAfhfjf“ ,ìŠÖ,Á,â,è,Æ,è,³,ê,é[]fbfZ[]fW^—[][]iMessageHandlerf[]f[]fbfh[]j,đfZfbfg,μ,Ä,μ,Û,κ  
,© ,ç,Á,•[]B

[]ì~ ,μ,½fAfhfjf“ ,đŽÀ[]s,μ,½,è[]AfffobfO,•,éŽž,É,í[]A’Ê[]í’É,è NICOLE TaskBar,đ•N“ @ ,μ,½[]ó’Ö,Á[]s,ç,Û,•[]B  
NICOLE TaskBar’κ,É,í“Á,ÉfffobfOf,[]f[]h,Æ,©,í—p^Ó,μ,Ä, ,è,Û,¹,ñ[]B

fAfhfjf“Šj”’iŠK,Á[]AfefXfgŽÀ[]s,μ,½,Æ,« ,ÉfGf%[][,³”[]¶,μ,Ä[]ANICOLE

TaskBar,ÉfAfhfjf“ ,ìf{f^f” ,³žc,Á,Ä,μ,Û,Á,Ä,â’â[]ä•v,Á,•[]BNICOLE TaskBar,ìfAfhfjf“ ,ìf{f^f” ,É’í

%ž,μ,½f^fXfN,³-³CEø,É,È,Æ[]A,» ,è,đŠ’m,μ,Ä-³CEø,É,È,Á,½fAfhfjf“f{f^f” ,đ”jSü,μ,Ä,,è,Û,•,ì,Á[]B

**fAfhfjf", ìfCf" fXfg" [f< E fAf" fCf" fXfg" [f<, É, Â, ç, Ä**

'É" ìfAfhfjf", ìfCf" fXfg" [f<, í ANICOLE TaskBar, ì ufvf" f p f e f B" v" ufAfhfjf" "v, ì%œ-É, Â" s, ç, Ü, ·" B  
fAfhfjf" "x, ©, çfCf" fXfg" [f<, ð, ·, é, ±, Æ, à, Å, «, Ü, µ, Ä" A, »), ì ê" ‡, í TNicoleAddonfRf" f" [f" fg, ì Installf" f  
fbfh, ðCEÄ, Ñ" o, ¹, î AfCf" fXfg" [f<, Å, «, Ü, ·" B

<t, É fAf" fCf" fXfg" [f<, ·, é, É, í Uninstallf" f fbfh, Å, Å, «, Ü, ·" B

**“ÆŽ©,ÉŠJ”,μ,½fAfhfjf“,ì”z•z,É,Â,ç,Ä**

“ÆŽ©,ÉŠJ”,μ,½fAfhfjf“,É,í,μ,Ä,ÍAŠ®‘Sf%ofCfZf“fXftfŠ[]/,Æ,μ,Ü,·B

Ž©•ª,ª[]¬,μ,½fAfhfjf“,ÍAŽ©—R,É”z•zCEöŠJ,·,é,±,Æ,ª,Ä,«,Ü,·BŽ,,iNICOLE[]j‘í,μ,Ä<-%oÄ,ð“¾,é•K—

v,à,È,ç,μA~A—[],à•K—v,·,è,Ü,¹,ñB

,Ü,½A“ÆŽ©,ÉŠJ”,μ,½fAfhfjf“,ðVfFfAfeFfA,É,·,é,ì,àA,»,\f[]fX,ðCEöŠJ,·,é,ì,àAŠJ”ŽÒ,ÌŠ®‘SŽ©—R,Ä,·B

,Ü,½ANTASK-APIfRf“f[]f[]f[]fgiNTASKAPI.PAS[]ATNicoleAddon[]j,âTf“fvf<fvf[]fOf%of€,àAŽ©—R,É%ü‘ç

,μ,Ä,à,ç,Á,Ä—Ç,ç,Ä,·B

,»μ,ÄA,»è,ð”z•zCEöŠJ,·,é,ì,àAŠ®‘SŽ©—R,Ä,·B

‘A,μAŽ,,ÍfAfhfjf“,ÉŠÖ,μ,Ä,\fgf%ofuf<,È,Ç,É,Í^è∅Ó”C,ÍŽ[],ÿ,Ü,¹,ñ,ì,ÄA—\,ß,²—¹³%oª,³,çB

## Delphi^ ĚŠO, ěĚ¼ĚĚ, Ā, ĺfAfhfĺf“ ŠJ” , ĺfqf“ fg

fAfhfĺf“ , ĒNICOLE TaskBar, Ē, ĺfĺfbfZĺ[fw, ĺ, â, è, Ē, Ē, ĺAWindows-API, ĺSendMessage, âPostMessage, Ās, Ā, Ā, ĺ, Ü, ·ĺB

ĺ, Ā, Ā C/C++, Ē, ĸ, ĀĀ¼ĀÚWindows-API, ĺŽg, Ā, ĀfAfhfĺf“ , ĺŠJ” , ·, é, ±, Ē, à‰Ā“\, Ā, ·ĺB

ĺÚ, µ, ĺfĺfbfZĺ[fwĺ^—ĺ, Ē, Ā, ĺ, Ā, ĺANTASKAPI.PAS, ĺŽQĺĒ, µ, Ā, , ¼, ³, ĺĺB

SendMessage, ·, é, Ē, ĺĀ’—ĺMĺæĺiNICOLE TaskBarĺj, ĺfĒBf“fhfĒfnf“fhfĸ, º•K—v, Ē, Ē, è, Ü, ·ĺANICOLE TaskBar, ĺfĒBf“fhfĒfnf“fhfĸ, ĺ¼, é, Ē, ĺĀFindWindow, ĺŽg, ĺ‰ºĸL, ĺ, æ, ĺ, Ē, ·, é, Ē—ĸ, ĺ, Ā, µ, ā, ĺ

void foo(void)

{

HWND NicoleTaskBar;

NicoleTaskBar = FindWindow(NICOLE\_TaskBar, NICOLE\_TaskBar);

BtnWnd = SendMessage(NicoleTaskBar, NTASKBAR\_BTN\_CREATE, MyWindowHandle, 0);

}

fAfhfĺf“ , ĒNICOLE TaskBar, ĺŠŌ, ĀĀ•ĺŽš—ñ, ĺ, â, è, Ē, Ē, ·, é, Ē, ĺĀfOfĺĺ[fofĸfAfgfĒ, ĺ—~—p, µ, Ü, ·ĺB

fAfgfĒ, ĺĀŽó, ĺŽæ, Ā, ½‘ĺ, ĺfvfĺfOf‰fĒ, ºĺíĺœ, ·, éŽd—ĺ, Ē, Ē, Ā, Ā, ĺ, Ü, ·ĺB

void SetHint(char \*theHint)

{

SendMessage(NicoleTaskBar, NTASKBAR\_BTN\_SETHINT, BtnWnd, GlobalAddAtom(Hint));

//fAfhfĺf“ , ºfAfgfĒ, ĺ’—, Ā, ½ĺĚĺ‡, ĺĀŽóĺM‘ĺ, ĺNICOLE TaskBar, ºĺAGlobalDeleteAtom, ĀfAfgfĒ

, ĺĺíĺœ, µ, Ā, , Ē, é

}



## TaskBar

NICOLE TaskBar,É'í,µ,Ä AfAfhfjf",lf{f^f",ð[]µ,½,è AfCxf"fg,ðŽó, Žæ,Á,½,è,·,é^—  
[],ðjfvfZf<%o»,µ,½Rf"f[]lf"fg,Ä, BftfH[]f€,É'£,è•t, ,Äfvf[]pfefB,âfCxf"fg,ð<L[]q,·,é,¾, ,Ä ANICOLE  
TaskBar,Éf{f^f",ð[]µ,·,é,±,Æ,ª,Ä,«,Ü,·[]B

## fvf[]pfefB

<u>Directory</u>	NICOLE TaskBar,ljCf"fXfg[]f<,³,è,Ä,ç,éfpfX
<u>ExeName</u>	NICOLE TaskBar,lŽÄ[]sftf@fCf<-¼
<u>File</u>	NICOLE TaskBar,ÄŽg,xf tf@fCf%[]f v[]fOf%of€,lfpfX
<u>NicoleTaskBar</u>	NICOLE TaskBar,ljEfBf"fhfEfnf"fhf<
<u>Regist</u>	NICOLE TaskBar,³ft[]fU[]["o~^,³,è,Ä,ç,é,©,Ç,ª,©
<u>Version</u>	NICOLE TaskBar,lfo[]fWf+f"
<u>Copyright</u>	fAfhfjf"[]î•ñ
<u>DragAccept</u>	fhf%ofbfO[]•fhf[]bfv,ðŽó,·•t,·,é,©,Ç,ª,©
<u>Handle</u>	fEfBf"fhfEfnf"fhf<
<u>Height</u>	[],³
<u>Hint</u>	fqf"fg•¶Žš—ñ
<u>Icon</u>	fAfCfRf"
<u>PopupMenu</u>	f[]bfvfAfbfvf[]ffj...[]

## f[]fbfh

<u>Create</u>	fRf"fXfgf%ofNf^
<u>Destroy</u>	ffXfNf%ofNf^
<u>Click</u>	OnClick,ÉfAf^fbf` ,³,è,½fR[]fh,ðCEÄ,Ñ[]o,·
<u>DropFile</u>	OnDropFile,ÉfAf^fbf` ,³,è,½fR[]fh,ðCEÄ,Ñ[]o,·
<u>Paint</u>	OnPaint,ÉfAf^fbf` ,³,è,½fR[]fh,ðCEÄ,Ñ[]o,·
<u>MessageHandler</u>	NICOLE TaskBar,©,ç,lj[]fbfZ[]fW,ð[]^—[],·,é
<u>Install</u>	fCf"fXfg[]f<,·,é
<u>Uninstall</u>	fAf"fCf"fXfg[]f<,·,é
<u>Blink</u>	,mfAfCfRf",ð" _Ä,³,¹,é

## fCxf"fg

<u>OnClick</u>	fNfŠfbfN,³,è,½
----------------	----------------

OnDropFile

fhf%ofbfO •fhf[]bfv,<sup>3</sup>,ê,½

OnPaint

•`ŽÊ,·,é

OnMouseEnter

f}fEfXfj[]f<,əf{f^f“[]ă,É“ü,Á,Ä,«,½

OnMouseLeave

f}fEfXfj[]f<,əf{f^f“[]ă,©,çŠO,ê,½

**property**      **Directory : String**

NICOLE TaskBar,afCf“fXfg[f<,³,ê,Ä,ç,éftfHf<f\_Ö,İfpfX,đŽ!,μ,Ü,·  
[]-fpfX,ì[]ÅĈě,É,í[]f}[]fN,ª,Ä,ç,Ä,Ü,·

—á[]j    C:\PROGRAMNTASKBAR\

**property**      **ExeName : String;**

NICOLE TaskBar, iŽÄ□sftf@fCf<-¼, ðftf<fpfX, ÅŽ!, μ, Ü, ·

—á□j    C:\PROGRAMNTASKBAR\NTASKBAR.EXE

**property NicoleTaskBar : HWND;**

ŽÀ□sŽž,ì,Ý“Ç□ž□ê—p,ìfvf□fpfefB,Å,·□B

NICOLE TaskBar,ìEfbf“fhfEfnf“fhf<,ðŽ!,μ,Ü,·

,±,ìfvf□fpfefB,í□AfAfhfìf“,³NICOLE TaskBar,Öf□fbfZ□[fW,ð'—,é,ì,ÉŽg—p,μ,Ä,ç,Ü,·

,Ü,½□A,±,ìfvf□fpfefB,³,O,ìŽž,í□ANICOLE TaskBar,³<N“® ,μ,Ä,ç,È,ç,±,Æ,É,È,è,Ü,·

**property**      **Regist : Boolean;**

ŽÀ□sŽž,ì,Ý“Ç□ž□ê—p,ìfvf□fpfefB,Ā,·□B

NICOLE TaskBar,²ft□[fU□[“o~^,³,ê,Ā,ϕ,é,©,Ç,κ,©,đŽ!,μ,Û,·□B

TRUE = ft□[fU□[“o~^,³,ê,Ā,ϕ,é

FALSE = ,³,ê,Ā,ϕ,È,ϕ

**property**      **Version : String;**

ŽÀ□sŽž,ì,Ý□A“Ç,Ý□o,μ□ê—p,ìfvf□fpfefB,Å,·□B

Œ»□ÝŽÀ□s,<sup>3</sup>,ê,Ä,ç,éNICOLE TaskBar,ìfo□[fWf†f“,ð•¶Žš—ñ,Æ,μ,Ä•Ô,μ,Û,·

fAfhf†f“,í□A,±,ìfvf□fpfefB,ðf`fFbfN,μ,Ä□AŠó-],ìfo□[fWf†f“,ìNICOLE TaskBar,<sup>3</sup><N“®,<sup>3</sup>,ê,Ä,ç,é,©,Ç,κ

,©'²,x,é,±,Æ,<sup>3</sup>,Ä,«,Û,·

**property**      **File :** String;

NICOLE TaskBar,Å•W□€“l,ÉŽg—p,·,éftf@fCf%□□[.lfvf□fOf%□□f€,Ö,lfpfX,đŽl,μ,Ü,·  
,±,lfvf□fpfefB,Ö□V,½,Èftf@fCf%□□[.lfpfX,đŽw’è,·,é,Æ□ANICOLE TaskBar,lfvf@fCf%□□[.đ•İ□X,·,é,±  
,Æ,ª,Å,«,Ü,·  
Žw’è,μ,½ftf@fCf%□□[.lfpfX,ªŠÔ^á,!,Ä,ç,é,Æ□ANICOLE TaskBar,lfGfNfXfvf□□[f%□□[.đftf@fCf  
%□□[.Æ,μ,Ä□Ý’è,μ,Ü,·



**property**      **Copyright : String;**

fAfhfif“ ,ÉŠÖ, .,éî•ñ,đŽ!, ,fvf[]pfefB,Å, ·□B“ ®[]ì,É%œ<¿,Í, ,è,Û,<sup>1</sup>,ñ□B  
—á,!,î□E□E□uProgram by NICOLE., Version 1.00 . 1996.8□v,Æ, ©<L□q,μ,Ä%œ<sup>0</sup>,<sup>3</sup>,ç□B

**property**      **DragAccept : Boolean;**

fAfhfjf",lf{f^f",afGfNfXfvf[f%["™,©,ç,lfhf%ofbfO•fhf[]fbfv,đŽó,~•t,~,é,©,Ç,κ,©,đŽl,μ,Û,·

TRUE = fhf%ofbfO•fhf[]fbfv,đŽó,~•t,~,é

FALSE = Žó,~•t,~,È,ç

ŽÀÛ,ÉfAfhfjf",lf{f^f",Éftf@fCf<™,afhf[]fbfv,<sup>3</sup>,è,é,Æ[]AOnDropFilefCfxf"fg,afhf[]fbfv,<sup>3</sup>,è,½ftf@fCf<,l",<sup>3/4</sup>,~"[]μ,Û,·

**property            Handle : HWND;**

ŽÀsžž,ì,ÝA“Ç,Ýo,μê—p,ìfvf[]pfefB,Å,·B

fRf“fXfgf%ofNf^,É,æ,èANICOLE TaskBar,Öf{f^f“,ði—,·,éf[]fbfZ[]fW,ð’—

,èA[]—,³,ê,½f{f^f“,Ö,ìfEfBf“fhfEfnf“fhf<iWindows-API,ÅŽg—p%oÂ“\,È[]j,Ši”[,³,ê,Ä,ç,Ü,·B

**property**      **Height : Integer;**

f{f^f",ì,³,đŽì,μ,Ü,·BffftfHf<fg,ì,³,í35,Å,·B

**property**      **Hint : String;**

f{f^",i□ã,Éf}fEfXfj□[f\^,ª, ,éŽž,É•\Ži,³,ê,éfqf“fg•¶Žš—ň,đŽi,µ,Ü,·

**property**      **Icon : Ticon;**

f{f^f",É•\Ž|,·,éfAfcfrf",đŠi"[,μ,Ü,·□B"Á,É□Ý'è,μ,È,,Ä,à,n,j,Ä,·□B

**property**      **PopupMenu : TPopupMenu;**

f{f^f",i□ã,Åf}fEfX,i%oEfNfŠfbfN,a%oÿ,³,ê,½Žž,É•\Ži,³,ê,é|fbfvfAfbfvf□fjf...□[,đŠi"[,μ,Ü,·

**constructor      Create(theOwner:TComponent);**

f{f^f", ìfRf"fxfgf%ofNf^, Å, ·□B

fRf"fxfgf%ofNf^, ÍNICOLE TaskBar, É'Í, μ, ÄfAfhfIf", ìf{f^f", ð□i□¬, ·, éf□fbfZ□[fW, ð'—

, è, Ü, ·□Bf□fbfZ□[fW, ðŽó, ~Žæ, Á, ½NICOLE TaskBar, Í□AfhfIf" —

p, Éf{f^f", ð□i□¬, μ, Ä□A□i□¬, ³, è, ½f{f^f", ìfEfBf"fhfEfnf"fhf<, ð•Ô, μ, Ä, <, Ü, ·□B

fRf"fxfgf%ofNf^, Í•Ô, ³, è, ½fEfBf"fhfEfnf"fhf<, ðHandlefvf□fpfefB, ÉŠi"[, μ, Ü, ·□B

, Ü, ½□A, ±, ìfRf"fxfgf%ofNf^, Å, Í□AApplication.OnMessage , ÉŽ©•ª, ìMessageHandler, ð□Ý'è, μ, Ä□ANICOLE

TaskBar, ©, ç, ìf□fbfZ□[fW, ð□^—□, ·, é, æ, π, É, È, Á, Ä, ç, Ü, ·□B□]

, Á, Ä•;□", ìf{f^f", ð□i□¬, ·, é□é□‡, â□AfhfIf"Ž©□g,ªApplication.OnMessage, ðŽg, ç, ½, ç□é□‡, É, Í'□^Ó,ª•K—

v, Å, ·□B



**destructor      Destroy;**

ffXfgf%ofNf^,Å,·□B

,±,ê,³CEÄ,Î,ê,é,Æ□ANICOLE TaskBar,É'î,μ,Äf{f^f",ð□í□œ,·,éf□fbfZ□[fW,ð'—,èCEăŽn--,,ð,μ□A

Application.OnMessage ,É nil ,ð□Ý'è,μ,Û,·

**procedure Click;**

OnClick,ÉfAf^fbf` ,<sup>3</sup>,ê,½fR□[fh,δCEÄ,Ñ□o,μ,Ü,·

**procedure Blink(theBlink:Boolean; theIcon:TIcon);**

NICOLE TaskBar, l, mfAfCfRf", d" \_-Å, 3, 1, Ü, ·□B, ±, ìŽž" \_-Å, ÉŽg—p, ·, éfAfCfRf", dŽw'è, ·, é, ±, Æ, 3, Å, «, Ü, ·□B  
Žg, ç, •û, Æ, µ, Ä, í□AfAfhfjf", ©, ç, ìCEx□□, d^Ó-j, ·, é" \_-Å, Æ, ©, Å, ·, ©, Ě□E□E□E

—á, i, î□E□E□E

fXfPfwf#f%o□[, lfAfhfjf", Æ, ©, Å□A□uŽw'è, ìŽžŠÓ, É, È, è, Ü, µ, ½, æ□v, Æ" \_-Å, 3, 1, é, Æ, ©

f□f, fššÇ—□, lfAfhfjf", Å□A□uf□f, fš, 3, «, è, È, ç, æ□[□v, Æ" \_-Å, 3, 1, é, Æ, ©

'P, É□D, «, ÈfAfCfRf", d•\Ž!, 3, 1, é, Æ, ©

, ç, è, ç, è, Æš^—p, Å, «, é, ÆŽv, ç, Ü, ·□B

^ø□"

theBlink TRUE " \_-Å, ·, é

FALSE " \_-Å, µ, È, ç

theIcon " \_-Å, ÉŽg—p, ·, éfAfCfRf"□BNIL, dŽw'è, ·, é, ÆfftfHf<fg, É-ß, è, Ü, ·

**procedure DropFile(Filename:String);**

OnDropFile, ÉfAf^fbf`,³,ê,½fR[]fh,ðCEÄ,Ñ[]o,μ,Û,·[]B

**procedure Paint;**

OnPaint,ÉfA<sup>f</sup>^fbf`<sup>3</sup>,ê,½fR□[fh,ðCEÄ,Ñ□o,μ,Ü,·

**procedure MessageHandler(var Msg: TMsg; var Handled: Boolean); virtual;**

'ÉíApplication.OnMessage ,ÉZfbfg,³,êANICOLE TaskBar,©,çAfhfj" ,É'—,ç,ê,Ä,«,½fbfZ[fW,ð^—  
□,·,éf\fbfh,Å,·□B

NICOLE TaskBar,©,ç'—,ç,ê,Ä,,éffbfZ[fW,ì"à—e,Æ,μ,Ä,íA  
WPARAM ,É,ÍfbfZ[fW,ðŽó,`Žæ,éf{f^f",ìEfbf"fhfEfnf"fhf<  
LPARAM ,É,íAfgf€'1,È,ÇA[F[X[E[E[E  
,Æ,ç,αŠ´,¶,É,È,Á,Ä,ç,Ü,·□B

MessageHandler,íAWPARAM,ì"à—e,²Ž©•²,ìHandlefvf\pfefB,Æ"´,¶,È,ç^—□,ðs,α,æ,α,É,È,Á,Ä,ç,Ü,·□B

**function Install : Integer;**

NICOLE TaskBar, ÖŽ©•Ž©g, ðfAfhflf“, /Æ, μ, ÄfCf“fXfg[]f<, μ, Ü, ·[]B[]-CE÷, ·, ê, Î, O, ð•Ô, μ, Ü, ·[]B  
Application.Title , ðfAfhflf“, Ìf^fCfjf<[]AApplication.ExeName, ðfAfhflf“, ÌfpfX, /Æ, μ, Ä[]ANICOLE  
TaskBar, Öf[]fbfZ[]fW, ð‘—, è, Ü, ·[]B

**functions      Uninstall : Integer;**

NICOLE TaskBar, ÖŽ © • Ž © □ g, ð f A f " f C f " f X f g □ [ f < , · , é , æ , ʁ □ A f □ f b f Z □ [ f W , ð ' — , è , Ü , ·  
□ → Ç ÷ , · , é , Æ , O , ð • Ô , μ , Ü , ·



**property      OnClick : TNotifyEvent;**

f{f^f",afNfŠfbfN,³,è,é,ÆA,±,ìfCxf"fg,a"¶,μ,Ü,·B

"ö¶j,±,ìfCxf"fg,a"¶,μ,½ŽŸ"\_,Å,ÍANICOLE TaskBar,afNfefBfu,Èf^fXfN,É,È,Á,Ä,ç,Ü,·

**property OnDropFile : TNicoleDropFileEvent;**

f{f^f",ÉfGfNfXfvf[]f%[]l,È,Ç,©,çftf@fCf<,³fhf%fbfO[]•fhf[]fbfv,³,è,é,Æ[]A,±,ìfCxf"fg,ª"[]¶,μ,Û,·[]B  
•;[]",ìftf@fCf<,³fhf[]fbfv,³,è,½[]ê[]±[]A,»,ìftf@fCf<,ì[]",³/₄,[]A,±,ìfCxf"fg,ª"[]¶,μ,Û,·[]B  
fhf%fbfO[]•fhf[]fbfv,ðŽó,¯•t,¯,é,©,Ç,α,©,ðŽw'è,·,é,É,í[]ADragAcceptfv[]fpfefB,ðŽg,ç,Û,·[]B

[]éÇ³/₄[]jTNicoleDropFileEvent = procedure (Sender:TObject; FileName:string) of object;

**property OnPaint : T NicolePaintEvent**

```
f{f^f", a`ŽÉ, 3, è, éŽž, É□A, ±, ìfCfxf"fg, a"□¶, μ, Ü, ·□B  
fAfhfjf", í□A, ±, ±, Āf{f^f", ÉŽ©—R, É•`ŽÉ, ð□s, π, ±, Æ, a, Ā, <, Ü, ·□B  
f{f^f", É•`ŽÉ, ·, é, É, í□A^ø□", ìCanvas, ðŽg, ç, Ü, ·□B  
f{f^f", a%Ÿ, 3, è, Ā, ç, é, ©, Ç, π, ©, í□A^ø□", ì Pushed , ð'2, x, Ü, ·
```

Pushed = TRUE f{f^f", í%Ÿ, 3, è, Ā, ç, é

Pushed = FALSE %Ÿ, 3, è, Ā, ç, È, ç

□ÉÉ¾□jT NicolePaintEvent = procedure (Sender:TObject; Canvas:TCanvas; Pushed:Boolean) of object;

**property OnMouseEnter : TNotifyEvent;**

f}fEfXfj[]fV<,qf{f^f""à,É^Ú"®,μ,Ä,,é,Æ□A,±,ÿCfxf""fg,â"□¶,μ,Ü,·

**property      OnMouseLeave : TNotifyEvent;**

f}fEfXfj[]fV<,qf{f^f“ã,©,çŠO,Ö^Ú“@,·,é,Æ[]A,±,lfCxf“fg,ª”[]1,μ,Ü,·

**Žž-â,â-â,čř,í,¹**

fAfhfIf“[]-É,Ä,č,Ä,ìŽž-â,È,Ç,íA,Ä,«,é,¾,±,ìfwfçfv,âfTf“fvfç,ì\[]fXfR[]fh,ðŽQÆ,μ,Ä,¾,¾,čB  
,Ç,π,μ,Ä,à•ª,©,ç,È,č,Æ,«,¾,±,±AŽž-â,μ,Ä,,¾,¾,čB  
,Ü,½AŽ-[]î,É,æ,è•ÔŽ-,ªx,ê,½,èA•ÔŽ-,Ä,«,È,čê[]ª,ª,²,´,č,Ü,·,ì,ÄA,»ìŽž,íuNICOLE,ª,ñ,í-Z,μ,č  
,ñ,¾,Èv,ÆŽv,Á,ÄŠ“•Ü,μ,Ä,,¾,¾,čf[]B

,Ü,½AŽ,,ìfwf[],ìfwf[]fOf%of},Ä,í,È,č,ì,ÄA’““i%ø,Ä<Z[]p“l,ÈŽž-â,íA,Ä,«,é,¾,±,μ,È,č,æ,π,É,μ,Ä%ø,¾,¾,čB

[]ìŽò[]iNICOLE[]j,Ö,ì~A—[]æ

NIFTY-Serve ID : BXL01750

fTf|[]fg%i<cŽ°

NIFTY-Serve FWINAL ,T“Ô%i<cŽ°

□ižŌ,æ,è

NICOLE TaskBar,đ,²^α—p,ç,½,¾,ç,Ä,ç,é•û□X,Ö□A,Û,½□AŽQ□I,É,³,¹,Ä',ç,½•û□X,ÖŠ´ŽÓ,ç,½,μ,Û,·□B

