fl□[fgfpfCf□fbfg,Æ,ĺ

[]mŠT—v[]n

[]œ []ufl[][fgfpfCf[]fbfg[]v,ĺ[]A[]Ý'è,³,ê,½"à—e,É[]],Á,Ä"dŽqf[][][f‹,Ì'—[]M,ÆŽó[]M[]A"dŽq ‰ï‹cŽº,Ì"Œ¾,Ìf_fEf"f[][[fh,È,Ç,ðŽÅ[]s,·,é‹@"\,Å,·[]Bfl[][fgfpfCf[]fbfg,ÌŽÅ[]sŒã,ĺ[]ANIFTY SERVE ,Æ,Ì[]Ú'±,ðŽ©"®"I,É[]I—¹,μ,Ä,,ê,é,½,ß[]A[]Ú'±—¿‹à,Ì[]ß-ñ,É,à-ð—§,¿,Ü,·[]B

 $\square @ \mathsf{NIFTY} \mathsf{MANAGER} fl [[fgfpfCf][fbfg, l] ufXfPfWf...][f < @" \] v, ð" <] Ú, \mu, Ä, ¢, Ü, ·] BfXfPfWf... \\ [[f < , ð] Ý'è, \mu, Ä, ", ",] A, ', È, ½, ^a] Q, Ä, ¢ \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ ... \\ .$

,éŠÔ,ā•s□Ý,Ì□ê□‡,Ā,à□Afl□[fgfpfCf□fbfg,ðŽ©"®"l,ÉŽÀ□s,∙,é,±,Æ,ª,Å,«,Ü,·□B

□œ Žó□M,μ,½"dŽqf□□[f<,Í□ANIFTY MANAGER ,Ì□uŽó□M" □vftfHf<f_,ɕۑ¶,³,ê,Ü,·□B"dŽq ‰ï<cŽº,Ì"Œ¾,Í□AftfH□[f‰f€-¼,Ì•t,¢,½fLfffrflfbfg,ɕۑ¶,³,ê,Ü,·□B

[]œ "dŽqf]][[f<,ðŽ©"®'—[]M,·,é,Æ,«,Í[]A[]uf]]][[f<fLfffrflfbfg[]v,Ìl]u'—[]M" []vftfHf<f_,É[]A'— []M,·,é"dŽqf]][[f<,ð, ,ç,©,¶,ߕۑ¶,μ,Ä,¨,¢,Ä,,¾,³,¢]]B"dŽq‰ï<cŽº,Ö,Ì"Œ¾,ðŽ©"®'— []M,·,é,Æ,«,Í[]A[]u^ê"ÉfLfffrflfbfg[]v,Ìl]u"Œ¾'—[]M" []vftfHf<f_,É[]A'—[]M,·,é"Œ¾,ð, ,ç,©,¶,ß• Û'¶,μ,Ä,¨,¢,Ä,,¾,³,¢]]B

□œ CUG ,Åfl□[fgfpfCf□fbfg,ðŽÀ□s,·,é,±,Æ,ĺ,Å,«,Ü,¹,ñ□B

[mfl[[fgfpfCf[]fbfg,É'Ήž,∙,éfT[[frfX[]n

[]œ fl□[fgfpfCf□fbfg,É'Ήž,·,é NIFTY SERVE ,ÌfT□[frfX,ð^ȉº,ÉŽ¦,μ,Ü,·□B,± ,Ì,Ù,©□Af□fOfCf"f□fbfZ□[fW□Af□fOfAfEfgf□fbfZ□[fW□A,¨,æ,Ñ□;□T,Ì,¨'m,ç,¹,Ì^ê—— ,í□Afl□[fgfpfCf□fbfg,Ì□Ý'è,ÉŠÖŒW,È,f_fEf"f□□[fh,³,ê,Ü,·□B □] "dŽqf□□[f<,Ì'—□M,¨,æ,ÑŽó□M □] '—□M•ë,ÆŽó□M•ë,Ìf_fEf"f□□[fh □] "dŽq‰ï<cŽº,Ì"Œ¾,Ì"o~^,Æf_fEf"f□□[fh

[]mfl[[[fgfpfCf[]fbfg,Ì[]Ý'è[]n

□œ fl□[fgfpfCf□fbfg,ÉŠÖ,·,é□Ý'è,Í□A<u>□yfl□[fgfpfCf□fbfg,ÌŠî-{□Ý'è□zf_fCfAf□fO</u>,ÌŠef^fu‰æ– Ê,Å]s,¢,Ü,·]B

fXfPfWf...□[**f**‹<@"\

□œ □ufXfPfWf…□[f‹‹@"\□v,ĺ□AŽw'è,μ,½ŽžŠÔ,Æ—

j"ú,Éfi□[fgfpfCf□fbfg,ðŽ©"®"I,ÉŽÀ□s□i□□fXfPfWf…□[f<ŽÀ□s□j,·,é<@"\,Å,·□BfXfPfWf… □[f<,ð□Ý'è,µ,Ä,¨,¯,Î□A, ,È,½,ª□Q,Ä,¢

,éŠÔ,â∙s∏Ý,Ì□ê□‡,Ā,à□Afl□[fg͡fpfCf□fbfg,ðŽ©"®"I,ÉŽÀ□s,∙,é,±,Æ,ª,Å,«,Ü,·□B

 $\exists c fl [[fgfpfCf]fbfgŽA] s c a, \acute{t} ANIFTY MANAGER fl [[fgfpfCf]fbfg, \acute{l} Z © " @ "l, \acute{t}] - 1, \mu, \ddot{U}, \cdot, \dot{l}, A A fl [[fgfpfCf]fbfg, \delta A' ±, \mu, A • i] " m n Z A B, \cdot, \acute{e}, ±, \mathcal{E}, a M A' \, A, \cdot B$

$$\label{eq:constraints} \begin{split} & [] \varpi[M_{A}^{0}] = [f_{0}, \delta_{B}^{0}] = [f_{$$

 ○ スケジュールを実行しない(№) ● スケジュールを実行する(Y)
実行時刻1(1): 9 - 時 30 - 分 実行時刻2(2): 15 - 時 30 - 分
□ 日曜日(U) □ 月曜日(M) □ 火曜日(T) ▼ 水曜日(W) □ 木曜日(H) □ 金曜日(F) □ 土曜日(S) 毎日(L)

 $[mfl[[fgfpfCf[]fbfgfXfPfWf...[[f<Žg-p]a,l']^O]n$

(1) fXfPfWf...□[f<Žž□□,É NIFTY MANAGER fI□[fgfpfCf□fbfg,ª<N" ®,µ,Ä,¢ ,é□ê□‡□AŽÀ□sŠm"F,Ìf□fbfZ□[fW,ª•\

ަ,³,ê,Ü,·<code>□B□q,ĺ,¢□rf{f^f",ðfNfŠfbfN,·,é,Æ□Afl□[fgfpfCf□fbfg,ðŽÀ□s,µ,Ü,·□B</code>

- (2) fl□[fgfpfCf□fbfgŽÀ□s'+,l□ê□+,l□AfXfPfWf...□[f<,3,ê,½ŽžŠÔ,É,È,Á,Ä,àfXfPfWf... □[f<,lŽÀ□s,3,ê,Ü,¹,ñ□B</p>
- (3) NIFTY MANAGER ,ª<N" ®, μ,Ä,¢,Ä□ANIFTY SERVE ,É□Ú'±,μ,Ä,¢, ,é□ê□‡,Í□AŽw'è,μ,½ŽÀ□sŽž□□,É,È,é,Æ NIFTY MANAGER fI□[fgfpfCf□fbfg,²<N" ®,μ,Ü,·,ª□AfI□[fgfpfCf□fbfg,ĺŽÀ□s,³,ê,Ü,¹,ñ□B</p>
- (4) NIFTY MANAGER ,ª<N" ®, μ,Ä,¢,Ä□ANIFTY SERVE ,É□Ú'±,μ,Ä,¢, ,È,¢□ê□‡,Í□AfI□[fgfpfCf□fbfg,ªŽw'è,μ,½ŽÀ□sŽž□□,ÉŽÀ□s,³,ê,Ü,·□B
- (5) fpf\fRf", l^{*}dŒ¹,^a"ü,Á,Ä,¢,È,©,Á,½,è□Afpf\fRf",^a□³□í,É<N"®,μ,Ä,¢ ,È,¢□ê□‡,í□Afl□[fgfpfCf□fbfg,ĺŽÀ□s,³,ê,Ü,¹,ñ□B

fXfPfWf...[[f<,ðŽÀ]s,·,é]^,μ,È,¢,ÌŽw'è

fXfPfWf...□[f‹‹@"\,ðŽg—p,µ,Ä□AŽw'è,µ,½ŽžŠÔ,ÉfI□[fgfpfCf□fbfg,ðŽÀ□s,·,é,©,Ç,¤ ,©,ðŽw'è,µ,Ü,·□B□ufXfPfWf...□[f‹,ðŽÀ□s,·,é□vflfvfVf‡f",ð'l'ð,·,é,Æ□AfI□[fgfpfCf□fbfg,ðfXfPfWf... □[f‹ŽÀ□s,·,éfvf□fOf‰f€□ufXfPfWf...□[f

‰□iNIMTIMER.EXE□j□v,ª‹Ň^{*}®,μ,Ü,·□B,»,Ì□Û□A□ufXfPfWf...□[f‰□v,ð Windows ,ÌfXf^□[fgfAfbfv,É"o[~]^,·,é,©,Ç,¤,©,ÌŠm"Ff_fCfAf□fO,ªŠJ,«,Ü,·□B

NIFTY MANAGER fl[[fgfpfCf[]fbfg,Å,Í[]AfXfPfWf...][f<ŽÀ[]s,·,é[]ê[]‡[]A[]ufXfPfWf...][f $\& [v, a, N" \otimes \mu, \ddot{a}, \dot{c}, \dot{e} \in W_{a}, \dot{e}, \ddot{U},]$ BWindows ,ÌfXf^[][fgfAfbfv,É"o~^,·,é,Æ]AWindows ,Ì<N" & Z,É[]ufXfPfWf...][f $\& [v, aZ \odot " \otimes "I, \acute{e} \in N" \otimes \mu, \acute{e}, a, \dot{e}, \dot{e}, \ddot{U},]$ B

Windows , $fXf^{[fgfAfbfv, E]ufXfPfWf...[fgfAfbfv, E]ufXfPfWf...[fgfAfbfv, A]ufXfPfWf...[fgfAfbfv, A]ufXfPfWf...[fgfAfbfv, A]ufXfPfWf...[fs, A]ufXfPfWf...[fs, A]ufXfPfWf...][fs, A]ufX$

ŽÀ🔤sŽž🔲,ÌŽw'è

—j"ú,ÌŽw'è

 $\begin{array}{l} fl [[fgfpfCf]]fbfg, \delta \check{Z} \dot{A}]] s, \cdot, \acute{e} \rightarrow j```u`, \delta \check{Z} w' \dot{e}, \mu, \ddot{U}, \cdot]] Bf``fFfbfNf \} [][fN, \dot{I} \bullet t, ¢, \frac{1}{2} \rightarrow j```u`, \dot{e}, \dot{E}, \dot{e}, \ddot{U}, \cdot]] BfI [][fgfpfCf]]fbfg, \delta - ```u`\check{Z} \dot{A}]] s, \cdot, \acute{e}, \mathcal{E}, «, i[]q - ```u']rf {f^f'', \delta fNf \check{S} fbf N, \mu, \ddot{A}, - , \frac{3}{4}, ^{3}, ¢]] B, \cdot, ×, \ddot{A}, \dot{I} \rightarrow j```u`, \delta ^{\circ} \hat{e}``x, \acute{E}f``fFfbf N, \cdot, \acute{e}, \pm, \mathcal{E}, \overset{a}{=}, \mathring{A}, «, \ddot{U}, \cdot]] B \end{array}$

fl[[fgfpfCf[]fbfg,ÌŽg,¢,©,½

fl[[fgfpfCf[]fbfg,ð<N"®,·,é

 NIFTY MANAGER fI□[fgfpfCf□fbfg,ð<N" ®,µ,Äf□fCf"fEfBf"fhfE,ðŠJ,«,Ü,·□B[`]È ‰^Q,Ì,R'Ê,è,Ì•û-@,^a, ,è,Ü,·□B

a□DNIFTY MANAGER ,Ìfc□[f<fo□[,Ì□qfI□[fgfpfCf□fbfg□rf{f^f",ðfNfŠfbfN,·,é b□DNIFTY MANAGER ,Ì□mfT□[frfX□i,r□j□nf□fjf...□[,Ì□mfI□[fgfpfCf□fbfg□i,`□j□n,ð'l'ð,·,é c□DWindows95 ,Ì□qfXf^□[fg□rf{f^f",ðfNfŠfbfN,μ□A□mfvf□fOf‰f€□i,o□j□n,Ì□mNIFTY MANAGER□n,©,ç□mfI□[fgfpfCf□fbfg□n,ð'l'ð,·,é

NIFTY MANAGER

 $\begin{array}{l} fl[[fgfpfCf[]fbfg, \delta, I, \P, B, \ddot{A} < N " @, \mu, \frac{1}{2}, \mathcal{A}, «, I[]A[]yfZfbfgfAfbfv[]z[]if[][[f < \check{Z} \circ [] M \cdot \hat{u} - \\ @[]if fCfAf[]fO, ^a Š], «, Ü, · []B, ±,]f_fCfAf[]fO, Åfl[][fgfpfCf[]fbfg,][]‰Šú[]Ý'è, õ[]s, ¢, Ü, · []B, \frac{1}{2}, \frac{3}{4}, \mu[]ANIFTY MANAGER fl[][fgfpfCf[]fbfg,], ·, Å, ÉfCf"fXfg[][f<, ³, ê, Ä, ¢, \frac{1}{2}]ê[]‡, I[]A, »,]D[Ý'è"à=e, ^a[]‰Šú'I, \mathcal{A}, µ, Ä^ø, «Œp, ², ê, Ü, · []B, ±,], \mathcal{A}, «[]yfZfbfgfAfbfv[]zf_fCfAf[]fO, IŠ], «, Ü, ¹, ñ[]B \end{array}$

ŽÀ]s]€-Ú,ð]Ý'è,∙,é

- 2. fl□[fgfpfCf□fbfg,Ì"à—e,ð□Ý'è,µ,Ü,·□B^ȉº,Ì,Q'Ê,è,Ì•û-@,ª, ,è,Ü,·□B a□D□m□Ý'è□i,r□j□nf□fjf...□[,Ì□mŠî-{□Ý'è□i,f□j□n,ð'l'ð,·,é b□Dfc□[f<fo□[,Ì□qŠî-{□Ý'è□rf{f^f,ðfNfŠfbfN,·,é</p>
- **3.** $\underline{\text{Dyfl}[fgfpfCf]fbfg,} \overset{\tilde{}}{S}_{1-{\underline{\Gamma}'}^{e}} \underline{f}_{f} \underline{f}_{f} \underline{f}_{f} \underline{f}_{f} \underline{f}_{f}, \overset{\tilde{}}{\sigma}_{f}, \overset{\tilde{}}{\sigma}, \overset{\tilde{}}{\sigma}_{f}, \overset{\tilde{}}{\sigma}, \overset{\tilde{}}{\sigma}, \overset{\tilde$

オートパイロットの基本設定	×
実行結果の保存 ユーザー設定 通信設定 メール フォーラム スクジュール	
_受信	
● 未読メールを受信箱に受信する(E)	
○ 全メールを受信箱に受信する(C)	
- テキスト以外に受信するメール	
✓ バイナリー(B)	
MIME(M)	
☑ JPEG(J)	
NAPLPS(N)	
OK キャンセル ヘルフ [*]	

- **4.** \Box Ý'èŒã,É \Box qOK \Box rf{f^f,ðfNfŠfbfN, μ ,Ü, \Box B
- 5. f□fCf"fEfBf"fhfE,É-ß,è,Ü,·□BŽÀ□s□€-Ú^ê—,Å□A"dŽqf□□[f<,Ì'—□M,ÆŽó□M□A'— □M•ë,ÆŽó□M•ë,ÌŽó□M,É,Â,¢,Ä□A,»,ê,¼,êŽÀ□s,·,é,©,Ç,¤ ,©,ð□Ý'è,µ,Ü,·□BŽÀ□s,·,é□ê□‡,Í□€-Ú,Ì□¶'¤,ÌŽÀ□sf{f^f",ð ON□i='¾,ñ,¾□ó'Ô□j,É□AŽÀ□s,µ,È,¢□ê□‡,Í OFF□i=•,,¢,½□ó'Ô□j,É,µ,Ü,·□B

ŽŸ,É□AftfH□[f‰f€,Ì"dŽq‰ï‹cŽº,ÉŠÖ,·,é□Ý'è,ð□s,¢,Ü,·□BftfH□[f‰f€,Ì—×,É, ,é⊞ ,ðfNfŠfbfN,µ,Ä"dŽq‰ï‹cŽº,Ì^ê——,ðŠJ,«,Ü,·□Bf_fEf"f□□[fh,Ì'Î□Û,Ì"dŽq ‰ï‹cŽº,ÌŽÀ□sf{f^f",ªON(ጫ□F'¾,ñ,¾□ó'Ô),É,È,Á,Ä,¢,é,±,Æ,ðŠm"F,µ,Ä,,¾,³,¢□B

'Î□Û,ÌftfH□[f‰f€,É□A"Œ¾,ð"o~^,·,é□ê□‡,Í□A□u"Œ¾'—□M",Ì"Œ¾,ð'—□M,·,é□v,ÌŽÀ□sf{f^f",ð ON ,É,µ,Ä,,¾,³,4,³



$$\begin{split} \check{Z}A & \square sf{f^f", \delta OFF \square i= \bullet, , \phi, \frac{1}{2} \square o' \hat{O} \square j, \acute{E}, \cdot, \acute{e}, \mathcal{E} \square Afl \square [fgfpf Cf \square fbfg, \dot{I}ZA \square s' \hat{I} \square \hat{U}, \acute{E}, \dot{I}, \dot{E}, \dot{e}, \ddot{U}, \stackrel{1}{,} \tilde{n} \square B \\ & \square \acute{Y} \dot{e}, \mu, \frac{1}{2} \check{Z}A \square s \square \pounds - \acute{U}, \mathcal{E} \check{Z}A \square sf{f^f", \dot{l} \square} o' \hat{O}, \delta \bullet \hat{U}' \P, \mu \square A \check{Z} \ddot{Y} & \tilde{n}, \dot{I} < N" @ \check{Z} \check{z}, \acute{E} \square \ddot{A} \bullet \backslash \check{Z} |, \mu, \frac{1}{2}, \phi \\ & \mathcal{A}E, \ll, \dot{I} \square Afc \square [f \land fo \square [, \dot{I} \square q \check{Z} \dot{A} \square s \square \pounds - \acute{U} \hat{e} - \dots, \delta \bullet \hat{U}' \P \square rf{f^f", \delta fN} f \check{S} fbf N, \mu, \ddot{A}, \frac{3}{4}, ^3, \phi \square B \end{split}$$

fl[[fgfpfCf[]fbfg,ðŽÀ[]s,·,é

- **6.** ŽÀ□s□€–Ú,Ì□Ý'è,ª□I,í,Á,½,ç□AfI□[fgfpfCf□fbfg,ðŽÀ□s,μ,Ü,·□B^ȉº,Ì,Q'Ê,è,Ì•û–
 - @,ª, ,è,Ü,∵<u>∏</u>B

a[]D[]mftf@fCf‹[]i,e[]j[]nf[]fjf...[[,Ì[]mŽÀ[]s[]i,d[]j[]n,ð'l'ð,·,é ,,[]Dfc[[f‹fo[[,Ì[]qŽÀ[]s[]rf{f^f",ðfNfŠfbfN,·,é

fXfPfWf…[[f<ŽÀ[]s,ð[]Ý'è,μ,Ä,¢,é,Æ,«,Í[]AŽè"®,ÅŽÀ[]s,∙,é∙K—v,ĺ, ,è,Ü,¹,ñ[]BŽw'è,μ,½" úŽž,É,È,é,ÆNIFTY MANAGER fI[[fgfpfCf[]fbfg,ªŽ©"®"I,É<N"®,μ∏AfI[[[fgfpfCf[]fbfg,ªŽÀ[]s,³,ê,Ü,·[]B



fl□[fgfpfCf□fbfg,ðŽÀ□s,·,é‰ß'ö,Å [•] □i□,,‰ñf‰f"fv□FON □ó'Ô□j,Ì□F,Í□A^ȉº,Ì,æ,¤ ,É•Ї‰»,μ,Ü,·□B

- PFŽó[M'î[]Û, ìff][f^[i-¢"Ç]j,ª, ,é]ê[]‡, i—î]F,É,È,è,Ü,·]B
- DFŽó[M'Î[Û,Ìff][f^[i-¢"Ç[j,ª,È,¢[]ê[]‡,ÍŠD[]F,É,È,è,Ü,·]B
- DFfI[[fgfpfCf[fbfg,ðŽÀ]s,Å,«,È,©,Á,½]ê[]‡,Í]Ô[F,É,È,è,Ü,·]B

ŽÀ]sŒ<‰Ê,ðŒ©,é

- 7. ŽÀ□sœ<‰Ê,ðœ©,Ü,·□B,±,±,Å,ĺf_fEf"f□□[fh,μ,½"dŽq‰ï<cŽº,Ì"œ¾,ðŠJ,«,Ü,·□BŽÀ□s□€-Ú^ê——,©,ç'Î□Û,Ì"dŽq‰ï<cŽº,ð'I'ð,μ□A□qfLfffrflfbfg,ðŠJ,□rf{f^f",ðfNfŠfbfN,μ,Ü,·□B</p>
- $\textbf{8.} \text{ NIFTY MANAGER ,} \textbf{i}_yfLfffrflfbfg}zfEfBf"fhfE, \textbf{a}SJ, \textbf{w}, \textbf{U}, \textbf{u}B$

■ キャビネット			_ 🗆 ×
🖻 🖆 💼 🖉 🖻	🚿 🕢 👭 🖄		
⊡…@ ++t'ネット	名称	作成日	種別
直… 🗃 メールキャビネット	🔲 📄 🔁 受信箱	96/09/13 15:30:4	6 キャビネット
□ □ - 🗃 一般キャビネット	🔲 🖾 🚞 送信箱	96/09/13 15:30:4	6 キャビネット
メールキャビネット	,	未読数0 データ4	+数·7 //

"dŽqf□□[f<,Í□Af□□[f<fLfffrflfbfg,ÌŽó□M",ɕۑ¶,³,ê,Ü,·□B"dŽq‰ï<cŽº,Ì"Œ¾,Í□AftfH□[f ‰f€,Ì–

 $\label{eq:constraint} \begin{array}{l} \label{eq:constraint} \end{tabular} \end{tabuar} \end{tabular} \end{tabular} \end{tab$

9. "dŽqf□□[f<,â"Œ¾,ª•Û′¶,³,ê,½ftfHf<f_,ðf_fuf<fNfŠfbfN,·,é,Æ•¶□',Ì^ê——,ª•\ ަ,³,ê,Ü,·□B"Ç,Ý,½,¢"dŽqf□□[f<,â"Œ¾,ðf_fuf<fNfŠfbfN,µ,Ä•¶□',ðŠJ,«,Ü,·□B

📰 電子会議の発言表示	- フォーラムからのお知	5ŧ	_ 🗆 X
📽 🗄 📠 🔺 👻	<> F		
ユーザーID : SDI00487	NIMSUPマネジャー	97/06/18 14:08	
題名: この会議室に	ついて		
📑 1 この会議室につい	17		
・ この会議室では N	IFTY Manager やフォ	ニラムからのお知らせ 物	報参ご客国
内いたします。	irii manager (-53)	- 22/020/03/0-2 E 1	178 2 - 7
また、会議室にて発	間をいただく際には、	お知らせをご一読の上ご	質問いた
たさますようお願いい	たします。	NIMSUPマ	ネジャー
			-
			¥
この会議室について		260/26	0 byte //.

f_fCf"fEfBf"fhfE,ÌŒ©,©,½,Ɖæ-Ê_\[¬

起動時 実行中 実行後

NIFTY MANAGER

 $fl[[fgfpfCf]]fbfg,\delta<N" @, \cdot, \acute{e}, \mathcal{A}[]Afl[][fgfpfCf]]fbfg,]f[]fCf"fEfBf"fhfE, ^aŠJ, «, Ü, · []Bf[]fCf"fEfBf"fhfE, \acute{e}, [] Afl[][fgfpfCf]]fbfg,]i (\in []), ÅŽg-p, ·, \acute{e}f]]fjf... [][fo[][, \hat{a}fc]][f, fo][], È, Ç, ^a-p^O, ^3, \hat{e}, \ddot{A}, ¢, Ü, · []B‰^{o},]]] \in - U, \deltafNfŠfbfN, ·, \acute{e}, \mathcal{A}[]AfEfBf"fhfE-v'f, \acute{E}, \hat{A}, ¢, \ddot{A}, 1]U(, \mu, ¢]]a - ³/4, ^a • \ަ, ³, ê, Ü, · []B$



f□fCf"fEfBf"fhfE,ÌŒ©,©,½,Ɖæ-Ê□\□¬

起動時 実行中 実行後

NIFTY MANAGER

fl□[fgfpfCf□fbfg,ð<N"®,·,é,Æ□Afl□[fgfpfCf□fbfg,Ìf□fCf"fEfBf"fhfE,ªŠJ,«,Ü,·□Bf□fCf"fEfBf"fhfE,É,Í□ Afl□[fgfpfCf□fbfg,Ì'€□ì,ÅŽg—p,·,éf□fjf...□[fo□[,âfc□[f<fo□[,È,Ç,ª—p^Ó,³,ê,Ä,¢,Ü,·□B‰º,Ì□€– Ú,ðfNfŠfbfN,·,é,Æ□AfEfBf"fhfE—v'f,É,Â,¢,Ä,Ì□Ú,μ,¢□à-¾,ª•\ަ,³,ê,Ü,·□B



f_fCf"fEfBf"fhfE,ÌŒ©,©,½,Ɖæ-Ê__¬

起動時 実行中 実行後

NIFTY

MANAGERfI□[fgfpfCf□fbfg,ð<N"®,·,é,Æ□AfI□[fgfpfCf□fbfg,Ìf□fCf"fEfBf"fhfE,ªŠJ,«,Ü,·□Bf□fCf"fEf Bf"fhfE,É,Í□AfI□[fgfpfCf□fbfg,Ì'€□ì,ÅŽg—p,·,éf□fjf...□[fo□[,âfc□[f<fo□[,È,Ç,ª—p^Ó,³,ê,Ä,¢,Ü,·□B ‰º,Ì□€–Ú,ðfNfŠfbfN,·,é,Æ□AfEfBf"fhfE—v'f,É,Â,¢,Ä,Ì□Ú,µ,¢□à-¾,ª•\ަ,³,ê,Ü,·□B

🦝 NIFTY MANAGER オートハイロット Version 1.10	- 🗆 ×
ファイル(E) 編集(E) 設定(S) ヘルブ(H)	
🔏 オートバイロットで実行する項目一覧	
◎ 🕎 送信箱のメールを送信する	
▲ ● 🚱 未読メールを受信箱に受信する	
● ● 送信簿を受信箱に受信する	
● ● ● ● ● ●	
Similar Alignment of Windows Forum >	
● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
ログインメッセージ <<<<<<<<<<<<<<	
ようこそNIFTY_SERVEへ	_
Copyright (C) 1997 by NIETY Corporation	
All Rights Reserved	
前回LOG OUT 97/12/24 10:29:31	-
接続を終わりました。 00:02:45	

ŽÀ⊓s⊓€-Ú^ê——

∏mŠT—v∏n

□œ fl□[fgfpfCf□fbfg,ÌŽÀ□s'Î□Û,Æ,È,é□€-Ú,Ì^ê——,Å,·□B^ê——,É•\ަ,·,é□€- $\dot{U}_{,1}$ \dot{U} □œ ŽÀ□s□€-Ú^ê——,ÅŽg,í,ê,éftfHf"fg,ÌŽí—Þ,Í□ANIFTY MANAGER ,Ì<u>□v[^]ê″Ê∏Ý'è□zf_fCfAf□fO</u>,Ì□mftfHf"fg□nf^fu□ifŠfXfgf{fbfNfX□j,Ì□Ý'è,É□],¢,Ü, □B

∏mŽÀ∏s∏€-Ú^ê——,ÌŒ©,©,½∏n



‡@ [•] □i□,,‰ñf‰f"fv□FON □ó'Ô□j,ĺfl□[fgfpfCf□fbfg,ÌŽÀ□s'Î□Û,Ì□€–Ú,Å, ,é,±,Æ,ðަ,μ,Ü,·□B $[iOFF] o'\hat{O}]i, ifl [fgfpfCf] fbfg, iŽA] s'i [Û,Å, i,È,¢, ±$

,Æ,ðަ,µ,Ü,·□BŽÅ□sf{f^f"□i‡Å,ðŽQ□Æ□j,Ì□ó'Ô,ð ON ,É,·,é,Æ□,,‰ñf‰f"fv,ª ON ,É,È,è□AŽÀ□sf{f^f",Ì□ó'Ô,ð OFF ,É,·,é,Æ□,,‰ñf‰f"fv,ª OFF ,É,È,è,Ü,·□B

‡A ŽÀŪsf{f^f",Å, ŪB^ê——,É•\ަ,³,ê,½D€-

Ú,ðfl□[fgfpfCf□fbfg,ÌŽÀ□s'Î□Û,Æ,·,é,©,Ü,½,ÍŽÀ□s'Î□Û,Æ,μ,È,¢,©,ð□Ý'è,μ,Ü,·□B**ष**⊓i=

ON□j,Ì□ó'Ô,É, ,é,Æfl□[fgfpfCf□fbfg,ÌŽÀ□s'Î□Û,É,È,è,Ü, □B

Li= OFF□j,Ì□ó'Ô,É,·,é,ÆfI□[fgfpfCf□fbfg,ÌŽÀ□s'Î□Û,É,Í,È,è,Ü,¹,ñ□B

‡B ⊞ ,ðfNfŠfbfN, ·, é,ÆftfH□[f‰f€,̉º^Ê,Ì"dŽq‰ï<cŽº,Ì^ê——,ª•\ަ,³,ê,Ü,·

‡CftfH□[f‰f€,Ì"dŽq‰ï<cŽº,Ì^ê——,Å,·□B,»,ê,¼,ê,Ì"dŽq‰ï<cŽº,É,Â,¢,Ä□A-¢"Ç"-

Œ¾,ðf fEf"f⊓⊓[fh,·,é,©,C,¤,©,Ì⊓Ý'è,ª,Å,«,Ü,·⊓B,Ü,½⊓A⊓u″Œ¾'—⊓M″ ,Ì″Œ¾,ð'—⊓M,·,é⊓v,ð ON ,É,∙,é,Æ∏A, ,ç,©,¶,β—p^Ó,μ,½"Œ¾,ð"dŽq‰ï‹cŽ⁰,É"o~^,Å,«,Ü,·∏B

□mNIFTY MANAGER fl□[fgfpfCf□fbfg<N"®'†,Ì'□^Ó□n

⊓œ NIFTY MANAGER fI∏[fafpfCf∏fbfa,Ì<N"®'†,É NIFTY MANAGER ,Ì^ȉº,Ì'€∏ì,ð,·,é,± ,Æ,Í,Å,«,Ü,¹,ñ∏B

□| ff□[f^fx□[fX,Ì□Å"K‰»

□| □y^ê"Ê□Ý'è□zf_fCfAf□fO,Ì□mftfH□[f‰f€□nf^fu,Å,ÌftfH□[f‰f€,Ì□í□œ

ŽÀ]s]€-Ú^ê——

[]mfl[][fgfpfCf[]fbfgŽÀ[]s'†,Ì•\ަ[]n

□œ fl□[fgfpfCf□fbfg,ðŽÀ□s,·,é‰ß'ö,Å [●] □i□,,‰ñf‰f"fv□FON□ó'Ô□j,Ì□F,Í□A^ȉº,Ì,æ,¤,É•Ï ‰»,μ,Ü,·□B

- [●] __FŽó__M'Î__Û,Ìff__[f^__i-¢"Ç_j,ª, ,é_ê_‡,í—Î_F,É,È,è,Ü,·_B
- [●] __FŽó__M'Î__Û,Ìff__[f^__i-¢"Ç_j;ª,È,¢__ê__‡,ÍŠD__F,É,È,è,Ü,·_B
- IFfID[fgfpfCfDfbfg,ðŽÀDs,Å,«,È,©,Á,½DêD‡,ÍDÔDF,É,È,è,Ü,·DB

$[mfl][fgfpfCf]fbfgŽA]s'+,l']^O[n$

□œ ^ê,Â,Ì"dŽq‰ï<cŽ^Q,Ì-¢"Ç"Œ¾,ð,·,×,Äf_fEf"f□□[fh,·,é,Æ□A,»,Ì"dŽq‰ï<cŽ^Q,Ì-¢"Ç"-Œ¾,ÍŠù"Ç,Ì□ó'Ô,É,È,è,Ü,·□B,½,¾,μ-¢"Ç"-Œ¾,ð,·,×,Äf_fEf"f□□[fh,·,é,Ü,¦,Éfl□[fgfpfCf□fbfg,ð'†Ž~,μ,½□ê□‡□A,»,Ì"dŽq‰ï<cŽ^Q,Ì"Œ¾,Ì-¢"Ç□^Šù"Ç□ó'Ô,Í•ï□X,³,ê,Ü,¹,ñ□B

□œ fl□[fgfpfCf□fbfg,ÌŽÀ□s'†,É NIFTY MANAGER ,Ì^ȉº,Ì'€□ì,ð,·,é,±,Æ,Í,Å,«,Ü,¹,ñ□B

 $[] fLfffrflfbfg, \acute{E} \bullet \hat{U} ` \P, \mu, \frac{1}{2} \bullet \P [] `, \grave{I} [] (\square @ [] A^{-} U ` @ [] A \bullet_{i} \check{Z} \acute{E} [] A, ``, @, \widetilde{N} - \frac{1}{4} [] \grave{I}, \grave{I} \bullet \ddot{I} [] X$

□| NIFTY SERVE ,Æ,̉ñ□ü□Ú'±

 $[] ff[[f^fx[[fX,\hat{I}]Å"K‰»]]$

_| _y^ê"Ê_Y´è_zf_fCfAf_f0,Ì_mftfH_[f‰f€_nf^fu,Å,ÌftfH_[f‰f€,Ì_í_œ

□œ NIFTY MANAGER ,Å NIFTY SERVE ,Ɖñ□ü□Ú'±,μ,Ä,¢,é□ê□‡□AfI□[fgfpfCf□fbfg,ðŽÀ□s,·,é,± ,Æ,Í,Å,«,Ü,¹,ñ□B

ŽÀ<u></u>]s<u></u>]€-Ú^ê——

[]mŽÀ[]s[]€-Ú^ê——,Å,Å,«,é,±,Æ[]n

□œ f_fEf"f□□[fh,µ,½"à—e,Í□ANIFTY MANAGER ,ÌfLfffrflfbfg,ɕۑ¶,³,ê,Ä,¢ ,Ü,·□Bfl□[fgfpfCf□fbfg,ÌŽÀ□sŒã,É^ê——,©,ç□€-Ú,ð'I'ð,µ□A□qfLfffrflfbfg,ðŠJ,-□rf{f^f*,ðfNfŠfbfN,µ,Ä,-,¾,³,¢□B<u>□yfLfffrflfbfg□zfEfBf"fhfE</u>,ªŠJ,«□Af_fEf"f□□[fh,µ,½•¶□',ðŽQ□Æ,Å,«,Ü,·□B

[mNIFTY MANAGER fl[[fgfpfCf[]fbfg<N"®'†,Ì'[]^Ó[]n

□œ NIFTY MANAGER fl□[fgfpfCf□fbfg,Ì<N"®'†,É NIFTY MANAGER ,Ì^ȉº,Ì'€□ì,ð,·,é,± ,Æ,Í,Å,«,Ü,¹,ñ□B

□| ff□[f^fx□[fX,Ì□Å"K‰»

[] []y^ê″Ê[]Ý'è[]zf_fCfAf[]fO,Ì[]mftfH[][f‰f€[]nf^fu,Å,ÌftfH[][f‰f€,Ì[]í[]œ

ŽÀ]s**Œ**<‰Ê

[]mŠT—v[]n

□œ ŽÀ□sŒ<‰Ê,ÅŽg,í,ê,éftfHf"fg,ÌŽí—Þ,Í□ANIFTY MANAGER ,Ì<u>□y^ê"Ê□Ý'è□zf_fCfAf□fO</u>,Ì□mftfHf"fg□nf^fu□ifGfffBfbfgf{fbfNfX□j,Ì□Ý'è,É□],¢,Ü,·□B

[]mŽÀ[]sŒ<‰Ê,ÌŒ©,©,½[]n

$$\begin{split} & \square e fl_{[fgfpfCf_{fbfg},]ZA_{s't,I}AZA_{sc}^{0} e \in \mathbb{C}^{\infty} \hat{E}, a, \pm, \pm, E \bullet \backslash Z_{s}^{1}, a, e, U, B \\ & \square u_{[1]}, a, m, c, 1_{V} u_{f}fofCf_{f}f_{fb}fZ_{sc}^{0} e \in \mathbb{C}^{1}, a, e, U, U_{sc}^{1} e \in \mathbb{C}^{1}, a, e, u_{sc}^{1} e \in \mathbb{C}^{1}, a, u_{sc}^{1} e \in \mathbb{C}^{1}, a, u_{sc}^{1} e \in \mathbb{C}^{1}, a, u_{sc}^{1} e \in \mathbb{C}^{1}, u_{sc}^{1}$$

fXfe[[f^fXfo][

fXfe□[f^fXfo□[,É,Í□Afl□[fgfpfCf□fbfg,ÌŽÀ□s□ó<μ,ð•\ަ,·,é,S,Â,Ìf{fbfNfX,ª, ,è,Ü,·□B□¶,©,ç□AŒ»□ ÝŽÀ□s,μ,Ä,¢,é□^—□,Ì"à—e□A□^—□,Ì□ó<μ,ðަ,·fvf□fOfŒfXfo□[□AŽÀ□s□€-Ú,²,Æ,Ì□^— □□Ï,Ý□"□^'□□"□ANIFTY SERVE ,É□Ú'±,μ,Ä,©,ç,ÌŒo‰ßŽžŠÔ,Ì□‡,Å•\ަ,³,ê,Ü,·□B

f_fjf..._[fo_[,Ì__¬

f□fjf...□[fo□[,É,Í□ANIFTY MANAGER fl□[fgfpfCf□fbfg,Ì′€□ì,ÅŽg—p,·,éfRf}f"fh,ª—p^Ó,³,ê,Ä,¢ ,Ü,·□Bf□fjf...□[fo□[,Ì□\□¬,ð^ȉº,ÉŽ¦,µ,Ü,·□B

{button �t�@�C�î;½(F),JI(`NIMPILOT.HLP',`NIM_PILOT_MENU_FILE')}]@{button �Ò[]W(E),JI(`NIMPILOT.HLP',`NIM_PILOT_MENU_EDIT')}]@{button �Ý′�(S),JI(`NIMPILOT.HLP',`NIM_PILOT_MENU_SET')}]@{button �w���v(H),JI(`NIMPILOT.HLP',`NIM_PILOT_MENU_HELP')}

□œ ftf@fCf<□i,e□j	
ŽÀ∏s∏i,d∏j	NIFTY SERVE ,É□Ú'± ,μ,Äfl□[fgfpfCf□fbfg,ðŽÀ□s,μ,Ü,·□BŽÀ□ c't ÍŽa&Ű ↓ ā□₽
′†Ž~∏i,b∏j	š Ţ,i∠g—p,A,«,0,-,i⊔b ŽÀ⊡s'†,ÌfI□[fgfpfCf□fbfg,𒆎~,μ,Ü,·⊡B
	,± ,ifRf}f"fh,ð'l'ð,,,é,ÆŽÅ[s'†Ž~,ðŠm"F, ,,éf_fCfAf[fO,ªŠ],«,Ü,·[B'†Ž~,ð'l'ð,,é, Æ[AŽó[M,",æ,Ñ'—[M,Ì[]^—],ð'†Ž~,µ,ÄNIFTY SERVE,Æ,Ì[]Ú'±,ª[I — ¹ , ³ ,ê,Ü,·[]B-¢"Ç"- $\mathbb{C}^{3}_{4},\delta,\cdot,\times,Äf_fEf"f[][[fh,.,é,Ü,¦,Éfl[][fgfpfCf][fbfg,ð'†Ž~,µ,½]ê[]‡[]A,»,Ì"dŽq$
	¢"Ç∏^Šù"Ç∏ó'Ô,Í•Ï∏X,³,ê,Ü,¹,ñ∏BŽÀ∏ s'†^ÈŠO,ĺŽg—p,Å,«,Ü,¹,ñ∏B
•Û'¶,³,ê,Ä,¢,éŽÀ <u>∏</u> s <u>∏</u> €–Ú^ê ——,ð"Ç <u>∏ž</u> ∐i,q <u>∏</u> j	ŽÀ□s□€-Ú^ê——,ð□mŽÀ□s□€-Ú^ê—— ,ð•Û'¶□nfRf}f"fh,ŕۑ¶,µ,½□ó'Ô,É- ß,µ,Ü,·□BŽÀ□s'†,ĺŽg—p,Å,«,Ü,¹,ñ⊓B
ŽÀ□s□€-Ú^ê——,ð•Û'¶□i,r□j	ŽÀ[]s[]€-Ú^ê—— ,Ì[]ó'Ô,ð•Û'¶,µ,Ü,·[]B[]m•Û'¶,³,ê,Ä,¢ ,éŽÀ[]s[]€-Ú [°] ê—— ,ð"Ç[]ž[]nfRf}f"fh,ð'l'ð,µ,½,Æ,«,¨,æ,Ñf l[][fgfpfCf[]fbfg,ð[]Ä <n"®,µ,½,æ,«,í[]a, ±,ÌfRf}f"fh,Å•Û'¶,µ,½[]ó'Ô,É- ß,è,Ü,·[]BŽÀ[]s'†,IŽg—p,Å,«,Ü,¹,ñ[]B</n"®,µ,½,æ,«,í[]a,
NIFTY MANAGER ,Ì <n"®∏i,m∏i< td=""><td>NIFTY MANAGER ,ð<n" ,µ,ü,="" td="" ®="" ⊡b<=""></n"></td></n"®∏i,m∏i<>	NIFTY MANAGER ,ð <n" ,µ,ü,="" td="" ®="" ⊡b<=""></n">
fLfffrflfbfg,ðŠJ,⊡i,n⊡j	NIFTY MANAGER ,Ì□yfLfffrflfbfg□zf_fCfAf□fO,ðŠJ,«□A'l'ð, ³,ê,½□€–Ú,ÉŠY"–,∙,éfLfffrflfbfg,Ì"à— e,ð•\ަ,µ,Ü,·□B
fl[[fgfpfCf[]fbfg,Ì[]l—¹[]i,w[]j	fl[[fgfpfCf[]fbfg,ð[]l—¹,µ,Ü,·[]B
□œ∙Ò□W□i,d□j	
fRfs[[[]i,b[]j	ŽÀ□sŒ<‰Ê,Å'l'ð,µ,½"à— e,ðfRfs□[,µ□AfNfŠfbfvf{□[fh,ɕۑ¶,µ,Ü ,·□BfNfŠfbfvf{□[fh,Ì"à— e,Í□AfRfs□[,µ,½"à— e,É'u,«'Ö,í,è,Ü,·□BŽÀ□s'†,ÍŽg— p,Å,«,Ü,¹,ñ□B
,·,×,Äʻl'ð∏i,k∏j	ŽÀ∏sŒ‹‰Ê'S'Ì,ð'l'ð,µ,½∏ó'Ô,É,µ,Ü,·∏ B

,∙,×,ÄfRfs[[[]i,n[]j	ŽÀ□sŒ‹‰Ê'S'Ì,ðfRfs□[,μ□AfNfŠfbfvf{ □[fh,É∙Û'¶,μ,Ü,·□BŽÀ□s'†,ĺŽg— p.Å.«.Ü.¹.ñ⊓B
ƒ}□[ƒN□i,I□j	ŽÀ□s□€-Ú^ê——,Å'I'ð,³,ê,½□€- Ú,ÌŽÀ□sf{f^f",ðf}□[fN□i□□ ON □ó'Ô□j,,;éfRf}f"fh,Å,:□B^ê,Â,Ì□€- Ú,Ì}□[fN,ª□I,í,é,Æ□AŽ©"®"I,ÉŽŸ,Ì□€- Ú,ª}□[fN,Ì'Î□Û,É,È,è,Ü,:□B,:,Å,Éf}□[fN ,³,ê,½□€- Ú,ª'I'ð,³,ê,½,Æ,«,Í,»,Ìf}□[fN,ð ‰ð□œ,µ,Ü,:□BŽÀ□s'†,ÍŽg— p,Å,«,Ü,¹,ñ□B
ŽÀ□s□€–Ú,Ì□,,‰ñf ‰f"fv,ð,·,×,Ä"_""□i,s□j	ŽÀ⊡sf{f^f",ª ON ⊡ó'Ô,Ì⊡€–Ú,Ì□,,‰ñf ‰f"fv,ð,·,×,Ä ON ⊡ó'Ô,É,·,éfRf}f"fh,Å,·⊡BŽÀ⊡s'†,ÍŽg— p,Å,«,Ü,¹,ñ⊡B
[œ [Ý'è[i,r[j Šî-{[Ý'è[i,f]j	□yfl□[fgfpfCf□fbfg,ÌŠî- {□Ý'è□zf_fCfAf□fO,ªŠJ,«,Ü,·□Bfl□[fgfpf Cf□fbfg,ÉŠÖ,·,éŠî-{"I,È□Ý'è,ð□s,¢ ,Ü,·□BŽÀ□s'†,ÍŽg—p,Å,«,Ü,¹,ñ□B
□œ fwf‹fv□i,g□j fgfsfbfN,ÌŒŸ□õ□i,g□j	□yfgfsfbfN,ÌŒŸ□õ□zf_fCfAf□fO,ªŠJ,«,Ü, ·□B
fo□[fWf‡f"□î∙ñ□i,`□j	Ŭ NIFTY MANAGER fl□[fgfpfCf□fbfg,Ìfo□[fWf‡f",â"ÅŒ ,È,Ç ,ÉŠÖ,·,é□î∙ñ,ð∙\ަ,µ,Ü,·□B

fc[[f<fo][,Ì[\[¬

fc□[f<fo□[,É,ĺ□Af□fjf...□[fo□[,É—p^Ó,³,ê,½fRf}f"fh,Ì,¤,¿□A,æ,-Žg,í,ê,éfRf}f"fh,ªf{f^f",Æ,μ,Ä"z'u,³,ê,Ä,¢,Ü,·□Bfc□[f<fo□[,Ì□\□¬,ð^ȉº,ÉŽ¦,μ,Ü,·□B

f{f^f"	fRf}f"fh	<@"\
	ŽÀ <u>∏</u> s	NIFTY SERVE ,É□Ú [′] ± ,µ,Äfl□[fgfpfCf□fbfg,ðŽÀ□s,µ,Ü,·□BŽÀ□ s′t ÍŽa—p Å « Ü ¹ õ□B
H	'†Ž~	ŽÀ⊡s'†,Ìfl□[fgfpfCf□fbfg,𒆎∼,μ,Ü,·⊡B
		,± ,lf{f^f",ðfNfŠfbfN, \cdot ,é,ÆŽÀ \Box s'†Ž~,ðŠ m"F, \cdot ,éf_fCfAf \Box fO, a ŠJ,«,Ü, \cdot \Box B'†Ž~,ð'I' ð, \cdot ,é,Æ \Box AŽó \Box M, \Box ,æ,Ñ' $-\Box$ M,Ì \Box ^- \Box ,ð'†Ž~, μ ,Ä NIFTY SERVE ,Æ,Ì \Box Ú'± , $^{a}\Box$ I $-^{1}$, 3 ,ê,Ü, $\cdot\Box$ B-¢"Ç"- C 3 4,ð, \cdot ,×,Äf_fEf"f \Box Cfh, \cdot ,é,Ü,¦,ÉfI \Box [fgf pfCf \Box fbg,ð'†Ž~, μ , 1 / $_{2}$ Cê \Box ‡ \Box A,»,Ì"dŽq ‰i <cž<sup>a,Ì"C34,Ì- ¢"Ç\Box^Šù"Ç\Boxó'Ô,Í•I\BoxX,3,ê,Ü,1,ñ\BoxBŽÀ\Box s'†ÈŠO,ÍŽg$-p$,Å,«,Ü,1,ñ\BoxB</cž<sup>
	•Û'¶,³,ê,Ä,¢ ,éŽÀ[]s[]€-Ú^ê—— ,ð"C∏ž	ŽÀ□s□€-Ú^ê——,ð□mŽÀ□s□€-Ú^ê—— ,ð•Û'¶□nfRf}f"fh,ŕۑ¶,µ,½□ó'Ô,É- ß,µ,Ü,·□BŽÀ□s′†,ÍŽq—p,Å,«,Ü,¹,ñ⊓B
	ŽÀ⊡s⊡€-Ú^ê—— ,ð∙Û'¶	ŽÀ□s□€-Ú^ê—— ,Ì□ó'Ô,ð•Û'¶,µ,Ü,·□B□m•Û'¶,³,ê,Ä,¢ ,éŽÀ□s□€-Ú^ê—— ,ð"C□ž□nfRf}f"fh,ð'l'ð,u,½,Æ.«.¨,æ.Ñf
¥	f}□[fN	I□[fgfpfCf□fbfg,ð□Ä <n"®,µ,½,æ,«,í□a, ±,ÌfRf}f"fh,ŕۑ¶,µ,½□ó'Ô,É- ß,è,Ü,·□BŽÀ□s'†,ÍŽg—p,Å,«,Ü,¹,ñ□B ŽÀ□s□€-Ú^ê——,Å'I'ð,³,ê,½□€- Ú,ÌŽÀ□sf{f^f*,ðf}□[fN□i□□ ON □ó'Ô□j,·,éf{f^f*,Å,·□B^ê,Â,Ì□€- Ú,Ì}D□[fN_ª□L (,é,Æ□AŽ©"®"LÉŽŸ,Ì□€-</n"®,µ,½,æ,«,í□a,
		Ú,ªf}□[fN,Ì'Î□Û,É,È,è,Ü,·□B,·,Å,Éf}□[fN ,³,ê,½□€– Ú,ª'I'ð,³,ê,½,Æ,«,Í,»,Ìf}□[fN,ð ‰ð□œ,µ,Ü,·□BŽÀ□s'†,ÍŽg— p,Å,«,Ü,¹,ñ∏B
5	ŽÀ∏s⊡€- Ú,Ì⊡,,‰ñf ‰f"fv,ð,·,×,Ä"_""	ŽÀ⊡sf{f^f",ª ON ⊡ó'Ô,Ì⊡€-Ú,Ì□,,‰ñf ‰f"fv,ð,·,×,Ä ON ⊡ó'Ô,É,·,éf{f^f",Å,·□BŽÀ⊡s'†,ÍŽg— p.Å.«.Ü.¹,ñ□B
	Šî–{∏Ý'è	□yfl□[fgfpfCf□fbfg,ÌŠî- {□Ý'è□zf_fCfAf□fO,ªŠJ,«,Ü,·□Bfl□[fgfpf Cf□fbfg,ÉŠÖ,·,éŠî-{"I,È□Ý'è,ð□s,È,¢ ,Ü,·□BŽÀ□s'†,ĺŽg—p,Å,«,Ü,¹,ñ⊓B
69	NIFTY MANAGER ,Ì≺N" ®	NIFTY MANAGER,ð <n"®,µ,ü,·∏b< td=""></n"®,µ,ü,·∏b<>
=	fLfffrflfbfg,ðŠJ,	NIFTY MANAGER ,Ì□yfLfffrflfbfg□zf_fCfAf□fO,ðŠJ,«□A'l'ð,

³,ê,½∏€–Ú,ÉŠY"–,∙,éfLfffrflfbfg,Ì"à e,ð•\ަ,µ,Ü,∙]B

fl_[fgfpfCf_fbfg,Ì<N"®,Æ]|-1

[mNIFTY MANAGER fl[[fgfpfCf[]fbfg,Ì<N"®•û-@[n

□œ NIFTY MANAGER fl□[fgfpfCf□fbfg,Ì<N" ® ,É,Í□A^ȉº,Ì,R'Ê,è,Ì•û-@,ª, ,è,Ü,·□B

□| NIFTY MANAGER ,Ìfc□[f<fo□[,Ì□qfl□[fgfpfCf□fbfg□rf{f^f",ðfNfŠfbfN,·,é</p>

 $[] NIFTY MANAGER, \] [] mfT[[frfX[i,r]j[]nf[]fjf...[[,]]mf1[][fgfpfCf[]fbfg[]i, `[j]]n, \delta'l' \delta, \cdot, e']]]] [] n, b'l' \delta, \cdot, e']] []$

[] Windows95 ,Ì[]qfXf^[[fg[]rf{f^f",ðfNfŠfbfN,μ[]A[]mfvf[]fOf‰f€[]i,o[]j[]n,Ì[]mNIFTY MANAGER[]n,©,ç[]mfl[][fgfpfCf[]fbfg[]n,ð'l'ð,∙,é

□œ NIFTY MANAGER fl□[fgfpfCf□fbfg,ð<N"®,·,é,Æ□Af□fCf"fEfBf"fhfE,ªŠJ,«,Ü,·□B,± ,ÌfEfBf"fhfE,©,çfl□[fgfpfCf□fbfg,ðŽÀ□s,μ,Ü,·□Bf□fCf"fEfBf"fhfE,Ì□Ú□×,È□à-¾,ÉŠÖ,μ,Ä,Í□A<u>□uf□fCf"fEfBf"fhfE,ÌŒ©,©,½,Ɖæ–Ê□\□¬□v</u>,ðŽQ□Æ,μ,Ä,,¾,³,¢□B

Cœ NIFTY MANAGER

fl[[fgfpfCf[]fbfg,ð,ĺ,¶,ß,Ä<N" ®, μ , $\frac{1}{2}$,Æ,«,ĺ[A[]<u>yfZfbfgfAfbfv[]z[]if[][f<Žó[]M•û-</u> @[<u>jf_fCfAf]fO</u>,ªŠJ,«,Ü,·]B,±,Ìf_fCfAf]fO,Åfl[[fgfpfCf]]fbfg,Ì[]‰Šú[]Ý'è,ð[]s,¢ ,Ü,·]B, $\frac{1}{2}$, $\frac{3}{4}$, μ [ANIFTY MANAGER fl[[fgfpfCf][fbfg,ª,·,Å,ÉfCf"fXfg][f<,³,ê,Ä,¢ , $\frac{1}{2}$]ê[]‡,ĺ[]A,»,Ì]]Ý'è"à—e,ª]‰Šú'l,Æ, μ ,Ä[°]ø,«Œp,ª,ê,Ü,·]B,± ,Ì,Æ,«]]yfZfbfgfAfbfv[]zf_fCfAf]fO,ĺŠJ,«,Ü,¹,ñ]B

[]mNIFTY MANAGER fl[[fgfpfCf[]fbfg,Ì[]I—1•û-@[]n

□œ NIFTY MANAGER fl□[fgfpfCf□fbfg,Ì□l—¹,É,Í□A^ȉº,Ì,Q'Ê,è,Ì•û-@,ª, ,è,Ü,·□B

□| NIFTY MANAGER fl□[fgfpfCf□fbfg,Ìf□fCf"fEfBf"fhfE,Å□mftf@fCf<□i,e□j□nf□fjf...

l[,İ]mfl][fgfpfCf]fbfg,İ]l—¹]i,w]j□n,ðʻl'ð,∙,é المالية المالية المالية المالية المالية المالية المالية المالية المالية المالية المالية المالية المالية المالية

 $[] NIFTY MANAGER fl[[fgfpfCf]fbfg,]f]fCf"fEfBf"fhfE,] \\ \& E[] \\ \tilde{a},] \\ [] u[] \\ ~ [] vf{f^f",\delta fNfSfbfN, \cdot, e fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn ffe, fn f$

操作 詳細

$]_{i} mf [] [f < nf^{f}, i' \in] i \cdot \hat{u} - @$

 $[mf]_[f_{n}^{f_{n}}, \hat{h}, \hat{h}] A^{*}d\check{Z}qf]_[f_{,}\acute{E}\check{S}\ddot{O}, \cdot, \acute{e}fl][fgfpfCf][fbfg, \hat{h}]\dot{V}'e, \delta]] s, c, U, \cdot] B$

1. <code>[uŽó[]M[]v,Å[]A-¢"Ç,Ì"dŽqf[][[f<,ðŽó[]M,·,é,©[]AŽ©•ª,Ìf[][[f<f{fbfNfX,É"Í,¢,Ä,¢ ,é"dŽqf[][[f<,ð,·,×,ÄŽó[]M,·,é,©,ð'l'ð,μ,Ü,·]B</sub></code>

2.

3. $\Box qOK \Box rf{f^{f}, \delta fNfSfbfN, \mu, U, \Box B}$ $\Box \dot{Y} \dot{e}^{a} - e, \dot{e} \dot{I} X, \dot{a}, \hat{e} \Box Af_fCfAf \Box fO, \delta \cdot \hat{A}, \P, U, \Box B$

操作詳細

[°]‰º,Ì□},Ì–Ú"I,Ìf_fCfAf□fO—v'f,ðfNfŠfbfN,·,é,Æ□Af_fCfAf□fO,ÌŠe□\□¬—v'f,É,Â,¢,Ä,Ì□î•ñ,ð•\ ަ,³,¹,é,±,Æ,ª,Å,«,Ü,·□B

オートパーロットの基本設定		×
実行結果の保存 ユーザー メール フォーラム	設定 :	接続設定 スケシュール
●受信 ● 未読メールを受信箱 ● 全メールを受信箱に受	:受信する(E) 計言する(<u>C</u>)]
- テキスト以外に受信するメー 「▼ バイナリー(B) 「▼ MIME(<u>M</u>) 「▼ JPEG(<u>J</u>) 「▼ NAPLPS(N)	·n	
ОК	キャンセル	

操作 詳細

□;□mftfH□[f‰f€□nf^fu,Ì'€**□**ì•û-@

[]mftfH[][f‰f€[]nf^fu,Å,Í[]AftfH[][f‰f€,ÉŠÖ,∙,éfl[][fgfpfCf[]fbfg,Ì[]Ý'è,ð[]s,¢,Ü,·[]B

1. □uftfH□[f‰f€□v,Å□A"Œ¾,ð'—□M,Ü,½,ĺŽó□M,·,éftfH□[f‰f€,ð'l'ð,μ,Ü,·□BftfH□[f‰f€-¼□Ì,Ì□¶'¤,Ìf`fFbbfNf{f^f",ðfNfŠfbfN,μ,Äf`fFfbfNf}□[fN,ð•t,⁻,Ä,,¾,³,4]B

⁷4⊡i,i⊡ I ≈,i j i jojnj (j j ,ojnj ojojn,μ,Α) i jojnj /⊡jn,0*t, ,A,,74 ➡f`fFfbfNf}[[fN,ð‰ð]œ,·,é,Æ,«,Í]A‰ð]œ,·,éftfH[[f‰f€

,É'Î,μ,Äf`fFfbfN,μ,½,Æ,«,Æ"⁻,¶'€□Ì,ð□Ä"x⊡s,Á,Ä,,¾,³,¢□B

⇒f_fEf"f□[[fh,³,ê,½"Œ¾,Í[]ANIFTY MANAGER ,ÌfLfffrflfbfg,ɕۑ¶,³,ê,Ü,·□B,Ü,½[]A[]uftfH□[f‰f€ ,©,c,Ì,¨'m,c,¹[]v,Æ[]u"dŽq‰ï<cŽº,©,c,Ì,¨'m,c,¹[]v,ª[]Afl□[[fgfpfCf□[fbfg,ÌŽÀ[]sŒ<‰Ê,É•\ ަ,³,ê,Ü,·□B

Interpret and the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the

2. □qOK□rf{f^f",ðfNfŠfbfN,μ,Ü,·□B ➡□Ý'è"à—e,ª•i□X,³,ê□Af_fCfAf□fO,ð•Â,¶,Ü,·□B

操作詳細

[°]‰º,Ì□},Ì–Ú"I,Ìf_fCfAf□fO—v'f,ðfNfŠfbfN,·,é,Æ□Af_fCfAf□fO,ÌŠe□\□¬—v'f,É,Â,¢,Ä,Ì□î•ñ,ð•\ ަ,³,¹,é,±,Æ,ª,Å,«,Ü,·□B

オートパイロットの基本設定			×
実行結果の保存 メール	ユーザ [、] フォーラム	-設定	接続設定
7#~74(<u>)</u> ∑ 6] <nifty ma<="" td=""><td>mager for Windo</td><td>ws Forum ></td><td></td></nifty>	mager for Windo	ws Forum >	
□ □	ォーラム Communi ーラム>	cation 館>	
•			
選択されたフォーラムが	i画面に表示されま	き。	
		الماري ا	1
	OK	17700	1,4167

□yfl[fgfpfCf]fbfg,ÌŠî-{[Ý'è]zf_fCfAf]fO {button �â'«,Pl(`NIMPILOT.HLP',`NIM_PILOT_SETGNRLSCH_HOSOKU')}

操作 詳細

$[]_i[]mfXfPfWf...][f < []nf^fu, l' \in []i \cdot \hat{u} - @$

 $[mfXfPfWf...][f{[nf^fu,Å,I]AŽžŠÔ,ÌŽw'è,É,æ,éfI][fgfpfCf]fbfg,ÌŽ©"®‰»,Ì][Ý'è,ð]]s,¢,Ü,·]B$

 Žw'è,μ,½ŽžŠÔ,Éfl□[fgfpfCf□fbfg,ðŽ©"®"I,ÉŽÀ□s,·,é,Æ,«,Í□ufXfPfWf… □[f<,ðŽÀ□s,·,é□v,ð'I'ð,μ,Ä,,¾,³,¢□BŽÀ□s,μ,È,¢,Æ,«,Í□ufXfPfWf… □[f<,ðŽÀ□s,μ,È,¢□v,ð'I'ð,μ,Ü,·□B

2.

[]uŽÀ[]sŽž[]],P[]v,Æ[]uŽÀ[]sŽž[]],Q[]v,É[]AfI[][fgfpfCf[]fbfg,ðŽ©"®ŽÀ[]s,∙,鎞[]],ð24ŽžŠÔ•\‹L ,Å"ü—ĺ,μ,Ü,·]]B[]i—á[]FŒßŒã,WŽž,Ì]]ê[]‡,Í[]u20[]v,ð"ü ĺ,∙,é[]jŽž[]],Ì'[],¢•û,ª]æ,ÉŽÀ[]s,³,ê,Ü,·]]B

3. fl□[fgfpfCf□fbfg,ðŽ©"®ŽÀ□s,·,é—j"ú,Ìf`fFfbfNf{f^f",ðf`fFfbfN,µ,Ü,·□B-^"úŽÀ□s,·,é,Æ,«,Í□q-^"ú□rf{f^f",ðfNfŠfbfN,µ,Ä,,¾,³,¢□B,·,×,Ä,Ì—j"ú,³f`fFfbfN,³,ê,Ü,·□B

4. □qOK□rf{f^f",ðfNfŠfbfN,μ,Ü,·□B ➡□Ý'è"à—e,ª•Ï□X,³,ê□Af_fCfAf□fO,ð•Â,¶,Ü,·□B

]yfl][fgfpfCf]fbfg,ÌŠî-{[**Ý'è**]**zf_fCfAf**]fO {button �â'«,Pl(`NIMPILOT.HLP',`NIM_PILOT_SETGNRLSCH_HOSOKU')}

操作 詳細

‰º,Ì□},Ì–Ú"I,Ìf_fCfAf□fO—v'f,ðfNfŠfbfN,·,é,Æ□Af_fCfAf□fO,ÌŠe□\□¬—v'f,É,Â,¢,Ä,Ì□î•ñ,ð•\ ަ,³,¹,é,±,Æ,ª,Å,«,Ü,·□B

オートパークトの基本設定		×
実行結果の保存	ユーザー設定 フォーラム	接続設定 スクジュール
○ スケジュールを実行しな ○ スケジュールを実行する	un M	
実行時刻1(<u>1</u>): 実行時刻2(2):	9 <u>-</u> 時 30	 ····································
	「月曜日(処) □ 火曜	日① 🔽 水曜日 🖤
□ 木曜日(山) □	_金曜日(E) □ 土曜	田(S) 毎日(D)
	ОК + ŧ	シセル ヘルフ [*]

fl[[fgfpfCf[]fbfgfXfPfWf...[[f<Žg—p[ã,Ì']^Ó

- (2)fl□[fgfpfCf□fbfgŽÀ□s'+,Ì□ê□‡,Í□AfXfPfWf...□[f<,³,ê,½ŽžŠÔ,É,È,Á,Ä,àfXfPfWf... □[f<,ĺŽÀ□s,³,ê,Ü,¹,ñ□B
- (3) NIFTY MANAGER ,ª<N" ®, µ,Ä,¢,Ä□ANIFTY SERVE ,É□Ú'±,µ,Ä,¢, ,é□ê□‡,Í□AŽw'è,µ,½ŽÀ□sŽž□□,É,È,é,Æ NIFTY MANAGER fI□[fgfpfCf□fbfg,²<N" ®,µ,Ü,·,ª□AfI□[fgfpfCf□fbfg,ĺŽÀ□s,³,ê,Ü,¹,ñ□B</p>
- (4) NIFTY MANAGER ,ª <N" ®, µ,Ä,¢,Ä□ANIFTY SERVE ,É□Ú'±,µ,Ä,¢ ,È,¢□ê□‡,Í□AfI□[fgfpfCf□fbfg,ªŽw'è,µ,½ŽÀ□sŽž□□,ÉŽÀ□s,³,ê,Ü,·□B
- (5) fpf\fRf", ì"dŒ¹,^a"ü,Á,Ä,¢,È,©,Á,½,è□Afpf\fRf",^a□³□í,É<N"®,µ,Ä,¢,È,¢□ê□‡,í□Afl□[fgfpfCf□fbfg,ÍŽÀ□s,³,ê,Ü,¹,ñ□B

操作 詳細

$[]_i []mft][fU][]Ý'e]nf^fu, I'\in []i \cdot \hat{u} - @$

fl□[fgfpfCf□fbfg,Å,Í□ANIFTY MANAGER ,Å NIFTY SERVE ,É□Ú'±,·,é,Æ,«,Æ"⁻,¶f†□[fU□[ID,ðŽg p,μ,Ä□ANIFTY SERVE,É□Ú'±,μ,Ü,·□B,±,Ìf^fu,É,Í□ANIFTY MANAGER ,Ì<u>□yft□[fU□[□Ý'è□zf_fCfAf□f0</u>,É□Ý'è,³,ê,Ä,¢,é□î•ñ□ift□[fU□[ID□AfpfXf□□[fh□j,ª•\ަ,³,ê,Ü,·□B

 ft□[fU□[ID ,ÆfpfXf□□[fh,ðŠm"F,µ,Ü,·□Bft□[fU□[ID,Ü,½,ĺfpfXf□□[fh,Ì•Ï□X,Í□ANIFTY MANAGER ,Ì<u>□yft□[fU□[□Ý'è□zf_fCfAf□fO</u>,Å□s,Á,Ä,,¾,³,¢□B,±,Ìf^fu,Å•Ï□X,·,é,±,Æ,ĺ,Å,«,Ü,¹,ñ□B
 ft□[fU□[ID ,ÆfpfXf□□[fh,ª"ü−ĺ,³,ê,Ä,¢

,È,¢<code>[]</code>ê<code>[]</code>‡,Ü,½,ĺf†<code>[][fU</code>[<code>[ID</code>,ÆfpfXf]][[fh,Ì,C,¿,c,©,ÉŒë,è,ª, ,é<code>[]</code>ê<code>[]</code>‡,Í<code>[]Afl</code>[<code>[fgfpfCf]]fbfg,ðŽÀ]s,µ,½, Æ,«,É<u>IIID,ÆfpfXf]</u>[[fh]<u>zf_fCfAf]fO</u>, ªŠJ,«,Ü,·]B,±,Ìf_fCfAf]fO,Åf†<code>[[fU][ID</code>,ÆfpfXf]][[fh,ð]³,µ,- "ü—ĺ,µ,Ä,,¾,³,¢]B</code>

2. []qOK[]rf{f^f",ðfNfŠfbfN,μ,Ü,·[]B

➡□Ý'è"à—e,ª•Ï□X,³,ê□Af_fCfAf□fO,ð•Â,¶,Ü,·□B

操作詳細

[°]‰º,Ì□},Ì–Ú"I,Ìf_fCfAf□fO—v'f,ðfNfŠfbfN,·,é,Æ□Af_fCfAf□fO,ÌŠe□\□¬—v'f,É,Â,¢,Ä,Ì□î•ñ,ð•\ ަ,³,¹,é,±,Æ,ª,Å,«,Ü,·□B

オートパークトの基本設定			×
メール 実行結果の保存	フォーラム ユーザー設定	ス 損	クジュール 続設定
接続に使用するユー 以下のように設定さ	ザーロとパスワート1ま 対れています。		
ב–₩~ID(<u>U</u>)	ABC12345		
パネワート(E)	*>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
設定の変更はMIFT	Y MANAGERの7ーザー話	定で行って	ください。
BX/EV/SCX18MIT		oe en se	vcc0.0
[ОК ‡	ャンセル	^⊮7*

操作 詳細

];]*m*]Ú'±]Ý'è]*nf^fu,Ì*'€]ì•û-@

[]œ fl[[fgfpfCf[]fbfg,Å,Í[]ANIFTY MANAGER ,Å NIFTY SERVE ,É[]Ú'±,·,é,Æ,«,Æ"⁻,¶fAfNfZfXf] fCf"fg,ðŽg—p,μ,Ä[]ANIFTY SERVE,É[]Ú'±,μ,Ü,·[]B,±,Ìf^fu,É,Í[]ANIFTY MANAGER ,Ì<u>[]y[]Ú'±]Ý'è[]zf_fCfAf[]fO</u>,Ì[]mfAfNfZfXf|fCf"fg[]nf^fu,É[]Ý'è,³,ê,Ä,¢,é[]î•ñ,ª•\ަ,³,ê,Ü,·[]B

- []œ NIFTY MANAGER ,Ì<u>□y□Ú'±□Ý'è□zf fCfAf⊡fO</u>,Ì□m□Ú'±•û-@□nf^fu,Å□ufCf"f^□[flfbfgŒo— R,Å,Ì□Ú'±,ð—~_p,·,é□v,²f`fFfbfN,³,ê,Ä,¢,é,Æ,«,Í□A^ȉº,Ì'€□ì,ð,·,é•K—v,ĺ, ,è,Ü,¹,ñ□B
- □u□Ú'±Žž,ÉŽg—p,·,éfOf<□[fv□v,Å□AfAfNfZfXf|fCf"fgfOf<□[fv,ð'l'ð,µ,Ü,·□B^ê——,É,Í□ANIFTY MANAGER,Ì<u>□y□Ú'±□Ý'è□zf_fCfAf□fO</u>,É□Ý'è,³,ê,Ä,¢,éfAfNfZfXf|fCf"fgfOf<□[fv,ª•\ަ,³,ê,Ü,·□B
 ➡fAfNfZfXf|fCf"fg,Ì^ê——,ª•\ަ,³,ê,Ü,·□B

➡fl□[fgfpfCf□fbfg,ÌŠî-{□Ý'è,Å,Å,«,é,±,Æ,Í□AfAfNfZfXf|fCf"fgfOf<□[fv,Ì'I'ð,¾,⁻,Å,·□BfAfNfZfXf| fCf"fgfOf<□[fv,¨,æ,ÑfAfNfZfXf|fCf"fg,Ì'ljÁ□A•Ï□X□A□í□œ,Í□ANIFTY MANAGER ,Ì□y□Ú'±□Ý'è□zf_fCfAf□fO,Å□s,Á,Ä,,¾,³,¢□B

2. □uHyperROAD □Ø'f,ÌŠm"F,ð□s,¤□v,ðf`fFfbfN,·,é,Æ□Afl□[fgfpfCf□fbfg,ÌŽÀ□sŒã,É HyperROAD,)ÌfAfŊfZfXf|fCf"fg,Æ,Ì□Ú'±,ð□I-1,·,é,©,Ç,¤

,©,ÌŠm"Ff_fCfAf□fO,ªŠJ,«,Ü,·□B'Ê□í,ĺf`fFfbfN,ð•t,⁻,È,¢,Å,,¾,³,¢□B ,±,ÌflfvfVf‡f",Í□AHyperROAD,ÌfAfNfZfXf|fCf"fg,ð'l'ð,μ,Ä,¢,é□ê□‡,É,¾,⁻•\ ŽL¾ ô Ü,□BHyporBOAD,ÈŠO,ÌfAfNfZfXf|fCf"fg,ð'l'ð,μ,Ä,¢,é□ê□‡,É,¾,⁻•\

ަ,³,ê,Ü,·⊡BHyperROAD ^ÈŠO,ÌfAfNfZfXf[fCf‴fg,ðʻl'ð,µ,Ä,¢,é⊡ê⊡‡,Í⊡A⊡Úʻ±,ª∙K, ੁ□I— ¹,³,ê,Ü,·⊡B

3. □qOK□rf{f^f",ðfNfŠfbfN,μ,Ü,·□B ➡□Ý'è"à—e,ª•ï□X,³,ê□Af_fCfAf□fO,ð•Â,¶,Ü,·□B

操作詳細

‰º,Ì[]},Ì–Ú"I,Ìf_fCfAf[]fO—v'f,ðfNfŠfbfN,·,é,Æ[]Af_fCfAf[]fO,ÌŠe[]\[]¬—v'f,É,Â,¢,Ä,Ì[]î•ñ,ð•\ ަ,³,¹,é,±,Æ,ª,Å,«,Ü,·[]B

オートパイロットの基本設定					X	
メール	74-	-74	, zł	ケジュール	1	
実行結果の保存	ユーサ	や設定	接	続設定		
接続時に使用するゲル 札幌(HyperROAD64)	,−7°(<u>G</u>): ▼	7				
130/273724 . 772	121211211	J/C1300/6				
所在 札幌(HyperROAD	64)	速度 64000	_番号 _011-809-:	2471		
•						
□ HyperROAD切断の確認を行う(D)						
設定の変更はNIFTY MANAGERの通信設定で行ってください。						
[OK	(++	ノセル	^⊮7*		

ŽĐ"à LAN ,È,Ç,Ìflfbfgf [][[fN,ð—~—p,µ,Ä NIFTY SERVE ,É []Ú'±,·,é,æ,¤,É []Ý'è,³,ê,Ä,¢,é,Æ,«,Í []A^È ‰º,Ì,æ,¤,É•\ަ,³,ê,Ü,·] B

オートパイロットの基本設定			×		
メール 実行結果の保存	フォーラム ユーサー≣	2 改定 拍	マクジュール) 度続設定		
接続時に使用するゲ	ll−7°(<u>G</u>):				
インターネット経由での接	続 🗾				
┌ グルーブの設定 ─					
接続方法: インター	ネット経由の接続				
			+"-+1 .		
設定の変更はNIFTY MANAGERの週間設定で行ってくたさい。					
	ок	キャンセル	^/µ7°		

操作 詳細

$]_{i}]m\check{Z}\dot{A}]s\pounds{\langle}\%\hat{E},\dot{I}\bullet\hat{U}'\P]nf^{f}u,\dot{I}'\notin]i\bullet\hat{u}-@$

1.

$$\label{eq:linearcond} \begin{split} & []ufLfffrflfbfg, \acute{E}fl[[fgfpfCf[]fbfg, \grave{Z}\)] \\ & \dot{Z}\) \\ & \dot{A}] s \\ & \dot{C} < & \hat{C}, \\ & \dot{C}, \\ & & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & \dot{C}, \\ & &$$

2. $\Box qOK \Box rf{f^{f}, \delta fNfSfbfN, \mu, U, \Box B}$ $\Box \dot{Y} \dot{e}^{a} - e, \dot{e} \cdot \ddot{\Box} X, \dot{a}, \hat{e} \Box Af_fCfAf \Box fO, \delta \cdot \hat{A}, \P, U, \Box B$

操作詳細

[°]‰º,Ì□},Ì–Ú"I,Ìf_fCfAf□fO—v'f,ðfNfŠfbfN,·,é,Æ□Af_fCfAf□fO,ÌŠe□\□¬—v'f,É,Â,¢,Ä,Ì□î•ñ,ð•\ ަ,³,¹,é,±,Æ,ª,Å,«,Ü,·□B

オートパイロットの基本設定	×
メール フォーラム ス 実行結果の保存 ユーザー設定 3	ウジュール 接続設定
実行結果の保存 ✓ キャビネットにオートハ*伯ットの実行結果を保存する(⊻) オートハ*伯ットの実行結果は、一般キャビネットに "オートハ*伯ット実行結果"として保存されます。	
 ОК 1 +УZル	^\/J^*
□yfl□[fgfpfCf□fbfg,ÌŠî-{□Ý'è□zf_fCfAf□fO,ÌŠÖ~Af|fbfvfAfbfv □f□f□ì□¬'†,Å,·□,,□,,

□yfl□[fgfpfCf□fbfg,ÌŠî-{□Ý'è□zf_fCfAf□fO,ÌŠÖ~Af|fbfvfAfbfv □f□f□ì□¬'†,Å,·□,,□,,

□yfl□[fgfpfCf□fbfg,ÌŠî-{□Ý'è□zf_fCfAf□fO,Ì•â'«f|fbfvfAfbfv □f□f□ì□¬'†,Å,·□"□"

_yID ,ÆfpfXfuu[fhuzf_fCfAfuf0

<code>]yID,ÆfpfXf]][[fh]zf_fCfAf]fO,Ì'€]ì•û-@</mark></code>

 □uft□[fU□[ID□v,É□AID ,ð"ü−ĺ,µ,Ü,·□BID ,ÆfpfXf□□[fh,ĺ□A ‰p•¶Žš,Ì'å•¶Žš,Æ□¬•¶Žš□A'SŠp,Æ"¼Šp,Ì‹æ•Ê,É'□^Ó,µ□A□³Šm,É"ü−ĺ,µ,Ä,,¾,³,¢□B

3. \Box qOK \Box rf{f^f, δ fNfŠfbfN, μ , \ddot{U} , $\dot{\Box}$ B

➡ ID,ÆfpfXf□□[fh,ª□Ý'è,³,ê□ANIFTY SERVE,Ö,Ì□Ú'±,ªŽn,Ü,è,Ü,·□B

٧4.6 ,Å^ȉº,̉æ-Ê,ð'ljÁ,∙,é

□yfZfbfgfAfbfv□z□if□□[f<Žó□M•û-@□jf_fCfAf□fO

操作 詳細

<code>]yfZfbfgfAfbfv]z]if]][f<Žó]M•û-@]jf_fCfAf]fO,Ì'€]ì•û-@</code>

1. -¢"Ç,Ì"dŽqf□□[f<,ðŽó□M,·,é,©□AŽ© •ª,Ìf□□[f<f{fbfNfX,É"Í,¢,Ä,¢ ,é"dŽqf□□[f<,ð,·,×,ÄŽó□M,·,é,©,ð'l'ð,μ,Ü,·⊡B

2. __qŽŸ,Ö__rf{f^f,,ðfNfŠfbfN,μ,Ü,·_B

 $\Rightarrow \Box y f Z f b f g f A f b f v \Box z \Box i \check{Z} \acute{O} \Box M f \Box \Box [f < ` @ \Box « ` I ` ð \Box j f _ f C f A f \Box f O, ^a \check{S} J, «, Ü, · \Box B, ±$

,Ìf_fCfAf⊡fO,Å□AŽó□M,Ì'Ĩ□Ú,Ì"dŽqf□□[f<,Ì'®□«,ð□Ý'è,µ,Ü,·□B ➡,±,±,Å□Ý'è,µ,½□î•ñ,Ĭ<u>□yfl□[fgfpfCf□fbfg,ÌŠî-{□Ý'è□zf_fCfAf□fO</u>,Å•Ï□X,Å,«,Ü,·□B

□yfZfbfgfAfbfv□z**□if□[**f<Žó**□M**•û-@**]**jf_fCfAf**□**fO

操作詳細



□yfZfbfgfAfbfv□z□iŽó□Mf□□[f<'®□«'I'ð□jf_fCfAf□fO

操作 詳細

<code>]yfZfbfgfAfbfv<code>]z</code>]iŽó<code>]Mf</code>[][f<'®<code>]</code>«'l'ð<code>]jf_fCfAf</code>]fO,Ì'€□Ì•û-@</code>

1.

$$\begin{split} \check{Z} & (\Box M, \hat{I}'\hat{\Box} \hat{U}, \hat{I}'' d \check{Z} qf \Box [f <, \hat{I}' \otimes \Box «, \delta' I' \delta, \mu, \ddot{U}, \Box Bf `fFfbfN, \delta \bullet t, \bar{}, \frac{1}{2}' \otimes \Box «, \hat{I}'' d \check{Z} qf \Box [f <, \hat{a} \check{Z} \delta \Box M, \hat{I}'\hat{\Box} \hat{U}, \acute{E}, \dot{E}, \ddot{U}, \cdot \Box BfefLfXfg \\ \check{E} `\check{Z} \otimes, \hat{I}'' d \check{Z} qf \Box [f <, \hat{I} \Box A \check{Z} \\ \otimes'' \otimes'' I, \acute{E} \check{Z} \delta \Box M, \hat{a}, \hat{E}, \ddot{U}, \cdot \Box B \end{split}$$

□yfZfbfgfAfbfv□z**□iŽó□**Mf**□□**[f<'®**□**«'I'ð**□jf_fCfAf□**fO

操作詳細

[°]‰º,Ì□},Ì–Ú"I,Ìf_fCfAf□fO—v'f,ðfNfŠfbfN,·,é,Æ□Af_fCfAf□fO,ÌŠe□\□¬—v'f,É,Â,¢,Ä,Ì□î•ñ,ð•\ ަ,³,¹,é,±,Æ,ª,Å,«,Ü,·□B

セットアップ	
	受信するメールの属性を選択してください。 (複数選択が可能です)
< 戻る(B) 次へ (N)> キャンセル ヘルフ*	

<code>]yfZfbfgfAfbfv]z]iftfH][f‰f€'I'ð]jf_fCfAf]fO</code>

操作 詳細

 $[]yfZfbfgfAfbfv[]z[]iftfH[][f‰f€'l'ð[]jf_fCfAf[]fO,Ì'€[]) \bullet \hat{u} - @$

 "Œ¾,ð'—□M,Ü,½,ĺŽó□M,·,éftfH□[f‰f€,ð'l'ð,µ,Ü,·□Bf`fFfbfN,ð•t,⁻,½ftfH□[f‰f€, ,ª□Afl□[fgfpfCf□fbfg,Ì'Î□Û,É,È,è,Ü,·□B

2. _qŽŸ,Ö_rf{f^f",ðfNfŠfbfN,μ,Ü,·_B

 $= \underbrace{ \Box y f Z f b f g f A f b f v \Box z \Box i f Z f b f g f A f b f v \check{\mathbb{S}} \otimes \underline{-}^1 \Box j f \underline{-} f C f A f \Box f O, \overset{a}{\to} \check{\mathsf{S}} \mathsf{J}, \ll, \ddot{\mathsf{U}}, \Box \mathsf{B} \Box \mathsf{q} \check{\mathsf{S}} \otimes \underline{-}$

 $\label{eq:started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_started_st$

<code>]yfZfbfgfAfbfv]z]iftfH][f‰f€'I'ð]jf_fCfAf]fO</code>

操作 詳細



$[]yfZfbfgfAfbfv[]z[]ifZfbfgfAfbfvŠ@-1]jf_fCfAf[]fO$

操作 詳細

 $[]yfZfbfgfAfbfv[]z[]ifZfbfgfAfbfvŠ®-^1[]jf_fCfAf[]fO, \dot{i}`\in []\dot{\bullet}\hat{u}-@$

NIFTY MANAGER fl[[fgfpfCf[]fbfg,ÌfZfbfgfAfbfv,ÌŠ®—¹Žž,É[A,±,Ìf_fCfAf[]fO,ªŠJ,«,Ü,·]B[]qŠ®— ¹]rf{f^f",ðfNfŠfbfN,·,é,Æ]AfZfbfgfAfbfv,Å]Ý'è,µ,½]î•ñ,ð•Û'¶,µ]AfZfbfgfAfbfv,ðŠ®— ¹,µ,Ü,·]B[]q-ß,é]rf{f^f",ðfNfŠfbfN,·,é,Æ<u>]]yfZfbfgfAfbfv]z[]iftfH][f‰f€'1'ð]jf_fCfAf]fO</u>,Éß,è,Ü,·]B

□yfZfbfgfAfbfv□z□ifZfbfgfAfbfvŠ®—¹**□jf_fCfAf□fO**

操作詳細

[°]‰º,Ì□},Ì–Ú"I,Ìf_fCfAf□fO—v'f,ðfNfŠfbfN,·,é,Æ□Af_fCfAf□fO,ÌŠe□\□¬—v'f,É,Â,¢,Ä,Ì□î•ñ,ð•\ ަ,³,¹,é,±,Æ,ª,Å,«,Ü,·□B

セットアップ	
	セットアップが完了しました。
	[完了]をクリッケすれば設定が有効になります。
< 戻	る(B) 完了 キャンセル ヘルフ*

New![]yfl[[fgfpfCf[]fbfgŠî-{[]Ý'è[]zf_fCfAf[]fO

f00[f<

"dŽqf□□[f<,ÉŠÖ,·,éfl□[fgfpfCf□fbfg,Ì□Ý'è,ð□s,¢,Ü,·□B

□uŽó[]**M**[]**v** fl[[fgfpfCf[]fbfg,ÅŽÀ[]s,·,é"dŽqf[][[[f<,ÌŽó[]M'€[]Ì,ÌŽí•Ê,ð'I'ð,μ,Ü,·[]B

[]u-¢"Çf]]][f<,ðŽó[]M" ,ÉŽó[]M,∙,é[]v

-¢"Çf□□[f<,¾,[⁻],ðŽó□M,∙,é,Æ,«,É'I'ð,μ,Ü,·□B

□u'Sf□□[f‹,ðŽó□M",ÉŽó□M,·,é□v

^ê"x"Ç,ñ,¾"dŽqf□□[f<,Æ-¢"Çf□□[f<,Ì—¼•û,ðŽó□M,∙,é,Æ,«,É'I'ð,μ,Ü,·□B

□uŽó**□M,μ,È,¢**□v

"dŽqf□□[f<,ðŽó□M,μ,È,¢,Æ,«,É'l'ð,μ,Ü,·□B−¢"Çf□□[f<,Ì—L−³,¾,⁻,ð'm,ç,¹,Ä,,ê,Ü,·□B

□u'—[]**M**[]**v** fl[[fgfpfCf[]fbfg,ÅŽÀ]]s,·,é"dŽqf[]][[f<,Ì'—[]M'€[]Ì,ÌŽí•Ê,ð'I'ð,μ,Ü,·[]B

[]u'—[]M,∙,é[]v

 $`-_M", \acute{E} \bullet \hat{U}`\P, \mu, \frac{1}{2}``dŽqf__[f<, \eth`-_M, \cdot, \acute{e}, \mathcal{E}, «, \acute{E}`l`\eth, \mu, \ddot{U}, \cdot_B$

□u'—□M,μ,È,¢**□**v

'—□Μ",ɕۑ¶,μ,½"dŽqf□□[f<,ð'—□Μ,μ,È,¢,Æ,«,É'l'ð,μ,Ü,·□Β

[ufefLfXfg^ÈŠO,ÉŽó[]M,·,éf[][[f<]]v</pre>

fl□[fgfpfCf□fbfg,ÌŽÀ□sŽž,ÉŽó□M,·,é"dŽqf□□[f‹,ÌŒ`Ž®,ðʻI'ð,μ,Ü,·□BfefLfXfgŒ`Ž®,Ì"dŽqf□□[f‹,ĺ Ž©"®"I,ÉŽó□M,³,ê,Ü,·□B

□ufofCfifŠ□[□v

fofCfifŠ□[Œ`Ž®,Ì"dŽqf□□[f<,ðŽó□M,·,é,Æ,«,ĺf`fFfbfN,μ,Ü,·□B

□uMIME□v

 $\mathsf{MIME} \times \check{\mathsf{Z}} \otimes , \check{\mathsf{I}} d\check{\mathsf{Z}} qf @[[f < , \delta\check{\mathsf{Z}} \delta @M, \cdot , \acute{\mathsf{e}}, \mathcal{A}, * , \acute{\mathsf{I}} ff bf N, \mu, \ddot{\mathsf{U}}, \cdot @B$

□uJPEG□v

JPEG Œ`Ž®,Ì"dŽqf□□[f<,ðŽó□M,·,é,Æ,«,ĺf`fFfbfN,µ,Ü,·□B

□uNAPLPS□v

 $\mathsf{NAPLPS} \times \check{\mathbb{Z}}^{\otimes}, \check{\mathbb{I}}^{\circ}d\check{\mathbb{Z}}qf \Box [f < , \delta\check{\mathbb{Z}} \circ \Box M, \cdot , \acute{e}, \mathcal{E}, \ast , \acute{\mathsf{I}}^{\circ}fFfbfN, \mu, \ddot{\mathsf{U}}, \cdot \Box B$

$$\label{eq:linear_state} \begin{split} & [] \textbf{u}^{\bullet} \textbf{-} \textbf{Z} \textbf{\acute{o}} [] \textbf{M} \bullet \textbf{\ddot{e}} [] \textbf{V} \\ & fl [[fgfpfCf] fbfg, \textbf{Å} \textbf{Z} \textbf{\grave{A}}]] s, \cdot, \textbf{\acute{e}}^{\bullet} - [] \textbf{M} \bullet \textbf{\ddot{e}}, \textbf{\overleftarrow{A}} \textbf{D} \textbf{\acute{e}} \textbf{\ddot{e}}, \textbf{\acute{f}} f f f f f f f f f h, \textbf{\acute{e}}, \textbf{\acute{A}}, \textbf{\acute{e}}, \textbf{\ddot{A}}]] \textbf{\acute{Y}}^{\prime} \textbf{\acute{e}}, \mu, Ü, \cdot [] \textbf{B} \end{split}$$

□uŽó□M∙ë,ðŽæ"¾,∙,é□v

 $\check{Z} \acute{o} \square M \bullet \ddot{e}, \\ \check{o} f_f E f'' f \square \square [fh, \cdot, \acute{e}, \mathcal{A}, *, \acute{l} f` fF fb fN, \mu, \ddot{U}, \cdot \square B$

□u'—□M∙ë,ðŽæ"¾,∙,é□v

'—<code>[]M•ë,ðf_fEf"f]][[fh,·,é,Æ,«,ĺf`fFfbfN,μ,Ü,·]]B</code>

□q**□‰Šú‰**»□rf{f^f"

"ü—ĺ,³,ê,½□ðŒ□,ðŽæ,è□Á,µ,Ä□o‰×Žž,Ì□Ý'è,É-ß,·ƒ{ƒ^ƒ",Å,·□B

□qOK□rf{f^f"

 $````u-l```à-e, \eth \bullet \hat{U}`\P, \mu \Box Af_fCfAf \Box fO, \eth \bullet \hat{A}, \P, \acute{e}f \{f^f``, \mathring{A}, \cdot \Box B$

_qfLfff"fZf<**_rf{f^f**"

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

ftfH[[f‰f€

ftfH□[f‰f€,ÉŠÖ,∙,éfl□[fgfpfCf□fbfg,Ì□Ý'è,ð□s,¢,Ü,·□B

ftfH□[f‰f€^ê——

NIFTY MANAGER ,ðŽg—p,µ,ÄfAfNfZfX,µ,½,±,Æ,Ì, ,éftfH□[f‰f€,Ì^ê——,Å,·□iNIFTY MANAGER ,ÌftfH□[f‰f€ff□[f^fx□[fX,ɕۑ¶,³,ê,Ä,¢,éftfH□[f‰f€,ª•\ަ,³,ê,Ü,·□j□Bfl□[fgfpfCf□fbfg,ÌŽÀ□s□€– Ú,Æ,µ,Ä□Ý'è,·,éftfH□[f‰f€,Éf`fFfbfNf}□[fN,ð•t,⁻,Ü,·□B

f`fFfbfNf}□[fN,ð•t,⁻,é,Æ,«,ĺf}fEfX,ÅfNfŠfbfN,੶,é,©□A,Ü,½,ĺftfH□[f‰f€– ¼,ð'l'ð,μ,½□ó'Ô,ÅfXfy□[fXfL□[,ð‰Ÿ,μ,Ü,·□Bf`fFfbfNf}□[fN,ð‰ð□œ,·,é,Æ,«,ĺ□A ‰ð□œ,·,éftfH□[f‰f€,É'Î,µ,Äf`fFfbfN,µ,½,Æ,«,Æ"⁻,¶'€□ì,ð□Ä"x□s,Á,Ä,,¾,³,¢□B,±,± ,Å'l'ð,µ,½ftfH□[f‰f€,ĺf□fCf"fEfBf"fhfE,ÉŽÀ□s□€–Ú,Æ,µ,Ä•\ަ,³,ê,Ü,·□B

f_fEf"f□□[fh,Ì'Î□Û,Ì"dŽq‰ï<cŽº,Í□A,±,±,ÅftfH□[f‰f€,ð'l'ð,µ,½,,Æ,É□Af□fCf"fEfBf"fhfE,Å□Ý'è,µ, Ä,,¾,³,¢□Bf_fEf"f□□[fh,³,ê,é"Œ¾,Í□A"dŽq‰ï<cŽº,É"o[~]^,³,ê,½,·,×,Ä,Ì"Œ¾,Å,·□B,Q‰ñ-Ú^È□~□A"⁻,¶"dŽq‰ï<cŽº,É'Î,µ,Äfl□[fgfpfCf□fbfg,ðŽÀ□s,µ,½,Æ,«,Í□A□V<K,É"o[~]^,³,ê,½"-Œ¾,¾,⁻,²f_fEf"f□□[fh,³,ê,Ü,·□B

f_fEf"f□□[fh,³,ê,½"Œ¾,Í□ANIFTY MANAGER ,ÌfLfffrflfbfg,ɕۑ¶,³,ê,Ü,·□BftfH□[f‰f€,Ì-¼□Ì,ª•t,¢ ,½ftfHf<f_,ðŠJ,¢,Ä,,¾,³,¢□B

,Ü,½[]A[]uftfH[][f‰f€,©,ç,Ì,¨'m,ç,¹[]v,Æ[]u"dŽq

‰ï‹cŽº,©,ç,Ì,¨'m,ç,¹□v,ª□Afl□[fgfpfCf□fbfg,ÌŽÀ□sŒ‹‰Ê,É•\ަ,³,ê,Ü,·□B
$qf}[fN]rf{f^{"}$

□uftfH□[f‰f€□v,Å'l'ð,³,ê,½ftfH□[f‰f€ ,Ìf`fFfbfNf{f^f",ðf}□[fN,·,éf{f^f",Å,·□B,·,Å,Éf}□[fN,³,ê,½ftfH□[f‰f€ ,ª'l'ð,³,ê,½,Æ,«,Í□A,»,Ìf}□[fN,ð‰ð□œ,μ,Ü,·□B

]q'Sf}][[fN‰ð]œ]rf{f^f"

f}□[fN,É,æ,éftfH□[f‰f€,Ì'I'ð,ð'S,ĉð□œ,·,éf{f^f",Å,·□B

□q**□‰Šú‰**»□rf{f^f"

"ü—ĺ,³,ê,½□ðŒ□,ðŽæ,è□Á,µ,Ä□o‰×Žž,Ì□Ý'è,É-ß,·ƒ{ƒ^ƒ",Å,·□B

□qOK□rf{f^f"

 $````u-l```à-e, \eth \bullet \hat{U}`\P, \mu \Box Af_fCfAf \Box fO, \eth \bullet \hat{A}, \P, \acute{e}f \{f^f``, \mathring{A}, \cdot \Box B$

_qfLfff"fZf<**_rf{f^f**"

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

fXfPfWf…□[f<

ŽžŠÔ,ÌŽw'è,É,æ,éfl□[fgfpfCf□fbfg,ÌŽ©"®‰»,Ì□Ý'è,ð□s,¢,Ü,·□B

□ufXfPfWf...□[f<,ðŽÀ□s,μ,È,¢□v

Žw'è,µ,½ŽžŠÔ,Éfl□[fgfpfCf□fbfg,ð<N"®,µ□Afl□[fgfpfCf□fbfg,ÌŽÀ□s,ð,µ,È,¢ ,Æ,«,É'l'ð,µ,Ü,·□Bfl□[fgfpfCf□fbfg,ðfXfPfWf...□[f<ŽÀ□s,·,éfvf□fOf‰f€□ufXfPfWf...□[f ‰□iNIMTIMER.EXE□j□v,ªWindows,ÌfXf^□[fgfAfbfv,É"o~^,³,ê,Ä,¢ ,é,Æ,«,Í□A□qOK□rf{f^f",ðfNfŠfbfN,µ,½,Æ,«,É□AfXf^□[fgfAfbfv,©,ç□í□œ,·,é,©,Ç,¤ ,©,ÌŠm"Ff_fCfAf□fO,ªŠJ,«,Ü,·□B□q,Í,¢□rf{f^f",ðfNfŠfbfN,·,é,Æ□AfXf^□[fgfAfbfv,©,ç□í□œ,³,ê,Ü,· □B□q,¢,¢,¦□rf{f^f",ðfNfŠfbfN,·,é,Æ□AfXf^□[fgfAfbfv,É"o~^,³,ê,½,Ü,Ü,É,È,è,Ü,·□B

_ufXfPfWf...□[f<,ðŽÀ□s,·,é□v</pre>

Žw'è,µ,½ŽžŠÔ,ÉfI[[[fgfpfCf[]fbfg,ð<N"®,µ[]AfI[[[fgfpfCf[]fbfg,ðŽÀ[]s,·,é,Æ,«,É'I'ð,µ,Ü,·[]B ∏ufXfPfWf…∏[f<,ðŽÀ∏s,∙,é∏vflfvfVf‡f",ð'l′ð,∙,é,Æ∏AfI∏[fqfpfCf∏fbfq,ðfXfPfWf… _[[f<ŽÀ]s,·,éfvf]fOf‰f€]ufXfPfWf...][f‰]iNIMTIMER.EXE]j]v,ª<N"®,μ,Ü,·]B[ufXfPfWf...][f [™]□v,^a□AWindows ,ÌfXf^□[fgfAfbfv,É"o~^,³,ê,Ä,¢,È,¢ ,Æ,«,Í∏A□qOK□rf{f^f",ðfNfŠfbfN,µ,½,Æ,«,ÉfXf^□[fgfAfbfv,É"o~^,•,é,©,Ç,¤ ,©,ÌŠm"Ff fCfAf□fO,ªŠJ,«,Ü,□B□i,ĺ,¢□jf{f^f",ðfNfŠfbfN,•,é,Æ□AfXf^□[fgfAfbfv,É"o~^,³,ê,Ü,•□B□ i,¢,¢,¦□jf{f^f",ðfNfŠfbfN,∙,é,Æ□AfXf^□[fgfAfbfv,É,ĺ"o˜^,³,ê,Ü,¹,ñ□B NIFTY MANAGER fl□[fgfpfCf□fbfg,Å,ĺ□AfXfPfWf…□[f<ŽÀ□s,·,é□ê□‡□A□ufXfPfWf…□[f $\mathbb{W}_{v,a}^{\mathbb{Q}} \times \mathbb{W}_{v,a}^{\mathbb{Q}}, \mu, \ddot{A}, \dot{c}, \dot{c} \bullet K - v, \dot{a}, \dot{c}, \ddot{U}, \dot{B} W indows, \dot{I} X f^{[fgfAfbfv, \acute{E}''o^{^{,}}, \dot{c}, \acute{E}]} A W indows$

,̋N"®Žž,É□ufXfPfWf…□[f‰□v,àŽ©"®"I,É‹N"®, · ,é,æ,¤,É,È,è,Ü, · ⊓B

Windows , IfXf^[[fgfAfbfv,É[]ufXfPfWf...][f

.‰□v,ð"o[~]^,μ,È,©,Á,½□ê□‡□Afl□[fgfpfCf□fbfg,ðfXfPfWf…□[f<ŽÀ□s, ,é,Æ,«,Í□AWindows

,ð‹Ñ"®,·,é,½,Ñ,É□mfXfPfWf...□[f<□Ý'è□nf fu,ðŠJ,«□A□ufXfPfWf... □[f‹,ðŽÀ□s,·,é□vflfvfVf‡f",ð'l'ð,·,é•K—v,ª, ,è,Ü,·□B□qOK□rf{f^f",ðfNfŠfbfN,·,é,Æ□ufXfPfWf...□[f ‰∏v,ª<N" ®,μ,Ü,·∏B

□uŽÀ□sŽž□□,P□v

fl[[fgfpfCf[]fbfg,ðŽÀ[]s,·,鎞[]],ð24ŽžŠÔ•\<L,Å"ü—ĺ,µ,Ü,·[]B[]i á[]FŒßŒã,WŽž,Ì[]ê[]‡,Í[]uŽž[]v,Ì"ü—ĺ—",É[]u20[]v,ð"ü—ĺ,·,é[]BŒß'O12Žž,Ì[]ê[]‡,Í[]u00[]v,ð"ü ĺ,·,é[]j,Ç,¿,ç,©•Đ•û,É,¾,⁻Žž[]],ª"ü—ĺ,³,ê,Ä,¢,é,Æ,«,í[]AŽw'è,³,ê,½"úŽž,É,P"ú,P ‰ñŽ©"®ŽÀ[]s,³,ê,Ü,·[]B[]uŽÀ[]sŽž[]],P[]v,Æ[]uŽÀ[]sŽž[]],Q[]v,Ì—¼•û,ÉŽž[]],ª"ü—ĺ,³,ê,Ä,¢ ,é,Æ,«,Í[]AŽw'è,³,ê,½"úŽž,É,P"ú,Q‰ñŽ©"®ŽÀ[]s,³,ê,Ü,·[]B

□uŽÀ□sŽž□□,Q□v

fl[[fgfpfCf[]fbfg,ðŽÀ[]s,·,鎞[]],ð24ŽžŠÔ•\<L,Å"ü—ĺ,µ,Ü,·[]B[]i á[]FŒßŒã,WŽž,Ì[]ê[]‡,Í[]uŽž[]v,Ì"ü—ĺ—",É[]u20[]v,ð"ü—ĺ,·,é[]BŒß'O12Žž,Ì[]ê[]‡,Í[]u00[]v,ð"ü— Í,·,é[]j[]uŽÀ[]sŽž[]],P[]v,É,¾, ¯Žž[]],ª"ü—ĺ,³,ê,Ä,¢,é,Æ,«,Í[]AŽw'è,³,ê,½"úŽž,É,P"ú,P ‰ñŽ©"®ŽÀ[]s,³,ê,Ü,·[]B[]uŽÀ[]sŽž[]],P[]v,Æ[]uŽÀ[]sŽž[]],Q[]v,Ì—¼•û,ÉŽž[]],ª"ü—ĺ,³,ê,Ä,¢ ,é,Æ,«,Í[]AŽw'è,³,ê,½"úŽž,É,P"ú,Q‰ñŽ©"®ŽÀ[]s,³,ê,Ü,·[]B **□u"ú—j"ú**⊡v

"ú—j"ú,Éfl□[fgfpfCf□fbfg,ðŽÀ□s,·,é,Æ,«,ĺf`fFfbfN,µ,Ü,·□B-^"úŽÀ□s,·,é,Æ,«,ĺ□q-^"ú□rf{f^f",ðfNfŠfbfN,µ,Ä,,¾₄,³,¢□B,·,×,Ä,Ì—j"ú,³f`fFfbfN,³,ê,Ü,·□B []uŒŽ—j"ú[]v

ŒŽ—j"ú,Éfl□[fgfpfCf□fbfg,ðŽÀ□s,·,é,Æ,«,ĺf`fFfbfN,µ,Ü,·□B-^"úŽÀ□s,·,é,Æ,«,ĺ□q-^"ú□rf{f^f",ðfNfŠfbfN,µ,Ä,,¾,³,¢□B,·,×,Ä,Ì—j"ú,ªf`fFfbfN,³,ê,Ü,·□B]u‰Î—j"ú<u></u>]v

‰Î—j"ú,Éfl□[fgfpfCf□fbfg,ðŽÀ□s,·,é,Æ,«,ĺf`fFfbfN,µ,Ü,·□B–^"úŽÀ□s,·,é,Æ,«,ĺ□q– ^"ú□rf{f^f",ðfNfŠfbfN,µ,Ä,,¾,³,¢□B,·,×,Ä,Ì—j"ú,ªf`fFfbfN,³,ê,Ü,·□B **□u**□...—j"ú**□**v

□...—j"ú,Éfl□[fgfpfCf□fbfg,ðŽÀ□s,·,é,Æ,«,ĺf`fFfbfN,μ,Ü,·□B–^"úŽÀ□s,·,é,Æ,«,ĺ□q– ^"ú□rf{f^f",ðfNfŠfbfN,μ,Ä,,¾,³,¢□B,·,×,Ä,Ì—j"ú,ªf`fFfbfN,³,ê,Ü,·□B **□u-Ø—j"ú**□v

–Ø—j"ú,Éfl□[fgfpfCf□fbfg,ðŽÀ□s,·,é,Æ,«,ĺf`fFfbfN,µ,Ü,·□B–^"úŽÀ□s,·,é,Æ,«,ĺ□q– ^"ú□rf{f^f",ðfNfŠfbfN,µ,Ä,,¾,³,¢□B,·,×,Ä,Ì—j"ú,³f`fFfbfN,³,ê,Ü,·□B]u∢à—j"ú<u></u>]v

<à—j"ú,Éfl□[fgfpfCf□fbfg,ðŽÀ□s,·,é,Æ,«,ĺf`fFfbfN,µ,Ü,·□B-^"úŽÀ□s,·,é,Æ,«,ĺ□q-^"ú□rf{f^f",ðfNfŠfbfN,µ,Ä,,¾,³,¢□B,·,×,Ä,Ì—j"ú,ªf`fFfbfN,³,ê,Ü,·□B **□u"y—j**"ú]v

"y—j"ú,Éfl□[fgfpfCf□fbfg,ðŽÀ□s,·,é,Æ,«,ĺf`fFfbfN,µ,Ü,·□B-^"úŽÀ□s,·,é,Æ,«,ĺ□q-^"ú□rf{f^f",ðfNfŠfbfN,µ,Ä,,¾,³,¢□B,·,×,Ä,Ì—j"ú,ªf`fFfbfN,³,ê,Ü,·□B

□q-^"ú**□rf{f^f**"

–^"úfl□[fgfpfCf□fbfg,ðŽÀ□s,∙,é,Æ,«,É,±,Ìf{f^f",ðfNfŠfbfN,∙,é,Æ□A,∙,×,Ä,Ì j"ú,ð^ê"x,Éf`fFfbfN,Å,«,Ü,∙□B

□q**□‰Šú‰**»□rf{f^f"

"ü—ĺ,³,ê,½□ðŒ□,ðŽæ,è□Á,µ,Ä□o‰×Žž,Ì□Ý'è,É-ß,·ƒ{ƒ^ƒ",Å,·□B

□qOK□rf{f^f"

 $````u-l```à-e, \eth \bullet \hat{U}`\P, \mu \Box Af_fCfAf \Box fO, \eth \bullet \hat{A}, \P, \acute{e}f \{f^f``, \mathring{A}, \cdot \Box B$

_qfLfff"fZf<**_rf{f^f**"

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

ŽÀ<u></u>]sŒ‹‰Ê,Ì∙Û'¶

fl[[fgfpfCf[]fbfg,Ìf[]fO•Û'¶,Ì[]Ý'è,ð[]s,¢,Ü,·[]B

□ufLfffrflfbfg,Éfl□[fgfpfCf□fbfg,ÌŽÀ□sŒ<‰Ê,ð•Û'¶,·,é**□**v

fl□[fgfpfCf□fbfg,ÌŽÀ□sŒ<‰Ê,ðfLfffrflfbfg,ɕۑ¶,·,é,Æ,«,Éf`fFfbfN,µ,Ü,·□Bfl□[fgfpfCf□fbfg,Ìf□fO,Í □u^ê″ÊfLfffrflfbfg□v,Ì□ufl□[fgfpfCf□fbfgŽÀ□sŒ<‰Ê□vftfHf<f_,ɕۑ¶,³,ê,Ü,·□B

□qOK□rf{f^f"

 $````u-l```à-e, \eth \bullet \hat{U}`\P, \mu \Box Af_fCfAf \Box fO, \eth \bullet \hat{A}, \P, \acute{e}f \{f^f``, \mathring{A}, \cdot \Box B$

_qfLfff"fZf<**_rf{f^f**"

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

ft[[fU[[[Ý'è

fl[[fgfpfCf[]fbfg,Å,Í[]ANIFTY MANAGER ,Å NIFTY SERVE ,É[]Ú'±,·,é,Æ,«,Æ"⁻,¶ft[[fU[[ID ,ðŽg— p,µ,Ä[]ANIFTY SERVE ,É[]Ú'±,µ,Ü,·]]B,±,Ìf^fu,É,Í[]ANIFTY MANAGER ,Ì[]U[fU[[]Ý'è]]zf_fCfAf[]fO,É[]Ý'è,³,ê,Ä,¢,é[]î•ñ[]ift[[fU[[ID[]AfpfXf][][[fh[]j,ª•\ަ,³,ê,Ü,·]]B

uft[fU_[ID_v

fl□[fgfpfCf□fbfg,ðŽÀ□s,μ,Ä□ANIFTY SERVE ,É□Ú'±,·,é,Æ,«,Ìft□[fU□[ID ,ª•\ ަ,³,ê,Ü,·□B□Ý'è,Ì•ï□X,Í□ANIFTY MANAGER ,Ì□yft□[fU□[□Ý'è□zf_fCfAf□fO,Å□s,Á,Ä,,¾,³,¢□B,± ,Ìf^fu,Å•ï□X,·,é,±,Æ,Í,Å,«,Ü,¹,ñ□B _ufpfXfulfhuv

f†[[fU[[ID ,ÌfpfXf]][[fh,ª•\ަ,³,ê,Ü,·[B[]Ý'è,Ì•Ï[]X,Í[]ANIFTY MANAGER ,Ì[]yf†[[fU[[[]Ý'è[]zf_fCfAf[]fO,Å[]s,Á,Ä,,,¾,³,¢[]B,±,Ìf^fu,Å•Ï[]X,·,é,±,Æ,Í,Å,«,Ü,¹,ñ[]B

NO USE []u‰ñ []ü,ð []Ø'f, •, é []v

,±,ÌflfvfVf‡f",Í□AHyperROAD,ÌfAfNfZfXf|fCf"fg,ðŽg—p,μ,Ä NIFTY SERVE,É□Ú'±,μ,Ä,¢ ,é□ê□‡,É,¾,¯—LŒø,Å,□B□u ‰ñ□ü,ð□Ø′f,·,é□v,ðf`fFfbfN,·,é,Æ□Afl□[fgfpfCf□fbfg,ÌŽÀ□sŒã,É□AHyperROAD,ÌfAfNfZfXf| fCf"fg,Æ,Ì□Ú'±,ªŽ©"®"I,É□I—¹,³,ê,Ü,·□BHyperROAD ^ÈŠO,ÌfAfNfZfXf|fCf"fg,ðŽg—p,μ,Ä,¢ ,é[]ê[]‡,Í[]A[]Ú'±,ª∙K,][I—¹,³,ê,Ü,·[]B

 $\label{eq:NIFTY_MANAGER_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_light_ligh$

□q**□‰Šú‰**»□rf{f^f"

"ü—ĺ,³,ê,½□ðŒ□,ðŽæ,è□Á,µ,Ä□o‰×Žž,Ì□Ý'è,É-ß,·ƒ{ƒ^ƒ",Å,·□B

□qOK□rf{f^f"

 $````u-l```à-e, \eth \bullet \hat{U}`\P, \mu \Box Af_fCfAf \Box fO, \eth \bullet \hat{A}, \P, \acute{e}f \{f^f``, \mathring{A}, \cdot \Box B$

_qfLfff"fZf<**_rf{f^f**"

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B
□Ú'±□Ý'è

fl□[fgfpfCf□fbfg,Å,Í□ANIFTY MANAGER ,Å NIFTY SERVE ,É□Ú'±,·,é,Æ,«,Æ"⁻,¶fAfNfZfXf| fCf"fg,ðŽg—p,µ,Ä□ANIFTY SERVE ,É□Ú'±,µ,Ü,·□B,±,Ìf^fu,É,Í□ANIFTY MANAGER ,Ì□y□Ú'±□Ý'è□zf_fCfAf□fO,Ì□mfAfNfZfXf|fCf"fg□nf^fu,É□Ý'è,³,ê,Ä,¢,é□î•ñ,ª•\ަ,³,ê,Ü,·□B

]u]Ú'±Žž,ÉŽg—p,∙,éfOf<][fv]v

fl□[fgfpfCf□fbfg,ðŽÀ□s,µ,Ä□ANIFTY SERVE ,É□Ú′±,·,é,Æ,«,ÌfOf‹□[fv,ðʻl'ð,µ,Ü,·□B‰E'¤ ,Ì□u□¥□v,ðfNfŠfbfN,·,é,Æ□AfOf‹□[fv,Ì^ê——,ª•\ަ,³,ê,Ü,·□BfOf‹□[fv,¨,æ,ÑfAfNfZfXf|fCf"fg,Ì'Ç ‰Á□A•Ï□X□A□í□œ,Í□ANIFTY MANAGER ,Ì□y□Ú′±□Ý′è□zf_fCfAf□fO,Å□s,Á,Ä,,¾,³,¢□B,± ,Ìf^fu,Å,Í"o~^,³,ê,⅓fOf‹□[fv,Ì'l'ð,Ì,Ý□s,¦,Ü,·□B

 $fCf"f^[[f]fbfg@o-R,\A]U'\pm, \cdot, \acute{e}, æ, ¤, \acute{E}DY'e, ^3, ê, Ä, ¢, \acute{E}DeD+, \acute{D}ufCf"f^[[f]fbfg@o-R,\A, \grave{D}U'\pm Dv, Æ\bullet \ \check{Z}_{i}, ^3, ê, \ddot{U}, \cdot DB$

□ufOf<□[fv,Ì□Ý'è□v

 $fOf \left[fv, É"o^{,3}, \hat{e}, \frac{1}{2} fAfNfZfXf | fCf"fg, \hat{e}, --, \hat{e}, \frac{1}{2} BfOf \left[fv, \tilde{e}, \hat{e}, \hat{N}fAfNfZfXf | fCf"fg, \hat{e}, \hat{e}, \hat{e}, \hat{n}fAfNfZfXf | fCf"fg, \hat{e}, \hat{e}, \hat{e}, \hat{n}fAfNfZfXf | fCf"fg, \hat{e}, \hat{e$

□uHyperROAD □Ø'f,ÌŠm"F,ð□s,¤**□**v

,±,ÌfJfvfVf‡f",Í□AHyperROAD,ÌfAfNfZfXf|fCf"fg,ð'l'ð,µ,Ä,¢,é□ê□‡,É,¾,¯•\ ަ,³,ê,Ü,·□Bf`fFfbfN,·,é,Æ□Afl□[fgfpfCf□fbfg,ÌŽÀ□sŒã,ÉfAfNfZfXf|fCf"fg,Æ,Ì□Ú'±,ð□I— ¹,·,é,©,Ç,¤,©,ÌŠm"Ff_fCfAf□fO,ªŠJ,«,Ü,·□B 'Ê□í,ĺf`fFfbfN,ð•t,¯,È,¢,Å,,¾,³,¢□B

□qOK□rf{f^f"

 $````u-l```à-e, \eth \bullet \hat{U}`\P, \mu \Box Af_fCfAf \Box fO, \eth \bullet \hat{A}, \P, \acute{e}f \{f^f``, \mathring{A}, \cdot \Box B$

_qfLfff"fZf<**_rf{f^f**"

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

□yID ,ÆfpfXf□□[fh"ü—Í□zf_fCfAf□fO

uft[fU_[ID_v

ID ,ð"ü—ĺ,μ,Ü,·□BID ,ĺ□A‰p•¶Žš,Ì'å•¶Žš,Æ□¬•¶Žš□A'SŠp,Æ"¼Šp,Ì‹æ•Ê,É'□^Ó,μ□A□³Šm,É"ü —ĺ,μ,Ä,,¾,³,¢□B

_ufpfXfulfhuv

fpfXf□□[fh,ð"ü—ĺ,μ,Ü,·□BfpfXf□□[fh,ĺ□A ‰p•¶Žš,Ì'å•¶Žš,Æ□¬•¶Žš□A'SŠp,Æ"¼Šp,Ì‹æ•Ê,É'□^Ó,μ□A□³Šm,É"ü—ĺ,μ,Ä,,¾,³,¢□B"ü ĺ,μ,½•¶Žš,ĺ□u□-□v,Å•\ަ,³,ê,Ü,·□B

fpfXf□□[fh,ĺ□AID — ~ — pŽÒ,ª- {□l,Å, ,é,©,Ç,¤,©,ðŠm"F,·,é,½,ß,Ì^Ã□Ø"Ô□†,Å,·□B‹â□s,ÌfLfffVf... fJ□[fh,Ì^Ã□Ø"Ô□†,Æ"⁻,¶,æ,¤,È,à,Ì,Å,;□B'¼□l,É,í□â'΋³,¦,È,¢,Å,-

,¾,³,¢□BfpfXf□□[fh,ðʻ¼□l,É<³,¦,Ä,µ,Ü,Á,½,è□A'm,ç,ê,Ä,µ,Ü,Á,½,Æ,«,Í□A,½,¾,¿,ÉfpfXf□□[fh,ð•ï□ X,µ,Ä,,¾,³,¢□BGOfRf}f"fhf{fbfNfX,É□uPASSWORD□v,ð"ü—ĺ,µ□AEnter fL□[,ð ‰Ÿ,·,Æ□AfpfXf□□[fh,ð•ï□X,·,é,½,ß,Ìf_fCfAf□fO,ªŠJ,«,Ü,·□B

fpfXf□□[fh,ð-Y,ê,Ä,μ,Ü,Á,½,ç□A•K,,,È,½Ž©□g,ÅfpfXf□□[fh□ê—pf_fCf,,f<□i0120-842-210□j,Éâ,¢□‡,í,¹,Ä,,¾,³,¢□B-{□l,Å, ,é,±,Æ,ðŠm"FŒã□A□Ý'è,μ'¼,μ,½fpfXf□□[fh,ð NIFTY SERVE ,É"o[~]^,³,ê,½□Z□Š,É—X'—,Å'Ê'm,μ,Ü,·□B V4.6 ,Å^ȉº,̉æ-Ê,ð'ljÁ,•,é

<code>]yfZfbfgfAfbfv]z]if]][f<Žó]M•û-@]jf_fCfAf]fO</code>

[]u-¢"Çf]]][f<,ðŽó[]M" ,ÉŽó[]M,∙,é[]v

-¢"Çf□□[f<,¾,[⁻],ðŽó□M,∙,é,Æ,«,É'I'ð,μ,Ü,·□B

□u'Sf□□[f<,ðŽó□M",ÉŽó□M,·,é□v

^ê"x"Ç,ñ,¾"dŽqf□□[f<,Æ-¢"Çf□□[f<,Ì—¼•û,ðŽó□M,∙,é,Æ,«,É'I'ð,μ,Ü,·□B

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

□qfLfff"fZf<□rf{f^f"

 $" \ddot{u} - \dot{i}" \dot{a} - e, \delta \bullet \hat{U} \, \P, {}^{1}, {}_{,}, \dot{E} \Box Af f G f Af \Box f O, \delta \bullet \hat{A}, \P, \acute{e} f \{ f^{f}, \dot{A}, \cdot \Box B \}$

□qŽŸ,Ö□rf{f^f"

ŽŸ,Ì□Ý'è,Ö□i,Þf{f^f",Å,·□B,± ,Ìf{f^f",ðfNfŠfbfN,·,é,Æ□A□yfZfbfgfAfbfv□z□iŽó□Mf□□[f<'®□«'I'ð□jf_fCfAf□fO,ªŠJ,«,Ü,·□B <code>]yfZfbfgfAfbfv]z]iŽó]Mf]][[f‹'®]«'l'ð]jf_fCfAf]fO</code>

□ufofCfifŠ□[□v

fofCfifŠ□[Œ`Ž®,Ì"dŽqf□□[f<,ðŽó□M,·,é,Æ,«,ĺf`fFfbfN,μ,Ü,·□B

□uMIME□v

 $\mathsf{MIME} \times \check{\mathsf{Z}} \otimes , \check{\mathsf{I}} d\check{\mathsf{Z}} qf @[[f < , \delta\check{\mathsf{Z}} \delta @M, \cdot , \acute{\mathsf{e}}, \mathcal{A}, * , \acute{\mathsf{I}} ff bf N, \mu, \ddot{\mathsf{U}}, \cdot @B$

□uJPEG□v

JPEG Œ`Ž®,Ì"dŽqf□□[f<,ðŽó□M,·,é,Æ,«,ĺf`fFfbfN,µ,Ü,·□B

□uNAPLPS□v

 $\mathsf{NAPLPS} \times \check{\mathbb{Z}}^{\otimes}, \check{\mathbb{I}}^{\circ}d\check{\mathbb{Z}}qf \Box [f < , \delta\check{\mathbb{Z}} \circ \Box M, \cdot , \acute{e}, \mathcal{E}, \ast , \acute{\mathsf{I}}^{\circ}fFfbfN, \mu, \ddot{\mathsf{U}}, \cdot \Box B$

□qŽŸ,Ö□rf{f^f"

ŽŸ,Ì□Ý'è,Ö□i,Þf{f^f",Å,·□B,±,Ìf{f^f",ðfNfŠfbfN,·,é,Æ□A□yfZfbfgfAfbfv□z□iftfH□[f ‰f€'I'ð□jf_fCfAf□fO,ªŠJ,«,Ü,·□B

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

□qfLfff"fZf<□rf{f^f"

 $" \ddot{u} - \dot{i}" \dot{a} - e, \delta \bullet \hat{U} \, \P, {}^{1}, {}_{,}, \dot{E} \Box Af f G f Af \Box f O, \delta \bullet \hat{A}, \P, \acute{e} f \{ f^{f}, \dot{A}, \cdot \Box B \}$

$$\label{eq:constraint} \begin{split} & [] \textbf{q-} \textbf{B}, \textbf{\acute{e}}] \textbf{rf} \{ \textbf{f}^{f} \\ & [] yfZfbfgfAfbfv] z] if]] [f < Ž \acute{o}] M \bullet \hat{u} - @] jf_f CfAf] f O, \acute{E} - \&, \acute{e}f \{ f^{f} , \mathring{A}, \cdot] B \end{split}$$

<code>]yfZfbfgfAfbfv]z]iftfH][f‰f€'l'ð]jf_fCfAf]fO</code>

uftfH[f‰f€_v

NIFTY MANAGER , δZ_g —p, μ ,A fAfNfZfX, μ , $\frac{1}{2}$, \pm , \mathcal{E} , \hat{h} , , $\acute{e}ftfH\square[f\%f$], \hat{e}=-, \hat{h}$, $\cdot\squareiNIFTY$ MANAGER , $\hat{h}ftH\square[f\%f$], \hat{e}=-, \hat{h}$, $\cdot\squareiNIFTY$ MANAGER , $\hat{h}ftH\square[f\%f$], \hat{e}$, \hat{h} , \hat

f_fEf"f□□[fh,Ì'Î□Û,Ì"dŽq‰ï<cŽº,Í□A,±,±,ÅftfH□[f‰f€,ð'l'ð,μ,½,,Æ,É□Af□fCf"fEfBf"fhfE,Å□Ý'è,μ, Ä,,¾,³,¢□Bf_fEf"f□□[fh,³,ê,é"Œ¾,Í□A"dŽq‰ï<cŽº,É"o[~]^,³,ê,½,·,×,Ä,Ì"Œ¾,Å,·□B,Q‰ñ-Ú^È□~□A"¯,¶"dŽq‰ï<cŽº,É'Î,µ,Äfl□[fgfpfCf□fbfg,ðŽÀ□s,µ,½,Æ,«,Í□A□V<K,É"o[~]^,³,ê,½"-Œ¾,¾,⁻,²f_fEf"f□□[fh,³,ê,Ü,·□B

f_fEf"f□□[fh,³,ê,½"Œ¾,Í□ANIFTY MANAGER ,ÌfLfffrflfbfg,ɕۑ¶,³,ê,Ü,·□BftfH□[f‰f€,Ì-¼□Ì,ª•t,¢ ,½ftfHf<f_,ðŠJ,¢,Ä,,¾,³,¢□B

,Ü,½□A□uftfH□[f‰f€,©,ç,Ì,¨′m,ç,¹□v,Æ□u"dŽq

‰ï‹cŽº,©,ç,Ì,¨'m,ç,¹□v,º□Afl□[fgfpfCf□fbfg,ÌŽÀ□sŒ‹‰Ê,É•\ަ,³,ê,Ü,·□B

□qŽŸ,Ö□rf{f^f"

$$\label{eq:constraint} \begin{split} \check{Z}\ddot{Y}, \check{l} \Box \dot{Y} \dot{e}, \ddot{O} \Box i, \flat f \{ f^{f''}, \mathring{A}, \cdot \Box B, \pm, \check{l}f \{ f^{f''}, \check{\delta}f N f \check{S}f b f N, \cdot, \acute{e}, \mathcal{A} \Box \Delta \Box y f Z f b f g f A f b f v \Box z \Box i f Z f b f g f A f b f v \check{S} \circledast \\ {}^{1} \Box j f_{f} f C f A f \Box f O, {}^{2} \check{S} J, «, \ddot{U}, \cdot \Box B \end{split}$$

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

□qfLfff"fZf<□rf{f^f"

 $" \ddot{u} - \dot{i}" \dot{a} - e, \delta \bullet \hat{U} \, \P, {}^{1}, {}_{,}, \dot{E} \Box Af f G f Af \Box f O, \delta \bullet \hat{A}, \P, \acute{e} f \{ f^{f}, \dot{A}, \cdot \Box B \}$

$$\label{eq:generalized_states} \begin{split} & [\begin{subarray}{c} \label{eq:generalized_states} & [\begin{subarray}{c} \label{eq:generalized_states} & \begin{subarray}{c} \label{eq:ge$$

□yfZfbfgfAfbfv□z□ifZfbfgfAfbfvŠ®−¹**□jf_fCfAf□fO**

□qŠ®—¹□rf{f^f"

fl□[fgfpfCf□fbfg,Ì□‰Šú□Ý'è,ðŠ®—¹,·,éf{f^f",Å,·□Bfl□[fgfpfCf□fbfg,Ì□ ‰Šú□Ý'è,Å□Ý'è,μ,½□î•ñ,Í□yfl□[fgfpfCf□fbfg,ÌŠî-{□Ý'è□zf_fCfAf□fO,Å•Ï□X,Å,«,Ü,·□B

□qfwf<fv□rf{f^f"

,±,Ìf_fCfAf[]fO,Ì'€[]ì[]à-¾,ð•\ަ,·,éf{f^f",Å,·[]B

□qfLfff"fZf<□rf{f^f"

 $" \ddot{u} - \dot{i}" \dot{a} - e, \delta \bullet \hat{U} \, \P, {}^{1}, {}_{,}, \dot{E} \Box Af f G f Af \Box f O, \delta \bullet \hat{A}, \P, \acute{e} f \{ f^{f}, \dot{A}, \cdot \Box B \}$
□**q-ß,é**□**rf{f^f**" □yfZfbfgfAfbfv□z□iftfH□[f‰f€'l'ð□jf_fCfAf□fO,É-ß,éf{f^f",Å,·□B