

Neoscan Pagefhf%ofofCf of \ftfg fCf“fxfg\lf<, lfwf<fv

“®\iŠÄ<“, AE\AfCf“fxfg\lf<, É, Ä, ç, Ä
fCf“fxfg\lf<, É, Ä, ç, Ä, ŠT—², ðà-¾, µ, Ü, ·B

fxfLffffi\AfvfŠf“f^, iÚ’±Žè\‡

Neoscan Parallel FBfxfLffffi, AE, i•¹—p, í, Å, <, Ü, ¹, ñ
Neoscan Parallel (NSF-600P) , ð, Žg—p, É, È, Ä, Ä, ç, é, ê, ‡, i, ’, ^Ó, _, Å, ·B

“ ®íŠÂ<«,ÆfCf“fXfg[]f<,É,Â,¢,Ä

‘‰ž<@ŽÍ F DOS/VŒÝŠ·<@A, „æ, ŇNEC PC98fVfŠ[]fY[]iH98fVfŠ[]fY, ðœ,-
B, Ü, ½ AEPSO, i98ŒÝŠ·<@, Å, í, Žg—p, ¢, ½, ¾, , Ü, , ñj

Ú’± FIBM ATŽd—IfvfŠf“f^f|[]fg[]iD-sub25fsf“|j, „“Ú, ³, ê, Ä, ¢, é<@ŽÍ A, „, æ, ŇNEC
PC98Žd—Iftf<Zf“fgf[]fjfNfXfvfŠf“f^f|
[]fg[]ifn[]ftfsfbf` 36fsf“f^fCfv[]j[]~1[]i’[]F14fsf“f^fCfv[]A20fsf“f^fCfv, IfvfŠf“f
^fRflfNf^, Å, í, ä, Žg—p, ¢, ½, ¾, , Ü, , ñ B|j

,b,o,t F ,‰o,S,W,U^Èä
f[]f,fŠ[] F ,P,U,I,a^Èä,í,q, ` ,I
.±, Ifhf‰ofCfof ftfgfEfFfA, í A“ú-{Œê,v,‰o,Ž,,, ,—, „, X,T ,í, Ý, É’‰ž, µ, Ä, ¢, Ü, · B

f\ftfgfEfFfA,ifCf“fXfg[]f<æ

fVfXfef€,í•ï[]x

fCf“fXfg[]f<Œä[]AfXfLffffi, ðŽg—p, „, é’O, É, í•K, „ È‰o, íŽ-, ð[]s, È, Á, Ä, , ¾, ³, ¢ B
PDfpf fRf“, í Ä N“®
QDfLfffŠfufŒ[]fVf#f“, ð[]s, È, x[]B[]ifCf“fXfg[]f<, „, é, Æ A Neoscan Page, IfOf<[]fv, „ j
, „, ê[]A, „, í’†, EfAfCfRf“, „“ü, è, Ü, · j
RDfAfvfŠfP[]fVf#f“, If[]fjf...[], Å[]A[]ufXfLffffi’l’ð[]v, ð’l’ð, µ[]A[]u Neoscan Page
(32) v, Ü, ½, í A ¢ Neoscan Page(16) f, ð’l’ð, µ, Ä, , ¾, ³, ¢ B

fXfLffffi AfvfŠf“f^,íÚ’±žè‡

- (1) fpf\rf“,ÆAÚ’±,³,ê,Ä,¢,éžü•Ó>@Ší,ì“dŒ¹,ð’S,Ä,n,e,e,É,µ,Ü,·B
- (2) Neoscan Page,fpfbfp\rfW,É“-“³,ê,Ä,¢,éfXfLffffifP\fuf<\AfvfŠf“f^|[f|
|[fgfAf_fvf^]AfXfLffffi,ðfpf\rf“,ÉÚ’±,µ,Ü,·B fXfLffffifP|[fuf<,íA,c,n,r]^,u—
p,ÆA,m,d,b—p,ì,Q-{,²“ü,Á,Ä,¢,Ü,·BfRflfNf^,ìŒ`ó,É’ó^Ó,µ,ÄÚ’±,µ,Ä,,³/₄,³,¢B
- (3) fvfŠf“f^[,Æ EPPA BOX,ðÚ’±,µ,Ü,·BfvfŠf“f^|[fP|[fuf<,ífRflfNf^,íEPPA BOX,íá’
,ífRflfNf^,ÆÚ’±,µ,Ä,,³/₄,³,¢B
- (4) fvfŠf“f^,ì“dŒ¹,ð“ü,ê,Ü,·B
- (5) fXfLffffi,ì,` ,bfAf_fvf^,ðfvfŠf“f^|[f||[fgfAf_fvf^,ÉÚ’±,µ,Ü,·B,±,ížžAfXfLffffi,í“®í
‰¹,²,µ,Ä“dŒ¹,²“ü,è,Ü,·B
- (6) ,»,í‘¹/₄,ížü•Ó>@Ší,ì“dŒ¹,ð“ü,êAÅŒä,Éfpf\rf“,ì“dŒ¹,ð“ü,ê,Ü,·B

í’ó^Ój

fpf\rf“,âfXfLffffi AfvfŠf“f^,ì“dŒ¹,²,n,m,ì,Ü,ÜAfP|[fuf<,â,` ,bfAf_fvf^,ðÚ’±
,µ,½,èAŠO,µ,½,è,µ,È,¢,Ä,,³/₄,³,¢BfXfLffffi,âfvfŠf“f^|[Af\ftfgfEfFfA,²Œë“®í,·,éê‡,²,
,è,Ü,·B
,±,íf<|[f<,ðžç,ç,È,¢,Ä”¶,µ,½ž-Œì,íÓ”C,í“-žD,Ä,í•‰,!,Ü,¹,ñB

f\ftfgfEfFfA,ifCf“fXfg\l[f<\læ

1. fCf“fXfg[]f<æ, jfhf%oCfu-¼, ÆftfHf<f_, ðŽw’è, μ, Ü, · BfCf“fXfg[]f<æ, i•ïX, a•K—v, Èéé‡, íA]V, μ, cfCf“fXfg[]f<æ, ð“ü—í, μ, Ä %oo³, cfB]iffftfHf<fg, i]Y’è, i<N”®fn[]fhffffBfXfN, É, È, è, Ü, · B—áFCfhf %oCfu, i]éé‡@C:[]PAGERDR[] j
 2. Žw’è, a]l, í, è, Ü, μ, ½, ç]mŒp’±]n, ðfNfŠfbfN, μ, Ü, · B
 3. Žw’è, μ, ½ftfHf<f_, Éfhf%oCfoftf@fCf<, È, Ç, a]fCf“fXfg[]f<, ³, è, Ü, · B

,» ,j’¼

 1. WindowsftfHf<f_ “à, É \twain\neos , \twain_32\neos, Æ, ¢ , xftfHf<f_, ð]i]¬, μ]Aftf@fCf<, ðfCf“fXfg[]f<, μ, Ü, · B
 2. WindowsftfHf<f_ “à, É , s, v, ` , h, mf] [fXf}fl] [fWff (twain.dll, twain_32.dll, twunk_16.exe, twunk_32.exe), ðfCf“fXfg[]f<, μ, Ü, · B

fVfXfef€,í•í¤X

fCf“fXfg[]f<fvf]fOf%oƒ€,íž©“®“I,ÉSYSTEM.INIftf@fCf<'t,í‰oº<L,í•”•¤,É•í¤X,ð‰oÁ,í,Ü,·¤B

[386Enh]

device=C:\PAGERDR\SCANDEV.386

,Ü,½¤AWindowsftfHf<f_,ÉSCANFX.INI,Æ,¢,¤ftf@fCf<,ð¤í¤¬,μ¤Afjh
‰ofCfo¤í•ñ,ð¤’,¤¤ž,Ý,Ü,·¤B

Neoscan Parallel FBfXfLfffi,Æ,í•¹—p,í,Å,«,Ü,¹,ñ

Neoscan Page (NSP-800, NSP-800P) ,Æ Neoscan Parallel FB (NSF-600P)
,ð“-,¶,o,b,Å•¹—p,·,éŽ-,í,Å,«,Ü,¹,ñ

ï,Ü,Å A Neoscan Parallel FB (NSF-600P) ,ð,²Žg—p,É,È,Á,Ä,¢,½fpf\fRf“,É Neoscan Page (NSP-800P),ðfCf“fXfg[f_<,µ,æ,¤,Æ,·,é,ê,‡,í,AŽ-‘O,É Neoscan Prallel FB ,ífhf %ofoCfo,ðfAf“fCf“fXfg[f_<,µ,Ä,“,•K—v,ä, ,è,Ü,·B^É
‰,íŽè,‡,ÅfAf“fCf“fXfg[f_<,ðŽÀs,µ,Ä,,¾,³,¢B,½,¾,µ A Neoscan Parallel FB,íŽg,!,È,,È,è,Ü,·B

(*) ,±,ê,Æ,í,æ,É Neoscan Page,ð,²Žg—p,É,È,Á,Ä,¢,½,ê,‡,É Neoscan Prallel FB,ðfCf“fXfg[f_<,µ,æ,¤,Æ,·,é,ê,‡,à A Neoscan Page,ífhf %ofoCfo[,ð, ,ç,©,¶,ÅfAf“fCf“fXfg[f_<,µ,È,“,ê,È,è,Ü,¹,ñ

fVfXfef€ftf@fCf<,í•í X,â Aftf@fCf<,í ïœ,ð s,È,¢,Ü,·,í,Å Windows,âfpf\fRf“,ðŽg,¢Šµ,ê,Ä,¢,È,¢,•û,í AŽÀs,µ,È,¢,Ä,,¾,³,¢ BŽC M,í, ,é,û,Å,à A<É—í,Ó,µ,ÄŽÀs,µ,Ä,,¾,³,¢ B
,P D¢ NeoStation½·¬Å×³YÁ¬£,¤N“®,³,ê,Ä,¢,ê,í I—¹,µ,Ü,·B
,Q DWindowsftfHf<_“à,ítwain\neos,ðfffBfŒfNfgfS,²,Æ,íœ,µ,Ü,·B
,R DNeoscanParallel FB ,ðfCf“fXfg[f_<,µ,½Žž,ÉŽw’è,µ,½ftfHf<_iffftftfHf<fg,í NEOSCAN ï,j,ðfffBfŒfNfgfS,²,Æ,íœ,µ,Ü,·B
,S DWindowsftfHf<_“à,ísystem.iniiftf@fCf<,ð,Ò W,µ,Ü,·B[386Enh]fZfNfVf†f“,í¢ SCANFX_IO=0 , LAMP_DELAY=0 , SCAN_SPEED=1 , GERMAN_SET=0 , device =\\SCANDEV.386£ ,í,T,s,ðfRf“fg,É,µ Aã,‘,«,Û,¶,µ,Ü,·B
,T DWindowsftfHf<_“à,íscanfx.iniiftf@fCf<,ð,íœ,µ,Ü,·B
,U DWindows,ð,Ä,N“®,µ,Ü,·B

,±,íœ,Å ANeoscan Page ,ífhf %ofoCfo,ðfCf“fXfg[f_<,µ,Ä,,¾,³,¢ B

