

f^fOfŠftf@fŒf“fX for TTT Editor@>@Ver1.0

,í,¶,ß,É

,±,ƒwf<fv,ÍTTT Editor Ver2.00^È~—i^È‰‰uTTTvj—p,É»i—,³,ê,½wf<fv,À,·BT TT,í-
{'littedit.exe]Afwf<fv(ttedit.hlp),Æ“-,¶ftfHf<f_,É“ü,ê,Äžg—p,µ,Ä,,³/4,³,¢B

¤,±,ƒwf<fv,É,í^È‰‰,í“Á'¥,², ,è,Ü,·B

¤ETTT,ƒwf<fv,ÆfŠf“fN,³,ê,Ä,¢,é,½,ß'P“Æ,À,ífŠf“fNØ,ê,²”¶¶,µ,Ü,·B

¤EŠi-{“I,ETTT,Äžg—p,À,«éf^fO,³,ê,Ä,¢,Ü,·B

¤E¤ä,í——R,É,æ,è,·,×,À,íf^fO,í<Lq,³,ê,Ä,¢,Ü,¹,ñB

¤EŠO^á,¢,², ,é,©,à,µ,ê,È,¢,ì,À³Šm,È»i•ñ,ð'm,è,½,¢ê‡,í»é-å,í-{,âHP,ðŽQl,É,µ,Ä
‰‰,³,¢B

⚠'¤^Óž-¤€,à,“ç,Ý,,³/4,³,¢B

-ÚŽÝifAf<ftf@fxfbfg!#!j

<@"\•Ê‡,À•\Ž!

A

<A>
<ADDRESS>
<AREA>

B

<BASEFONT>
<BGSOUND>
<BIG>
<BLINK>
<BLOCKQUOTE>
<BODY>

C

<CAPTION>
<CENTER>
<CITE>
<CODE>

D

<DD>
<DFN>
<DIV>
<DL>
<DT>

E

<EMBED>

F

<FORM>
<FRAME>
<FRAMESET>

H

<HEAD>
<Hn>
<HR>
<HTML>

I

<I>

<INPUT>

K

<KBD>

L

<LINK>

M

<MAP>
<MARQUEE>
<META>

N

<NOBR>
<NOFRAMES>

O

<OPTION>

P

<P>
<PRE>

S

<S>
<SAMP>
<SCRIPT>
<SELECT>
<SMALL>

<STRIKE>

<STYLE>
<SUB>
<SUP>

T

<TABLE>
<TD>
<TEXTAREA>

<TITLE>
<TR>
<TT>

U

<U>

V

<VAR>

W

<WBR>

<LOT
<!-- -->
<!DOCTYPE>
&
<
>
"

-ÚŽÝí<@”\•Ê‡j

fAf<ftf@fxfbfg‡,Å•\Ž!

fy|[fw

HTML

HEAD

TITLE

BODY

META

ftfce|[fe

ftfce|[fe•s‰Å

fhfLf...f|f“fgf^fcfv

fcefcafefg

Œ©|[o,μ

%‰Ü|[S

%‰Ü|[S•s‰Å

%‰Ü|[S<-‰Å

’i—Ž

”z'u

’†‰o>’μ,!|

□®Œ`|[i,ÝfefLjfXfq

’ø—p

□...•½□ü

ftfHf“fg

ftfHf“fg

’³/⁴Žš(f{||[f<fh)

Žl’|(fCf^fSfbfN)

%‰o⁹|[ü(fAf“f|f[f‰ofCf“)

”™•|[ftfHf“fg

Žæ,è|[A,μ|[ü

”-Å•|[Žš

•|[Žš,ð'å,«,

•|[Žš,ð|[–³,

|[ã•t,«•|[Žš

%‰o⁹•t,«•|[Žš

Ši-{ftfHf“fgfTfCfY

fſf“fN

fſf“fN

fAf“f|f|[

f|[f<

fCf|[fW•\Ž!

fCf|[fWf}fbfv

fe|[fuf<(•\`)

fe|[fuf<

fe|[fuf<,]|[s

fe|[fuf<,]fZf<

•\`è

fſfxfg(%‰Ó|[ð|[‘,«|[j

f}||[fNŒ^fſfxfg

□‡□~Œ^fŠfXfg
'è<`Œ^fŠfXfg

f†fH□[f€

f†fH□[f€—l^æ
f†fH□[f€fAfCfef€□i•j□"□s“ü—í□j
f†fH□[f€fAfCfef€□ifŠfXfg□j
f†fH□[f€fAfCfef€□i,»l'1/4□j

fXf^fCf<fV□[fg

fXf^fCf<'è<
SO•"fXf^fCf<'è<

,»l'1/4

fRf□f“fg
□□—1/4
BGM
fVf%ofOfCf“
JavafXfNfŠfvfg
•¶ZšfXfNf□□lf<
~ —□f^fO
"Ažē•¶Zš

HTML, ï[], <> • û

HTML ŠT – v

HTML, Å•\Ž|, ³, ê, È, ç•¶Žš

HTML, Å, ÍŽÝ, Í•¶Žš, Í•\Ž|, ³, ê, Ü, ¹, ñ Ù B

□i”1/4ŠpfXfy□[fX

□@`±,μ,½”¼ŠpfXfy□[fX,í,P,Â,ì”¼ŠpfXfy□[fX,Æ,Ý,È,³,ê,Ü,·□B,È,“□A'SŠpfXfy□[fX,í,»,ì,Ü,Ü•\ZI,³,ê,Ü,·□B

100% Übersicht

— ☐@HTMl, ì‘t, Å‰øÜøs, µ, Ä, àfuf%oFefU, Å•Ži, ³, ê, é, Æ, «, É, í‰øÜøs, ³, ê, Ü, ¹, ñØB‰øÜøs, µ, ½, ¢, Æ, «, í≤BR>f^FO, Å‰øÜøs, µ, Ü, ·ØB

if^fu

□@f^fu,í¹¼SþþXfy□[fX,Æ“-,¶,Å□A~A±,μ,Ä,¢,,Â“ü—
í,μ,Ä,à□A¹¼SþþXfy□[fX1,Â•²,Æ,Ý,È,³,ê,Ü,·□B

©i•s™ It's i<C>j

„@•s™ †<„†(“¼Šp), íHTML’†, Å, íf^fO, ð•\, “Á•Ê, È, à, ï, Æ, ³, ê, Ä, ¢
, Ü, :B, æ, Á, Ä, A•s“™ †<„†, ð•\
Ž, i, µ, ½, ¢, ê, ſ, í, “ÁŽê•!Žš, Æ, µ, Ä, A, », ê, ¼, ê, A<@>@, Æ“ü—Í, µ, Ü, :B

f^fO, iši-{

f^fO, æ, í

□@HTML, Å•¶Žš, È, Ç, ð'¾Žš, É, µ, ½, èÅAÅF, ð•í, i, ½, èÅA•\, ðÅì, Á, ½, è, ·, éÅéÅ†ÅA, Æ, É, ©, -, ·, ×, Ä, iÅéÅ‡, Éf^fO, ðŽg—p, µ, Ü, ·ÅBf^fO, iši-{ CŒ` , íÅÈ%oº, i, æ, x, È, à, i, Å, ·ÅB

<f^fO> □@□` □@</f^fO>

□@□ä, i—á, i, æ, x, É"¼Šp, i•s"™ □t, Å^í, Ü, éÅAÅCÅü, µ, ½, ¢•¶Åí, È, Ç, ð'Ø, iÅf^fO(SJŽnf^fO)
ÆŒä, é, iÅf^fO(□l—¹f^fO), Å<², Ý, Ü, ·ÅBÅl—¹f^fO, É, iÅA, ¢"ü, Á, Ä, ¢
Ü, ·ÅBŽÅU, É•¶Žš, ð'¾Žš, É, ·éf^fO, ðŽg, Á, Ä—á, ð, °, Ä, Ý, Ü, ·ÅB

□i"ú, í'©, ©, çfrfbfNfŠ, ·, é, ±, Æ, ¢, , Á, ½ÅB

, ±, i, æ, x, É"ü—í, ·, é, ÆÅA%oº, i, æ, x, Éfuf%o fEfU, Å•\Ži, ¢, é, Ü, ·ÅB

□i"ú, í'©, ©, ç**frfbfNfŠ**, ·, é, ±, Æ, ¢, , Á, ½ÅB

□@, Å, Ü, èÅAf^fO, Å<², ň, ¾•"•¤, ¾, ¢, é•í%o», µ, Ü, ·ÅB, ±, é, ¢ÅAŠi-{, Å, ·ÅB'†, É, iÅA%oüÅs, ð•\
·
f^fO, i, æ, x, ÉÅl—¹f^fO, ¢-³, ¢, à, i, à, , è, Ü, ·ÅB

f^fO, iŒ^, Ü, è

□@f^fO, ðÅ', , Æ, «, iši-{ "I, É, í'å•¶Žš, Å, àÅ¬•¶Žš, Å, à, ©, Ü, ¢, Ü, ¹, ň, ¢ÅA•K, „"¼Šp•¶Žš, ÅÅ', ¢, Ä, -
¾, ¢, ¢ÅB

f^fO,ì'®»

f^fO,ì'®»

í@f^fO,É,í'®«,ðŽ[],Â,à,í,^, ,è,Ü,·B'®«,Æ,íAf^fO,í"à—e,ð×,©,Žw'è,·é,à,í,¾,Æl,í,Ä,-,¾,³,¢B—á,í,íAŽY,í,æ,¤,Èf^fO,^, ,è,Ü,·B

<P ALINE="center">í@í`í@</P>

í@,±,í<P>f^fO,í'i—Ž,ðŽ!,f^fO,Å,·,^A,»,±,É AALINE=center,Æ,¢,¤'®«,^t,¢,Ä,¢,Ü,·B,±,ê,É,æ,è,A'i—Ž,ð<æØ,Á,½,¤,í,ÅA,³,ç,É A'þ%o>'µ,í,Æ,¢,¤^O-í,É,È,è,Ü,·B'¼,É,àf^fO,È,C¤A,Ù,Æ,ñ,Ç,Èf^fO,É'®«,^, ,è,Ü,·B,È,Ý,É A'®«,ÍŠJŽn f^fO,È,¾,^,«,Ü,·B

'®«,í'»,«•û

í@'®«,í•í'Ê@íu'®«='íví@,Æ,¢,¤Œ`É,È,Å,Ä,¢,Ü,·B'®«,àŠí-{“í,É,í,å•¶ZšE—•¶Zš,Ç,í,ç,Å,à,©,Ü,¢,Ü,¹,ñ,¤A'®«,í'O,É,í•K, "½ŠpfXfyí[fX]Af^fuíA %oüí,Ç,ê,©,ð"ü,è,Å,¾,¢Bí,Ü,è,ÉA'å•¶ZšE—•¶Zš,ð<æ•È,·é,à,í,^, ,è,Ü,·BTARGET=_top,È,Çí

í@'®«,í'I,È"ZšEfAf<ftf@fxfbfgíEfnfCftf"í-i-jíAfsfŠflfhíDíj^ÈŠO,ðŽg—p,·,é,Æ,«,íf_fuf<fnfHí[feí]fVfÍf"íiíhíj,Å^í,þ•K—v,^, ,è,Ü,·BTTF Editor,Å,í,·,x,Åh,Å^í,ñ,Å, ,è,Ü,·B

Ší-{\n\n'c

<HTML><A<HEAD><A<TITLE><A<BODY>

HTML ŠÍ-{}[]\`¢

■@HTML,É,ÍŒ^,Ü,Á,½Šî-{,ìŒ^,º,¸Ü,·ÙBŠî-{“I,É,íÙA,Ç,ìfyÙ[fW,à,±,ìŒ^,ðŽg—
p,µ,È,¬,ê,î,È,è,Ü,¹,ñÙB^È‰º,É,»,ìŒ^,ðÙ’,«,Ü,·ÙB

```
<HTML>
<HEAD>
<TITLE>,±,±,ÉfyÙ[fW,]f^fCfgf<,ðÙ',«,Ü,·</TITLE>
</HEAD>
<BODY>
```

```
</BODY>  
</HTML>
```

□><HTML>□`</HTML>, ïšô, äHTML•¶ï‘, Æ, È, è, Ü, ··B

□><HEAD>□`</HEAD>,ìŠÔ,ífwfbf_□[•”,ÆŒŒ³/₄,¢œA·¶□‘,ì—Í□X,È□í•ñ,ð□‘,«,Ü,·ØB,±,±,É□‘,©,ê,½,à,I,Ífy□[fW,É,Í¹¼/ØU·ØZì,³,é,Ü,¹,ñ□B

□<BODY>□`</BODY>,ÍŠÓ,É-{•¶,ØŒ,«,Ü,·ØBfy[fw,É·\Ž,·,é,à,í,íØA,·,×,Ä,±,±,ÉŒ,«,Ü,·ØB

□<TITLE>□</TITLE>, įŠÖ, É, ïfý□[fw, ì`è-
¼, ðÔ', «, Ü, ·, BIE, È, Ç, ïu, "C, É"ü, è`v, É"o^~, µ, ½ê‡A, ±, ê, aŽg, í, ê, Ü, ·B

fuf%ofofEfU,É,Â,¢,Ä

,±,±,Å,ífuf%ofofEfU,ífo[fWf+f“,É,Â,¢,Ä]à-¾,µ,Ü,·B

¤»Ý½,,ífuf%ofofEfU,¤, ,è,Ü,·B—L-
¾,È,ì,íInternetExplorer,ÆNetscapeNavigator,Å,·B,Ù,©,É,à—I[X,È,à,ì,¤, ,è,Ü,·B,µ,©,µA¤¢
,Å,½,±,Æ,Éfuf%ofofEfU,íZí—P,É,æ,Á,Ä]A,³,ç,É,ífo[fWf+f“,É,æ,Á,Ä,à’‰ž,µ,Ä,¢,éf^fO,¤^á,¢
,Ü,·Bfz[f€fy[fW,ð]í]¬,·,é]ê]‡,I,±,é,ç,I,±,Æ,ð^ÓZ“,é•K—v,¤, ,è,Ü,·B

¤,µ,©,µA, ,Ü,è^ÓZ“,·,é,Æfz[f€fy[fW,È,ñ,Ä]í]¬,Å,«,Ü,¹,ñ]BŽÀ]Û,É,·,x,Ä,ífuf%ofofEfU,É’¹
‰ž,µ,½,à,ì,ð]í]¬,·,é,ì,í,Ù,Æ,ñ,Ç•s‰øÅ”\,Å,µ,å,x]B, ,é'ö"x,í'Ã<:,í•K—v,È,ì,©,à,µ,é,Ü,¹,ñ]B

¤,±,ífwf,fv,Å,íf^fO,â’®]«,í’‰ž]ó<µ,ð]iHTML3,IE2,NN2),í,æ,x,É<L]q,µ,Ä, ,è,Ü,·B,±
,í]é]‡AHTML3^È]ä]i^È]~]j]AIntenetExplorer2.0^È]ä]ANetscapeNavigator2.0^È]ä,Å’¹
‰ž,µ,Å,¢,é,±,Æ,ð, ,ç,í,µ,Ü,·BŽQ]I,É,µ,Ä‰ø³,¢]B

'Š'ÎŽQÆ

—p,μ,Ü,··BT TT Editor,í·ê·‡,í·Ž·“®“I,É·Š·í·ŽQ·Æ,Å·Žæ·“³/₄,μ,Ü,·,·Šo,·,·Ä,·,,·Æ,æ,·¢,·Å,μ,·å,·¤B

ftf@fcf^č, išižqæ

'ŠÍŽQÆ,Æ,Í, .éftf@fCf, ©,çŒ©,½ÙA'¼, jftf@fCf, ÍÊ'u, ð•\,·,à,í,Å, ·ÙBŒ<\,â,â,±,µ,¢, Å,·,¤ÙASö,!,Ä, „,Æ,æ,¢,Å,µ,å,¤ÙBÈ‰oº,É—á,ð, ,º,Ü,·ÙB
dirA,B,C,ÍffffBfŒfNfgfŠ(ftfHf<_),Å,·ÙB

```
[@][@][@]  
[@][@]„¥[@] dirA  
[@][@]„„¥[@]> index.html[@][@]  
[@][@]„„¥[@]> file1.html  
[@][@]„„¥[@] dirB  
[@][@]„„¥[@]> file2.htm  
[@][@]„¥[@] dirC  
[@][@]„¥[@]> file3.html  
[@][@]„¥[@]> file4.html
```

á,í,æ,œ,È,ê,‡index.html,çŒç,½,Ù,ç,íftf@fCf<,í,»,ê,¼,êA

```
file1.html@#@#@@  
dirB/file2.html  
..../dirC/file3.html  
..../file4.html
```

,Æ,È,È,Ù,·Ù,Â,Ù,è,Ð,Æ,ÂÙ,ìffffBfŒfNfgfŠ,É-Ð,é,½,Ñ,ÉÙDÙD/,Æ,È,èÙA%ooº,ÉÙs,Žž,í,»,ìftfHf<_ -½,ð,Â<æÙØ,ê,î,æ,ç,í,Â,·ÙB

HTML, ÍF, ÍŽw'è

HTML, ÍF, ÍŽw'è

HTML“à, Å, í—ÍX, ÈéÍS, ÅF, ÍŽw'è, , é, ±, Æ, ª, , è, Ü, ·ÍBÍF, ÍŽw'è•û-@, í, ¢, é, ¢, è, , è, Ü, , ¨ÍA, ±, ±, ÅÍTTT Editor, ÅŽg—p, Å, «, é•û-@, ÓD‰í, µ, Ü, ·ÍB

ŠÍ-{16ÍF

, ±, ¢, íHTML3.2, Å'è< ` , ¢, Ä, ¢, é, à, í, Å, ·ÍB, Ù, Æ, ñ, Ç, Ífuf‰fEfU, ÅfTf|Ífg, ¨, ¢, Ä, ¢, Ü, , í, Å^ÀÍS, µ, ÅŽg—p, Å, «, Ü, ·ÍB

- i Black (#000000)
- i Gray (#808080)
- i Silver (#C0C0C0)
- White (#FFFFFF)
- i Red (#FF0000)
- i Yellow (#FFFF00)
- i Lime (#00FF00)
- i Aqua (#00FFFF)
- i Blue (#0000FF)
- i Fuchsia (#FF00FF)
- i Maroon (#800000)
- i Olive (#808000)
- i Green (#008000)
- i Teal (#008080)
- i Navy (#000080)
- i Purple (#800080)

16Íi”, ÅŽw'è

, ±, ¢, íRGB’I, ÅŽw'è, µ, Ü, ·ÍBRGB, Æ, í, », ¨, ¼, ¢Red(ÍÔ)ÍAGreen(—í)ÍABlue(ÍÂ), Å, , èÍAŒõ, í3Œ’ÍF, Å, ·ÍB^È‰º, í, æ, x, É•\, µ, Ü, ·ÍB

Í@Í@Í@Í@#0099FF

”Žš, Õ2, Å, , Å<æÍØ, èÍA00, ¨ÍÔÍA99, ¨—ÍAFF, ¨ÍÂ, Õ, , ç, í, µ, Å, ¢, Ü, ·ÍB

—áÍj#0000FF, ÍêÍfÍAÍÔÍA—í, ¨0, ÅÍÂ, ¨FF, ÆÍÂÍ, 'I, É, È, Á, Ä, ¢, Ü, , í, ÅÍÂ, É, È, è, Ü, ·ÍB

! , ±, ÍŽw'è•û-@, ÍêÍfÍAÍffBFÍfvfÍfC, ¨256ÍFf, ÍÍfÍh, ÍÍÛ, É, í, Í, Í, , é, ±, Æ, ¨, Å, ¨, é, ¢, , ï, ï, ñ, ß, ¢ÍF, É•ÍX, ¨, ¢, Ü, ·ÍB, », í, ½, ßÍAŠÍ«, É, æ, Á, Ä, í, "÷-, ÈÍFÍf, ¢, ¨Ío, ¨, È, ¢ÍêÍf, ¨, , è, Ü, ·ÍB

fTfEf“fh

,±,±,Å,ÍfTfEf“fh,É,Â,¢,Ä,ÌŠÈ’P,È[]à-¾,ð,µ,Ü,·[]B

⊕fz◻[f€fy◻[fW,ÅBGGM,ð,È,c,,É,l,Í'Éñl<EMBED>◻A◻BG SOUND>,ðŽg—p,μ,Ü,·◻B,½,¾◻A-â‘è,È,l,Í'fuf%ofEfU,É,æ,Á,À'í‰ø,μ,Ä,c,é,à,l,³ä,¤,Æ,c,¤,±,Æ,Å,◻B(ŽQ◻Æ)

—á,í,î~~<BG SOUND>~~,ì,ô~~>IE2^È~~á,À,µ,©'‰øž,µ,Ä,ç,Ü,¹,ñ~~ØB~~,»,ì,½,ßNN,À,ÍBGM,ð'®,+,±,Æ,ä,À,«,Ü,¹,ñ~~ØB~~,Ü,½~~A<EMBED>~~,ì,ô~~>I~~,ÍNN2^Èá~~AI~~E3^Èá,É,µ,©'‰øž,µ,Ä,ç,Ü,¹,ñ~~ØB~~

Œ»Ý,¢,ƒ,î,ñ½,Žg—p,³,ê,Ä,¢,é,ÆŽv,í,ê,é,ì,í<EMBED>,Å,·□B

—á»ј<EMBED SRC="XXX.mid">

,Ü,%½JavaScrip,t,ðŽq=p,μ,Äfuf%o%FfU,ð”»•È,μ,Ä,‘%o%ž,·,éf^fO,ð‘l’ð,·,é,±,Æ,à,Å,«,Ü,·,ñB

,æ,žg,i,ê,éftf@fCf<Œ`ž®

Windows, Å, æ, Žg—p, ³, ê, é, à, ì, ð, Ð

MP3ftf@FcF<`i.mp3jFWAVEftf@FcF<,É`ä,×,ÄTfCfY,¤10•ä,í,P,,ç,¢,É,È,é,Ü,¤B,ÆŒŒ³/Å,À,À,àŒ»¤Ý,¡¤ó<Å,ÍBGM,Æ,µ,ÄŽg—p,.,é,È,í,Ü,³/Å,«,ç,Å,¤B

<HTML>

IndexiABC±J@I@Indexi<@"\•Èi

,±,íf^fO,ì't,ºHTML•¶'¸,É,È,è,Ü,·B

f^fO

<HTML>I@I`I@</HTML>

à-¾

,±,íf^fO"à,ÉHTML•¶'¸,ð'¸,«,Ü,·B,±,íf^fO,íftf@fCf<'t,É•i"“¶Ý,µ,Ä,í,¢,~,Ü,¹,ñB

'í%ož

HTML2,IE2,NN2

<HEAD>

IndexiABC

,±,jf^fO,ì't,ªHTML,jfwbfb_,É,È,ë,Ü,·B

f^fO

<HEAD>`@`@</HEAD>

à-¾

,±,jf^fO"à,ÉHTML,jfwbfb_,ð',«,Ü,·B<META>f^fO AfXf^fCf<fv[fg]•ñ,È,Ç,ð,±,ì't,ÀŽw'è,µ,Ü,·B
,Ü,½A•K,,<TITLE>f^fO,ðŽw'è,µ,È,~,ê,î,È,ë,Ü,¹,ñB

'‰ož

HTML2,IE2,NN2

<TITLE>

IndexiABCéí@í@Indexíí"\•Éí

,±,íf^fO,í't,^äHTML•¶'í,íf^fCfgf<,É,È,è,Ü,·B

f^fO

<TITLE>í@í`í@</TITLE>

íà-¾

,±,íf^fO"à,^äHTML(fyí[fW),íf^fCfgf<,É,È,è,Ü,·B•\
ží,í,^³,é,Ü,^¹,ñ,^äu,"íC,É"ü,èív,âíufufbfNf}í[fNívíA—š—ð,È,C—líX,ÈíêíS,Àžw'è,µ,^½,à,í,^ä•\
ží,^³,é,Ü,·B•K,žw'è,µ,È,í,é,Ü,^¹,ñíB,±,íf^fO,í<HEAD>í`</HEAD>í,É<Líq,µ,Ü,·B

í‰ož

HTML2,IE2,NN2

<BODY>

IndexíABC

,±,íf^fO,í't,ºHTML,í-{ •¶,É,È,è,Ü,·B

f^fO

<BODY>@` @</BODY>

à-¾

,±,íf^fO"à,ÉHTML,í-{ •¶,ð',«,Ü,·B,±,í't,º'Èífuf%o fEfU,À•\ž|,³,ê,Ü,·B—I[X,Èf^fO,ð—~—p,µ,Ä-{ •¶,ð',¢,Ä%o³,¢B

'®`<

BGCOLOR="COLOR" fy[fW,í"wŒi]F,ðŽw'è,µ,Ü,·B

(HTML3,IE2,NN3)

BACKGROUND="...." fy[fW,í"wŒi,É•\ž|,·,éfCf]fW,íftf@fCf<-¾(]é]Š]j,ðŽw'è,µ,Ü,·B
(HTML3,IE2,NN2)

TEXT="COLOR" 'È]í,ífefLfxfg,]F,ðŽw'è,µ,Ü,·B

(HTML3,IE2,NN2)

LINK="COLOR"]@-¢ •\ž]fšf"fn,ífefLfxfg,]F,ðŽw'è,µ,Ü,·B

(HTML3,IE2,NN2)

VLINK="COLOR" •\ž]í,Ýfšf"fn,ífefLfxfg,]F,ðŽw'è,µ,Ü,·B

(HTML3,IE2,NN2)

ALINK="COLOR" fnfšfbfn'tfšf"fn,ífefLfxfg,]F,ðŽw'è,µ,Ü,·BIE3^È'O,í-³ž<,³,ê,é,æ,¤,À,·B

(HTML3,IE2,NN2)

'í%ož

HTML2,IE2,NN2

<META>

Index□iABC□#□j□@□@Index□i<@”＼•Ê□j

—I[X,È—p“r,ÅŽg,¢,Ü,·]B[iŽg—p—á]j

f^o

<META>

$$\square \grave{a}^{-\frac{3}{4}}$$

—ÍØX,ÈÙÎ•ñ,ðHTML,ÉÙÝ'è,µ,Ü,·ÙB,±,ÌÙÎ•ñ,í'¼ÙÚ,É,ífuf%ofEfU,Å•\

Ž|,³,ê,Ü,¹,ñ,²f|f{fbfgŒ^ŒÝœGf“fWf”,j|fL[f]h,ÅZg,i,ê,½,è,ÆŒ<|d—v,È,à,ì,à, ,è,Ü,:|
B<HEAD>|`</HEAD>ŠÓ,ÉŽw'è,µ,Ü,·|B

' R □ <

NAME="..." -¼'Ô,ðŽw'è,µ,Ü,··BAuthor("ŽO-¼"),Keywords(fL·[f·][fh]),Description(Html,i·à-¾·]j,È,Ç,·,è,Ü,··B

(HTML2,IE2,NN2)

HTTP-EQUIV="..." HTTP, Ifwfbf, ñ•ñ, ñ•t%oÁñ•ñ, ðñ', <, Ü, ·ñBRefresh(fyñ[fWñXñV), Content-type(·ñZšfRñ[fh\ñž]), È, Ç, ã, , è, Ü, ·ñB

(HTML2,IE2,NN2)

CONTENT="..." ☐ã<L,ì2,Â,ì'l,ð☐Ý'e,µ,Ü,·☐B

(HTML2,IE2,NN2)

1%

HTML2,IE2,NN2

META, įžg-p-á

⊕,±,±,Å,í[],µ,^¾,⁻ <META>f^O,iŽg—p—á,ð[]Ð%oî,µ,Ü,·[]B<META>,í,±,í^¼,É,à—I[]X,È—~—p•ù-@,®, ,è,Ü,[]B

Š č Ž š f R [fh, ï Ž w' è i Š č Ž š f R [fh, ^äShift_JIS []]

```
<Meta Http-equiv="content-type" CONTENT="text/html; charset=iso-2022-jp">
```

HTML, IfL, f, fh, Žw'è, µ, Ü, ·, B

<META NAME="Keywords" CONTENT="HTML,TTTEditor,taka36">

fy[[fW, iž © “ ® ^ Ú “ ®

<META HTTP-EQUIV="Refresh"CONTENT="10;URL=http://abc.com/">
+,í-á,å,í10•bŒä,Éabc.com,Æ,¢,¤gý¶[fW,ÉfWfff"fv,µ,Ü,:¶B

f₁f{fbfg, l“® ližw’è

<META NAME="ROBOTS" CONTENT="INDEX, FOLLOW">
,±,ì,é,ê,‡,.,×,Ä,í,ƒy,í,ƒw,ð,Œ,Ý,ö,öff,í,ƒ^fx,í,ƒX,É,o,~^,µ,Ü,·,ß
CONTENT,É,Í,È‰‰º,ì,à,ì,ð,Žw,‘,Å,«,Ü,·,ß

INDEX ,±,ìfyÙ[fW,ðÙAŒÝÙöffÙ[f^fxÙ[fX,É“o~^,µ,Ü,·ÙB

FOLLOW ,±,ÍfyÙ[fW,©,çÙAfŠf“fN,ð,½,Ç,è,Ü,·ÙB

ALL INDEXES FOLLOW

NOINDEX ,±,ìfy[[fW,ð]AŒÝ]öff[[f^fx][fX,É“o~^,μ,Ü,¹,ñ]B

NOFOLLOW ,±,ÍfyÙ[fW,©,çÙAfŠf“fN,ð,½,Ç,è,Ü,¹,ñÙB

NONE NOINDEX NOFOLLOW

fÍf{fbfg,Æ,í

,±,í»é»‡Aí»f{fbfg,Æ,í»f{fbfgŒ^,í»Ý»öfGf“fWf”,ð, ,ç,í,µ,Ü,·BŒ»Ý»A,½,-
,³,ñ,í»f{fbfgŒ^,í»Ý»öfTfCfg,³, ,è,Ü,·B,±,ê,ç,í»f{fbfg,ðZg—
p,µ,Ãflfbfg,ð»,%oñ,µž®“®,Ãfz»f€fy»[fW,í»í•ñ,ð»W,ß,Ã“o~^,µ,Ã,¢,Ü,·B

<!DOCTYPE>

IndexiABC±】@】@Indexi<@"\•Ê】

fhfLf...f】f“fgf^fCfv

f^fO

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">,È,Ç

】**à-¾**

Žg—p,μ,Ä,¢,éHTML•¶'ífo[u]fWf†f“,ðŽw'è,μ,Ü,·B,æ,•ª,©,ç,È,¢ûê‡,íŽw'è,μ,È,¢,Å,à,¢,¢,Å,μ,å,¤BŽw'è,·,éûê‡,í•¶',íûæ"ª,É"»,«,Ü,·B

'‰ož

HTML2,IE2,NN2

<FRAMESET>

Index iABC

fEfBf“fhfE i‰œ-Êj, ð•aŠ,,μ,Ü,·B

f^fO

<HTML>

<HEAD>

<TITLE></TITLE>

</HEAD>

<FRAMESET @ROWS="30%,*">

<FRAME SRC="~A.html" NAME="FrameA">

<FRAME SRC="~B.html" NAME="FrameB">

</FRAMESET>

</HTML>

à-¾

,Ü,,A'Ó,µ,½,¢,í,±,ífy[fW,É,í<BODY>f^fO,¤, ,è,Ü,¹,ñB<BODY>f^fO,¡ŠÔ,ÉftfCE[f€,íf^fO,ð“ü,ê,A,à•Ž,³,ê,E,¢,±,Æ,ðSo,!,Ä,“,«,Ü,µ,å,¤B,à,µA¤c‰,¡“-Žž,É•aŠ,,·,éê†,í“ü,êŽq,É,µ,Ü,µ,å,¤B

,Ü,½[A<NOFRAMES>,íftfCE[f€,ð•\Ž,Å,«,É,¢fuf,‰fEfU,Ãfy[fW,ðCE®,½l,½,β,ÉffbfZ[fW,ð‘,,½,β,íf^fO,Å,·BftfCE[f€,ð]¬,µ,½,c¤A-Y,é,,É‘,«,Ü,µ,å,¤BftfCE[f€,Å,í,É,¢fy[fW,à,Ä,Ä,“,ÆeØ,Å,·B

<FRAME>

®<

COLS="..." ,±,±

,É,íc,É•aŠ,,·,é,Æ,«,íA,»,ê,¼,é,ífEfBf“fhfE,í‘å,«,³,ðŽw’è,µ,Ü,·B’å,«,³,ðŽw’è,·,é,Æ,«,ífjf“f}(,),Å<æØ,è,Ü,·BË,¾ÙA%,Ç,ç,Å,à,¢,Å,·B,Ü,½A*i*j,íŽc,è’S•”,í—íæ,ÆCE³/4,Å,½Ó-i,É,È,è,Ü,·B

(HTML4,IE3,NN2)

ROWS="..." ,±,±,É,í‰o,É•aŠ,,·,é,Æ,«,íA,»,ê,¼,é,ífEfBf“fhfE,í‘å,«,³,ðŽw’è,µ,Ü,·B

(HTML4,IE3,NN2)

BORDER=n <<ŠEü,í•,ðË,¾Ù,ÅŽw’è,µ,Ü,·B

(IE4,NN3)

BORDERCOLOR="color" <<ŠEü,íF,ðŽw’è,µ,Ü,·B

(IE4,NN3)

‰ož

HTML4,IE3,NN2

<FRAME>

Index iABC@Index@Index@Index@"

ftfŒ[f€'†,iŠeftfŒ[f€,i]Ý'è,ð,μ,Ü,·B

f^fO

<HTML>

<HEAD>

<TITLE></TITLE>

</HEAD>

<FRAMESET@ROWS="30%,*">

<FRAME SRC="~A.html" NAME="FrameA">
<FRAME SRC="~A.html" NAME="FrameA">

</FRAMESET>

</HTML>

à-¾

ftfŒ[f€'†,iŠeftfŒ[f€,i]Ý'è,ð,·,éf^fO,Å,·B'@«,†,ANAME,Æ,¢,¤,ì,¤, ,è,Ü,·B,±,ê,íAftfŒ[f€,i]½'Ø,É,È,è,AfŠf"fNæ,ð,Ç,±,É•\Z|,:é,©,ÆŒ¾,¤TARGET'@«,ðŒ^,ß,é,Æ,«,Éd—v,É,È,è,Ü,·B

<FRAMESET>

'@«

SRC="..." ftfŒ[f€,É•\Z|,μ,½,¢fyŒ[fW,]ftf@fCf,âURL,ð]Ý'è,μ,Ü,·B

(HTML4,IE3,NN2)

NAME="..." ftfŒ[f€,É-½'Ø,ð,Å,·,Ü,·BfŠf"fN,]f^Œ[fQfbfg,ÉŽw'è,Å,«,é,æ,¤,É,È,è,Ü,·B
(HTML4,IE3,NN2)

SCROLLING="..." ftfŒ[f€,ÉfXfNfŒŒ[f,foŒ[,ð•\Z|,:é,©Žw'è,Å,«,Ü,·Byes,í•\Z|,μAno,í"ñ•\Z|,Éaauto,í•K—v,È,Æ,«,É•\Z|,μ,Ü,·B]È—¤,·,é,Æauto,É,È,è,Ü,·B
(HTML4,IE3,NN2)

NORESIZE ,±,ê,ðŽw'è,·,é,ÆftfŒ[f€,]ftfCfY•íŒX,ð<ÖŽ~,Å,«,Ü,·B
(HTML4,IE3,NN2)

FRAMEBORDER=... 0,Å•½-Ê"ŒA1,Å—§'ŒI,É,È,è,Ü,·BfffftfHf,Å,í1,É,È,è,Ü,·B
(HTML4,IE3,NN3)

MARGINWIDTH=n ftfŒ[f€,i]‰œE,ìó'',ðŒß,¾Ù,ÅŽw'è,μ,Ü,·B
(HTML4,IE3,NN2)

MARGINHEIGHT=n ftfŒ[f€,i]‰œœ,ìó'',ðŒß,¾Ù,ÅŽw'è,μ,Ü,·B
(HTML4,IE3,NN2)

BORDERCOLOR="color" <<ŠEü,ìŒF,ðŽw'è,μ,Ü,·B

(IE4,NN3)

‰œž

HTML4,IE3,NN2

<NOFRAMES>

Index

ftfŒ[f€-¢'‰ž,ƒuf‰fEfU,É'Î,µ,Ä,í•\Ž;B

f^fO

<HTML>

<HEAD>

<TITLE></TITLE>

</HEAD>

<FRAMESET@ROWS="30%,*">

<FRAME SRC="~A.html" NAME="FrameA">
<FRAME SRC="~B.html" NAME="FrameB">

<NOFRAMES>

ftfŒ[f€-¢'‰ž,½,ß,ƒfbfZ;fW
</NOFRAMES>

</FRAMESET>

</HTML>

à-¾

ftfŒ[f€,ð•\Ž; Å,«,È,¢uf‰fEfU,½,ß,í•¶',ð',«,Ü,·B<FRAMESET>`</FRAMESET>"à,ÅŽw'è,µ,Ü,·B

'‰ž

HTML4,IE3,NN2

© o, μ < Hn >

Index||iABC||#||j||@||@Index||i<@"/\•Ê||j

• ¶', ïŒ©ºo, µ, ðŽw'è, µ, Ü, ·ºB

f^fo

<Hn>□@□`□@</Hn>

n,É,ÍÅA1iÅ'åj`6iÅ¬j

$$\square \grave{a}^{-3/4}$$

•¶í,íŒ©o,μ,ðŽw'è,μ,Ü,·B,±,jf^fO,ðŽg—p,·é,AE•¶Žš,ð'å,«,•\Ž!,μ,½,èA¬,³,•\Ž!,μ,½,è,Å,«,Ü,·B,μ,©,μA,±,jf^fO,íŒ©o,μ,ìd—v"x,ð\·,·,à,ì,Å,·,©,çA,½,¾'P,É•¶Žš,ð'å,«,-,μ,½,çê‡,íf^fO,ðŽg,ç,Ü,μ,å,¤BŽÀÛ,É<HN>f^fO,©,ç-UŽY,ðì¬,·,é,fuf%ofEfU,®,é,»,¤,Å,·B

'R' ۲

ALIGN=a fŒfCfAfEfg,ðŒ^,ß,Ü,·Ba,É,Íleft,center,right,“ü,è,Ü,·B^Ó-í,í,»,ê,¼,êA¶’µ,;A’t‰»’µ,;A‰E’µ,;Å,·B

(HTML3,IE2,NN2)

1%

HTML2,IE2,NN2

%oÜs

IndexiABC±@Indexi<@"\•Èi

%oÜs,μ,Ü,·B

f^fO

à-¾

•¶“†,Å%oÜs,μ,½,¢éŠ,É’}“ü,μ,Ü,·B|—¹f^fO,í, ,è,Ü,¹,ñB
f|^,È%oÜs,í<P>f^fO,Å,í,È,A,±,ç,ðŽg,¢,Ü,μ,å,¤B

‘®»<

CLEAR=a ,μ“í,μ,¢,Å,·,¤AfCf||[fW,È,C,ðfefLfxfg,Å%oñ,è,±,ñ,Å,¢
,é,Æ,«,ÉA,»,ê,ð’tZ~,μ,Ü,·Ba,É**left**,ð“ü,ê,é,Æs“¤,ðÅ,à¶,É•Z|,Å,«,é^È'u,Ü,Å
%oÜs,μ**Aright**,ð“ü,ê,é,Æs--,ðÅ,à%oE,É•Z|,Å,«,é^È'u,Ü,Å%oÜs,μ,Ü,·B**all**,í—¼•û,ð, ,í,¹,½
,à,ì,Å,·B

(HTML3,IE2,NN2)

†%ož

HTML2,IE2,NN2

%oǖs<ÖŽ~<**NOBR**>

IndexiABC~~é~~@Indexi<@"\•È̄i

fefLfXfg,í%oǖs,ð<ÖŽ~,μ,Ü,·̄B

f^fO

<**NOBR**>`</**NOBR**>

à-¾

<**NOBR**>`</**NOBR**>,Å²,Ü,ê,½fefLfXfg,í%oǖs,³,ê,Ü,¹,ñ̄B

í%ož

IE2,NN2

%ooÜÙs<-%ooÂ<**WBR**>

IndexÙiABCÙ±Ù@Ù@IndexÙi<@"\•Ùj

fefLfXfg,ì%ooÜÙs,ð<-%ooÂ,µ,Ü,·ÙB

f^fO
<WBR>

Ùà-¾

%ooÜÙs<-%ooÂ,í•¶Ù“t,ì%ooÜÙs,µ,Ä,à,æ,¢,Æ,±,ë,É“ü,ê,Ü,·ÙB%ooÜÙs<ÖŽ~'t,âÙA'·,¢%ooPŒê,È,C,ð“r't,ÅÙÜ,è•Ù,·,Æ,«,È,C,ÉŽg,¢,Ü,·ÙB,È,“ÙA%ooÜÙs<-%ooÂ,È,ì,Å•K,,%ooÜÙs,³,ê,é,í,¬,Å,í, ,è,Ü,¹,ñÙB

'Í%oož

IE2,NN2

'i—Ž<P>

IndexiABC

'i—Ž,ð•¤,~,é,Æ,«,ÉŽg—p,μ,Ü,·B

f^fO

<P>,à,μ,,í
<P>`</P>

à-¾

•¶'†,Å'i—Ž,ð•¤,~,½,¢,Æ,«,É,»,ì•¶',ð<P>,Æ</P>,Å,í,³,b,©A'i—
Ž,ð•¤,~,½,¢êŠ,É<P>,ð'}“ü,μ,Ü,·Bfuf%oEfU,Å•\Ž!,·é,ÆA'i—Ž,iŠO,ÉŽáŠ±
,lfXfylfX,¤ó,«,Ü,·B

@<

ALIGN=a fŒfCfAfEf,ðŒ^,ß,Ü,·Ba,É,íleft,center,right,¤“ü,è,Ü,·B^Ó-¡,í,»,ê,¼,êA¶¶'μ,;A'†
‰¤'μ,;A‰E'μ,;,Å,·B

(HTML3,IE3,NN2)

‰¤ž

HTML2,IE2,NN2

"z'u<DIV>íufufbfN—v'f)
Index|iABC@Index@Index|i<@"\•Ê|i

•¶',í"z'u,ðŒ^,ß,éB

f^fO

<DIV ALINE=left>`</DIV>¶'µ,|
<DIV ALINE=center>`</DIV>'‰'µ,|
<DIV ALINE=right>`</DIV>%E'µ,|

à-¾

•¶',í"z'u,ðŒ^,ß,½,¢,Æ,«,ÉŽg,¢.Ü,·B,±,jf^fO,í®«,É,æ,Á,Ä¶'µ,|A'+‰'µ,|A
‰E'µ,|,ðŒ^,ß,é,í,ÅA'®«,ðE—,·,é,Æ'P,È,éíufufbfN'®,È,è,Ü,·B,Ü,½A'+
‰'µ,|,í<CENTER>f^fO,àŽg,|,Ü,·B

'@«

ALIGN=a fŒfCfAfEfg,ðŒ^,ß,Ü,·Ba,È,íleft,center,right,¤“ü,è,Ü,·B^Ó-i,í,»,ê,¼,êA¶'µ,|A'+
‰'µ,|A‰E'µ,|,Å,·B

(HTML3,IE3,NN2)

í‰ž

HTML3,IE3,NN2

HTML3,IE2,NN2(<CENTER>)

'†‰o>'µ,!<CENTER>

Index iABC ± » @ » Index i<@ " \ • È i

• ¶',jfZf“f^fŠf“fO B

f^fO

<CENTER> ` </CENTER>

à-¾

fefLfXfg,È,Ç,ð'†‰o>'µ,!,:,é,Æ,«,ÉŽg—p,µ,Ü,· B'†‰o>'µ,! ,É,í<DIV>,àŽg—p,Å,«,Ü,· B

'‰ož

HTML3,IE2,NN2

® CE`Í,ÝfefLfxfg <PRE>
Index@ABC@Í@Index@<@"\•ÊÍ@

f^fo
<PRE> 𠁁`𠁂@</PRE>

$$\square \mathbf{a}^{-\frac{3}{4}}$$

,±,íƒ·fO,Å'í,ñ,¾/í'í,É'»,©,ê,½feFfXfg,Í[OA,Ù,Ú,».,í,Ü,Ü,íŒ`,,Å·\Z|,³,ê,Ü,·B·'ÉHTML,Å,í
‰%Ü[S,å"¹/4ŠpfXfy[FX,í-³Ž<,³,ê,Ü,·,ä]A,±,íf^fO,ÍSÖ,É'»,©,ê,½[é]‡,í,».,íŒÀ,è,Å,í, ,è,Ü,¹,ñ[B,Ü,
½·¶Zš,í"™·]ftfHf"fg,É,È,è,Ü,·B
,Ü,½[A‰%ü[S,í'í,Ü,äŒÅ'è,³,ê,é,½,B[A‰%j,ÉfXfNf[]][f<,μ,È,‡,Æ"Ç,ß,È,‡[é]‡,à, ,è,Ü,·,í,Å'ÛÓ,μ,Ä
,³/4,³,ç[B,¤,Ü,Zg,¤,í,íŒ<[]"í,μ,çf^fO,Å,·B

' R □ <

WIDTH=,Ž %ooj•[],ìÅå'í,ðËß,¾ÙP^Ê,©%ooæ-Ê,ì•[],ìS,,[]#i[]“[]j,ÅŽw'è,µ,Ü,·[]B

(HTML2)

(NN4)

1%ož

HTML2,IE2,NN2

^ø—p•¶<BLOCKQUOTE>

IndexíABC±»@»@Indexí<@”\•Ê»i

^ø—p•¶,ð, ,ç,í,μ,Ü,·»B

f^fO

<BLOCKQUOTE> »@</BLOCKQUOTE>

»à-¾

,±,íf^fO,Å^í,ñ,¾”í^í,í^ø—p•¶,Æ,Ý,È,μ,Ü,·»Bfuf‰ofEfU,Å•\Ž!,·,é,Æ»A»¶‰oE,»Cf“fff“fg,³,ê»A»E,,ŠO,²,Å,«,Ü,·»B

‘í‰ož

HTML2,IE2,NN2

<HR>

IndexiABC±»@@Indexi<@"\•Êi

...•½ü^ø,^øø,«,^Ü,·B

f^fO

<HR>

à-¾

fy[fW,É%o,j,ìüi...•½üj,^øø,«,^Ü,·B•W€,Å,ífy[fW,ì'[,©,ç'[,Ü,Å,ìü,^øø,«,^Ü,·B—
lX,È'®«,^a, ,é,ì,ÅA,¤,Ü,'g,Y‡,í,¹,ÄF>X,Èü,^øø,¢,Å,Ý,Ü,µ,å,¤B

‘®«

ALIGN=a fŒfCfAfEfg,^øC[^],ß,Ü,·B,É,íleft,center,right,^a“ü,è,Ü,·B[^]Ó-i,í,»,ê,¼,êA¶’µ,!A’†
%o>’µ,!A%oE’µ,!,Å,·B

(HTML3,IE2,NN2)

SIZE=n ü,ì•üi’¾,³j,^øZw’è,µ,Ü,·B,Z,íËß,¾Ù’P[^]Ê,ÅZw’è,µ,Ü,·B

(HTML3,IE2,NN2)

WIDTH=,ž ü,ì’·,³,^øZw’è,µ,Ü,·B,Z,íËß,¾Ù’P[^]Ê,íZw’è,©Afy[fW,ì%o
i•,É'í,éŠ,,¤iWIDTH="70%",É,ç),ÅZw’è,µ,Ü,·B

(HTML3,IE2,NN2)

NOSHADE %oé,^øZ,½,È,¢•½-È“í,Èü,É,È,è,Ü,·B’í,í, ,è,Ü,¹,ñB

(HTML3,IE2,NN2)

COLOR=¤COLOR" ü,ìF,^øZw’è,µ,Ü,·IE,Å,ì,Ý•\Z!,Å,«,^Ü,·B

(IE3)

í%ož

HTML2,IE2,NN2

ftfHf“fg

Index iABC± @

ftfHf“fg,ì

f^fO
`

à-¾

ftfHf“fg,ì

®»

SIZE=n •¶Žš,í‘å,«,³,ðŽw’è,µ,Ü,·B,ž,É,í1(·Å→j`7(·Å‘åoj,ì”Žš,ð“ü,ê,Ü,·B,Ü,½A+3`-3,àŽw’è,Å,«,Ü,·B,±,ìé‡,í",Æ",Å+3,È,C,ì'l,ð<²,Ý,Ü,·B

(HTML3,IE2,NN2)

COLOR=" F "»@F,ðŽw’è,µ,Ü,·B

(HTML3,IE2,NN2)

FACE="ftfHf“fg-¼" »@ftfHf“fg,ìží—þ,ðŽw’è,Å,«,Ü,·Bfjf“f},Å<æØ,é,±

,Æ,É,æ,è•í”,íŒó•â,ðŽw’è,Å,«,Ü,·Bæ,ÉŽw’è,µ,½,à,í,©,çf`fFfbfN,³,é•ž;%oÅ"\,È,à,í,ð•\ž!,µ,Ü,·B

(HTML4,IE2,NN3)

‰ž

HTML2,IE2,NN2

'¾Žš

IndexiABC±í@í@Indexí<@"\•Êí

•¶Žš,ð'¾Žš(f{][f<fh),Å•\Ž!,·,é,½,ß,íf^fO,Å,·

f^fO
`

·à-¾
'¾Žš,Å•\Ž!,μ,½,¢ •" •¤,ð,Æ,Å,í,³,Ý,Ü,·

í‰ož
HTML2,IE2,NN2

ŽÍ`Í<|>

IndexíABC±í@í@íIndexí<@í"í•í

•¶Žš,ðŽÍ`í(fCf^fŠfbfN),Å•\Ž!,·,é,½,ß,ìf^fO,Å,·íB

f^fO

<|>í`</|>

íà-¾

ŽÍ`í,Å•\Ž!,μ,½,¢"•¤,ð<|>,Æ</|>,Å,í,³,Ý,Ü,·íB

í‰ož

HTML2,IE2,NN2

%oöüß<U>

IndexiABCüj@ü@Indexi<@"\•Èj

•¶Žš,É%oöüß(fAf“f_Û[f%oöfCf“Ûj,ð•t,_,Ä•\Ž|,·,é,½,ß,]f^fO,Å,·ÛB

f^fO

<U>Û`</U>

Ûà-¾

%oöüß•t,«,Å•\Ž|,μ,½,¢•”•¤,ð<U>,Æ</U>,Å,Í,³,Ý,Ü,·ÛB

Í%oöž

HTML3,IE2,NN3

“™ • ftfHf“fg<TT>

IndexiABCi±i@i@Indexi<i@”\•Èi

•¶Žš,ð“™ • ftfHf“fg,Å•\ži,·,é,½,ß,íf^fO,Å,·B

f^fO

<TT>`</TT>

à-¾

“™ • ftfHf“fg,Å•\ži,µ,½,¢”•¤,ð<TT>,Æ</TT>,Å,í,³,Ý,Ü,·B

‰ž

HTML2,IE2,NN2

Žæ,èÁ,µü<STRIKE>

IndexíABCé@í@Indexí<@"\•Èí

•¶Žš,ðŽæ,èÁ,µü•t,«,Å•\Ž!,·,é,½,ß,jf^fO,Å,·B

f^fO

<S>í`</S>

<STRIKE>í@í`í@</STRIKE>

íà-¾

Žæ,èÁ,µü•t,«,Å•\Ž!,µ,½,¢"•¤,ð<S>,Æ</S>,Å,í,Ý,Ü,·B

'Í%ož

HTML4,IE2,NN3

“ -Å•¶Žš<BLINK>

IndexíABC±¶@®Indexí<@”\•È®í

•¶Žš,ð“_Å•Ž!,·,é,½,ß,ƒ^fO,Å,·B

f^fO

<BLINK>` </BLINK>

à-¾

“_Å•Ž!,µ,½,¢•”•¤,ð<BLINK>,Æ</BLINK>,Å,í,³,Ý,Ü,·B

‰oož

NN2

• ¶Žš, ð'å, «, <**BIG**>

Index iABC Index @ Index i<@"\•Èj

ftfHf"fg, ð'å, «,, μ, Ü, ·B

f^fO

<BIG> ` </BIG>

à-¾

ftfHf"fg, ð'å, «,, μ, ½, ¢ •" •ª, ðä<L, f^fO, Å², Ý, Ü, ·B , ï, ©, í, è, ÉŽg—p, Å, «, Ü, ·B

'‰ož

HTML3, IE3, NN2

• ¶Žš, ð¬-, ³, <**SMALL**>

Index iABC ð¬- ð@ ð@ Index i<@ " \ • Ê ð i

ftfHf“fg, ð¬-, ³, , μ, Ü, · ð B

f^fO

<**SMALL**> ð` </**SMALL**>

ñà-³/4

ftfHf“fg, ð¬-, ³, , μ, ½, ç • " • ², ð ã <L, f^fO, Å², Ÿ, Ü, · ð B , ï, ©, í, è, Éžg—p, Å, «, Ü, · ð B

'í%ož

HTML3, IE3, NN2

ä•t,«•¶žš<sup>

IndexiABCéj@@Indexi<@"\•éj

ftfHf“fg,ðä•t,«•¶žš,É,μ,Ü,·B

f^fO

^{ü`}

à-¾

X,ì2æ,È,Ç,ð•\,·,Æ,«,Éžg—p,μ,Ü,·B

‰ž

HTML3,IE3,NN2

%ooº•t,«•¶Žš<SUB>
IndexiABC‡j@">@Indexi<@"\•Êj

fjfHf“fg,ð%ooº•t,«•¶Žš,É,µ,Ü,·B

f^fO
_`

à-¾
X,ì2æ,È,Ç,ð•\,·,Æ,«,ÉŽg—p,µ,Ü,·B

Í%oož
HTML3,IE3,NN2

Ší-**{ftfHf“fgfTfCfY<BASEFONT>**
Index iABC ± @ @ @ Index i @ “\• È j

fy[[fW, iS^ - { , lftfHf"fgfTfCfY, ðŽw'è, . , é]B

f^fo
<BASEFONT>

□à-¾
+,íf^j○,ðŽg—p,μ,½,Æ,±,ë^È□~□AŠî-{},íftfHf“fg,¤Ý’è,μ,½,à,ì,É,È,è,Ü,·□B

SIZE="n" ftfHf"fg,lftfCfY,ðŽw'è,µ,Ü,·B

(HTML3,IE3,NN2)

COLOR="FF" style="font-family: serif;">ftfHf"fg, lF, ðŽw'è, µ, Ü, ·B

(HTML4,IE2)

‘‰ož
HTML3,IE2,NN2

fŠf“fN<A>

Index

fŠf“fN,ð,í,è,Ü,·B

f^fO

 ` Žw'è,íURL,ÉfWfff“fv
 ` Žw'è,ífAfhfŒfX,ÉfŒ[f‘—M
 ` @ftf@fCf,ÉfAf“fJ[,ð]Y'u
 ` @ftf@fCf,íŽw'è^É'u,ÉfWfff“fv

à-¾

“Á’è,íêIŠ,ÉfŠf“fNifWfff“fvj,·,é,½,ß,íf^fO,Å,·BHREF’®«,í'I,ð•í,í,é,¾,-,Å]A’¼,ífyŒ[fW,ÉfWff
f“fv,μ,½,èŒAfŒ[f[‘],ð]o,μ,½,èŒAŒFŒX,Å,«,Ü,·BfyŒ[fW,í“r’t,Ö,ífŠf“fN,í,±,í,ç,ðZQŒÆ,μ,Å,-
,¾,³,¢ŒB,Ü,½ŒAfCfŒ[fW,È,ç,à,±,íf^fO,Å,í,³,ß,Ü,·B

‘®«

Href="..." fyŒ[fW,ífWfff“fvæŒAfŒ[f[‘],ífAfhfŒfX,È,ç,ð“ü—
í,μ,Ü,·BfffBfŒfNfgfS,i’S]ZQŒÆ,àZQŒÆ,μ,Å,,¾,³,¢ŒB

(HTML2,IE2,NN2)

Name="..." fAf“fJ[,ð]Y'è,μ,Ü,·B]D,«,È-¼’O,ð•t,-,éŽ-,ä,Å,«,Ü,·BfAf“fJŒ[.É,Å,¢,Ä,í,±
,í,ç,ðZQŒÆ,μ,Å,,¾,³,¢ŒB

(HTML2,IE2,NN2)

Target="..." fŠf“fNæ,ð•\ži,·,éftfŒŒ[fŒ
,ðŽw'è,μ,Ü,·B<FRAME>f^fO,íNAME’®«,Å]Y'è,μ,½-¼’O,ðŽw'è,Å,«,Ü,·B,Ü,½ŒA^È
‰,í,à,í,í“Á’È,È^Ó;í,ðZ,Å,à,í,Å,·B^È‰,í,à,í,í,·,x,Ä]¬•¶Zš,Å]’,«,Ü,·B

Target= **blank**

@@@@V,μ,¢fEfBf“fhfE,ðŠj,«ŒA,»,±,É•\ži,μ,Ü,·B

Target= **top**

@@@@ftfŒŒ[fŒ•¤š,,ð‰œ,μ,Å]A,»,±,É•\ži,μ,Ü,·B]@

Target= **self**

@@@@fŠf“fN,í, ,éfyŒ[fW]iŽC•¤žŒgŒj,É•\ži,μ,Ü,·B

Target= **parent**

@@@@Œ»ŒY•¤š,,³,ê,Ä,¢,é,í1'iSK,¾,-‰œ,μ,Å]A,»,±,É•\ži,μ,Ü,·B

(IE3,NN2)

Title="..." fŠf“fNæ,Éf}fEfX,ð'u,¢,½,Æ,«,ÉŒA“à—e,ðfqf“fg•\ži,μ,Ü,·B

(HTML2,IE2)

‰

HTML2,IE2,NN2

fAf“fJ[][],É,Â,¢,Ä

fAf“fJ[],Æ,í

fy[] [fW“à,ì, ,é^Ê'u,ð•\ž|,μ,½,¢,Æ,«,É,»,í]é]Š,É^ó,ð•t,-,Ü,·]B,±,ê,ðfAf“fJ[],ÆŒ³/₄,¢,Ü,·]Bfy[] [fW,ì]D,«,È]é]Š,É^È%oº,ì,æ,¤,É]Y'è,μ,Ü,·]B

,±,±,É^Ú“®

ABC,í•”•¤,í]D,«,È-½’O,ð•t,-,é,±,Æ,¤,Å,«,Ü,·]B

fAf“fJ[],É^Ú“®

fAf“fJ[],ð]Y'è,μ,½,çZ]Y,í,»,±,É^Ú“®,·,é•û-@,Å,·]B•\ž|,μ,½,¢fAf“fJ[-½,É]u#]v,ð•t,-,ÄŽw'è,μ,Ü,·]B^È%oº,ì,æ,¤,É]Y'è,μ,Ü,·]B

,±,±,¤,çfAf“fJ[],É^Ú“®

‘½ftf@fCf<,ífAf“fJ[],É^Ú“®

‘½,íftf@fCf<,É, ,éfAf“fJ[],É^Ú“®,·,é]é]‡,íftf@fCf<-½,à•t,-,Ü,·]B

‘½fy[] [fW,ífAf“fJ[],É^Ú“®

fCf[][fW]

Index[iABC@]@@Index[i<@"]•Ê[i]

fCf[][fW(%oæ'œ),ð•\ži,μ,Ü,·]B

f^fO

[]@

·à-¾

fy[][fW,ÉfCf[][fW(%oæ'œ]j,ð"\,è•t,-,Ü,·]B,Ü,½]A,±,ê,ð]A<A>f^fO,Å,í,³,β,î]A
%oæ'œ,ðfNfŠfbfN,μ,Ä'¼,ìfy[][fW,ÖfWfff"fv,È,ñ,Ä,±,Æ,à,Å,«,Ü,·]BCE»]Ý]Afz[][f€fy[][fW,É,í,é
%oæ'œ,ìftfH[][f}fbfg,íJPEG,ÆGIF,³^ê"È"i,Å,·]B,Ü,½]A'®]«,ì't,ÉWIDTH,ÆHEIGHT,³, ,è,Ü,·]A,
±,ê,í,È,é,x,Žw'è,μ,Ü,μ,å,¤]Bfy[][fW,ì•\ži,³'-,,È,è,Ü,·]B
TTT Editor,Å,í]AJPEG]AGIF]APNG]ABMP,ìfTfCfY,íŽ©“®,ÅŽæ“¾,Å,«,é,æ,¤,É,È,Å,¢,Ü,·]B

'@]«

SRC="..." %oæ'œ,ìftf@fCf<-¾]i]é]S]j,ðŽw'è,μ,Ü,·]B

(HTML2,IE2,NN2)

ALIGN=a

%oæ'œ,É'î,·,éfefLfxfg,ì^È'u,ðŽw'è,Å,«,Ü,·]Btop,middle,bottom,ðŽw'è,μ,Ü,·]B,Ü,½]Aleft,right,
ðŽw'è,·,é,ÆfCf[][fW,i,Ü,i,è,ðfefLfxfg,³%oñ,è,±,Ý,Ü,·]B

(HTML2,IE2,NN2)

WIDTH=,ž fCf[][fW,ì%o]i,ìfTfCfY,ðŽw'è,μ,Ü,·]B

(HTML3,IE2,NN2)

HEIGHT=,ž fCf[][fW,ì]c,ìfTfCfY,ðŽw'è,μ,Ü,·]B

(HTML3,IE2,NN2)

ALT=".." fCf[][fW,ð•\ži,·,é,Ü,Å,â]A]fCf[][fW,ð•\ži,Å,«,È,¢,Æ,«,É•\

ži,·,éfefLfxfg,Å,·]B,ç,ñ,ÈfCf[][fW,³•\ži,³,é,ì,ç]A•²,ç,è,å,·,¢fefLfxfg,ð]‘,«,Ü,μ,å,¤]B
(HTML2,IE2,NN2)

BORDER=n

fCf[][fW,ð<A

HREF>f^fO,Å,í,³,ñ,³/4,Æ,«,ìfCf[][fW,ì~g]ü,ì'¾,³,ðËß,¾Ù,ÅŽw'è,μ,Ü,·]B

(HTML3,IE2,NN2)

HSPACE=n fCf[][fW,ì]¶%oE,É<ó'',ð]ì,è,Ü,·]BËß,¾Ù,ÅŽw'è]B

(HTML3,IE2,NN2)

VSPACE=n fCf[][fW,ì]ã%oº,É<ó'',ð]ì,è,Ü,·]BËß,¾Ù,ÅŽw'è]B

(HTML3,IE2,NN2)

'í%ož

HTML2,IE2,NN2

f}fbfv<MAP>

Index[iABC]@[]@Index[i<@"\•Ê]i

fCf[]|[fW'†,ÉfŠf"fn,ð'£,è,Ü,·]B
fCf[]|[fW,ðfNfŠfbfN,μ,½]Û,É'¼,ìfy|[fW,É^Ú"®,·,é,Æ,¢,Á,½,±,Æ,²o—^,Ü,·]B

f^fO

<IMG[@SRC="..." USEMAP="#abc">

```
<MAP NAME="abc">
  @@@<AREA SHAPE="rect" COORDS="x1,y1,x2,y2" HREF="...">
  @@@<AREA SHAPE="circle" COORDS="x1,y1,R" HREF="...">
  @@@<AREA SHAPE="polygon" COORDS="x1,y1,x2,y2,x2,y3]c" HREF="...">
</MAP>
```

·à-¾

,Ð,Æ,Â,ìfCf[]|[fW,ð,¢,,Â,©,ì—ì^æ,É•²,·,Ä]A,»,,ê,¼,ê^á,¤]é]Š,ÉfŠf"fn,ð'£,é,±,Æ,²,Å,«,Ü,·]B—
 ì^æ,ìŒ` ,Æ,μ,Ä,íéŒ`]i'·ÛŒ`]j]A%o~]A'½ŠpŒ` ,ì,C,é,©,Å,·]Bf^fO,Æ'g,Ý]‡,í,¹,Äžg,¢
 ,Ü,·]B

'®]«

<MAP>•"•²

NAME="..." f}fbfv,ì-¼'O,ðžw'è,μ,Ü,·]Bf^fO,ìUSEMAP'®]«,Å,±,é,ðžw'è,μ,Ü,·]B
(HTML3,IE2,NN2)

<AREA>•"•²

SHAPE=... —

ì^æ,ìŒ` ,ðŒ^,ß,Ü,·]B**rect**(<éŒ`]j]b**circle**(%o~))**polygon**('½ŠpŒ`]j,©,ç'!ð,μ,Ü,·]BNN,ì]é]‡
 #**default**(fGfŠfA^ÈSO),ðžw'è,Å,«,Ü,·]B
(HTML3,IE2,NN2)

COORDS —ì^æ,ì]À•W,ðŒ^,ß,Ü,·]B<éŒ` ,ì]é]‡]A]¶ä,Æ%oE%o,ì]À•W]A
 %o~ ,ì]é]‡,í]A'†]S,ì]À•W,Æ"¼Œa,ì'·,³,ð]A'½ŠpŒ` ,ì]é]‡,í'·,“_ì]À•W,ð]‡,É]‘,«,Ü,·]B
(HTML3,IE2,NN2)

Href="..." —ì^æ,ðfNfŠfbfN,μ,½,Æ,«,ìfWfff"fv]æ,ð]‘,«,Ü,·]B

(HTML3,IE2,NN2)

ALT="..." fCf[]|[fW,ð•\ž],·,é,Ü,Å,â]AfCf[]|[fW,ð•\ž],Å,«,È,¢,Æ,«,É•\
 Ž],·,éfefLfxfg,Å,·]B,C,ñ,ÈfCf[]|[fW,²•\ž],³,é,é,ì,C]A•²,©,è,â,·,fefLfxfg,ð]‘,«,Ü,μ,å,¤]B
(HTML3,IE4)

NOHREF fŠf"fn,ð'£,ç,È,¢,Æ,«,Éžw'è,μ,Ü,·]B

(HTML3,IE2,NN2)

TARGET="..." fŠf"fn]æ,ð•\ž],·,éftŒ]f€
 ,ðžw'è,μ,Ü,·]B<FRAME>f^fO,ìNAME'®]«,Å]Ý'è,μ,½-¼'O,ðžw'è,Å,«,Ü,·]B,Ü,½]A^È
 %o,ì,à,ì,í"Á•È,È^Ó,ì,ðž],Å,à,ì,Å,·]B^È%o,ì,à,ì,í,·,×,Ä]¬•¶žš,Å]‘,«,Ü,·]B

TARGET=_blank

@@@V,μ,¢fEfBf"fhfE,ðŠ],«]A,»,±,É•\ž],μ,Ü,·]B

TARGET=_top

¶@¶@ftfŒ¶[f¢•„š,,ð‰œ,µ,Ä¶A,»„±,É„\žl,µ,Ü,·¶B¶@
TARGET= **self**

TARGET
TARGET

TARGET=_parent

¶@¶@Œ»¶Ý•¤S,,³,ê,Å,¢,ê,î1'iSK,¾,-‰øœ,µ,ÄÅA,»,±,É•\Z|,µ,Ü,·ÅB

(IE3,NN2)

1%ož

HTML3,IE2,NN2

feu[fuf<<TABLE>

Index iABC±j@@Indexi<@\•Èj

feñ[fuf<(\u2022\backslash),\u00d3\u00f1\u00f1,\u00f6,\u00d6,\u00c3B

f^f_0

<TABLE>

```
<TR><TH></TH><TH></TH><TH></TH></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
</TABLE>
```

110 (B-22)

10

$$\boxed{a-\frac{1}{4}}$$

' R □ <

ALIGN=a •\,í^Ê'u,ðŒ^,ß,Ü,·□Bcenter,í‰ojo•ùŒü,É'Í,µ,À't‰o>,É\·

BORDER=,Ž •\,ISO~g,\,‘¾,\,ðŽw’è,\,µ,\,Ü,\,·□B

(HTML3,IE2,NN2)

WIDTH=,**Ž** •\,\%o\,j,\,fTfCfY,\,ðŽw'è,\,μ,\,Ü,\,·\,B(\,€\,ß,\,¾\,Ù\,A\,%)j

(HTML3,IE2,NN2)

HEIGHT=,
•\,i\c,lfTfCfY,\dZw'è,\mu,\Ü,\cdot\B(E\B,\frac{3}{4}\B(U\B\A\%\\j

(IE2,NN2)

CELLSPACING=, *Z* •\,\text{\v{S}}\text{\v{O}}\text{\v{g}},\text{\v{E}}\text{\v{f}}\text{\v{Z}}\text{\v{f}},\text{\v{l}}\text{\v{g}},\text{\v{E}},\text{\v{S}}\text{\v{O}}\text{\v{S}}\text{\v{u}},\text{\v{d}}\text{\v{E}}\text{\v{B}},\text{\v{3}}\text{\v{4}}\text{\v{U}},\text{\v{A}}\text{\v{Z}}\text{\v{w}}\text{\v{e}},\mu,\ddot{U},\cdot\Box

(HTML3,IE2,NN2)

CELLPADDING=n fZf<,iSO~g,AEfZf<'t,ifefLfxfg,AE,i<—f,ðËß,¾Ù,ÅŽw'è,μ,Ü,·□B

(HTML3,IE2,NN2)

(NN2)

VSPACE=n • \, ï ã % o ö É < ö , ð ì , è , Ü , · B ß , ¾ Ù , Å Ž w ' è B

(NN2)

BGCOLOR="COLOR" •\,\dot{à}\,\dot{æ}\,\dot{ø}\,\ddot{ž}\,\dot{w}\,\dot{è}\,\mu\,\ddot{Ü}\,\cdot\,\ddot{B}

(HTML4,IE2,NN3)

BACKGROUND="...." •\,\dot{I}\,\dot{w}\in I,\dot{E}\bullet\dot{A}\dot{Z}\cdot,\cdot\dot{e}\dot{f}Cf\dot{\square}\square[fW,\dot{I}ftf@fCf<-\frac{1}{4}(\dot{U}\dot{\hat{e}}\dot{\square}\dot{S}\dot{J}\dot{K},\dot{\partial}\dot{Z}w\dot{e},\mu,\ddot{U},\cdot\dot{O}B

(IE3,NN4)

BORDERCOLOR="COLOR" •\,\rlap{S}O^g,\rlap{F}\Zw'è,\mu,\rlap{Ü},\rlap{B}

(IE2,NN4)

BORDERCOLORDARK="COLOR" •\,\^g,\^A,\^"\^a,\^F,\^w'\^e,\^,\^B

(IE2)

BORDERCOLORLIGHT="COLOR" •\,\^g,\^{\frac{3}{4}},\^,\^"\^a,\^F,\^w'\^e,\^,\^U,

(IE2)

'‰ž

HTML3,IE2,NN2

feu[fuf<,lus<TR>

Index iABC # j @ @ Index i<@ " \• È j

• \, i\s, i\Y'è

f^o

<TABLE>

```
<TR><TH></TH><TH></TH><TH></TH></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
</TABLE>
```

177 (B-22)

10

$\square \dot{a} - \frac{3}{4}$

<TR>,|·\,|·s·A<TH>,|·€-U-¼·A<TD>,|·€-U(fZf·j,δ·\,μ,U,··B<TR>·</TR>,·P·s,É,È,ë,Ü,··B

' ® □ <

ALIGN=a €-Ú,i'þg,i¶‰E,i•\Z{^È'u,ðleft,center,right,Åžw'è,µ,Ü,·B

(HTML3,IE2,NN2)

VALIGN=a [€-Ú,í,ł,łg,ł,łä%oº,ł,ł•łZ,ł^łE'łu,łtop,łmiddle,łbottom,łżw,ł'e,łμ,łÜ,ł·łB

(HTML3,IE2,NN2)

BACKGROUND="...." s, "wŒi, É•\Z|., éFcf\|fW, jftf@fCf<-1/4(\ê\šj, ðžw'è, µ, Ü, ·, B

(IE3,NN4)

(IE2,NN4)

BORDERCOLORDARK="COLOR" □s,ìŠO~q,ì^Ã,¢•"•¤,ì¶F,ðŽw'è,µ,Ü,·

(IE2)

BORDERCOLORLIGHT="COLOR" █s,ìŠO~q,ì-¾,é,ç •"•²,ì¶F,ðŽw'è,µ,Ü,:

(IE2)

1%
ž

HTML 3.1F2.NN2

fe**[fuf<,ìfZf<<TD>**

Index**iABC**±**í**@**í**@Index**i<**@"`É**i**

•\,ì€-Ú(fZf<),ìÝ`è

f^fO

<TABLE>

```
<TR><TH></TH><TH></TH><TH></TH></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
<TR><TD></TD><TD></TD><TD></TD></TR>
```

</TABLE>

í@

à-¾

<TR>,í•\,ìsA<TH>,í€-Ú-¼A<TD>,í€-Ú(fZf<)j,ð•\,μ,Ü,·B<TR>`</TR>,³,Ps,É,È,è,Ü,·B

'®í«

ALIGN=a í€-Ú,í'tg,ì¶‰E,í•\Ž|^È'u,ðleft,center,right,Åžw'è,μ,Ü,·B

(HTML3,IE2,NN2)

VALIGN=a í€-Ú,í'tg,ì¤‰o,í•\Ž|^È'u,ðtop.middle,bottom,Åžw'è,μ,Ü,·B

(HTML3,IE2,NN2)

ROWSPAN=,ž fZf<,ðc•ûŒü,É,ŽŒÂ~AŒ<,³,¹,Ü,·B

(HTML3,IE2,NN2)

COLSPAN=,ž fZf<,ð‰j•ûŒü,É,ŽŒÂ~AŒ<,³,¹,Ü,·B

(HTML3,IE2,NN2)

WIDTH=,ž fZf<,í‰i,íTfCfY,ðžw'è,μ,Ü,·B(Ëß,¾ÙA%j

(HTML3,IE2,NN2)

HEIGHT=,ž fZf<,íc,íTfCfY,ðžw'è,μ,Ü,·B(Ëß,¾ÙA%j

(HTML3,IE2,NN2)

BGCOLOR="COLOR" fZf<,íà'¤,íF,ðžw'è,μ,Ü,·B

(HTML4,IE2,NN3)

BACKGROUND="...." fZf<,í"wŒi,É•\Ži,·,éfCfŒ[fW,íftf@fCf<-¼(íêŒŠj,ðžw'è,μ,Ü,·B
(IE3,NN4)

BORDERCOLOR="COLOR" fZf<,íŠO~g,íF,ðžw'è,μ,Ü,·B

(IE2,NN4)

BORDERCOLORDARK="COLOR" fZf<,íŠO~g,í^Ã,¢•"•²,íF,ðžw'è,μ,Ü,·

(IE2)

BORDERCOLORLIGHT="COLOR" fZf<,íŠO~g,í-¾,é,¢•"•²,íF,ðžw'è,μ,Ü,·

(IE2)

NOWRAP fZf<"à,Å,í‰üŒsŒíÜ,è•Ô,μj,íŒž~

(HTML3,IE2,NN2)

‘‰ž
HTML3,IE2,NN2

•\`è<**CAPTION**>

IndexiABC±@@Indexi<@"\•Èi

fe[fuf<(•\),É•\`è,ð,Â,¬,Ü,·]B

f^fO

<CAPTION>` </CAPTION>

à-¾

fe[fuf<(•\),É•\`è,ð,Â,¬,Ü,·]B•]’È<TABLE>,ìŠJŽnf^fO,ì'¼Œä,É'}`ü,µ,Ü,·]B

‘®]«

ALIGN=a flffffvfvffj“,ì¶‰E,ì•\Ž|^È'u,ðleft,center,right,Âžw'è,µ,Ü,·]B

(HTML3,IE2,NN2)

VALIGN=a flffffvfvffj“,ì¤‰o,ì•\Ž|^È'u,ðtop.middle,bottom,Âžw'è,µ,Ü,·]B

(IE2)

†‰ož

HTML3,IE2,NN2

f}][fNCE^fŠfXfg

Index[iABC]@j@Index[i<@"\•E]i

%oÓ]ð]‘,«ifŠfXfg]j,É,μ,Ü,·]B

f^fO

]@]@

]@]@

]à-¾

,±,í]é]‡]‡•s"“,jfŠfXfg,ð]ì]–,μ,Ü,·]B]>]A]œ]A]i,í,¢
,,ê,©,‡fŠfXfg,í“ª,É,Â,¬,Ü,·]Bf}][fN,ðŽw'è,μ,½,¢]é]‡,í®]«,Âžw'è,μ,Ü,·]B,Ü,½]AfŠfXfg,í’t,ÉfŠ
fXfg,ð]ü,ê]žq,É,μ,Âžg,¤,±,Æ,à,Â,«,Ü,·]B,í]€-Ú,Â,·]B]l—¹f^fO,í,¢,è,Ü,¹,ñ]B

‘®]«

TYPE=a fŠfXfg,í“ª,É,Â,f}][fN,ðŽw'è,μ,Ü,·]Bcircle(]>]j,square]i]j,disc]i]œ]j,í,¢
,,ê,©,ðŽw'è,μ,Ü,·]B

(HTML3,IE4,NN2)

Žg—p—á

<UL TYPE=circle>

, ,¢,¤,!,“

,©,«,, ,±

<UL TYPE=square>

ABCDE

FGHIJ

,³,μ,·,¹,»

,ð]•]ž]!,·,é,Æ]A

]>, ,¢,¤,!,“

]>,©,«,, ,±

]@]@]@]@]iABCDE

]@]@]@]@]iFGHIJ

]>,³,μ,·,¹,»

‘‰oož

HTML2,IE2,NN2

¶‡~Œ^fŠfXfg

Index»iABC»‡»@»@Index»i<@»\•»i

%»Ó»ð»'«»ifŠfXfg»j,É,μ,Ü,·»B

f^fO

»@»@

»@»@

»à-¾

,±

,í»ê»‡»‡»~»•»t,«»ifŠfXfg,ð»ì»¬,μ,Ü,·»B»"Žš,È,C,¤fŠfXfg,í"»a,É,Â,¬,Ü,·»Bf}»[fN,ðŽw'è,μ,½,¢»ê»‡,í'»®»«,ÅŽw'è,μ,Ü,·»B,Ü,½»A»fŠfXfg,í†,ÉfŠfXfg,ð"ü,êŽq,É,μ,ÅŽg,¤,±,Æ,à,Å,«,Ü,·»B,í»€-»Ù,Å,·»B»I—¹f^fO,í,¢,è,Ü,¹,ñ»B

'®»<

TYPE=a fŠfXfg,í"»a,É,Â,f}»[fN,ðŽw'è,μ,Ü,·»B

TYPE=1 - 1,2,3,4»c

TYPE=A - A,B,C,D,»c

TYPE=a - a,b,c,d,»c

TYPE=I -†T,‡U,‡V,‡W»c

TYPE=i -ú@,úA,úB,úC»c

,í—p,É»•»ž,í,³,ê,Ü,·»B

(HTML3,IE2,NN2)

START=n fŠfXfg,í"»t,í»J»žn^È»u,ðŽw'è,μ,Ü,·»B—á,í,í»TYPE=A,í,Æ,«»START=4,É,ç,í»AD,©,ç»J»žn,μ,Ü,·»B

(HTML3,IE2,NN2)

Žg—p—á

<OL TYPE=A»@START=5>

, ¢,¤,!,"

,©,«,,¬,±

<UL TYPE=1>

ABCDE

FGHIJ

,³,μ,·,¹,>

,ð»•»ž,í,·,é,Æ»A

E., ¢,¤,!,"

F»D,©,«,,¬,±

»@»@»@1»DABCDE

»@»@»@2»DFGHIJ

G»D,³,μ,·,¹,>

'í»o»ž

HTML2,IE2,NN2

'è<`**CE^fŠfXfg**<DL>

IndexiABC±í@í@Indexí<@"\•Êí

%oÓð',«ifŠfXfgj,É,μ,Ü,·B

f^fO

<DL>

í@í@<DT>í@í@<DD>

í@í@<DT>í@í@<DD>í@í@

</DL>

à-³/₄

,±,íê‡'è<`fŠfXfg,ðí¬,μ,Ü,·B—pCEê,ð’,¢,ÄA,»,ê,ðà-³/₄,·,é,æ,¤,Èžž,Èžg,¢,Ü,·B,Ü,½AfŠfXfg,í't,ÈfŠfXfg,ð"ü,èžq,É,μ,Äžg,¤,±,Æ,à,Å,«,Ü,·B<DT>C<DD>,íI—¹f^fO,í,¢,è,Ü,¹,ñB

Zg-p-á

<DL>

<DT>fofifi<DD>%o©F,¢%oÊ•“,ÅEEE

<DT>,è,ñ,²<DD>Ô,¢%oÊ•“,ÅEEE

í@<DT>,Ý,©,ñ<DD>flfCEf“fWF,ì%oÊ•“,ÅEEE

</DL>

,ð•\ž!,·,é,ÆA

fofifi

í@í@í@%o©F,¢%oÊ•“,ÅEEE

,è,ñ,²

í@í@í@Ô,¢%oÊ•“,ÅEEE

,Ý,©,ñ

í@í@í@flfCEf“fWF,ì%oÊ•“,ÅEEE

Í%ož

HTML2,IE2,NN2

f^fH[f€—l^æ<FORM>

IndexiABC±l@l@lIndexll@"\"•lj

"ü—íftfH[f€,ð]i]¬,μ,Ü,·]B

f^fO

<FORM>]@]`]@</FORM>

]à-¾

fefLfXfg"ü—í,â]Af`fFfbfNf{fbfNfX]Af{f^f",È,C,)“ü—íftfH[f€,ð]i]¬,μ,Ü,·]B,±,ìf^fO,Å,í,³,Ü,È,¬,ê,í]A“ü—íftfH[f€,ìfAfCfef€,í^Ó-ì,ðŽ],ì,Ü,¹,ñ]B-Y,ê,È,¢,æ,¤,É,μ,Ü,μ,å,¤]B

‘®]«

ACTION="..." ŽÀ]sf{f^f",ð

%oÝ,μ,½,Æ,«,É]s,xfAfNfVf#“,ðŽw'è,μ,Ü,·]Bmailto:f]ff[f<]fhhfŒfX,ðŽw'è,·,é,Æf]ff[f<,ð'—,è,Ü,·]B•]Ê,ÍCGIfXfNfŠfvfg,íURL,ðŽw'è,μ,Ü,·]B

(HTML4,IE3,NN2)

METHOD="..." ff]f^,l'—,è•û,ðŽw'è,μ,Ü,·]Bpost,Æget,¤Žw'è,Å,«,Ü,·]B

(HTML4,IE3,NN2)

ENCTYPE="..." fXfNfŠfvfg,Éff]f^,ð"n,·,Æ,«,ìfGf“fR]fh•ûŽ®,ðŽw'è,μ,Ü,·]B'Ê]í,íŽw'è,μ,È,-,Å,à,¢,¢,Å,·]B

(IE3)

NAME="..." ftfH[f€,l-¼'Ø,ðŽw'è,μ,Ü,·]BCGI,È,C,Å,ìž-•Ê,Éžg—p,³,ê,Ü,·]B

(IE3,NN2)

‘‰ož

HTML2,IE2,NN2

ftfH[f€fAfCfef€<INPUT>
IndexiABC±·@·@Indexi<@"·•·i

ftfH[f€fAfCfef€

f^fO

```
<INPUT TYPE="text">fefLfXfg
<INPUT TYPE="password">fpfxfjh
<INPUT TYPE="checkbox">f`fFfbNf{fbfNfX
<INPUT TYPE="radio">f%oFWflf{f^f"
<INPUT TYPE="hidden">%oB,μftfB[f<fh
<INPUT TYPE="image">fCf[fW
<INPUT TYPE="submit">fTfuf~fbfgf{f^f"
<INPUT TYPE="reset">fSfZfbfgf{f^f"
<INPUT TYPE="button">f{f^f"
<INPUT TYPE="file">ftf@fCf'']—
```

à-¾

—I[X,È“ü—íftfH[f€,δì¬,μ,Ü,·B,±,±,ÅŽw'è,·,é,à,í,í<FORM>`</
FORM>Š,É<Lq,μ,Ü,·BÚ,μ,¢à-¾,í,»»,ê,¼,ê,ífy[fW,ðŽQÆ,μ,Å,,¾,³,¢B

ftfH[f€fAfCfef€<INPUT TYPE="text">

IndexiABC@i@Indexi<@"\•Èi

ftfH[f€fAfCfef€(fefLfXfg"ü—íj

f^fO

<INPUT TYPE="text">

à-¾

fefLfXfg,í“ü—íf{fbfNfX,ði¬,μ,Ü,·B•i”s,í“ü—íf{fbfNfX,ié‡,í<TEXTAREA>,ðžg—p,μ,Ü,·B

‘®»<

NAME="..." ftfH[f€fAfCfef€,í-¼'Ô,ðžw'è,μ,Ü,·BCGI,È,Ç,Å,iž-•Ê,Éžg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

SIZE=n@“ü—íf{fbfNfX,í‰o i•®,ðžw'è,μ,Ü,·B”¼Šp•¶žš,Å‰o½•¶žš•²,©,Åžw'è,μ,Ü,·B
(HTML2,IE2,NN2)

MAXLENGTH="n" Å’å“ü—í•¶žš”,ðžw'è,μ,Ü,·B”¼Šp•¶žš,Å‰o½•¶žš•²,©,Åžw'è,μ,Ü,·B
(HTML2,IE2,NN2)

VALUE="..." í‰oŠúó'Ô,Å•\ž!,;é•¶žš,ðžw'è,μ,Ü,·B

(HTML2,IE2,NN2)

í‰ož

HTML2,IE2,NN2

ftfHlfefAfCfef€<INPUT TYPE="password">
IndexliABCl±l@l@lIndexli<@>\•Êl

ftfH[]f€fAfCfef€(fpfXf[]fh“ü—Í[]j

f^fo
<INPUT TYPE="password">

à-¾
fp{Xf[fh,]“ü—Íf{fbfNfX,ð]í]—,μ,Ü,·]B“ü—Í,μ,½•¶žš,²]u*]v,Å•\ž],³,ê,Ü,·]B

‘®¶« **NAME="..."** ftfH¶[f€fAƒCfef€,ı-¼‘O,ðŽw'è,μ,Ü,·BCGI,È,Ç,Å,ıŽ-•Ê,ÉŽg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

SIZE=n@“ü—Íƒ{ƒbfNfX,‰o;•®,ðŽw’è,μ,Ü,·B”½Šp•¶Žš,‰o½•¶Žš•¤,©,ðŽw’è,μ,Ü,·B
(HTML2,IE2,NN2)

MAXLENGTH="n" □Å'å“ü—í•¶Žš□”,ðŽw’è,μ,Ü,·□B”¼Šp•¶Žš,Å‰o½•¶Žš•¤,©,ÅŽw’è,μ,Ü,·□B
(HTML2,IE2,NN2)

‘‰„ž
HTML2,IE2,NN2

ftfH[f€fAfCfef€<INPUT TYPE="checkbox">
IndexiABC@i@Indexi<@"\•Êi

ftfH[f€fAfCfef€(f`fFfbfNf{fbfNfX]j

f^fO
<INPUT TYPE="checkbox">

à-¾
f`fFfbfNf{fbfNfX,ði¬,μ,Ü,·B

'®
NAME="..." ftfH[f€fAfCfef€,l-¼'Ô,ðŽw'è,μ,Ü,·BCGI,È,Ç,Å,iž-•Ê,ÉŽg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

VALUE="..." 'l'ð,³,ê,½,Æ,«,É'—M,·,é'l,ðŽw'è,μ,Ü,·B
(HTML2,IE2,NN2)

CHECKED@%oŠúó'Ô,Åf`fFfbfN,³,ê,½ó'Ô,É,È,è,Ü,·B
(HTML2,IE2,NN2)

‰ož
HTML2,IE2,NN2

ftfH[f€fAfCfef€<INPUT TYPE="radio">
IndexiABC±@@Indexi<@"\•Êj

ftfH[f€fAfCfef€(f%oWflf{f^f"j

f^fO
<INPUT TYPE="radio">

à-¾
f%oWflf{f^f“,ði¬,μ,Ü,·B

‘®“
NAME="..." ftfH[f€fAfCfef€,l-¼'Ô,ðŽw'è,μ,Ü,·BCGI,È,Ç,Å,iž-•Ê,Éžg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

VALUE="..." 'l'ð,³,ê,½,Æ,«,É'—M,·,é'l,ðŽw'è,μ,Ü,·B
(HTML2,IE2,NN2)

CHECKED@%oŠúó'Ô,Åf`fFfbfN,³,ê,½ó'Ô,É,È,è,Ü,·B
(HTML2,IE2,NN2)

‘‰ož
HTML2,IE2,NN2

ftfH[fefAfCfef<INPUT TYPE="hidden">
IndexiABC@Index@Indexi<@\•Ej

ftfH[fefAfCfef(fefLfXfg"ü—íj

f^fO
<INPUT TYPE="hidden">

à-¾
æ-È•\Ž!,³,ê,È,¢ftfB[f<fh,ð]ì]¬,μ,Ü,·]B

'®]<
NAME="..." ftfH[fefAfCfef,í-¼'Ø,ðŽw'è,μ,Ü,·]BCGI,È,Ç,Å,íŽ-•È,ÉŽg—p,³,ê,Ü,·]B
(HTML2,IE2,NN2)

VALUE="..." 'l,ðŽw'è,μ,Ü,·]B
(HTML2,IE2,NN2)

‰ož
HTML2,IE2,NN2

f**t****f****H****[f****€****f****A****f****C****f****e****f****€****<INPUT TYPE="image">**
Index**iABC**±**j**@**i@**Index**i<**@**"\•**È**j**

f^tfH[f€fAfCfef€(fCf[]][fW]j

f[^]**f****O**
<INPUT TYPE="image">

à^{-3/4}
fCf[]][fW,ð•\Ž|,μfNfŠfbfN,³,ê,^½,Æ,«,É[^]Ê'u,ð'—,è,Ü,·B

'®**»**
NAME="..." ftfH[f€fAfCfef€,l-¼'Ø,ðŽw'è,μ,Ü,·BCGI,È,Ç,Å,iŽ-•Ê,ÉŽg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

SRC="..." fCf[]][fWftf@fCf<,ðŽw'è,μ,Ü,·B
(HTML2,IE2,NN2)

ALIGN=a ¶¶%oE,ifŒfCfAfEf,ðŒ^,ß,Ü,·B
a,É,íleft,center,right,ä“ü,è,Ü,·B
^Ó-¡,í,»,ê,^½,êA¶¶'μ,¡¶A't%o>'μ,¡¶A%oE'μ,¡,Å,·B
(HTML2,IE2,NN2)

í%ož
HTML2,IE2,NN2

ftfH[f€fAfCfef€<INPUT TYPE="submit">

IndexiABCžj@a@Indexi<@"\•Éj

ftfH[f€fAfCfef€(žÀs{f^f"j

f^fO

<INPUT TYPE="submit">

à-¾

f{f^f“,õ•\ž|,μ,Ü,·BfNfŠfbfN,³,ê,é,AE<FORM>,žw'è,μ,½ACTION,žÀs,μ,Ü,·B

‘®’<

NAME="..." ftfH[f€fAfCfef€,l-¼'Ø,žw'è,μ,Ü,·BCGI,È,Ç,Å,iž-•Ê,Éžg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

VALUE="..." f{f^f“,É•\ž|,·éfefLfxfg,žw'è,μ,Ü,·B

(HTML2,IE2,NN2)

‰oož

HTML2,IE2,NN2

fjtH[f€fAfCfef€<INPUT TYPE="reset">

IndexiABC±¶@¶@Indexi<@"\•Èj

fjtH[f€fAfCfef€(fŠfZfbfgf{f^f"¶j

f^fO

<INPUT TYPE="reset">

¶à-¾

fŠfZfbfgf{f^f",õ•\Ž|,μ,Ü,·BfNfŠfbfN,³,ê,é,Æ,·,×,Ä,í€-Ú,¤‰oŠú'l,É-ß,è,Ü,·B

'®¶<

NAME="..." fjtH[f€fAfCfef€,í-¼'Ô,õŽw'è,μ,Ü,·BCGI,È,Ç,Å,íŽ-•Ê,ÉŽg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

VALUE="..." f{f^f",É•\Ž|,·,éfefLfxfg,õŽw'è,μ,Ü,·B

(HTML2,IE2,NN2)

'‰ož

HTML2,IE2,NN2

ftfH[f€fAfCfef€<INPUT TYPE="button">
IndexiABC±】@】@Indexi<@"\•È】

ftfH[f€fAfCfef€(f{f^f"】j

f^fO
<INPUT TYPE="button">

】à-¾
f{f^f",õ】i】¬,μ,Ü,·】BJavaScript,ÅŽg—p,μ,Ü,·】B

'®】<
NAME="..." ftfH[f€fAfCfef€,l-¼'Ô,õŽw'è,μ,Ü,·】BCGI,È,Ç,Å,iž-•Ê,ÉŽg—p,³,ê,Ü,·】B
(HTML2,IE2,NN2)

VALUE="..." f{f^f",É•\Ž|,·,éfefLfxfg,õŽw'è,μ,Ü,·】B
(HTML2,IE2,NN2)

‰ož
IE3,NN2

ftfH[f€fAfCfef€<INPUT TYPE="file">
IndexiABC@i@Indexi@"\•Ei

ftfH[f€fAfCfef€(ftf@fCf“]’—lj

f^fO
<INPUT TYPE="file">

à-¾
fuf%o fEfU, © ,çftf@fCf<,ðfAfbfvf[fh,·,éÛ,ÉŽg—p,μ,Ü,·B

‘®“
NAME="..." ftfH[f€fAfCfef€,ì-¼'Ø,ðŽw'è,μ,Ü,·BCGI,È,Ç,Å,ìŽ-•Ê,ÉŽg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

‘‰ož
HTML3,IE4,NN2

ftfH [f€fAfCfef€(•i"“s“ü—í)<TEXTAREA>

Index iABC \neq j@ @Index i<@ " \• È i

ftfH[f€fAfCfef€(•;i”sfeſLfXfg“ü—í]j

f^o

<TEXTAREA>@`@</TEXTAREA>

$$\square \grave{a}^{-3/4}$$

• ;□□s, l̄-ü-í, a‰oÂ\, È-ü-í{fbfNfx, ðòìo-, μ, Ü, ··B1□s, īòêò‡, <INPUT TYPE="text">, ðžg—
p, μ, Ü, ··B<TEXTAREA>□ </TEXTAREA> ŠÓ, È<Lðq, μ, ½·Žš, a‰oŠú'l, Æ, È, è, Ü, ··B

‘R’

NAME="..." ftfH[]f€fAfCfef€,ì-¼'Ø,ðŽw'è,μ,Ü,·BCGI,È,Ç,Å,ìŽ•Ê,ÉŽg—p,³,ê,Ü,·B
(HTML2,IE2,NN2)

ROWS="n" **□s□”,ðŽw’è,μ,Ü,·□B**

(HTML2,IE2,NN2)

COLS="n" 1\s, ,½,è,ìŒ...»,ðŽw'è,µ,Ü,·»B

(HTML2,IE2,NN2)

WRAP="c" @s, ïÜ, è•Ô, µ, ðŽw'è, µ, Ü, · Boff, íÜ, è•Ô, µ, ð, µ, Ü, ¹, ñ Bphysical, íÜ, è•Ô, µ, Ü, · Bvirtual, íŒ©, ¹/₂-Ú, íÜ, è•Ô, µ, Ü, ·, ^aA'— Mff f^, íÜ, è•Ô, µ, Ü, ¹, ñ B@ (IE3,NN2)

1%

HTML2,IE2,NN2

f^tH_i[f€fAfCfe^f(fŠfXfg)<SELECT>

Index_iABC_±_¶_¶@_¶@Index_i<@"_¶•_¶i

fŠfXfgf{fbfNfX_iAfhf_ifbfvf_fEf“,È,Ç,ì’l’ðftfH_i[f€

f[^]fO

```
<SELECT>
  <OPTION>
  <OPTION>
</SELECT>
```

□à-¾

fŠfXfgf{fbfNfX_iAfhf_ifbfvf_fEf“f_ifj_i..
[l,ð_i],è,Ü,·_¶B_i]<SELECT>f[^]fO,ÅŠOŠi,ðŒ^,ß,Ä_iA<OPTION>f[^]fO,Å_iAfŠfXfg,ì_i€-
Ü,ð_iY’è,μ,Ü,·_¶B

<SELECT>f[^]fO,ì’®_i«

NAME="..." -¼’O,ð,À,¬,Ü,·_¶B

(HTML2,IE2,NN2)

SIZE=n ’l’ðftfB_i[f_ifh,ì•\Ži,,é_is_i”,ðŽw’è,μ,Ü,·_¶B1,É,.,é,Æfhf_ifbfvf_fEf“Œ`Ž®,É,È,è,Ü,·_¶B
(HTML2,IE2,NN2)

MULTIPLE •i_i”,ì_i€-Ú,ð”-Žž,É’l’ð,À,«,é,æ,¤,É,μ,Ü,·_¶B

(HTML2,IE2,NN2)

<OPTION>f[^]fO,ì’®_i«

VALUE="..." ,±,ì_i€-Ú,º’l’ð,³,ê,½,Æ,«,ÉŽæ,é’l,À,·_¶B

(HTML2,IE2,NN2)

SELECTED □‰ož

(HTML2,IE2,NN2)

‘‰ož

HTML2,IE2,NN2

fRf**f“fg**<!-- -->

IndexiABC±j@l@Indexi<@”\•Ej

HTML,ÉfRf**f“fg**,ð“ü,ê,Ü,·**B**

f^fO

<!-- -->

à-¾

fRf**f“fg**,íAfu%oEfU,Å,í•|Ž|,³,ê,Ü,¹,ñBŒã,Å•ÒW,µ,â,·,¢,æ,¤,ÉŠo‘,È,Ç,ð‘,¢,Ä,“,,Æ,æ,¢

,Å,µ,å,¤B

<!-- ,©,ç@-->,Ü,Å,í•|”s,É,È,Á,Ä,à,©,Ü,¢,Ü,¹,ñB

í‰ož

HTML2,IE2,NN2

□□-¼<ADDRESS>

Index·iABC·±·@·@·@Index·i·@·"\··E·i

HTML,É□□-¼,ð“ü,ê,Ü,·□B

f^fO

<ADDRESS> ·` </ADDRESS>

□à-¾

fy·[fW]·Z·,jf·[f·fAfhfCEfX,È,C,·i·•ñ,ð·,·½,·B,]f^fO,··B
··'Ef·y·[fW,i·Å·ä,É·,¢,·A,·é,·±,·Æ,·½,¢,·Å,·Bfuf%ofEfU,··\
·Z·,·,é,·ÆfCf^fSfbfN(Z·i·j,É,È,ë,Ü,··B,·ç,É'·OCEä,·%ooü·s,·ê,Ü,··B

'Í%ož

HTML2,IE2,NN2

fTfEf“fh<BG SOUND>

Index iABC ± 】 @ 】 @ Index i <@ " \ • Ê 】

%o¹, ð-Å, ç, ·

f^fO
<BG SOUND>

■à-¾

%o¹Šy, ð-Å, ç, µ, Ü, · BfTf| [fg, ³, ê, Ä, ç, éŒ`Ž®, íA]u*.wav, *.au, *.midi]v, Å, · B, µ, ©, µ AIE, Å, µ, ©fTf| [fg, ³, ê, Ä, ç, È, ç, ï, Å'] ^Ó, µ, Ä, -^{3/4}, ³, ç B(ZQ)Æ]F<EMBED> A fTfEf“fh)

‘@]<

SRC="..." fTfEf“fhftf@fCf<, ðŽw'è, µ, Ü, · B

(IE2)

Loop=n ÇEJ, è•Ô, ·%oñ” , ðŽw'è, µ, Ü, · B-1, Å-³ŒÀ, ÉŒJ, è•Ô, µ, Ü, · B

(IE2)

’í%ož

IE2

fvf%ofofCf“<EMBED>

Index iABC @ @ @ Index i<@”\•Èi

fvf%ofofCf“,ìÄ¶¶

f^fo
<EMBED>

à-¾

MIDPLUG AShockwave,â AQuickTime,È,Ç,]fvf%ofofCf“,ðÄ¶¶,µ,Ü,·B‰º,ì’®“,É,¢,Ä, ,é
^ÓŠO,É,à’½,,ì’®“,¤, ,è,Ü,·B,Ü,½Afvf%ofofCf“]Afuf
‰ofEfU,É,æ,è“®“,¤,Ü,É,è,Ü,;ì,ÄŠm”F,ì,µ,Ä,©,è,s,¤•K—v,¤, ,è,Ü,·B‰º<L,ìà-
¾,ÍŽQ]l’ö“x,É,“]l,!,¾,³,¢B(ZQ]Æ]F<BGSound>]A]TfEf“fh)

‘®“

SRC="..." ïÄ¶¶,·,éftf@fCf<,ðŽw’è,µ,Ü,·B

(IE3,NN2)

WIDTH=,ž %o,ì]fTfCfY,ðŽw’è,µ,Ü,·B(Ë,¾Ù]A%]jŽw’è,µ,È,¢,ÆfRf“fgf]f<,¤•\Ž!,³,ê,È,¢,æ,¤
Ä,·B

(IE3,NN2)

HEIGHT=,ž]c,ì]fTfCfY,ðŽw’è,µ,Ü,·B(Ë,¾Ù]A%]jŽw’è,µ,È,¢,ÆfRf“fgf]f<,¤•\Ž!,³,ê,È,¢,æ,¤
Ä,·B

(IE3,NN2)

NAME="..." -¼’O,ðŽw’è,µ,Ü,·B

(IE3,NN2)

ALIGN="..." ^È'u,ðŽw’è,µ,Ü,·Bleft, right, top, bottom,ì,È,Ç,ðŽw’è,µ,Ü,·B

(IE3,NN2)

HIDDEN="..." fRf“fgf]f<,ð”¤•\Ž!,É,·,é,©,ðŽw’è,µ,Ü,·B**true**,Ä”¤•\Ž!]A**false**,Ä•\
Ž!,µ,Ü,·BŽw’è,È,µ,I]ê]‡•\Ž!,³,ê,Ü,·B

(IE3,NN2)

AUTOSTART="..." fy]fW,ð•\
Ž!,µ,½Û,Éž©“®,Ä]Ä¶¶,·,é,©,ðŽw’è,µ,Ü,·B**true**,Ä]Ä¶¶**false**,Ä]Ä¶¶,µ,Ü,¹,ñ]BŽw’è,È,µ,I]
ê]‡,ítrue,Ä,·B

(IE3,NN2)

LOOP=,ž]Ä¶¶,ìŒJ,è•Ô,µ‰º”,ðŽw’è,µ,Ü,·B**true**,Ä-
³ŒÄ]A**false**,ÄŒJ,è•Ô,µ,µ,Ü,¹,ñ]BŽw’è,È,µ,I]ê]‡,ítrue,Ä,·B,Ü,½A]”I,ðŽw’è,µ,½]ê]‡,í,»,ì
‰º”,É,È,è,Ü,·B

‰ž

IE3,NN2

JavaScript<SCRIPT>

Index iABC # @ @ Index i<@ "\•È@j

JavaScript, ï<L□q

f^fo

```
<SCRIPT LANGUAGE="JavaScript">
<!--
// -->
</SCRIPT>
```

$$\blacksquare \mathbf{a}^{-3/4}$$

JavaScript,Æ,¢,¤Œ¾Œê,ðŽg,¢ŒAfýŒ[fW,É—IŒX,ÈŒØ‰œ,ð•t‰œÁ,À,«,Ü,·ŒBŒä<L,ƒf^fO,¤Š—{Œ\’¢,À,·ŒB<SCRIPT>f^fO,ŒSÖ,É—IŒX,È—½—ß,ð<LŒq,µ,Ü,·ŒB

' R □ <

LANGUAGE="..." fXfNfŠfvfg, ïŒ¾Œê, ðŽw'è, µ, Ü, ··B'Ê·í, ¡javaScript, Å, ··B

(IE3,NN2)

SRC="..." ŠO•"JavaScript,ìftf@fCf<,ðŽw'è,µ,Ü,·¶B

(IE4,NN3)

TYPE="..." LANGUAGE,í,©,í,è,ÉŽg,¢,Ü,·ñB,ºñA,Ü,¾, ,Ü,èfTf|ñ|[fg,³,ê,Ä,¢,Ü,¹,ññB

(HTML4,IE4)

DEFFER •Ž!,ÉŠÖ,·,é<L[]q,ä,È,¢,±,Æ,ð, ,ç,í,µ[]Afuf%ofEfU,ì•Ž!,ð[],'¬‰»,µ,Ü,·[]B

(HTML4)

1%

IE3, NN2

fxfNfžš<MARQUEE>
Index i ABC žš @ @ Index i <@ " • Èžš

• ¶Žš, ðfXfNf□□[f<, ^, ¹, Ü, ·□B

f^fo
<MARQUEE>□`</MARQUEE>

$$\blacksquare \quad \mathbf{a}^{-3/4}$$

' R □ <

ALIGN=a fŒfCfAfEf, ßŒ^, ß, Ü, ·ŒBa, É, ítop, bottom, middle, „ü, è, Ü, ·ŒB

(IE2)

BGCOLOR="FF0000" fXfNf□□[f<—ì^æ,ì"wŒi,ì]F,ðŽw'è,μ,Ü,·]B

(IE2)

BEHAVIOR="..."

BEHAVIOR - III:
fxNfj[fxCÉ`Ž®, ðŽw'è, μ, Ü, ·B'I, É, Í]Ascroll(fxNfj[f·])Aslide('[, É, Ô, Â, ©, é, Æ'âŽ~)Aalternat
e('[, ©, ç'[, Ü, Â, ð‰•œ‰^®), Ì, Ç, ê, ©, ðŽw'è, μ, Ü, ·B (IE2)

DIRECTION=a fXfNf□□[f<•ûŒü,ðleft,©right,ì,¢,„,ê,©,ÂŽw'è,µ,Ü,·]B

(IE2)

LOOP=n fXfNf□□[f<%oñ□”,đŽw’è,μ,Ü,·B’l,É-1,đ“ü,ê,é,Æ-³ŒÀ,ÉŒJ,è•Ô,μ,Ü,·B

(IE2)

WIDTH=n fXfNf□□[f<—l^æ, l•□, ðËß, ¾Ù, ©Š,,□‡, ÅŽw'è, µ, Ü, ·□B

(IE2)

HEIGHT≡n fXfNf□□[f<=] ^æ.ì□..³.ðËß ¾Ù.©Š..¶‡.ÅŽw'è.µ.Ü..¶B

f^fo

Index iABC@Index@Index@"

•¶Žš,É^Ó-;đ•t‰Á,μ,Ü,·B

f^fo

<ABBR>	` </ABBR>	- È—¤Œê-	HTML4
<ACRONYM>	` </ACRONYM>	- “ŽšŒê-	HTML4,IE4
<CITE>	` </CITE>	- ^ ø—p-	HTML2/e2/NN2
<CODE>	` </CODE>	- fR[f{fffbf“fO	- HTML2,IE2,NN2
	` 	- Íœ•¶Žš -	HTML4,IE4
<DFN>	` </DFN>	- 'è<` -	HTML2,IE2
	` 	- <'` -	HTML2,IE2,NN2
<INS>	` </INS>	- '}“ü•¶Žš -	HTML4,IE4
<KBD>	` </KBD>	- fL[f{ffh“ü—í -	HTML2,IE2,NN2
<Q>	` </Q>	- 'Z,¢^ø—p -	HTML4,IE4
<SAMP>	` </SAMP>	- fTf“fvf< -	HTML2,IE2,NN2
	` 	- <'` -	HTML2,IE2,NN2
<VAR>	` </VAR>	- •í” -	HTML2,IE2,NN2

à-¾

•¶Žš,é•¶Žš,í^Ó-;đ, ,ç,í,·f^fo,Å,·B,±,ê,ç,ÍA•¶Žš,É^Ó-;đ, ,é,à,í,Å, ,èA•\ ŽŒŽ®,đ•í,í,é,±,Æ,đ•U“I,Æ,µ,Ä,í,¢,Ü,¹,ñBŽÀÛ,É,ÍA’¾Žš,âŽí’í,È,Ç,ÍŒø‰Ê,¤•t,«,Ü, ;,¤•\ Ž,í,éfuſ‰EfU,É,æ,Å,Ä•í‰»,µ,Ü,·B

í‰ž

HTML3,IE3,NN2

"Ážê•qžš

Index iABC # j @ @ Index i<@ " \• È i

fuf%oofEfU,Å,í•□'Ê,É••Ž|,Å,«,È,¢•¶Žš,Å,·□B

f^fo

<@>@@@<
>@@@@@>
&@@@@@&
h@ @@"
fxfy@fx

À-¾
“ÁŽê•¶Žš,í  ,ì,æ,¤,É,»,ê,¼,ê“ü—í,µ,Ü,· B

‘‰oož
HTML2,IE2,NN2

‘®»@ACTION

ACTION="..." ŽÀsf{f^f“,ð
‰Ý,µ,½,Æ,«,És,xFAfNfVftf“,ðŽw’è,µ,Ü,·Bmailto:f[]fAfhfEfX,ðŽw’è,·é,Æf[]f<,ð’—
,è,Ü,·B•’È,ÍCGIfXfNfŠfvfg,ìURL,ðŽw’è,µ,Ü,·B

ŠÖ~Af^fO[]F<FORM>

‘®»@ALIGN

ALIGN=a ¶¶%oE,¡fŒfCfAfEf,ðŒ^,ß,Ü,·¶B
a,É,Íleft,center,right,³“ü,è,Ü,·¶B
^Ó-¡,í,»,ê,¼,ê¶A¶¶'µ,!¶A'+%o>'µ,¡¶A%oE'µ,!,Å,·¶B
ŠÖ~Af^fO¶F<Hn>¶A<P>¶A<DIV>¶A<HR>¶A¶A<TABLE>¶A<TD>¶A<CAPTION>¶A<EMBED>¶A<MARQUEE>

‘®□«□@ALINK

ALINK="COLOR" fnfŠfbfN'tfŠf“fN,ìfefLfXfg,ì□F,ðŽw'è,µ,Ü,·□BIE3^È'O,Í-³Ž<,³,ê,é,æ,¤,Å,·□B
šö~Af^fO□F<BODY>

‘®□«□@ALT

ALT=".." fCf□□[fW,ð•\Ž|,·,é,Ü,Å,â]Afcf□□[fW,ð•\Ž|,Å,«,È,¢,Æ,«,É•\Ž|,·,éfefLfXfg,Å,·□B,C,ñ,Éfcf□□[fW,¤•\Ž|,³,ê,é,ì,©□A•¤,©,è,â,·,¢fefLfXfg,ð¤',«,Ü,µ,å,¤□B,Ü,½AfCf□□[fW¤ä,Éf}fEfXfJ□[f]f¤,¤,é,Æ,«f|fbfvfAfbfv¤\Ž|,µ,Ü,·□B

ŠÖ~Af^fO□FA<MAP>

'®[]<[]@BACKGROUND

‘®»@BEHAVIOR

BEHAVIOR="..."

fXfNf[]f<Æ`Ž®,ðŽw'è,µ,Ü,·B'l,É,íAscroll(fXfNf[]f<)Aslide('[,É,Ô,Â,©,é,Æ'âŽ~)Aalternat
e('[,©,ç[,Ü,Â,ð‰•œ‰^“®),ì,Ç,ê,©,ðŽw'è,µ,Ü,·B

ŠÖ~Af^fOF<MARQUEE>

‘®[]<@**BGCOLOR**

BGCOLOR="COLOR" "wŒi[]F,ðŽw'è,µ,Ü,·[]B

ŠÖ~Af^fO[]F<BODY>[]A<TABLE>[]A<TD>[]A<MARQUEE>

‘®»@**BORDER**

BORDER=n ~güA<ŠEü,ì•,ðËß,¾Ù,ÅŽw'è,µ,Ü,·B

ŠÖ~Af^fOF<FRAMESET>|A<TABLE>

‘®»@**BORDERCOLOR**

BORDERCOLOR="COLOR" ~güüA<<ŠEü,íF,ðŽw'è,µ,Ü,·B
šö~Af^fOF<FRAMESET>|AFRAME>|ATABLE>|ATD>

‘®[]**@BORDERCOLORDARK**

BORDERCOLORDARK="COLOR" ŠO~g,ì^Ã,¢•”•¤,í¤F,ðŽw'è,µ,Ü,·¤B

ŠÖ~Aƒ^fO¤F<TABLE>¤A<TD>

‘®[]**@BORDERCOLORLIGHT**

BORDERCOLORLIGHT="COLOR" ŠO~g,ì^Ã,¢•”•¤,ì[]F,ðŽw'è,µ,Ü,·[]B

ŠÖ~Aƒ^fO[]F<TABLE>[]A<TD>

‘®¶«¶@CELLSPACING

CELLSPACING=,ž •\,\,ìšo~g,æfZf<,í~g,æ,ìšošu,ðëß,¾ù,åžw'è,µ,ü,·¶b
šö~af^fo¶f<TABLE>

‘®¶«¶@CELLPADDING

CELLPADDING=n *fZf<,[SO~g,AEfZf<'t,]fefLfxfg,AE,]————f,ðËß,¾Ù,ÅŽw'è,μ,Ü,·ØB
ŠÖ~Af^fOØF<TABLE>*

‘®□«□@**CHECKED**

CHECKED f`fFfbfNf{fbfNfX,âf%oWfIf{f^f“,È,Ç,äf`fFfbfN,³,ê,½ó’Ô,É,È,è,Ü,·□B
ŠÖ~Af^fO□F<INPUT>

‘®□«□@CLEAR

CLEAR=a fCf□□[fW,È,Ç,đfefLfXfg,Â‰oñ,è,±,ñ,Å,¢
,é,Æ,«,É□A,»,ê,ð’†ž~,µ,Ü,·□Ba,É**left**,ð”ü,ê,é,Æ□s“a,ð□Å,à□¶,É•\ž!,Å,«,é^Ê'u,Ü,Å
‰oü□s,µ□**Aright**,ð”ü,ê,é,Æ□s--,ð□Å,à‰oE,É•\ž!,Å,«,é^Ê'u,Ü,Å‰oü□s,µ,Ü,·□**Ball**,í—¼•û,ð, ,í,¹,½
,à,ì,Å,·□B

ŠÖ~Af^fO□F

‘®»@COLOR

COLOR=@hCOLOR" ,È,çftfHf“fgFFA<HR>,È,çü,ìF,AŒŒ³/₄,Á,½,æ,¤,Éf^fO,É
‰ž,¶,½F,ðŽw'è,µ,Ü,·B°F,ìŽw'è•û-@,í,±,ç,ðŽQÆ,µ,Ä,,³/₄,³,¢B

ŠÖ~Af^fO°F¤A<HR>¤A<BASEFONT>

'®□<□@COLS

COLS="..." ,±,±
,É,Íç,É·¤S,,·,é,Æ,«,ì[]A,»,ê,¼,ê,]fEfBf“fhfE,ì'å,«,³,ðŽw'è,µ,Ü,·[]B'å,«,³,ðŽw'è,·,é,Æ,«,ífjf“f}(),
Å<æ@Ø,è,Ü,·[]BÆß,¾U[]A%,Ç,¿,ç,Å,à,¢,¢,Å,·[]B,Ü,½[]A[]i*[]j,íŽc,è'S•",ì—ì^æ,ÆŒ³¼,Å,½^Ó-
i,É,È,è,Ü,·[]B

ŠÖ~Af^fO□F<FRAMESET>□A<TEXTAREA>

‘®¶«¶@COLSPAN

COLSPAN=,ž fZf<,ð‰o;j•ûŒü,É,ŽŒÂ~AŒ<,^{3,1},Ü,·¤B

ŠÖ~Af^fO¤F<TD>

‘®»@**CONTENT**

CONTENT="..." NAME,âHTTP-EQUIV,È,Ç,ì’I,ðÙÝ'è,µ,Ü,·ÙB

ŠÖ~Af^fOÙF<META>

‘@@COORDS

COORDS — ï^æ, ïÀ•W, ðŒ^, ß, Ü, ·B<éŒ` , ïê‡A¶ä, Æ‰œE‰œ, ïÀ•WŒA
‰œ~, ïê‡, ïA'†ŒS, ïÀ•W, Æ"½Œa, ï'·, ³, ðŒA'½ŠpŒ` , ïê‡, ï'·, “_, ïÀ•W, ð‡, ÉŒ', «, Ü, ·B
šö~Af^fOŒF<MAP>

‘®□□@DEFFER

'®[]<[]@DIRECTION

DIRECTION=a fXfNf□□[f<•ûŒü,ðleft,©right,ì,¢,„,ê,©,ÅŽw'è,µ,Ü,·□B

ŠÖ~Af^fOF<MARQUEE>

‘®□«□@ENCTYPE

ENCTYPE="..." fXfNfŠfvfg,Éff□[f^,ð“n,·,Æ,«,ìfGf“fR□[fh•ûŽ®,ðŽw'è,μ,Ü,·□B'Ê□í,íŽw'è,μ,È,-,À,à,¢,¢,À,·□B

ŠÖ~Af^fO□F<FORM>

‘®»@**FACE**

FACE="ftfHf"fg-¼"ftfHf"fg,íží—þ,ðžw'è,å,«,ü,·þBfjf“f},å<æþØ,é,±,æ,é,æ,è•þ”,íŒó•â,ðžw'è,å,«,ü,·þBþæ,éžw'è,μ,½,à,í,©,cf`fffbfN,³,ê•\ž,‰,\",é,à,í,ð•\ž,μ,ü,·þB

ŠÖ~Af^fOþF

‘®»@**FRAMEBORDER**

FRAMEBORDER=... 0,½-Ê“IÅA1,Å—§’ì“I,É,È,è,Ü,·ÅBfffffHf<fg,Å,í1,É,È,è,Ü,·ÅB
ŠÖ~Af^fOÅF<FRAME>

‘®□«□@**HEIGHT**

HEIGHT=,Ž f^fO,É%ož,¶,½□,,³,ðŽw'è,μ,Ü,·□B(Ëß,³¼Ù□A%□j

ŠÖ~Af^fO□F□A<TABLE>□A<TD>□A<EMBED>□A<MARQUEE>

'®[]<[]@HREF

HREF="..." fy[[fW,]fWffff"fvæAf[]([<,]fAfhfŒfX,È,Ç,ð"ü—í,μ,Ü,·]B
ŠÖ~Af^fO]F<A>]A<MAP>]A<LINK>

'®[]<[]@HSPACE

HSPACE=n fCf□□[fW□A•\,ì¶%oE,É<ó'',ð□ì,è,Ü,·□BËß,¾Ù,ÀŽw'è□B

ŠÖ~Af^fO[F]A<TABLE>

'®[]<[]@HTTP-EQUIV

HTTP-EQUIV="..." HTTP, ìfwfbf_ñ, ì•ñ, ì•t‰Áñ, ðñ', «, Ü, · ÙBRefresh(fyÙ[fWÙXÙV), Content-type(•¶ŽšfRÙ[fh•Ž!)), È, Ç, ª, , è, Ü, · ÙB

ŠÖ~Af^fO[]F<META>

‘®»@**LANGUAGE**

LANGUAGE="..." fXfNfŠfvfg,íŒ³¼Œê,ðŽw'è,µ,Ü,·ºB'Êºí,íJavaScript,Å,·ºB
šÖ~Af^fOºF<SCRIPT>

‘®□«□@LINK

LINK="COLOR" □@-¢ • \ZjfSf“fN, jfefLjfXfg, i□F, öZw'è, µ, Ü, ·□B

ŠÖ~Af^fO□F<BODY>

‘@“@LOOP

LOOP=n ŒJ,è•Ô,·‰ñ”,ðŽw'è,µ,Ü,·B-1,Å-³ŒÀ,ÉŒJ,è•Ô,µ,Ü,·B
ŠÖ~Af^fOxF<BGSOUND>A<MARQUEE>

'®[]<[]@MARGINHEIGHT

'®[]<[]@MARGINWIDTH

MARGINWIDTH=n *ftfCE[]f€,ì¶‰E,ìº'',ðËß,¾Ù,ÅŽw'è,µ,Ü,·B
ŠÖ~Af^fO F<FRAME>*

'@[]<@MAXLENGTH

MAXLENGTH=n “ü—í,å,«,é,â’å•¶žš”,ðžw’è,µ,Ü,·B

ŠÖ~Af^fO[]F<INPUT>

‘@METHOD

METHOD="..." ff[f^,l'—,è•û,ðžw'è,µ,Ü,·]Bpost,Æget,¤žw'è,Å,«,Ü,·]B
ŠÖ~Af^fO]F<FORM>

‘®»@**MULTIPLE**

MULTIPLE • i”,í€-Ú,ð“-žž,É’ł,À,«,é,æ,¤,É,µ,Ü,·B

ŠÖ~Af^fOF<SELECT>

‘®□«□@**NAME**

NAME=..." f^fO,É%ož,¶,½-¼' O,đŽw' è,µ,Ü,·□B□Ú,µ,,í,»,ê,¼,đžQ□Æ,µ,Ä,,¾,³,đ□B
šÖ~Af^fO□F<META>□A<FRAME>□A<A>□A<MAP>□A<FORM>□A<INPUT>□A<TEXTAREA>□
A<SELECT>

‘®□«□@**NOHREF**

NOHREF fŠf“fN,ð'£,ç,È,¢,Æ,«,ÉŽw'è,µ,Ü,·□B

šÖ˜Af^fO□F<MAP>

‘®»@**NORESIZE**

NORESIZE ,±,ê,ðŽw'è,·,é,ÆftfŒ[]ƒ€,ƒTƒCƒY•ïX,ð<ÖŽ~,Å,«,Ü,·B
ŠÖ~Aƒ^ƒOƒF<FRAME>

‘®□«□@**NOSHADE**

NOSHADE %oe,ðŽ[],½,È,¢•½-Ê“I,È[]ü,É,È,è,Ü,·B’l,í, ,è,Ü,¹,ñB

ŠÖ~Af^fO□F<HR>

‘®»@**NOWRAP**

NOSHADe fefLfXfg,ìÜ,è•Ô,µ,ð<øž~,µ,Ü,·B

ŠÖ~Aƒ^ƒO°F<TD>

‘®»@**REL**

REL="..." HREF="ÅŽw'è,μ,½ftf@fCf<Æ,íŠÖŒW,ðŽw'è,μ,Ü,·»B
ŠÖ~Aƒ^ƒO°F<LINK>

‘@ROWS

ROWS="..." ,±,±,É,í‰
;é,Æ,«,í¤A»,é,¼,é,ífEfBf“fhfE,í’å,«,³,ðŽw'è,µ,Ü,·¤B'å,«,³,ðŽw'è,;é,Æ,«,íjjf“f}(.)
ÅæØ,è,Ü,·¤BŒ,³/4Ü¤A%,Ç,ç,Å,à,¢,Å,·¤B,Ü,½¤A¤i*¤j,íŽc,è'S•”,í—í^æ,ÆŒ³/4,Å,½^Ó-
í,É,È,è,Ü,·¤B
<TEXTAREA>,í¤ê¤‡¤s¤”,ðŽw'è,µ,Ü,·¤B
ŠÖ~Af^fO¤F<FRAMESET>¤A<TEXTAREA>

'®[]<[]@ROWSPAN

ROWSPAN=,Ž fZf<,ðÙc•ûŒü,É,ŽŒÂ~AŒ<,³,¹,Ü,·ÙB

ŠÖ~Af^fO□F<TD>

'®[]<@SCROLLING

ŠÖ~Af^fO[]F<FRAME>

‘®□«□@**SELECTED**

SELECTED □‰Šú□ó’Ô,Å’I’ð,³,ê,é,æ,¤,É,µ,Ü,·□B

ŠÖ~Af^fO□F<OPTION>

‘@@SHAPE

SHAPE=... —

í^æ,íŒ` ,ðŒ^ ,ß ,Ü ,· B**rect**(**éŒ`** □j) A**circle**(%o~) □A**Polygon**(‘½ ŠpŒ` □j, © ,ç’l’ð, µ, Ü ,· B

šö~Af^fO□F<MAP>

‘®□«□@SIZE

SIZE=nf^fO,É,æ,è—l□X,ÈfTfCfY,ðŽw'è,μ,Ü,·□B□Ú,μ,,í,»,ê,¼,ê,ìf^fO,ðŽQ□Æ,μ,Ä,,¾,³,¢□B
šÖ~Af^fO□F□A<BASEFONT>□A<HR>□A<SELECT>

‘®□«□@SRC

SRC="..." f^fO,É%ož,¶,½ŠO•"ftf@fCf<,ðŽw'è,μ,Ü,·□B

ŠÖ~A f^fO□F□A<FRAME>□A<BG SOUND>□A<EMBED>□A<SCRIPT>

‘®»@START

NOSHADe ☺‰šú’l,ðúÝ’è,μ,Ü,·B,íê‡,ífŠfXfg€-Ú,í’O,É•t,í”žš,í‰šú’l,ðžw’è,μ,Ü,·B
šö~Af^fOF

‘®»@**STYLE**

**STYLE="..." fXf^fCf<fv[]fg,ÀfXf^fCf<,ðŽw'è,µ,Ü,·B'½,,jf^fo,ÉŽg—p,À,«,Ü,·B
žQ[]l[]FfXf^fCf<fv[]fg**

‘@¶¶@TARGET

TARGET="..." fŠf“fNæ,ð•\ž|,·,éftfŒŒ[f€
,ðŽw’è,μ,Ü,·B<FRAME>f^fO,NAME’@«,ÅÝ’è,μ,½-¼’O,ðŽw’è,Å,«,Ü,·B,Ü,½A^È
‰,ì,à,í,í”Á•È,È^Ó-i,ðŽ,Å,à,ì,Å,·B^È‰,ì’@«’l,í¬•¶žš,Å’,«,Ü,·B

TARGET=_blank

¶@¶@¶V,μ,¢fEfBf“fhfE,ðŠJ,«A,»,±,É•\ž|,μ,Ü,·B

TARGET=_top

¶@¶@ftfŒŒ[f€•¤S,,ð‰øœ,μ,ÅA,»,±,É•\ž|,μ,Ü,·B@

TARGET=_self

¶@¶@fŠf“fN,ì,éfy[fW]iž©•¤Z©g]j,É•\ž|,μ,Ü,·B

TARGET=_parent

¶@¶@Œ»Ý•¤S,,³,ê,Ä,¢,ê,î1'iŠK,³/₄,-‰øœ,μ,ÅA,»,±,É•\ž|,μ,Ü,·B

ŠÖ~Af^fO]F[A](#)[A](#)[MAP](#)

‘®»@TEXT

TEXT="COLOR" 'Êí,ífeLfg,íF,ðžw'è,µ,Ü,·B

ŠÖ~Af^fO F<BODY>

‘®□«□@TEXT

TITLE="..." fŠf“fN□ã,Éf}fEfX,ð'u,¢,½,Æ,«,É□A“à—e,ðfqf“fg•\Zl,µ,Ü,·□B
šÖ~Af^fO□F<A>

‘®»@TYPE

TYPE=a f^fO,É‰ž,¶,½,à,ì,ðŽw'è,µ,Ü,·B,»,ê,¼,ê,þf^fO,ðŽQÆ,µ,Ä,,¾,³,¢B
šÖ~A f^fO F A A<SCRIPT> A<LINK> A<STYLE>

‘®¶«¶@**VALIGN**

ALIGN=a ¸ä‰‰,jfŒfCfAfEf,ðŒ^,ß,Ü,·¶B
a,É,íttop,middle,bottom,¤“ü,è,Ü,·¶B

ŠÖ~Af^fO¶F<TD>¶A<CAPTION>

‘®»@**VALUE**

VALUE="..." ,±,í€-Ú,ºI'ð,³,ê,½,Æ,«,ÉŽæ,é'l,Å,·B

(HTML2,IE2,NN2)

ŠÖ~Af^fO°F<OPTION>

‘®□«□@VLINK

VLINK="COLOR" •\Z|□í,ÝfŠf“fN,ífefLfxfg,í□F,ðŽw'è,µ,Ü,·□B

ŠÖ~Aƒ^ƒO□F<BODY>

‘®¶«¶@**VSPACE**

VSPACE=n fCf¶¶[fW¶A•\,ì¤‰¤,É¤¤'',ð¶ì,è,Ü,·¶B¤ß,³¤Ù,Åžw'è¶B
šÖ~Af^fO¶F¶A<TABLE>

‘@WIDTH

WIDTH=, Ž f^fO,É%ož,¶,½•®,ðŽw'è,µ,Ü,·®B(Ëß,¾ÙA%®j

ŠÖ~Af^fO®F®A<HR>®A<TABLE>®A<TD>®A<PRE>®A<EMBED>®A<MARQUEE>

‘®¶«¶@WRAP

WRAP="¶c" %œæ-Ê'[,ÅŽ©“®‰œüšB<TEXTAREA>,ìê‡ŽŸ,ì,æ,¤
,ÈŽw'è,¤,Å,«,Ü,·Boff,íÜ,è•Ô,µ,ð,µ,Ü,¹,ñBphysical,íÜ,è•Ô,µ,Ü,·Bvirtual,íŒ®,½-
Ú,íÜ,è•Ô,µ,Ü,·,¤A'—Mffif^,íÜ,è•Ô,µ,Ü,¹,ñB

<PRE>,ìê‡,í'l,ð,Æ,è,Ü,¹,ñB

ŠÖ~Af^fO¶F<PRE>¶ATEXTAREA

fXf^fCf<fv@fg,¡ší'b

fXf^fCf<fv@fg,Æ,í

¶@HTML,Í-{—^¶A•¶',í¶'¢,ð'è<`,,é,à,ì,Å, ,Á,ÄŒ©‰oh,|,ð'è<`,,é,à,ì,Å,í, ,è,Ü,¹,ñ¶B,»,,±,Å,ÄŒ©‰oh,|,ð'è<`,,é,½,ß,É,Å,,ç,é,½,ì,¤Xf^fCf<fv@fg,Å,·¶B
¶@,µ,©,µ¶AŽÅÛ,É,ífuf‰oEfU,É,æ,Á,ÄfTf|¶[fg,³,é,Ä,¢,é,à,ì,É^á,¢,³, ,Á,½,è¶A•ž|,ì,³,é•û,³,µ,•\n,Æ,¢,Á,½-â'è,à, ,è,Ü,·¶B,æ,Á,ÄAfXf^fCf<fv@fg,ðŽg—p,·,é¶ê¶‡,í^á,¤fuf‰oEfU,Å,à¶³,µ,•\nž|,³,é,Å,¢,é,©Šm°F,·,é,æ,¤,É,µ,Ü,µ,å,¤¶B

fXf^fCf<fv@fg,¡ší'b

¶@fXf^fCf<fv@fg,í'è<` ,ížd•û,í'å,«,•³, Ä^È‰oo,í,R,Å,³, ,è,Ü,·¶B

1.f^fO,í'®¶«,Æ,µ,Äf^fO“à,É<L¶q,·,é•û-@

¶@—á¶j

<H1 style=" color: blue; background: red ">—á•¶,Å,·</H1>

¶@,±,í¶ê¶‡¶A¶u—á•¶,Å,·¶v,Æ,¢,¤•”•³,É<H1>¶iŒ©¶o,µ1¶j,¡Œø‰oÊ,É
‰oÅ,¡¶A,³,ç,É•¶žš¶F,ð¶A¶A•¶žš,í"wŒi¶F,ð¶Ô,É,·,éŒø‰oÊ,³,é,Ü,·¶B

2.fwfbf_•”,Å<L¶q,·,é•û-@

¶@—á¶j<HEAD>¶` </HEAD>,¡šô,Å

```
<STYLE TYPE="text/css">
<!--
H1¶ocolor: blue;
background: red; ¶p
-->
</STYLE>
```

¶@¶@¶@-{•¶'†(<BODY>¶` </BODY>)šô,Å

<H1>—á•¶,Å,·</H1>

¶@,±,í¶ê¶‡,í¶Afwfbf_•”,Å'è<`,,é,½,ß-{•¶'†,ì,·,x,Ä,ì<H1>f^fO,É‰oe<_,µ,Ü,·¶B

3.”/4ftf@fCf<,Å<L¶q,·,é•û-@

¶@, ,é'è<` ,ð•¶”,íHTML•¶',Åžg—p,µ,½,¢,Æ,«,É,±,í•û-@,ðžg—p,µ,Ü,·¶B,±
,ç,ífy¶fW,ðžQ¶Æ,µ,Å,,³/⁴,³,¢¶B

¶@,Å,Ü,è¶A¶ä<L1,í¶ê¶‡,í¶A,»,íf^fO,ðžg,¤¶é¶š,²,Æ,ÉfXf^fCf<,¤žw'è,Å,«¶A2¶A3,í¶ê¶‡,í¶A^éš‡,
µ,Åžw'è,Å,«,é,Æ,¢,¤,í,¬,Å,·¶B,»,ížž,É‰ož,¶,Åžg,¢•³,¬,Å,,³/⁴,³,¢¶B

'è<`ì•û-@

⊕fXF^fCf<,ì`े`í<STYlE>f^fO,ìŠÔA,à,µ,í•Êftf@fCf<,ì`t,Ås,¢,Ü,·B•Êftf@fCf<,É,Â,¢,Ä,í±
,ì,ç,ðZQÆ,µ,Ä,³/⁴,³,¢B•ù-@,í`È‰º,ì,æ,¤,É,µ,Ü,·B

fZfŒfNf^o
fvfŒfpfefB1: 'l;
fvfŒfpfefB2: 'l;
Œc
Œp

fzfcefnf^
uf^fO, i^-1/4 'O[]v[]A[]ufNf%ofoX[]v[]A[]uID[]v, E,C, dZw' e, mu, U, .B

'
fvf[]fpfefB,ì'I,Å,·[]B—á,!,'fvf[]fpfefB,ðcolor,AÈ,µ,½[]ê[]#[]Ared,È,C,ì[]F,ì-¼'Ô,³"ü,è,Ü,·[]B

¶@ä<L,ì,æ,¤,Éfvf]fpfefB,Æ'I,ìSÖ,í[u:][v,Å<æ][Ø,è,Ü,·][B,Ü,½][A][u;][v,Å<æ][Ø,é,±,Æ,É,æ,è•][—ñ“,;é,±,Æ,¤,Å,«,Ù,·][B

“ $\frac{1}{4}$, $\text{iftf@fCf}^<$, $\text{A, l'è}^<$ ”

█'¼,½ftf@fCf<„è[`],·é•û-@,ðà-¾,µ,Ü,·ÛB

,P@Dcssftf@fCf<,ð@ì@¬,µ,Ü,·@B
'è<`^¾,-,ð@',«,Ü,·@i,à,¿,ë,ñ•j@%"‰Å@j@B

—ájj

H1{color: red;}p

EM₀ color: blue;

background: yellow; □p

,±,ê,ðšg'£žq,ðcss,É,µ,Ä“K“-,È-¼'Ô,ð•t,-,Ä•Û‘¶,µ,Ü,·ÛB

,QID,P,l'è<` ,ðŽg—p,μ,½,¢ftf@fCf<,lfwfbf_█[•”,É^È‰‰,l,æ,¤,É'Ç‰‰Á,μ,Ü,·█B

—ájj

<HTML>

<HEAD>

<TITLE>Sample</TITLE>

<LINK REL=STYLESHEET TYPE="text/css" HREF="1,Àíó¬,µ,½ftf@fCf₁fpfX">

</HEAD>

<BODY>

<H1>,±,±,í•¶Žš,äŒŒF,É,È,è,Ü,·ŒB</H1>

</BODY>

</HTML>

,±,ì,æ,¤,ÉfŠf“ƒN,ð’ƒ,é,¾,-,ÅCSSftf@ƒCf<,Å’è< „,μ,½ƒXf^ƒCf<,¤Žg—p,Å,«,Ü,·□B

,» ,í'¼,íà-¾

fXf^fCf<,íŒp³

fXf^fCf<,íŒp³,Æ,íA—á,¡,íf^fO,ÅžÝ,í,æ,¤,Éžw'è,µ,½é‡,ÉŒp³,Æ,¢,¤•¶žš,ížíí,É,È,Á,½,¤,
,¡'¾žš,É,È,è,Ü,·B,±,ê,Æ“-,¶,±,Æ,¤,Å,«,Ü,·B

<|>,±,±,íŒp³,³,ê,Ü,·</|>

,Ü,Æ,B,Ä'è<` ,·,é

H1,H2,H3 o color: blue; p

¤ä,í,æ,¤,É,µ,½é‡H1,H2,H3f^fO,ðžg—
p,µ,½,·,x,Å,íéš,Å•¶žšF,¤Å,É,È,è,Ü,·BifZfŒfNf^•”•¤,ðu,u,v,Å¤æØ,è,Ü,·j

“Á'è,íéš,ð'è<` ,·,é

H1 EM o color: blue; p

¤ä,í,æ,¤,É'è<` ,µ,½é‡H1f^fO,í't,ÅEMf^fO,ðžg,Á,½,Æ,«,í,YfXf^fCf<,¤"½
%of,³,ê,Ü,·B'¼,íéš,ÅEM,í,Y,ðžg—p,µ,Å,¤fXf^fCf<,í,Å,«,Ü,¹,¤B

fCf“f%o fCf“ AfuffbfN—v‘f

⊕fXf^fC<,ð'è`·,é[]t,íf^fO,ðŽg—p,·,é,½,ß[]A,½,¾•¶Žš,ì[]F,ð•í,!,½,¢,
,Æ,«,Å,à,f^fO,¤,à,Æ,à,ÆZ[],Å,Ä,¢,éŒø‰œÜ,Å"½‰of,³,ê,Ä,µ,Ü,¢,Ü,·[]B,»,ñ,ÈŽž,í^È
‰º,íf^fO,ðŽg—p,µ,Ü,·[]B

fCf“f%oofCf“—v‘f@
f^fO,f^fO,ðŽg—p,μ,½’OŒã,Å‰ooüſs,³,ê,Ü,¹,ñB

fufbfn—v'f@<DIV>
<DIV>f^fO,ìê#A,±,if^fO,ðŽg—p,μ,½'Œä,É‰ü}s,¤“ü,è,Ü,·B

fŠf“fN,ì•¶ZšF

☒ <A>f^fO,É,ÍfSf“fN,í•¶ŽšF,ð•í,í,éfNf%ofX,ª, ,ç,©,¶,ß‘è`^,³,ê,Ä,¢,Ü,·B,±,í,æ,¤,É,à,í,ð‘è`^,ÍYfNf%ofX,Æ,¢,¢^A^È‰º,í,æ,¤,ÉfsfŠflfh,Å,í,È,·AfRfF“,ÅŽw‘è,µ,Ü,·B

```
<Style Type="text/css">
<!--
a:link color: #c0c0c0;
a:visited color: #c0c0c0;
a:active color: #c0c0c0;
a:hover color: #c0c0c0;
-->
</Style>
```

⚠ Hover, !IE4, ©, cfTf|[]fg, ^, ê, Ä, ç, Ü, · BNN, í, î, %, ž, µ, Ä, ç, Ü, ^, ñ B

fZfŒfNf^

 fZfŒfNf^,íŽw'è,í,¢,ë,¢,ë,È•Û-@,¤, ,è,Ü,·B^È‰¤,ÉŠo,¡,Ä,“,Æ,æ,¢,à,ì,ð<“,”,Ü,·B

f^fo,ì-¼’o

fxf^fCf<,ð,Â,¬,½,¢f^fO-¼,ðŽw'è,µ,Ü,·B,±,ìê‡A-{ •¶'†,.,x,Ä,ì,±,±,ÂŽw'è,µ,½f^fO,É
‰¤e<_,µ,Ü,·B^È‰¤,í,æ,¤,ÉŽw'è,µ,Ü,·B

```
<HTML>
<HEAD>
<TITLE>Sample</TITLE>
<STYLE TYPE="text/css">
<!--
H1 o color: red; p
-->
</STYLE>
<BODY>
<H1>,±,±,í•¶Žš,¤ÔF,É,È,è,Ü,·B</H1>
</BODY>
</HTML>
,±,ì,æ,¤,É,µ,½ê‡A,.,x,Ä,ì<H1>f^fO,Â•¶Žš,íÔF,¤ÔF,É,È,è,Ü,·B
```

f^fo,ì-¼’o.fNf‰¤fx-¼

^È‰¤,í,æ,¤,ÉŽw'è,µ,Ü,·B
<HTML>
<HEAD>
<TITLE>Sample</TITLE>
<STYLE TYPE="text/css">
<!--
H1.style1 o color: red; p
H1.style2 o color: blue; p
-->
</STYLE>
<BODY>
<H1 CLASS=style1>,±,±,í•¶Žš,¤ÔF,É,È,è,Ü,·B</H1>
<H1 CLASS=style2>,±,±,í•¶Žš,¤ÂF,É,È,è,Ü,·B</H1>
</BODY>
</HTML>
,±,ì,æ,¤,É“,”,¶H1f^fO,É^á,Á,½fXf^fCf<,ðŽw'è,µ,½,¢ê‡,ÉfNf‰¤fx-¼,ð•t,¬,é,±,Æ,É,æ,è‰¤Ã"\n,É,µ,Ü,·B

#ID

^È‰¤,í,æ,¤,ÉŽw'è,µ,Ü,·
<HTML>
<HEAD>
<TITLE>Sample</TITLE>
<STYLE TYPE="text/css">
<!--
#sample o color: blue; p
-->
</STYLE>
<BODY>
<H1 ID=sample>,±,±,í•¶Žš,¤ÂF,É,È,è,Ü,·B</H1>
<P ID=sample>,±,±,à•¶Žš,¤ÂF,É,È,è,Ü,·B</H1>
</BODY>

</HTML>
,±,í,æ,¤,É¤F¤X,Èf^fO,É““,¶fXf^fCf<,ðŽw'è,µ,½,¢¤é¤‡,ÉfXf^fCf<-¼,ð•t,_,é,±,Æ,É,æ,è‰¤Ã”\,
,É,µ,Ü,·¤B

'

□F

□F, ðŽw'è, , é□ê□†^È%oº, ì, æ, ø, È•û-@, ª, è, Ü, ·□B

-¼ 'O, É, æ, éŽw'è

black,white,blue,red,green,È,Ç

RGB, É, æ, éŽw'è□i16□i"□j

—á□j#000000□i□•□j□A#ffffff□i"□j

RGB, É, æ, éŽw'è□i0□`255, ÅŽw'è□j

rgb(0,0,0)□i□•□j□Argb(255,255,255)□i"□j

RGB, É, æ, éŽw'è□i0□`100□“, ÅŽw'è□j

rgb(0%,0%,0%)□i□•□j□Argb(100%,100%,100%)□i"□j

'å, «, ^3□A'·, ^3, ì'P^È

'P^È

em□@fAf<ftf@fxfbfgM, ì□., ^3

ex□@fAf<ftf@fxfbfgx, ì□., ^3

px□@fsfNfZf<

pt□@f|fCf“fg(1pt=1/72in)

pc□@fpfCfJ(1pc=12pt)

in□@fCf“f` (1in=2.54cm)

mm□@f~fŠf□□[fgf<

cm□@fZf“f` f□□[fgf<

% S,, □‡

URL, ìŽw'è

^È%oº, ì, æ, ø, ÉŽw'è, µ, Ü, ·

background : url(http://xxx.yyy/image.gif)

fXf^fCf<fv][fg<STYLE>

IndexiABC±】@】@Indexi<@"•】i

fXf^fCf<fv][fg,ðŽw'è]B

f^fO

```
<STYLE TYPE="text/css">
<!--
@H1 o color: red p
-->
</STYLE>
```

à-¾

,Pfy[fW'S'ì,É‰e<.,éfXf^fCf<fv][fg,ðŽw'è,μ,Ü,·]B<HEAD>` </HEAD>ŠÔ,É<L]q,μ,Ü,·]B

®»

TYPE="..." fXf^fCf<fv][fg,ì,]f^fCfv,ðŽw'è,μ,Ü,·]B'Ê]í,ítex

(NN4)

‰ž

HTML2,IE3,NN4

'½ftf@fCf<,Æ,íŠÖŒW<LINK>

IndexíABCí±í@í@Indexí<@"í•Êí

'½ftf@fCf<,Æ,íŠÖŒW,ð•\,í,µ,Ü,·íB

f^fO

<LINK REL="stylesheet" TYPE="text/css" HREF="xx.css">

íà-¾

'½,íftf@fCf<,Æ,íŠÖŒW,ðŽw'è,·,éf^fO,Å,·íB,±,±,Å,ífXf^fCf<íVí[fg,¾,~íà-¾,µ,Ü,·íBfXf^fCf<íVí[fg,ííêí‡íAŠO•"CSSftf@fCf<,ð"ç,Ýíž,Ý,Ü,·íB

'®í<

REL="..." HREF,ÅŽw'è,µ,½ftf@fCf<,Æ,íŠÖŒW,ðŽw'è,µ,Ü,·íB

(HTML2)

TYPE="..." HREF,ÅŽw'è,µ,½ftf@fCf<,íf^fCfv,ðŽw'è,µ,Ü,·íBfXf^fCf<íVí[fg,ííêí‡,ítext/css,É,È,è,Ü,·íB

(NN4)

HREF"..." íŠf"íN,µ,½,¢CSSftf@fCf<,ðŽw'è,µ,Ü,·íB

(NN4)

í‰ož

HTML2,IE3,NN4

fvf **fpf** **e** **fB**

ftfHf“fg

”wCEi

fefLfxfg

f}□[fWf“

fppffBf“fO

f{□[f_□[

fSfxfg

ftfHf“fg

ftfHf“fg”A”wCEi”AfefLfXfg”Af}”[fWf“”AfppffBf“fO”Af{”f””AfSfXfg

font-size(CSS1,IE3,NN4)

• È‰‰, ï’I, Å• ¶Žš, ï’å, «, ³, ðŽw’è, µ, Ü, ·B
 • à’ífTfcfY”@fuf‰fEfU, É, æ, éfTfcfY
 • @”@ (xx-small, x-small, small, medium, large, x-large, xx-large)
 ‘S’ífTfcfY”@, Ü, í, è, lftfHf“fg, É’î, µ, Ä
 • @”@ (larger, smaller)
 ’·, ³”@*ï’I, È’å, «, ³*
 • @”@ (10pt, 2cm, È, Ç)
 Š,, ît”@, Ü, í, è, lftfHf“fg, É’î, µ, Ä
 • @”@ (80%, 120%, È, Ç)

font-style(CSS1,IE3,NN4)

ftfHf“fg, lfxf^fcf<, ðŽw’è, µ, Ü, ·B
normal(•W‰€) Aitalic(fCf^fSfbfN) Aoblique(Žl, B), ï, Ç, ê, ©, ðŽw’è, µ, Ü, ·B

font-weight(CSS1,IE3,NN4)

• ¶Žš, ï’¾, ³, ðŽw’è, µ, Ü, ·B
 lighter, normal, bold, bolder, l”‡, Å’¾, -
 , È, è, Ü, ·B, Ü, ½ A100, ©, ç900, àžw’è, Å, «, Ü, ·B400, ¨normal A700, ¨bold, Å“-, ¶’¾, ³, È, È, è,
 Ü, ·B

color(CSS1,IE3,NN4)

• ¶Žš, î”F, ðŽw’è, µ, Ü, ·B

font-family(CSS1,IE3,NN4)

ftfHf“fg, îží—P, ðŽw’è, µ, Ü, ·B
serif, sans-serif, cursive, fantasy, monospace, î5, Å, íCSS1, Å’è< ` , ³, ê, Ä, ç, é, ï, Å, Ç, luf
 %fEfU, Å, à•¶Žl, Å, «, é, ±, ÅE, È, È, Å, Å, ç, é, æ, x, Å, ·B, Ü, ½ AMS fSfVfbfN, È, Ç, l-
 ¼’O, È’ó”, ¨, , é, à, ï, ðŽw’è, ·, é”ê”‡, lftfHf“fg-¼, ðf_fuf:fNfH”[fe”[fVf†f“, Å”í, p•K—v, ¨, , è, Ü, ·B

line-height(CSS1,IE3,NN4)

fefLfXfg, î”,, ³, ðŽw’è, µ, Ü, ·B”L, °, è, î”sŠÔ, ¨, , «”A”t, ¾, Å• ¶Žš, ¨d, È, è, Ü, ·B

font(CSS1,IE3,NN4)

• ä”L, î, à, ï, ð”ê”‡, Åžw’è, ·, é, ±, ÅE, ¨, Å, «, Ü, ·B, ½, ¾, µ”Afsize, Åfont-family, î”È—
 ¨, Å, «, Ü, ¨, n”B

font: style variant weight size/height family

"w•i

ftfHf“fgA”w•iAfefLfXfgAf}fWf“AfpffffBf“fOAf{fAfŠfXfg

background-color(CSS1,IE4,NN4)

"w•iF,đŽw'è,μ,Ü,·,·B•¶Žš,ì" w•iF,ÉŽw'è,·,é,±,Æ,à,Å,«,Ü,·,·B

background-image(CSS1,IE4,NN4)

"w•i,É•\Ž{,·,éfCfff[fW,lfAfhfŒfxA,Ü,½,ífpfx,đŽw'è,μ,Ü,·,·B

background-repeat(CSS1,IE4,NN4)

"w•i,ífCfff[fW,ì•À,Ñ•Û,đŽÝ,ì't,®,ç'l'ð,μ,Ü,·,·B

repeat(•~,«<!,l,B,é)Arepeat-x(%o \cdot ÛŒü,ì,ÝjArepeat-y(\cdot c \cdot ÛŒü,ì,Ý)Ano-
repeat(,Đ,Æ,Â, $\frac{3}{4}$, \cdot j

text-align

fefLfxfg"fg" A" wCEi" AfefLfxfg" Af} "fWf" AfppffBf" fO" Af{ "f " Af" Sfxfg

text-align(CSS1,IE3,NN4)

fefLfxfg, l‰o i• ÜCEü, l"z'u, ðŽw'è, µ, Ü, · B

left, center, right, justify(<I"™), l, Ç, ê, ©, ÅŽw'è, µ, Ü, · B

vertical-align

fefLfxfg, l"c • ÜCEü, l"z'u, ðŽw'è, µ, Ü, · B

baseline, middle, sub, super, text-top, text-bottom, top, bottom, l'†, ©, ç' l' ð, µ, Ü, · B

text-decoration

fefLfxfg, l'• ü, ðŽw'è, µ, Ü, · B

none(, E, µ), **underline**(‰o ü), **overline**(ü), **line-through**('Å, ï Á, µ ü), **blink**("_Å)
, ðŽw'è, Å, «, Ü, · B

text-indent

fefLfxfg, l, í, ¶, ß, lŽ‰o, °• ·, ðŽw'è, µ, Ü, · B

f}□[fWf“,fpffffBf“fO

ftfHf“fg □A w Œ i A fefL Xfg □Af } □[fWf “ □Af pfffBf “ fo □Af { □f □[□Af Š fXfg

█}█[fWf",íä‰‰¶‰E,»,ê,¼,ê,ì[,©,ç,ì<—f█'·,³█j,ðŽw'ë,µ,Ü,·█B
█fpffffBj"ƒO,Ífxƒ<è`_,µ,½fGfŠfA,©,ç█ä‰‰¶‰E,»,ê,¼,ê,ì•ÙŒü,É,Ç,ê,¾,-
—]"",ð<o_-,é,©,ðŽw'ë,µ,Ü,·█B

margin-top(CSS1,IE3,NN4)

□äf} □[fWf“, ðŽw’è, μ, Ü, · □B

margin-bottom(CSS1,IE3,NN4)

%o%f}□[fWf“,ðŽw’è,μ,Ü,·□B

margin-left(CSS1,IE3,NN4)

¶¶f}¶[fWf“,ðŽw’è,µ,Ü,·¶B

margin-right(CSS1,IE3,NN4)

‰Ef}□[fWf“,ðŽw’è,μ,Ü,·□B

padding-top(CSS1,IE4,NN4)

äfpfffBf“fO,đŽw’è,μ,Ü,·B

padding-bottom(CSS1,IE4,NN4)

%o%fpffffBf“fO,ðŽw’è,μ,Ü,

padding-left(CSS1,IE4,NN4)

¶¶fpffffBf“fO,ðŽw’è,μ,Ü,·¶

padding-right(CSS1,IE4,NN4)

‰EfþfffBf“fO,ðŽw’è,µ,Ü,·□B

f{
ftfHf“fgA”wCEiAfefLfXfgAf}fWf“AfppffBf“fO Af{f f AfŠfXfg

border-style(CSS1,IE4,NN4)
ü(f{f f },jfXf f Cf<,ð**none, dotted, dashed, solid, double, groove, ridge, inset, outset**,l't,©,çŽw'è,μ,Ü,·)B

border-color(CSS1,IE4,NN4)
ü,ìF,ðŽw'è,μ,Ü,·)B

border-top-width(CSS1,IE4,NN4)
ü,ì¾,³,ð**thin, medium, thick**)A,à,μ,,íTfCfY,åŽw'è,μ,Ü,·)B

border-bottom-width(CSS1,IE4,NN4)
ü,ì¾,³,ð**thin, medium, thick**)A,à,μ,,íTfCfY,åŽw'è,μ,Ü,·)B

border-left-width(CSS1,IE4,NN4)
ü,ì¾,³,ð**thin, medium, thick**)A,à,μ,,íTfCfY,åŽw'è,μ,Ü,·)B

border-right-width(CSS1,IE4,NN4)
ü,ì¾,³,ð**thin, medium, thick**)A,à,μ,,íTfCfY,åŽw'è,μ,Ü,·)B

fŠfxfg
ftfHf“fg”A”wŒi”AfefLfxfg”Af}”[fWf“”AfppffBf“fO”Af{”[f””Afšfxfg

list-style-type(CSS1,IE4,NN4)
fSfXfg,if}[]fN,đdisc, circle, square, decimal, lower-roman, upper-roman, lower-alpha, upper-alpha, none,ì,ç,,ê,©,ÀŽw'è,µ,Ü,·B

list-style-position(CSS1,IE4)
f}□[fN,|^Ê'u,ðinside, outside ,ÅŽw'è,μ,Ü,·□B

list-style-image(CSS1,IE4)
fŠfXfg,ìf}■[fN,Æ,µ,Ä•Ž|,·,éfCf]■[fW,ðŽw'è,µ,Ü,·]B

'□^ÓŽ-□€

,±,ífwf<fv,É,Â,¢,Ä

- □³Šm,ÈHTML,ì'mŽ-,ð“³/₄,½,¢□ê□‡,í□ê-å,ìHP,âŽQ□l□',ð“Ç,ñ,Å,³/₄,³,¢□B
- ,±,ífwf<fv,í□ê-å%oÆ,Å,í,È,'f□l,ì□)ŽÒ,²□l□¬,μ,½,à,ì,Å,·□B,Ü,½□A□à-³/₄,ì•Ö<X□ã□A•s“K□Ø,È•\Œ»□AŒê<å,ìŽg—p,², ,é,©,à,μ,ê,Ü,¹,ñ□B
- , „Ü,ÅTTT Editor,ì<@"/,ì,Ð,Æ,Å,Å,·□BŽQ□l'ö“x,É,²—~—p%oº,³,¢□B

Žg-p<-'ø

■ f^fOfSftf@fEf"fx for TTT Editor, l'~Œ ,Itaka36(Takao Yamada), a•Û—L,µ,Ä,¢,Ü,·ŒB

Žg—p, É, í, Š, Č, Ä, í, , è, Ù, ¹, ñ, à, Á, ”, Ú, A”z•z, í, ^, ê, Ø, Ö, Ž, ~, Å, ·, BTTT Editor, j, f, A, [f, j, C, fu, É, Š, Ü, Ù, ê, Ä, ¢, , é, ê, t, í, TTT Editor, i, Žg—p<‘, ø, É, €, ¶, Ü, ·, B

⊕,±,∫fwf, fv, δŽg—p, μ, Ä”¶¶, μ, ½, ¢, ©, È, é’¹ŠQ, É, à, ã, ŽO, í, Ó”C, δ•‰, í, È, ¢, à, ã, È, μ, Ü, ·, ÑB, ŽC, ©È, í, Ó”C, ã, à, È, ²Žg—p‰, ³, ¢, B, j

fTf|□[fg]E~A—□æ

fTf|[]fg,É,Â,ç,Ä

f□□[f<fAfhfŒfx

□@□@taka36@support.club.ne.jp

f^fOfSftf@fCEf"fx for TTT Editor, i_A_V"Å, i_E%o, ifz[fefy][fw, Å"üZè, Å, «, Ü, · B

<http://homepage1.nifty.com/taka36/>

