


Rescue Disk ,É,Â,ç,Ä

<~ïfffbfxfnfzfbfg,ìÿ'è,â<N"® ,É,Â,ç,Ä,ìd—v,Éftf@fCf<,ðfŠf€[]fofuf<fïfffbfA,È,Ç,ÉŠi"[,·,é,±
,Æ,É,æ,Ä,Ä,Ä,«,Û,·B1 'ä,ìfRf"fsf...[]f^—p,É[]—,μ,½<~ïfffbfxfnfzfbfg,ì·É,ìfRf"fsf...
[]f^,É,ìŽg,ì,Û,¹,ñBfRf"fsf...[]f^,â<N"® ,μ,È,,É,Ä,½[]è[]A<~ïfffbfxfnfzfbfg,ðŽg,Ä,ÄfRf"fsf...
[]f^,ðÄ,Ñ<N"® ,Ä,«,Û,·B,ç,Ä,½,ñ<N"® ,μ,½,çfvf[]Of%of€,Ä-â'è,ð%ðCE^,·,é,ìfRf"fsf...
[]f^,ðŠ@'S,É<@"\\,·,é[]ó'Ô,É-ß,¹,Û,·B

f[]f,: <~ïfffbfxfnfzfbfg,ìWindows 98 <y,Ñ Windows Me ,Ä[]—,Ä,«,Û,·BWindows
NT[]AWindows 2000 <y,Ñ Windows XP ,Ä[]—,·,é·K—v,ª, ,è,Û,¹,ñB

Rescue Disk ,ÄfRf"fsf...[]f^,ðC·œ,·,é[]è[]AÄfRf"fsf...[]f^,ì DOS ,©,ç<N"® ,μ,Û,·BDOS
,Ä"®[],·,éfvf[]Of%of€,ªfRf"fsf...[]f^,ì-â'è,ð"CE©[]A[]C·œ,μ[]A³[]í,É<N"® ,·,é,æ,æ,É,μ,Û,·B

³[]í,È%ñ·œ,ð·Û[]Ø,·,é,½,ß,É[]d—v,È,ì,ì<~ï[]î·ñ,ð[]Ä[]V,É·Û,Ä,±
,Æ,Ä,·B'€[]ìŠÄ<«,ðfAfbfvfOfCE[]fh,μ,½,Æ,«[]A,Û,½,ìfn[]fhfEfFfA[]A[]
ftfgfEfFfA[]A<N"® ftf@fCf<[]AfffbfxfN,ìfp[]fhfBfVf#f",ð'Ç%Ä[]A[]C³[]A[]í[]œ,μ,½,Æ,«,É,ì,ç
,Ä,Ä,à<~ï[]î·ñ,ð[]X[]V,μ,Ä,,¾,¾,ç[]B

 Norton System Doctor ,ì Rescue Disk
fZf"ft[][,ì<~ïfffbfxfnfzfbfg,ì[]î·ñ,ðSmŽÄ,É[]Ä[]V,É·Û,Ä,ì,É-ð—s,¿,Û,·B,±,ìfZf"ft[][,ì·K—
v,È,Æ,«,É,ç,Ä,Ä,àft[]fU[][,ÉCEx[][],ð·Ž!,Û,½,ì[]î·ñ,ð[]X[]V,·,é,½,ß,É Rescue Disk
,ðŽ@"®"ì,É<N"® ,μ,Û,·B

['C%Ä\[\]î·ñ...](#) []Ú,μ,ì {button ,AL(` About rescue disk sets;To create or update a basic rescue
set;To create or update a basic rescue disk set',0,'','')} ,ðNfŠfbfN,μ,Ä,,¾,¾,ç[]B

<~ïï€-Ú,ìŽí—Þ

<~ïïffBfXfNfZfbfg,É,íŽÿ,ìŽí—Þ,ì<~ïïï€-Ú,ª“ü,è,Ü,·□B

{button ,JI(`rescue32.HLP>task`,`RESCUEW_TOPIC_ABOUT_STARTUP_DATA`)} <N“@ff□[f^

{button ,JI(`rescue32.HLP>task`,`RESCUEW_TOPIC_ABOUT_STARTUP_FILES`)}
<N“@ftf@fCf<

{button ,JI(`rescue32.HLP>task`,`RESCUEW_TOPIC_ABOUT_ANTIVIRUS_PROGRAMS`)}
Norton AntiVirus

{button ,JI(`rescue32.HLP>task`,`RESCUEW_TOPIC_ABOUT_DOS_BASED_PROGRAMS`)}
DOS "Åfvf□fOf%of€

{button ,JI(`rescue32.HLP>task`,`RESCUEW_TOPIC_ABOUT_USER_FILES`)}
ft□[fU□[,ª'í'ð,µ,½ftf@fCf<

• Windows ,Å“@□ì,·,é Norton Utilities ,ÍfRf“fsf...□[f^,ì-â'è,ð□f'f□A□C•æ,µ,Ü,·□B

f□f,·: <~ïïffBfXfNfZfbfg,É“ü,éftf@fCf<,ÍfRf“fsf...□[f^,É,Ç,ìfvf}f“fefbfN□»•i,ðfCf“fxfg□[f<,µ,Ä,ç
,é,©,É,æ,Á,Ä•í,í,è,Ü,·□B

'Ç%oÁ□î•ñ... □Ü,µ,í {button ,AL(`To add or remove rescue items',0,`,`')}` ,ðfNfŠfbfN,µ,Ä,-
,¾,¾,ç□B

<~[]ffffBfXfNfZfbfg,É,Â,ç,Ä

<~[]ffffBfXfNfZfbfg,ì 1 -‡-Ú,ìftf[]fbfs[]ffffBfXfN,É,ÍfRf“fsf...[]f^,ð·N“®,μ,ÄŠî-{}fvfXfef€,ð
%œñ·œ,·,é,½,ß,É·K—v,Éff[]f^,Æftf@fCf<,ª“ü,è,Û,·[]BŽc,è,ìffffBfXfN,É,Í'ð,μ,½·â'«,ìfvf[]fOf
%of€,Æ'Ç%oÁ,ìftf@fCf<,ª“ü,è,Û,·[]BRescue Disk ,Í<~[]ffffBfXfNfZfbfg,ð[]-·,·,é,½,ß,É·K—
v,ÉffBfXfN,ì-‡[]”,ð%œ-Ê,É·Ž!,μ,Û,·[]B

f[]f,: <~[]ffffBfXfNfZfbfg,É“ü,éftf@fCf<,ÍfRf“fsf...[]f^,É,Ç,ìfvf}f“fefbfN[]»·i,ðfCf“fXfg[]f<,μ,Ä,ç
,é,©,É,æ,Á,Ä·Í,í,è,Û,·[]B

'C%oÁ[]î·ñ... []Ú,μ,Í {button ,AL(` About user-selected files;To create or update a basic
rescue disk set;When to use a rescue disk set',0,`,` `')} ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç[]B

<~ïfffbfXfNfZfbfg,ð,ç,ÄŽg,æ,©



CEX: <~ïfffbfXfNfZfbfg,íRf"fsf...[f^,ìÝ'è,É±,í,¹,ÄjffXf^f}fCfY,³,è,Ä,ç
Ü,·B, ,éRf"fsf...[f^—p,É±,µ,½<~ïfffbfXfN,ð•É,íRf"fsf...[f^,ì,½,ß,ÉŽg,í,É,ç,Ä,,¾,¾,çB
,»,íRf"fsf...[f^—p,É±,µ,½<~ïfffbfXfNfZfbfg,ðŽg,ì,îAfvXfef€<N"® ,É,©,©,í,é-
â'è,ì,Ü,Æ,ñ,Ç,ðC•œ,Ä,«,Ü,·B^È%º,ÉŽ|,·,ì,ìAfvXfef€<N"® ,µ,È,,È,Ä,½±,É•\
Ž|,³,è,é%ºÄ"«,ì, ,é<N"®ŽŽ,ífbfZ[fW,Ä,·BfRf"fsf...
[f^,ì»'çCE³,Ü,½,í<@Ží,É,æ,Ä,ÄfZ[fW,ì•\CE»,í,µ^Ü,È,é,©,à,µ,ê,Ü,¹,ñB

{button ,PI(' ,RESCUEW_BATTERY_DISCHARGED')} **fofbfefŠ,ª±Ø,ê,Ü,µ,½ (DOS/V
CEŠ·<@,ì,Ý)**

{button ,PI(' ,RESCUEW_HARDWARE_INFO_LOST')} **fn[fhfEjFfAî•ñ,ªŽ ,È,í,ê,Ü,µ,½ -
fZfbfgfAfbfv,ðŽÄ±s,µ,Ä,,¾,¾,ç (DOS/V CEŠ·<@,ì,Ý)
-³CEØ,È CMOS f^fFbjNfTf€**

- fZfbfgfAfbfv,ðŽÄ±s,µ,Ä,,¾,¾,ç

{button ,PI(' ,RESCUEW_INSERT_BOOT_DISK')} **fu[fgfffbfXfN,ð'}"ü,µ,Ä%º½,©fL[,ð
%º,Ý,µ,Ä,,¾,¾,ç**

{button ,PI(' ,RESCUEW_INSERT_VALID_BOOT_DISK')} **-LCEØ,Èfu[fgfffbfXfN,ð'}"ü,µ,Ä
%º½,©fL[,ð%º,Ý,µ,Ä,,¾,¾,ç**

{button ,PI(' ,RESCUEW_NONSYSTEM_DISK')}

**fVfXfef€fffbfXfN,ª ,è,Ü,¹,ñBfu[fgfffbfXfN,ð'}"ü,µ,Ä%º½,©fL[,ð%º,Ý,µ,Ä,-
¾,¾,ç**

{button ,PI(' ,RESCUEW_BOOT_SECTOR_INVALID')} **fn[fhfffbfXfN,ìfu[fgfZfNf^,ª-
³CEØ,Ä,·**

'C%ºÄî•ñ... ±µ,í {button ,AL(' About rescue disk sets;To create or update a basic rescue
set',0,'','')} ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB

<N“®ff□[f^,É,Â,ç,Ä

<N“®ff□[f^,Æ,ÍRf“fsf...□[f^,ì<N“®,É•K—v,ÈfVfXfef€ÆfffBfXfN,ì□Ý’è□î•ñ,Ä,·□BRescue Disk
,Í,±,ì□î•ñ,ð .DAT ,Æ,ç,æSg’£Žq,ª•t,ftf@fCf<,Æ,µ,Ä<~□ífffBfXfNfZfbfg,É•Û’¶,µ,Û,·□B

● **BOOTINFO.DAT**

Žâ—

v,Èfn□[fhfffBfXfN,ìfu□[fgfÇfR□[fh,©,çŽû□W,·,é□î•ñ,ðŠi”[·,·,éftf@fCf<,Ä,·□Bff□[f^,Æ,µ,Ä“ü,é,ì,ífff
BfXfN,ì•“—□□«Ž;Æ~ —□□\‘ç (fZfNf^fTfCfY□Afnf%ofXf^fTfCfY) ,É,Ä,ç
,Ä,ì□î•ñ,Ä,·□BflfyfÇ□[fefBf“fOfVfXfef€,ðf□□[fh,·,éfu□[fgfÇfR□[fhfvf□fOf%of€,à“ü,è,Û,·□B

● **PARTINFO.DAT**

Žâ—v,Èfn□[fhfffBfXfN,ìfp□[fefBfVf#f“fe□[fuf<,©,çŽû□W,·,é□î•ñ,ðŠi”[·,·,éftf@fCf<,Ä,·□B,±
,ì□î•ñ,ª<L□q,·,é,ì,ì•“—□fffBfXfN,ðflfyfÇ□[fefBf“fOfVfXfef€,É,í,©,é,æ,æ,É•\
Ç»·,·,éfp□[fefBfVf#f“,Ä,·□B

[‘Ç%oÁ□î•ñ...](#) □Ú,µ,Í {button ,AL(`To create or update a basic rescue disk set;About startup
files;Types of rescue items',0,`, `)} ,ðfNfŠfbfN,µ,Ä,,¾,¾,ç□B

<N"®ftf@fCf<,É,Â,ç,Ä

<N"®ftf@fCf<,Æ,ÍfVfXfef€;ì<N"®;É•K—v,È

IO.SYS□AMSDOS.SYS□ACOMMAND.COM ;ìftf@fCf<,Å,·□B

AUTOEXEC.BAT ;Æ CONFIG.SYS ;ì<N"®ftf@fCf<,ì•à'«ftf@fCf<,Å,·□BWindows

;ì<N"®'O,ÉfffofCfXfhf%oofCfo ;ðf□□[fh,·,é,½,ß,ÉŽg,ç,Ü,·□B

;±,ê,ç,ìftf@fCf<,ÍfRf"fsf...□[f^,ì<N"®fffBfXfN ('Ê□í□Afn□[fhfffBfXfNfhf

%oofCfu,Ü,½,Ífp□[fefBfVf#f") ;©,ç<~□ÍfffBfXfNfZfbfg,ÉfRfs□[,³,ê,Ü,·



fVfXfef€;Å AUTOEXEC.BAT ;Ü,½,Í CONFIG.SYS ;ðŽg,Å,Ä,ç,é□ê□#□ACD-ROM fhf

%oofCfo,Ü,½,ÍfTfEf"fhfj□[fhfhf%oofCfo,É,Ç,ì'Ç%oÁ,ìfhf%oofCfo,ðf□□[fh,·,é,½,ß,É<~□í□€-

Ú,ÍfŠfXfg,Éfhf%oofCfo,ð'Ç%oÁ,μ,Ä,,¾,¾,ç□BWindows ;ª CD-ROM □ã,É, ;é□ê□#□AWindows

ftf@fCf<,Ö,ÍfAfNfZfX,ð•Ü□Ø,·,é,½,ß,É<~□ÍfffBfXfNfZfbfg,í□í,É CD-ROM fhf%oofCfo,ð"ü,ê,Ä, ",ç,Ä,-

,¾,¾,ç□B

'Ç%oÁ□î•ñ... □Ú,μ,,Í {button ;AL(` To add or remove rescue items;To add or remove rescue items;About Rescue disk compression and security program support;About startup data;About user-selected files;Types of rescue items',0,)} ;ðfNfŠfbfN,μ,Ä,,¾,¾,ç□B

ft [fU ['i' ðftf @fCf <, É, Â, ç, Ä

Rescue Disk

, äffftfHf <fg, ÅfRfs [, ·, éftf @fCf <, Æ, Í • Ê, É [A < ~ [ïffBfXfNfZfbfg, É "ü, è, Ä, " , «, ½, çftf @fCf <, ð'Ç
%oÁ, Å, «, Ü, · [B [mflfvfVf#f " [nf_fCfAf [fOf {fbfNfX, Å [mftf @fCf <, ì'Ç
%oÁ (A) [n, ðfNfSfbfN, µ, Ü, · [Bftf @fCf <, í [mft [[fU [[, ð'í' ð, µ, ½ftf @fCf < [nffjfeSfS, É'Ç %oÁ, ³, è [A-
¾Ž! "l, É [í [ç, ·, é, Ü, Å, » , ±, ĚŽc, è, Ü, · [B



Ex: fNf %ofbfVf... ÇĚã, lfVfXfef€ , ð%oñ • ç, ·, é, ½, ß, ì [d—v, Èftf @fCf <, ì, Ý, ð'Ç %oÁ, µ, Ä, -
, ¾, ³, ç [B < ~ [ïffBfXfNfZfbfg, ðŠ® 'S, ÈfvfXfef€, lfobfbfNfAfbfv, É, µ, æ, x, Æ, ·, éŽŽ, Ý, Í, µ, È, ç, Ä, , ¾, ³, ç [B

'C%oÁ [î • ñ... [Ú, µ, í {button ,AL(`To add or remove rescue items',0,`,`')} ,ðfNfSfbfN, µ, Ä, -
, ¾, ³, ç [B

Rescue Disk

Rescue Disk

- ▶ fCf" fEfbf" fhfE" " ,É, ,é mRescue(R) n, ,μ,Ü, · B
- ▶ ,Ü, ½, lA
- ▶ , ,é, Æ; , , ,É Rescue Disk , " ,μ,Ü, · B


['Ç%oÁî•ñ...](#) {button ,AL(` To create or update a basic rescue disk set;Introducing Rescue Disk',0, ` , `)} , ,Ä, , ¾, ³, ç B

Ši- { < ~ ðíffBfXfNfZfbfg, ðXV, ·, é, É, Í

fEfbf<fX, ©, ç, ì•ÚÆì, ðXVAV, µ, çf

ftfgEjFfA, lfCf“fXfg[f<Afn[fhfEjFfA, ì•ïX, È, Ç, ðs, Á, ½ê±A<~ðíffBfXfNfZfbfg, ðAV, ìó’
Ô, É•Ú, Á, ½, ß, ÉXV, µ, Û, ·B<~ðíffBfXfNfZfbfg, ðXV, ðAffBfXfNfZfbfg, ðÄï¬, ¹, , ÉD, «, È, Æ
, «, És, æ, ±, Æ, ¢, Ä, «, Û, ·B

ftfðbfs[ffBfXfN, ì<~ðíffBfXfNfZfbfg, ðXV, ·, éê±AXV, ì’O, É’, «ž, Ý<ÖŽ~, ð%ðœ, µ, Ä, ,
é, ±, Æ, ðSm”F, µ, Ä, , ¾, ¾, çB

- 1  , ðfNfŠfbfN, ·, é, Æ Rescue Disk , ¢N” @, µ, Û, ·B
- 2 <~ðíffBfXfNfZfbfg, ðéŠ, ðŽw’è, µ, Û, ·B.
- 3 [XV(U)] , ðfNfŠfbfN, µ, Û, ·B
- 4 %œ-É, ðŽwŽ!, É, µ, ½, ¢, ç’€ì, µ, Û, ·B

XV, ¢I—¹, µ, ½, ç<~ðíffBfXfN, ¢³í, É” @ì, ·, é, ©, Ç, æ, ©fefXfg, µ, Ä, , ¾, ¾, çB

<~ïï€-Ú,đ'Ç%Á,Ü,½,Ííïœ,·,é,É,Í

Rescue Disk

,æfftfHf<fg,ÅRfs[.,éftf@fCf<,Æ,Í•Ê,É□A<~ïfffBfXfNfZfbfg,É“ü,ê,Ä,“,«,½,çftf@fCf<,đ'Ç
%Á,Å,«,Ü,·□B□mflfvfVf#f“□nf_fCfAf□Of{fbfNfX,Å□mftf@fCf<,ì'Ç
%Á(A)□n,đfNfŠfbfN,μ,Ü,·□Bftf@fCf<,í□mft□[fU□[,ª'í'đ,μ,½ftf@fCf<□nfjfejSfŠ,É'Ç%Á,³,ê□A-
¾Ž!“I,Éíïœ,·,é,Ü,Å,»,±,ÉŽc,è,Ü,·□B



fNf%ofbvVf...CEã,lfVfXfef€,đ%ñ•œ,·,é,½,β,ì□d—v,Èftf@fCf<,ì,Ý,đ'Ç%Á,μ,Ä,-
,¾,³,ç□B<~ïfffBfXfNfZfbfg,đŠ@'S,ÉfvfXfef€,lfobfNfAfbfv,É,μ,æ,æ,Æ,·,éŽŽ,Ý,í,μ,È,ç,Å,¾,³,ç□B

1 ,đfNfŠfbfN,μ,Ä Rescue Disk ,đ<N“@,μ,Ü,·□B

2 □mflfvfVf#f“□n,đfNfŠfbfN,μ,Ü,·□B

<~ïï€-Ú,đ'Ç%Á,·,é,É,Í

1 □mftf@fCf<,ì'Ç%Á(A)□n,đfNfŠfbfN,μ,Ü,·□B

2 'Ç%Á,μ,½,çftf@fCf<,đ'í'đ,μ,Ü,·□B



Shift fL□[,Ü,½,Í Ctrl fL□[,đ%ÿ,μ,È,ª,ç'í'đ,·,é,Î 1 ,Ä,lfHf<f_É“ü,Ä,Ä,ç
,é•i□“,ìftf@fCf<,đ'í'đ,Å,«,Ü,·□B

ft□[fU□[,ª'í'đ,μ,½<~ïï€-Ú,đíïœ,·,é,É,Í

1 fŠfXfg,Å□mft□[fU□[,ª'í'đ,μ,½ftf@fCf<□n,đfNfŠfbfN,μ,Ü,·□B

2 íïœ,μ,½,çftf@fCf<-¾,đ'í'đ,μ,Ü,·□B

3 □mftf@fCf<,ìíïœ(R)□n,đfNfŠfbfN,μ,Ü,·□B

'Ç%Áí•ñ... □Ú,μ,Í {button ,AL(` About user-selected files',0,`,`')} ,đfNfŠfbfN,μ,Ä,¾,³,ç□B

Ši- { ~ ĩfffbfXfNfZfbfg, đŽg, Á, Ä%ñ•œ, , é, É, Í

☛ ĩ; ĆãĀ<~ ĩfffbfXfNfZfbfg, đŽg, x•K—v, É"—, ç, ê, ½, Æ, «, É, ÍĀ, ", »ç, Windows
, đf ĩ [fh, μ, ½, èfwf<fv, đ•\Ž!, , é, ±, Æ, Í, Ä, «, Ü, ¹, ñĀB, μ, ©, μĀĀĀi, ĹŽž" _ , Ä, ±
, ĩfwf<fvfgfsfbfN, đ^óü, μ, Ä•ŮŠÇ, μ, Ä, ", - , Í, »), ĩ, Æ, «, ÉŽQĀÆ, Ä, «, Ü, ·ĀB

- 1 <~ ĩfffbfXfNfZfbfg, ĩ 1 -ž-Ú, đfRf"fsf... ĩf^, ĩfu ĩfgfhf%ofCfu, É'} "ü, μ, Ü, ·ĀB'É ĩĀfu ĩfgfhf%ofCfu, ĩfhf%ofCfu Ā , Ä, ·ĀB
- 2 fRf"fsf... ĩf^, đĀÄfu ĩfg, μ, Ü, ·ĀB
- 3 <~ ĩ%ñ•œ, ĩĀà-¾%œ-É, ¢•\Ž!, ³, ê, Ü, ·ĀB

'Ç%ĀĀî•ñ... ĩŮ, μ, Í { button ,AL(` About DOS-based rescue programs;' ,0, `', `') }
, đfNfŠfbfN, μ, Ä, ¾, ³, çĀB

<~>[ftf@fCf<fy][fW,lf]fvfVfjf“

m<~>[ftf@fCf<nfy][fW,É,Í<~>[í]€-Ú (<~>[íffBfXfNfZfbfg,ÉŠÜ,ß,éftf@fCf<) ,ð•\Ž![]A’Ç
%oÁ[]A[]í[]œ,·,é,½,ß,lf]fvfVfjf“ ,à, ,è,Ü,·[]Bft[]fU[][,à’Ç
%oÁ,Ü,½,[]í[]œ,Á,«,é,ì,[]mft[]fU[][,à’ð,μ,½ftf@fCf<[]n]j]f]f]S]S,]ftf@fCf<,ì,Ý,Á,·[]B

ftf@fCf<,ì’Ç%oÁ(A)

fNfŠfbfN,·,é,Æ Rescue Disk ,Á<~>[íffBfXfNfZfbfg,ÉŠÜ,ß,½,ç’Ç
%oÁ,]ftf@fCf<,ðŽw’è,Á,«,Ü,·[]B

f[]f: fNf%o]b]f]v]f...Æä,]f]v]f]X]f]e]f]€,ð%oñ•œ,·,é,½,ß,[]d—v,Èftf@fCf<,ì,Ý,ð’Ç%oÁ,μ,Ä,-
,¾,¾,¾,ç[]B<~>[íffBfXfNfZfbfg,ðŠ@’S,Èf]V]f]X]f]e]f]€,]f]o]b]f]N]f]A]f]b]f]v,È,μ,æ,æ,Æ,·,éŽŽ,Ý,í,μ,È,ç,Á,-
,¾,¾,¾,ç[]B

ftf@fCf<,ì[]í[]œ(R)

fNfŠfbfN,·,é,ÆfŠfXfg,[]mft[]fU[][,à’ð,μ,½ftf@fCf<[]n,ì
%o° ,Á’ð,μ,½ftf@fCf<,à[]í[]œ,¾,è,Ü,·[]B

<~>[í]€-ÚfŠfXfg

,±,]f]Š]f]X]fg,]f]j]f]e]f]S]S•É,ÉŠK’w•\Ž!,Á•\æ»,¾,è[]AWindows fGfNfXfvf[]f%o,ì•\Ž!,ÉŽ—
,½ÇŽ@,Á,[]B]j]f]e]f]S]S-¾,[]í[]œ,É, ,é]v]f%ofX•,[]t (+)
,ðfNfŠfbfN,·,é]fŠfXfg,à“WSJ,¾,è]f]f]e]f]S]S,É“ü,Á,Á,ç,éftf@fCf<,àÇ@,ì,Ü,·[]B“Á”è,]ftf@fCf<,ì[]í[]œ,È,
,é]v]f%ofX•,[]t (+) ,ðfNfŠfbfN,·,é,Æftf@fCf<,É,Á,ç,Á,[]U,μ,ç[]í•ñ,à•\Ž!,¾,è,Ü,·[]B

<~>[í]€-Ú,]f]Š]f]X]fg,ì<~>[íffBfXfNfZfbfg,ìŽí—p,É,æ,Á,Ä^Ü,È,è,Ü,·[]B

Ši-{}<~>[í]fu[]f]g]t]f[]f]b]f]s[]f]t]f@fCf<

f]V]f]X]f]e]f]€,ð<N“@,·,é,Æ,«,ÉŽg,æftf[]f]b]f]s[]f]ffBfXfN,É Rescue Disk ,àŠi“[],·,éftf@fCf<,Á,·[]B

<~>[í] DOS ft[]f]e]f]B]f]Š]f]e]f]B]f]v]f[]f]O]f%o]f]€

Rescue Disk ,à<~>[íffBfXfNfZfbfg,ÉŠi“[],·,é DOS —p,]ft[]f]e]f]B]f]Š]f]e]f]B]f]v]f[]f]O]f%o]f]€,Á,·[]B,±
,è,ç,ì DOS ft[]f]e]f]B]f]Š]f]e]f]B,]f]V]f]X]f]e]f]€,ì%oñ•œ,É-ð—š,ç,Ü,·[]B

Norton AntiVirus fv[]f]O]f%o]f]€

DOS f]X]f]L]f]f]f]i (NAVDX.EXE) ,È,Ç,ì Norton AntiVirus fv[]f]O]f%o]f]€ftf@fCf<,Á,·[]B

NAV f]e]f]B]f]’f]X’è<`f]f]B]f]X]f]N (1 []` 4)

<Ü<}ŽŽ,È Norton AntiVirus to ,à]f]V]f]X]f]e]f]€
,ð]f]X]f]L]f]f]f]“ ,·,é,½,ß,ÉŽg,æ]f]E]f]B]f]’f]X’è<`ftf@fCf<,Á,·[]B]f]E]f]B]f]’f]X’è<`f]f]B]f]X]f]N,ì’S 4 -ž,Á\[]
[]-,¾,è,Ü,·[]B

ft[]f]U[][,à’ð,μ,½ftf@fCf<

ft[]f]U[][,à<~>[íffBfXfNfZfbfg,É’Ç%oÁ,μ,½ftf@fCf<,Á,·[]B[]mftf@fCf<,ì’Ç
%oÁ(A)[]n,ðfNfŠfbfN,·,é,Æ,±,]f]Š]f]X]fg,Èftf@fCf<,à’Ç
%oÁ,¾,è,Ü,·[]Bftf@fCf<,ð’ð,μ,Á[]mftf@fCf<,[]í[]œ(R)[]n,ðfNfŠfbfN,·,é,Æ,»,]ftf@fCf<,à[]í[]œ
,¾,è,Ü,·[]B

'Ç%oÁ[]í•ñ... []U,μ,ì {button ,AL(` About user-selected files;To add or remove rescue items',0,`','')} ,ðfNfŠfbfN,μ,Ä,¾,¾,¾,ç[]B

,±,lfñbfZñfW,í“à’ fofbfefŠ,ì“d—í—Ê,ª∅,ê,½,±,Æ,ðŽ,μ,Ü,·BfofbfefŠ∅,ê,ìCE<%oÊ,ífVfXfef€
,ì CMOS ñî•ñ,ìÁŽ, ,ðμ,«,Ü,·B,±,lfñbfZñfW,í^ê”Ê,É“à’ fofbfefŠ,ªÁ[“d%oÁ”\
,ÈfofbfefŠ,Á,È,çêñ,É•Ž,³,ê,Ü,·BÁ[“d%oÁ”\,ÈfofbfefŠ,ð”ð,ì,½fVfXfef€,ífVfXfef€
,ì“dCE¹,ª“ü,Á,Ä,ç,éŠÔ,ÉÄ[“d,³,ê,Ü,·B,±,ì-â’è,ð
%oðCE^,·,é,É,íAñV,μ,çfofbfefŠ,ÉCEðŠ·,·,é,©AfnñfhfEfffA,ì»‘çCE³,ìŽwŽ,É],Á,Ä,-
,¾,³,çB,»,ìCEã,ÁfVfXfef€,ìfZfbfgfAfbfvvfñOf%of€,ðŽg,Á,Ä CMOS ñî•ñ,ðÝ’è,μ,Ä,,¾,³,çB

,±,lf[]fbfz[][fW,í CMOS []î•ñ,ª[]ÁŽ,.,μ,½,±,Æ,ðŽ!,μ,Ü,·[]B,±,lf[]fbfz[][fW,ª•\
Ž!,³,ê,é,ì,í“à’ fofbfefŠ,Æ CMOS f`fbfv,ÌŠÓ,ì“d—
Í,ªŽÕ’f,³,ê,½,Æ,«[]A,Ü,½,Í“à’ fofbfefŠ,ª[]Ø,ê,½,Æ,«,Å,·[]B,±,lf[]fbfz[][fW,Í^ê”Ê,É“à’ fofbfefŠ,ìÆ
ðŠ·,Ü,½,í[]Ä[][“d,ª•K—v,Å, ,é,±,Æ,ð^Ó-j,μ,Ü,·[]B,±,ì-â’è,ð
%øðÆ^,·,é,É,ÍfofbfefŠ,Æf}fU[]f{[][fh,ì[]Ú’±,ð“_Æÿ,μ,Ä,,¾,¾,¾,ç[]B[]Ú’±,É-â’è,ª,È,ç,æ,κ
,È,ç,ÍfofbfefŠ,ðÆðŠ·,Ü,½,í[]Ä[][“d,μ[]A,»,ìÆã,ÅfvfXfef€,ìfZfbfgfAfbfvfvf[]fOf%øf€,ðŽg,Á,Ä
CMOS []î•ñ,ð[]Ý’è,μ,Ä,,¾,¾,¾,ç[]B

, ±, ìfñfbfZñfw, ìfvfXfef€ftf@fCfç, à, È, ç, ±, Æ, ðŽì, µ, Ü, ·ñBfVfXfef€
, ì<N“ @fffBfXfN, ìfuñ[fgfÇfRñfh, àÇE ©, À, ©, ç, È, ç, Æ, «, È•\
Žì, ³, ê, Ü, ·ñB, ½, ¾, µñA<~ñfffBfXfNfZfbfg, ðŽg, æ‘O, Éñ³, µ, çfhf%ofCfu, Åfuñ[fg, µ, Ä, ç, é, ©, Ç, æ
, ©, ðŠm“F, µ, Ä, , ¾, ¾, çñBfhf%ofCfu C , Åfuñ[fg, µ, æ, æ, Æ, ·, é, Æ, «, È‘¼, ìftfñfbfsñ[fffBfXfNfhf
%ofCfu, Éfuñ[fg%ooÀ“\fffBfXfN, Å, È, çfffBfXfN, à, , é, ÆñA, ±, ìfñfbfZñfw, à•\
Žì, ³, ê, Ü, ·ñBftfñfbfsñ[fffBfXfNfhf%ofCfu, ©, çfffBfXfN, ðŽæ, èño, µñAñÄ, ÑfvfXfef€, ðfuñ[fg, µ, Ä, -
, ¾, ¾, çñB, », ì‘¼, ìñêñ±, ìñAvfXfef€
, ì<~ñfffBfXfN, ðŽg, Á, Åfuñ[fgfÇfRñfh, Æfpñ[fefBfVfñf“feñ[fufç, ð•œE³, µ, Ä, , ¾, ¾, çñB

,±,lf□fbfZ□[fW,lfVfXfef€,,ì•W□€<N“@fffBfXfN ('Ê□í,lfhf%ofCfu C) ,ªCE©,Â,©,ç,È,©,Á,½,±
,Æ,ðŽì,μ,Û,·□B'Ê□í□A,±,lf□fbfZ□[fW,lfVfXfef€ftf@fCf<,ì”j”¹,Û,½,ì¹□□,ð^Ó-
i,μ,Û,·□B,½,¾,μ□A<~□iffBfXfNfZfbfg,ðŽg,κ'O,É□³,μ,çfhf%ofCfu,Áfu□[fg,μ,Ä,ç,é,±
,Æ,ðŠm”F,μ,Ä,,¾,¾,ç□Bfhf%ofCfu A ,Éfu□[fg%oÂ”\,Á,È,çfffBfXfN,ª“ü,Á,Á,ç,é□ó'Ô,Áfhf%ofCfu C
,©,ç<N“@,μ,æ,κ,Æ,μ,½□ê□#□A,±,lf□fbfZ□[fW,ª•Žì,³,ê,Û,·□B,»,,ì□ê□#,É,lfhf%ofCfu A
,©,çfffBfXfN,ðŽæ,è□o,μ,ÁfVfXfef€,,ð□Á,Ñfu□[fg,,ê,ì□³□í,Éfu□[fg,,é,ì,,Á,·□B,»,,ì,æ,κ
,È□ó<μ,Á,È,¯,ê,î□AfvfXfef€€ê—p,ì<~□iffBfXfNfZfbfg,ðŽg,Á,Áfu□[fgfCEfR□[fh,ð•œCE³,μ,Ä,-
,¾,¾,ç□B

,±,lf□fbfZ□[fW,í<N“@fffBfXfN,íC©,Â,©,Á,Ä,àfVfXfef€,ì<N“@ftf@fCf<,ª‘¶□Ý,μ,È,ç,±
,Æ,ðZ|,μ,Û,·□B,¹/₂,³/₄,μ□A<~□lfffBfXfNfZfbfg,ðZg,π‘O,É□³,μ,çfhf%oofCfu,Åfu□[fg,μ,Ä,ç,é,±
,Æ,ðŠm“F,μ,Ä,,³/₄,³,ç□Bfhf%oofCfu A ,Éfu□[fg%oÅ“\,Á,È,çfffBfXfN,ª“ü,Á,Ä,ç,é□ó‘Ô,Åfhf%oofCfu C
,©,ç<N“@,μ,æ,π,Æ,μ,¹/₂□ê□#□A,±,lf□fbfZ□[fW,ª•\Ž|,³,ê,Û,·□B,»„ì□ê□#„É,lfhf%oofCfu A
,©,çfffBfXfN,ðŽæ,è□o,μ,ÅfVfXfef€,ð□Ä,Ñfu□[fg,·,ê,î□³□í,Éfu□[fg,·,é,í,,Á,·□B,»„ì,æ,π
,È□ó<μ,Á,È,¯,ê,î□AfvfXfef€□ê—p,ì<~□lfffBfXfNfZfbfg,ðZg,Á,Åfu□[fgfCfR□[fh,ð•œC³,μ,Ä,-
,³/₄,³,ç□B

,±,lf□fbfZ□[fW,lfhf%oofCfu,lfu□[fgfZfNf^,ª"j¹,Ü,½,Í¹□□,μ,Ä,ç,é,±,Æ,ðŽ|,μ,Ü,·□B,±
,lf□fbfZ□[fW,ª·\Ž|,³,ê,é,l,lfhf%oofCfu,lfu□[fgfZfNf^,É⁻³CEø,È□î•ñ,ª'¶□Ý,·,é,Æ,«,Å,·□BfVfXfef€□ê
—p,l<~□lfffBfXfNfZfbfg,ðŽg,Á,Áfu□[fgfCEfR□[fh,Æfp□[fefBfVf#f"fe□[fuf<,ð•œCE³,μ,Ä,,¾,³,ç□B

DOS ,ì<~[]İfvf[]fOf%of€ ,É,Â,ç,Ä

DOS fvf[]fOf%of€ ,í Windows ,ð<N" @ ,µ,È,,Ä,àŽg,!,Ü,·[]BWindows ,ð<N" @ ,Ä,« ,É,ç[]ê[]#[]AfVfXfef€,ì-â'è,ð[]f'f,â%oð€^ ,·,é,!,É DOS fvf[]fOf%of€,ª-ð— š,ž,Ü,·[]BffftfHf<fg,Ä,Ì[]ARescue Disk ,íŠi- {<~[]İfffBfXfNfZfbfg,ÉŽY,ì DOS fvf[]fOf%of€ ,ð•Ü'¶,µ,Ü,·[]B

- **Rescue Disk (RESCUE.EXE)**
– fRf“fsf...[]f^ ,ì<N" @ ff[]f^ ,ð•œ€³ ,µ,Ü,·[]B
- **f}fCfNf[]f[]ftfgŽĐ,ì Fdisk (FDISK.EXE)**
– fn[]f[hfffBfXfN,ì•—[]“l,â~—[]“l,Èfp[]f[efBfVf#f“ ,ð[]ì[]~[]A[]C[]³[]A[]í[]œ,µ,Ü,·[]B
- **f}fCfNf[]f[]ftfgŽĐ,ì Sys (SYS.COM)**
– ftf[]fbfs[]f[]ffBfXfN,Ü,½,Ífn[]f[hfffBfXfN,ðfu[]f[]fg%oÄ“\ ,É,µ,Ü,·[]BfffBfXfN,ªfu[]f[]fg%oÄ“\ ,É,È,Ä,½,ç[]A,» ,è,ðŽg,Á,ÄfRf“fsf...[]f^ ,ð<N" @ ,Ä,« ,Ü,·[]B
- **f}fCfNf[]f[]ftfgŽĐ,ì Format (FORMAT.COM)**
– ftf[]fbfs[]f[]ffBfXfN,âfn[]f[hfffBfXfN,ðftfH[]f[]fbfg,µ,Ü,·[]B
- **Norton AntiVirus (NAVDX.EXE)**
– []@ftf@fCf<[]AfffBf€fNfgfŠ[]Afhf%ofCfu't,ìfEfBf<fX,ð“€©[]A[]í[]œ,µ,Ü,·[]B(Norton AntiVirus ,ðfCf“fXfg[]f<,µ,Ä,ç,é[]ê[]# ,ì,Y)

'Ç%oÁ[]î•ñ... []Ú,µ,,í {button ,AL(` To add or remove rescue items;About user-selected files;Types of rescue items',0,`,` `')} ,ðfNfŠfbfN,µ,Ä,,¾,¾,ç[]B

flfvfVf#f": ftH[f]fbfg, l'Y'èfy[fW

mflfvfVf#f"nf_CfAfOf{fbfNfX, l'mftH[f]fbfg, l'Y'ènfyf[fW, É, í~iffBfXfNfZfbfg, ÉŽg, xft
f[fbs[ffBfXfN, lftH[f]fbfg, l, μ, ©, ½, δE^è, ·, éflfvfVf#f", ², , è, Ü, ·B

Š@'SftH[f]fbfg(F)

, ±
, flfvfVf#f", δ'1'δ, ·, é, Æftf[fbs[ffBfXfN, ²Š@'SftH[f]fbfg, ³, è, Ü, ·BffBfXfNã, l, ·, x, Ä, lftf@f
Cf<, ²Á<Ž, ³, è, ÆftH[f]fbfg, μ, È, ², ç•s—ÇfZfNf^, íXfLfff", ³, è, Ü, ·B

fNfCfbfNftH[f]fbfg(Q)

, ±
, flfvfVf#f", δ'1'δ, ·, é, Æftf[fbs[ffBfXfN, ²fNfCfbfNftH[f]fbfg, ³, è, Ü, ·BffBfXfNã, l, ·, x, Ä, lftf
@fCf<, ²Á<Ž, ³, è, Ü, ·, ²AffBfXfN, l•s—ÇfZfNf^, íXfLfff", ³, è, Ü, ¹, ñBffBfXfN, É¹, ², È, ç, Æ, ç
, ²ŠmM, ², , éèè±, É, l, Ý [fNfCfbfNftH[f]fbfg(Q)] , δ'1'δ, μ, Ä, , ¾, ³, çB

ftH[f]fbfg, μ, È, ç(N)

ftf[fbs[ffBfXfN, ²fu[f%oÁ" (, Á, Ü, èfRf"fsf...[f^, δ<N" @, Á, «, é) fffBfXfN, Á, , è, îA, ±
, flfvfVf#f", δ'1'δ, μ, Ä, , ¾, ³, çB, » , ±, É<~iî•ñ, δ'Ç
%oÁ, Á, «, Ü, ·BffBfXfNã, lftf@fCf<, íÁ<Ž, ³, è, Ü, ¹, ñB

fvf□fOf%of€ ,đŠj, -, Ü, 1, ñ

fvf□fOf%of€ ,đ□³, μ, fCf“fXfg□[f<, μ, Ä, ç, È, ç, ©fCf“fXfg□[f<, μ, ½ftfHf<f_, ©, ç^Ú“® ,³, ê, Ü, μ, ½□B

• s' «, μ, Ä, ç, éfvf□fOf%of€ ,đfCf“fXfg□[f<, ·, é, ½, ß, ÉfZfbfgfAfbfv, đ□Ä, ÑŽÀ□s, μ, Ä, ,³/₄,³, ç□B

Norton AntiVirus fvf fOf%of€ftf@fCf<,É,Â,ç,Ä

<~ïffBfXfNfZfbfg,É,í<Ù<}Žž,ÉfvfXfef€,ðEfBf<fXfLfff“ ,Å,«,<,é,æ,π,É Norton AntiVirus ,ª“ü,Á,Ä,ç,Ü,·B

● **Norton AntiVirus fvf fOf%of€**
fEfBf<fX,ÉŠÖCEW,·,é-â'è,ðCE©,Ä,~,Ä%ðCE^,μ,Ü,·B

● **fEfBf<fX'è`ftf@fCf<**
Norton AntiVirus ,ÅfEfBf<fXŠ´ðö,ðCE©,Ä,~,ÄC•œ,·,é,½,ß,É•K—v,Èî•ñ (fEfBf<fX'è<`)
,ª“ü,Á,Ä,ç,éftf@fCf<,Ä,·B

f f,: <~ïffBfXfNfZfbfg,É Norton AntiVirus ,ª“ü,é,ì,ÍfRf“fsf...[f^,É Norton AntiVirus ,ðfCf“fXfg[f<,μ,Ä, ,éêê‡,Å,·B

['Ç%oÁî•ñ...](#) ðÚ,μ,·,í {button ,AL(`To add or remove rescue items;About user-selected files;Types of rescue items',0,`,`') } ,ðfNfŠfbfN,μ,Ä,,¾,¾,çB

<~ïfffbfXfNfZfbfg,ðfefXfg,·,é,É,í

<~ïfffbfXfN,ðïï-,µ,½,c□A,·,®,ÉfefXfg,µ,Ä,,¾,³,ç□B<~ïfffbfXfNfZfbfg,ðŽg,æ,½,ß,É,ÍfRf“fsf...
□[f^,ð□Ä<N“®,,é•K-v,ª, ,è,Ü,·□B

1 ,·,×,Ä,ì Windows fvf□fOf%of€ ,ð□I—^{1,3,1},Ü,·□B

2 <~ïfffbfXfNfZfbfg,ì 1 -‡-Ú,ðfu□[fg,·,éftf□fbfs□[fhf%ofCfu (‘Ê□í,Ífhf%ofCfu A ,Å,·)
,É’}“ü,µ□AfRf“fsf...□[f^,ð□Ä<N“® ,µ,Ü,·□B

%æ-Ê,É Rescue Disk fEfBf“fhfE,ª•Ž!,³,ê,ê,Î<~ïfffbfXfNfZfbfg,Ìfu□[fgfffBfXfN,Í□³,µ,“,ç,Ä,ç
,Ü,·□B

{button ,JI(>task,'RESCUEW_TOPIC_DISK_DOESNT_WORK')}
,ðfNfŠfbfN,·,é,Æ□A<~ïfffbfXfNfZfbfg,ª“®□ì,µ,É,ç□ê□‡,ì□î•ñ,ª•Ž!,³,ê,Ü,·□B

3 ESC fL□[,ð%öÿ,µ,Ä□ADOS f,□[fh,ð□I—¹,µ,Ü,·□B

4 ftf□fbfs□[fhf%ofCfu,©,çftf□fbfs□[fffbfXfN,ðŽæ,è□o,µ□A□’,«□ž,Ý<ÖŽ~ ,É,µ,Ü,·□B

5 fRf“fsf...□[f^,ð□Ä<N“® ,µ,Ü,·□B

<~[]ffffBfXfNfZfbfg,ª“ @[]ì,μ,È,ç[]ê[]‡

fn[]lfhfffBfXfN,ì[]Ý’è,â[]%Šú%»»,É,í[]A[]»’ç%ŠŽĐ,É,æ,Á,Ä[]»•iCEÁ—L,ì,ç,,Á,à,ì<Z[]p,ªŽg,í,è,Ä,ç
,é,½,ß[]ARescue Disk ,ª•K,,μ,àŽ©“ @“l,Éfu[]f[]g%Š”\
,ÉfffBfXfN,ð[]ì[]¬,Á,«,é,Æ,íCEÁ,è,Ü,¹,ñ[]B<~[]ífu[]f[]gfffBfXfN,ª³[]í,É“ @[]ì,μ,È,ç[]ê[]‡[]A^È
%Šª,ì’€[]ì,ð[]s,Á,Ä,,¾,³,ç[]B

Žg,Á,Ä,ç,éfRf“fsf...[]f^,É“Á•È,È<N“ @fffBfXfN,ª—p^Ó,³,è,Ä,ç
,é[]ê[]‡[]A<N“ @fffBfXfN,Æ<~[]ffffBfXfNfZfbfg,ð[]‡,í,¹,ÄŽg,ç,Ü,,[]B[]B<Ü<}
,ì,Æ,«,,É,í[]A<N“ @fffBfXfN,©,ç<N“ @,μ[]A,»,ì, ,Æ,Á<~[]ífu[]f[]gfffBfXfN,ð’}“ü,μ,Ü,,[]BDOS
,ìfvf[]f“fvfg,Å A:RSHELL (A: ,ìfhf%ofCfu-¼,Á,·,ì,Á[]AZg,Á,Ä,ç,éfhf%ofCfu,É[]‡,í,¹,Ä•ì[]X,μ,Ä,-
,¾,³,ç) ,Æ“ü—í,μ[]AEnter fL[],ð%Š,μ,Ü,,[]B, ,Æ,í%Šæ-È,ìŽwŽ!,É,μ,½,ª,Á,Ä,,¾,³,ç[]B

fRf“fsf...[]f^,ÉfffBfXfNŠÇ—[],ì\ftfgfEfffA,ª•t’ @,μ,Ä,ç
,½[]ê[]‡[]A,»,è,ðŽg,Á,Ä<~[]ífu[]f[]gfffBfXfN,ðfu[]f[]g%Š”\
,É,μ,Ü,,[]B[]C[]³CEä,ì•K,,<~[]ífu[]f[]gfffBfXfN,ìfefXfg,ð,μ,Ä,,¾,³,ç[]B

•;[]”,ìfìfyfCE[]f[]efBf“fOfVfXfef€ (Windows NT ,Æ Windows 98 ,È,Ç) ,ðfCf“fXfg[]f<,μ,Ä,ç
,é[]ê[]‡[]A<~[]ífu[]f[]gfffBfXfN,ª³[]í,É“ @[]ì,μ,È,ç,±,Æ,ª, ,è,Ü,,[]B,»,ì[]ê[]‡[]A^È
%Šª,ì’€[]ì,ð[]s,Á,Ä<~[]ífu[]f[]gfffBfXfN,ð[]C[]³,μ,Ä,,¾,³,ç[]B

fn[]lfhfffBfXfN,©,ç<N“ @,μ[]A<~[]ífu[]f[]gfffBfXfN,ð A: fhf%ofCfu,É’}“ü,μ,Ü,,[]BDOS fvf[]f“fvfg,Å
SYS A: ,Æ“ü—í,μ[]AEnter fL[],ð%Š,·,Æ[]AìfyfCE[]f[]efBf“fOfVfXfef€,ª<~[]ífu[]f[]gfffBfXfN,É’}—
,¾,è,Ü,,[]B[]ì<ÆCEä[]A<~[]ífu[]f[]gfffBfXfN,©,ç<N“ @,Á,«,é,±,Æ,ðŠm”F,μ,Ä,,¾,³,ç[]B

%º,ÅŽw'è,µ,½•Ù'¶æfhf%ofCfu,É<~¶jffBfXfNfZfbfg,ði¶¬,µ,Û,·¶B

%º,ÅŽw'è,μ,½•Ù'¶æfhf%ofCfu,É, ,é<~¶ĳffBfXfNfZfbfg,ðXV,μ,Û,·B

fNfŠfbfN,.,é,Æ<~[]ffBfXfNfZfbfg,É•Û'¶,³,è,éftf@fCf<,ª•\Ž!,³,è[]A'¼,lf tf@fCf<,ð<~[]ffBfXfNfZfbfg,É'Ç
%oÁ,Á,«,Û,·[]B

Rescue Disk ,đ□I—¹,μ,Ū,·□B

fNfŠfbfN,·,é,ÆfVfXfef€,É'ä,í,Á,Ä Windows ,ð<N"®,·,é<~[]íffBfXfNfZfbfg,ð[]i[]-,Á,«,Ü,·[]BNorton Zip
<~[]íffBfXfNfZfbfg,É,í%ñ•œ,Æ[]C•œ,ì,½,ß,ì Windows fv[]fOf%of€,ä"ü,Á,Á,ç,Ü,·[]BNorton Zip
<~[]íffBfXfNfZfbfg,ðŽg,Á,Ä'¹[][],μ,½fRf"fsf...[]f^,ð%ñ•œ,·,é,Æ,«,É,Í Rescue Recovery Wizard
,äŽ©"®"í,É<N"®,μ,Äf+[]fU[][,É%ñ•œ[]^—[],íŽè[]‡,ð^Ä"à,μ,Ü,·[]B

fNfŠfbfN,·,é,ÆfVfXfef€;É'ä,í,Á,Ä DOS ,ð<N"®;·,é<~ïfffbfXfNfZfbfg,ðïï¬,Å,«;Ü,·BŠî-
{<~ïfffbfXfNfZfbfg,É,í%ñ•œ,ÆC•œ,ì,½,ß,ì DOS fvjïfOf%œ,ª"ù,Á,Ä,ç,Ü,·BŠî-
{<~ïfffbfXfNfZfbfg,ðŽg,Á,Ä'¹ïï,µ,½fRf"fsf...ïf^,ð%ñ•œ,·,é,Æ,«;É,Í Rescue Disk
,ªŽ©"®"l,É<N"®;µA%œ-Ê,ÉZwŽ!,ð·\Ž!,µ,Ä%ñ•œ^—,ðŽèï,·,µ,Ü,·B

<~ïî•ñ,ð•Û'¶æ,μ,½,çfhf%ofCfu,ð'l'ð,μ,Û,·B
Norton Zip <~ïfffBfXfNfZfbfg,ìèè‡,É,Íg,ç,½,ç Zip fhf%ofCfu-¼,ð'l'ð,μ,Ä,,¾,¾,çBfu[]fg%oÁ"fhf
%ofCfu,ì\→,É,lfRf"fsf...[]f^,ì 1 'ä-Û,ìftf[]fbfs[]fffBfXfNfhf%ofCfu,žg,í,è,Û,·BZip fhf
%ofCfu,Äfu[]fg,Ä,«,éfRf"fsf...[]f^,ìèè‡ANorton Zip <~ïfffBfXfNfZfbfg,Éftf[]fbfs[]fffBfXfN,í•K—
v, ,è,Û,¹,ñB

fNfŠfbfN,·,é,ÆCE»□Ý,ì<~□ífffBfXfNfZfbfg□ì□¬,ì□Ú,μ,ϕ□i□s□ó<μ,ì•\Ž!,Æ"ň•\Ž!,ª□∅,è'Ö,í,è,Ü,·□B

Zip fffBfXfN,Éftf@fCf<,đfRfs[][,·,é^—,̀i[]s[]ó<μ,đŽ!,μ,Û,·[]B

CE»Ÿ, ìftfbfsffBfxN, Ü, ½, í<~ ìftHf<f_Éftj@fCf<, ðfRfs[, ·, é^—, ìi s ó<µ, ðŽ!, µ, Ü, ·B

<~ïffBfXfNfZfbfgïï¬,ì'S'ì"ì,ÈïiïSïó<μ,đŽì,μ,Ü,·ïB

<~ïî•ñ,ð•Û'¶æ,µ,½,†fhf%ofCfu,ð'l'ð,µ,Û,-B

f`fFfbfNf}[]fN,ð,í,.,:Æ<~[]ffBfXfNfZfbfg,ì Zip fffBfXfN,ª[]i[]¬,³,è,Ü,¹,ñ[]B,±,ìfìvìVfìfì“ ,ª-ð—§,Â,ì,í^È'O,É
Norton Zip <~[]ffBfXfNfZfbfg,ð[]i[]¬,µ,½,¯,è,Ç,àftf[]fbfs[]ffBfXfN,ª•
`Z, ,Ü,½,í”j¹,µ,Â,»,è,¾,¯ []i[]¬,µ¹¼,•K—v,ª, ,é,Æ,«,Â,·[]B

f` fFfbfNf}[]fN,đ,í,.,:;Æ<~[]íffBfXfNfZfbfg,ìftj[]fbfs[][ffBfXfN,ª[]¬,³,ê,Ü,¹,ñ[]B,±,ìfìfvfVf#f“ ,ª-đ-
š,Á,ì,í^È'O,É Norton Zip <~[]íffBfXfNfZfbfg,đ[]¬,µ,½,¯,ê,Ç,à Zip fffBfXfN,ª•
'Ž,.,Ü,½,í"j¹,µ,Ä,»,ê,¾,¯[]¬,µ¹¾,•K-v,ª, ,é,Æ,«,Á,·[]B

fNfŠfbfN,·,é,Æ Norton Zip <~ïfffbfXfNfZfbfg,ÅfRf“fsf...[f^,ðfu[fg,μ,½,Æ,«,É Windows
,³•W€f,[fh,Å“@ì,μ,Û,·B•W€f,[fh,í,Ó,¾,ñŠμ,êe,μ,ñ,¾ Windows ,lŠÅ««,Å,·B,Å,Û,èA,Ó,Å,α,É
Windows ,ð<N“@,μ,½,Æ,«,É“,,·,×,Å,lfh%ofCfo,âflfbfgf[fn<@“\,³fTf|[fg,³,ê,Û,·B

fNfŠfbfN, ,é,Æ Norton Zip <~[]ffBfXfNfZfbfg,ÅfRf“fsf...[]f^,δfu[]fg,μ,½,Æ,«,É Windows
,³fZ[]ftf,[]fh,Å“@[]ì,μ,Ü,·[]BfZ[]ftf,[]fh,Å,[]AWindows ,δ<N“@, ,é,½,β,É•K—v,Èfhf
%ofCfo,[]Å[]~fZfbfg,ì,Ý,³f[][]fh,³,è,Ü,·[]B,½,Æ,ì,î[]AfZ[]ftf,[]fh,ì Windows ,íffftfHf<fg,ì VGA
fffBfXfvfCEfCfhf%ofCfo[]AMicrosoft f}fEfXfhf%ofCfo,δŽg,ç[]AfLfbfgf[][]fN<@“\,δf[][]fh,μ,Ü,¹,ñ[]BCD-ROM
fhf%ofCfu,É,àAfNfZfX,Å,«,Ü,¹,ñ[]B

<~ïfffbfXfNfZfbfg,ÉŠi”[,Å,«,éftf@fCf<,lfŠfXfg,Å,·Bftf@fCf<,lfjfeSfŠ,É•ª,©,è,Ä•\Ž!,³,è,Ü,·BfjfeSfŠ-
¼,í,É, ,évf%ofX<L† (+) ,ðfNfŠfbfN,·,é,Æ,»,lfjfeSfŠ,É®,·,éftf@fCf<,ª•\Ž!,³,è,Ü,·B



ftf@fCf<,ð'Ç%oÁ,·,é,É,ímfTf@fCf<,ì'Ç

%oÁ(A)ñ,ðfNfŠfbfN,µ,Ü,·Bftf@fCf<,ímfTf@fCf<[fU[,ª'l'ð,µ,½ftf@fCf<ñfjfeSfŠ,ì%oº,É'Ç

%oÁ,³,è,Ü,·Bftf@fCf<,ðœ<Z,·,é,É,lfŠfXfg,Åftf@fCf<-¼,ð'l'ð,µ,ÄmfTf@fCf<,ííœ(R)ñ,ðfNfŠfbfN,µ,Ü,·B

fNfŠfbfN,·,é,Æ<~□ïffBfXfNfZfbfg,Éftf@fCf<,ª'Ç
%oÁ,³,è,Ü,·□B□V,μ,çftf@fCf<,l□mf+□lfU□[,ª'l'δ,μ,½ftf@fCf<□nfjefSfŠ,ì%o²,É'Ç%oÁ,³,è,Ü,·□B

fNfŠfbfN,·,é,Æmf+[]fU[][,³l'ð,µ,½ftf@fCf<[]nfjfeSfŠ,©,çftf@fCf<,³í[]œ,³,è,Û,·[]Bftf@fCf<,ð'l'ð,µ,È,ç
,Æ,±,lf{f^f",í-³œø,Å,·[]B

<~[]ffBfXfNfZfbfg,Æ,μ,Ä[]i[]¬,³,è,éffBfXfN,lfŠfXfg,Å,·[]B,±,lfŠfXfg,É^è'v,·,é,æ,κ,ÉffBfXfN,Éf%ofxf<,ð“\ ,Á,Ä,,³/4,³,ç[]B

i Žg,ɤftf[]bfs[]ffBfXfN,³<ó,Ä,È,ç[]è[]#[]AffBfXfN,É“ü,Á,Ä,ç,é,·,×,Ä,lf@fCf<,í[]ÁŽ,,μ,Ü,·[]B

,±
,lflfvVf#f",đ'l'đ,·,é,Æftf[]fbfs[]lfffBfXfN,Š@'SftfH[]f}fbfg,³,è,Ü,·[]BffBfXfN[]ă,ì,·,x,Ä,lftf@fCf<,ª[]Á<Ž,³,è[]
AftfH[]f}fbfg,μ,È,ª,ç•s—ÇfZfNf^,ªfXfLfff",³,è,Ü,·[]B

,±
,lfjvfVf#f",đ'ı'đ,·,é,Æftf[]fbfs[][fffBfXfN,²fNfCfbfNftfH[][f}fbfg,³,ê,Û,·[]BfffBfXfN[]ă,ì,·,x,Ä,ìftf@fCf<,²[]Á<Ž,³
,ê,Û,·,²[]AfffBfXfN,ı•s—ÇfZfNf^,lfXfLfff",³,ê,Û,¹,ñ[]BfffBfXfN,É'¹[]²,²,É,ç,Æ,ç,αSm[]M,², ,é[]ê[]‡,É,ì,Ý[]mfNf
CfbfNftfH[][f}fbfg(Q)[]n,đ'ı'đ,μ,Ä,,³/4,³,ç[]B

,±,ìfìvfvfj#f",ð'l'ð,·,é,Æftf□fbfs□lfffBfXfN,³fu□lfg%oÁ"\ (.Á,Ü,èfRf"fsf...□lf^,ð<N"®,Á,«,é)
fffBfXfN,É,È,è□A,»,±,É<~□l□î•ñ,ð'Ç%oÁ,Á,«,Ü,·□BfffBfXfN□ã,ìftf@fCf<,l□A<Ž,³,è,Ü,¹,ñ□Bfu□lfg%oÁ"\
,ÉfffBfXfN,É,ìfvfxfef€ftf@fCf<,³"ü,Á,Ä,ç,È,¯,ê,î,É,è,Ü,¹,ñ□B

