

HPfffUfCf“fWfFfbfg600fvf□fbf^

,±,ífwf<fv ftf@fCf<, „,æ,ÑŠÖ~A,ì AutoCAD fvfŠf“f^%ooðà(APD)ftf@fCf<,Í" Hewlett-Packard HP-GL/2fff of Cfxv4.0, ADI 4.x - HP □»"fhf%ofCfo,í^ê•”,Å,·□B,± ,í”ñ,Å,íftf@fCf<,íHPfffUfCf“fWfFfbfg600fvf□fbf^—p,Å,·□B ,æ,è,æ,çfpftfH□[f}f“fx,ð”¾,é,É,ífpf%ofCf< fCf“f^ftfF□[fx,ðŽg—p,µ,Ä,- ,¾,³,ç□B,Ü,½fvfSfAf< fCf“f^ftfF□[fx,íZg—p,à‰oÅ”,Å,·□B ŽY,ì,à,ì,ðf“fffbfN,·,é,·,é,É,í,ç,,é,à□Afvf□fbf^,íftf□f“fgfpflf< f□fjf...□,ðŽg,ç,Ü,·□B,Ü,½,± ,é,ç,ífvf□fpfefB,ðftf□“fgfpflf<,ðŽg,A,Ä□Ä□Y’è,·,é,±,Æ,à,Å,«,Ü,·□B

- f}□fW(fyf“□Y’èf□fjf...□[)
- fyf“□Y’è: •□A”Z“x(fVfF□[fh) (fyf“□Y’èf□fjf...□[)
 - d-v:** AutoCAD ,ífyf“□Y’è,ðŽg—p,·,é,ê,Å,íAfvf□fbf^,ífyf“□Y’è/fpfCfbfg f□fjf...□[,íY’è,í[f]ftfgfEfFfA],Æ,µ,Ä‰o⁹,³,ç□B,»,¤ ,Å,È,·,é,ífvf□fbf^,íftf□f“fgfpflf<,íY’è,ðŽg,í,é,Ü,·□B
 - Y’è,¤,±,ífSfXfg,É•\Z[,³,é,È,ç□ê,Å,±,ífhf%ofCfo,ðŽg,¤ ,É,í,»,é,ç,íY’è,ðfvf□fbf^,¤,ç,Å,«,È,ç,Æ,ç,¤,±,Æ,¤, ,é,Ü,·□
 - B**HPCONFIG.ðŽg,Å,½fvf□fbf^□Y’è,íST—v,Æ,ç,¤,ç,Å,«,È,ç,Æ,ç,¤,±,Æ,¤, ,é,Ü,·□
 - ftfgfEfFfA□Afvf□fbf^,í,ç,ç,ðY’è,·,é,ç,ðQ,Æ,µ,Å,¾,³,ç□B

,±,ífvf□fbf^,Åf□f“fO fvf□fbfg,ð□o—í,·,é,±,Æ,¤,«,Ü,·□B
 HPfffUfCf“fWfFfbfg600fvf□fbf^,Åf%ofXf^ flfufWfFfNfg(frbfbfg{fbfv),ðfvfŠf“fg,·,é,± ,Æ,í,Å,«,Ü,¹,ñ□B
 ,±,ífvf□fbf^,É,íflfvfVf#f“,Å<,çf}□[fWf“,íf,□[fh,¤, ,é,Ü,·□B,±,é,ðŽg,¤,É,ífy□[fWftfH□[f}fbfg/ f}□[fWf“]fvf□fbf^ f□fjf...□[,ífqf□fC],ð'!ð,µ,Ä□AHPCONFIG,ífAfhf of “fxfg f□fffBfA
ffvfVf#f”,Å[Expand On],ÉfZfbfg,µ,Ü,·□B,±,é,ðŽg,í,é,íf□□lf<Zt,í□ê,¤,¾,·,Å,·□B

„,ísfvf□fbfg—í^æ

ft□[fU□[fY fKfCfh,]•,É AutoCAD ,Å•W□€—pŽtTfCfY,ÉfZfbfg,·,é,ä,Å“K”—,Èfvf□fbfg— l^æ,¤,°,ç,é,Ä,ç,Ü,·□B[fvf□fbfg□Y’è]f_fCfAf□Of{fbfNfx,©,çAfNfZfx,Å,«,é[TfCfY...] f_fCfAf□Of{fbfNfx,É,±,é,ç,í,í,ð[ft□[fU□[fTfCfY],Æ,µ,ÄfZfbfg,µ,Ü,·□B,± ,é,ç,ífTfCfY,ðŽg,í,íAfvf□fbf^,íflfXfefBf“fO<@”,ðŽg,¤,Æ,«,Å,à,¤,ø—!,í—ç,ç,¢—pŽt□ß- ñ,ðs,É,ç,Ü,·□B•W□€fTfCfY,¤,•K—v,Å,È,ç,Æ,«,É,íA[fy□[fWftfH□[f}fbfg/ftfCfY] ,ð[fCf“fNfSfjtEfCfL],ÉfZfbfg,µ,Ü,·□B,±,é,É,æ,Å,Ä,Å,à,¤,ø—!,í—ç,ç,¢—pŽtZg—p,ðs,ç,Ü,·□B fvf□fbf^,íftf□f“fgfpflf< f□fjf...□[,É,íC»□Yfvf□fbf^,Éžæ,è•t, ,ç,é,Ä,ç,éfjfbfgZt,íxAy,íÅ‘å’! ,¤, ,é,Ü,·□B:Y

- fvf□fbfg fJf“fS:** fLf...□[=fLf“]
- fy□[fWftfH□[f}fbfg:** f}□[fWf“=ftfcfE
- I/OzfbfefC(RS-232-C):** fRfEfZfC=fRfEfZfCA
 f{□[fCf□fg=9600
 fpfSfefB=fifV(0)
- fvf□fbf^fZfbfgfAfbfv:** fQf“fS=HP-GL/2,
 fJf“fEfWfJf“=ftfcfE
 fyf“ f fFfbfN=fLf“

ŽY,àŽQ,Æ:

- ftf□f“fgfpflf< f□fjf...□[

ŠÖ~AfgfsfbfN

□ [HPfffUfCf“fWfFfbfg600,fgf%o fuf<,‰öŒ^.](#)

© Hewlett-Packard Company 1997

ftfjf“fgfpflf< fjjf...[

‘Ofjfjf...[A]ã-^ó[A%o-^ó[A“ü-í,íŠef{f^f“,ðŽg,Á,Äfjf...[fVfXfef€
,,ð€ì,μA“KØ,È’I,ðfZfbfg,μ,Ü,·B

- ‘Ofjfjf...[,ð‰,Ý,μA‘Ofjfjf...[fCfxf<,ð•\ž|,³,¹,Ä,³/⁴,³,¢B‰,L,]fŠfXfg(,Ü,½,íftfjf“fg fpfjf<
fjfjf...[fvfvf“fg),í,é—ñ,©,ç1,Ä¶,í—ñ,É^Ú“®,·é,í,É'S“-,μ,Ü,·B
- (ä-^ó)A (%‰-^ó),ð‰,Ý,·Æfjfjf...[,íflfvfvf“f,ð‰,μ,Ü,·B‰,]fŠfXfg,Äs,ð‰
‰,·é,±,Æ,É'S“-,μ,Ü,·BfjfVfVf“f,]fŠfXfg,í~A'±“I,É¶Ä
‰,·é,·æ,É'S“-,μ,Ü,·B
- “ü-í,ð‰,Ý,·Æ,»,[f]fvfvf“f,²,³,ê[Až,ý,]fjfjf...[fCfxf<,É^Ú“®,μ,Ü,·B‰,]fŠfXfg,í—
ñ,ð1,Ä‰,í—ñ,É^Ú“®,·é,±,Æ,É'S“-,μ,Ü,·B
- fjfjf...[fVfXfef€,]A‰,]fCfxf<,Ä“ü-í,ð‰,Ý,·ÆAfjfVfVf“f,ð'l,ð,μ,Ä[A,»,ê,ðY'è,É
‰,·é,±,Æ,É,È,è,Ü,·B,±,í,é,]fzf,í,é,]fCfxf<,É<t^Ú“®,·é,±,Æ,É,È,è,A
‰,]fŠfXfg,í,é—ñ,©,ç1,Ä¶,í—ñ,É^Ú“®,·é,±,Æ,É'S“-,μ,Ü,·B

fAfXf^fŠfXfN(*),í•t,¢,½€-Ú,íffffHf<fg,í'l,Ä,·B

fVfjfbf bg fjf“fŠ
fLf...[fjf“fŠ
fVfjfbf #; (nKfxfNfgf<)
fVfjfbf #=
fgfEfPfC
fy[fW fTfCfY=fnfo,ÆfjfKfT
fRfs[f}fCfxfE=
1*, ... 99
fLf...[fm fZf“fgfEfj fCfhfE
fVfjfbf bgfTfNfWf†
fLf...[=
fLf“*
fLf
fLfXfefBf“fO=
fLf*
fTfCfefL
fLfXfefBf“fOf}f`=
2 ftf“, 30 frfjfE, 5 frfjfE
fWf...f“fof“[ä,]fTfCfefL,Æ“,¶]

fy[fWfjfH[f}fbfg
fTfCfY=
fxfxfgISO A
ISO A4-A1/A0
fxfxfgANSI
ANSI A-D/E
fxfxfgJIS B
JIS B4-B2/B1
fxfxfgARCH
ARCH A-E1
fI[fo[A2
fI[fo[A1
fjfCfef“=
0*, 90, 180, 270
f}fWf“=
ftfcfE*

fjfNf`f#fE
f~f%o0[]=
f!ft*
f!f"

fvf[]fbf^ fZfbfgfAfbfv
fQf"fs= 7586, HP-GL/2*
f^fcf€fAfEf= 0.5 ftf", 1.0 ftf", 2.0 ftf", 3.0 ftf", 5.0 ftf", 7.0 ftf",
10.0 ftf", 15.0 ftf", 20.0 ftf", 25.0 ftf", 30.0 ftf"
f^[]f~f![]f^= ftfce*
fXfyfvffff<
HP-GL/2
fjf"ffEfWffj= ftfce*
fRfEfjN
fifV
fyf" f`fFfbfN= f!f"**
f!f
f[]ffffBfA fofoCfpfX= f!f"
f!f*
f!ft

fyf" fZfbfefC
fpfCEfbfg= f\ftfgfEfFfA*
ffftrHf<fg
fpfCEfbfgA
fpfCEfbfgB
fpfCEfbfgAfefCfM
fyf"0, ..., 15
fnfo= 0.13mm, 0.18mm, 0.25mm, 0.35mm*, 0.50mm, 0.65mm, 0.70mm, 0.80mm,
0.90mm, 1.0mm, 1.40mm, 2.0mm, 3.0mm, 5.0mm, 8.0mm, 12.0mm
fVfF[]fh= 0%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%
fpfCEfbfgBfefCfM
f}[]fW fRf"fgf[][]f=<
f!ft*
f!f"

ft[]fefBfSfefB
fgfEfPfC
fTfCf_fCX= fTfCf_fCY= fR[]fh#= nn MB= ROM SIMM= fifV
fjf"fw
fyf" fwfNfAf[]fZ
fSfZfbfg

fvfb^ fSfZfbfg
 ffftfHf<fg ffbff...[]
 fQf"fs=
 fGfCfS*
 fhfCfcfS
 ftf%o f"fxfS
 fCf^fSfAfS
 fxfyfCf"fs
 fJf<fgfKf<fs
 fJf^fJfi
 fRfEfZfCfvf[]fbfg
 fZfCfh
 ffftfHf<fg fSfXfgfAfVf}fx
 fSfLffffSfufCE[]fVff"
 fvfb[]fbfg fTfNfZfC
 fvfb[]fbfg fNfefC

fff, fvfbfg

I/O[ZfbfefC
 RS-232C
 fRfEfZfC=
 ffftfHf<fg*
 fZfbfefCA
 fZfbfefCB
 fRfEfZfCA/BfefCfM
 f{[] fCE[]fg=
 38400, 19200, 9600*, 4800, 2400, 1200
 fnf"fhfVfFfCfN=
 fn[]fhf[]fCf,,
 Xon/Xoff
 fSf+fEfzE*
 fpfSfefB=
 fV(0)*, fOfEfXfE, fLfXfE, f}[]fn
 f,fWf...f%o
 [MIO—pf[]fjf...[]]

fcfmfvf[]fbfg'
 f^fCfL
 fvfb[]fbfg fPfCf]fn

HPfffUfCf“fWfFfbfg600,fgf%oふふふ,‰‰‰

□ ू},ì^ê•”,ѓfvfूfbfg,³,ê,È,Ѡê‡,âfूf,fŠ•s’«,ìfूfbfZू[fW,ѓ•\ž|,³,ê,éê‡
ŠÖ~AfgfsfbfN

□ fgf%oふふふ,‰‰‰.

f□f,fŠ•s'«

}}},ðfvf□fbfg,.,é,ì,É□\•²,Èf□f,fŠ,²fvf□fbf^,É, ,è,Ü,¹,ñ□B
f□f,fŠ,ð'Ç‰oÁ,μ,Ä□A□Ä“x□o—í,μ,Ä,Ý,Ä,,³/₄,³,¢□B
,”Žg,¢,ìffffBfofCfX,É"f□f,fŠ•s'«",²•\Ž¡,³,é,é□ê□‡,í□A,»,ìfvf□fbfg,²□o—í,³,é,½,Æ,μ,Ä,à□A•sŠ®'S,Å,
,é,© •"•²,Ä,«,ÉfNfŠfbfv,³,é,½□o—í,È,È,è,Ü,·□B

