

©UWSC Ver 2.6a ©2002/08/01

[@[<@"]]

æfL[f{[fh“ü—í,ðfXfNfŠfvfgŒ`Ž®,Å<L~^,μ,Ä]Ä¶,·,é  
@fXfNfŠfvfgŒ³/Œê,É,æ,èfAfvfŠ,ì‘€]ì,º]o—^,é(,b,n,lflufWfFfNfg,à^μ,!,Ü,·]j  
@ŠJ,¢,½fEfBf“fhfE,É'î,μf}fEfX,ðŽ©“® ^Ú“®

□@fCf“fXfg□[f<  
□@□@‰đ“€,μ,Ä□o—^,½ftf@fCf<,đ“K“-,ÈfffBfŒfNfgfŠ,É

□@fAf“fCf“fXfg□[f<  
□@□@fŒfWfXfgfŠ,É,ÍŽè,đ•t,~,Ä,¢,Ü,¹,ñ,ì,Å,»,,ì,Ü,Ü□í□œ,·,é,¾,~,Å,·

□@“@□íŠÅ«  
□@□@Windows□@98/NT/2000/XP

□@  
□@**UWSC**

□@UWSC ,íftfŠ□[fvftfg,Å,·

□@fofO•ñ□□□A—v-]“™,íŒfŽ|”Â,Ö

□@,“-ñ’©

□@□@-{fvf□fOf‰of€,æ,è□¶,¶,½‘¹ŠQ,ÉŠÖ,µ,Ä,í“-•û,í^ê□Ø□Ó”C,ð•‰o,ƒ,Ü,¹,ñ


□@fTf|□[fgfz□[f€fy□[fW

□@□@<http://www07.u-page.so-net.ne.jp/ca2/umiumi/>□@□@□@□@□@

□@(C)□@,¤,Ý,¤,Ý

□@□@□@□@umiumi@ca2.so-net.ne.jp

□@f□fCf“%oæ-Ê



□@“@□ì<L~^

□@□@<L~^f{f^f“,ð%oÝ,μ,Ä,©,ç□@STOPf{f^f“□@-,í□@’âŽ~fzfbfgfL□[□@,²  
%oÝ,³,ê,é,Ü,Ä,ì“®□ì,ð<L~^,μ,Ü,·  
□@□@ì<L~^,í{f}fEfXfNfŠfbfNorfL□[‘€□ì,³,ê,é,©f}fEfX^Ú“®,ð0.5•b’âŽ~,μ,ÄŠJŽn,μ,½  
Š,©,çŽn,Ü,è,Ü,·)

□@□@□Ý’è,É,Ä’—]Œv,ÈŽžŠÔ□Af}fEfX^Ú“®,í<L~^,μ,È,¢’,Éf`fFfbfN,³,ê,Ä,¢  
,é,Æf}fEfX^Ú“®,â—]•²,ÈŽžŠÔ,í□íœ,³,ê,Ü,·

□@□@□Ý’è,É,Ä’f}fEfX□À•W,ð’Š’í□À•W,Å<L~^,·,é’,Éf`fFfbfN,³,ê,Ä,¢  
,é,Æf}fEfX,ì□À•W,ífAfNfefBfufEfBf“fhfE,É’í,μ,Ä,ì□À•W,Å<L~^,³,ê,Ü,·

□@□@•Û’¶,É,Ä<L~^,ðfXfNfŠfvfgftf@fCf<,Æ,μ,Ä•Û’¶,Ä,«,Ü,·

□@□@ifXfNfŠfvfg,Ä,·,ì,ÄŽ©•²,Ä□C□³,μ,½,è□§Œä,μ,½,è,Ä,«,Ü,·□j

□@□Ä□¶

□@□@□Ä□¶f{f^f“,Ä□Ä□¶,μ,Ü,·

□@□@fXfNfŠfvfgftf@fCf<,ðfhf□fbfv,μ,Ä,àOK,Ä,·

□@□@^ø□”,ÉfXfNfŠfvfgftf@fCf<-¼,ðŽw’è,μ,ÄUWSC ,ð<N“®,μ,Ä,àOK,Ä,·

□@□@□@ì,±,íŽž,ífXfNfŠfvfg,²□l—¹,·,é,ÆUWSC Ž©’ì,à□í””,¹,„,É□l—¹,μ,Ü,·□j

□@□@’âŽ~fzfbfgfL□[□iffftfHf<fg□FAlt +F2),É,Ä’t’f,Ä,«,Ü,·

□@□@Ä□¶fzfbfgfL□[□iffftfHf<fg□FAlt +F1),É,Ä^êŽž’âŽ~,³,Ä,«,Ü,·

□@ftf@fCf<,ìŠÖ~A•t,~,É,æ,éŽÀ□s

□@□@fXfNfŠfvfgftf@fCf<□i\*\*\*.UWS),ðf\_fuf<fnfŠfbfN

□@□@’ftf@fCf<,ðŠJ,fAfvfŠfP□[fVf†f“,ì’l’ð’□@f\_fCfAf□fO,³□o,é

□@□@’,»,ì’¼(T)...’□@,ì{f^f“,ðfNfŠfbfN,μ,ÄUWSC.exe ,ì□é□Š,ðŽw’è,·,é

□@□@,±,é,Ä□@fXfNfŠfvfgftf@fCf<□i\*\*\*.UWS)

,ìfAfCfRf“,³,ì,é□@f\_fuf<fnfŠfbfN,É,ÄŽÀ□s,Ä,«,Ü,·□@□@

□@□@□@ì,±,íŽž,ífXfNfŠfvfg,²□l—¹,·,é,ÆUWSC Ž©’ì,à□í””,¹,„,É□l—¹,μ,Ü,·□j

□@□@□@ì’½□d<N“®,àOK,Ä,□A[UWSC.,h,m,hftf@fCf<,ìNotMultiplex

,É,P,ðfZfbfg,·,é,Æ’½□d<N“®,ì<Öž~,É,Ä,«,Ü,·]□j

□@□@’□^Ó□FfXfy□[fX,ì, ,éfffBfŒfNfgfŠ,ÄŠÖ~A•t,~,ð,μ,½□ê□‡,É•sŠ®’S,ÈŽž,³, ,è,Ü,·

Í@Í@Í@Í@,» ,í ï ê ï ï ,í ^ È % o o ,í ,æ ,¤ ,É Ź © • a ,Å ï Y ' è ,µ ,Ä % o o ,³ ,¢  
Í@Í@Í@Í@fGfNfXfvfïïïf%oo,æ,èï@•\Z;ï@->ï@ftfHf< f \_ flfufVf#f“  
Í@Í@Í@Í@UWSftf@fCf< ,ð' l' ð ,µ ,Ä • Ò ï Wf { f ^ f “  
Í@Í@Í@Í@fAfNfVf#f“,í • Ò ï Wf { f ^ f “  
Í@Í@Í@Í@fAfNfVf#f“,ð Ź Å ï s ,· ,é f Afv f Š f P ï [ f Vf#f “ ,É ï @ "%1" ï @ ,ð • t % o Å  
Í@Í@Í@Í@".....\UWSC.exe" "%1"  
Í@Í@Í@Í@,Æ ,· ,é

·@fXfNfŠfvfgftf@fCf<,đ“Ç,Ý ž,Ý,Ü,  
·@Šg'£Žq,í@.UWS@,í,Ý,Å,·

“@“®ì<L~^,ðfXfNfŠfvfgftf@fCf<,Æ,µ,Ä•Ù’¶,µ,Ü,·

“@“®ì<L~^,ðÄ¶¶,μ,Ü,·

“@“®”}if}fEfX AfL [f{ ][fh]j,ìL~^,ðSJŽn,μ,Ü,·  
“@

©ŠeŽí,íÝ'è,ð,·,é,½,ß,ífjjf...,ª,À,Ü,·  
©íÝ'èfjjf...

□@□@□Y'èf□fjf...


□@□@



□@□@□@

□@□@□Y'è%oæ-È

□@□@



□@□@□@

í@f^fxfgfŒfC,ÉŠi”[,³,ê,Ü,·

í@f^fxfgfŒfCä,ífAfCfRf“,Å¶fNfŠfbfN  
í@í@í@f%of“f`fjjf...,²,Å,Ü,·í@í@

í@f^fxfgfŒfCä,ífAfCfRf“,Å‰oEfNfŠfbfN  
í@í@í@Y’èfjjf...,²o,Ü,·

í@f^fxfgfŒfCä,ífAfCfRf“,Å¶f\_fuf<fNfŠfbfN  
í@í@í@f^fxfgfŒfC,©,ço,Ä'Èíó'Ô,É,È,ë,Ü,·í@í@

í@f^fxfgfŒfCä,Å¶I—¹,·,é,ÆŽŶ‰oñ<N“®Žž,íf^fxfgfŒfC<N“®,É,È,ë,Ü,·  
í@

—]•¤,ÈŽžŠÔ¤Af}fEfX^Ú“®,í<L~^,µ,È,¢  
¤@,±,±,¤`fFfbfN,³,ê,Ä,¢,ê,í¤@f}fEfX^Ú“®,â—]•¤,ÈŽžŠÔ,í<L~^,³,ê,Ü,¹,ñ

f}fEfX¤À•W,ð'š'í¤À•W,À<L~^,·,é

¤@,±,±,¤`fFfbfN,³,ê,Ä,¢  
,ê,í¤@f}fEfX,í¤À•W,í¤AfNfefBfufEfBf“fhfE,É'í,µ,Ä,í¤À•W,À<L~^,³,ê,Ü,  
¤@í¤æ,À^È'u'²¤®,í^xfXfNfSfvfg,ð¤C¤³,·,é,í,À, ,ê,í¤A,±,ç,ç•û,¤—ç,¢,À,µ,å,¤¤j

©f}fEfX, iŽ© “® ^Ú“ ®

©@©@, ±, ±, ªf` fFfbfN, ¸, ê, Ä, ç, ê, îŠJ, ç, ½Window , É’î, µf}fEfX, ºÝžè, É“ ®, «, Ü, ·

©@‰, ß, ÄŠJ, Window , Å, , ê, îffftfHf<fgf{f^f“, È, ç, µ, í¶ä, ifRf“fgf¶[f<, ð-  
Úžw, µ, Ä^U“ ®, µ, Ü, ·

©@, Q‰ñ-Ú^È~í, P•b^È~äf}fEfX, º'âž~, µ, Ä, ç, ½êŠ, ðŠo, ¡, Ä, „, è, »», ±, É^U“ ®, µ, Ü, ·

©@œŠOfEfBf“fhfEÝ’è, É, Äž© “® ^Ú“ ®, ©, çœŠO, µ, ½, ªfEfBf“fhfE, ðžw’è, Å, «, Ü, ·

©@ižw’è, îf^fCgf</fNf‰ofX-¹/₄, Ç, ï, ç, © ^ê•û, ³/₄, ¸, Å, à‰Åj

©@if^fCgf<, î ê•”•², ³/₄, ¸, Å, à‰Åj

□@fxfPfWf...□[f<□Y'è





□@□;fCf“f^□[fof<  
□@□@,OŽž,O•ª,ðŠî□€,ÉŒvŽZ,ð,μ,Ä,¢,Ü,·□@(UWSC<N“®Žž,©,ç,ìŽžŠÔ,Å,í,È,¢)

□@□;Ž®,É,æ,é□Ý'è  
□@□@Ž©•ª,ÅŽ®,ð<L□q,:éŽ-,É,æ,è□x,©,ÈŽžŠÔ□Ý'è,ªŒ^,ß,ç,ê,Ü,·  
□@□@Žg,!,é•ї□”  
□@□@□@□@YY (“N)□A□@MM (ŒŽ)□A□@DD (“ú)□A□@HH (Žž)□A□@NN (•ª)□A□@WW  
(-j“ú)  
□@□@□@□@□@□| -j“ú,í“ú-j=0,..... “y-j=6,Å,  
□@□@’□^Ó□Ff`fFfbfN,í•ª’P^È,Å,³,ê,Ü,· NN(•ª),ì□Ý'è,ð-Y,ê,,É

□@□@Ex..)  
□@□@□@ (INT(dd/7) mod 2) = 0 and ww=1 and hh=0 and nn=0 // Šu□TŒŽ  
-j“ú,OŽž,O•ª  
□@□@□@WW=2 AND (HH=0 OR HH=12) AND NN=0 // %oî—  
j“ú,í0Žž,Æ,P,QŽž  
□@□@□@YY=2001 AND MM=1 AND DD=1 AND HH=0 AND NN=0 //  
2001”NŠJŽn

**[@fzfbfgfL@]**

**[@Ä¶F@Ä¶f{f^f",]fzfbfgfL[],ðÝ'è,Å,«,Ü,·@**


**[@**

**[@'âŽ~F@Ä¶/‹L~^,]âŽ~fzfbfgfL[],ðÝ'è,Å,«,Ü,·@**


**[@<L~^F@<L~^f{f^f",]fzfbfgfL[],ðÝ'è,Å,«,Ü,·@**

□@f%o f“f` f□fjf...□@ifXfNfŠfvfg f%o f“f` ff□[□j

□@fXfNfŠfvfgftf@fCf<,ð “o~^,μ,Ä,“, « ‘l’ð<N“ @,Å,«,Ü,·  
□@fzfbfgfL□[□Y’è,É,æ,è□oŒ»□@f^fXfNfgfŒfCŽž,Í□¶f{f\_f“,É,Ä□oŒ»  
□@□@



^ê'iŠK'w‰»»,μ,Ä□Y’è‰oÂ”\□@(,æ,Å,Ä□Å’å“o~^□”,í10\*10fR)





¶@\_¶@{fAf“f\_¶[fo¶¶]¶@¶@//¶@¶¶s,ì¶ÅŒä,É•t,-éŽ-,É,æ,èŽŸ,ì¶s,AŒŒ¶‡,³,¹,Ü,·

□ff}f`f`fXfe□[fgf□f“fg□,,  
□@;□@;(fZf~fRf□f“)□@;□@;□@//□@N88Basic“l,È,P□s,h,e•¶,Å,j•í’Ô”lŽq,¢•û,íf f□

=====  
f“ÁŽê•¶Žš„  
@<#CR>@>@@//@%oüsfR[fh,ð•\,.·  
@<#DBL>@>@//@“f\_fuf<R[fefCfVf†f“,ð•\,.·

=====  
□f,P,U□iŽw'è□,,  
□@\$□@□@□@□@//□@\$FF =255

=====  
lf•ï”éŒ³/4,ì<sub>í</sub>§,  
@//@fXfNfŠfvfg,ìæ“„,ÅéŒ³/4i’S,Ä,ì•ï”,ÅDIM ,à,µ,,ÍPUBLIC éŒ³/4,„•K—  
v,Æ,È,éjj  
@OPTION EXPLICIT

=====  
ffXfNf%ofof“fuf<@,  
@//@%oÅ“Ç,Å,«,È,¢,æ,¤fXfNfŠfvfg,ÉfXfNf%ofof“fuf<,ð,©,~,éŽ-,¤,Å,«,Ü,·  
@fRf}f“fhfvf}f“fvfg,É,Ä,È%oº,ì,æ,¤,ÉŽÀ}s  
@UWSC}@/A}@xxxxxx.uws}@yyyyyy.uws  
@}@xxxxxx.uws ,ÉfXfNf%ofof“fuf<,ðŠ|,~,½,à,ì,ðyyyyy.uws ,Æ,µ,Ä¶¶¬  
@,à,µ,,í  
@}@UWSC}@/A}@xxxxxx.uws  
@}@@,±,ì,ê@#xxxxxx.uws ,ðxxxxxx.org ,ÉfŠfl|[f€,³,êxxxxxx.uws ,¤¶¶¬

-----  
¶f§Œä•¶¶„¶@¶@¶@¶@¶@“à,í¶È—‰‰‰”

ئاڭ ئاڭ ئى-á

```
  @//@IF@{@,IfuffbfN•¶@IFB@ENDIF  
  @@IFB@Ž®@@[THEN]  
  @@@@^  
  @@[ELSEIF@Ž®@@[THEN]]  
  @@@@:@:  
  @@[ELSE]  
  @@@@<U  
  @@ENDIF
```

i@i@i-á

□@□@—á□i

□@□@—á□i

□@□@—á□i

□@□@—á□i

□@□@—á□i

□@□@Break□@□@□@□@□@FOR,□@WHILE,□@REPEAT□@,ìf<□[fv,ð+'f

[@@Continue@@FOR, @@WHILE, @@REPEAT@, if<[fv, i]æ“ª, Ö

```

    @Procedure Fend @Procedure -¼(^ø", @^ø", @var
    ^ø"....) @//Var éŒ³/₄, ð•t, -, é, Æ^ø", ð•ïX‰Å"\, É, ., é(ŽQÆ^ø")
    @@@^—
    @Fend

```

```

    @Function()@-@Fend@>@@@@@ŠÖ"(-ß,è'l, ,è)
    @Function@-¼(^ø",@^ø"....)
    @@@@@^—
    @@@@@Result =-ß,è'l      //Result ,É-ß,è'l,ð"ü,ê,é
    @Fend

```

¶@¶@¶! "z—ñ•í¶", É, Ä "z—ñ'S'í, ð"n, ·ž-, í, Å, «, Ü, ¼, ñ

||@||@—á||i

□@□@—á□i

-----  
@//@DLL Žg—p'è`  
@DEF\_DLL ŠÖ"-¼(Œ^, œ^, ...): -ß,èŒ^: DLL-¼  
@Œ^F  
int[]Along[]Abool[]Auint[]Ahwnd[]Astring[]Apchar[]Afloat[]Adouble[]Aword[]Adword[]Aby  
te[]Achar[]Aboolean[]Alonglong[]AExtended[]AWString  
@@@@@ŽQŒ^ø"if|fCf“f^[“n,μ),Æ,μ,ÄŽg,¤ê‡,í@VaréŒ¾,ð•t,-,é  
@@;int=long=bool(4byte)[]A string=pchar[]A dword=uint[]A  
char=boolean(1byte)  
@@@@WString[]F UWSC“à•”,ÍSJIS,Å, ,èUNICODE,Æ,ÍŽ©“®•ÍŠ·  
@@@@NULLPOINTER[]F fkf<flfCf“f^,ð“n,  
@@—á[]j

“@ŠÖ”  
“@[@]@“à,íÈ—‰oÅ”\

//[]@fEfBf“fhfEŠO~A

□@-ß'!□@  
□@□@,,»íWindow,ðŽ-•Ê,·,éID□@((NG,íŽž,í□@-1)

□@—á□j

□@//□@fAfCfef€,¡fNfŠfbfN□@  
□@//□@(f{f^f“□Af□fj...□[□Af`fFfbfNf{fbfNfX□Af  
%ofWflf{f^f“□AfŠfXfgf{fbfNfX□AfRf“f{f{fbfNfX□Af^fufRf“fgf□□[f<□Afrf...□[fŠfXfg)  
□@-ß’|@=□@CLKITEM(□@ID,□@fAfCfef€-¼,□@[Ží•Ê,□@f`fFfbfNOn/  
Off,□@”Ô□t]□@)□@  
□@^ø□”  
□@□@ID□F□@Window,ðž-•Ê,·,éID  
□@□@fAfCfef€-¼□F□@f{f^f“□Af`fFfbfNf{fbfNfX□Af%o fWflf{f^f“,¡fLffffvfvfVftf“,ì•¶žš  
□@□@□@□@□@□@□@□@□@□@,à,μ,,í□@fŠfXfgf{fbfNfX□AfRf“f{f{fbfNfX,ì’l’ð-¼  
□@□@□@□@□@□@□@□@,à,μ,,í□@f^fu-¼  
□@□@□@□@□@□@□@,à,μ,,í□@f□fj...□[□€-Ú-¼  
□@□@□@□@□@□@□@□@,à,μ,,í□@fcfŠ□[frf...□[□€-Ú□AfŠfXfgfrf...□[□€-Ú  
□@□@Ží•Ê□F□@f`fFfbfN,·,éfAfCfef€Ží•Ê

□@□@□@□@□@□@□@□@□@CLK\_BTN□@□@{f{f^f“□Af`fFfbfNf{fbfNfX□Af  
‰oWflf{f^f“□j  
□@□@□@□@□@□@□@□@□@CLK\_LIST□@□@{fSfXfgf{fbfNfX□AfRf“f{f{fbfNfX)  
□@□@□@□@□@□@□@□@□@CLK\_TAB□@□@{f^fufRf“fgf□□[f<)  
□@□@□@□@□@□@□@□@□@□@CLK\_MENU□@{f□fjf...□[)  
□@□@□@□@□@□@□@□@□@□@CLK\_TREEVIEW□@{fcfS□[frf...□[)  
□@□@□@□@□@□@□@□@□@□@CLK\_LISTVIEW□@□@{fSfXfgfrf...□[)  
□@□@f`fFfbfNOn/Off□F□@f`fFfbfNf{fbfNfX,AEf□fjf...  
,lf`fFfbfN□AfNfSfbfN□@On=True(1)□A□@OFF=False(0)□@□@{fffftfHf<fg,íOn)  
□@□@“Ô□t□F□@“^-¼,lfAfCfef€^-¼,², ,é□ê□‡,lfIufWfFfNfg□‡”Ô□i□¶□ä,©,ç□”,,½flfufW  
fFfNfg□‡”Ô[,P,©,çŽw’è]□j

□@-ß’l□@

□@□@True□F□³□í,□@False□F□^—□•s”\□@

□@□;fAfCfef€^-¼,lf`ÅŒä,É•t,fj□[f,fjfjfN[(&A)□A(&B)...□A(&C):“™ ],í—v,è,Ü,¹,ň  
□@□;ží•Ê□F□@□È—a,³,ê,½□ê□‡,í□@BTN□@->□@LIST□@->TAB□@->MENU□@->  
TREEVIEW □@->LSTVIEW□@,ì□‡,ÅfT□[f`  
□@□;•¶Žš□È—aŽw’è□F CLK\_LIST or CLK\_SHORT ,ì,æ,¤,ÈŒ`,Å□@CLK\_SHORT□@,ð•t  
‰oÅ,·,é,Æ•”•¤^ê’v,É,ÄŒÝ□ö  
□@□;f□jf...□[fAfcefS□[frf...□[,É,Ä□F \□@,É,ÄfpfxŽw’è•\L  
‰oÅ(,Ô,Å,©,é•”,²,È,^,ê,lfpfX,í•K—v,È,μ)□@□@Ex.□F:aaa\bbb\ccc  
□@  
□@—á□j

---

□@//□@f{f^f“—þ□if`fFfbfNf{fbfNfX□Af‰oWflf{f^f“□j,ì□ó’Ô,ð•Ô,.  
□@-ß’l□@=□@CHKBTN(□@ID,□@fAfCfef€^-¼)  
□@^ø□”  
□@□@ID□F□@Window,ðŽ^-•Ê,·,éID  
□@□@fAfCfef€^-¼□F□@f{f^f“□Af`fFfbfNf{fbfNfX□Af‰oWflf{f^f“,lfLfffvfvf+j“,ì•¶Žš  
□@-ß’l□@  
□@□@-1 □F ‘¶□Ý,μ,È,¢,©-³Œø□ó’Ô  
□@□@□@0 □F OFF  
□@□@□@1 □F ON  
□@□@□@2 □F f`fFfbfNf{fbfNfX,É,Ä’W□F□ó’Ô

□@—á□j

---

□@//□@Window□@fRf“fgf□□[f<  
□@CTRLWIN(□@ID,□@-½—ß)  
□@^ø□”  
□@□@ID□F□@Window,ðŽ^-•Ê,·,éID  
□@□@-½—ß□@  
□@□@□@□@CLOSE (□I—¹)  
□@□@□@□@ACTIVATE (fAfNfefBfu )  
□@□@□@□@HIDE (“ñ•\ž|)  
□@□@□@□@SHOW (•\ž|)  
□@□@□@□@MIN (fAfCfRf“‰»»)

MAX (MAX)  
NORMAL (NORMAL)

□@—á□j

□@—á□i

□@—á□i

□@—á □j

□@—á□j

□@—á□j

ITM\_LIST@((fŠfXfgf{fbfNfX)AfRf" f{f{fbfNfX)  
ITM\_TAB@((f^fufrf"fgf)f<)  
ITM\_MENU@((f)fjf...)[  
ITM\_TREEVIEW@((fcfŠ)[frf...][  
ITM\_LSTVIEW@((fŠfXfgfrf...)[  
ITM\_EDIT@((fGfffBfgf{fbfNfX)  
ITM\_STATIC@((fxf^fefBfN)AfXfe)f^fx)  
Ô†F@ITM\_LISTAITM\_TREEVIEWAITM\_LSTVIEW@•í"“¶Ýž,í¶ä,©,ç,lf  
Rf"fgf)f<#”Ô,ðžw'è  
@fŠfXfgfrf...[—ñF@fŠfXfgfrf...[žw'èž,ifŠfXfgfrf...[.,í—ñžw'è  
@-ß'l@  
@fQfbfg,μ,½",ð•Ô,:  
@žæ“¾,μ,½•ñ,í"z—ñ•í",í@ALL\_ITEM\_LIST[]@,ÉŠi"[,³,ê,é("z—ñ,í[f],©,ç)

□@—á □j

“@|^ø”,È,µ,Åo,µOFF  
“@;BGR’|@—á)@ÂF\$FF0000@A—  
ÍF\$00FF00@A@ÓF\$0000FF@AfifŒf“W@F\$80FF@A%oo©@F\$FFFF

■@—á■j

□@—á□j

□@/□@fVf‡□[fqflfbfgfL□[.jŽÀ□s



False FfEfBf“fhfE<sup>^</sup>”u<sup>iffff</sup>fHf<fg<sup>ij</sup>  
True FfNf%oCfAf“fg—l<sup>^</sup>æ, l<sup>^</sup>”u, ðŠi<sup>€</sup>, É, ·, é  
^E~\_IMMV()ABTN()APEEKCOLOR()ACHKIMG()ŠÖ”, iÀ•W, ðŽw’èfEfBf“fhfE, ðŠi<sup>€</sup>, É, μ, ½, à, ì, É, ·, é  
@fXfNFNS[]“À•W, É-ß, ·žž, ífff<sup>ñ</sup>, ðŽw’è@MouseOrg(0)

█@//█@Žw'è^Ê'u,ì█F,ð“¾,é  
█@-ß'█@=█@PEEKCOLOR(█@X,█@Y )  
█@^Ø█”  
█@█@X█AY█F█@^Ê'u X█AY  
█@-ß'█@  
█@█@Žw'è^Ê'u,ì█F█@•ñ█@█iBGR'█j

□@□!‰æ-Ê,ºTrueColor ,Å,È,¢,ÆfAfNfefBfufEfBf“fhfE,º•Ï,Å,½ŽŽ,É’I,º•Ï‰oo»,·,é‰ooÅ\□«,º,é

□@—á□j

■@—á■j

¶@¶'¶@Ver2.6,æ,èfT¶[f "Í^Í,àMOUSEORGŠÖ",É,æ,é'S'í¶À•WŽw'è,ì‰e<„,ðŽó, „,é

□@//□@%oæ`œ,ì•Û'¶  
□@SAVEIMG(□@%oæ`œ-¼,□@[ID,□@x,□@y,□@•□,□@□,,³,□@fNf‰oƒCfAf“fg—ì^æ]□@)  
□@^ø□”  
□@□@%oæ`œ-¼□F□@•Û'¶ftƒ@fCf<-¼(BMPŒ`Ž®)  
□@□@ID□F□@Window,ðŽ-•Ê.,éID□i,O,Å, ,ê,ƒXfNfŠ□[f“‘S’ì□j  
□@□@X□AY□F□@^Ê'u  
□@□@•□,□,,³□F□@‘å,«³  
□@□@fNf‰oƒCfAf“fg—ì^æ□F  
□@□@□@□@False□FŽw'èfEfBf“fhfE—ì^æ□fffftFHF<fq□j

¶@¶@¶@¶@¶@True¶FfNf%oofCfAf“fg—ì`æ

1

□@—á□j

□@□! ft□[fU□['è`<sup>^</sup>f]□[f]f,ífnf“fhf<'l,ðf}fCfifX,É,μ,Ä•Ô,·i<N“®-^,É•ï‰»□j

//@äŠÖ”ŠÖ~A

□@//□@fAfvfŠ,ì<N“®

□@-ß'□@=□@EXEC(□@exe-¼,□@[“-Šúftf%oofO,□@X,□@Y,□@•□,□@□,,³]□@)

□@^ø□”

□@□@exe-¼□F□@<N“®,μ,½,cfAfvfS-¼

□@□@“-Šúftf%oofO□F

False

True

•@•@Window•@Window

Windows 8.1

100

[@][@][=¹]U,¿,¤Zw'e,³,e,½[e]‡,[@],»,lfAJfvfS,

• 100 •

• 100% Natural • 100% Organic • 100% Sustainable • 100% Fair Trade • 100% Vegan

-----  
@//@@fXfŠ@[fv  
@SLEEP@i@•b )  
@^ø"  
@•b@F@fXfŠ@[fv,·,é•b"(Å¬=0.01)

@\_áj

-----  
@//@@DOSfRf}f"fh,ìŽÀ@s  
@DOSCMD(@DOSfRf}f"fh,@@["-Šúftf‰fO,@@‰æ-Ê•\ž;]@)  
@^ø"  
@@@DOSfRf}f"fh@F@DOS,ifRf}f"fh  
@@"-Šúftf‰fO@F  
@@@@False@F@I-¹,ð'Ò,Å(fffftjhfg)  
@@@@True@F'Ò,½,,É-ß,é  
@‰æ-Ê•\ž;F  
@@@@False@FDOS‰æ-Ê,ð•\ž;,μ,È,¢(fffftjhfg)  
@@@@True@F•\ž;,·,é

@\_áj

-----  
@//@@ftfEf"fh,ìÄ¶  
@SOUND(@ftf@fCf<-¹/₄)  
@^ø"  
@@ftf@fCf<-¹/₄F@ftf@fCf<-¹/₄(WAV,@@MID,@@AVI™)  
@@@@iftf@fCf<-¹/₄,ðÈ—³,·,é,ÆÄ¶,ðfXfgfbfv,μ,Ü,·@j  
@@@@iftf@fCf<-¹/₄=BEEP,Æ,·,é,ÆBEEP‰¹,Å,·)

@\_áj

-----  
@//@@"ú•t@AŽžŠÔ,ìŽæ"³/₄iŽžŠÔ•í",ÉžžŠÔ,ðÝè,·,é@j  
@-ß'@=@@GETTIME([@}n"ú]@)@  
@^ø"  
@{@}n"ú@F@n,ðŽw'è,·,é,Æ"-ú,©,ç}n"ú,Æ,Å,«,é@F fffffjhfg="-ú)  
@-ß'@@  
@@2000"N,PŒŽ,P"ú,©,ç,ì•b",ð•Ô,·

-----  
@'l,afZfbfg,³,ê,é"ÁŽè•í"  
@@G\_TIME\_YY @F"N  
@@G\_TIME\_MM @FŒŽ  
@@G\_TIME\_DD @F"ú  
@@G\_TIME\_HH @FŽž  
@@G\_TIME\_NN @F•²  
@@G\_TIME\_SS @F•b  
@@G\_TIME\_ZZ @Ff~fš•b  
@@G\_TIME\_WW @F—j"ú (0@F"ú—j....6@F"y—j)  
@@G\_TIME\_YY2 @F"N,ðxx,ì•¶žšŒ^

□@□@G\_TIME\_MM2 □FČž,đxx,ì•¶ŽšŒ^  
□@□@G\_TIME\_DD2 □F“ú,đxx,ì•¶ŽšŒ^  
□@□@G\_TIME\_HH2 □Fžž,đxx,ì•¶ŽšŒ^  
□@□@G\_TIME\_NN2 □F•ž,đxx,ì•¶ŽšŒ^  
□@□@G\_TIME\_SS2 □F•b,đxx,ì•¶ŽšŒ^  
□@□@G\_TIME\_YY4 □F”N,đxxxxx,ì•¶ŽšŒ^

□@—á□j

□@//□@fVffffbfgf\_fEf“/“dŒ¹’f/fTfXfyf“fh/f,fjf^Off  
□@POFF(□@fRf}f“fh )  
□@^ø□”  
□@□@fRf}f“fh□F  
□@□@□@P\_FORCE□@□@□@□@:<□§ŽÀ□s  
□@□@□@P\_POWEROFF□@□@:“dŒ¹’f  
□@□@□@P\_SHUTDOWN□@:fVffffbfgf\_fEf“  
□@□@□@P\_LOGOFF□@□@□@:f□fOfIft  
□@□@□@P\_REBOOT□@□@□@:fŠfu□[fg  
□@□@□@P\_SUSPEND□@□@:fTfXfyf“fh  
□@□@□@P\_SUSPEND2□@:fTfXfyf“fh2  
□@□@□@P\_MONIPOWER□@:f,fjf^□[OFF  
□@□@□@P\_SCREENSAVE□@:fXfNfŠ□[f“fZ□[fo<N“®  
□@□@□@□@□@P\_FORCE,Í¹¼,]fRf}f“fh,É•t‰Å,µ,ÄZg—p□@(<-  
□§“dŒ¹’f□@P\_POWEROFF□@or P FORCE “™ )

□@—á □j

□@//□@,n,rŽí•Ê  
□@-ß'Í□@=□@KINDOFOFOS()  
□@-ß'Í□@  
□@□@Ží•Ê,ðŽ!,"Ô□†  
□@□@1 □FWin95□A□@2 □FWin98□A□@3 □FWinMe□A□@10 □FNT3.5□A□@11  
□FNT4□A□@12 □FWin2000□A□@13 □FWinXP□@

□@//□@fL□[fNfŠfbfN□AfgfOf< fL□[□^•ñ  
□@-ß'!□@=□@GETKEYSTATE(□@fL□[fR□[fh )  
□@^ø□”  
□@□@fL□[fR□[fh□F□@□ó,Ô,đ,m,è,½,¢fL□[fR□[fh  
□@-ß'!□@  
□@□@fNfŠfbfN, ª, ,Á,½:True(1)□A,È,µ:False(0)

[@\f}fEfXfNfŠfbfN @VK\_RBUTTON@i%oEj@A  
@VK\_LBUTTON@i¶j@A@VK\_MBUTTON@i'tj  
@fgfOf<fL@Ó@TGL\_IME@IMEj@A @TGL\_NUMLOCK@iNumLockj  
@@@@@@@@@@@@@@@@@@@@@@TGL\_CAPSLOCK@iCapsLockj@A  
@TGL\_SCROLLLOCK@iScrollLockj

□@—á□j

-----  
□@//□@fn□[fhfEfFfA□ifL□[f{□[fh□Af}fEfX□j,©,ç,ì“ü—í<sup>Ö</sup>ž~  
□@LOCKHARD(□@<Öž~ftf%ofo )  
□@^ø□”  
□@□@<Öž~ftf%ofo□F□@□@True□F”ü—í<sup>Ö</sup>ž~□A□@False□F%oð□œ

-----  
□@//□@UWSC,²Ä¶¶žž,É□o,·fEfBf“fhfE,ì•\ž|/”ñ•\ž|  
□@STOPFORM(□@•\ž|ftf%ofo  
)□@□@□@□@//Ä¶¶’t,É□o,é□¬,³EfEfBf“fhfE□iÄ¶¶’t....f^fcfgf<□j  
□@LOGPRINT(□@•\ž|ftf%ofo )□@□@□@□@//PRINT•¶,É,æ,è□o,é•\ž|—pfEfBf“fhfE  
□@^ø□”  
□@□@•\ž|ftf%ofo□F□@□@True□F•\ž|□A□@False□F”ñ•\ž|

=====

[//□@fVfXfef€ŠÖ□”ŠÖ~A](#)

-----  
□@//□@f{f^f“—þ,þfnf“fhf<,ðQfbfg,·,é  
□@-ß’|□@=□@GETCTLHND(□@ID,□@fAfCfef€-¼,□@[“Ô¶†]□@)  
□@^ø□”  
□@□@ID□F□@Window,ðž~•Ê,·,éID  
□@□@fAfCfef€-¼□F□@f{f^f“—þ,þLfFFFvfvfþf“•¶žš  
□@□@”Ô¶†□F□@“,¶LfFFFvfvfþf“-¼,², ,é□ê□‡,É”Ô¶†žw’è□@  
□@-ß’|□@  
□@□@fnf“fhf<’l

□@□@□@GETCTLHND(ID,□@GET\_MENU\_HND)□@,Æ,·,é,Æf□fjf..fnf“fhf<,ð•Ô,µ,Ü,·  
□@□@□@GETCTLHND(ID,□@GET\_SYSMENU\_HND)□@,Æ,·,é,ÆfVfXfef€f□fjf...  
fnf“fhf<,ð•Ô,µ,Ü,

□@—á□j

-----  
□@//□@ID <->fnf“fhf<•íš.

□@fnf“fhf<=IDTOHND(□@ID )□@□@□@//ID,ðAPI“™,Å—~—p,·,é^x,Éfnf“fhf<’l,É•íš.  
□@ID =IDTOHND(□@fnf“fhf<)□@□@□@//fnf“fhf<’l,ðUWSC—p,ÉID,É•íš.

□@—á□j

=====

[//□@fEfBf“fhfEŠÖ□”’áfŒfxf<](#)

-----  
□@//□@f}fEfX^Ú“®

□@//□@fEfBf“fhfE□ó’Ô•í□X  
□@ACW(□@ID,□@x,□@y,□@[•□,,□@□,,<sup>3</sup>,□@ms]□@)  
□@“ø□”  
□@□@ID□F□@Window,ðŽ⁻•Ê,·,éID  
□@□@x,□@y□F□@Window^Ê'u  
□@□@•□,,□@□,,<sup>3</sup>□F□@Window•□,,□@□@□,,<sup>3</sup>

=====  
//@••Žš€ŋšö~A

¶@//¶@•¶Žš—ñfRfs¶[  
¶@-ß'¶@=¶@COPY(¶@•¶Žš—ñ,¶@ŠJŽn^Ê'u,¶@fRfs¶[•¶Žš¶])  
¶@^Ø¶"  
¶@¶@•¶Žš—ñ¶F¶@fRfs¶[Œ³,¶•¶Žš—ñ  
¶@¶@ŠJŽn^Ê'u¶F¶@fRfs¶[,·,×,«•¶Žš—ñ,¶ŠJŽn^Ê'u(P,©,ç)  
¶@¶@fRfs¶[•¶Žš¶"]¶F¶@fRfs¶[,·,×,«•¶Žš¶"  
¶@-ß'¶@  
¶@¶@Œ<%‰Ê.¶•¶Žš—ñ

□@—á□j

¶@//¶@•¶Žš—ň,ÉŽw'è•¶Žš—ň,<sup>a</sup>, ,é,©'T,:  
¶@-ß|¶@=¶@POS(¶@'T,·•¶Žš,¶@'T,<sup>3</sup>,ê,é•¶Žš—ň,¶@[fT¶[f`ftf%o]fO]¶@)  
¶@^Ø¶"

□@—á□j

 @// @ '"I,Å, , , , f`fFfbfN  
 @- 'I @= @CHKNUM( @• Z - )  
 @^ "  
 @ @ @• Z -  F @f`fFfbfN,·, • Z -   
 @- 'I @  
 @ @ '"I,Å, , , True A @,Å,È, , , False

□@//□@•¶ŽšŒ^,ð□"'I,É•Ï,I,é  
□@-ß'I□@=□@VAL(□@•¶Žš—ñ)  
□@^ø□"  
□@□@•¶Žš—ñ□F□@□"'I,É•Ï,I,é•¶Žš—ñ  
□@-ß'I□@  
□@□@□"'I  
□@□@□"'I•ïS·Å,«,È,¢¶ê¶‡,Í□@ERR VALUE (-9999999)□@,ðÔ,·

□@—á□i

¶@//¶@Žw'è•¶Žš,ð'uŠ·,:é  
¶@-ß'¶@=¶@CHGMOJ(¶@•¶Žš—ñ,¶@'uŠ·,μ,½,¢•¶Žš,¶@'uŠ·•¶Žš)  
¶@^ø¶"  
¶@¶@•¶Žš—ñ¶F¶@'uŠ·,μ,½,¢•¶Žš—ñ,ðŠÜ,ñ,¾•¶Žš—ñ  
¶@¶@'uŠ·,μ,½,¢•¶Žš¶F¶@'uŠ·,μ,½,¢•¶Žš—ñ  
¶@¶@'uŠ·•¶Žš¶F¶@'uŠ·•¶Žš—ñ  
¶@-ß'¶@  
¶@¶@'uŠ·,³,ê,½•¶Žš—ñ  
¶@¶@('å•¶Žš.¶¬•¶Žš.íæ•Ê.í.µ.Ü.¹.ñ)

□@—á□i

-----  
||@//||@•¶Žš,ì—¼'[,ì<ó'',Æ§Œä•¶Žš,ðŽæ,è||œ,  
||@-ß'||@=||@TRIM(||@•¶Žš—ñ)  
||@^ø||"  
||@||@•¶Žš—ñ||F||@•¶Žš—ñ  
||@-ß'||@  
||@||@—¼'[,ì<ó'',Æ§Œä•¶Žš,æŽæ,è||œ,©,ê,½•¶Žš—ñ

-----  
||@//||@||'!ftfH||[f}fbfg  
||@-ß'||@=||@FORMAT(||@||'!,||@•||.||@||-||"“\_Œ...||@)  
||@^ø||"  
||@||@||'!||F||@||"||  
||@||@•||F||@||0—í,³,ê,é•¶Žš||"||@(||"||,æ,èŽw'è•||,³'å,«,çŽž,í‰oE'¤  
,ðfXfy||[fX,É,Ä•âŠ®)  
||@||@||-||"“\_Œ...||F||@•||V||,·,é||-||"“\_Œ...||"  
||@-ß'||@  
||@||@ftfH||[f}fbfg,³,ê,½•¶Žš—ñ

-----  
||@//||@”z—ñ,ðŽw'è,³,ê,½'!,Å-,,ß,é  
||@SETCLEAR(||@•||"–¼,||@'|| )  
||@^ø||"  
||@||@•||"–¼||F||@”z—ñ•||"–¼  
||@||@'||F||@–,,ß,é'||

-----  
||@//||@•¶ŽšfR||[fh,©,ç•¶Žš,ð•Ô,.  
||@-ß'||@=||@CHR(||@•¶ŽšfR||[fh )  
||@^ø||"  
||@||@•¶ŽšfR||[fh||F||@||F||@ASCII||fR||[fh  
||@-ß'||@  
||@||@•¶Žš

-----  
||@//||@•¶Žš,©,ç•¶ŽšfR||[fh,ð•Ô,.  
||@-ß'||@=||@ASC(||@•¶Žš)  
||@^ø||"  
||@||@•¶Žš||F||@||æ“³,ì,P•¶Žš,ð||^—||  
||@-ß'||@  
||@||@ASCII||fR||[fh

=====

//||@ftf@fCf<ŠÖ~A

-----  
||@//||@ftf@fCf<fl||[fvf“  
||@-ß'||@=||@FOPEN(||@ftf@fCf<-¼,||@[fl||[fvf“f,||[fh]||@)

□@^ø”  
□@□@ftf@fCf<-¼□F□@ftf@fCf<-¼  
□@□@fl□[fvf“f,□[fh□F ^É‰‰,í•û-@,ÅŽw’è  
□@□@□@F\_READ□F□@“C,Ý□ê—pf,□[fh□@□fffftfHf<fgŽž□j  
□@□@□@F\_WRITE□F□@□’,«□ê—pf,□[fh (Šù,Éftf@fCf<,², ,é,î’O,í□í•ñ,í□Á<Ž)  
□@□@□@F\_READ or F\_WRITE□F “C,Ý□’,«—¼—p  
□@□@□@F\_EXISTS□F ftf@fCf<‘¶□Ýf`fFfbfN  
(ftf@fCf<fl□[fvf“,¹, ,Éftf@fCf<,², ¶□Ý; ,é,©,ð•Ô, [ffffBfŒfNfgfŠf`fFfbfN,í□ÅŒä,É\,ð•t  
‰‰Á])  
□@-ß’I□@  
□@□@ftf@fCf<,h,c  
□@□@fl□[fvf“,Å,«,È,©,Á,½□ê□‡,í-1, ,ð•Ô,  
□@□@F\_EXISTS□@Žw’èŽž,ÍTrue(¶□Ý,è)□^False(-³,μ□j ,ð•Ô,  
·

□@—á□j

---

□@//□@ftf@fCf<GET  
□@-ß’I□@=□@FGET(□@ftf@fCf<,h,c,□@□s,□@[-ñ]□@)  
□@^ø”  
□@□@ftf@fCf<,h,c□F□@fl□[fvf“Žž,É•Ô,³,ê,½ID  
□@□@□s□F Žæ□o,μ,½,¢□s (,P,©,çŽw’è)  
□@□@□@□@□s,É-1 ,ðŽw’è,·,é,Æ,»,ìftf@fCf<,ì□s□”,ð•Ô,μ,Ü,·  
□@□@—ñ□F Žæ□o,μ,½,¢—ñ(P,©,çŽw’è□F,fjf“f}×æ□Ø,è,ìCSVftf@fCf<,É’¹‰‰Ž)  
□@-ß’I□@  
□@□@Žæ□o,³,ê,½’l

□@—á□j

---

□@//□@ftf@fCf<PUT  
□@FPUT(□@ftf@fCf<,h,c,□@□’□ž,Ý’I,□@[□s,□@—ñ]□@)  
□@^ø”  
□@□@ftf@fCf<,h,c□F□@fl□[fvf“Žž,É•Ô,³,ê,½ID  
□@□@□’□ž,Ý’I□F□’□ž,Ý”à—e  
□@□@□s□F □’□ž,Ý,½,¢□s (,P,©,çŽw’è)  
□@□@□@□@0(ffffftfHf<fg),Å□s--,É’Ç‰‰Á  
□@□@—ñ□F □’□ž,Ý,½,¢—ñ(P,©,çŽw’è□F,fjf“f}×æ□Ø,è,ìCSVftf@fCf<,É’¹‰‰Ž)

□@□’□□FŽÀ□Û,Éftf@fCf<,¤□X□V,³,ê,é,ì,ÍFCLOSE,¤ŒÄ,î,ê,½Žž,Å,·  
□@□@□@□@□s=0,Å, ,é,î’Ç‰‰Áf,□[fh,Æ,μ,Ä□ì—p  
□@□@□@□@‘¶□Ý,·,é□s,—ñ,¤Žw’è,³,ê,½Žž,í’}“ü,Å,í,È,’uŠ·,Æ,¢,¤Œ` ,Å□ì—p

□@—á□j

---

□@//□@ftf@fCf<fnf□□[fY  
□@FCLOSE(□@ftf@fCf<,h,c )  
□@^ø”  
□@□@ftf@fCf<,h,c□F□@fl□[fvf“Žž,É•Ô,³,ê,½ID

□@—á□j

□@—á□j

//[]@,b,n,lflufWfFfNfg

□@—á□j

□@//□@Šù,É<N“®’†,¡COMflfufWfFfNfg,É’Î,µ,Ä,¡fAfNfZfX  
□@-ß’|□@=□@GETACTIVEOLEOBJ(□@COMflfufWfFfNfg-¼,□@[f^fCfgf<]□@)  
□@^Ø□”  
□@□@COMflfufWfFfNfg-¼□F□@COMflfufWfFfNfg-¼  
□@□@f^fCfgf<□F□@Window,¡f^fCfgf<□i’¼,¡Window,Ææ•Ê,Å,«,ê,î^ê•”•¤,¾,-,ÅOK)  
□@-ß’|□@  
□@□@COMflfufWfFfNfg

||@//||@fRfŒfNfVf+f“,|Žæ“³/₄  
||@-ß’||@=||@GETOLEITEM(||@fRfŒfNfVf+f“fvf||fpfefB-¹/₄)  
||@^ø||  
||@||@fRfŒfNfVf+f“fvf||fpfefB-¹/₄||@COMflufWfFfNfg.fRfŒfNfVf+f“Žæ“³/₄fvf||fpfefB-¹/₄  
||@-ß’||@  
||@||@fQfbfg,μ,½fRfŒfNfVf+f“,||”

□@□@□K“<sup>3</sup>/<sub>4</sub>,μ,<sup>1</sup>/<sub>2</sub>•”,í”z—ñ•í”,”,ì@ALL\_OLE\_ITEM[ ]□@,ÉŠi”[,<sup>3</sup>,ê,é(”z—ñ,íf[f],©,ç)

□@—á□j

-----  
□@//□@COMfGf%oo□[f□fbfZ□[fW,ì—}Ž~  
□@COM\_ERR\_IGN  
□@□@□@//%oo<sup>1</sup>/<sub>2</sub>“™,©,ìCOM□^—□  
□@COM\_ERR\_RET

□@!COM\_ERR\_IGN(fGf%oo□[-<sup>3</sup>Ž<)□`COM\_ERR\_RET(fGf%oo□["FŽ")ŠÔ,Å,ìCOMfGf  
%oo□[f□fbfZ□[fW,ð□o,È,¢,æ,¤,É,·,é  
□@□@□@,±,ìŠÔ,ífGf%oo□[,íERR\_VALUE (-999999),ð•Ô,·,©,É,æ,è”FŽ-%ooÅ

□@—á□j

=====

//□@”ŠwŠÖ□”

□@RANDOM(Range)□@□@□@0 <=X <Range ,ì”í,É, ,é—□”,ð•Ô,·  
□@ABS(^ø□”)□@□@□@□â’í  
□@ZCUT(^ø□”)□@□@f}fCfjfX’í,íf[f],É,·,é  
□@INT(^ø□”)□@□@□@□@”^È%oo^Ø—Ž,Æ,µ  
□@ROUND(^ø□”)□@□”^È%oo^ŠÛ,ß,é  
□@SQRT(^ø□”)□@□@•½•Û□<sup>a</sup>  
□@POWER(Base,Exponent)□@□@—Ý□æ(Base,ìExponent□æ)  
□@EXP(^ø□”)□@□@□@žw□”ŠÖ□”  
□@LN(^ø□”)□@□@□@□@žc’R’í□”  
□@LOGN(Base,X)□@□@Base,ð’ê,Æ,·,éX,ì’í□”  
□@SIN(^ø□”)□@□@□@f%ofWfAf”’P^È  
□@COS(^ø□”)□@□@f%ofWfAf”’P^È  
□@TAN(^ø□”)□@□@f%ofWfAf”’P^È

□@!UWSC,Å,íf[f]Š,,ŽZ,ðfGf%oo□[,Æ,í,<sup>1</sup>,,Éf[f],É,µ,Ü,·

=====

//□@”ÁŽê•í”

□@G\_MOUSE\_X □Ff}fEfX^È'uX,ð•Ô,·”ÁŽê•í”  
□@G\_MOUSE\_Y □Ff}fEfX^È'uY,ð•Ô,·”ÁŽê•í”  
□@GET\_WIN\_DIR □FWindowsfffBfŒfNfgfŠ  
□@GET\_SYS\_DIR □FSystemfffBfŒfNfgfŠ  
□@GET\_CUR\_DIR □FŒ»□Y,ífjfŒf”fgfffBfŒfNfgfŠ  
□@GET\_UWSC\_DIR □FUWSC,ífffBfŒfNfgfŠ  
□@GET\_UWSC\_VER □FUWSC,ífo□fWf‡f”  
□@G\_SCREEN\_W □F%ooæ-È•□  
□@G\_SCREEN\_H □F%ooæ-È□,  
□@G\_SCREEN\_C □F□F□”(,PfsfNfZf<,ífrfbfg□”)

=====

||@—\-\nŒê&ŠÖ”^ê—  
||@•ï”,Æ,µ,Ä,ížg—p,íÖž~,Å,·

//||@||•¶  
DIM@PUBLIC@IF@THEN@ELSE@IFB@ELSEIF@ENDIF@SELECT@CASE@  
DEFAULT@SELEND@  
FOR@NEXT@TO@STEP@WHILE@WEND@REPEAT@UNTIL@CALL@BREAK@  
@CONTINUE@EXIT@PRINT  
AND@OR@MOD@PROCEDURE@FUNCTION@FEND@RESULT@VAR@DEF\_DL  
L@OPTION EXPLICIT

//||@fEfBf“fhfEŠÖ~A  
GETID@CTRLWIN@CLKITEM@SCKEY@INPUT@SENDSTR@GETSTR@SETSLID  
ER@GETALLWIN  
STATUS@MSGBOX@FUKIDASI@CHKBTN@MOUSEORG@PEEKCOLOR@CHKIMG  
@SAVEIMG@GETITEM@MUSCUR

//||@§ŒäŠÖ”  
EXEC@SLEEP@DOSCMD@GETTIME@SOUND@POFF@KINDOFOS@GETKEYST  
ATE@LOCKHARD@STOPFORM@LOGPRINT

//||@fVfXfef€ŠÖ”  
GETCTLHND@IDTOHND@HNDTOID

//||@fEfBf“fhfEŠÖ”’áfŒfxf<  
MMV@BTN@KBD@ACW

//||@•¶žš’€||  
COPY@LENGTH@POS@CHKNUM@SETCLEAR@VAL@FORMAT@CHGMOJ@T  
RIM@CHR@ASC

//||@ftf@fCf<  
FOPEN@FCLOSE@FGET@FPUT@GETDIR

//||@,b,n,lfIufWfFfNfg  
CREATEOLEOBJ@GETACTIVEOLEOBJ@GETOLEITEM@EMPTYPARAM@COM\_ERR\_I  
GN@COM\_ERR\_RET

//||@”ŠwŠÖ”  
RANDOM@INT@ABS@ZCUT@ROUND@SQRT@POWER@SIN@COS@TAN@  
@EXP@LN@LOGIN

//”Ážê•ï”  
PARAM\_STR[]@ALL\_WIN\_ID[]@ALL\_ITEM\_LIST[]@GETDIR\_FILES[]@ALL\_OLE\_ITE  
M[]@GET\_WIN\_DIR@GET\_SYS\_DIR@GET\_CUR\_DIR@GET\_UWSC\_DIR@GET\_UW  
SC\_VER  
G\_IMG\_X@G\_IMG\_Y@G\_SCREEN\_\*@G\_TIME\_\*

//||@’è||”

TRUE@FALSE@ACTIVATE@CLOSE@HIDE@SHOW@MIN@MAX@NORMAL@  
CLICK@DOWN@UP@LEFT@RIGHT@MIDDLE@  
F\_READ@F\_WRITE@F\_EXISTS@EX\_ICON@EX\_HIDE@GET\_SLIDER@ERR\_VALU  
E  
BTN\_\*@CLK\_\*@ITM\_\*@ST\_\*@SLCT\_\*@CUR\_\*

VK_Start	
VK_Win	
VK_Alt	
VK_Ctrl	
VK_Esc	
VK_Back	// @BackSpace
VK_Tab	
VK_Clear	
VK_Return	// @Enter
VK_Shift	
VK_Control	
VK_Menu	
VK_Pause	
VK_Capital	// @CapsLock
VK_Kana	
VK_Final	
VK_Kanji	
VK_Convert	// @•š.
VK_Nonconvert	// @-•š.
VK_Accept	
VK_ModeChange	
VK_Escape	
VK_Space	
VK_Prior	// @PageUp
VK_Next	// @PageDown
VK_End	
VK_Home	
VK_Left	// @fj
VK_Up	fj
VK_Right	
VK_Down	
VK_Select	
VK_Print	
VK_Execute	
VK_Snapshot	// @PrintScreen
VK_Insert	
VK_Delete	
VK_Help	
VK_Apps	// @fRf“fefLfXfgfjfjf...
VK_Multiply	// @*
VK_Add	// @+

VK\_SEPARATOR  
VK\_SUBTRACT //@-  
VK\_DECIMAL  
VK\_DIVIDE //@/  
VK\_NUMPAD0`9  
VK\_F1@`@VK\_F12  
VK\_NUMLOCK  
VK\_SCROLL //@ScrollLock











```

@//@“ü—Í,³,ê,½”,ðŠKæŒvŽZ,·,é
@While@True
@“”=@=>@input("1`10,ìŠÖ,ì“,ð“ü—Í,µ,Ä‰‰,³,¢")
@ifb@VAL("")@=@ERR_VALUE
@MsgBox("”’I,ð“ü,ê,Ä,,³/₄,³,¢")
@Continue
@endif
@ifb (<”<1)@or@(>10)
@MsgBox("Žw’è”í^à,ì“,ð“ü,ê,Ä,,³/₄,³,¢")
@Continue
@endif
@break
@wend
@print “+”,ìŠKæ,ì“š,!,í"+ŠKæŒvŽZ("")+",Å,·"
@siki =”+“*10”
@print siki +”,ì“š,!,í"+VAL(siki)+”,Å,·"
@//MainfvfOf‰f€,í,±,±,Ü,Å
@
@
@//ŠÖ””è<
@function@ŠKæŒvŽZ('I)
@ifb@’I@=@0@then
@=@@Result@=@1
@=@@Exit
@endif
@Result ='I *ŠKæŒvŽZ('I-1)//,±,ì,æ,¤,É¤Ä¤AŒvŽZ,à,Å,«,é,ñ,³/₄,æ
@fend

```



||@//||@'S•",jfEfBf"fhfE||•ñ,ð•\Ž|,:é||@-"fAfCfRf"ó'Ô,ì,à,íŒ³,É-ß,·  
||@||@=||@GETALLWIN()||@||@//||@'S,h,cfQfbfg  
||@Print||@"  
||@For||@i||@=||@0||@to||@"-1  
||@||@||@print||@STATUS(ALL\_WIN\_ID[i],||@ST\_TITLE)||@||@||@//f^fCfgf•\Ž|  
||@||@||@//||@ó'Ô•\Ž|  
||@||@||@print||@"X="||@+||@STATUS(ALL\_WIN\_ID[i],||@ST\_X)||@+||@",Y="||@+||@S  
TATUS(ALL\_WIN\_ID[i],||@ST\_Y)  
||@||@||@print||@"•||="||@+||@STATUS(ALL\_WIN\_ID[i],||@ST\_WIDTH)||@+||@",||,="||  
@+||@STATUS(ALL\_WIN\_ID[i],||@ST\_HEIGHT)  
||@||@||@print||@"IsICON="||@+||@STATUS(ALL\_WIN\_ID[i],||@ST\_ICON)  
||@||@||@print||@",IsVISIBLE="||@+||@STATUS(ALL\_WIN\_ID[i],||@ST\_VISIBLE)  
||@||@||@print||@",IsACTIVE="||@+||@STATUS(ALL\_WIN\_ID[i],||@ST\_ACTIVE)  
||@||@||@//||@fAfCfRf"ó'Ô,ì,à,íŒ³,É-ß,  
||@||@||@f||@STATUS(ALL\_WIN\_ID[i],||@ST\_ICON)||@then||@CtrlWin(ALL\_WIN\_ID[i],||  
@NORMAL)  
||@Next

||@//||@fŠfXfgf{fbfNfX,É||Ý,é•",ð'S,Ä•\Ž|,:é  
||@id||@=||@GetID("Form1")  
||@for||@i||@=||@0||@to||@GetItem(id,||@ITM\_LIST,||@1)-1  
||@||@||@print||@ALL\_ITEM\_LIST[i]  
||@next



□@//□@f{f^f“‘l’δ  
□@SELECT□@SLCTBOX(SLCT\_BTN,□@10,□@“,Ç,ê,©‘I,ñ,Å,Ë”,□@“AAAAA”,□@“BBBBB”,□@“CCCC”)  
□@□@CASE□@SLCT\_1  
□@□@□@FUKIDASI(“,P”Ô-Ú,¤’I,î,ê,Ü,μ,½”)  
□@□@CASE□@SLCT\_2  
□@□@□@FUKIDASI(“,Q”Ô-Ú,¤’I,î,ê,Ü,μ,½”)  
□@□@CASE□@SLCT\_3  
□@□@□@FUKIDASI(“,R”Ô-Ú,¤’I,î,ê,Ü,μ,½”)  
□@□@CASE□@0  
□@□@□@FUKIDASI(“f^fCf€fAfEf g,μ,Ü,μ,½”)  
□@SELEND  
□@Sleep(3)  
□@FUKIDASI()  
  
□@//□@f`fFfbfNf{fbfNfX□i•i□”‘l’δ,¡‰Å”\□«, ,è)  
□@ans□@=□@SLCTBOX(SLCT\_CHK,□@0,□@“•K—v,È,à,ì,ðf`fFfbfN,μ,Ä,Ë”,□@\_  
//□sCE<□‡  
□@□@□@□@□@□@“AAAAA”,□@“BBBBB”,□@“CCCC”)  
□@wks□@=□@“”  
□@if□@(ans□@and□@SLCT\_1)□@<>□@0□@then□@wks□@=□@wks□@+□@“,P”Ô-Ú”  
□@if□@(ans□@and□@SLCT\_2)□@<>□@0□@then□@wks□@=□@wks□@+□@“,Q”Ô-Ú”  
□@if□@(ans□@and□@SLCT\_3)□@<>□@0□@then□@wks□@=□@wks□@+□@“,R”Ô-Ú”  
□@FUKIDASI(wks□@+□@“,¤’I,î,ê,Ü,μ,½”)  
□@Sleep(3)  
□@FUKIDASI()  
  
□@//□@CASE□@,ì’è<` ,í•¶Žš,Å,à□”‘l,Å,à•ï□”,Å,à,n,j,³□@  
□@wkmoji□@=□@“BBB”  
□@SELECT□@INPUT(“,È,ñ,©“ü,ê,Ä”)  
□@□@CASE□@“AAA”□@□@□@□@□@□@//□@•¶Žš  
□@□@□@FUKIDASI(“AAA”)  
□@□@CASE□@wkmoji□@□@□@□@□@□@//□@•ï□”  
□@□@□@FUKIDASI(wkmoji)  
□@□@CASE□@3□@□@□@□@□@□@□@□@□@//□@”‘l  
□@□@□@FUKIDASI(“,R”)  
□@□@DEFAULT  
□@□@□@FUKIDASI(“-ó,í,©,ñ,È,¢,Å,·”)  
□@SELEND  
□@Sleep(3)

```
[@//@Excel,`'€`]
[@Excel=@=@@CreateOLEObj("Excel.Application")]
[@Excel.Visible=@=@@True
[@Workbook=@=@@Excel.WorkBooks.Add
[@for@y@=@@1@to@5
[@@@for@x@=@@1@to@5
[@@@@@Excel.ActiveSheet.Cells[y,x].Value@=@@y*10@+@@x
[@@@@next
[@next
[@PLeneSet=@=@@WorkBook.WorkSheets[1].Range["A5:E5"].Borders[4]
[@PLeneSet.Weight@=@@3
[@PLeneSet.ColorIndex@=@@3
[@Excel.WorkBooks.Open(FileName := "e:\test.csv",@@readOnly :=False)
```

```
||@//||@fj|[f\fk^Ê'u,|_F,ð•\ž|
||@x||@=||@G_MOUSE_X;||@y||@=||@G_MOUSE_Y
||@c||@=||@PeekColor(x,||@y)
||@PRINT||@"||Ô="+G_||Ô(c)+"—î="+G_-—î(c)+",||Â="+G_||Â(c)

||@//||@f^XfNfgfŒfC,|fAfCfRf“,ð||¶fNfŠfbfN
||@lfb||@CHKIMG("f^XfNfgfŒfCfAfCfRf“.BMP")
||@||@BTN(LEFT,||@CLICK,||@G_IMG_X+5,||@G_IMG_Y+5)
||@Endif

||@//||@fEfBf“fhfE”, ,¢,¤”,í‰æ‘œ,ð•Û’¶
||@SaveImg(" , ,¢,¤.BMP",||@GETID(" , ,¢,¤"))

||@//||@^Ê‰º||@ŠÖ||”
||@function||@G_||Ô(c)
||@||@Result||@=||@c||@and||@$FF
||@fend
||@function G_-—î(c)
||@||@Result||@=||@(c||@and||@$FF00)||@/||@$100
||@fend
||@function||@G_||Â(c)
||@||@Result||@=||@(c||@and||@$FF0000)||@/||@$10000
||@fend
```

```
//AfL[],ÆSHIFTfL[],Æf}fEfXfNfŠfbfN,ðf`fFfbfN
while True
    @wks@=@"
    @if@GETKEYSTATE(VK_A)@then@wks@=@wks@+@,,`"
    @if@GETKEYSTATE(VK_SHIFT)@then@wks@=@wks@+@,"SHIFT"
    @if@GETKEYSTATE(VK_RBUTTON)@then@wks@=@wks@+@",
    %EfNfŠfbfN"
    @if@GETKEYSTATE(VK_LBUTTON)@then@wks@=@wks@+@",¶fNfŠfbf
N"
    @Fukidasi(Copy(wks,2,99))
    @if@wks@<>@""@then@sleep(0.3)
    @sleep(0.2)
wend
```





