



Writer's Cramp Database Maintenance

JRE Enterprises presents Writer's Cramp Database Maintenance for Windows. The Writer's Cramp Database Maintenance program provides four maintenance functions for the Writer's Cramp databases. These functions are: Compress Letter Database, Delete Letter Backup Database, Repair Letter Database, and Delete Letter Database. A Letter database must exist before the Writer's Cramp Database Maintenance program will run.



Writer's Cramp Database Maintenance is coded using Microsoft Visual Basic and Microsoft Professional ToolKit for Visual Basic.

Writer's Cramp Database Maintenance Windows

Main

About

Compress Letter Database

Delete Letter Backup Database

Get Password

Repair Letter Database

Delete Letter Database

Get Password

Registration

Association of Shareware Professionals

Becoming a Registered User

License Agreement

Association of Shareware Professionals

This program is produced by a member of the Association of Shareware Professionals (ASP). ASP wants to make sure that the shareware principle works for you. If you are unable to resolve a shareware-related problem with an ASP member by contacting the member directly, ASP may be able to help. The ASP Ombudsman can help you resolve a dispute or problem with an ASP member, but does not provide technical support for members' products. Please write to the ASP Ombudsman at 545 Grover Road, Muskegon, MI USA 49442-9427, Fax 616-788-2765, or send a CompuServe message via CompuServe Mail to ASP Ombudsman 70007,3536.



Becoming a Registered User

We thank you for giving Writer's Cramp a test drive. Registration is easy and it ensures that we at JRE Enterprises can continue to develop low cost, quality applications for Windows.

View REGISTER.WRI for current pricing information and registration form.

Related topics:

[License Agreement](#)

License Agreement
Copyright © 1994-1996 JRE Enterprises
All Rights Reserved

Installation of Writer's Cramp on your computer system implies agreement with the terms and conditions below.

Distribution of Writer's Cramp, its accompanying programs and documentation is considered as is. JRE Enterprises offers no warranties of any kind, expressed or implied. This includes, but is in no way limited to, warranties of Writer's Cramp's merchant ability or fitness for a particular purpose. Under no circumstances will JRE Enterprises be liable for any damages which result from the use of this program or the inability to use it. Exclusion from liability includes, but is not limited to, lost profits, lost savings, or any other incidental or consequential damages.

Writer's Cramp is distributed as Shareware. It is not free, freeware, or in the public domain. You may use Writer's Cramp for a trial period of thirty days, at no cost to you, to determine if it fits your needs. If you decide to use Writer's Cramp past the thirty day trial period, you must register and pay the applicable registration fee. Individual copies of the unregistered version of Writer's Cramp may be given to friends and associates for the same thirty day free trial period. You may also upload the unregistered version of Writer's Cramp to the public section of a public BBS.

You may not modify or disassemble Writer's Cramp, nor distribute any modified or disassembled versions of Writer's Cramp. Writer's Cramp may not be included with any other product without written permission from JRE Enterprises.

A single registered copy of Writer's Cramp can be on more than one computers' hard drive at a time as long as no more than one of these computers has Writer's Cramp in memory at the same time. You may make backup copies of Writer's Cramp as necessary for archival purposes only.

U.S. Government RESTRICTED RIGHTS: Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subdivision (b)(3)(ii) of the Rights in Technical Data and Computer Software clause at 252.227-7013.



Main Window

The Main Window of Writer's Cramp Database Maintenance is where Letter databases can be compressed, repaired, and deleted. Compressing a Letter database can reduce the amount of disk space the Letter database is using. If a Letter database gets corrupted, the repair Letter option may fix the damage. A backup database is created when a Letter database is compressed. The backup database is to provide a backout in case a newly compressed database does not work properly. If the newly compressed Letter database works properly, the backup Letter database can be deleted to free up disk space.

The EXIT button will end Writer's Cramp Database Maintenance.

Related topics:

[Compress Letter Database](#)

[Delete Letter Backup Database](#)

[Repair Letter Database](#)

[Delete Letter Database](#)



About Window

The about window displays the copyright notice and the version.release number of Writer's Cramp. Click on the About Window to close the window.

Related topics:

[Main](#)



Compress Letter Database Window

The Compress Letter Database Window is where a Letter database can be selected to be compressed. Compressing a database can free up disk space used by the database. When a Letter database is compressed, a backup of the database is created before the compression.

The COMPRESS LETTER DATABASE button will compress the selected Letter database and create a backup database.

The EXIT button will close the window and return to the Main window.

Related topics:

[Main](#)



Delete Letter Backup Window

The Delete Letter Backup Database Window displays a list of all Letter backup databases. These backup databases can be deleted to free up disk space.

The DELETE LETTER BACKUP button will delete the selected backup Letter database.

The EXIT button will close the window and return to the Main window.

Related topics:

[Main](#)

[Get Password](#)

Repair Letter Database Window

The Repair Letter Database Window is where a corrupted Letter database can possibly be fixed.

The REPAIR LETTER DATABASE button will run a repair process on the selected Letter database.

The EXIT button will close the window and return to the Main window.

Related topics:

[Main](#)



Delete Letter Database Window

The Delete Letter Database Window is where a Letter database can be deleted. A deleted Letter database can NOT be recovered.

The DELETE LETTER DATABASE button will delete the selected Letter database.

The EXIT button will close the window and return to the Main window.

Related topics:

[Main](#)

[Get Password](#)



Get Password Window

Enter the password of the selected Letter database. The selected Letter database or its backup will not be deleted unless the correct password is entered.

The CHECK button will validate the password entered. If the password is valid, then the Letter database or its backup is deleted.

The EXIT button will close the window and return to the Main window.

Related topics:

[Delete Letter Backup Database](#)

[Delete Letter Database](#)

