

Master Index

Symbols

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

GS: Getting Started UG: Users Guide LR: Language Reference TG: Template Language Reference

Symbols

(single quotes)	LR-2-7
, (comma)	LR-2-7
(double quote)	LR-2-7
! (exclamation)	LR-2-7
!!>	TG-3-3
!=	UG-474
#	TG-1-9
# (pound sign)	LR-2-7
#!	TG-6-3
#<	TG-6-3
#?	TG-5-22, TG-5-23, TG-5-24, TG-5-25 , TG-8-8, TG-8-10, TG-8-12, TG-8-13
#ABORT	TG-5-12
#ACCEPT	TG-2-29, TG-2-30 , TG-2-31, TG-8-17
#ADD	TG-3-7, TG-3-10 , TG-3-15, TG-3-17
#ALIAS	TG-3-9
#APPEND	TG-5-18
#APPLICATION	TG-1-9, TG-2-4 , TG-3-8, TG-3-19, TG-4-4, TG-5-11
#AT	TG-2-13, TG-2-15, TG-2-18, TG-2-22 , TG-8-11, TG-8-14
#ATEND	TG-2-24
#ATSTART	TG-2-23 , TG-8-21, TG-8-25
#BOXED	TG-1-8, TG-4-21 , TG-8-4, TG-8-21
#BREAK	TG-5-3, TG-5-7, TG-5-10
#BUTTON	TG-1-8, TG-4-8 , TG-4-21, TG-4-24, TG-8-25
#CASE	TG-1-4, TG-5-8
#CLASS	TG-6-4 , TG-8-4
#CLEAR	TG-3-13
#CLOSE	TG-5-15
#CODE	TG-1-4, TG-1-5, TG-1-10, TG-2-12 , TG-2-21, TG-2-22, TG-2-23, TG-2-24, TG-2-28, TG-2-29, TG-3-5, TG-3-9, TG-4-4, T G-6-11, TG-8-17
#COMMENT	TG-6-4
#CONTROL	TG-1-4, TG-1-5, TG-1-10, TG-2-14 , TG-2-21, TG-2-22, TG-2-23, TG-2-24, TG-2-29, TG-3-5, TG-3-9, TG-4-4, TG-6-11, T G-8-21
#CREATE	TG-5-13
#CYCLE	TG-5-3, TG-5-7, TG-5-10
#DECLARE	TG-3-7 , TG-3-19, TG-8-6, TG-8-21, TG-8-25
#DEFAULT	TG-3-3, TG-3-4, TG-3-6
#DELETE	TG-3-7, TG-3-11
#DELETEALL	TG-3-12
#DISPLAY	TG-1-8, TG-4-21, TG-4-22 , TG-4-24, TG-8-17
#ELSE	TG-5-4, TG-5-8
#ELSIF	TG-5-4
#EMBED	TG-1-4, TG-1-7, TG-2-10, TG-2-13, TG-2-15, TG-2-18, TG-2-20 , TG-2-28, TG-5-22, TG-5-23, TG-5-24, TG-5-25, TG-6- 11, TG-8-7
#EMPTYEMBED	TG-2-25
#ENABLE	TG-1-8, TG-4-7 , TG-4-21, TG-4-24, TG-8-4

#ENDAT	TG-2-22, TG-2-23, TG-2-24
#ENDBOXED	TG-4-21
#ENDBUTTON	TG-4-9
#ENDCASE	TG-5-8
#ENDDEFAULT	TG-3-6
#ENDENABLE	TG-4-7
#ENDFIELD	TG-4-11
#ENDFOR	TG-5-3
#ENDGLOBALDATA	TG-3-5
#ENDIF	TG-5-4
#ENDLOCALDATA	TG-3-5
#ENDLOOP	TG-5-6
#ENDPREPARE	TG-4-12
#ENDREPORTS	TG-3-4
#ENDRESTRICT	TG-2-29
#ENDSHEET	TG-4-23
#ENDTAB	TG-4-24
#ENDWINDOWS	TG-3-3
#ERROR	TG-6-5 , TG-8-6
#EXPORT	TG-6-5
#EXTENSION	TG-1-4, TG-1-5, TG-1-10, TG-2-17 , TG-2-21, TG-2-22, TG-2-23, TG-2-24, TG-2-29, TG-3-5, TG-3-9, TG-4-4, TG-6-11, T G-8-25
#FIELD	TG-4-4, TG-4-11 , TG-4-16, TG-8-6, TG-8-14
#FIND	TG-3-16 , TG-8-18
#FIX	TG-3-7, TG-3-15 , TG-3-17, TG-5-3
#FOR	TG-1-4, TG-2-21, TG-3-7, TG-3-15, TG-3-17, TG-5-3 , TG-5-10
#FREE	TG-3-7, TG-3-14
#GENERATE	TG-5-11 , TG-5-12, TG-5-13, TG-5-14
#GLOBALDATA	TG-3-5
#GROUP	TG-1-9, TG-2-9 , TG-2-21, TG-3-7, TG-5-9, TG-5-11, TG-8-4, TG-8-6
#GROUP parameters	TG-3-7
#HELP	TG-6-6
#IF	TG-1-4, TG-5-4
#IMAGE	TG-4-22
#IMPORT	TG-6-7
#INCLUDE	TG-1-11, TG-6-6
#INSERT	TG-1-9, TG-2-10, TG-5-9 , TG-5-11, TG-8-4, TG-8-6
#LOCALDATA	TG-3-5 , TG-8-3, TG-8-21
#LOOP	TG-1-4, TG-2-21, TG-5-6 , TG-5-10
#MESSAGE	TG-6-7 , TG-8-7, TG-8-12, TG-8-13
#MODULE	TG-1-9, TG-2-7 , TG-2-21, TG-2-29, TG-5-11
#OF	TG-5-8
#OPEN	TG-5-14
#OROF	TG-5-8
#POSTEMBED	TG-2-26
#PREEMBED	TG-2-27
#PREPARE	TG-4-12
#PRINT	TG-5-21
#PROCEDURE	TG-1-5, TG-1-9, TG-2-8 , TG-2-21, TG-2-23, TG-2-24, TG-2-29, TG-3-5, TG-3-6, TG-4-4, TG-5-11, TG-6-8, TG-6-11, TG- 8-3
#PROGRAM	TG-1-9, TG-2-6 , TG-2-21, TG-2-29, TG-3-5, TG-5-11
#PROJECT	TG-6-9
#PROMPT	TG-1-3, TG-1-8, TG-2-13, TG-2-15, TG-2-18, TG-3-7, TG-4-3 , TG-4-6, TG-8-4
#PROMPT Entry Types	TG-4-13

#PROTOTYPE	TG-6-8
#PURGE	TG-3-13
#READ	TG-5-14, TG-5-16
#REDIRECT	TG-5-17
#REJECT	TG-2-29, TG-2-30, TG-2-31 , TG-8-17
#RELEASE	TG-5-22, TG-5-23 , TG-5-24, TG-5-25
#REMOVE	TG-5-19
#REPLACE	TG-5-20
#REPORTS	TG-3-4
#REQ	TG-2-15
#RESTRICT	TG-2-13, TG-2-15, TG-2-18, TG-2-29 , TG-2-30, TG-2-31, TG-8-17
#RESUME	TG-5-24 , TG-8-8, TG-8-11
#RETURN	TG-5-7, TG-5-11 , TG-8-6
#SELECT	TG-3-7, TG-3-15, TG-3-17
#SET	TG-3-13, TG-3-18
#SHEET	TG-4-23
#SUSPEND	TG-5-22 , TG-5-23, TG-5-25, TG-8-8, TG-8-10, TG-8-12, TG-8-13
#TAB	TG-4-24
#TEMPLATE	TG-1-9, TG-1-12, TG-2-3
#UNFIX	TG-3-18
#UTILITY	TG-1-4, TG-1-10, TG-2-11 , TG-5-11
#VALIDATE	TG-1-8, TG-4-6 , TG-4-21, TG-4-24
#WHERE	TG-2-13, TG-2-28
#WINDOWS	TG-3-3
\$	UG-99
\$(dollar sign)	LR-2-7
%	TG-1-6, TG-1-9, UG-474
%(percent sign)	LR-2-7
% Modulus	UG-417
%#	TG-7-3
%%	TG-7-3, TG-8-27
%(expression)	TG-7-3
%@picture@symbol	TG-7-3
%[number]symbol	TG-7-3
%	TG-7-3, TG-8-3
%ActiveTemplate	TG-7-13
%Application	TG-7-6
%BytesOutput	TG-7-18
%ConditionalGenerate	TG-7-18
%Control	TG-7-14, TG-8-13
%Driver	TG-7-17
%EmbedDescription	TG-7-18
%EmbedID	TG-7-18
%EmbedParameters	TG-7-18
%EOF	TG-7-18
%False	TG-7-18
%Field	TG-7-9
%File	TG-7-7
%Formula	TG-7-16
%Key	TG-7-10
%Module	TG-7-11
%Null	TG-7-18
%Primary	TG-7-16
%Procedure	TG-7-12
%Relation	TG-7-11
%Report	TG-7-15

%Secondary	TG-7-17
%symbol	TG-7-3
%True	TG-7-18
%ViewFiles	TG-7-8
%Window	TG-7-13
&	UG-474
& (ampersand)	LR-2-7
& Concatenate	UG-417
() (parentheses)	LR-2-7
(...)	UG-417
*	TG-2-9, TG-5-9, UG-474
* (asterisk)	LR-2-7
* Multiply	UG-417
*.TPL	TG-1-4
*.TPW	TG-1-4
+	UG-465, UG-474, UG-479, UG-480, UG-484
+ (plus sign)	LR-2-7
+ Plus	UG-417
-	UG-465, UG-474, UG-479, UG-480, UG-484
- (minus sign)	LR-2-7
- Minus	UG-417
->	UG-474
.	UG-474
. (period)	LR-2-7
.APP	UG-433
.APP file	UG-76, UG-108
.CLA files	LR-2-13
.CLW	UG-401
.CLW file	UG-201
.DCT file	UG-22, UG-77
.DLL	LR-10-14, UG-644
.DLL file	
Creating	UG-444
.ENV	LR-10-74
.INI file handling code	TG-8-7
.LIB	UG-439
.OBJ	UG-439
.OBJ files	LR-xxxvii
.PRJ	UG-432, UG-433, UG-435, UG-636
.TPE	UG-612
.TPL	TG-1-10, TG-1-12
.TPL file	UG-115
.TPR	UG-612
.TPS	UG-604
.TPW	TG-1-10, TG-1-12
.TRF file	UG-116
.TXA	TG-6-7
.TXA file	UG-118
.TXA file format	TG-3-6
.VBX control	LR-6-61
.VBX file	LR-6-103
/ UG-474	
/ (slash)	LR-2-7
/ Divide	UG-417
/LOGFILE	UG-623
:(colon)	LR-2-7

::=	UG-474
:=:	LR-4-16
;(semi-colon)	LR-2-7
<	UG-474
< (left angle bracket)	LR-2-7
< > (angle brackets)	LR-2-7
< Less Than	UG-417
<=	UG-474
<= Less or Equal	UG-418
<>	UG-474
<> Not Equals	UG-417
=	UG-474
= (equal sign)	LR-2-7
= Equals	UG-417
>	UG-474
> (right angle bracket)	LR-2-7
> More Than	UG-417
>=	UG-474
>= More or Equal	UG-418
?	UG-260, UG-270, UG-278, UG-285, UG-291
? (question mark)	LR-2-7
@ (AT sign)	LR-2-7
[] (brackets)	LR-2-7
^	UG-474
^ (carat)	LR-2-7
^ Exponentiation	UG-417
{ } (curly braces)	LR-2-7
	UG-474
(vertical bar)	LR-2-7
~	UG-441
~ (tilde)	LR-2-7
16-bit application	UG-447
16-bit CRC	LR-10-92
24-bit color	UG-215
32-bit	LR-xxxvii
32-bit application	UG-447
3D	UG-312
3D Look	UG-217
4GL	GS-2

A

abort source generation	TG-5-12
ABS (absolute value)	LR-13-3
ABSOLUTE	LR-8-22
Accelerator key	UG-264, UG-525
Button	UG-270
Creating	UG-243
ACCEPT	LR-xxxi, LR-7-4
Accept button	UG-424
ACCEPT loop	TG-8-7, UG-244
AcceptAll mode	LR-7-29, LR-C-16
ACCEPTED	LR-7-38
Access	UG-616
Access mode	LR-10-89
access to the embed points	TG-1-7
accessing existing data	UG-528

ACOS (arccosine)	LR-13-9
Action controls	UG-259
action message	GS-107
Actions	UG-228
Actions dialog	TG-1-8, TG-8-6, TG-8-14
Actions popup menu	TG-1-7
Actions... dialog	TG-4-11
ADD	LR-xxxiv
FILE	LR-10-39
QUEUE	LR-12-12
add file to project	TG-6-9
add to logical procedure tree	TG-4-20
add to multi-valued symbol	TG-3-10
add to source file	TG-5-18
add-in utilities	TG-1-4
adding a report	GS-149
Adding New Template Sets	TG-1-12
Adding Source Code Files	UG-438
adding your own features	TG-1-11
Addition operator	LR-4-3
ADDRESS	LR-13-38
AFTER	TG-2-13, TG-2-15, TG-2-17
AGE	LR-13-29
Alarm (BEEP)	LR-13-40
ALERT	LR-7-6
Alert	UG-227
Alert Keys dialog	UG-227
Algebraic Order of Operation	LR-4-3
ALIAS	LR-7-49
Alias	UG-48. See also Files: alias
Align Toolbox	
Report Formatter	UG-357, UG-376
aligned target language comments	TG-6-3
Aligning Fields	GS-108
Alignment Menu	
Report Formatter	UG-381
Alignment menu	
Window formatter	UG-230
ALL	LR-13-11
All or nothing	LR-10-63
Allocation	UG-58
Allocation, memory	
Dynamic	LR-3-41
memory QUEUE	LR-12-3
Static	LR-3-41
ALONE	
Print structure attribute	LR-8-22
Alphanumeric	
CSTRING	LR-3-18
PSTRING	LR-3-20
STRING	LR-3-16
ALRT	
window attribute	LR-6-19
window control attribute	LR-6-100
ALRT attribute	UG-264

Alternate sort orders	LR-10-83
Always on top	UG-218
Ampersand	LR-2-7
AND	LR-4-4, UG-418, UG-474
Angle brackets	LR-2-7
API calls	UG-632
API Functions	
Linking	UG-633
Prototyping	UG-632
Apostrophe	LR-2-7
APP file	GS-81
APPEND	
FILE	LR-10-40
APPLICATION	LR-6-8, TG-2-17
Application	
Creating	UG-76, UG-78
Defaults	UG-82, UG-83
Directory	UG-76
Export	UG-118
Import	UG-118
Maintaining	UG-108, UG-113
Multi user development	UG-112
Organizing	UG-111
Application Development Flow chart	GS-34, UG-20
Application Generator	UG-24, UG-76
Application modal	LR-6-15, LR-6-33
Application Options	UG-111, UG-114
Application Properties	UG-108
Application Properties dialog	UG-24
APPLICATION structure	UG-200
Application Tree	UG-87, UG-107, UG-110
Edit Menu	UG-107
Sorting	UG-111
Application Tree dialog	GS-24, GS-82, UG-24, UG-107
Application windows	LR-6-5
Application Wizard	GS-29, GS-30, UG-113
Application-modal	LR-6-33
Approx Rec Count	UG-142
ARC	LR-9-4
Arguments (Parameters)	LR-2-23
Arithmetic Operator	
Addition	LR-4-3
Division	LR-4-3
Exponentiation	LR-4-3
Modulus	LR-4-3
Multiplication	LR-4-3
Subtraction	LR-4-3
Arithmetic Operators	LR-4-3, LR-4-5
Arithmetic overflow	LR-3-44, LR-4-20
Array	
Definition	UG-56. See also Field Properties: dimension
DIM	LR-3-32
passing as parameter	LR-2-38
subscript	LR-4-3, LR-4-10
array	TG-3-7

Array Index	
Warning	UG-448
ASCII Box control template	UG-177
ASCII Character Codes	LR-4-6
ASCII driver	UG-530
ASCII Files	
Buffered access behavior	UG-532
Data Types	UG-530
Driver Strings	UG-531
File Specifications	UG-530
QUICKSCAN	UG-532
Unsupported Functions and Attributes	UG-533
ASCII files	
SEND functions	UG-531
ASCII Print Button control template	UG-178
ASCII Search Button control template	UG-178
ASCII viewer	UG-159
ASIN (arcsine)	LR-13-9
ASK	LR-7-49
Assembler code	
Debugger	
16-bit	UG-465
Assembler opcodes	
Debugger Options	
16-bit	UG-461
assign value to a user-defined symbol	TG-3-18
Assignment Expression	
Creating	UG-420
Assignment Statements	
CLEAR	LR-4-19
Deep	LR-4-16
Operating	LR-4-15
Reference	LR-4-18
Simple	LR-4-15
Assignment statements	LR-2-3
Asterisk	LR-2-7
asterisk (*)	TG-2-9, TG-5-9
AT	TG-4-3, TG-4-8, TG-4-21, TG-4-22
Print structure attribute	LR-8-23
REPORT attribute	LR-8-7
report control attribute	LR-8-44
window attribute	LR-6-20
window control attribute	LR-6-101
AT attribute	TG-2-15, UG-262
ATAN (arctangent)	LR-13-10
Attribute Equates	LR-C-6
attribute string delimiter position	TG-6-16
Attributes. See controls: properties; Properties; Windows: properties	
Controls	UG-259
Attributes, runtime assignment	LR-C-3
AUTO	TG-2-9, UG-96
Variable attribute	LR-3-39
Window attribute	LR-6-21
Auto Number	GS-19, GS-68, UG-66

Auto file	
Debugger Options	
16-bit	UG-461
Auto-Populate	UG-48, UG-50
AUTOEXEC.BAT	GS-9, UG-10
Automatic Conversion of Data Types	LR-4-20
Automatic overlay loader	LR-xxxviii
Automatic Save	
Text Editor	UG-412
Automatic variables	LR-2-14, LR-2-16
AVE	LR-8-45
B	
B (blank when zero)	LR-3-44
Back-end	UG-618
Backup Files	
Text Editor	UG-411
Balloon Help	UG-269. See Tool Tip
BAND (Bitwise AND)	LR-13-21
Band View	GS-155, UG-355, UG-383
Bands Menu	UG-381
Base 10 logarithm	LR-13-5
Base Data Types	LR-4-20
Base numbers	
Binary	LR-4-5
Decimal	LR-4-5
Hexadecimal	LR-4-5
Octal	LR-4-5
BASIC file driver	UG-534
BASIC files	
Buffered access behavior	UG-537
Driver Strings	UG-536
Field delimiter	UG-537
File Specifications	UG-535
QUICKSCAN	UG-537
SEND functions	UG-536
Supported Data Types	UG-535
Unsupported Functions	UG-539
BCD	LR-4-21
BEEP	LR-10-99, LR-13-40
BEFORE	TG-2-13, TG-2-14, TG-2-17
Before Lookups	TG-8-9
BEGIN	LR-2-39, LR-5-5
begin conditional source	TG-5-22
Begin executable CODE	LR-2-18
BFLOAT4	LR-3-10, UG-54
BFLOAT8	LR-3-11, UG-55
BINARY	
MEMO attribute	LR-10-23
Binary	
Data types	UG-54
Numeric constant	LR-4-5
Binary Coded Decimal (BCD)	LR-4-21
Binary Large Objects	UG-55
BIND	LR-4-11, UG-143, UG-149, UG-171

BINDABLE	
FILE attribute	LR-10-12, LR-12-9
variable declaration attribute	LR-3-39
BINDABLE attribute	UG-47
Binding	UG-47
Bit manipulation	
BAND	LR-13-21
BOR	LR-13-22
BSHIFT	LR-13-24
BXOR	LR-13-23
bitmap images in memo fields	LR-C-20, LR-C-30, LR-C-31
Bitmaps	UG-308
BLANK	LR-9-5
Blank when zero	LR-3-44
BLOB	LR-10-21, UG-55, UG-604
Block Options	
Text Editor	UG-410
BMP	UG-308, UG-440
BOF (beginning of file)	LR-10-56
Bold	UG-265
Boolean operators	LR-4-4
BOR (Bitwise OR)	LR-13-22
Border	
List box	UG-334
Column group	UG-337
Window	UG-213
BOX	
graphics procedure	LR-9-6
report control	LR-8-31
window control	LR-6-51
Box	
Report	UG-391
BOX control	UG-207, UG-312
Box Properties	
Colors	UG-313
Name	UG-313
Position	UG-313
Setting	UG-312
Use	UG-313
Box Properties dialog	UG-312, UG-391
BOXED	
report control attribute	LR-8-45
window control attribute	LR-6-102
Brackets	
	LR-2-7
BREAK	
	LR-xxix, UG-349
LOOP control statement	LR-5-10
REPORT group break structure	LR-8-14
Break Group	UG-367, UG-382
break out of a loop	TG-5-10
Break Point dialog	UG-468
Break Properties	GS-159
Break Properties dialog	UG-368
BREAK structures	GS-159
Breakpoints	

Debugger	
16-bit	UG-467
32-bit	UG-482
Removing	
Browse Box	GS-112, UG-144
Browse Box control template	UG-165
Browse Box Totals	UG-150, UG-171
Browse procedure template	GS-95
Browse Update Buttons	GS-130, GS-141
browse window	GS-93
Browse Wizard	GS-24, GS-26, UG-81
BrowseUpdateButtons	UG-173
BSHIFT (Bitwise SHIFT)	LR-13-24
Btrieve	
DATE	LR-3-22
LSTRING	LR-3-20
TIME	LR-3-23
ZSTRING	LR-3-18
Btrieve files	
Alternate collating sequence	UG-546
Driver Strings	UG-544
File Specifications	UG-543
SEND functions	UG-544
Unsupported/Modified Functions	UG-548
Buffered access behavior	UG-532
BUILD	LR-10-27, LR-10-83
Indexes	
Built-in Symbols	TG-1-3, TG-7-5, TG-7-6
built-in symbols	TG-7-3
Built-in Template Functions	TG-6-10
built-in template functions	TG-3-18
Built-in Variables	LR-C-3
Built-in variables	
PRINTER	LR-7-57
TARGET	LR-7-35
BUILTINS.CLW	LR-2-12
BUTTON	LR-6-52
BUTTON control	UG-206
Button group	UG-253
Button properties	
Accelerator key	UG-270
Actions	
Call a Procedure	UG-273
No Special Action	UG-274
Run a Program	UG-274
Default	UG-272
Drop ID	UG-272
Icon	UG-271
Immediate	UG-271
Name	UG-270
Parameter	UG-270
Required	UG-271
Setting	UG-269
STD ID	UG-272
Text	UG-270

Button Properties dialog	UG-270
BXOR (Bitwise eXclusive OR)	LR-13-23
BY	LR-5-8, TG-5-6
BYTE	LR-3-3
BYTE data type	UG-54, UG-280
BYTES	LR-10-57
C	
C	LR-2-23
calling convention	LR-2-28
Call	
FUNCTION	LR-2-22
PROCEDURE	LR-2-22
CALL (call procedure from a DLL)	LR-13-41
CALL Function	UG-637
call listbox formatter	TG-4-17
Call Procedure As Lookup	UG-191
Called Procedures dialog	UG-91, UG-98
Calling convention	UG-633
calling convention	
C	LR-2-28
PASCAL	LR-2-28
Cancel Button control template	UG-176
CAP	
report control attribute	LR-8-45
window control attribute	LR-6-102
CAP attribute	UG-289
Capitals	UG-289, UG-292, UG-296
Caption	GS-83
Caption bar	UG-212
Report formatter	UG-355
Carat	LR-2-7
Carriage-return/Line-feed	LR-2-7
Cascade	GS-53
Data Integrity	UG-70
CASE	LR-xxix, LR-5-3
CASE EVENT()	TG-8-7, TG-8-10, TG-8-14
CASE FIELD()	TG-8-8, TG-8-12, TG-8-13
Case insensitive key	LR-10-24
Case Sensitive	
Keys	UG-66
CASE structure	UG-422, UG-425
CENTER	
function	LR-13-11
report control attribute	LR-8-52
window attribute	LR-6-21
window control attribute	LR-6-121
CHAIN	LR-5-11
CHANGE	LR-7-16
Change Access Key	UG-94, UG-98
Change Case	
Text Editor	UG-405
Change Dictionary	UG-108
Change Module	UG-110
change source file	TG-5-17

Change Template	UG-110
changes to the template code files	TG-1-12
Character	
Data types	UG-54UG-56
Character String	
CSTRING	LR-3-18
PSTRING	LR-3-20
STRING	LR-3-16
Character values	
Specifying	UG-57
CHECK	TG-4-4, TG-4-13
report control	LR-8-32
window control	LR-6-55
window control attribute	LR-6-102
CHECK attribute	UG-249
Check Box	
Report	UG-395
Check Box Properties	
Accelerator key	UG-281
Actions	UG-282
Assign values	UG-283
Hide/unhide controls	UG-283
Caption	UG-280
Drop ID	UG-281
Field or variable	UG-281
Help	UG-282
Icon	UG-281
Justification	UG-281
Name	UG-281
Parameter	UG-280
Position	UG-282
Setting	UG-280
Text	UG-280
Use	UG-281
Check Box Properties dialog	UG-280
check boxes	TG-1-6, TG-1-8
Check button	UG-424
Check for other users changes	LR-10-92
CHECKBOX control	UG-206
Checkpoint	UG-71. <i>See also</i> Data Dictionary: version
Checksum	LR-10-92
Child Window	UG-203
CHOICE	LR-7-39
CHORD	LR-9-7
CHR (character from ASCII)	LR-13-12
CLA files	LR-2-13
CLAAMP	LR-10-75
CLABUTTON	LR-10-76
CLACASE	LR-10-76
CLACHARSET	LR-10-74
CLACOLSEQ	LR-10-74
CLADIGRAPH	LR-10-75
CLAMON	LR-10-75
CLAMONTH	LR-10-75
CLAMSG	LR-10-76

Clarion executables	UG-442
Clarion file extensions	
.APP	UG-76, UG-108
.CLW	UG-201
.DCT	UG-33, UG-77
.PRJ	UG-432, UG-636
.TPL	UG-115
.TRF	UG-116
.TXA	UG-118
Clarion files	UG-552
Driver Strings	UG-554
File Specifications	UG-553
SEND functions	UG-554
Clarion for Windows	UG-20
Clarion internal library	LR-2-12
Clarion language	UG-20
Clarion menu	UG-14
Clarion Programming	UG-20
Clarion standard date	LR-13-25
Clarion standard time	LR-13-25
CLASS	LR-6-103
Class Clarion	UG-115
CLEAR	LR-4-19, TG-4-7, TG-4-21
clear single-valued symbol	TG-3-13
Client-Server	UG-616
CLIP	
function	LR-13-12
CLIPBOARD	LR-7-60
Clipper files	UG-556
Data Types	UG-556
Driver Strings	UG-558
File Specifications	UG-557
SEND functions	UG-558
Unsupported/Modified Functions	UG-560
CLOCK	LR-13-26
Clock	UG-215
CLOSE	
FILE	LR-10-29
REPORT	LR-8-59
VIEW	LR-11-10
window	LR-7-17
Close Button control template	UG-177
Close Current Window	UG-193
close source file	TG-5-15
CLWDB.EXE	UG-457
CNT	LR-8-46
CODE	LR-2-18
Code generation	UG-113
Code reusability	UG-3
code reusability	GS-2
Code Template	TG-8-16
Code template	UG-22, UG-103, UG-191
code template	TG-1-7, TG-1-8, TG-1-10, TG-2-12, TG-2-21
Code Templates	GS-32
Code templates	TG-1-5

code templates	TG-1-4, TG-8-11, TG-8-14
Collating sequence	
INDEX	LR-10-18
KEY	LR-10-19
SORT (QUEUE)	LR-12-19
Colon	LR-2-7
COLOR	
report control attribute	LR-8-46
window control attribute	LR-6-104
Color	UG-215, UG-225, UG-525
Debugger Options	
16-bit	UG-463
Text Editor	UG-410
COLORDIALOG	LR-7-53
Colorization, Browse Box	UG-150, UG-172
Colorization, Tree control	UG-189
colorized list box fields	LR-6-111
colors in list boxes	LR-6-71
COLUMN	LR-6-104
Column groups	
List box	UG-335
Column headers	
Default field heading	UG-56
List box	UG-327
Column titles	
Report	UG-387
Column width	
List box	UG-327
COMBO	LR-6-57
Combo Box	UG-288
Defined	UG-326
Combo box	UG-184
COMBO control	UG-206
Combo Properties	
Capitalization/case	UG-289
Entry Mode	UG-289
Entry pattern	UG-288
Picture token	UG-288
Read Only	UG-289
Setting	UG-288
Comma	LR-2-7
COMMAND	
command line	LR-13-30
command buttons	TG-1-6, TG-1-8
Command line	
COMMAND	LR-13-30
SETCOMMAND	LR-13-34
comment block	TG-1-11
comment column	TG-6-4
COMMIT	LR-10-65, LR-10-67
Commit boundaries	LR-10-63, LR-10-68
commit conditional source generation	TG-5-23
Comparison Operators	LR-4-4
COMPILE	LR-2-40

Compile and link	UG-433, UG-456
Customizing	UG-442
Other projects	UG-441
Compile options	
Individual files	UG-451
Storing	UG-432
Compile Options dialog	UG-438, UG-451, UG-456
Compile Results dialog	UG-28
Compiler	LR-2-39
Compiler Error Messages	LR-D-9
compiling	GS-93
COMPONENT	TG-4-4, TG-4-13
Component Oriented Templates	UG-131
Computed field	UG-416
Concatenate	UG-417
Concatenation	LR-4-5
Concatenation Operator	LR-4-6
Concurrency checking	LR-10-66, LR-10-90
Conditional Breakpoints	UG-468
Conditional Browse Behavior	UG-170
conditional control structures	TG-1-4
conditional execution structure	TG-5-8
Conditional Expressions	UG-422
Conditional field	UG-416
Conditional Generation	UG-113
Conditional Icon Usage	UG-151
Conditional loops	LR-xxix
Conditional Operators	LR-4-4
conditional source line	TG-5-25
Conditional text	UG-359
conditionally generate code	TG-5-4
conditionally replace source file	TG-5-20
Conditionals dialog	UG-420, UG-423
Consistency	UG-511
Constant Number	UG-418
Constant Text	UG-418
Constants	
Numeric Constants	LR-4-5
String Constant	LR-4-6
CONTENTS	LR-7-40
Continuation character ()	LR-2-7
CONTROL	TG-4-4, TG-4-14
Control	UG-61, UG-81. See also Windows: controls
Control Fields	LR-6-6
control handle	LR-C-27
Control label text	UG-519
Control menu	LR-6-36
Window formatter	UG-230
Control Panel	UG-617
Debugger Options	
16-bit	UG-460
control prompts	TG-4-11
Control Properties	UG-256
Actions	UG-228
Data dictionary field or memory variable	UG-260

Font	UG-225
Name	UG-260
Position	UG-227
Report	UG-386
Setting	UG-259
USE	UG-260
Control statements	LR-2-3
Control Structures	LR-5-3
Control Template	TG-8-20, UG-21, UG-93, UG-97, UG-107, UG-131, UG-164
Report Formatter	UG-384
Window Formatter	UG-207, UG-230, UG-232
control template	TG-1-8, TG-1-10, TG-2-14, TG-2-21
Control Templates	GS-32
Control templates	GS-112, TG-1-5
control templates	TG-1-4, TG-1-7
Control Value Validation	UG-192
CONTROLS	TG-2-15, TG-8-21
Controls	
Alignment of	UG-209
Appearance	UG-266
Availability to user	UG-266
Balloon help	UG-269
BOX	UG-207
BUTTON	UG-206
CHECKBOX	UG-206
COMBO	UG-206
Copying	UG-228
CUSTOM	UG-207
Custom	UG-259
ELLIPSE	UG-207
Enable/disable	UG-266
ENTRY	UG-205
Font specification	UG-265
GROUP	UG-206
Help	UG-267
Hiding	UG-266
Hot key	UG-263
IMAGE	UG-206
Interactive	UG-258
LINE	UG-207
LIST	UG-206
Messages	UG-269
Mode	UG-266
Non-interactive	UG-259
OPTION	UG-206
Positioning	UG-262
PROGRESS	UG-206
PROMPT	UG-205
RADIO	UG-206
REGION	UG-206
Report	UG-358
Scrolling behavior	UG-266
SHEET	UG-207
Size	UG-262
SPIN	UG-206
STRING	UG-205

TAB	UG-207
TEXT	UG-205
Tool tip	UG-269
Types	UG-258
VBX	UG-259
Visual Basic	UG-259
Controls Menu	
Report Formatter	UG-381
Controls Toolbox	
Report Formatter	UG-374
Window Formatter	UG-205, UG-208, UG-223
Controls toolbox	
Report formatter	GS-88
Report formatter	UG-356
Conversion	
Clarion for DOS3.007	UG-41
Data dictionary	UG-41
DLL to LIB	UG-635
Conversion of Data Types	LR-4-20
Conversion to CW 1.5	UG-118
convert ANSI strings to ASCII	LR-10-77
convert ASCII strings to ANSI	LR-10-78
CONVERTANSITOOEM	LR-10-77
CONVERTOEMTOANSI	LR-10-78
Cooperative multi-tasking	LR-7-10
Coordinates	
Windows and controls	UG-262
COPY	LR-10-29
Copy	
Controls	UG-228
Procedures	UG-110
Report elements	UG-379, UG-381
Text Editor	UG-403
Copy and Paste	
Data dictionary	UG-71
Fields	UG-71
Files	UG-71
Copy Procedure	GS-117
COS (cosine of angle)	LR-13-8
CREATE	
attribute	UG-86
FILE	LR-10-30
FILE attribute	LR-10-7
window control	LR-7-18
Create Application dialog	GS-14, GS-31
CREATE attribute	UG-46
Create Map File	UG-450
create source file	TG-5-13
Creating an Expression	UG-420
Credit (CR) pictures	LR-3-43
Crosshair	UG-268
CSTRING	LR-3-18, UG-54
Currency Pictures	LR-3-43
current instance number	TG-6-13
Current Line	
Debugger	UG-471

Current Target	LR-9-3
CURSOR	
TOOLBAR attribute	LR-6-44
window attribute	LR-6-22
window control attribute	LR-6-105
Cursor	UG-220, UG-520
Appearance	UG-268
CUSTOM	
report control	LR-8-33
window control	LR-6-61
Custom .VBX control	LR-6-61
custom code	TG-1-7
CUSTOM control	
Window Formatter	UG-207
Custom Control Properties	
Cursor	UG-321
Field or variable	UG-320
Metafile	UG-321
Position	UG-321
Setting	UG-318
Text	UG-320
Use	UG-320
Custom Control Properties dialog	UG-320
Custom Control Registry	UG-319
Custom Controls	
Report	UG-396
Custom controls	UG-259, UG-318
Registering	UG-319
custom dialog boxes	TG-1-6
customizations	TG-1-5
customize the application	TG-1-4
customize the templates	TG-1-4
Customizing Default Templates	TG-1-11
Cut	
Text Editor	UG-403
Cut and Paste	
Embedded Source	UG-104
CW.ENV	LR-10-74
CW.TPL	TG-1-11
CW15.RED	UG-434
CWODBC16.DLL	UG-618
CWODBC32.DLL	UG-618
CWRUN.DLL	UG-443
CWRUNxx.DLL	UG-443
CYCLE	LR-xxix, LR-5-12
cycle to top of loop	TG-5-10
Cyclical Redundancy Check (CRC)	LR-10-92
D	
DATA	TG-2-20
Data	
Declaring variables	UG-95
Display format	UG-56
Duplication	UG-37
Encryption	UG-47

Entry control	UG-96
External	UG-84
Integrity	UG-40, UG-69
MODULE	UG-96
Normalization	UG-37
Picture token	UG-56
Storage format	UG-56
Validation	UG-59
Data button	UG-81
Data Conversion Rules	LR-4-20
Data Dictionary	UG-32
Adding file alias	UG-42, UG-48
Adding Files	UG-42
Benefits of	UG-33
Conversion of	UG-41
Copy and Paste	UG-70
Creating	UG-34
Customize	UG-72
Defining defaults	UG-33
Defining fields	UG-34
Designing	UG-37
Editing Dictionary Properties	UG-41
Information stored	UG-33
Managing	UG-70
Managing fields	UG-34
Managing files	UG-33
Managing keys	UG-34
Naming	UG-34
Opening	UG-41
Password	UG-42
Quick Load	UG-43
Setup	UG-72
Versions	UG-71
data dictionary	GS-13
Data entry format	UG-61
data entry validation	TG-8-16
data fields in the dictionary	TG-1-8
Data File Name	GS-15
Data Integrity	UG-85, UG-488
Data integrity	LR-10-63
Data management	UG-37
Data names (Labels)	LR-2-3
Data Sources	UG-617, UG-619
Data Type Conversion	LR-4-22
Data Types	UG-530
BFLOAT4	LR-3-10, UG-54
BFLOAT8	LR-3-11, UG-55
BLOB	UG-55
BYTE	LR-3-3, UG-54
CSTRING	LR-3-18, UG-54
DATE	LR-3-22, UG-54
DECIMAL	LR-3-12, UG-55
Equivalents	UG-633
GROUP	LR-3-24, UG-55
LIKE	LR-3-27
LONG	LR-3-6, UG-54

MEMO	UG-54
PDECIMAL	LR-3-14, UG-55
Performance	UG-55
PICTURE	UG-54
PSTRING	LR-3-20, UG-54
REAL	LR-3-9, UG-54
SHORT	LR-3-4, UG-54
SREAL	LR-3-8, UG-54
STRING	LR-3-16, UG-54
TIME	LR-3-23, UG-54
ULONG	LR-3-7, UG-54
USHORT	LR-3-5, UG-54
Data types	
Translating	UG-633
Data validation	
Must be in List	UG-61
No Checks	UG-60
Numeric	UG-60
Required field	UG-60
True or False.	UG-60
Database	
Design	UG-37
Tables	UG-37
Database driver libraries	
Linking	UG-439
Database drivers	UG-3, UG-528
database drivers	GS-2
Database Manager	UG-488
Database Recovery Utility	UG-611
DATE	UG-54
data type	LR-3-22
function	LR-13-27
Date	
Standard Date	LR-13-25
TODAY()	UG-57
Date Pictures	LR-3-47
DateTimeDisplay	UG-22
DAY	LR-13-28
Day of the week	LR-13-25
DBase III files	
Data Types	UG-566
Driver Strings	UG-568
File Specifications	UG-568
Unsupported/Modified Functions	UG-570
DBase IV files	
Data Types	UG-577
Driver Strings	UG-579
File Specifications	UG-578
SEND functions	UG-579
Unsupported/Modified Functions	UG-581
DBMS	UG-617
DDE	LR-A-3, UG-626
DDE Events	LR-A-4
DDE server	UG-627
DDE services	

Debugging	UG-467
DDEAPP	LR-A-9
DDECHANNEL	LR-A-8
DDECLIENT	LR-A-6
DDECLOSE	LR-A-20
DDEEXECUTE	LR-A-17
DDEITEM	LR-A-10
DDEPOKE	LR-A-18
DDEQUERY	LR-A-7
DDERead	LR-A-13
DDESERVER	LR-A-5
DDETOPIC	LR-A-11
DDEVALUE	LR-A-12
DDEWRITE	LR-A-15
Deadly Embrace	LR-10-98
deadly embrace	LR-10-66
Debit (DB) pictures	LR-3-43
Debug	UG-113, UG-433
Debug button	UG-15
Debug Mode	UG-448, UG-455
Debug Options	UG-454
Debuggee	UG-455
Debugger	UG-28
<hr/>	
Breakpoints	
16-bit	UG-467
16-bit conditional	UG-468
16-bit unconditional	UG-467
32-bit	UG-482
Deleting 16-bit	UG-472
<hr/>	
Starting	
16-bit	UG-456
32-bit	UG-475
<hr/>	
Debugger Options	
16-bit	UG-459
Active DLLS	UG-462
Assembly single step	UG-460
Auto tile	UG-461
Clarion soft mode	UG-459
Clear Desktop	UG-462
Colors	UG-463
Control Panel	UG-460
Debugger on top	UG-461
Disable kernel messages	UG-461
Disassembly on	UG-459
Disassembly opcodes	UG-461
Extended Stack Trace	UG-459
Global find text	UG-461
Iconize when inactive	UG-461
Ignore DLL files	UG-460
Maximum disassembly windows	UG-462
Maximum source windows	UG-462
Message Groups	UG-463
No horizontal scroll	UG-461
Order record fields	UG-461
Position	UG-463

Redirection file	UG-462
Report missing source	UG-461
Restart	UG-462
Sleep Mode	UG-462
Smart Single Stepping	UG-461
Soft mode	UG-459
32-bit	UG-477
Clarion Runtime DLL	UG-477
Give debugger focus	UG-478
Install as system debugger	UG-478
Procedure window on startup	UG-478
Redirection File	UG-477
Stop at entrypoint	UG-477
Stop at first line	UG-478
Stop on dynamic DLL load	UG-478
Debugger Windows	UG-455
16-bit	
Active procedures	UG-465
Assembler code	UG-465
Default Windows	UG-464
Disassembly	UG-465
Global variables	UG-465
Library States	UG-466
Machine Registers	UG-466
Registers	UG-466
Source code	UG-464
Watch expressions	UG-464
Windows Messages	UG-466
32-bit	UG-478
Assembler	UG-481
Disassembler	UG-481
Globals	UG-479
Memory	UG-482
Procedures in	UG-479
Source	UG-480
Stack Trace	UG-480
Debugging	
Already active program	UG-457
DDE services	UG-467
Line Numbers	UG-455
Loading the Source Files	
16-bit	UG-458
32-bit	UG-476
Navigating	
16-bit	UG-471
Navigation	
32-bit	UG-483
Preparing your project	UG-455
Running the Program	
16-bit	UG-470
Single module	UG-456
Trace	
16-bit	UG-472
Debugging Process	UG-454
DECIMAL	UG-55

data type	LR-3-12
report control attribute	LR-8-52
window control attribute	LR-6-121
Decimal	
Numeric Constant	LR-4-5
Decimal Arithmetic	LR-4-21
declare a page of a #SHEET control	TG-4-24
declare a user-defined symbol	TG-3-7
Deep Assignment Statements	LR-4-16
DEFAULT	LR-6-106, TG-4-3
Default	
Entry control	UG-61
Prompt	UG-61
DEFAULT attribute	UG-272
Default Clarion template	UG-20
default Clarion template	GS-35
Default Data and Code	TG-3-3
Default dictionary	UG-112
default global data declarations	TG-3-5
default local data declarations	TG-3-5
Default message	UG-84
Default path	UG-435
Default presentation method	UG-61
default procedure starting point	TG-3-6
default procedures	TG-1-12
Default Prompt	UG-56
Default property definition	UG-89
default report structures	TG-3-4
Default settings	UG-515
Default THREAD Attribute	UG-72
Default Window Structures	UG-201
default window structures	TG-3-3
Defaults	
Defining with Data Dictionary	UG-33
defaults in the registry	TG-1-10
Define	
Fields	UG-34
Files	UG-34, UG-43
Keys	UG-35
define a formula class	TG-6-4
DEFORMAT	LR-13-13
DELETE	LR-xxxiv
FILE	LR-10-41
QUEUE	LR-12-14
VIEW	LR-11-12
Delete	
Report elements	UG-379, UG-380
Source elements	UG-405
Window elements	UG-228
Delete a file (REMOVE)	LR-10-34
delete a multi-valued symbol instance	TG-3-11
delete a source file	TG-5-19
delete all single or multi-valued symbol instances	TG-3-13
delete all values from the symbol	TG-3-13
delete multiple multi-valued symbol instances	TG-3-12

delimit conditional source	TG-5-24
Delimiters	LR-2-7
Deny All	LR-10-89
Deny None	LR-10-89
Deny Read	LR-10-89
Deny Write	LR-10-89
dependent symbols	TG-3-8
DESCRIPTION	TG-2-12, TG-2-15, TG-2-17
Design guidelines	UG-515
Design principles	UG-510
Designing windows	UG-198
Destination variable	LR-4-15, LR-4-16, LR-4-18
DESTROY	LR-7-20
DETAIL	LR-8-15
Detail	
Report	UG-366, UG-382
Detail band	GS-152, GS-157
DETAIL structure	UG-349
development environment	UG-22
Dialog boxes	LR-6-5
Dialog Header	UG-179
Dialog units	LR-8-7, LR-8-12, UG-222, UG-234, UG-327
dialog units	LR-6-15, LR-6-20, LR-6-35, LR-6-101, LR-6-111, LR-6-113, LR-6-121
Dictionary. See Data Dictionary	
dictionary description	GS-59
Dictionary dialog	UG-23, UG-33
Add Relation button	UG-35
Related File	UG-36
Dictionary Editor	UG-22
Functions	UG-33, UG-40
Opening	UG-41
Dictionary Field	
Report Formatter	UG-383
Dictionary Options	UG-72
Dictionary Properties	
Comments tab	UG-41
Dictionary Properties dialog	GS-50
DIM	LR-3-32
Dimensions	UG-56
Directness	UG-512
DIRECTORY	LR-13-31
Directory paths	UG-435
DISABLE	UG-261
statement	LR-7-21
window control attribute	LR-6-106
Disable controls	UG-266
Disable Item	UG-249
disable prompts	TG-4-7
Disable tooltip display	LR-C-34
DISPLAY	LR-7-22
Display Field Description	UG-72
Display Field Picture	UG-73
Display Field Type	UG-73
Display File Description	UG-72
Display File Driver	UG-72

display graphic	TG-4-22
Display Key Description	UG-73
Display Key Type	UG-73
Display Primary Key Status	UG-73
display radio buttons	TG-4-19
DISPLAY statement	UG-204
Display UNIQUE Flag	UG-73
display-only control	GS-142
display-only control.	GS-138
display-only prompt	TG-4-22
Distortion	
Report graphics	UG-389
Distributing Applications	UG-442
Distributing Files	UG-442
DIV	UG-474
Divide	UG-417
Division operator	LR-4-3
DLL	LR-3-34, UG-632
attribute of FILE	LR-10-16
attribute of QUEUE	LR-12-11
prototype attribute	LR-2-30
DO	LR-xxx, LR-5-12
Document windows	LR-6-5
Dollar sign	LR-2-7, LR-3-43
DOS Access Code	LR-10-89
DOS DLLs	LR-xxxviii
DOS extender	LR-xxxviii
DOS files	UG-588
Data Types	UG-589
Driver Strings	UG-589
File Specifications	UG-589
SEND functions	UG-589
Unsupported Functions	UG-590
DOUBLE	LR-6-23
Double Click trapping	
List box	UG-341
Double quote	LR-2-7
Double-precision real	LR-3-9, LR-3-11
Drag and drop	UG-219, UG-272, UG-277, UG-279, UG-282, UG-287, UG-293, UG-296, UG-301, UG-303, UG-305, UG-307, UG-310, UG-316, UG-317
List box	UG-342
Drag and Drop Processing	LR-7-58
Drag event	UG-343
Drag host	UG-343
DRAGID	
function	LR-7-61
window control attribute	LR-6-107
Drawing windows	UG-198
DRIVER	LR-10-7
Driver strings	UG-528, UG-531
DROP	LR-6-106, TG-4-4, TG-4-14
Drop Box Control	GS-56
Drop down list	UG-180
Drop down list box	

Defined	UG-326
Drop event	UG-344
Drop ID	UG-219
Drop target	UG-343
DROPID	
function	LR-7-62
window control attribute	LR-6-108
droplist of items	TG-4-14
DUP	LR-10-23
DUPLICATE	
FILE	LR-10-58
Duplicate	
Report elements	UG-379, UG-381
Text Editor	UG-405
Window elements	UG-228
duplicate keys	GS-16
duplicate procedures	GS-118
Dynamic Data	LR-3-41
Dynamic Data Exchange	LR-A-3
Dynamic index	
BUILD	LR-10-27
INDEX	LR-10-18
dynamic INDEX	LR-10-84
Dynamic link library	UG-632
E	
Edit Expression dialog	UG-474
edit the template source code	TG-1-11
Edit Variable dialog	UG-474
Editing data	LR-3-50
Editing Variables	
At run time	
16-bit debugger	UG-474, UG-480
Debugger	UG-474
Editing Variables at Run Time	
Debugger 32-bit	UG-484
Editor	UG-400
EJECT	LR-2-41
ELLIPSE	
graphics procedure	LR-9-8
report control	LR-8-34
window control	LR-6-63
Ellipse	
Report	UG-392
ELLIPSE control	
Window	UG-207
Ellipse control	UG-314
Ellipse Properties	
Colors	UG-314
Name	UG-314
Position	UG-314
Setting	UG-314
Use	UG-314
Ellipse Properties dialog	UG-314
Ellipsis button	UG-214

ELSE	LR-2-3, LR-5-3, LR-5-7
ELSIF	LR-xxix, LR-5-7
EMBED	TG-4-4, TG-4-15
embed	TG-1-4
Embed Point	GS-119
embed point	TG-1-10, TG-2-22
embed point availability	TG-2-28
embed point existence	TG-6-11
Embed Points	TG-1-7, TG-2-20
Embed points	UG-87
Location	UG-99
embed points	TG-8-11, TG-8-14, TG-8-16
EMBEDBUTTON	TG-4-4, TG-4-16
Embedded source	UG-21, UG-104
Comments	UG-84
Cutting and Pasting	UG-104
Defining	UG-98
Finding	UG-84
Type	UG-102
embedded source code	GS-35, TG-2-21
Embedded Source dialog	UG-25, UG-87, UG-91, UG-92, UG-99, UG-299
embedded source point	TG-2-20
Embedded SQL	LR-xxxiv, UG-621
Embeds	GS-170, UG-224
Embeds button	GS-138, TG-1-7
EMPTY	
FILE	LR-10-30
Empty Libraries	UG-110
Empty Modules	UG-110
ENABLE	LR-7-23
Enable controls	UG-266
enable/disable prompts	TG-4-7
ENCRYPT	LR-10-9
ENCRYPT attribute	UG-47
END	LR-2-3, LR-2-20
ENDPAGE	LR-8-60
Enter	UG-226
enter embedded source	TG-4-16
ENTRY	LR-6-64
Entry Box. See Entry	
ENTRY control	UG-205, UG-293
Entry controls	UG-61, UG-96, UG-259
Data	UG-96
Types of	UG-61
entry controls	TG-1-6
Entry Patterns	UG-216
Entry Properties	
Actions	UG-297
Embedded Source	UG-299
Files	UG-299
List lookup validation	UG-297
Lookup Procedure	UG-298
Capitalization/casee	UG-296
Drop ID	UG-296
Entry Mode	UG-296

Entry Patterns	UG-294
Field or variable	UG-295
Help	UG-296
Immediate	UG-296
Justification	UG-295
Justification Offset	UG-295
Name	UG-295
Picture token	UG-294
Position	UG-297
Read Only	UG-296
Required	UG-296
Setting	UG-293
Use	UG-295
<hr/>	
Entry Properties dialog	UG-294
Environment Files	LR-10-74
Environment variable (COMMAND)	LR-13-30
EOF	LR-xxxiv
EOF (end of file)	LR-10-59
Equal sign	LR-2-7
Equals	UG-417
EQUATE	LR-3-53
Equations	UG-92
ERASE	LR-7-24
ERROR	LR-13-35
Error Codes	LR-D-3
Error log	UG-113
Error Messages	LR-D-9
Error messages	
<hr/>	
Compiler	LR-D-9
Run time	LR-D-3, LR-D-7
<hr/>	
ERRORCODE	LR-13-35
ERRORFILE	LR-13-36
ERRORLEVEL	LR-5-14, LR-13-33
Esc	UG-226
EVALUATE	LR-4-14
EVALUATE()	TG-3-18
Evaluations, logical	LR-4-4
EVENT	LR-7-8
Event driven programming	UG-510
event handling loop	TG-8-7
Event Processing	LR-7-3
Event processor	LR-7-4
Event-driven	UG-512
EVENT:Accepted	LR-E-6, TG-8-16
EVENT:AlertKey	LR-E-3, LR-E-6, UG-264
EVENT:CloseDown	LR-E-3
EVENT:CloseWindow	LR-E-3
EVENT:Completed	LR-E-5
EVENT:Contracted	LR-E-8
EVENT:Contracting	LR-E-8
EVENT:DDEadvise	LR-E-5
EVENT:DDEclose	LR-E-6
EVENT:DDEdata	LR-E-5
EVENT:DDEexecute	LR-E-5
EVENT:DDEpoke	LR-E-5
EVENT:DDErequest	LR-E-5
<hr/>	

EVENT:Drag	LR-E-6
EVENT:Dragging	LR-E-6
EVENT:Drop	LR-E-6
EVENT:DroppedDown	LR-E-8
EVENT:DroppingDown	LR-E-7
EVENT:Expanded	LR-E-8
EVENT:Expanding	LR-E-8
EVENT:GainFocus	LR-E-4, TG-8-11
EVENT:Iconize	LR-6-30, LR-E-5
EVENT:Iconized	LR-6-30, LR-E-5
EVENT:Locate	LR-E-7
EVENT:LoseFocus	LR-E-4
EVENT:Maximize	LR-6-30, LR-E-5
EVENT:Maximized	LR-6-30, LR-E-5
EVENT:MouseIn	LR-E-8
EVENT:MouseMove	LR-E-8
EVENT:MouseOut	LR-E-8
EVENT:Move	LR-6-30, LR-E-4
EVENT:Moved	LR-6-30, LR-E-4
EVENT:NewSelection	LR-E-7
EVENT:OpenWindow	LR-E-4, TG-8-11
EVENT:PageDown	LR-E-7
EVENT:PageUp	LR-E-7
EVENT:PreAlertKey	LR-E-3, LR-E-6
EVENT:Rejected	LR-13-37, LR-E-6
EVENT:Restore	LR-6-30, LR-E-4
EVENT:Restored	LR-6-30, LR-E-4
EVENT:Resume	LR-E-4
EVENT:ScrollBottom	LR-E-7
EVENT:ScrollDown	LR-E-7
EVENT:ScrollTop	LR-E-7
EVENT:ScrollUp	LR-E-7
EVENT:Selected	LR-E-6, TG-8-16
EVENT:Size	LR-6-30, LR-E-4
EVENT:Sized	LR-6-30, LR-E-4
EVENT:Suspend	LR-E-4
EVENT:TabChanging	LR-E-8
EVENT:Timer	LR-E-4, TG-8-25, UG-215
EVENT:VBXevent	LR-E-8
EVENT:vbxevent	UG-320
Events	LR-E-3
Example File	UG-612
Exclude null key entries	LR-10-24
Exclude Nulls	UG-66, UG-68
Executable file	UG-444
Executables	UG-442
EXECUTE	LR-xxx, LR-5-5
BEGIN	LR-5-5
Execution Sequence	LR-2-21
Execution threads	UG-203
EXISTS	TG-6-11
EXIT	LR-5-13
expand a symbol	TG-1-6
Expansion Symbols	TG-7-3
Exponentiation operator	LR-4-3
Export	UG-528, UG-644

Export Block	
Text Editor	UG-409
export symbol to text	TG-6-5
Export Text	UG-118
Expression	UG-417
Expression Evaluation	LR-4-3
Expression Strings	LR-4-10
Expressions	LR-4-3
Evaluation Precedence	LR-4-3
Logical Expressions	LR-4-9
Numeric Expressions	LR-4-5
Runtime	LR-4-10
String Expressions	LR-4-7
extensible supplemental utilities	TG-2-11
Extension and Control Templates dialog	UG-93, UG-107
Extension Template	TG-8-23
extension template	TG-1-8, TG-1-10, TG-1-11, TG-2-17, TG-2-21
Extension Templates	GS-32
Extension templates	TG-1-5, UG-22, UG-93, UG-107, UG-193
extension templates	TG-1-4, TG-1-7, TG-8-14
Extensions	UG-93
Extensions button	UG-107
EXTERNAL	LR-10-14, TG-2-7
attribute of QUEUE	LR-12-10
variable declaration attribute	LR-3-33, LR-12-9
External	UG-644
EXTERNAL attribute	UG-86, UG-96
External functions	UG-632
External key	UG-65
External library	UG-143
External Name	UG-58
External procedures	
Accessing	UG-445
External Resources	
Linking	UG-440
External routines	UG-439
External Source Code Files	UG-438
External template	UG-143
EXTRACT	TG-6-10
F	
FAX Retrieval System	GS-7, UG-9
Feedback	UG-512
FIELD	LR-7-41, TG-4-4, TG-4-17
Field	
Declaring length	UG-34
Defined	UG-38
Field Completion Keys	
ALERT	LR-7-6
ALRT	LR-6-19
Field Equate Label	UG-243, UG-260
Field Equate Labels	LR-6-6
Field length	UG-56
Field Mapping	UG-69
Field Properties	UG-52

(decimal) Places	UG-56
Case attribute	UG-56
Characters	UG-56
Column Heading	UG-56
Comments	UG-58
Default Prompt	UG-56
Description	UG-53
Dimensions	UG-56
Do Not Populate	UG-58
External Name	UG-58
Extra Vertical Space	UG-58
Field Name	UG-53
Form Tab	UG-58
Help ID	UG-59
Immediate	UG-57
Initial Value	UG-57
Justification	UG-57
Length	UG-56
Message	UG-59
Offset	UG-57
Password	UG-57
Place Over	UG-58
Population Order	UG-58
Read only	UG-57
Record Picture	UG-56
Reference	UG-55
Screen Picture	UG-56
Storage Class	UG-58
Tool Tip	UG-59
Typing Mode	UG-56
User Options	UG-59
Validity Checks	UG-59
<hr/>	
Field Properties dialog	UG-23, UG-34, UG-59, UG-62, UG-83, UG-96
Field Qualification	LR-2-5
field-independent event	TG-8-10
Field-Independent Events	LR-E-3
Field-independent events	LR-7-3, LR-E-3
field-independent events	TG-8-8
Field-Specific Events	LR-E-6
Field-specific events	LR-7-3, LR-E-3
field-specific events	TG-8-8, TG-8-12, TG-8-13
Field/Key Definition dialog	GS-54, UG-23, UG-34, UG-52, UG-63
Fieldbox toolbox	GS-124
Fields. <i>See also</i> Controls	
<hr/>	
Adding new	UG-52
Adding or modifying	UG-52
Adding to reports	UG-386
Appearance of	UG-34
Changing	UG-52
Data validation	UG-34
Declaring data type	UG-34
Defining	UG-52
Defining Field Properties	UG-53
Definition of	UG-34
Deleting	UG-52
Moving	UG-52
<hr/>	

Naming	UG-34
Placing on a window	UG-97
Populating	UG-97
Report	UG-358, UG-373
Fields (controls)	LR-6-6
Fields/Keys button	UG-52
FILE	LR-10-5, TG-4-4, TG-4-17
File Access	LR-10-83
File Alias	
Purpose and function	UG-48
Share mode	UG-49
File Alias dialog	
Comments tab	UG-49
General tab	UG-49
Options tab	UG-49
File Alias Properties	
Alias File	UG-49
Auto-Populate	UG-50
Comments	UG-49
Description	UG-49
Name	UG-49
Prefix	UG-49
User Options	UG-50
File buffer	UG-49
File Control	UG-85
file directory	LR-13-31
File Driver Symbols	TG-7-17
file drivers	UG-528
file existence	TG-6-12
File extensions	
.TPW	UG-115
file I/O	TG-1-3
file lookup code	TG-8-18
File Management	UG-33
File MENU	
Creating	UG-241
File Names	
Specification of	UG-33
File Open Mode	UG-86
File Properties	
Auto-Populate	UG-48
Comments	UG-48
Description	UG-44
Driver Options	UG-45
Enable File Creation	UG-46
Encrypt Data Records	UG-47
Field Binding	UG-47
File Driver	UG-45
Full Pathname	UG-46
OEM Collation	UG-47
Open in Current Thread	UG-47
Owner Name	UG-45
Prefix	UG-44
Reclaim Deleted Records	UG-46
User Options	UG-48

File Properties dialog	UG-23, UG-33, UG-43
File Relationships	
Defining	UG-34
Foreign Key	UG-36
Managing	UG-33
Many-to-Many	UG-39
Many-to-One	UG-36
Map By Name	UG-36
Map By Order	UG-36
One-to-Many	UG-36, UG-38
One-to-One	UG-38
Primary Key	UG-36
File schematic	UG-94, UG-98
File Schematic Definition	UG-96
File Schematic Symbols	TG-7-16
File Specifications	UG-530
File Statistics	UG-491
FILE structure	LR-xxxiii
FILE structure declaration	GS-59
FILEDIALOG	LR-7-54
FileDrop control template	TG-8-20, UG-180
FileDropCombo control template	UG-184
FILEERROR	LR-13-36
FILEERRORCODE	LR-13-37
FILEEXISTS	TG-6-12
FileName Variable	UG-179
Files	
Accessing	UG-93
Add alias to dictionary	UG-42, UG-48
Add to dictionary	UG-34, UG-42
Adding a view	UG-50
Adding Relations	UG-68
Closing	UG-85
Convert	UG-298
Creating	UG-86
Declaring	UG-85
Definition of	UG-34, UG-43
File driver	UG-34
Join	UG-50
Naming	UG-34, UG-44
Prefix	UG-34
Quick Load	UG-34, UG-43
Relations	UG-68
Sorting	UG-94, UG-98
Specifying driver options	UG-45
Specifying file description	UG-44
Specifying file driver	UG-45
Specifying full pathname	UG-46
Specifying owner name	UG-45
Specifying prefix	UG-44
Variable file names	UG-46
FILEs with the EXTERNAL attribute	LR-10-14
FILL	
report control attribute	LR-8-47
window control attribute	LR-6-109

FILTER	
VIEW attribute	LR-11-6
Filter	UG-141
Find	
Debugger 32-bit	UG-483
Text Editor	UG-406
Find files	UG-434
Find Last Error	
Debugger	UG-472
Find Next	
Debugger	UG-471
Find Procedure	
Debugger	UG-471
Find text	
Debugger	UG-471
Debugger Options	
16-bit	UG-461
FIRST	LR-6-109, TG-2-13, TG-2-15, TG-2-17
FIRSTFIELD	LR-7-42
fix a multi-value symbol	TG-3-15, TG-3-17
Fixed columns	
List box	UG-335
Column group	UG-338
Floating Point	
Double Precision	LR-3-9, LR-3-11
Single Precision	LR-3-8, LR-3-10
FLUSH	LR-10-31
FOCUS	LR-7-42
Focus	UG-225
FONT	
Print structure attribute	LR-8-25
REPORT attribute	LR-8-8
report control attribute	LR-8-48
TOOLBAR attribute	LR-6-45
window attribute	LR-6-24
window control attribute	LR-6-110
Font	
Report	UG-378, UG-380
Window	UG-225
FONT attribute	UG-265
Font substitution	UG-265
FONTDIALOG	LR-7-56
fonts	GS-129
FOOTER	LR-8-17
Footer	
Report	UG-365
FOOTER structure	UG-349, UG-365
FOR	TG-5-6
Foreign Key	GS-53, LR-10-63, UG-36, UG-69
Defined	UG-38
foreign key	GS-46
FORM	LR-8-19
Form	UG-79, UG-363
FORM structure	UG-349

form windows	GS-17
Form Wizard	GS-24
Form-style report	UG-359
FORMAT	TG-4-4, TG-4-17
function	LR-13-13
report control attribute	LR-8-49
window control attribute	LR-6-111
Format a symbol	TG-7-3
FORMAT attribute	UG-286, UG-328
Format String Properties	LR-C-11
Format Structure	UG-405
Formula Class	UG-420, UG-423, UG-426
formula class	TG-6-4
formula classes	TG-8-4
Formula Editor	GS-143, GS-169, UG-28, UG-92, UG-94, UG-105, UG-416, UG-419
Formula Symbols	TG-7-16
Formulas	GS-169, UG-92
Formulas Dialog	UG-419
FoxPro files	UG-592
Data Types	UG-592
Driver Strings	UG-595
File Specifications	UG-594
SEND functions	UG-595
Unsupported/Modified Functions	UG-596
Frame Type	UG-213
FREE	LR-12-14
free a multi-valued symbol	TG-3-14
FROM	TG-4-4, TG-4-8, TG-4-18
report control attribute	LR-8-51
window control attribute	LR-6-115
FROM attribute	UG-291
FULL	LR-6-116
FUNCTION	LR-2-16
FUNCTION Call	LR-2-22
FUNCTION Return Types	LR-2-26
functional specification	GS-43
G	
Generate	UG-434
Generate Global Data as External	UG-645
generate source code section	TG-5-11
Generated source files	UG-439
Generation	UG-113
Generation Message	UG-113
Generic Window	UG-133
generic window procedure	GS-127
GET	LR-xxxiv, LR-10-87
FILE	LR-10-42
QUEUE	LR-12-15
get all the related records	TG-8-9
GETFONT	LR-7-25
GETINI	LR-7-65
GETPOSITION	LR-7-26
GIF	UG-308
global area	TG-2-6
Global Compile and Link Options	UG-446

GLOBAL data	UG-95
Global Data	UG-82, UG-117
Global data	LR-3-42
Global Data Declarations	LR-2-8
global data section	TG-3-5
Global menu	LR-6-39
Global menu commands	UG-204
Global menu selections	UG-239
Global Options dialog	UG-437, UG-455
Global prompts	TG-2-6
Global Properties	UG-108
Global Properties dialog	UG-82, UG-85
Global Properties window	TG-2-4
Global Request	UG-274
global section	TG-1-9
Global Settings window	TG-8-4
Global tools	LR-6-42
Global variables	UG-91
GlobalRequest	TG-8-18
GlobalRequest variable	TG-8-7
GlobalResponse	TG-8-18
Go	
Debugger 16-bit	UG-470
Debugger 32-bit	UG-483
Go Cursor	
Debugger 16-bit	UG-470
Debugger 32-bit	UG-483
GOTO	LR-5-13
Goto Line	
Debugger	UG-471
Graphic Controls	
Report	UG-389
Graphics	
Report	UG-358
Graphics Coordinates	LR-9-3
Graphics file	UG-308
GRAY	LR-6-25
Greater than	UG-417
Greater than or Equal	UG-418
Green check	UG-89
Grid Settings	
Report Formatter	UG-384
Toobar	UG-251
Window Formatter	UG-233
Grid Size	
Report formatter	UG-361
Grid snap	
Report Formatter	UG-384
Window Formatter	UG-233
GROUP	LR-3-24, UG-55
report control	LR-8-35
window control	LR-6-67
Group Box	
Report	UG-395

Group BREAK structure	UG-349
Group Breaks	GS-159, UG-353, UG-367
GROUP control	UG-206
Group control	UG-304
Group development	UG-638
Group Footer	GS-160, GS-161
Report	UG-382
Group Header	GS-160, GS-162, UG-335
List Box	
Creating	UG-338
List box	UG-328
Report	UG-369, UG-382
Group Properties	
Accelerator key	UG-305
Boxed	UG-305
Caption	UG-304
Drop ID	UG-305
Help	UG-306
Hidden	UG-305
Parameter	UG-304
Position	UG-306
Setting	UG-304
Text	UG-304
Group Properties dialog	UG-304
Group Scroll Bar	
List box	UG-340
GUI environment	UG-510
H	
HALT	LR-5-14
Hand Coded Project.	UG-436
handle	LR-C-18, LR-C-27
Handles	UG-210
Hard disk space	UG-10
hard disk space	GS-9
HEADER	LR-8-20
Header	
Report	UG-363
HEADER structure	UG-349
Heading Text	
List box	UG-333
Column group	UG-336
Height	UG-223
Windows and controls	UG-262
HELP	LR-7-27
Help	
Context string	UG-269
Keyword	UG-244, UG-268
Message	UG-269
Online help for windows and controls	UG-267
Topic	UG-59
Windows Help File	UG-269
Help Compiler	UG-220
help file	TG-6-6
Help ID	UG-59, UG-220, UG-244

Help system	GS-5
Hexadecimal (numeric constant)	LR-4-5
HIDE	TG-2-20, TG-4-21
procedure	LR-7-28
report control attribute	LR-8-51
window control attribute	LR-6-116
HIDE attribute	TG-8-12, TG-8-14
Hide/Unhide Controls	UG-266, UG-283
HLP	TG-2-4, TG-2-6, TG-2-7, TG-2-8, TG-2-9, TG-2-11, TG-2-12, TG-2-20, TG-4-8
window attribute	LR-6-26, LR-6-116
HLP attribute	UG-244
HLP attributes	TG-6-6
HLP file	UG-77
HOLD	LR-10-94
FILE	LR-10-44
VIEW	LR-11-13
Hot Fields	UG-170
Hot Fields button	UG-143, UG-149, UG-158, UG-170
Hot key	UG-225, UG-248, UG-263
Enter	UG-248
Esc	UG-248
Tab	UG-248
housekeeping	UG-20
HSCROLL	
window attribute	LR-6-27
window control attribute	LR-6-117
HVSCROLL	
window attribute	LR-6-27
window control attribute	LR-6-117
I	
I-Beam	UG-268
ICO	UG-308, UG-440
ICO files	UG-252
ICON	TG-4-3
window attribute	LR-6-28
window control attribute	LR-6-118
Icon	UG-214
Toolbar	UG-238
ICONIZE	LR-6-29
Iconize when inactive	
Debugger Options	
16-bit	UG-461
Iconized state	UG-214
Icons, Browse Box	UG-151, UG-172
Icons in List boxes	LR-6-112
icons in list boxes	LR-6-71
icons in list fields	LR-6-112, LR-C-12
IDLE	LR-5-15
IF	LR-xxix, LR-5-7
IF structure	UG-422
IMAGE	
graphics procedure	LR-9-9
report control	LR-8-36
window control	LR-6-69

IMAGE control	
Report	UG-389
Window	UG-206
Image control	UG-308
Image Properties	
File	UG-308
Name	UG-308
Position	UG-309
Scroll bars	UG-309
Setting	UG-308
Use	UG-308
Image Properties dialog	UG-308, UG-389
IMM	
window attribute	LR-6-30
window control attribute	LR-6-119
IMM attribute	UG-271, UG-292, UG-296, UG-310
Immediate	UG-215
Implicit String Arrays	LR-4-8
Implicit type conversions	LR-xxviii
Implicit Variables	LR-3-29
Implicit variables	
LONG	LR-3-29
REAL	LR-3-29
STRING(32)	LR-3-29
import	UG-528
import .APP from script	TG-6-7
Import File	
Text Editor	UG-408
Import from Application	UG-118
Import Text	UG-118
Imported application names	UG-112
INCLUDE	LR-2-41
include a template file	TG-6-6
INCOMPLETE	LR-7-43
Indentation	UG-57
INDEX	LR-10-83
Dynamic	LR-10-18
FILE	LR-10-18
Index Record Number	LR-10-86
Indexes	UG-65
BUILDing	UG-63
Defined	UG-63
Report	UG-369
Runtime index	UG-65
Static index	UG-65
INI File Settings	UG-135
INI files	UG-84
Initial Value	UG-57
initial value	GS-54
InitializeWindow ROUTINE	TG-8-9
Initiate Thread	GS-89, UG-80, UG-191
INLIST	LR-13-14, TG-6-12
Input and Validation Statements	TG-4-3
Input Focus	LR-6-6
input from the developer	TG-1-3

Input Key dialog	UG-225, UG-248, UG-263
Input Validation Statements	TG-1-8
INRANGE	LR-13-3
INS	LR-6-119
INS attribute	UG-296
Insert	UG-296
insert code from a #GROUP	TG-5-9
Insert Key Components dialog	UG-35
Insert Key dialog	UG-264
Install	UG-443
INSTANCE	TG-3-17, TG-6-13
INSTANCE(%symbol)	TG-3-11
INSTRING	LR-13-15
INT (integer function)	LR-13-4
Integer	
Data types	UG-54
Inter-Process Communication	UG-626
Interactive Controls	UG-269
Intermediate Value	LR-4-3
Intermediate value	LR-4-3
internal library	LR-2-12
Internationalization	LR-10-74
ISALPHA	LR-10-79
ISLOWER	LR-10-80
ISUPPER	LR-10-81
Italic	UG-265
ITEM	LR-6-49
item exists in list	TG-6-12
ITEMS	TG-6-13
iteratively generate code	TG-5-6
J	
JOIN	UG-616
VIEW structure	LR-11-8
Join	UG-50
JPG	UG-308, UG-389
Justification	UG-57
Field	UG-57
List box	
Column group	UG-336
K	
Kernel messages	
Debugger Options	
16-bit	UG-461
KEY	LR-10-83, TG-4-4, TG-4-18
FILE	LR-10-19
window control attribute	LR-6-120
Key	UG-225
KEY attribute	UG-263
Key Components	UG-64, UG-68
Key Components dialog	UG-24
Key Properties	
Auto-number	UG-66
Auto-Populate	UG-67
Case Sensitive	UG-66

Defining	UG-64
Description	UG-63
External Name	UG-64
Key Component	UG-64
Name	UG-63
Population Order	UG-67
Sort Order	UG-68
Type	UG-65
Key Properties dialog	UG-35, UG-63
Fields tab	UG-35
General tab	UG-35
Key Properties dialogs	UG-64
Key-in Pictures	LR-3-50
KEYBOARD	LR-7-51
Keyboard Functions	LR-7-51
Keyboard Procedures	LR-7-49
KEYCHAR	LR-7-51
KEYCODE	LR-7-52, TG-4-4, TG-4-19
Keycode EQUATE Labels	LR-B-4
Keycodes	LR-B-3
KEYCODES.EQU	LR-B-4
Keys	
Adding or modifying	UG-63
Component Order	UG-68
Components	UG-35
Defined	UG-38, UG-63
Defining	UG-34
Definition of	UG-35
Empty	UG-66
Foreign	UG-36, UG-69
Linked field	UG-69
Mapping	UG-36
Naming	UG-35
Nulls	UG-66
Primary	UG-36, UG-69
Report	UG-369
Specify which fields will become part of your key	UG-35
Unique	UG-36, UG-65
Keys tab	UG-35
KEYSTATE	LR-7-52
KEYWORD	
Reserved	LR-2-6
Syntax Diagram	LR-1-5
L	
Label	UG-212
Label report	UG-359
Labels	LR-2-3
LANDSCAPE	LR-8-13
Language Extension Modules	LR-xxxiv
Language Reference	GS-5, UG-7
LANs	LR-10-89
LAST	LR-6-109, TG-2-13, TG-2-15, TG-2-17
Last on Line	UG-328, UG-335
LASTFIELD	LR-7-43
Latched button	UG-253

Leading zeroes	LR-3-43
LEFT	
function	LR-13-16
report control attribute	LR-8-52
window control attribute	LR-6-121
Left angle bracket (<)	LR-2-7
LEMs	LR-xxxiv
LEN	LR-13-16
Less Than	UG-417
Less than or Equal	UG-418
LIB file	
Creating	UG-444
Libraries	UG-110
License agreement	UG-638
LIKE	LR-xxvi, LR-3-27
LINE	
graphics procedure	LR-9-10
report control	LR-8-37
window control	LR-6-70
line continuation character	TG-7-3, TG-8-3
Line continuation character ()	LR-2-7
LINE control	
Window	UG-207
Line control	UG-311
Report	UG-390
Line Numbers	UG-448
Line Properties	
Color	UG-312
Name	UG-311
Position	UG-312
Setting	UG-311
Use	UG-311
Line Properties dialog	UG-311, UG-390
Link	UG-433
Linked field	UG-69
Linkers	UG-446
Linking	LR-xxxvii
Linking API Functions	UG-633
linking field	GS-53
LIST	
report control	LR-8-38
window control	LR-6-71
List Box	UG-284
Creating	UG-284
Defined	UG-326
Report	UG-392
List Box Events	UG-341
List Box Format	
Report	UG-379, UG-380
Window	UG-227
List Box Format String Properties	LR-C-14
List Box Formatter	GS-95, UG-97, UG-326
Adding fields	UG-329
Border	

Column group	UG-337
Column	
Scroll bar	UG-334
Column Groups	UG-335
Column headers	UG-327
Indent	UG-333
Justification	UG-333
Text	UG-333
Column width	UG-327
Columns	
Borders	UG-334
Color	UG-332
Fixed	UG-335
Heirarchal display	UG-332
Icons	UG-332
Indent	UG-332
Justification	UG-331
No scroll	UG-335
Picture token	UG-331
Resizable	UG-334
Scroll size	UG-334
Tree controls	UG-332
Underline	UG-334
Width	UG-331
Deleting fields	UG-330
Field Number:	UG-329
Fixed column	
Column group	UG-338
Formatting fields	UG-330
Group heading	UG-328
Heading Text	
Column group	UG-336
Indent	
Column group	UG-337
Justification	
Column group	UG-336
Moving fields	UG-330
No scroll	
Column group	UG-338
Populate button	UG-327
Resizable	
Column group	UG-338
Scroll Bar	
Column group	UG-337
Scroll bar	UG-329
Scroll Size	
Column group	UG-337
Stacking fields	UG-339
Underline	
Column group	UG-337
list box group	GS-98
LIST control	
Window	UG-206
List Field Properties dialog	UG-284, UG-327, UG-328, UG-329, UG-336

list of choices for input	TG-1-8
list of data fields	TG-4-17
list of files	TG-4-17
list of KEY fields	TG-4-13
list of keycodes	TG-4-19
list of keys	TG-4-18
list of symbol values	TG-4-18
list of window fields	TG-4-14
List Properties	

Actions	UG-288
Cell selection	UG-287
Data source	UG-285
Drag ID	UG-287
Drop ID	UG-288
Drop list size	UG-285
Field or variable	UG-285
Help	UG-288
Hide Selection	UG-287
Immediate	UG-287
Item selected	UG-285, UG-286
Justification	UG-285
Justification Offset	UG-286
Locator button	UG-287
Name	UG-285
Position	UG-288
Scroll bars	UG-287
Scrolling	UG-286
Selectable by column	UG-287
Setting	UG-284
Use	UG-285
VCR scrolling controls	UG-286

List Properties dialog	UG-284, UG-326
listbox formatter	TG-4-17
LISTZONE:ExpandBox	LR-C-14
LISTZONE:Field	LR-C-14
LISTZONE:Header	LR-C-14
LISTZONE:Icon	LR-C-14
LISTZONE:Nowhere	LR-C-14
LISTZONE:Right	LR-C-14
LISTZONE:Tree	LR-C-14
Local Area Networks	LR-10-89
LOCAL data	UG-95
Local Data	UG-81, UG-91
Local data	LR-3-42
Local data declarations	LR-2-10
Local menu	LR-6-39
Local menu selections	UG-239
Local subroutines	LR-xxix
Local tools	LR-6-42
local variable	GS-139, GS-159
local variable declarations	TG-8-7
Local variables	UG-81, UG-91
local variables	TG-8-3, TG-8-21
LOCALE	LR-10-82
LocalResponse	TG-8-18
Locate	UG-612

Debugger 16-bit	UG-472
Debugger 32-bit	UG-483
Locate Command	UG-497
Locator	UG-146, UG-167, UG-335
Locator button	UG-287
LOCK	LR-10-97
FILE	LR-10-32
Log events	UG-113
LOG10 (base 10 logarithm)	LR-13-5
Logarithm	LR-13-4, LR-13-5
LOGE (natural logarithm)	LR-13-4
Logging Transactions	LR-10-63
Logic Control	TG-5-3
Logical Evaluations	LR-4-4
Logical Expressions	LR-4-9
Logical Operators	LR-4-4
Logo	
Report	UG-389
LOGOUT	LR-10-64, LR-10-68
LONG	LR-3-6, UG-54
lookup file	GS-140
Lookup Key	UG-298
Lookup Procedure	UG-298
Lookup Up Non-Related Record	UG-192
LOOP	LR-xxix, LR-5-8, LR-10-84
loop structure	TG-5-3
Lotus Notes	UG-616
LOWER	LR-13-17
M	
Mailmerge document	UG-359
Main procedure	GS-81, UG-79, UG-87
main program module	TG-2-6
Maintaining INI Files	LR-7-65
Maintaining the Application Tree	UG-107
Make	UG-81, UG-433
Make button	UG-15
MAKE file	UG-432
Make Statistics	UG-434
Many to One	GS-67
many to one	GS-46
MANY:1	GS-53
MAP	LR-2-12, TG-2-20
MODULE	LR-2-13
Map By Name	UG-36
Map by Name	GS-53, UG-69
Map By Order	UG-36
Map file	UG-450
Margins	
Report	UG-361
MARK	LR-6-122
MASK	LR-6-31
MASK attribute	UG-216, UG-290, UG-294
Mask Description	UG-179
Master .APP file	UG-639
matched set of controls	TG-2-15

MAX	
report control attribute	LR-8-53
window attribute	LR-6-31
MAXIMIZE	LR-6-32
Maximize button	UG-217
MAXIMUM	LR-13-42
MDI	LR-6-32, UG-200
MDI application	UG-136
MDI application frame	GS-17
MDI application window	LR-6-5
MDI Child Window	GS-128, UG-203, UG-217
MDI child windows	LR-6-5
MDI frame window	LR-6-8
MDI Menus	UG-238
MDI Parent	UG-204
MDI program	LR-6-5
MDI window	GS-101
Measurement units	
Report formatter	UG-361
MEMBER	LR-2-10
MAP	LR-2-12
MEMO	LR-10-20, UG-54
BINARY	LR-10-23
Memory allocation	UG-58, UG-96
Dynamic	LR-3-41
memory QUEUE	LR-12-3
Static	LR-3-41
Memory redeclaration (OVER)	LR-3-37
Memory variables	
Attributes	UG-53
Defining	UG-53
Memory-mapped video	LR-xxxix
MENU	LR-6-47
Menu	UG-231
Accelerator key	UG-244
Actions	UG-244
Call a Procedure	UG-244
CHECK attribute	UG-249
Copy and Paste	UG-245
Creating a menu	UG-238, UG-243
MDI Menus	UG-238
Delete	UG-249
Disabling	UG-249
Do Not Merge	UG-247
Help ID	UG-244
Help Menu	UG-246
Hot Key	UG-248
Menu separators	UG-245
Merging	UG-238
Merging Order	UG-239
Message	UG-244
Popup	UG-199
Position	UG-247
Right Justify	UG-247
Run a Program	UG-245

Standard Windows Behavior (SWB)	UG-245
Standard Windows commands	UG-238
StdID	UG-245
Toggle (on/off) Item	UG-249
Toggling	UG-249
Window menu	UG-246
Menu Editor	GS-84, UG-80, UG-240, UG-241, UG-249
Menu Editor dialog	UG-242, UG-243
Menu item	UG-80
Menu Text	UG-243
MENUBAR	LR-6-39
Menubar	
NOMERGE	UG-247
Merge	
Position	UG-247
Merging	
Menu	UG-238
Merging Order	UG-239
Toolbars	UG-251
MESSAGE	LR-7-44
Message bar	UG-215
Message display	UG-269
Message field	UG-221, UG-244
message queue	GS-34
Messages	UG-113
META	LR-8-53
Metafile	
Report	UG-397
Microsoft Excel	UG-627
MIN	LR-8-54
Minus	UG-417
Minus sign	LR-2-7
Missing source	
Debugger Options	
16-bit	UG-461
Mixed data types	LR-3-24
Mixing the use of HOLD and LOCK	LR-10-99
MM	
REPORT attribute	LR-8-13
MOD	UG-474
MODAL	LR-6-33
modal	LR-6-15
MODAL attribute	UG-203
Modal Window	UG-215
Modeless window	LR-6-33
MODULE	LR-2-13, UG-109
Module	UG-110
Maintaining	UG-109
module area	TG-2-7
MODULE data	UG-95, UG-96
Module data	LR-3-42
Module Data dialog	UG-96
Module Name	UG-90
Module Properties dialog	UG-96
MODULE structure	UG-445

Modulus	UG-417
modulus division operator (%)	TG-3-18
Modulus operator	LR-4-3
modulus operator	TG-8-27
MONTH	LR-13-28
More Than	UG-417
More than or Equal	UG-418
Most recently used files	UG-16
Mouse	
Appearance of cursor	UG-268
Mouse clicks	UG-226, UG-248
MOUSEX	LR-7-45
MOUSEY	LR-7-45
Move	UG-110
move	LR-6-30
MSG	
window attribute	LR-6-34
window control attribute	LR-6-123
MSG attribute	UG-244, UG-269
MULTI	TG-2-14, TG-2-17, TG-3-7, TG-4-3, TG-4-8
Multi User Development	UG-112, UG-639
Multi-line data entry field	UG-299
Multi-Line Text	
Report	UG-388
multi-page dialogs	UG-519
Multi-Tasking	LR-7-12
Multi-tasking	LR-10-89
Multi-Threaded Applications	LR-7-12
Multi-Threading	LR-7-12
Multi-threading	LR-10-89
START	LR-7-14
THREAD	LR-7-15
Multi-user environments	LR-10-89
multi-valued symbol instances	TG-6-13
multi-valued symbols	TG-7-5
Multi-zone status bar	UG-219
multimedia	UG-632
Multiple Document Interface	GS-48, UG-203
Multiple Document Interface (MDI)	LR-6-5, LR-7-12, UG-200
Multiple execution paths	UG-200
Multiple Tables in a single file	UG-610
Multiplication operator	LR-4-3
Must be in List	GS-55
Mutually exclusive buttons	UG-253
N	
NAME	
FILE attribute	LR-10-8
function	LR-13-42
KEY or INDEX attribute	LR-10-26
on a prototype declaration	LR-2-24
QUEUE field attribute	LR-12-7
variable declaration attribute	LR-2-29, LR-3-35
NAME attribute	UG-619
Natural logarithm	LR-13-4
Navigation keys	UG-264

Nested CASEs	UG-427
Nested IFs	UG-427
New button	UG-14
New Field Properties dialog	UG-52
New File Properties	GS-59
New File Properties dialog	UG-43
New Key Properties dialog	UG-63, UG-64
New Keys dialog	GS-68
New Relation dialog	GS-53
New Relationship dialog	UG-23
New Relationship Properties	GS-22
New Structure dialog	UG-201
NEXT	LR-xxxiv, LR-10-84
FILE	LR-10-45
VIEW	LR-11-15
Next Error	
Text Editor	UG-404, UG-412
NIL-Pointer	UG-448
NOBAR	LR-6-123
NOBAR attribute	UG-287
NOCASE	LR-10-24
NOFRAME	LR-6-23
NOMEMO	
FILE	LR-10-46, LR-11-16
NOMERGE	LR-6-46
Menubar	UG-247
Non-interactive controls	UG-302
Non-stop mode	LR-7-29, LR-C-16
non-stop mode	LR-7-29, LR-C-16
Non-Trappable Run Time Errors	LR-D-7
Normal	UG-289, UG-292, UG-296
Normalization	UG-37
normalization	GS-45
NOT	LR-4-4, UG-418, UG-474
Not Equals	UG-417
Noun-Verb principle	UG-521
Novell Paths	UG-44
NULL	LR-10-71
Null String	LR-4-6
Null value	LR-10-70
NUMERIC	LR-13-17
Numeric Constants	LR-4-5
Numeric Pictures	LR-3-43
O	
Object Files and Libraries	UG-439
object oriented	UG-20
Octal (numeric constant)	LR-4-5
ODBC	LR-C-21, LR-C-33, UG-45, UG-616
ODBC Administrator	UG-618, UG-624
ODBC Connect String	LR-C-21
ODBC driver	UG-46
ODBC Driver Manager	UG-617
ODBC.INI	UG-618
OEM	LR-10-17
OEM Collation	UG-47

OF	LR-xxix, LR-5-3
OLE	UG-632
OMIT	LR-2-42
OMITTED	LR-13-43
Omitted parameters	LR-2-24
On-line help	UG-267
one to many	GS-45
OPEN	LR-10-89
FILE	LR-10-33
REPORT	LR-8-61
VIEW	LR-11-11
window	LR-7-28
Open button	UG-14
Open Database Connectivity	UG-616
Open Mode	UG-86
open source file	TG-5-14
Operands	GS-143, GS-169, UG-417
Operating Assignment Statements	LR-4-15
Operator Precedence	LR-4-3
Operators	GS-143, GS-169, UG-417
%	UG-417
&	UG-417
()	UG-417
*	UG-417
+	UG-417
-	UG-417
/	UG-417
<	UG-417
<=	UG-418
<>	UG-417
=	UG-417
>	UG-417
>=	UG-418
AND	UG-418
Conditional Operators	LR-4-4
Logical Operators	LR-4-4
NOT	UG-418
OR	UG-418
XOR	UG-418
OPT	LR-10-24
Optimize for Speed	UG-449
OPTION	TG-4-4, TG-4-19
report control	LR-8-39
window control	LR-6-76
Option box	UG-275. <i>See also</i> Radio Button
Report	UG-393
Option button. <i>See also</i> Radio Button	
OPTION control	
Window	UG-206
Option Properties	
Boxed	UG-277
Button number	UG-276
Caption	UG-276
Data dictionary field or memory variable	UG-276
Drop ID	UG-277

Help	UG-277
Hidden	UG-277
Name	UG-276
Parameter	UG-276
Position	UG-277
Text	UG-276
Use	UG-276
Option Properties dialog	UG-275
Options Menu	
Report Formatter	UG-384
OR	LR-4-4, UG-418, UG-474
Order Header	GS-45
Order/Entry system	GS-43
OROF	LR-xxix, LR-5-3
OS/2	LR-xxxvii
outer join	LR-11-8
outline control	LR-6-112, LR-C-13
Outline controls	UG-87
OVER	LR-3-37
OVER attribute	LR-xxvi
Overflow, arithmetic	LR-3-44, LR-4-20
Overlay	UG-58
Overwrite	UG-296
OVR	LR-6-119
OVR attribute	UG-296
OWNER	LR-10-9
OWNER attribute	LR-C-21, UG-619
P	
PACK	LR-10-34
Pack Segments	UG-450
Packed Decimal	LR-3-12, LR-3-14
PAGE	LR-8-54
Page after	GS-161
Page breaks	UG-353, UG-371
Page Footer	
Report	UG-381
Page Form	GS-157
Report	UG-382
Page Header	
Report	UG-381
Page Header band	GS-151, GS-157
Page Layout view	UG-356, UG-383
Report Formatter	UG-383
Page Margins	UG-361
page of prompts	TG-4-8
Page Orientation	UG-361
Page Overflow	LR-8-3
Page overflow handling	UG-349
Page-based printing	LR-8-3
Page/Group Footer Properties	GS-161
PAGEAFTER	LR-8-26, UG-372
PAGEBEFORE	LR-8-27, UG-372
PAGENO	LR-8-54
pages	UG-519
PALETTE	LR-6-34

Palette	UG-215
PALETTE attribute	UG-308
PAPER	LR-8-12
Paper Size	UG-361
Parameter List	LR-2-23
Parameter Passing	LR-2-32
Parameter Types	LR-2-32
Parameters	LR-4-7, UG-90
Arrays as	LR-2-38
expression used as	LR-4-3, LR-4-10
omitted	LR-2-24
passed by address	LR-2-32
passed by value	LR-2-32
typeless	LR-2-34
parameters passed	TG-5-9
parameters passed into the procedure	TG-8-4
parent-child	GS-46
parent-child relationship	GS-53
Parentheses	LR-2-7
PASCAL	LR-2-23
calling convention	LR-2-28
passed by address	TG-2-9
Passed by address; Parameters	LR-2-32
passed by value	TG-2-9
Passed by value; Parameters	LR-2-32
Passing GROUPs and QUEUEs as Parameters	LR-2-37
PASSWORD	LR-6-123
Password	GS-51, UG-42, UG-57
Data dictionary	UG-42
PATH	LR-13-33
PATH statement	GS-9, UG-10
Paths	UG-435
Pattern Pictures	LR-3-49
Patterns	UG-216
PCX	UG-308
PDECIMAL	LR-3-14, UG-55
PEEK	LR-13-44
PENCOLOR	LR-9-19
PENSTYLE	LR-9-20
PENWIDTH	LR-9-21
percent (%)	TG-7-3
Percent sign	LR-2-7
percent sign (%)	TG-1-6, TG-1-9
Period	LR-2-3, LR-2-7
Physical Record Number	LR-10-86
Pick button	UG-14
Pick dialog	GS-20
pick-lists	TG-1-8
PICTURE	TG-4-19 , UG-54
Picture	UG-106, UG-214
picture	TG-7-3
Picture token	UG-56, UG-216
Report	UG-358
Picture Tokens	LR-3-43
Pictures	

Date	LR-3-47
Key-in	LR-3-50
Numeric and Currency	LR-3-43
Pattern	LR-3-49
Scientific Notation	LR-3-46
String	LR-3-52
Time	LR-3-48
PIE	LR-9-11
Placing controls	
Window Formatter	UG-231
Placing fields	
Window Formatter	UG-231
Plain language	UG-512
Plus	UG-417
Plus sign	LR-2-7
Point and Click development	GS-2, UG-2
POINTER	
FILE	LR-10-60
INDEX	LR-10-60
KEY	LR-10-60
QUEUE	LR-12-20
POINTS	
REPORT attribute	LR-8-13
POINTS attribute	UG-388
POKE	LR-13-45
POLYGON	LR-9-13
polymorphic	TG-1-3, TG-1-4
Pop up message	UG-59
Populate	UG-81
Populate Field toolbox	
Window Formatter	UG-208
populate fields	GS-96
Populate Main Module	UG-112
Populate Menu	
Report Formatter	UG-383
Window Formatter	UG-231
Population Order	UG-58, UG-67
POPUP	LR-7-46
Popup	UG-151
Popup menu	
Debugger	UG-481
Report formatter	UG-377
Window Formatter	UG-199, UG-211
POSITION	
FILE	LR-10-61
VIEW	LR-11-26
Position	UG-247
Report	UG-379, UG-380
Window	UG-227
Position button	UG-262
Positioning and Alignment	
Report	UG-360
Positioning controls	
Window Formatter	UG-209

positioning of the control	TG-2-15
Positioning windows and controls	UG-262
POST	
EVENT	LR-7-9
pound (#)	TG-7-3
Pound sign	LR-2-7
pound symbol (#)	TG-1-9
PRE	
FILE attribute	LR-10-11
QUEUE attribute	LR-12-6
REPORT attribute	LR-8-9
variable declaration attribute	LR-3-31
Pre-defined template variables	TG-1-3
Pre-Image files	LR-10-64
pre-processes the templates	TG-1-12
pre-processing template code	TG-1-6
prefix	GS-59
Prefix attribute	LR-xxv
Prefix field	GS-15
PRESS	LR-7-50
PRESSKEY	LR-7-50
PREVIEW	LR-8-10
Preview!	GS-154, UG-254
Report	UG-362
Report Formatter	UG-383, UG-385
Window Formatter	UG-205, UG-234
PREVIOUS	LR-xxxiv, LR-10-84
FILE	LR-10-47
VIEW	LR-11-17
Previous Error	
Text Editor	UG-404
PRIMARY	TG-2-8, TG-2-12, TG-2-14, TG-2-17
Primary Key	LR-10-63, UG-36, UG-66, UG-69
Defined	UG-38
primary key	GS-45, GS-67
PRINT	LR-xxxi, LR-8-61
print a source file	TG-5-21
Print engine	UG-348
print engine	GS-151
print engine	LR-8-3
Print Preview	UG-362
Print spooler	UG-351
PRINT statement	UG-349
Print structure	
BREAK	LR-8-14
DETAIL	LR-8-15
FOOTER	LR-8-17
FORM	LR-8-19
HEADER	LR-8-20
PRINTER built-in variable	LR-7-57
PRINTERDIALOG	LR-7-57
PRIVATE	LR-2-31
PROC	LR-2-31
PROCEDURE	LR-2-14, TG-2-17, TG-4-4, TG-4-20
Procedure	

Adding	UG-87
PROCEDURE attribute	TG-8-25
Procedure Call	LR-2-22
Procedure Menu	UG-110
Procedure Properties	TG-8-4
Procedure properties	
Data	UG-91, UG-95
Defining Embedded Source	UG-98
Description	UG-90
Editing	UG-108
Embeds	UG-91
Extensions	UG-93
Files	UG-90, UG-93
Formulas	UG-92
List of	UG-88
Module Name	UG-90
Other Procedures	UG-91
Other procedures	UG-98
Parameters	UG-90
Prototype	UG-90
Report	UG-91
Type	UG-88
Window	UG-90
Windows	UG-94
Procedure Properties dialog	TG-1-6, TG-1-7, TG-1-12, UG-25
Use	UG-89
Procedure Properties window	TG-1-8
procedure prototype	TG-6-8
Procedure Setup	TG-8-7
Procedure Template	TG-8-3
procedure template	TG-1-4, TG-1-8, TG-1-9, TG-2-8
Procedure Templates	UG-21
Procedure templates	TG-1-5
Procedure Type dialog	UG-110
Procedure Wizard	UG-113
Procedure Wizards	GS-24
Procedures	
Calling	UG-98
Change procedure type	UG-110
Copying	UG-110
Creating	UG-110
Deleting	UG-108
Finding	UG-108
Renaming	UG-110
Procedures per Module	UG-112
Process procedure	UG-141
ProcStep	
Debugging	UG-471
Product registration	UG-8
product registration	GS-6
Program editor	UG-400
PROGRAM	LR-2-8
MAP	LR-2-12
program documentation	TG-2-11
Program Manager icons	GS-10, UG-11

Programs to Execute	UG-442
PROGRESS	LR-6-81
Progress Bar Properties	
Drop ID	UG-307
Help	UG-307
Name	UG-306
Position	UG-307
Range of Values	UG-307
Setting	UG-306
Use	UG-306
PROGRESS control	UG-206
Progress Properties dialog	UG-306
PROJECT	UG-616
Relational operation	LR-11-7
Project	
Adding External Resources	UG-440
Adding Object Files and Libraries	UG-439
Adding Other Projects	UG-441
Adding Programs to Execute	UG-442
Adding Source Code	UG-438
Creating	UG-433, UG-435
Editing/managing	UG-433
Maintaining	UG-108, UG-113, UG-438
Maintaining modules	UG-109
Multi user development	UG-112
Setting options	UG-446
Project Editor dialog	UG-434, UG-438, UG-455
Project file	TG-6-9
Project Menu	UG-432
Project Properties	
Build Release System	UG-448
Create Map File	UG-450
Debug Mode	UG-448
Defines	UG-449
Line Numbers	UG-448
Memory Model	UG-447
Optimize by CPU	UG-449
Optimize for Speed	UG-449
Pack Segments	UG-450
Run-Time Library	UG-447
Stack Size	UG-450
Target OS	UG-447
Target Type	UG-447
Title	UG-447
Project System	UG-28
Project Tree dialog	UG-437
PROMPT	LR-6-79, TG-1-3, UG-62
Prompt	GS-15, UG-61
PROMPT control	UG-205
Prompt control	UG-304
PROMPT entry types	TG-1-3
Prompt Entry types	TG-1-8
prompt group box	TG-4-21
prompt pages	TG-1-8
Prompt Properties	

Setting	UG-304
PROMPTAT	TG-4-3
PROP:Absolute	LR-C-7
PROP:AcceptAll	LR-C-16
PROP:Active	LR-C-17
PROP:Alone	LR-C-7
PROP:Alt	LR-C-7
PROP:AppInstance	LR-C-17
PROP:At	LR-C-6
PROP:Auto	LR-C-7
PROP:Ave	LR-C-7
PROP:Boxed	LR-C-7
PROP:Cap	LR-C-7
PROP:Center	LR-C-7
PROP:CenterOffset	LR-C-7
PROP:Check	LR-C-7
PROP:ChoiceFreq	LR-C-17
PROP:Class	LR-C-7
PROP:ClientHandle	LR-C-18
PROP:ClientWndProc	LR-C-19
PROP:ClipBits	LR-C-20
PROP:Cnt	LR-C-7
PROP:Color	LR-C-7
PROP:Column	LR-C-7
PROP:ConnectString	LR-C-21, UG-625
PROP:Cursor	LR-C-7
PROP:DDETimeOut	LR-C-21
PROP:Decimal	LR-C-7
PROP:DecimalOffset	LR-C-7
PROP:Default	LR-C-7
PROP:DeferMove	LR-C-22
PROP:Disable	LR-C-7
PROP:Double	LR-C-7
PROP:Dragid	LR-C-7
PROP:Drop	LR-C-7
PROP:Dropid	LR-C-7
PROP>Edit	LR-C-23
PROP:Enabled	LR-C-24
PROP:FalseValue	LR-C-38
PROP:Fill	LR-C-7
PROP:Filter	LR-C-25
PROP:First	LR-C-8
PROP:FlushPreview	LR-C-26
PROP:Follows	LR-C-27
PROP:Font	LR-C-6
PROP:FontColor	LR-C-6
PROP:FontName	LR-C-6
PROP:FontSize	LR-C-6
PROP:FontStyle	LR-C-6
PROP:Format	LR-C-8
PROP:From	LR-C-8
PROP:Full	LR-C-8
PROP:Gray	LR-C-8
PROP:Handle	LR-C-27
PROP:Height	LR-C-6
PROP:Hide	LR-C-8

PROP:Hlp	LR-C-8
PROP:Hscroll	LR-C-8
PROP:Icon	LR-C-8
PROP:Iconize	LR-C-8
PROP:IconList	LR-C-29
PROP:ImageBits	LR-C-30
PROP:ImageBlob	LR-C-31
PROP:Imm	LR-C-8
PROP:Ins	LR-C-8
PROP:Items	LR-C-32
PROP:Key	LR-C-8
PROP:Landscape	LR-C-8
PROP>Last	LR-C-8
PROP:Left	LR-C-8
PROP:LeftOffset	LR-C-8
PROP:Line	LR-C-33
PROP:LineCount	LR-C-33
PROP>LoginTimeOut	LR-C-33, UG-625
PROP:Mark	LR-C-8
PROP:Mask	LR-C-8
PROP:Max	LR-C-8
PROP:MaxHeight	LR-C-34
PROP:Maximize	LR-C-8
PROP:MaxWidth	LR-C-34
PROP:Mdi	LR-C-8
PROP:Meta	LR-C-8
PROP:Min	LR-C-8
PROP:MinHeight	LR-C-34
PROP:Mm	LR-C-8
PROP:Modal	LR-C-8
PROP:Msg	LR-C-8
PROP:NoBar	LR-C-8
PROP:NoFrame	LR-C-8
PROP:NoMerge	LR-C-9
PROP:NoTips	LR-C-32, LR-C-34
PROP:Ovr	LR-C-9
PROP:Page	LR-C-9
PROP:PageAfter	LR-C-9
PROP:PageAfterNum	LR-C-9
PROP:PageBefore	LR-C-9
PROP:PageBeforeNum	LR-C-9
PROP:Pageno	LR-C-9
PROP:Palette	LR-C-9
PROP>Password	LR-C-9
PROP:Points	LR-C-9
PROP:Preview	LR-C-9
PROP:Progress	LR-C-35
PROP:Range	LR-C-9
PROP:RangeHigh	LR-C-9
PROP:RangeLow	LR-C-9
PROP:ReadOnly	LR-C-9
PROP:Req	LR-C-9
PROP:Reset	LR-C-9
PROP:Resize	LR-C-9
PROP:Right	LR-C-9
PROP:RightOffset	LR-C-9

PROP:Round	LR-C-9
PROP:ScreenText	LR-C-35
PROP:Scroll	LR-C-9
PROP:SelEnd	LR-C-36
PROP:SelStart	LR-C-36
PROP:Separate	LR-C-9
PROP:Size	LR-C-36
PROP:Skip	LR-C-9
PROP:Spread	LR-C-9
PROP:SQL	UG-621
PROP:SQLExecute	LR-C-45
PROP>Status	LR-C-9
PROP:StatusText	LR-C-9
PROP:Std	LR-C-10
PROP:Step	LR-C-10
PROP:Sum	LR-C-10
PROP:System	LR-C-10
PROP:Thous	LR-C-10
PROP:Thread	LR-C-37
PROP:Timer	LR-C-10
PROP:TipDelay	LR-C-37
PROP:TipDisplay	LR-C-37
PROP:Toolbox	LR-C-10
PROP:ToolTip	LR-C-10
PROP:Touched	LR-C-37
PROP:Trn	LR-C-10
PROP:TrueValue	LR-C-38
PROP:Upr	LR-C-10
PROP:Use	LR-C-10
PROP:Value	LR-C-10
PROP:VBXEvent	LR-C-38
PROP:VBXEventArg	LR-C-38
PROP:VbxFile	LR-C-7
PROP:VbxName	LR-C-7
PROP:Vcr	LR-C-10
PROP:VcrFeq	LR-C-10
PROP:Visible	LR-C-39
PROP:Vscroll	LR-C-10
PROP:VscrollPos	LR-C-28, LR-C-40
PROP:Width	LR-C-6
PROP:WithNext	LR-C-10
PROP:WithPrior	LR-C-10
PROP:Wizard	LR-C-10
PROP:WndProc	LR-C-41
PROP:Xpos	LR-C-6
PROP:Ypos	LR-C-6

Properties. See controls: properties; windows: properties

active window	LR-C-17
bitmap images in memo fields	LR-C-20, LR-C-30, LR-C-31
data changed by the user	LR-C-37
edit-in-place	LR-C-23
FlushPreview	LR-C-25, LR-C-26
mark as a block	LR-C-36
name of a VBX event	LR-C-38
number of entries visible in a LIST	LR-C-32, LR-C-34
tab order	LR-C-27

thread number	LR-C-37
Undeclared	LR-C-16
window or control handle	LR-C-18, LR-C-19, LR-C-27, LR-C-41
Property Access Syntax	GS-138, LR-C-4
Property Assignment	LR-C-3
Property assignment syntax	UG-219
Property Equates	LR-C-6
Property Expressions	LR-C-4
Property Sheet	UG-58, UG-519
Property Sheet Properties	
Drop ID	UG-315
Help	UG-316
Name	UG-315
Position	UG-316
Setting	UG-314
Spread	UG-315
Use	UG-315
Wizard	UG-315
Property Strings	LR-C-3
Property Toolbox	
Report Formatter	UG-357, UG-375
Window Formatter	UG-261, UG-266, UG-276
PropertyBox toolbox	GS-163
PROPLIST:Center	LR-C-11
PROPLIST:CenterOffset	LR-C-11
PROPLIST:Color	LR-C-11
PROPLIST:Decimal	LR-C-11
PROPLIST:DecimalOffset	LR-C-11
PROPLIST:Fixed	LR-C-11
PROPLIST:Group	LR-C-13
PROPLIST:Header	LR-C-11
PROPLIST:HeaderCenter	LR-C-11
PROPLIST:HeaderCenterOffset	LR-C-11
PROPLIST:HeaderDecimal	LR-C-11
PROPLIST:HeaderDecimalOffset	LR-C-12
PROPLIST:HeaderLeft	LR-C-12
PROPLIST:HeaderLeftOffset	LR-C-12
PROPLIST:HeaderRight	LR-C-12
PROPLIST:HeaderRightOffset	LR-C-12
PROPLIST:Icon	LR-C-12
PROPLIST>LastOnLine	LR-C-12
PROPLIST:Left	LR-C-12
PROPLIST:LeftOffset	LR-C-12
PROPLIST:Locator	LR-C-12
PROPLIST:MouseDownField	LR-C-14
PROPLIST:MouseDownRow	LR-C-14
PROPLIST:MouseDownZone	LR-C-14
PROPLIST:MouseMoveField	LR-C-14
PROPLIST:MouseMoveRow	LR-C-14
PROPLIST:MouseMoveZone	LR-C-14
PROPLIST:MouseUpField	LR-C-14
PROPLIST:MouseUpRow	LR-C-14
PROPLIST:MouseUpZone	LR-C-14
PROPLIST:Picture	LR-C-12
PROPLIST:Resize	LR-C-12

PROPLIST:Right	LR-C-12
PROPLIST:RightBorder	LR-C-12
PROPLIST:RightOffset	LR-C-13
PROPLIST:Scroll	LR-C-13
PROPLIST:Tree	LR-C-13
PROPLIST:TreeBoxes	LR-C-13
PROPLIST:TreeIndent	LR-C-13
PROPLIST:TreeLines	LR-C-13
PROPLIST:Underline	LR-C-13
PROPLIST:Width	LR-C-13
PROPPRINT:Collate	LR-C-42
PROPPRINT:Color	LR-C-42
PROPPRINT:Context	LR-C-42
PROPPRINT:Copies	LR-C-42
PROPPRINT:Device	LR-C-42
PROPPRINT:DevMode	LR-C-42
PROPPRINT:Driver	LR-C-43
PROPPRINT:Duplex	LR-C-43
PROPPRINT:FontMode	LR-C-43
PROPPRINT:FromMin	LR-C-43
PROPPRINT:FromPage	LR-C-43
PROPPRINT:Paper	LR-C-43
PROPPRINT:PaperBin	LR-C-43
PROPPRINT:PaperHeight	LR-C-43
PROPPRINT:PaperWidth	LR-C-43
PROPPRINT:Percent	LR-C-43
PROPPRINT:Port	LR-C-43
PROPPRINT:PrintToFile	LR-C-43
PROPPRINT:PrintToName	LR-C-44
PROPPRINT:Resolution	LR-C-44
PROPPRINT:ToMax	LR-C-44
PROPPRINT:ToPage	LR-C-44
PROPPRINT:Yresolution	LR-C-44
Protected mode	LR-xxxvii
Prototype	UG-90
External procedures	UG-445
Prototypes	
FUNCTION	LR-2-23
PROCEDURE	LR-2-23
prototypes	LR-2-12
Prototyping API Functions	UG-632
PSTRING	LR-3-20, UG-54
Push button	UG-270
PUT	LR-xxxiv
FILE	LR-10-48
QUEUE	LR-12-17
VIEW	LR-11-18
PUTINI	LR-7-66
Q	
QBE	UG-499
Query-by-Example	UG-499
QUEUE	LR-12-3, UG-326
ADD	LR-12-12
DELETE	LR-12-14
GET	LR-12-15

POINTER	LR-12-20
PUT	LR-12-17
RECORDS	LR-12-20
SORT	LR-12-19
queue	TG-3-7
QUEUE structure	UG-285
Quick Load	GS-20
Defined	UG-43
Quick Start	UG-76
Quick Start Wizard	GS-14
QUICKSCAN	UG-532
QUOTE	TG-6-14
R	
RAD	GS-2
RADIO	TG-4-4, TG-4-20
report control	LR-8-40
window control	LR-6-83
Radio Button	
Report	UG-394
radio button	TG-4-20
Radio Button Properties	
Accelerator key	UG-278
Drop ID	UG-279
Help	UG-280
Icon	UG-279
Justification	UG-278
Name	UG-278
Parameter	UG-278
Position	UG-280
Setting	UG-275
Text	UG-278
Use	UG-278
Value	UG-278
Radio Button Properties dialog	UG-277
radio buttons	TG-1-6, TG-1-8
RADIO control	
Window	UG-206
RAM	GS-9, UG-10
RANDOM	LR-13-5
Random access	LR-10-83
Random File Access	LR-10-87
RANGE	LR-6-124
Range	UG-141
Range Limit	GS-113
Range validation	LR-13-3
Rapid Application Development	GS-2, UG-2
RAW	LR-2-24, LR-2-28
Re-declarations	LR-xxvi
re-generated templates from the registry	TG-1-4
Re-register When Changed	TG-1-12
READ	TG-5-14, TG-5-15
Read and write	UG-86
read one line of a source file	TG-5-16
Read Only	LR-10-89
Read only	UG-86

Field	UG-57
read-only mode	TG-5-14
Read/Write	LR-10-89
ReadMe file	GS-11, UG-12
READONLY	LR-6-124
READONLY attribute	UG-289, UG-293, UG-296, UG-301
REAL	LR-3-9, UG-54
Real number	
Data types	UG-54
RECLAIM	LR-10-10
RECLAIM attribute	UG-46
RECORD	LR-10-22
Record	
Defined	UG-38
record lock	LR-10-94
Record order	UG-166
Record pointer	LR-10-87
RECORDS	
FILE	LR-10-62
INDEX	LR-10-62
KEY	LR-10-62
QUEUE	LR-12-20
Recursive	
FUNCTION	LR-3-42
PROCEDURE	LR-3-42
recursive #GROUPs	TG-2-21
Redeclares (OVER)	LR-3-37
Redirection file	LR-2-41, UG-434
Debugger Options	
16-bit	UG-462
Redistribute Procedures	UG-109
Redo	UG-228
Reference Assignment Statements	LR-4-18
Reference variable	UG-55
Reference Variables	LR-3-30
Referential Integrity	GS-23, GS-46, UG-69, UG-70, UG-85, UG-488
Referential integrity	LR-10-63
Referential Integrity constraints	GS-53
Reformat	UG-493
RefreshWindow	UG-144
RefreshWindow ROUTINE	TG-8-9
Regenerate	UG-117
Regenerate button	TG-1-12
Regenerate templates	UG-116
REGET	
FILE	LR-10-50
VIEW	LR-11-19
REGION	LR-6-86
REGION control	UG-206
Region control	UG-309
Region Properties	
Colors	UG-310
Drag ID	UG-310
Drop ID	UG-311
Help	UG-311

Immediate	UG-310
Name	UG-309
Position	UG-311
Setting	UG-309
Use	UG-309
Registers	
16-bit	
Debugger Windows	UG-466
Registry Maintenance	UG-116
Registry Options	UG-115
Registry Options dialog	TG-1-12, UG-114
REGISTRY.TRF	TG-1-4, TG-1-10, UG-114, UG-117
REJECTCODE	LR-13-37
Relational database theory	UG-37
Relational model	UG-37
Relational Theory	
Relational Operations	UG-39
Join	UG-39
Project	UG-39
Select	UG-39
Relations	
Foreign Key	UG-69
Map by...	UG-69
Primary Key	UG-69
Relationship Properties dialog	UG-34, UG-68, UG-70
Relationships	
Linked field	UG-69
RelationTree Control template	UG-188
Relative record	LR-10-60
RELEASE	LR-10-94
FILE	LR-10-49
VIEW	LR-11-21
Remainder (Modulus division)	LR-4-3
REMOVE	LR-10-34
RENAME	LR-10-35
Rename Procedure	UG-110
ReNUMBER	UG-109
Repeat count notation	LR-4-6
Repeated characters	LR-13-11
REPLACE	TG-6-15
Replace	
Text Editor	UG-407
Replace All	
Text Editor	UG-408
replace attribute	TG-6-15
replace string special characters	TG-6-14
Replaceable database drivers	LR-xxxv
Repopulate Modules	UG-109
REPORT	LR-8-4, TG-2-8, TG-2-14
Page Overflow	LR-8-3
Report	
Adding Fields	UG-386
AVE	UG-358
Box	UG-391

BREAK	UG-349
Breaks	UG-367
Check Box	UG-395
CNT	UG-358
Controls	UG-358
Custom Controls	UG-396
Data	UG-358
Design	UG-359
DETAIL	UG-349
Detail	UG-366
Ellipse	UG-392
Fields	UG-358, UG-366, UG-373
Font	UG-378, UG-380
FOOTER	UG-349
Footer	UG-365
FORM	UG-349
Graphic Controls	UG-389
Graphics	UG-358
Group Box	UG-395
Group BREAK	UG-349
Group Breaks	UG-367
Group Header	UG-369
HEADER	UG-349
Header	UG-363
Line	UG-390
List Box	UG-392
MAX	UG-358
Metafile	UG-397
MIN	UG-358
Multi-Line Text	UG-388
Option Box	UG-393
Page Breaks	UG-371
Page Margins	UG-361
Page Orientation	UG-361
Paper Size	UG-361
Picture token	UG-358
Position	UG-379, UG-380
Positioning and Alignment	UG-360
Preview!	UG-383
Processing Order	UG-350
Radio Button	UG-394
Sorting	UG-369
SUM	UG-358
Totals	UG-358
<hr/>	
Report Control Symbols	TG-7-15
Report controls	UG-62
REPORT data structure	GS-151
Report Formatter	TG-2-21, UG-27, UG-91
<hr/>	
Align Toolbox	UG-357, UG-376
Alignment Menu	UG-381
Band View	UG-355
Bands Menu	UG-381
Box	UG-375
Caption bar	UG-355
Check Box	UG-374
Control Template	UG-375, UG-384
<hr/>	

Controls Menu	UG-381
Controls Toolbox	UG-374
Controls toolbox	UG-356
Custom Control	UG-375
Data Dictionary Field	UG-375
Dictionary Field	UG-383
Edit Menu	UG-379
Ellipse	UG-375
Form	UG-363
Group Box	UG-374
Image	UG-375
Line	UG-375
List Box	UG-375
Measurement unit	UG-361
Opening	UG-354
Option Box	UG-374
Options Menu	UG-384
Page Layout	UG-383
Page Layout View	UG-356
Populate Menu	UG-383
Popup Menu	UG-377
Preview!	UG-383, UG-385
Property Toolbox	UG-357, UG-375
Radio Button	UG-374
Rulers	UG-355
String	UG-374
Text Field	UG-374
Using	UG-348
View Menu	UG-383
<hr/>	
Report Processing	
Order	UG-348
Report Properties	GS-153
Editing	UG-378
Report Properties dialog	UG-362
REPORT structure	UG-348, UG-349
REPORT structures	LR-xxxix
Report totals	
AVE	LR-8-45
CNT	LR-8-46
MAX	LR-8-53
MIN	LR-8-54
SUM	LR-8-56
Report Wizard	GS-24
REQ	LR-6-124, TG-2-12, TG-2-14, TG-2-17, TG-4-3, TG-4-8
REQ attribute	TG-8-17, UG-60, UG-271, UG-293, UG-296, UG-301, UG-317
Required Field. See control properties	
Reserved Words	LR-2-6
RESET	
FILE	LR-10-51
report control attribute	LR-8-55
VIEW	LR-11-22
Reset Controls	UG-62
Reset Fields	UG-169
Browse Box	UG-148
RESIZE	LR-6-23

resize	LR-6-30
Resizable	UG-213
List box	
Column group	UG-338
Resizable columns	
List box	UG-334
Resizing a window	GS-25
resizing list box columns	GS-113
Restrict	GS-54
Data Integrity	UG-70
RETURN	LR-5-16
return attribute	TG-6-10
return attribute string delimiter position	TG-6-16
return current instance number	TG-6-13
return embed point existence	TG-6-11
return file existence	TG-6-12
return from #GROUP	TG-5-11
return item exists in list	TG-6-12
return multi-valued symbol instances	TG-6-13
RETURN value	LR-2-26
Reusability	UG-20
reusability	GS-34, GS-117
Reusable code	
Data entry format	UG-61
reusable statement group	TG-1-9, TG-2-9
reuseable	TG-1-3
REVERSE	TG-5-3
Revision number	UG-71
Rewrite (PUT)	LR-10-48
VIEW	LR-11-18
rewrite (PUT)	
QUEUE	LR-12-17
RIGHT	
function	LR-13-18
MENU control attribute	LR-6-125
report control attribute	LR-8-52
window control attribute	LR-6-121
Right angle bracket (>)	LR-2-7
Right Border	UG-341
roadmap	GS-5
ROLLBACK	LR-10-65, LR-10-69
Rollback	UG-85
ROUND	
function	LR-13-6
report control attribute	LR-8-55
window control attribute	LR-6-125
ROUNDBOX	LR-9-14
ROUTINE	LR-xxx, LR-2-19, TG-2-12
DO	LR-5-12
EXIT	LR-5-13
Ruler	
Report formatter	UG-355
RUN	LR-5-17
Run	UG-82, UG-433

Run button	GS-93, UG-15
Run Time Errors	LR-D-3, LR-D-7
RUNCODE	LR-13-33
Runtime Expression	LR-4-10
Runtime index	UG-63
Runtime Library	UG-447
Runtime Property Assignment	LR-C-3
Property Access Syntax	LR-C-4
Property Equates	LR-C-6
Runtime-Only Properties	LR-C-16
Runtime-Only Properties	LR-C-16

S

Sample Window	
Window Formatter	UG-205
sample window	GS-88
SAVE	TG-3-7, TG-3-19
Save All	
Text Editor	UG-408
Save button	UG-14
Save Button control template	UG-175
Scientific Notation Pictures	LR-3-46
Screen Fields (controls)	LR-6-6
screen picture	GS-63
SCREEN structure	LR-xxxix
script language	TG-1-3
SCROLL	LR-6-125
Scroll Bar	
List box	
Column group	UG-337
List box column	UG-334
Scrolling	
Controls	UG-266
List boxes	UG-286
Search	
List box	UG-335
Search menu	
Text Editor	UG-406
Search path	UG-435
SECTION	LR-2-43
section use constraints	TG-2-29
SELECT	LR-7-29
Select Control Template dialog	GS-128
Select Driver dialog	UG-437
Select Embed Type dialog	
Using	UG-102
Select Field dialog	GS-96, UG-97, UG-258, UG-280, UG-294, UG-300, UG-327, UG-336
Using	UG-97
Select Font	GS-154
Select Font dialog	UG-265, UG-364
Select Key dialog	UG-298
Select Procedure Type dialog	GS-95, GS-150, GS-155, UG-25, UG-88
Select Project dialog	UG-433
Select Source dialog	UG-476
SELECTED	LR-7-48

Selective Export	UG-118
Semi-colon	LR-2-3, LR-2-7
SEND	LR-10-62
SEND function	UG-528, UG-531, UG-622
Sentence oriented languages	LR-xxiii
SEPARATOR	LR-6-126, TG-6-16
Sequential access	LR-10-83
Sequential File Access	LR-10-84
SET	LR-xxxiv, LR-10-84, LR-10-85
FILE	LR-10-52
Set Control Order	
Report Formatter	UG-381
Window Formatter	UG-230
Set Tab Order	
Window Formatter	UG-229
SET3DLOOK	LR-7-31
SETCLIPBOARD	LR-7-63
SETCLOCK	LR-13-27
SETCOMMAND	LR-13-34
SETCURSOR	LR-7-32
SETDROPID	LR-7-64
SETFONT	LR-7-33
SETKEYCODE	LR-7-50
SETNONNULL	LR-10-73
SETNULL	LR-10-72
SETPATH	LR-13-34
SETPENCOLOR	LR-9-15
SETPENSTYLE	LR-9-16
SETPENWIDTH	LR-9-17
SETPOSITION	LR-7-34
SETTARGET	LR-7-35
Setting Application Options	UG-111
SETTODAY	LR-13-26
Setup	UG-10
setup	GS-9
Setup program	UG-443
setup prompt symbols	TG-4-12
SHARE	LR-10-89
FILE	LR-10-36
SHARE.EXE	GS-15
Shared mode	UG-86
Shared-access	LR-10-89
SHEET	LR-6-88
Sheet	UG-519. <i>See also</i> Property Sheet
SHEET control	UG-207, UG-314
SHEET structure	UG-316
SHORT	LR-3-4, UG-54
SHOW	LR-9-18
Show on Properties box	TG-1-12
SHUTDOWN	LR-5-18
Sieve of Eratosthenes	LR-xxxviii
Simple Assignment Statements	LR-4-15
Simplicity	UG-512
SIN (sine of angle)	LR-13-7
SINGLE	TG-2-12

Single Document Interface (SDI)	LR-6-5
Single-precision real	LR-3-8, LR-3-10
Single-quote	UG-57
SIZE	LR-3-54
Size	UG-225
Windows and controls	UG-262
SKIP	LR-xxxiv
FILE	LR-10-54
VIEW	LR-11-24
window control attribute	LR-6-126
Slash	LR-2-7
Smart Linking	LR-xxxviii
Snap to Grid	
Report formatter	UG-361
Soft mode	
Debugger Options	
16-bit	UG-459
Software Development Kit	UG-513
SORT (QUEUE)	LR-12-19
Sort Fields	UG-182
Sort Order	UG-68
Sort orders	LR-10-83
sorted insert	TG-3-10
Sorting	UG-94
Report	UG-369
Sorting files	UG-98
Sound (BEEP)	LR-13-40
Source code	UG-90
Source code editor	UG-400
Source code generation	UG-113
source code generation time	TG-1-7
Source code management	UG-638
source generation control	TG-2-4
source generation control section	TG-1-9
source generation error	TG-6-5
source generation message	TG-6-7
Source variable	LR-4-15
Special Characters	LR-2-7
SPIN	LR-6-91, TG-4-5, TG-4-20
Spin Box. See Spin Properties	
SPIN control	UG-206, UG-290
Spin Properties	
Capitalization/case	UG-292
Data source	UG-291
Drop ID	UG-293
Entry Mode	UG-292
Entry Patterns	UG-290
From	UG-291
Help	UG-293
Immediate	UG-292
Justification	UG-291
Justification Offset	UG-291
Picture	UG-290
Position	UG-293
Range limits	UG-292

Read Only	UG-293
Required	UG-293
Setting	UG-290
Step value	UG-292
Use	UG-291
Spin Properties dialog	UG-290
SPREAD	LR-6-126
SQL	LR-xxxiv, LR-C-45
SQL command	UG-622
SQL.LOG	UG-624
SQLException	UG-623
SQRT (square root)	LR-13-6
SREAL	LR-3-8, UG-54
Stack Overflow	UG-448
Stack Size	UG-450
Stack Trace	
Debugger Options	
16-bit	UG-459
Stack Trace window	
Debugger	UG-480
Stacking Fields	
List box	UG-339
Standard actions	UG-80
standard customizations	TG-1-5
Standard Date	LR-13-25
Standard Time	LR-13-25
standard window handling code	TG-8-4
Standard Windows Action	UG-272
Standard Windows Behavior	UG-238, UG-245
Standard Windows Commands	UG-238
START	LR-7-14
START function	UG-203, UG-204
starting point designs	TG-1-4
Statement Execution Sequence	LR-2-21
Statement Format	LR-2-3
Statement Labels	LR-2-3
Statement oriented languages	LR-xxiii
Statement selection integer	LR-xxx
STATIC	LR-3-38
QUEUE attribute	LR-12-6
Storage class	UG-58
Static controls	UG-259
Static Data	LR-3-41
Static index	UG-65
STATUS	
window attribute	LR-6-35
Status bar	UG-215, UG-244
Status bar message	UG-59
Status Widths	UG-218
STD	LR-6-127
STD ID	UG-272
Std ID	UG-245
STEP	LR-6-128
Step	
Debugging	UG-471

Step Assembler	
Debugger 32-bit	UG-483
Step Locator	
Incremental Locator	
Entry Locator	UG-146
Step Over Assembler	
Debugger 32-bit	UG-483
Step Over Source	
Debugger 32-bit	UG-483
Step Source	
Debugger 32-bit	UG-483
Sticky breakpoint	UG-467
STOP	LR-5-19
STREAM	LR-10-37
Strikeout	UG-225, UG-265
STRING	UG-54
data type	LR-3-16
report control	LR-8-41
window control	LR-6-94
String Constants	LR-4-6
STRING control	
Window Formatter	UG-205
String control	UG-302
String Expressions	LR-4-7
string field	GS-107
String Pictures	LR-3-52
String Properties	
Drop ID	UG-303
Field or variable	UG-302
Help	UG-304
Justification	UG-302
Justification Offset	UG-303
Name	UG-302
Parameter	UG-302
Picture token	UG-302
Position	UG-304
Setting	UG-302
Text	UG-302
Transparent	UG-303
Use	UG-302
Variable string	UG-303
String Properties dialog	GS-151, GS-157, UG-302
String Slicing	LR-4-8
String values	
Specifying	UG-57
Strong typing	LR-xxvi
Structure Termination	LR-2-4
Style	UG-225
SUB (substring function)	LR-13-19
Sub-Application	UG-644
sub-classing	LR-C-19, LR-C-41, LR-E-3
Sub-routine (ROUTINE)	LR-2-19
SubMENU	UG-245
Subroutines	UG-91

Defining	UG-98
Subscript	
Array	LR-3-32
MAXIMUM	LR-13-42
SUBTITLE	LR-2-44
Subtraction operator	LR-4-3
SUM	LR-8-56
Sum	GS-141
super-fix multi-value symbols	TG-3-16
Suppress display of repeated Functions	UG-112
Surrounding Break	GS-159, UG-368, UG-383
Switch To	LR-6-36
symbol	TG-1-6
Symbol Hierarchy	TG-7-5
Symbol Management Statements	TG-3-7
symbols	TG-7-3
Symbols Dependent on %Field	TG-7-9
Symbols Dependent on %Application	TG-7-6
Symbols Dependent on %File	TG-7-7
Symbols Dependent on %Formula	TG-7-16
Symbols Dependent on %Key	TG-7-10
Symbols Dependent on %Module	TG-7-11
Symbols Dependent on %Procedure	TG-7-12
Symbols Dependent on %Relation	TG-7-11
Symbols Dependent on %Report	TG-7-15
Symbols Dependent on %ViewFiles	TG-7-8
Symbols Dependent on %Window	TG-7-13
synchronized list boxes	GS-127
SyncWindow ROUTINE	TG-8-9
Syntax check	UG-422
SYSTEM	
window attribute	LR-6-36
System Date	
SETTODAY	LR-13-26
TODAY	LR-13-26
System Debugger	UG-478
System menu	LR-6-36, UG-204, UG-216
System messages	UG-513
System modal	LR-6-15, LR-6-33
System modal window	UG-203
System requirements	UG-10
system requirements	GS-9
System Time	
CLOCK	LR-13-26
SETCLOCK	LR-13-27
System topic	UG-627
T	
TAB	LR-6-96
Tab	UG-226, UG-519
TAB control	UG-207
Tab order	UG-229, UG-230
Tab Properties	
Drop Id	UG-317
Help	UG-318
Name	UG-317

Parameter		UG-317
Position		UG-318
Required field		UG-317
Setting		UG-316
Text		UG-317
Use		UG-317
<hr/>		
Tab Size		
Text Editor		UG-410
<hr/>		
TAB structure		UG-316
Tabbed dialogs		UG-519
Table		UG-37
Defined		UG-39
<hr/>		
Tabstop		
Text Editor		UG-404
<hr/>		
Tabular report		UG-359
TAN (tangent of angle)		LR-13-8
<hr/>		
TARGET		
built-in variable		LR-C-3
<hr/>		
TARGET, built-in variable		LR-7-35
Target file	UG-437, UG-442, UG-444	
target language		TG-1-3
target language source code		TG-1-5
target language statement		TG-1-9
targets for control and extension templates		TG-1-7
Template	UG-92, UG-103	
Template Class	UG-420, UG-423, UG-426	
template class		TG-1-9
Template Classes	GS-143, GS-169	
template code comments		TG-6-3
template code files		TG-1-10
Template Code Sections		TG-2-3
template code sections		TG-1-9
Template Driven		UG-20
template help file		TG-6-6
template initialization code		TG-2-23
template language procedure or function		TG-1-9
Template Language Reference	GS-5, UG-7	
Template Prompts		TG-1-8
Template Properties dialog		TG-1-12
Template Registry	TG-1-10, TG-1-12, TG-2-3, TG-2-6, UG-20, UG-98, UG-114, UG-115, UG-116	
template registry		TG-1-13
template registry file		TG-1-4
Template Registry Options		UG-114
template reset code		TG-2-24
Template set	TG-2-4, TG-2-6, UG-114	
template set	TG-1-9, TG-1-13, TG-2-3	
Template Structure		TG-1-9
template symbol (variable)		TG-1-9
template variable (symbol)		TG-1-6
Templates	UG-103, UG-107	
<hr/>		
code		UG-22
control		UG-21
extension		UG-22
Maintaining		UG-114
procedure		UG-21
<hr/>		

Properties	UG-117
Regenerate	UG-116
Unregister	UG-116
<hr/>	
Termination	
FUNCTION	LR-5-16
HALT	LR-5-14
PROCEDURE	LR-5-16
PROGRAM	LR-5-16
ROUTINE	LR-5-13
structure	LR-2-4
<hr/>	
Test button	UG-211
<hr/>	
Test data	
Report	UG-385
<hr/>	
TEXT	
report control	LR-8-43
window control	LR-6-98
<hr/>	
Text	
Appearance of	UG-265
<hr/>	
TEXT control	
Window Formatter	UG-205
<hr/>	
Text control	UG-299
<hr/>	
Text Control Properties	
Capitalization/case	UG-300
Drop ID	UG-301
Field or variable	UG-300
Help	UG-301
Justification	UG-300
Name	UG-300
Position	UG-301
Read Only	UG-301
Required	UG-301
Scroll bars	UG-301
Setting	UG-299
Use	UG-300
<hr/>	
Text Editor	TG-2-21, UG-27, UG-92, UG-400
Copy	UG-403
Customization	UG-409
Cut	UG-403
Duplicate	UG-405
Edit Menu	UG-403
Find Marked Text	UG-408
Find Next	UG-408
Find Previous	UG-408
Managing windows	UG-401
Opening	UG-400
Paste	UG-404
Replace	UG-407
Replace All	UG-408
Search	UG-406
Undo	UG-403
<hr/>	
Text Properties dialog	UG-300
THEN	LR-xxix, LR-5-7
THOUS	
REPORT attribute	LR-8-13
THREAD	LR-3-38, LR-7-15, UG-96

FILE attribute	LR-10-13
QUEUE attribute	LR-12-7
Thread	UG-80, UG-204
THREAD attribute	UG-47, UG-86
Tilde	LR-2-7
TIME	UG-54
data type	LR-3-23
Time	
Standard Time	LR-13-25
Time Pictures	LR-3-48
TimeDisplay	UG-22
TIMER	LR-6-38
Timer	UG-215, UG-218
TIMER attribute	TG-8-25
TIMES	LR-5-8
TIP	LR-6-129
Tip	UG-269
TITLE	LR-2-44
Title	UG-212
TO	LR-xxix, LR-5-3, LR-5-8
To Do	UG-78, UG-103
To Do procedure	UG-87
TODAY	LR-13-26
TODAY()	UG-57
TODAY() function	GS-63
Token oriented languages	LR-xxii
Tool bar	UG-14
Tool tip	UG-59, UG-207, UG-210, UG-223, UG-269, UG-357, UG-375, UG-377
TOOLBAR	LR-6-42
Toolbar	
Window Formatter	UG-204, UG-208, UG-209, UG-231
toolbar button	GS-117
toolbar buttons	GS-87
Toolbars	
Button group	UG-253
Creating	UG-238, UG-251
Grid Settings	UG-251
Icon buttons	UG-238
Latched buttons	UG-253
Merging	UG-250
Mutually exclusive buttons	UG-253
TOOLBOX	LR-6-36
Window Formatter	UG-218
Toolbox	
Property	UG-261, UG-266
Report Formatter	UG-356, UG-374
Window Formatter	UG-205
TopSpeed Database Recovery Utility	UG-611
TopSpeed driver	UG-46
TOPSPEED File Driver	GS-15
TopSpeed file format	GS-3, UG-4
TopSpeed files	UG-604
Data Types	UG-605
Driver Strings	UG-606
File Specifications	UG-605

Open access modes	UG-607
SEND functions	UG-606
SHARE	UG-607
Storing multiple Tables in a single file	UG-610
Unsupported Functions	UG-607
total calculation	GS-140
Total type	GS-168
Totals	
AVE	LR-8-45
CNT	LR-8-46
MAX	LR-8-53
MIN	LR-8-54
Report	UG-358
SUM	LR-8-56
TPSFIX	UG-613
Trace	UG-113
Trace ODBC Calls	UG-624
Transaction Control File	UG-604
Transaction Frame	LR-10-63
Transaction Logging	LR-10-63
Transaction Processing	LR-10-63
COMMIT	LR-10-67
LOGOUT	LR-10-68
ROLLBACK	LR-10-69
Transaction Tracking	LR-10-63
Trappable Run Time Errors	LR-D-3
tree control	LR-6-112, LR-C-13
Tree controls	UG-87, UG-188
tree controls in list boxes	LR-6-71
tree diagram of procedure calls	TG-2-11
TRN	
report control attribute	LR-8-56
window control attribute	LR-6-130
TRN attribute	UG-303
Truncation	
Data Conversion Rules	LR-4-20
INT	LR-13-4
TSIMPLIB.EXE	UG-635
TYPE	LR-2-29, LR-9-18
GROUP type definition	LR-3-40
QUEUE type definition	LR-12-8
Type Conversion	LR-4-20, LR-4-22
U	
ULONG	LR-3-7, UG-54
UNBIND	LR-4-13
Unconditional Breakpoints	UG-467
Unconditional control structures	TG-1-4
Undeclared Properties	LR-C-16
Underline	UG-265
List box	
Column group	UG-337
Undo	UG-228
Text Editor	UG-403
unfix a multi-value symbol	TG-3-18

UNHIDE	LR-7-36
Uninterruptable Power Supply (UPS)	LR-10-65
union operation	TG-3-10
UNIQUE	TG-3-7, TG-3-19
Unique key	UG-65
unique key	GS-15
Unique keys	GS-15
UNIX	LR-xxxvii
Unknown errors	LR-D-21
UNLOCK	LR-10-97
FILE	LR-10-38
UnRegister templates	UG-116
Unspecified Data Type Parameters	LR-2-34
UNTIL	LR-5-8, TG-5-6
Untyped value-parameters	LR-2-34
Untyped variable-parameters	LR-2-34
UPDATE	LR-7-37
Update Buttons	UG-152
Update Procedure	UG-174
Update procedure	GS-105
update the registry	TG-1-12
UPPER	LR-13-20
Uppercase	UG-289, UG-292, UG-296
UPR	
report control attribute	LR-8-45
window control attribute	LR-6-102
UPR attribute	UG-289
USE	UG-260
Print structure attribute	LR-8-28
report control attribute	LR-8-57
window control attribute	LR-6-131
User Choice controls	UG-259
User control	UG-511
user interface	GS-43
User Options	UG-48, UG-50, UG-67
Field	UG-59
user-defined multi-valued symbol	TG-3-7
user-defined symbol	TG-3-7
User-defined symbols	TG-2-4
Users Guide	GS-5, UG-7
USHORT	LR-3-5, UG-54
utility execution section	TG-1-10, TG-2-11
V	
VAL (ASCII value)	LR-13-20
validate prompt input	TG-4-6
Validation	UG-34
Validation Statements	TG-4-3
Validity Checks	GS-54
VALUE	LR-6-133
Value-parameters	TG-2-9
value-parameters	TG-5-9
Variable length	
Data types	UG-54
Variable name	UG-260
Variable String	GS-151, UG-106, UG-303

Variable-parameters	TG-2-9
variable-parameters	TG-5-9
Variables	UG-96
BFLOAT4	LR-3-10
BFLOAT8	LR-3-11
BYTE	LR-3-3
CSTRING	LR-3-18
DATE	LR-3-22
DECIMAL	LR-3-12
GROUP	LR-3-24
Implicit	LR-3-29
LONG	LR-3-6
Memory allocation	UG-58
PDECIMAL	LR-3-14
PSTRING	LR-3-20
REAL	LR-3-9
SHORT	LR-3-4
SREAL	LR-3-8
STRING	LR-3-16
TIME	LR-3-23
ULONG	LR-3-7
USHORT	LR-3-5
variables	TG-1-3, TG-7-3
VBX	UG-318, UG-320
VBX Custom Controls	UG-234
VBX Events	UG-322
VBX Registry	UG-234
VCR	LR-6-134
VCR controls	UG-286
Vectorized graphics	UG-364
Version number	UG-71
Vertical bar	LR-2-3, LR-2-7
VIEW	LR-11-3
View	
Add Field	UG-51
Add File	UG-51
Adding	UG-50
Field access	UG-50
Prefix	UG-50
Primary File	UG-51
View Definition	UG-117
View dialog	UG-50
View menu	UG-524
Report Formatter	UG-383
View Properties	
Description	UG-51
Filter	UG-51
Name	UG-51
Visual Basic	UG-318
Visual Basic .VBX control	LR-6-61
Visual Basic Control Properties	
Setting	UG-321
Visual consistency	UG-511
Visual design	UG-205
Visual editing	UG-405

VSCROLL	
window attribute	LR-6-27
window control attribute	LR-6-117
VSHARE.386	GS-15
W	
WATCH	
FILE	LR-10-55
VIEW	LR-11-25
Watch Expressions	UG-469
Debugger	UG-472
Watermark	UG-363
When Pressed	UG-174, UG-177, UG-178, UG-180
WHERE	TG-2-20, TG-2-22, TG-2-29, TG-4-8, TG-4-11, TG-4-21, TG-4-24, TG-5-3
WHILE	LR-5-8, TG-5-6
Width	UG-222
Windows and controls	UG-262
WINDOW	LR-6-13, TG-2-8, TG-2-14
MDI child window	LR-6-13
non-MDI window	LR-6-13
WINDOW attribute	TG-8-21
Window Control Symbols	TG-7-13
Window Formatter	TG-1-7, TG-2-21, UG-26, UG-81, UG-90, UG-205
Align Toolbox	UG-209
Alignment Menu	UG-230
Calling from text editor	UG-199
Control Menu	UG-230
Control Templates	UG-230
Controls Toolbox	UG-205, UG-223
Creating Menus	UG-238
Creating menus	UG-231, UG-243
Creating toolbars	UG-231, UG-238, UG-251
Delete	UG-228
Duplicate	UG-228
Edit Menu	UG-228
Fields Toolbox	UG-208
Grid Settings	UG-233
Menu	UG-224
Menu Editor	UG-240, UG-241
Menu Text	UG-243
Mutually exclusive buttons	UG-253
Options Menu	UG-233
Populate Menu	UG-231
Popup menu	UG-224
Preview!	UG-234, UG-254
Property Toolbox	UG-208
Redo	UG-228
Sample Window	UG-205
Set Control Order	UG-230
Set Tab Order	UG-229
Tools	UG-205
Undo	UG-228
Using	UG-198, UG-210
Window Functions	LR-7-38
window handling procedure	TG-8-3

Window management	UG-132
Window MENU	
Creating	UG-241
window of vulnerability	LR-10-64
window or control handle	LR-C-18, LR-C-19, LR-C-27, LR-C-41
Window Overview	LR-6-5
Window procedure template	TG-8-3
Window Procedures	LR-7-16
Window properties	
3D Look	UG-217
Actions	UG-228
Always on top	UG-218
Auto Display	UG-217
Cursor	UG-220
Drop ID	UG-219
Entry Patterns	UG-216
Font	UG-225
Frame Type	UG-213
Height	UG-223
Help ID	UG-220
Hot key	UG-225
Icon	UG-214
Immediate	UG-215
Initial Size	UG-213
Label	UG-212
MASK	UG-216
Maximize Box	UG-217
MDI Child	UG-217
Message	UG-221
Modal	UG-215
Palette	UG-215
Position	UG-221, UG-227
Scroll Bars	UG-218
Size	UG-213
Status Bar	UG-215
System Menu	UG-216
Timer	UG-215
Title	UG-212
Toolbox	UG-218
Width	UG-222
Window Properties dialog	UG-26
Using	UG-211
Windows	LR-xxxvii
Aligning controls	UG-209
API calls	UG-632
Application frame	UG-200
Borders	UG-213
Child	UG-200, UG-203
Colors	UG-308
Controls. See Controls	
Conventions	UG-200
Creating	UG-198
Creating Menus	UG-231
Creating Toolbars	UG-231
Customizing	UG-205

Data entry	UG-202
Default structures	UG-201
Defining	UG-94
Dialog boxes	UG-200, UG-201
Document	UG-200, UG-201
Dynamically alter	UG-212
Empty	UG-202
Font specification	UG-265
General purpose	UG-202
Help	UG-267
Hiding	UG-204
Hot key	UG-263
Messages	UG-269
MODAL attribute	UG-203
Navigation keys	UG-264
Palette	UG-308
Parent	UG-200
Placing a Dictionary Field	UG-207
Placing controls	UG-223, UG-231
Placing fields	UG-231. <i>See also</i> Fields: Populating
Positioning	UG-262
Preview!	UG-205, UG-234
Properties	UG-211
Size	UG-262
System modal	UG-203
Types	UG-200
User interface	UG-200
Windows elements	UG-513
Windows housekeeping	UG-20
Windows Message	UG-469
Windows Messages	
16-bit	
Debugger Windows	UG-466
Windows Standard Dialog Functions	LR-7-53
WINDOWS.CLW	UG-633
WINDOWS.LIB	UG-632
WITHNEXT	LR-8-29, UG-372
WITHPRIOR	LR-8-30, UG-373
WIZARD	LR-6-134
Wizard	UG-50, UG-519
Default on/off settings	UG-113
wizard	TG-2-8
Wizard dialog	UG-89
Wizards	
Starting	UG-109
WMF	UG-440
Word-wrapping	
Report	UG-388
Text Editor	UG-409
Working Directory	UG-436
Write Only	LR-10-89
Write only	UG-86
X	
XBase commands	UG-564, UG-574, UG-587
XBase file format	UG-566

XOR

LR-4-4, UG-418

Y

YEAR

LR-13-29

YIELD

LR-7-10

Z

Zoom in/out

Report Formatter

UG-384
