

```

//*****
//*      MACRO NAME: LINENUM.WCM
//*      PURPOSE: Go to a specific line and character in a macro.
//*****
Application (A1; "WordPerfect"; Default; "US")

TheLine:=1
TheChar:=1

DialogDefine("LINE"; 50; 50; 159; 83; 1+2+16; "Macro Line Finder")
DialogAddText("LINE"; "T1"; 8; 10; 92; 13; 0; "Enter the &line number:")
DialogAddCounter("LINE"; "C1"; 104; 8; 40; 14; 0; TheLine; 1; 99999; 1)
DialogAddText("LINE"; "T2"; 8; 27; 92; 20; 0; "Enter the &character number:")
DialogAddCounter("LINE"; "C2"; 104; 25; 40; 15; 0; TheChar; 1; 99999; 1)
Display(On!)
DialogDisplay("LINE"; "C1")
Display(Off!)
Result:=MacroDialogResult
DialogDestroy("LINE")
If(Result<>1)
    Go(End@)
EndIf
WaitMessage:="Searching for line and character"
Call(WaitMessage@)
OnError(Quit@)
OnCancel(Quit@)
DormHRT:=0
PosDocTop()
SearchFindWholeWordsOnly(No!)
MatchPositionAfter()
SearchString("[HRT]")
OnNotFound(Quit@)

Label(Search@)
    For(i;1;i<TheLine;i+1)
        SearchNext(Regular!)
        If(?LeftCode=135)
            DormHRT:=DormHRT+1
        EndIf
    EndFor

If(DormHRT>0)
    TheLine:=DormHRT+1
    DormHRT:=0
    Go(Search@)
EndIf

```

```

For(i; 1; i<TheChar; i+1)
    If(?RightCode=204)
        Go(Quit@)
    EndIf
    PosCharNext()
EndFor

```

```

Label(Quit@)
Call(KillWaitMessage@)
Label(End@)
Quit

```

```

//*****
/*    ROUTINE: WaitMessage@
/*    INPUT VARIABLES: WaitMessage
/*    OUTPUT VARIABLES: WaitMessageResult
/*    DESCRIPTION: Presents a Please Wait message to user. Call KillWaitMessage to turn
it off.
//*****

```

```

Label(WaitMessage@)
WaitTitle:="WAITPROMPT"
WaitMessageWidth:=105
DialogDefine(WaitTitle; 50; 50; WaitMessageWidth+22; 43; 16+256+8+2; WaitTitle)
RegionShowWindow(WaitTitle+".CancelBtn"; Hide!)
DialogAddText(WaitTitle; "T1"; 8; 8; 46; 10; 1; "Please Wait...")
DialogAddText(WaitTitle; "T2"; 8; 19; WaitMessageWidth; 10; 1; WaitMessage)
DialogDisplay(WaitTitle; 1; WaitDlgCallBack@)
Return

```

```

Label(WaitDlgCallBack@)
If(WaitDlgCallBack[3] = "CancelBtn")
    Assert(CancelCondition!)
EndIf
Return

```

```

//*****

```

```

//*****
/*    ROUTINE: KillWaitMessage@
/*    INPUT VARIABLES: none
/*    OUTPUT VARIABLES: none
/*    DESCRIPTION: Turns off wait message.
//*****

```

```

Label(KillWaitMessage@)
DialogDestroy(WaitTitle)
Return

```

//*****