

Contact Mode provides a rich set of contact management features. Contact Mode lets you add contacts, schedule follow-up tasks, record conversations, define company and contact groups, print labels, export mail merge files to word-processors and a whole lot more.

Contact Mode contains several different views on your contact data. These views are:

- Company View
- Contact View
- Directory View
- Conversation View

Company View shows company information, namely the site address and a list of employees (contacts) who work for the company. Contact View shows information specific to a particular contact, for example, the name and address of the company to which the contact belongs, if any, and the contact's home address, title, position etc.

The Directory View shows both company and contact information in a telephone directory format.

Conversation View show conversations that you and other users have documented with contacts.





When you enter Contact Mode initially, the Company View will be displayed.

2 OfficeTalk User Manual



The Company View

Adding a Company Record

One way of adding a company record is as follows:

- Press the 🕒 button above the Company Window. A Company dialog box will appear.
- Fill in the fields with the relevant information.
- Press OK.

Company Record		
	Deepak Sareen Associates	
Company <u>N</u> ame		
Address <u>1</u>	Bydell House	
Address <u>2</u>	Sudbury Hill	
Address <u>3</u>		
<u>T</u> own/City	Harrow-on-the-Hill	
Co <u>u</u> nty	Middlesex	
<u>P</u> ostal Code	HA1 3NJ	
Country	ENGLAND	
Phone <u>1</u>	081 423 8855	
Phone <u>2</u>		
<u>F</u> ax	081 423 8992	
<u>E</u> Mail Address		
Co <u>m</u> ment		
Public Record Dther <u>A</u> ddresses Personal Record <u>N</u> otes		
	<u>Cancel H</u> elp	

Company dialog box

There are several other ways to add a company record. All the possible ways to add a company record are shown in the table below:

Action	Description		
Using the 🖿 button.	Press the 🖽 button. This brings up the Company dialog		
	box. Enter the relevant details and press OK.		
Using the New Comp. button.	Press the New Comp. button in the sub toolbar. This brings up the Company dialog box. Enter the relevant details and		
	press OK.		
Using the menu.	Select New Company from the Edit/Company menu. This brings up the Company dialog box. Enter the relevant details and press OK .		
Pressing the INSERT	Pressing the INSERT key brings up the Company dialog		

key on the keyboard.	box. Enter the relevant details and press OK.
Double clicking.	Provided that there is no record shown in the Company
	Window, double click using the left mouse button in the
	Company Window. This brings up the Company dialog box.
	Enter the relevant details and press OK .

Adding Duplicate Records

If you add a company record whose name already exists, OfficeTalk detects this and pops up a Company Exists dialog box.



Company Exists dialog box

OfficeTalk gives you three choices of what to do.

- If you wish to add the record as a separate record, keeping the same company name but in no way relating it to the record already existing with that name then press the **Add Separate** button.
- If you wish to add the record, making it *another address* of the record already existing with that name then press the Make Other Address button. The record will be added and the text "more..." will be shown at the bottom right of the Company Window when this record is displayed. Pressing the left mouse button while the cursor is over the "more..." text will cause OfficeTalk to display the next record in that group of sites.
- If you wish to cancel the operation such that the record is not added at all, then press the <u>Cancel</u> button.

Moving Around the Database

The company records are stored in alphabetical order. You can view the previous or next record in the

database by pressing the <u>Previous</u> or <u>Next</u> buttons. Alternatively, you can use the LEFT or RIGHT keys on the keyboard to move to the previous or next record. Pressing the HOME key on the keyboard will take you to the first company record in the database and pressing the END key will take you to the last record. You can use the *Alphabetical Index* at the top of the Company Window to show the first record beginning with the letter that you select. For example, to move directly to the first record beginning with the letter **T**, press the **T** tab in the Alphabetical Index. If there are no records beginning with **T**, OfficeTalk will display the next record alphabetically.



The Alphabetical Index

Editing a Company Record

One way of editing a company record is as follows:

- Select the record that you wish to edit.
- Press the window button. The Company dialog box will appear with the details of the selected company filled out.
- Modify the data as required and press **OK**.

There are several other ways to edit a company record. All the possible ways to edit a company record are shown in the table below:

Action	Description
Using the	Select the company that you wish to edit and press the
button.	button. The Company dialog box will appear. Modify the data as
	required and press OK.
Double clicking.	Select the company that you wish to edit and double click on the
	Company Window. The Company dialog box will appear.
	Modify the data as required and press OK .
Using the Menu.	Select the company that you wish to edit and then select Edit
	Company from Edit/Company menu. The Company dialog box
	will appear. Modify the data as required and press OK.

6 OfficeTalk User Manual

Pressing the	Select the company that you wish to edit and press the ENTER
ENTER key on the	key on the keyboard. The Company dialog box will appear.
keyboard.	Modify the data as required and press OK.

Deleting a Company Record

One way of deleting a company record is as follows:

- Select the company that you wish to delete.
- Press the button above the Company Window.
- OfficeTalk will confirm that you wish to delete the company. Press **Yes** to delete the company.



Confirmation of deletion

There are several other ways to delete a company record. All the possible ways to delete a company record are shown in the table below:

Action	Description	
Using the D button.	Select the company that you wish to delete and press the window button.	
Using the menu.	Select the company that you wish to delete and select	
	Delete Company from the Edit/Company menu.	
Press the DELETE Key	Select the company that you wish to delete and press the	
on the keyboard.	DELETE key on the keyboard.	

Searching for a Company Record

You can search for a particular company or companies by pressing the \square button. This will bring up the Search Companies dialog box.

	Search Compar	nies
Compan <u>y</u> Name		
To <u>w</u> n/City		
Cou <u>n</u> ty		
Postal Cod <u>e</u>		
C <u>o</u> untry		
Phone		
Co <u>m</u> ment		
	Search	Begins With
<u>R</u> esults (O recor	ds)	Con <u>t</u> ains
<u>G</u> oto	<u>C</u> ancel	<u>H</u> elp

Search Companies dialog box

The Search Companies dialog box consists of several fields into which you may enter your search text, two radio buttons for specifying whether you wish to search for a sequence *beginning* with or *containing* the search text, a **Search** button for performing the search and a **Goto** button for displaying the resulting record(s). The most common search is a company name search. You can search for a company *by name* in the following way:

- Enter the first few letters of the company name into the *Company Name* field.
- Ensure that all other fields are blank. Ensure that the **Begins With** radio button is selected.
- **3** Press the <u>Search</u> button.

OfficeTalk will very quickly find the company or companies whose name begins with the letter(s) that you entered into the *Company Name* field. The results of the search will appear in the **Results** window at the bottom of the Search Companies dialog box. You can display any of the companies in the

8 OfficeTalk User Manual

Results window by selecting the relevant company and pressing the **Goto** button. OfficeTalk will close the dialog box and display the record in the Company Window.

You can search any of the other fields in exactly the same way. However, if you search other fields and the *Company Name* field is empty, the search will take a little longer.

The searching method described above requires you to enter the first few letters of a particular field in a company record. OfficeTalk also lets you perform a search on records *containing* a specified search text.

For example, if you knew that the company that you wished to find had two consecutive letter **O**'s in its name, then you could enter the characters: **oo** into the *Company Name* field and select the **Containing** radio button and then perform the search.

You may enter search text into more than one field when searching for a particular company. For example, entering the letter **A** into the *Company Name* field and the word **Seattle** into the *Town/City* field will find all those companies beginning with the letter **A** who are based in Seattle.

Personal Company Records

Sometimes, you will want to mark certain company records as personal to you. You can do this in the following way:

- Select the company that you wish to make personal to yourself.
- Press the 🗹 button. The Company dialog box will appear.
- **6** Select the **Personal Record** radio button.
- Press OK.

Company records which are personal to yourself may only be seen by you and will only be found in any searches performed by you. Personal records in Contact Mode are displayed with a \checkmark symbol to distinguish them from public records.

Attaching Notes to a Company

OfficeTalk lets you write notes about any company and keep them with the company record. You can do this in the following way:

• Select the company that you wish to write notes for.

• Press the 🗈 button. The Company Notes dialog box will appear.

• Enter any free format text and press **OK**.

Another way to add notes to a company is by pressing the **Notes**. button in the Company dialog box.

When you add notes to a company, a imarker will appear next to the *Comment* field to indicate that this company has some notes attached. You can quickly pop up the Company Notes dialog box by double clicking on the imarker, using the left mouse button.

You can delete the notes for a company by selecting **Delete Notes** from the **Edit/Company** menu. The marker will then disappear.

Adding Contacts to a Company

The window at the bottom of the Company View is called the Contacts Window. It is a list of contacts which are associated with the company currently displayed. It is possible to add a contact from either the Company View or the Contact View (see **Contact View** section). If you add the contact from the Company View, the contact will automatically be associated with the displayed company. You can add a contact and associate it with the displayed company in the following way:

- Select the company to which you wish to add the contact.
- Double click in a blank part of the Contacts Window at the bottom of the Company View

using the left mouse button or press the New Cont. button. A Contact dialog box will appear.

S Enter the details of the contact and press OK.

The contact will appear in the Contacts Window at the bottom of the Company View. It is possible to change the company with which a contact is associated. For more information on this, see Specifying the Company to which a Contact Belongs in the **Contact View** section.

Auto Dialling a Company

10 OfficeTalk User Manual

You may auto dial a company provided:

- You have a modem connected directly to your computer using the same phone line as your handset phone.
- The company phone number details have been entered.

You can auto dial a company by pressing the window button above the Company Window. Pressing this button will bring up the Dial Company dialog box.

😑 🛛 Dial Co	mpany
<u>N</u> umber 0344 360000	
Phone 1	<u>0</u> K
O Phone 2	<u>C</u> ancel
	<u>H</u> elp

Dial Company dialog box

You may choose which of the two company phone numbers to dial by selecting either the **Phone1** or **Phone2** radio buttons. Alternatively, you may enter a telephone number directly into the *Number* field. When you press **OK**, OfficeTalk will initialise the modem and dial the selected number.

You should ensure that the modem is correctly setup. You can do this by selecting **Modem Settings** from the **Options** menu. For more information on modems, see **Setting up a Modem for OfficeTalk** later in this chapter.

Adding other Addresses for a Company

OfficeTalk lets you store an unlimited number of additional sites for a particular company. You can do this in the following way:

- Select the company to which you wish to add an additional site (address).
- Press the button. The Company dialog box will appear. Press the Dther Addresses... button. An Addresses dialog box will appear. This dialog box contains a list of other site addresses associated with this company. Each address is, in fact, a separate record. OfficeTalk does not let you delete addresses from this dialog box, however you may add new addresses or edit existing ones.

- Addresses	
35 Bath Court Fairfield Road John Hall Room Mountbatten House Softalk House	<u>N</u> ew <u>E</u> dit
	<u>C</u> lose <u>H</u> elp

Addresses dialog box

• Press the <u>New...</u> button. This will bring up an Address dialog box. Enter the address of the additional site and press OK.

	Address
<u>A</u> ddress 1	
A <u>d</u> dress 2	
Address <u>3</u>	
<u>T</u> own/City	
Cou <u>n</u> ty	
<u>P</u> ostal Code	
Co <u>u</u> ntry	
Phone <u>1</u>	
Phone <u>2</u>	
<u>F</u> ax	
<u>E</u> Mail Address	
OK	<u>Cancel H</u> elp

Address dialog box

If you wish to add an existing company record as another site of a particular company then OfficeTalk lets you do this in the following way:

• Select the company which you wish to add as an additional site (address).

• Select Make Other Address from the company menu (under the Edit menu)

OfficeTalk will pop up a Search dialog box. Use the dialog box to search for the company that you wish to *group* the original company with. Select the company from the dialog box by selecting the company from the **Results** window and pressing the <u>Select</u> button. OfficeTalk will confirm that you wish to add the displayed company as another site of the selected company. Press <u>Yes</u>.



OfficeTalk Confirmation

In both the above cases, the companies will be linked together and the text "*more*..." will appear at the bottom right of the Company Window on both records. Pressing the left mouse button while the cursor is over the text will cause OfficeTalk to display the next record in that *group* of sites.

If you wish to remove a company record from a group of sites then you can do this in the following way:

- Select the company which you wish to remove from the group of sites.
- Select Make Separate Address from the Company menu (under the Edit menu). OfficeTalk will confirm that you wish to remove the selected company from the group of sites. Press Yes.



OfficeTalk Confirmation

Linking a Company to other OfficeTalk data

OfficeTalk lets you link companies to other OfficeTalk data. You can do this in the following way:

- Select the company that you wish to link so that it is displayed in the Company Window.
- Press the Ø button above the Company window.
- Select another linkable item and press the

The company will now be linked to that item. A \mathscr{O} symbol will appear in the Company Window. For more information on linking, see the **Linking** section in the chapter named **General OfficeTalk** Features.

Selecting a Company/Contact Group

OfficeTalk lets you create groups of companies or contacts. For more information on creating, editing or deleting company/contact groups, see **Creating a Company/Contact Group** later in this section.

When you select a company/contact group, only the companies or contacts in this group will be visible from the Company, Contact and Directory Views. You may select a company/contact group in the following way:

- Press the window button. A Select Contact Group dialog box will appear.
- 2 Select the required group from the **Contact Group** pull down list.
- Press OK.



Select Contact Group dialog box

The group name will be displayed above the Company and Contact Windows as well as the number of records available. Searching and printing will work with the currently selected group. You can deselect the currently selected group by selecting *--No Group--* from the **Contact Group** pull down list in the Select Contact Group dialog box.

Adding a Company to a Group

You may add a company to a company/contact group in the following way:

- Select the company that you wish to add to the group by viewing it in the Company Window.
- Press the 🔛 button. A Select Contact Group dialog box will appear.
- Select the required group from the Contact Group pull down list.
- Select any contacts, belonging to the company, that you wish to add to the group in addition to adding the company itself.
- Press OK. OfficeTalk will verify that you wish to add the current company to the selected group. Press Yes to confirm.

	Select Contact Group
Contact Group	Christmas Card List 👤
Con <u>t</u> acts To Ad	ld:
Charles M Steve Arm Tim Lawes	eaden itage s
OK	<u>Cancel H</u> elp

Select Contact Group dialog box

Finding Which Groups a Company Belongs to

OfficeTalk lets you view which groups a particular company belongs to. You can do this by selecting the company into the Company Window and pressing the 2 button. If the selected company does not belong to any groups then a dialog box will appear indicating this to you.

16 OfficeTalk User Manual



OfficeTalk Message

If the company does belong to one or more groups then pressing the ¹ button will pop up a window listing all the groups to which the company belongs:

😑 Contact Groups (Sareen Software PLC)	
Public Ltd Companies Publishing Companies	

Groups to which the selected company belongs

Printing Companies

OfficeTalk lets you print out companies by pressing the button above the Company Window. When you press this button, the Print Companies dialog box will appear.

-	Print Companie	S
All companies Current group		Print
Current company		Pre <u>v</u> iew
		<u>S</u> etup
Draw line betwee	en records	<u>C</u> ancel
⊠ <u>N</u> ew page per al _l	phabetical section	Help
Une record per p	age	
_ P <u>r</u> int fields		
🛛 Address 1	🖾 City	Phone 1
🛛 Address 2	🖾 County	Phone 2
🛛 Address 3	🛛 Postcode	🖾 Fax
	🛛 Country	
Addr <u>e</u> ss Inden	: 0.00''	Inche <u>s</u> Centimeter <u>s</u>
Paper A4 Po	ortrait	<u>*</u>
Headers & <u>F</u> ooters	. T <u>i</u> tle Font	Field <u>F</u> ont

Print Companies dialog box

The fields and buttons in the Print Companies dialog box are described in the table below:

Field/Button	Description
All companies/	You may choose what to print by selecting one of these
Current group/	radio buttons. You can print either all companies in the
Current company	entire database, or, if there is a group currently selected,
	you can print that group or you can print the current
	company.
Draw line between records	Check this check box if you wish to print a horizontal
	line between each record printed.
New page per alphabetical	Check this check box if you wish to start a new page for
section	every new alphabetical section.
One record per page	Check this check box if you wish to print only one
	company record per page.
Print Fields	Select which fields you wish to print from this array of
	check boxes.
Address Indent	This is the amount of indent between the company name
	and the other fields printed below. The default is 0
	inches.
Paper	This is the paper style that OfficeTalk will use to print.

18 OfficeTalk User Manual

	For more information on paper styles, see the Printing section in the General OfficeTalk Features chapter.
Title Font	The font of the company name.
Field Font	The font of the company address.

OfficeTalk provides common *print* functionality in all Print dialog boxes. This functionality includes:

- Defining headers and footers
- Printer setup
- Preview capability

For more information on this common print functionality, see the **Printing** section in the **General OfficeTalk Features** chapter.

If you *preview* the companies print out, with careful selection of fonts, OfficeTalk will display a preview output similar to that shown below:

GfficeTalk 1.0 [LAWES, Tin	n] 6 February 1995 08:19 🔽 🔺
Print Next Page Prey Page One Pa	age Zoom In Zoom Out Close
A Partie Market & Sa Mi Partie Market & Sa M	B P P P P P P P P P P P P P P P P P P
Pages 20-21	/ New Message(s) NUM

Company print preview

Importing Companies from a CSV file

OfficeTalk lets you import company records from Comma Separated Values (.CSV) files. A typical CSV file format is shown in the table below:

"Name",	"Address1",	"Address2",	"Town",	"Postcode"
"Softalk Ltd",	"1 May Sq",	"Hurley St",	"Aylesford",	"HP17 7DD"
"DSA",	"Bydell Hse"	"Sudbry Hill",	"Harrow",	"HA1 3NJ"
"Acme Ltd",	"Acme Rd",	"Acme Hill",	"London",	"SE1"
"Intera Ltd",	"Chiltern Hs",	"45 Stn Road",	"Henley",	"RG9 1AT"
"PPG",	"1 Pit Way",	"Murray Rd",	"Staines",	"ST1 1DR"

CSV File Format

The first line in a CSV file is called the *header* line and this must always be present. The *header* defines the field names of the CSV file. The following lines are individual company records. Most database packages will provide a CSV format output of their data. Once you have a file in this format, you may import the data into OfficeTalk in the following way:

Firstly, select Import CSV Records from the File menu within Contact mode.

<u>F</u> ile	<u>E</u> dit	<u>S</u> earch	⊻iev	/ <u>M</u> ode	<u>L</u> inks
<u> <u>l</u>mp</u>	ort			<u>C</u> SV Re	cords
<u>Е</u> ×р	ort		Ĭ		
<u>P</u> rin	nt		Þ]	
<u>U</u> po	late]	
Wo	rk <u>R</u> eп	note			
Upd	late Ma	ain <u>D</u> atab	ase		
E <u>x</u> it	t				

The Import CSV Records Command

A CSV Import dialog box will appear:

-		CSV Import
	Quoted Fields	Delimiter Comma
Import <u>F</u> ile	C:\TEMP\STEVE.CSV	<u>B</u> rowse
Import <u>T</u> ype	Company	Import into current group
<u>Available Fields</u>		<u>O</u> fficeTalk Fields
NAME CONTACT ADDR1 ADDR2 ADDR3 CTY COUNTY ZIP	<u>C</u> onnect	Company Name Address 1 Address 1 Address 2 Address 3 City County Postcode Country Remove Clear
NAME<>Comp ADDR1<>Addr ADDR2<>Addr ADDR3<>Addr CITY<>City	an y Name ess 1 ess 2 ess 3	
		Ca <u>n</u> cel <u>H</u> elp

CSV Import dialog box

- Select the CSV file containing the data that you wish to import. You can do this by pressing the **Browse**... button and selecting the file from the File dialog box.
- Ensure that *Company* is selected in the **Import Type** pull down list. Note that if you wish all the imported companies to be visible only to you then select *Personal Company* from the **Import Type** pull down list.
- The OfficeTalk Fields list will contain the available fields in a company record. The Available Fields list will contain a list of fields found in the CSV file. You can connect the CSV file fields to OfficeTalk fields by selecting an item from each list and pressing the <u>Connect</u> button. The connection will appear in the Connections list at the bottom of the dialog box.
- If the CSV file has quoted fields (every field is enclosed by a pair of "" characters) then ensure that the Quoted Fields check box is checked. Sometimes fields are separated by TAB characters instead of commas. If this is true ensure that *Tab* is selected from the Delimiter pull down list.
- Press the <u>Import</u> button. OfficeTalk will begin importing the records. A *Percentage* window will appear informing you of the progress of the import. You can cancel the import at any time by pressing the **Cancel** button on the percentage window.

If a company/contact group is currently selected, then the **Import into current group** check box will be enabled. If you check this box, OfficeTalk will import the data and will automatically put each record into the currently selected group.

Note: Importing companies does just that, it does not import contact information. If you have a CSV file containing both company and contact information then you must firstly import the companies and then import the contacts using the same CSV file. For detail on how to do this, see **Connecting Contacts to Companies via a CSV** later in this chapter.

Duplicate Checking on CSV Input

When OfficeTalk imports companies, a check is performed every time a record is about to be added to ensure that a similar company record does not already exist. For example, if a company *Softalk*, for instance, is about to be imported from the CSV file, OfficeTalk will check to ensure that the company record for *Softalk* does not already exist. If it does, OfficeTalk will not add the new record, but will instead store the record in a list which it will present at the end of the CSV import. The list will appear in a window as shown below:



Repeated Companies dialog box

Exporting Companies to a CSV file

OfficeTalk lets you export company records to a CSV file. You can do this in the following way:

• Select **Company CSV Records** from the **File/Export** menu in Contact Mode. A CSV Output dialog box will appear.

		CSV Output	1
<u>F</u> ile	C:\TEMPWYFILE.CSV		<u>B</u> rowse
	Quoted Fields	<u>D</u> elimiter	Comma
	🛛 Out <u>p</u> ut Header	🗌 <u>E</u> nd li	ne with delimiter
		<u>C</u> ancel	<u>H</u> elp

CSV Output dialog box

- Select a filename for the output CSV file. You can do this by pressing the Browse...
 button and selecting the filename from the Save As dialog box.
- If you want each item of data to be encapsulated by quotes, then ensure that the Quoted Fields check box is select. If you want to output a header record at the top of the file then check the Output Header check box. If you want to end each record line with a delimiter (the default is not to) then check the End line with delimiter check box.
- Choose a delimiter (field separator) by choosing a delimiter from the *Delimiter* field. You can choose between a TAB character and a COMMA.
- Press **OK**. OfficeTalk will then export the records in the selected group (or all records in the database if no group is selected) to the specified CSV file.



Contact View

The Contact View is shown below:

-	Office	falk 1.0 [LAWES, Ti	m] 6 F	ebruary 1995	08:22 💌 🔺
<u>F</u> ile <u>E</u> di	t <u>S</u> earch <u>V</u> ie	w <u>M</u> ode <u>L</u> inks	<u>O</u> ptions	<u>H</u> elp	
Supervisor	Diary Gro	up Planner Proje	ct Meet	ing Contact	Mail Notify
Company	Contact AI	(1482 records) EFGHIJJ	K) L)M	ы 1 () Ч (О [И]	DØ©©DØOQYA RSTUVWXYZ
Contact	Company Department Position	Deepak Sareen Ass	ociates	Home Addres Address1 Address2	s: 55 Holly Bush Lane
Convs	Address1 Address2	Bydell House Sudbury Hill		Address3 City County	Hampton Middlecev
New Cont.	City County	Harrow Middx		Postcode Country	TW12 2QY
Previous	Postcode Country	HA1 3NJ		Phone1 Phone2	081 979 6370
Next	Phone1 Phone2 Fax	081 423 8855 081 423 8992		rax	081 941 7270
	Phone/Ext			Comment	
Search for	r a contact			7 New Me	ssage(s) NUM

Contact View

Adding a Contact Record

One way of adding a contact record is as follows:

- Press the 💷 button above the Contact Window. A Contact dialog box will appear.
- Fill in the fields with the relevant information
- Press OK.

	Contact	
<u>T</u> itle	Mr 👤	
<u>F</u> irst Names	Tim	<u>C</u> ancel
<u>L</u> ast Name	Lawes	<u>H</u> elp
Phone/Ext	123	
Po <u>s</u> ition	Managing Director	
<u>D</u> epartment		
<u>E</u> mail		None 👤
Co <u>m</u> ment		
Employee of	Deepak Sareen Associate	s, Bydell Hou 🔍
● Pu <u>h</u> ○ Pe <u>r</u>	lic Record	<u>N</u> otes Iome <u>A</u> ddress

Contact dialog box

There are several other ways to add a contact record. All the possible ways to add a contact record are shown in the table below:

Action	Description		
Using the 🖿 button.	Press the 🕒 button. This brings up the Contact dialog box. Enter the relevant details and press OK .		
Using the New Cont. button.	Press the New Cont New Cont Contact dialog box. Enter the relevant details and press OK .		
Using the menu.	Select New Contact from the Edit/Contact menu. This brings up the Contact dialog box. Enter the relevant details and press OK .		
Pressing the INSERT key on the keyboard.	Pressing the INSERT key brings up the Contact dialog box. Enter the relevant details and press OK .		
Double clicking.	Provided that there is no record shown in the Contact Window, double click using the left mouse button in the Contact Window. This brings up the Contact dialog box. Enter the relevant details and press OK .		

Moving Around the Database

The contact records are stored in alphabetical order. You can view the previous or next record in the

database by pressing the Previous or Next buttons. Alternatively, you can use the LEFT or RIGHT keys on the keyboard to move to the previous or next record. Pressing the HOME key on the keyboard will take you to the first contact record in the database and pressing the END key will take you to the last record. You can use the *Alphabetical Index* at the top of the Contact Window to show the first record beginning with the letter that you select. For example, to move directly to the first record beginning with the letter **T**, press the **T** tab in the Alphabetical Index. If there are no records beginning with **T**, OfficeTalk will display the next record alphabetically.



The Alphabetical Index

Editing a Contact Record

One way of editing a contact record is as follows:

- Select the record that you wish to edit.
- Press the button. The Contact dialog box will appear with the details of the selected contact filled out.
- Modify the data as required and press **OK**.

There are several other ways to edit a contact record. All the possible ways to edit a contact record are shown in the table below:

Action	Description
Using the 🖉 button.	Select the contact that you wish to edit and press the button. The Contact dialog box will appear. Modify the data as required and press OK .
Double clicking.	Select the contact that you wish to edit and double click on the Contact Window. The Contact dialog box will appear. Modify the data as required and press OK .
Using the menu.	Select the contact that you wish to edit and then select Edit

26 OfficeTalk User Manual

	Contact from Edit/Contact menu. The Contact dialog box will appear. Modify the data as required and press OK .	
Pressing the ENTER key on	Select the contact that you wish to edit and press the ENTER	
the keyboard.	key on the keyboard. The Contact dialog will appear. Modify	
	the data as required and press OK .	

Deleting a Contact Record

One way of deleting a contact record is as follows:

- Select the contact that you wish to delete.
- **0** P

Press the D button above the Contact Window.

OfficeTalk will confirm that you wish to delete the contact.



OfficeTalk confirmation

There are several other ways to delete a contact record. All the possible ways to delete a contact record are shown in the table below:

Action	Description	
Using the D button.	Select the contact that you wish to delete and press the button.	
Using the menu.	Select the contact that you wish to delete and select Delete	
	Contact from the Edit/Contact menu.	
Press the DELETE Key	Select the contact that you wish to delete and press the	
on the keyboard.	DELETE key on the keyboard.	

Searching for a Contact Record

You can search for a particular contact or contacts by pressing the 🖾 button above the Contact Window. This will bring up the Search Contacts dialog box.

-	Search Contacts	
<u>L</u> ast Name	de	
<u>F</u> irst Names		
Post <u>i</u> on		
To <u>w</u> n/City		
Cou <u>n</u> ty		
Postal Cod <u>e</u>		
C <u>o</u> untry		
<u>P</u> hone		
Co <u>m</u> ment		
	Search 🕘 Begins With	
<u>R</u> esults (14 re	cords) O Con <u>t</u> ains	
DE SAMUREZ, M DEAN, Michael DEAN, Michael DEER, Martin DEL ROSSO, Nich DELARGEY, Chri DELIC, Dusko	ary 4 k stine 4 <u>Cancel Help</u>	

Search Contacts dialog box

The Search Contacts dialog box consists of several fields into which you may enter your search text, two radio buttons for specifying whether you wish to search for a sequence *beginning* with or *containing* the search text, a **Search** button for performing the search and a **Search** button for displaying the resulting record(s). The most common search is a last name search. You can search for a contact by name in the following way:

- Enter the first few letters of the contact name into the *Last Name* field.
- 2 Ensure that all other fields are blank.
- **B** Press the **Search** button.

OfficeTalk will very quickly find the contact or contacts whose name begins with the letter(s) that you entered into the *Last Name* field. The results of the search will appear in the **Results** window at the bottom of the Search Contacts dialog box. You can display any of the contacts in the **Results** window

28 OfficeTalk User Manual

by selecting the relevant contact and pressing the **Goto** button. OfficeTalk will close the dialog box and load the record into the Contact Window.

You can search any of the other fields in exactly the same way. However, if the *Last Name* field is empty, the search will take a little longer.

The searching method described above requires you to enter the first few letters of a particular field in a contact record. OfficeTalk also lets you perform a search on records *containing* a specified search text.

For example, if you knew that the contact that you wished to find had two consecutive letter **O**'s in the last name, then you could enter the characters: **oo** into the *Last Name* field, select the **Contains** radio button and then perform the search.

You may enter search text into more than one field when searching for a particular contact. For example, entering the letter **A** into the *Last Name* field and the word **Seattle** into the *Town/City* field will find all those contacts whose last name begins with the letter **A** and are from Seattle.

Making a Personal Contact Record

Sometimes, you will want to mark certain contact records as personal to you. You can do this in the following way:

- Select the contact that you wish to make personal to yourself.
- Press the 🖉 button. The Contact dialog box will appear.
- Select the **Personal Record** radio button.
- Press OK.

Contact records which are personal to yourself may only be seen by you and will only be found in any searches performed by you. Personal records in Contact Mode are displayed with a \clubsuit symbol to distinguish them from public records. You may not make a contact into a personal contact if he/she belongs to a company which is public.

Attaching Notes to a Contact

OfficeTalk lets you write notes about any contact and keep them with the contact record. You can do this in the following way:

- Select the contact that you wish to write notes for.
- Press the 🕒 button. The Contact Notes dialog box will appear.
- S Enter any free format text and press OK.

Another way to add notes to a contact is by pressing the **Notes**... button in the Contact dialog box.

When you add notes to a contact, a marker will appear next to the *Comment* field to indicate that this contact has some notes attached. You can quickly pop up the Contact Notes dialog box by double clicking on the marker, using the left mouse button.

You can delete the notes for a contact by selecting **Delete Notes** from the **Edit** menu. The imarker will then disappear.

Specifying the Company to which a Contact Belongs

OfficeTalk lets you specify which company, if any, a particular contact belongs to. You can do this in the following way:

- Select the relevant contact so that it is showing in the Contact Window
- Press the 🖉 button. The Contact dialog box will appear.
- Press the button next to the *Employee of* field. A Search Companies dialog box will appear.
- Type the first few letters of the required company and press the <u>Search</u> button. The company should appear in the **Results** list. Select the company from the **Results** list. If you do not want the contact to be associated with any company then select --No
 Company--. Press the <u>Select</u> button. Finally, press OK on the Contact dialog box.

Search Companies
Search ba
No Company Barclaycard, Purchase Cover Claims Barclays Bank, PO Box N0 41 Barclays Bank, University Branch Barclays Bank, Maidenhead Branch
Select <u>C</u> ancel <u>H</u> elp

Search Companies dialog box

Auto Dialling a Contact

You may auto dial a contact provided:

- You have a modem connected directly to your computer using the same phone line as your handset phone.
- The contact phone number details have been entered.

You can auto dial a contact by pressing the 🙆 button above the Contact Window. Pressing this button will bring up the Dial Contact dialog box.

-	Dial Contact			
<u>N</u> umber	0800 462868			
Comp Comp Home Home	pany phone <u>1</u> pany phone <u>2</u> e 1 e 2	<u>OK</u> <u>C</u> ancel <u>H</u> elp		

Dial Contact dialog box

You may choose which of the four contact phone numbers to dial by selecting one of the **Company phone1**, **Company phone2**, **Home1**, or **Home2** radio buttons. Alternatively, you may enter a telephone number directly into the *Number* field. When you press **OK**, OfficeTalk will initialise the modem and dial the selected number.

You should ensure that the modem is correctly setup. You can do this by selecting **Modem Settings** from the **Options** menu. For more information on modems, see Setting Up A Modem For OfficeTalk later in this chapter.

Linking a Contact to other OfficeTalk data

OfficeTalk lets you link contacts to other OfficeTalk data. You can do this in the following way:

- Select the <u>contact</u> that you wish to link so that it is displayed in the Contact Window.
- Press the button above the Contact Window.
- Select another linkable item and press the

The contact will now be linked to that item. A \mathscr{O} symbol will appear in the Contact Window. For more information on linking, see the **Linking** section in the chapter named **General OfficeTalk** Features.

Mailing Contacts

OfficeTalk lets you specify an EMail address for contacts so that they may be mailed from within Mail Mode. You can specify an EMail address for a contact in the following way:

- Select the contact that you wish to give an EMail address by viewing it in the Contact Window.
- Press the button. The Contact dialog box will appear. Select the mail system through which you wish to mail the contact (i.e. MAPI or VIM). Specify the EMail address in the *Email* field. Press **OK**.

The contact may now be *addressed* via the Send To Window from within Mail Mode. For more information on mailing contacts see Using a Contact Mail Address in the Mail Mode chapter.

Adding a Contact to a Group

You may add a contact to a company /contact group in the following way:

- Select the contact that you wish to add to the group by viewing it in the Contact Window.
- Press the 🔛 button. A Select Contact Group dialog box will appear.
- Select the required group from the Contact Group pull down list.

Select Contact Group			
Contact Group	p Prospects	<u>+</u>	
	<u>C</u> ancel	<u>H</u> elp	

Select Contact Group dialog box

• Press **OK**. OfficeTalk will verify that you wish to add the current contact to the selected group. Press **Yes** to confirm.



OfficeTalk Confirmation

Finding Which Groups a Contact Belongs to

OfficeTalk lets you view which groups a particular contact belongs to. You can do this by selecting the contact into the Contact Window and pressing the 2 button. If the selected contact does not belong to any groups then a message box will appear indicating this to you.



OfficeTalk message

If the contact does belong to one or more groups then pressing the ¹ button will pop up a window listing all the groups to which the contact belongs:

-	Contact Groups (Debbie Rogers)
	Christmas Card List Prospects
	Close

Groups to which the selected contact belongs

Printing Contacts

OfficeTalk lets you print out contacts by pressing the button above the Contact Window. When you press this button, the Print Contacts dialog box will appear.

All contacts Current group Current contact
Draw line between records <u>S</u> etup
△ New page per alphanetical section <u>Cancel</u> ○ One record per page <u>Help</u>
 △ Company Name △ Address 1 △ City △ Phone 1 △ Address 2 △ County △ Phone 2 △ Address 3 △ Postcode △ Fax
Country Print "Home Address:" Address 1 City Phone 1 Address 2 County Phone 2 Address 3 Postcode Fax
Address Indent 0.00" Address Indent 0.00" Paper A4 Portrait Unaders + Contrait Table Contrait

Print Contacts dialog box

The fields and buttons in the Print Contacts dialog are described in the table below:

Field/Button	Description		
All companies/	You may choose what to print by selecting one of these		
Current group/	radio buttons. You can print either all contacts in the entire		
Current contact	database, or, if there is a group currently selected, you can		
	print that group or you can print the current contact.		
Draw line between records	Check this check box if you wish to print a horizontal line		
	between each record printed.		
New page per alphabetical	Check this check box if you wish to start a new page for		
section	every new alphabetical section.		
One record per page	Check this check box if you wish to print only one contact		
	record per page.		
Print Fields	Select which fields you wish to print from this array of		
	check boxes. If you select the Print "Company Address"		
	or Print "Contact Address" check box, OfficeTalk will		
	print Company Address or Contact Address above the		

	relevant address.		
Address Indent	This is the amount of indent between the contact name and		
	the other fields printed below. The default is 0 inches.		
Paper	This is the paper style that OfficeTalk will use to print. For		
-	more information on paper styles, see the Printing section		
	in the General OfficeTalk Features chapter.		
Title Font	The font of the contact name.		
Field Font	The font of the contact address.		

OfficeTalk provides common *print* functionality in all Print dialog boxes. This functionality includes:

- Defining headers and footers
- Printer setup
- Preview capability

For more information on this common print functionality, see the **Printing** section in the **General OfficeTalk Features** chapter.

If you *preview* the contact print out, with careful selection of fonts, OfficeTalk will display a preview output similar to that shown below:

OfficeTalk 1.0 [LAWES, Ti	im] 6 February 1995 08:50 🔽 🔺
Print Next Page Prey Page One P	Page Zoom In Zoom Qut Close
	11 18
B	B
BCCB, And Andre Beender Beeten BCCB, Andre Beeten Beeten Beeten Beeten	100, 000 100, 0
C = 4 + 4 = 2	1911 11 11 11 11 11 11 11 11 11 11 11 11
8232 433832	871 288 2288
1222 431641	
Basi di Bayat, Tindani, Bind Tindani, Bind	bell Ser Burles, Veloc Bille Bod Veloc Bille Bod Veloc Bille Bod Veloc Bod
linetine accession	
	1929 34 431
to man, had	1000TY00,2.
	Part International
Encluie	Normal
5 M S 3 M S	100
101 (01 1122)	1413433113
FILMULE, Poly. Constant Informatic III, Bip Law Faculta	a Buillerri, Maria di Narey Mal Pat (1974-40) Hi Erona Carl
Washinto	H fire field B
¥4310	MEIN IN
B61 278 7611	
1816, fore hale Reference (H): Parlemen Remon Error Parlement Fore Reference (Fore Parlement Reference) 1874 Reference	TREFFE, shull
	Will Brinn Brith 200
171 311 3311	111271414
121 101 400	
Polate INTE, Teo IS/10/11 a Itali	7-015-000,7-0-07070-0160
// L	
Pages 18-19	7 New Message(s) NUM

Contact print preview

Importing Contacts from a CSV file

OfficeTalk lets you import contact records from Comma Separated Variable (.CSV) files. A typical CSV file format is shown in the table below:

"Company",	"Surname"	"Address1",	"Address2",	"Town",
"Softalk Ltd",	"Bates"	"1 May Sq",	"Hurley St",	"Aylesford",
"DSA",	"Prestedge"	"Bydell Hse"	"Sudbry Hill",	"Harrow",
"Acme Ltd",	"Meaden"	"Acme Rd",	"Acme Hill",	"London",
"Intera Ltd",	"Brice"	"Chiltern Hs",	"45 Stn Road",	"Henley",
"PPG",	"Jones"	"1 Pit Way",	"Murray Rd",	"Staines",

CSV File Format

The first line in a CSV file is called the *header* line and this must always be present. . The *header* defines the field names of the CSV file. The following lines are individual contact records. Most

database packages will provide a CSV format output of their data. Once you have a file in this format, you may import the data into OfficeTalk in the following way:

Firstly, select Import CSV Records from the File menu within Contact Mode.

<u>F</u> ile	<u>E</u> dit	<u>S</u> earch	⊻iew	<u>M</u> ode	<u>L</u> inks
<u> <u>l</u>mp</u>	ort			CSV Red	cords
<u>E</u> ×p	ort		► 		
<u>P</u> rin	ıt		•		
<u>U</u> pd	late				
Wo	rk <u>R</u> eп	iote			
Upd	late Ma	ain <u>D</u> atab	ase		
E <u>x</u> it	t				

Contact Mode menu

A CSV Import dialog box will appear:

		CSV Import
	Quoted Fields	D <u>e</u> limiter Comma
Import <u>F</u> ile	C:\TEMP\STEVE.CSV	<u>Browse</u>
Import <u>T</u> ype	Contact	Import into current group
<u>Available Fields</u>		OfficeTalk Fields
NAME		[Company]
ADDR1		Home Address 2
ADDR2		Home Address 3
ADDR3		Home City
CITY		Home County
COUNTY		Home Postcode
		Li Home Country
	Connect	Remove Clear
<u>Connections</u>		
LAST_NAME<>	•Last Name	
FIRST_NAME<>	∍First Names	
ADDR1<>Home	e Address 1 Address 2	
ADDR2<	e Address 2 Address 2	
CITY<>Home C	itv	
	-,	
		Ca <u>n</u> cel <u>H</u> elp

CSV Import dialog box

38 OfficeTalk User Manual

- Select the CSV file containing the data that you wish to import. You can do this by pressing the **Browse**... button and selecting the file from the File dialog box.
- Ensure that *Contact* is selected in the **Import Type** pull down list. Note that if you wish all the imported contacts to be visible only to you then select *Personal Contact* from the **Import Type** pull down list.
- The OfficeTalk Fields list will contain the available fields in a contact record. The Available Fields list will contain a list of fields found in the CSV file. You can connect the CSV file fields to OfficeTalk fields by selecting an item from each list and pressing the <u>Connect</u> button. The connection will appear in the Connections list at the bottom of the dialog box.
- If the CSV file has quoted fields (every field is enclosed by a pair of "" characters) then ensure that the Quoted Fields check box is checked. Sometimes fields are separated by TAB characters instead of commas. If this is true ensure that *Tab* is selected from the Delimiter pull down list.
- Press the <u>Import</u> button. OfficeTalk will begin importing the records. A *Percentage* window will appear informing you of the progress of the import. You can cancel the import at any time by pressing the **Cancel** button on the percentage window.

If a company/Contact group is currently selected, then the **Import into current group** check box will be enabled. If you check this box, OfficeTalk will import the data and will automatically put each record into the currently selected group.

Connecting Contacts to Companies via a CSV Import

If you have a CSV file which contains both company *and* contact information in the same record, then you should perform two imports; firstly import the company information, as described in **Importing Companies from a CSV File** above, and then, using the same CSV file, import the contact information, but ensuring that the **[Company]** field in the **OfficeTalk Fields** list is connected to the field representing the name of the company in the **Available Fields** list. OfficeTalk will then be able to associate all the contacts with the relevant companies.

Exporting Contacts to a CSV file

OfficeTalk lets you export contact records to a CSV file. This will export both company names and addresses. You can do this in the following way:

• Firstly, select **Contact CSV Records** from the **File/Export** menu in Contact Mode. A CSV Output dialog box will appear.

-		CSV Output	
<u>F</u> ile [C:\TEMPWAYFILE.CSV		<u>B</u> rowse
	🛛 <u>Q</u> uoted Fields	<u>D</u> elimiter Comr	na 👤
	🛛 Out <u>p</u> ut Header	🗌 <u>E</u> nd line w i	th delimiter
		<u>C</u> ancel	<u>H</u> elp

CSV Output dialog box

- Select a filename for the output CSV file. You can do this by pressing the Browse... button and selecting the filename from the Save As dialog box.
- If you want each item of data to be encapsulated by quotes, then ensure that the Quoted Fields check box is select. If you want to output a header record at the top of the file then check the Output Header check box. If you want to end each record line with a delimiter (the default is not to) then check the End line with delimiter check box.
- Choose a delimiter (field separator) by choosing a delimiter from the *Delimiter* field. You can choose between a TAB character and a COMMA.
- Press **OK**. OfficeTalk will then export the records in the selected group (or all records in the database if no group is selected) to the specified CSV file.

Creating a Company/Contact Group

OfficeTalk lets you group together companies and contacts. You might want to group together your companies and contacts for several reasons. For example, if you wanted to create a mail merge file, or if you wanted to keep a list of prospects for a particular product.

Adding/Editing/Deleting Groups

You can add, edit and delete groups by bringing up the Contact Groups dialog box. Do this by pressing the 🕅 button. The Select Contact Group dialog box will appear.

Select Contact Group	Select Contact Group					
Contact Group No Group	Contact Group					
Edit Groups						
Default:No Group						
<u>OK</u> <u>C</u> ancel <u>H</u> el	p					

Select Contact Group dialog box

Next, press the Edit Groups... button. The Contact Groups dialog box will appear.

-	Contact Groups								
Ac Ad Ad BC Co Co	countants Exhibitions Idress Plus Prospects Idress Plus VARS S - VAR mdef '94 impetitive Reviewers imputer World - VAR	+	<u>N</u> ew Co <u>p</u> y <u>E</u> dit <u>D</u> elete						
Co Da Edi ITM Ma	infirmed Unite FALK users ttapro - VAR titors b Launch Prospects (Beta Sites ggazines	+	<u>Close</u> <u>H</u> elp						

Contact Groups dialog box

Adding a New Contact Group

To add a new group, press the button. A Contact Group dialog box will appear.

	Contact Group
<u>N</u> ame	Address Plus Prospects
0 <u>w</u> ner	No Owner
Search Te <u>x</u> t	<u>S</u> earch
Company Search Resul	Begins With Companies Grantable
Contact Search Result	
<u>R</u> esults (0 records)	<u>M</u> embers (24)
	Add >>
	<u>Cancel</u> <u>H</u> elp

Contact Group dialog box

From this dialog box you can search for companies and contacts and add them to this group. You can do this in the following way:

- Enter a name for the group in the *Name* field.
- If the group is to be a *private* group then specify who the group will belong to by selecting the relevant name from the **Owner** pull down list. The default selection is --*No Owner*-- which means that all users will be able to see the group.
- Select the Companies radio button and then search for any specific company that you wish to add by typing in the first few letters of the company into the Search Text field and then pressing the <u>Search</u> button. The results of the search will appear in the **Results** list. Alternatively, if you have previously performed a search using the Search Companies dialog box, you can press the <u>Company Search Results</u> button. This will transfer the results from the Company Search dialog box to the **Results** list in this dialog box. Once you have some records in the **Results** list, you can add some or all of them to the group by selecting them and pressing the <u>Add >></u> button, one at a time.
- Select the **Contacts** radio button and search for contacts in a similar way to that described in above.

Editing a Contact Group

You can edit a group in the following way:

- Press the 🗹 button. The Select Contact Group dialog box will appear.
- Press the Edit Groups... button. The Contact Groups dialog box will appear. Select the group that you wish to edit and press the Edit... button. The Contact Group dialog box will appear displaying the selected group. Edit the members and/or other attributes of the group and press OK.

Deleting a Contact Group

You can delete a group in the following way:

- Press the W button. The Select Contact Group dialog box will appear.
- Press the Edit Groups... button. The Contact Groups dialog box will appear. Select the group that you wish to delete and press the Delete button.

OfficeTalk will confirm that you wish to delete the contact group.



OfficeTalk confirmation

Selecting a Group

Once you have created a group, you may select it in the following way:

• Press the 🗹 button. The Select Contact Group dialog box will appear.

• Choose the relevant group from the **Contact Group** pull down list and press **OK**.

	Select Contact Group
Contact <u>G</u> rou	upNo Group
<u>E</u> dit Gro	oups Use As Default
ſ	Default:No Group
	<u>C</u> ancel <u>H</u> elp

Select Contact Group dialog box

You can deselect a group by selecting -- No Group-- from the Contact Group pull down list.

Making a Group Default

Once you have created a group, you may wish to make it the *default* group. This means that when you start up OfficeTalk and go into Contact Mode, this *default* group will automatically be selected. You can do this in the following way:

- Press the W button. The Select Contact Group dialog box will appear.
- Choose the relevant group from the **Contact Group** pull down list and press the Use As Default button. Then press OK.

You can instruct OfficeTalk to have no default group by selecting --*No Group*-- from the **Contact Group** pull down list and pressing the Use As Default button.

Setting Up A Modem For OfficeTalk

OfficeTalk allows you to auto dial companies and contacts using a Hayes compatible modem. To set up a modem ready to auto-dial, connect it to a serial port that you have access to and bring up the Modem Settings dialog box by selecting **Modem Settings** from the **Options** menu in Contact Mode.

-	Modem Settings							
<u>I</u> nitialization	ATZ	<u>B</u> aud Rate	9600 🛓					
<u>D</u> ial Prefix	ATDT	<u>P</u> ort	COM1 👤					
<u>E</u> scape	+++	Byte Size	8 👤					
Hang <u>U</u> p	ATH0	P <u>a</u> rity	None 👤					
		<u>S</u> top Bits	1 👤					
		ancel	<u>H</u> elp					

Modem Settings dialog box

If you have a Hayes compatible modem, the settings in the *Initialisation, Dial Prefix, Escape and Hang Up* fields will already be set up for you. Ensure that the *Port* field selection corresponds to the port that you attached the modem to.

Note: If you need to specify a number to connect your internal telephone system to an outside line then specify this at the end of the dial prefix field.

When you press OK, OfficeTalk will remember your settings and you will be ready to use your modem for auto-dialling.





The Directory View lets you view contacts and companies in a telephone directory style. From this view you can go to a particular company or contact and you can add a company or contact to an existing group.

-		OfficeTall	< 1.0 [LAW	'ES, Tim]	6 Febru	ary 1995	08:53		-
<u>F</u> ile <u>I</u>	dit <u>S</u> earc	h <u>¥</u> iew	<u>M</u> ode	<u>L</u> inks <u>O</u> p	tions <u>H</u>	elp			
Supervis	or Diary	Group	Planner	Project	(儒학 Meeting	Contact	Mail	Notify	
	Directo	ry All	(1090 record:	s)				с <u>т</u>	
Company Contact Director Convs	Bristol Water, Bishopsworth Road Bristol 0272 536430 Bristol Water, Bishopsworth Road Bristol 0272 536430 Bristol Water, Bishopsworth Road Bristol 0272 536430 British Aerospace Plc, Sowerby Research Centre Bristol 0272 536430 British Aerospace Plc, Sowerby Research Centre Bristol 0272 536430 British Airways Travel Shops, 200 Buckingham Palace Hondon 071 821 4030 British Council, Room E 401 Directory London 071 389 4743 British Gas Reading 0734 292255 British Gas, Telecommunications Services Hinkley 0455 251111 British Gas, Telecommunications Services 021 644 4347 British Rail, 3rd Floor - Stanier House 021 644 4347 British Rail, Stanier House 021 643 4444 British Rail, Restructuring and Privatisation Team London 071 320 0800 British Rail InfraStructure Services, Room 303 Leeds 0532 479546 British Railways Board, Business Systems Infrastructur London 071 629 9000 British Standards Institute, Glenthorne House British Standards Institute, Glenthorne House London 071 629 9000 British Standards Institute, 272 278517 British Standards 272 278517								6430 + 6430 + 6430 3536 4030 4743 2255 11111 4347 4444 0800 9546 5151 9000 8517
	Brit Brit Brit Brit	ish Telec ish Telec ish Telec ish Telec ish Water	om, BT La om, Progr om, BTTC om, PP 32 wave, Tec	abs amme Offi C O Worldwi abnical Sor	ce, Room de Netwo	31/51 rks Mil	Ipswich London O Stone Iton Keyne: Loods	.0473 64 171 728 e 078576 s 090869 .0532 45	0685 6507 2743 3112
	Brit	ish Water	ways, rec ways Env	ironmonts	d & Scien	tific Sorri	Cloucester	0352 45	8040
For He	p, press F1					7 New Me	essage(s)	NU	JM

Directory View (Companies)

Viewing Companies

You can view companies by pressing the button. The name of the currently selected group, if any, will be shown at the top of the window along with the number of companies in the group.

Viewing Contacts

You can view contacts by pressing the button. The name of the currently selected group, if any, will be shown at the top of the window along with the number of contacts in the group.

Selecting a Company/Contact Group

OfficeTalk lets you select a company/contact group to view from the Directory View. See Selecting a Group above for more information.

Adding a Company or Contact to a Group

From Directory View you can add a company or contact to an existing group. For more information see Adding a Contact to a Group and Adding a Company to a Group above.

Viewing the Full Record

You can view the full record for a company or contact from within Directory View by double clicking on the relevant record. The view will change to Company View or Contact View, as appropriate, and the record will be displayed.

Conversation View



Conversation View lets you record and view conversations you and other users have with contacts and companies defined in Contact Mode. In addition, you may add *follow-up tasks*, create *conversation threads*, filter and print conversations.

-	OfficeTalk 1.0 [LAW	ES, Tim] 6 February 1995	09:02 🗾 🗖					
<u>F</u> ile <u>E</u> di	t <u>S</u> earch <u>V</u> iew <u>M</u> ode <u>I</u>	_inks <u>O</u> ptions <u>H</u> elp						
Supervisor	Diary Group Planner	Project Meeting Contact	Mail Notify					
	Conversations With Softa	k	⇙ୣୣଽୣଽୣୄୄୄ					
Company	Date Time User	Contact Company	Subject					
- company	07/01/94 12:09 LAVVES, Tim	No Contact Softalk Ltd	386SX 4MB speed 🔒					
😨	09/03/94 14:45 LAVVES, Tim	BATES, Simon Softalk Ltd	TEST					
Contact	05/04/94 14:19 LAVVES, Tim	BATES, Simon Softalk Ltd	OfficeTALK Beta					
	09/05/94 14:43 MEADEN, Charles	BATES, Simon Softalk Ltd	Company C & P					
	10/05/94 14:31 LAVVES, Tim	BATES, Simon Softalk Ltd	OT speed and datab					
Directory	16/05/94 13:57 MEADEN, Charles	BATES, Simon Softalk Ltd	Tab delimited files					
6 ma	24/10/94 14:31 SAREEN, Caroli	PRESTEDGE, Stuart Softalk Ltd	contract					
الاستعبا	L		+					
	contract (1 of 1)		¥≜Q.					
	24/10/94 14:31 SAREEN, C	aroll PRESTEDGE, Stuart Softa	ilk Ltd contract					
Read	Dear Stu & Si		+					
🔦								
Write	We forgot to date the contrac	t when we signed so please could	you date your copy on					
	the signing page and the cov	er the 17th October 1994. We we	ere also supposed to					
	append signed copies of the	manual and software. I have end	closed to copies of the					
	manual signed on my behalf and Sareen Software Plc. could you please sign them on							
			•					
	Follo <u>w</u> Up Task Con	tinue <u>T</u> hread Ed <u>i</u> t	<u>D</u> elete					
For Help,	press F1	7 New Mes	sage(s) NUM					

Conversation Read View

-	OfficeTa	k 1.0 [LAW	ES, Tim]	6 Februa	ary 1995	09:06		T
<u>F</u> ile <u>E</u> d	it <u>S</u> earch <u>V</u> iew	<u>M</u> ode <u>l</u>	_inks <u>O</u> p	tions <u>H</u> e	lp			
Supervisor	Diary Group	Planner	Project	Meeting	Contact	Mail	Notify	
	Subject New pos	ting	Contact	PRESTEDGE	an Q	Company	Softalk Ltd, 3	36, L 🔾
Company Contact Directory Convs Convs Read	Spoke to Tim. Ho	e said he plan the 12th. C	nned to tak V is attach	e on anothe ed below:	r office as	sistant. Wo	uld like me	to •
Write	clrfile.cvw							
			S <u>a</u> vo	e Convers	ation			
For Help,	press F1				7 New Me	essage(s)	NU	M

Conversation Write View

Recording a Conversation

Conversation View comprises two sub-views; Read View and Write View. When you first enter Conversation mode, Read View is displayed. You can record a conversation in the following way:

• From within Contact or Company View, select the contact or company with which you wish to record the conversation. (Recording a conversation with a company rather than a contact is useful when it is not important who the contact was. For example, it might be the receptionist of a company explaining details of the company's location.)



From within Conversation View, press the write button. The contact and/or company selected will be shown in the *Contact* and *Company* fields. You can change the contact or company selected by pressing the button next to either of the fields. In either case, a Company or Contact Search dialog box will appear as appropriate. Specify the first few

letters of the contact or company that you wish to select and press the <u>Search</u> button. Then select the company/contact and press the <u>Select</u> button.

- Enter a description of the conversation into the *Subject* field and then fill out the details of the conversation into the main window (the Conversation Window). You may attach one or more files to a conversation by selecting **Attach Document** from the **Edit/Conversation** menu or by double clicking in the Attach Window at the bottom of the view.. Any attached files will appear as icons in the *Attach Window*.
- To save the conversation, press the <u>Save Conversation</u> button. The view will change back to Read View and the conversation will be saved. Your conversation will appear in the Conversations Window provided that it is not filtered out by the current conversation filter.

Reading Existing Conversations

To view conversations which have been previously recorded switch to Read View. In this view, conversations are listed in the Conversations Window. Each conversation is represented by a single entry in the Conversations window which displays the date and time of the conversation, which user recorded the conversation, with which contact the conversation was held, and what company that contact belonged to and the subject of the conversation.

Conve	rsatio	⌀▾ᆂℽ兽			
Date	Time	User	Contact	Company	Subject
25/01/94	12:28	Simon Bates	Tim Lawes	Deepak Sareen Associates,	OfficeTALK bugs
25/01/94	13:43	Simon Bates	Tim Lawes	Deepak Sareen Associates,	Follow-up tasks
26/01/94	15:06	Stuart Prestedge	Neil Fox	AZLAN	MHS SDK

Conversations Window

To view the body of a conversation, select the conversation entry by single clicking on the text line using the left mouse button. The body of the conversation will appear in the window underneath the Conversations Window.

50 OfficeTalk User Manual

MapVision (Central London) (1 d	of 1)		¥≜Q
21/11/913:01 BATES, SimonNo	Contact	Next Base	MapVision (Centra
Based on the bartholomew map, this is basically a digital map with road info and postcode info over which you may overlay a DBF database file. Once overlaid, you may search for the data and it will pan to it on the map. Further, you may double click on it and it will display whatever information you want it to.			
Follo <u>w</u> Up Task Continue <u>T</u>	hread	<u>E</u> dit	Delete

Conversation Window

The subject of the conversation is shown at the top of the window along with the *thread number* of this conversation (see Adding to a Conversation Thread later in this section).

Editing Existing Conversations

OfficeTalk lets you edit existing conversations. You can do this in the following way:

- Select the conversation that you wish to edit from the Conversations Window from within the Read View. Do this by clicking on the single line entry using the left mouse button.
- Provided that the conversation was originally recorded by you, the <u>Edit</u> button will become enabled. Press the <u>Edit</u> button. The view will be switched to Write View.
- Modify the subject, and/or the conversation body, and/or the contact and company and any file attachments and then press the Update Conversation button.

Deleting Conversations

You can delete conversations provided that you originally created them or you are a supervisor. To delete a conversation, do the following:

• Select the conversation that you wish to delete from the Conversations Window from within the Read View. Do this by single clicking on the single line entry using the left mouse button.

Provided that the conversation was originally recorded by you or you are a supervisor, the <u>Delete</u> button will become enabled. Press the <u>Delete</u> button. OfficeTalk will confirm that you wish to delete the conversation. Press Yes. The conversation will now be deleted.

Adding Follow-up Tasks to Conversations

Often, as a result of a phone call or other conversation, you will need to *action* certain tasks. OfficeTalk lets you attach *follow-up* tasks to conversations. You can do this in the following way:

- Select the conversation that you wish to add a follow-up task to.
- Press the Follow Up Task button. A Follow Up Task dialog box will appear. Enter the description of the follow-up task in the *Action* field and enter a deadline by which the task should be complete in the *Follow up by* field. The task may be assigned either to yourself or to any OfficeTalk user visible to you. Users will be shown in the Assign To pull down list if you have *creation* access or higher to their diaries

😑 Follow Up Task		
<u>A</u> ction	Call him to advise him of new price list	
<u>F</u> ollow up by	14/01/95 17:00	
Assign <u>T</u> o	Simon Bates 👤	
	<u>C</u> ancel <u>H</u> elp	

Follow Up Task dialog box

When you press OK, OfficeTalk will create a task with the specified description in the *assigned* users task list (Diary Mode) and will *link* the conversation to the task. The link may only be seen by you. A \mathscr{O} symbol will appear next to the conversation. Pressing the left mouse button down on the \mathscr{O} symbol will show the link to the task. You can go the task by selecting the link as described in **Linking Information** in the **General OfficeTalk Features** section. The task will also have a \mathscr{O} symbol displayed next to it, allowing you to easily access the conversation to which it refers.

There is no limit on the number of follow up tasks which may be added to a conversation.

Adding to a Conversation Thread

If you wish to create a conversation which follows on from an existing conversation then OfficeTalk lets you join the conversations into a conversation *thread*. You can do this in the following way:

- Select the conversation that you wish to add to. Note that the conversation that you select must be either a non-threaded conversation (the title will read (1 of 1)) or it must be the last conversation in the thread (the title will read (3 of 3), for example). You cannot join onto a conversation which is in the middle of a thread (for example if the title read (1 of 3)).
- Press the <u>Continue Ihread</u> button. OfficeTalk will place you in Write View. The *Subject*, *Contact* and *Company* fields will already be filled out, however you may change any of them except the *Subject* field.
- Fill out the body of the conversation and press the <u>Save Conversation</u> button. The new conversation will be linked to the selected conversation.

If you *do* change the subject of the conversation then OfficeTalk assumes that you do not wish to add the conversation to the thread after all. However OfficeTalk does warn you by popping up a Changed Subject dialog box. You are asked if you wish to create a new subject or associate with the old one.

Changed Subject	
You have changed the subject from	
OS/2 Porting	
Do you wish to create a new subject or associate with an old one?	
New Subject Associate with Old	

Changed Subject dialog box

If you press the **New Subject** button, OfficeTalk will not join the conversation to the thread, but will instead create a separate conversation with the new subject. If you press the **Associate with Dld** button, OfficeTalk will attach the conversation to the end of the thread but will change the subject back to the same subject used throughout the conversation thread.

Following a Conversation Thread

Conversations which are *threaded* together are not usually consecutive entries in the Conversations Window. For this reason, OfficeTalk lets you move back and forward along any particular thread using the $\textcircled{\baselinetwidth}$ and $\textcircled{\baselinetwidth}$ buttons on the bottom Conversation Window. To do this, select a conversation which is part of a thread. If there is a conversation *previous* to the selected conversation in the thread, then the $\fbox{\baselinetwidth}$ button will be enabled. Pressing this button will take you to the previous conversation. If there is a conversation *after* the selected conversation in the thread then the $\fbox{\baselinetwidth}$ will be enabled. Pressing this button will take you to the next conversation in the thread.

Conversation Filters

OfficeTalk lets you filter conversations. This becomes essential when the number of conversations becomes quite large. OfficeTalk lets you filter on conversations held by a particular user, to a particular company or contact and over a particular date range.

Adding/Editing/Deleting Conversation Filters

You can add, edit and delete filters by bringing up the Conversation Filters dialog box. Do this by pressing the 🕅 button. The Select Conversation Filter dialog box will appear.

Select Conversation Filter		
Conversation No Filter	Ŧ	
<u>E</u> dit Filters <u>U</u> se As Default		
Default:No Filter		
<u>OK</u> <u>C</u> ancel <u>H</u> elp		

Select	Conversation	Filter	dialog	box
--------	--------------	--------	--------	-----

Next, press the **Edit Filters...** button. The Conversation Filters dialog box will appear.



Conversation Filters dialog box

Adding a New Conversation Filter

To add a new filter, press the <u>New...</u> button. A Conversation Filter dialog box will appear.

-	Conversation Filter	
<u>N</u> ame	No Filter	
	<u>U</u> ser ⊶All Users⊶ ±	
	CompanyAll Companies	
	Contact All Contacts	
Date Range 🗌		
	<u>Cancel H</u> elp	

Conversation Filter dialog box

From this dialog box you can select:



• --*All Contacts--* or a particular contact or --*Current Contact--*. If you select --*Current Contact--* then OfficeTalk will show only conversations had with the contact currently displayed in the Contact View within Contact Mode.

- --*All Companies*-- or a particular company or --*Current Company*--. If you select --*Current Company*-- then OfficeTalk will show only conversations had with the company currently displayed in the Company View within Contact Mode.
- A date range. If you select the **Date Range** check box, a *From* and *To* field will appear. If the *To* field is left blank then OfficeTalk will treat this as the future date.

Editing a Conversation Filter

You can edit a filter in the following way:

- $\bullet \quad \text{Press the } \blacksquare \text{ button. The Select Conversation Filter dialog box will appear.}$
- Press the Edit Filters... button. The Conversation Filters dialog box will appear. Select the filter that you wish to edit and press the Edit... button. The Conversation Filter dialog box will appear displaying the attributes of the selected filter. Edit the attributes of the filter and press OK.

Deleting a Conversation Filter

You can delete a filter in the following way:

- Press the 🗹 button. The Select Conversation Filter dialog box will appear.
- Press the Edit Filters... button. The Conversation Filters dialog box will appear. Select the filter that you wish to delete and press the Delete button.

Selecting a Conversation Filter

Once you have created a filter, you may select it in the following way:

- Press the 🕅 button. The Select Conversation Filter dialog box will appear.
- Choose the relevant filter from the Conversation pull down list and press OK.

Select Conversation Filter
Conversation No Filter
Edit Filters
Default:No Filter
<u>OK</u> <u>C</u> ancel <u>H</u> elp

Select Conversation Filter dialog box

You can deselect a filter by selecting --No Filter-- from the Conversation pull down list.

Making a Conversation Filter Default

Once you have created a filter, you may wish to make it the *default* filter. This means that when you start up OfficeTalk and go into Conversation View, this *default* filter will automatically be selected. You can do this in the following way:

- Press the W button. The Select Conversation Filter dialog box will appear. A
- 0 Choose the relevant filter from the **Conversation** pull down list and press the Use As Default button. Then press OK.

You can instruct OfficeTalk to have no default filter by selecting --No Filter-- from the Conversation pull down list and pressing the Use As Default button.

Searching Conversations

OfficeTalk lets you search through conversations for any text. You can do this by pressing the button which is above the Conversation Window. When you press this button, the Search Conversations dialog box will appear.



😑 Se	arch Conversations	;
S <u>e</u> arch of	• <u>B</u> egins With	
Through	○ C <u>o</u> ntains	Helen Prestedge
Subjects only All text	Date ra <u>n</u> ge 🛛	Simon Bates Stuart Prestedge
 ∑Search	<u>F</u> rom 26/01/94	
<u>D</u> atabase	<u>T</u> o 13/01/95	
○ F <u>i</u> ltered conversations		
⊖ Resu <u>l</u> ts	Search	
<u>R</u> esults (2 records)		
03/02/94 13:31 OfficeTALK Release 11/04/94 11:24 OfficeTALK Contact	e, Tim Lawes Andy Brice	4
Thomas The onice the contract		
		÷
Goto	<u>C</u> lose	<u>H</u> elp

Search Conversations dialog box

The Search Conversations dialog box consists of a *Search* field into which you may enter your search text, a <u>Search</u> button for performing the search and a <u>Boto</u> button for displaying the resulting record. There is a **Users** list from which you may choose to search conversations of either -- *All Users*-- or one or more specific users. A **Date Range** check box lets you specify a date range over which to search for conversations. Radio buttons let you choose between searching *Subject Text* only or *All Text*. The search may be performed on either *all conversations* (Database), *Filtered Conversations*, or the Search *Results*.

You can search for conversations in the following way:

- Enter some search text into the *Search* field.
- Select either the **Subjects Only** radio button which will search only the subject text of conversations or the **All Text** radio button to search the body of the conversation as well as the subject text.
- **B** Press the <u>Search</u> button.

The results of the search will appear in the **Results** window at the bottom of the Conversation Search dialog box. You can display any of the conversations in the **Results** window by selecting the relevant conversation and pressing the **bottom** button. OfficeTalk will close the dialog box and load the record into the Conversation Window.

Linking Conversations to other OfficeTalk data

OfficeTalk lets you link conversations to other OfficeTalk data. You can do this in the following way:

- Select the <u>conversation</u> that you wish to link in the Conversations Window.
- Press the *button* above the Conversations Window.
- Select another linkable item and press the *button* above that item's window.

The conversation will now be linked to that item. A \mathscr{O} symbol will appear in the Conversations Window. For more information on linking, see the **Linking** section in the chapter named **General OfficeTalk Features**.

Printing Conversations

OfficeTalk lets you print out conversations by pressing the button above the Conversations Window. When you press this button, the Print Conversations dialog box will appear.

Print Conversations		
All in current filter	<u>P</u> rint	
 All in current thread 	Pre <u>v</u> iew	
<u>New page per conversation</u>		
Line <u>b</u> etween conversations Display field names	<u>C</u> ancel	
Subject prefix Subject:	<u>H</u> elp	
Print fiel <u>d</u> s ⊠ Date ⊠ User ⊠ Company ⊠ Time ⊠ Contact		
Paper A4 Portrait		
Headers & <u>F</u> ooters		
Field Name Font Subject Font		
Field F <u>o</u> nt Text Fon <u>t</u>		

Print Conversations dialog box

The fields and buttons in the Print Conversations dialog are described in the table below:

Field/Button

Description

All in current filter/ All in current thread	You may choose what to print by selecting one of these radio buttons. You can print either all the conversations in the filter (all conversations will be printed if no filter is selected) or you can print all conversations in the current filter
New nage ner	Check this check box if you wish to start a new page for
Conversation	every conversation.
Line between conversations	Check this check box if you wish to print a horizontal line between each record printed.
Display field names	Check this check box if you wish to print the title for each field, i.e. "Date", "Time", "Contact", "Company", etc.
Print Fields	Select which fields you wish to print from this array of check boxes. You can choose from <i>Date</i> , <i>Time</i> , <i>User</i> , <i>Company</i> .
Paper	This is the paper style that OfficeTalk will use to print. For more information on paper styles, see the Printing section in the General OfficeTalk Features chapter.
Field Name Font	The font of the field names. This is only relevant if the Display field names check box is checked.
Field Font	The font of the fields.
Subject Font	The font of the subject description.
Text Font	The font of the conversation description.

OfficeTalk provides###1 Print dialog box### • Defining headers and footers

- Printer setup
- Preview capability

For more information on this common print functionality, see the Printing section in the General OfficeTalk Features chapter.