

DAZ Studio™

User Documentation



Revision B, DCN 008
8 February 2009

TRADEMARK & COPYRIGHT NOTICE

The DAZ Studio™ software and logo are a copyright of ©2002-2009 DAZ 3D, Inc. The DAZ 3D™ logo is a copyright of ©2005 DAZ 3D, Inc. DAZ® is a registered trademark of DAZ 3D, Inc.

All other product names mentioned in this manual and other documentation are for identification purposes only. Trademarks, registered or not, listed herein are the exclusive property of their respective owners.

Revision History

| Revision | Description | Date |
|----------|--|----------|
| A | Release for v1.7 | 09/28/07 |
| B | Release for v2.0 - Includes the following changes: <ol style="list-style-type: none"> 1. Conversion to RoboHelp format 2. Updates to text & formatting as needed 3. Addition of images & text as needed 4. Addition of Index 5. Addition of the following new tools/functionality: <ul style="list-style-type: none"> • Pane Auto-Hide • Drag-and-Drop • Level of Detail • Multiple UVs • Sub-Division Surfaces | 03/03/08 |
| DCN 001 | Release for v2.0.0.21 - Includes the following changes: <ol style="list-style-type: none"> 1. Addition of pages for File > Save As options 2. Addition of new Hexagon Bridge functionality | 03/24/08 |
| DCN 002 | Release for v2.1.1.13 - Includes the following changes: <ol style="list-style-type: none"> 1. Addition or updates for the following new tools/functionality: <ul style="list-style-type: none"> • Startup Wizard changes • Quick Start Tab/Tutorials • Content Manager Database • Auto Magnetize • Add and Replace • Save UV set in Material Preset • LOD level export 2. Update to saving light and camera presets to reference correct instructions and images. 3. Addition of Ctrl option when zeroing out a figure. 4. Clarification of selecting all morphs when exporting a pose preset. 5. Addition of creating a custom action. | 04/02/08 |
| DCN 003 | Includes the following changes: <ol style="list-style-type: none"> 1. Updated index 2. Corrected filename for backing up the content manager database 3. Corrected several spelling errors | 04/16/08 |
| DCN 004 | Release for v2.2.14 - Includes the following changes: <ol style="list-style-type: none"> 1. Addition or updates of the following new tools/functionality: <ul style="list-style-type: none"> • Lip Sync • LOD Support in Hexagon Bridge • Morph Panel • Multi-UV Save Preset • Open scene on New document • Power Loader • Smoothing Angle • Support for 3D mice 2. Changes to Content options menu to move items to new Content Manager tab in Preferences dialog. 3. Move of Auto-Magnetize on/off to Content Manager Preferences | 06/03/08 |

| Revision | Description | Date |
|----------|--|----------|
| | tab. 4. Updates to Collada and FBX exporters to handle LOD Levels and UV Sets. | |
| DCN 005 | Release for v2.3.3.9 - Includes the following changes: 1. Addition of new Load Cancel functionality. | 07/01/08 |
| DCN 006 | Release for v2.3.3.11 and 2.3.3.15 - Includes the following changes: 1. Addition of option to adjust timeline to match audio file. 2. Addition of option to turn on subdivision during figure manipulation. | 07/10/08 |
| DCN 007 | Release for v2.3.3.83 - Includes the following changes: 1. Incorporation of documentation for the Dynamic Clothing Basic plugin. 2. Minor changes to figures/text for changes to Content Manager. | 10/13/08 |
| DCN 008 | Release for v2.3.3.146 - Includes the following changes: 1. Changes deletion of applied D-Formers when spawning morphs. 2. Stability of undo/redo when creating D-Formers. 3. Addition of ability to cancel optimization of images when rendering. 4. Addition of ability to attempt to try to save a rendered image/animation when the first attempt fails. 5. Changes to OBJ exporter to correct whitespaces in group name entries. 6. Changes to PZ3 importer to correctly read and set strength values for ambient, diffuse, and specular. 7. VBO optimizations re-enabled. 8. Change on Scene tab where setting a node as visible/invisible or selectable/non-selectable does not change node selected in scene. 9. Change to Mac installations to allow spaces. 10. Change to default content view to folder view. | 02/08/0 |

Table of Contents

- Introduction 1
 - Welcome 1
 - What is DAZ Studio? 1
 - Create 2
 - Express 2
 - Key Features 3
 - What's New 4
 - Included Documentation 5
 - Artist Guide 6
 - Conventions 6
 - Ordered Procedures 6
 - Keyboard Entries 6
 - Commands and Prompts 6
 - Tips, Cautions, and Notes 6
 - ReadMe 6
 - System Requirements 7
 - Windows 7
 - Minimum Requirements 7
 - Recommended Requirements 7
 - Macintosh 7
 - Minimum Requirements 8
 - Recommended Requirements 8
 - Support 8
 - Contacting Technical Support 8
 - Other DAZ Resources 8
 - Memory Issues 9
 - Installation 9
 - Running DAZ Studio 10
 - Getting Updates 16
 - Getting Started 17
 - QuickStart Tutorials 17
 - The Basics 18
 - Starting Your Project 18
 - Step One: Add a Figure 18
 - Step Two: Add Clothing 20

| | |
|--|----|
| Step Three: Add Wings | 21 |
| Step Four: Add Hair | 22 |
| Attaching Clothing..... | 23 |
| Step One: Fit the Dress..... | 24 |
| Step Two: Fit the Wings..... | 26 |
| Step Three: Assign a Parent for the Hair | 26 |
| Step Four: Pose the Figure..... | 27 |
| Step Five: Using Morphs to Change Body Shape | 28 |
| In Conclusion..... | 29 |
| Rendering | 29 |
| Step One: Render Settings | 30 |
| Step Two: Render the Image | 31 |
| Step Three: Save the Render | 31 |
| Step Four: Save the Scene..... | 31 |
| Lights! Camera!..... | 32 |
| About Lights..... | 32 |
| Using Cameras..... | 33 |
| Step One: Change the Background Color | 33 |
| Step Two: Build and Adjust a Spotlight..... | 34 |
| Create the Spotlight..... | 34 |
| Select the faceLight Camera | 35 |
| Adjust the Spotlight..... | 35 |
| Frame the Default Camera | 37 |
| Step Three - Add a Distant Light..... | 38 |
| Adjust the Perspective View | 38 |
| Create the Distant Light..... | 39 |
| Adjust the Light Properties..... | 40 |
| Step Four - Add a Point Light..... | 41 |
| Step Five - Add and Scale a Second Figure..... | 42 |
| Step Six - Tests, Tweaks, and Workflow | 43 |
| Adjusting the Lights | 43 |
| In Conclusion..... | 44 |
| Menus & Commands..... | 45 |
| Using and Customizing the Interface..... | 45 |
| Overview of Interface Items..... | 45 |
| Customizing DAZ Studio | 46 |
| Customize DAZ Studio Dialog..... | 47 |

- Creating a Custom Action 50
- Customizing Shortcuts and Icons..... 54
- Customizing Activity tabs 55
- Customizing Menus..... 57
- Customizing Toolbars..... 58
- Customizing the Layout..... 59
 - Using Multiple Monitors..... 59
 - Customizing Panes 59
- Pane Auto-Hide 61
- Customizing Tabs..... 64
- Customizing Interface Colors 65
- Saving & Loading Custom Interface Layouts 66
 - Saving Custom Interface Layouts 66
 - Loading Custom Interface Layouts 66
- Setting Preferences 66
 - Setting General Preferences..... 66
 - Setting Content Preferences..... 68
 - Setting Interface Preferences 69
 - Setting Scene Preferences 71
 - Setting Content Manager Preferences..... 72
- Command and Toolbar Reference 75
 - File Menu Commands 75
 - The Load Toolbar..... 76
 - New 76
 - Open..... 77
 - Merge 77
 - Save 77
 - Save As..... 77
 - Save Last Render 78
 - Import 78
 - Export..... 79
 - Exit 79
 - File > Save As..... 80
 - Save as Scene..... 80
 - Save as D-Form Preset 80
 - Save as Puppeteer Preset..... 81
 - Save as Pose Preset 82

| | |
|--------------------------------|-----|
| Save as Shader Preset..... | 84 |
| Save as Materials Preset..... | 85 |
| Save as Character Preset..... | 87 |
| Save as Light(s) Preset | 88 |
| Save as Camera(s) Preset | 89 |
| Save as UV Preset | 90 |
| File > Import | 91 |
| Import BVH Files..... | 91 |
| Import Poser Files..... | 96 |
| Import OBJ Files | 96 |
| File > Export..... | 98 |
| Export BVH Files | 98 |
| Export Collada Files..... | 99 |
| General Tab..... | 99 |
| Morphs Tab | 101 |
| LOD Levels Tab..... | 103 |
| UV Sets Tab | 103 |
| Export OBJ Files..... | 103 |
| Basic Tab..... | 104 |
| Advanced Tab | 105 |
| Mesh Options Tab..... | 106 |
| Export U3D Files..... | 107 |
| Edit Menu Commands..... | 108 |
| Undo..... | 108 |
| Redo..... | 109 |
| Delete..... | 109 |
| Delete All Lights | 109 |
| Delete All Cameras | 109 |
| Copy Settings..... | 109 |
| Paste Settings | 109 |
| Backdrop | 110 |
| Audio | 110 |
| Preferences..... | 110 |
| Customize | 110 |
| Device Settings | 110 |
| Convert to SubD..... | 111 |
| Add Level of Detail..... | 111 |

| | |
|---------------------------------|-----|
| View Menu Commands | 111 |
| Interface Layout | 112 |
| Interface Style | 113 |
| Viewport Layout | 114 |
| Tabs | 114 |
| Render Menu Commands | 116 |
| Create Menu Commands | 116 |
| New Camera | 117 |
| New Point Light | 117 |
| New Distant Light | 117 |
| New Spotlight | 117 |
| New Null | 117 |
| New D-Former | 117 |
| New Primitive | 117 |
| Tools Menu Commands | 117 |
| Node Selection | 118 |
| Rotate | 118 |
| Translate | 118 |
| Scale | 119 |
| Surface Selection | 119 |
| PowerPose | 119 |
| Spot Render | 119 |
| Help Menu Commands | 119 |
| DAZ Studio Quick Start | 120 |
| DAZ Studio Help | 120 |
| Online Resources | 120 |
| What's This Help | 120 |
| About DAZ Studio | 120 |
| About Your Video Card | 121 |
| About Installed Plug-ins | 121 |
| Report a Bug | 121 |
| Tab Reference | 121 |
| Surfaces Tab | 121 |
| Terminology | 121 |
| Options Menu | 122 |
| The Surface List | 123 |
| Selecting a Single Object | 124 |

| | |
|---|-----|
| Selecting Multiple Objects..... | 124 |
| Copy/Paste Buttons | 124 |
| The Basic and Advanced Sub-tabs | 124 |
| Basic..... | 125 |
| Advanced | 126 |
| Configuring Materials | 127 |
| Diffuse (Color) Channel..... | 127 |
| Basic Tab | 128 |
| Advanced Tab..... | 128 |
| Specular (Highlight) Channel | 129 |
| Basic Tab | 129 |
| Advanced Tab..... | 129 |
| Ambient (Shadow) Channel | 130 |
| Basic..... | 130 |
| Advanced | 131 |
| Opacity Channel..... | 131 |
| Bump Channel..... | 132 |
| Displacement Channel | 133 |
| Reflection Channel | 133 |
| Refraction Channel..... | 134 |
| Lighting Model | 135 |
| Smoothing Angle | 135 |
| Saving Materials | 137 |
| Surface Tutorials | 138 |
| Preparing for the Tutorials | 138 |
| Diffuse Tutorial | 140 |
| Specular Tutorial | 141 |
| Opacity Tutorial | 142 |
| Bump Tutorial..... | 144 |
| Displacement Tutorial | 145 |
| Reflection Tutorial | 146 |
| Refraction Tutorial..... | 148 |
| Content Tab | 150 |
| Adding Content for DAZ Studio..... | 151 |
| Using the Directories Preferences Tab | 151 |
| Installing DAZ Content | 153 |
| Installing Third-Party Content..... | 153 |

| | |
|---|-----|
| Content Viewing and Navigation | 154 |
| Content Tab Options | 154 |
| Navigating Content Folders | 156 |
| Using List View | 157 |
| Using Tree View | 158 |
| Maintaining Content..... | 158 |
| Content Menu Options | 159 |
| Moving Content via Drag-and-Drop..... | 160 |
| Maintaining Folders | 162 |
| Adding Content to Your Scene..... | 163 |
| Content Sub-Tabs | 164 |
| Info Tab | 164 |
| Author Tab | 164 |
| Adding or Editing Authorship Information | 165 |
| Save As Button..... | 165 |
| Viewports and Cameras | 166 |
| Basic 3D Terminology | 166 |
| Axes: Working with 3D on a 2D Screen | 166 |
| Orthogonal and Perspective Views or Cameras | 167 |
| Orthogonal Cameras | 168 |
| Perspective Cameras | 169 |
| Customizing Your Viewport Layout | 170 |
| Selecting the Active Viewport..... | 172 |
| Changing Cameras..... | 172 |
| DrawStyles | 172 |
| Other Viewport Options | 174 |
| Adjusting Cameras | 174 |
| Using the Camera Controls | 174 |
| Creating Your Own Cameras | 175 |
| Using the Camera Parameter Dials..... | 176 |
| The Transforms Section | 177 |
| The Misc Section | 178 |
| The Camera Section | 178 |
| Scene Tab..... | 179 |
| Scene Hierarchy and Tab Controls | 179 |
| Using the Scene Tab and Scene List..... | 180 |
| Showing and Hiding Items in the Scene List..... | 180 |

| | |
|--|-----|
| Expanding and Collapsing the Entire Tree..... | 181 |
| Expanding and Collapsing Portions of the Tree..... | 181 |
| Selecting and Navigating Through Objects..... | 182 |
| Creating Parent/Child Relationships..... | 182 |
| Renaming Objects..... | 183 |
| Scene Tab Options..... | 183 |
| Showing and Hiding Items in the Scene Tab..... | 184 |
| Selecting All of a Specific Content Type..... | 185 |
| Sorting Content in the Scene tab..... | 186 |
| Expanding and Collapsing from Selection..... | 186 |
| Parameters Tab..... | 187 |
| Tab Options..... | 188 |
| Mouse-Over Sliders..... | 190 |
| Local and Figure Favorites..... | 191 |
| Setting Parameters..... | 194 |
| Menus and Buttons..... | 195 |
| Common Parameter Settings..... | 195 |
| Translations..... | 195 |
| Rotations..... | 195 |
| Scale..... | 197 |
| Visible and Selectable..... | 197 |
| Cast Shadows..... | 197 |
| Bend..... | 198 |
| Fit To..... | 198 |
| Point At..... | 199 |
| Morphs..... | 199 |
| Hip Type..... | 199 |
| The Numeric Parameter Settings Dialog..... | 199 |
| The Toggle Parameter Settings Dialog..... | 201 |
| Parameters vs. Morphs..... | 201 |
| Timeline Tab..... | 202 |
| Animation Basics..... | 202 |
| Breaking it Down..... | 202 |
| Anatomy of the Timeline Tab..... | 202 |
| Basic Timeline..... | 203 |
| Advanced Timeline..... | 203 |
| Clearing an Animation..... | 205 |

| | |
|---|-----|
| Render Tab | 205 |
| Help Tab | 205 |
| New at DAZ Tab | 206 |
| Other Tabs | 206 |
| The Tool Tab | 206 |
| Building and Rendering Scenes | 207 |
| Adding Content to the Scene | 207 |
| Content Drag-and-Drop | 208 |
| Conforming, Parenting, and Applying | 208 |
| Drop-At Target Placement | 209 |
| Adding Content from a Directory | 211 |
| Adding or Replacing Content | 212 |
| Select a Replacement Option | 212 |
| Using the Replace Options | 213 |
| Cancel Adding Content | 215 |
| Posing and Moving Figures | 215 |
| Selecting Which Joints to Move | 216 |
| Direct Manipulation | 216 |
| Manipulation Movement Modes | 217 |
| Applying Pose Presets | 217 |
| Moving Figures | 218 |
| Applying Morphs | 218 |
| Auto Magnetizing Clothing | 218 |
| Applying Clothing Figures | 219 |
| Automatic Mode | 220 |
| Manual Mode | 220 |
| Content Drag-and-Drop | 220 |
| Clothing Tips and Tricks | 220 |
| Figure Parameters | 221 |
| Root Node Parameters | 221 |
| Bones | 222 |
| Hip Type | 222 |
| Multiple Bones | 222 |
| Symmetry | 223 |
| Symmetry Options | 224 |
| Symmetry Preferences | 225 |
| Working with Props | 226 |

| | |
|---|-----|
| Working with Objects..... | 226 |
| Global vs. Local Coordinates | 226 |
| Defining an Object's Location (Translation) | 227 |
| Rotating Objects..... | 229 |
| Defining an Object's Shape and Size..... | 229 |
| Manipulating/Moving Props | 230 |
| Using the Manipulator | 230 |
| Selecting Which Prop to Move | 231 |
| Applying Morphs..... | 231 |
| Multiple Props..... | 231 |
| Prop Parameters | 232 |
| More About Lights..... | 232 |
| Point Lights..... | 232 |
| Point Light Parameters..... | 233 |
| Distant Lights..... | 234 |
| Distant Light Parameters..... | 235 |
| Spotlights..... | 235 |
| Spotlight Parameters..... | 236 |
| Manipulating/Moving Lights..... | 237 |
| Selecting Which Light to Move | 237 |
| Using the Manipulator | 237 |
| Multiple Lights..... | 238 |
| Rendering | 238 |
| About the DAZ Studio Renderer..... | 239 |
| The Render Process..... | 239 |
| Speeding Up Your Renders | 240 |
| The Render Settings Window..... | 240 |
| General Tab | 240 |
| Advanced Tab | 243 |
| Spot Renders..... | 245 |
| Tools: Plug-ins and Scripts | 246 |
| A Word About How DAZ Studio is Built | 246 |
| Why Such a Modular Approach?..... | 246 |
| What Kind of Tools Are There? | 246 |
| Where to Get Tools..... | 247 |
| What Tools are Included?..... | 247 |
| Using Tools..... | 247 |

| | |
|--|-----|
| Included or Available Plug-ins | 248 |
| Align Ace..... | 248 |
| Aligning Objects..... | 250 |
| How to Align Objects to Each Other | 250 |
| How to Align Objects to the Grid..... | 250 |
| Distributing Objects | 251 |
| How to Distribute Objects | 251 |
| Stacking Objects..... | 252 |
| Alignment Options | 252 |
| X-axis Alignment Options..... | 252 |
| Y-axis Alignment Options..... | 253 |
| Z-axis Alignment Options | 254 |
| Content Manager | 256 |
| Accessing QuickStart Category View..... | 256 |
| Using QuickStart Category View..... | 258 |
| Showing & Hiding QuickStart Categories..... | 258 |
| Active Category | 260 |
| Accessing Category List View | 260 |
| Managing Categories & Content | 263 |
| Creating a New Category..... | 263 |
| QuickStart Categories..... | 263 |
| List Categories..... | 265 |
| New Sub-Category..... | 266 |
| Renaming a Category | 267 |
| Deleting a Category | 267 |
| Searching for New Content..... | 268 |
| Create Category From Folder (Manual Category Creation) | 273 |
| Re-categorizing Content | 274 |
| Re-categorizing Content - Drag-and-Drop..... | 274 |
| Folder Drag-and-Drop..... | 274 |
| Item Drag-and-Drop..... | 276 |
| Re-categorizing Content - Manual | 276 |
| Removing Content from a Category | 281 |
| Missing Content | 281 |
| Locating Missing/Moved Content | 282 |
| Removing Deleted Content from the Database..... | 282 |
| Cleaning Up the Database..... | 282 |

| | |
|--|-----|
| Backing Up the Content Database..... | 283 |
| Mapping Content..... | 283 |
| Searching for Content to Add to Scene..... | 288 |
| D-Form..... | 288 |
| How D-Form Works..... | 289 |
| Anatomy of a D-Former..... | 289 |
| The D-Former Base..... | 290 |
| The D-Former Handle..... | 290 |
| The D-Former Field..... | 290 |
| D-Form Tab Options..... | 292 |
| The D-Form Spline Editor..... | 293 |
| What is a Spline?..... | 294 |
| Out from the Center..... | 294 |
| Give it some 'oomph'!..... | 295 |
| Working Within the Editor..... | 295 |
| Tutorial: Creating a Head Morph..... | 296 |
| Tutorial: A Coronation of One..... | 301 |
| Dynamic Clothing Basic..... | 307 |
| The Cloth Panel Overview..... | 307 |
| Using the Dynamic Clothing Plug-in..... | 308 |
| Draping Over an Animation Range..... | 314 |
| Applying Dynamic Presets..... | 316 |
| Applying a Garment Preset..... | 317 |
| Applying a Fabric Preset..... | 317 |
| Hexagon Bridge..... | 317 |
| Creating a Single Morph Target or Prop..... | 317 |
| Adding a Second Morph Target..... | 322 |
| Creating a New Prop from Scratch..... | 324 |
| Bridge Guidelines..... | 324 |
| Lip Sync..... | 325 |
| Multiple UVs..... | 329 |
| Adding Multiple UVs..... | 329 |
| Viewing UV Maps..... | 331 |
| PowerLoader..... | 335 |
| Import Mode..... | 335 |
| Overriding to Not Show Dialog on Import..... | 343 |
| Modify Mode..... | 344 |

| | |
|---|-----|
| PowerPose..... | 345 |
| The PowerPose Tab..... | 346 |
| Posing Body Parts..... | 347 |
| Using Limits..... | 349 |
| Posing Hand Parts..... | 350 |
| Posing Head Parts..... | 351 |
| The PowerPose Tool Tab..... | 353 |
| Pinning Options..... | 353 |
| Dragging Options..... | 354 |
| Drawing Options..... | 355 |
| Selected Bone Properties..... | 356 |
| Puppeteer..... | 356 |
| The Puppeteer Options Menu..... | 357 |
| Using the Edit Mode..... | 358 |
| Using the Preview Mode..... | 359 |
| Using the Record Mode..... | 360 |
| Using Layers..... | 361 |
| Layer 1: Turning the Eyes..... | 362 |
| Layer 2: Moving the Brows..... | 363 |
| One More Layer: Head Movement..... | 364 |
| Level of Detail..... | 365 |
| Adding LOD Levels..... | 366 |
| Dynamic LOD Settings..... | 368 |
| Using Dynamic Settings..... | 371 |
| Creating LOD Meshes..... | 371 |
| Using the Add Levels of Detail Script..... | 372 |
| Sub-Division Surfaces..... | 374 |
| Appendices..... | 378 |
| Appendix A: The Components of 3D Objects..... | 378 |
| Types of 3D Objects..... | 378 |
| Points (Vertices)..... | 378 |
| Segments (Edges)..... | 378 |
| Lines (Splines)..... | 379 |
| Polygons (Faces/Facets)..... | 379 |
| Objects (Meshes)..... | 379 |
| Material Groups..... | 379 |
| Surfaces..... | 380 |

Appendix B: Bones and Hierarchies 380

 Bones 380

 The Hierarchical Chain 381

 Hierarchies 381

 Parent/Child Relationships Between Objects 381

Appendix C: Other DAZ Products 382

Appendix D: DAZ EULA 382

Index 385

Introduction

Welcome

"I found I could say things with color and shapes that I couldn't say any other way... things I had no words for." -Georgia O'Keeffe

We would like to take a moment and thank you for acquiring DAZ Studio; a powerful, friendly tool built for people who love and work with 3D artwork. If you are new to 3D artwork, DAZ Studio helps make things easier for you to plunge in. If you are a professional looking for solid and easy-to-adapt software, you will find the flexibility and extensibility of DAZ Studio to be a powerful addition to your workflow. DAZ Studio makes it easy for you to create high quality images.

What is DAZ Studio?

Think of DAZ Studio as a complete virtual photo studio. Lights, cameras, makeup, wardrobe, props, and more are at your fingertips. You create scenes by placing virtual actors (called figures), props, and other elements in the studio. Adjust your lighting, position your cameras, and you have a complete image. The Surfaces Tab in DAZ Studio allows you to change any object's color, opacity, roughness, and many other attributes. You can change an actor's skin color, make any surface into a mirror, make water transparent, turn a rough wool into shimmering silk or lace, and even give a smooth tree trunk a rough bark texture. In contrast, real-world photo or film projects pose challenges. These begin with scouting for places to shoot, and end when you have all of the images or footage you need and then some. Scheduling is a tricky and costly affair that can go wrong for any number of reasons.

The challenges multiply once the work begins with the crew and models. In order to adjust the lighting, you stop shooting while the crew adjusts, meters, and tests the lights. If you want to change a pine table to a mahogany table, you either get a new table or spend hours refinishing the existing one. If the focus is all wrong, you have to re-shoot the entire scene. We have not even touched on the required paperwork - model releases, copyright research, royalty schedules. Of course, there are other ways to express your art in real life - such as through sketches, oils, and sculpture. Less scheduling and expensive equipment is required, until you make a mistake or find a flaw in the base material. This usually means starting over or living with imperfect results. Let's face it: real-world art can be unforgiving.

However, what if you could accomplish the following tasks:

- Schedule studio time whenever you want
- Have actors who are always ready when you are
- Move cameras, lights, actors, and props easily
- Control and change the appearance of every item in the scene instantly?
- Achieve excellent results in hours or even minutes instead of days, weeks, or months

DAZ Studio makes all of this and more, not only possible, but easy, cost-effective, and fun.

Create

DAZ Studio unleashes creativity in artists, photographers, filmmakers, animators, illustrators, and more. Hobbyists and professionals alike can create impressive images for just about any purpose. With DAZ Studio, you concentrate on your art, not on extensive (and expensive) setup. Here are just a few of the things you can do with DAZ Studio:

- Add as many people to a scene as you like.
- Pose and animate human, animal, alien, and even inanimate figures, down to the smallest detail.
- Dress up your figures by adding custom hair and clothing. Further, many hair and clothing items have additional built-in customization.
- Place furniture, backgrounds, and other objects in your scene. The variety is almost limitless - your own living room with its usual props (detailed right down to the remote control), or the engine room of a spaceship orbiting Proxima Centauri, or anything in-between. These props add context, realism, and interest to your results.
- Place and adjust lights. You can customize brightness, area of illumination, location, direction, color, and gels to achieve the exact effect you're looking for.
- Place and adjust multiple cameras and see your scene from up to four points of view at once. You can select from a variety of viewport layouts and choose from a complete assortment of orthographic and perspective cameras. This gives you great flexibility and control as you build and adjust your scene.
- Change the appearance of any character, prop, or other item in your scene.

Express

DAZ Studio's features give you the power to express your creativity in a very practical way. Here are a few examples of ways you can use DAZ Studio, both personally and professionally:

- Hobbyists can create images in any genre - from medieval to contemporary to futuristic.
- Book designers and authors can create compelling cover images that capture the book's essence.
- Engineers can test for size, proportion, fit, and ergonomics, all without having to build a single physical prototype or mock-up.
- Law enforcement and legal specialists can recreate crime scenes and/or re-enact events for forensic, civil or criminal trial purposes.
- Public safety personnel, the military, and adventurers alike can simulate potentially dangerous procedures for training purposes, or for testing, all without putting anyone at risk.
- Architects can include people in their concept art, to illustrate how the structures they design interact with occupants and with each other.
- Filmmakers and animators can create more compelling storyboards during preproduction in less time.
- Advertising agencies can build high-quality clip art banks and custom images for their clients' print ads at a far lower production cost... and without the need for paying royalties or residuals.
- Photographers and filmmakers can create professional results that can be composited with their physical scenes, or replace them entirely as imagination and desires warrant. Those who create

documentaries can illustrate places and events that no longer exist, or physical concepts otherwise impossible to explain.

- Sculptors and graphic artists can conceptualize their work in virtual space, and even use it as part of their bid for contract. They can then use it as a three-dimensional guide while they translate their concepts onto canvas, stone, metal, plaster, and more.

As you can see, DAZ Studio can do more than just make pretty pictures.

Key Features

DAZ Studio includes these powerful features:

- **PC and MAC Support:** DAZ Studio runs on Windows 98SE/2000/Me/XP, and Mac OSX 10.3 and above.
- **Fully Optimized:** DAZ Studio supports OpenGL acceleration in 3D views, which gives you high-quality real-time lighting, textures, transparency, anti-aliasing, and depth-of-field. Smart memory optimizations save system resources and boosts performance. The highly flexible Content Tab allows you to handle large amounts of content effortlessly. By taking advantage of the latest technologies, DAZ Studio gives you amazing power, speed, and ease of use.
- **Multiple 3D Views:** Select one of several included viewport layouts that let you see your scene from up to four angles at once. Change any view to suit your needs at any time using intuitive camera controls. Try that in any real-world studio!
- **A Highly Flexible User Interface:** The user interface allows you to customize layouts, menus, toolbars, shortcuts, and more. Move, shape, change, and manage the UI layout (and behavior) to optimize your workflow.
- **Dual-monitor support:** Users will especially appreciate the ability to spread the application out across both monitors.
- **Native File Formats:** The new .daz, .dsb, and .ds file formats allows both flexibility and built-in encryption to aid in the protection of content creators' copyright. It allows for a high degree of flexibility but a high amount of speed as well. Built-in on-the-fly zlib compression also makes it easier on your hard drive space.
- **Import Popular File Formats:** DAZ Studio can import the popular Wavefront Object (*.obj) file format, and all Poser 4 file formats - scenes (.pz3), characters (.cr2), props (.pp2), camera (.pp2), light (.lt2), hands (.hd2), hair (.hr2), facial expressions (.fc2), pose presets (.pz2), and their compressed (.**Z) counterparts.
- **Powerful Rendering Engine:** DAZ Studio uses the RenderMan®-compliant 3Delight renderer (www.3delight.com).
- **Direct Select:** Select any object or material by clicking it directly inside a viewport.
- **Scene Tab:** View your scene hierarchy, select and edit bones or objects, and apply clothing and other properties using this tab.
- **Parameter Tab:** Pose figures and manipulate cameras, props, and scenes as easily as turning the dials in this tab.
- **Surfaces Tab:** Edit any material in your scene, including color, highlight, opacity, reflection, and texture using this tab.
- **3D Manipulation:** Pose figures using intuitive on-screen controls. Set movement limits to define custom ranges of motion.

- **Multiple Undo/Redo:** Move back or forward several steps to correct errors or make changes. The results will always be right where you left them before, so go ahead, experiment! You can always decide to do something different later on.

What's New

The following new features have been added to **DAZ Studio 2.3.3.83**:

- **Dynamic Clothing Control** – Allows draping and animation of dynamic clothing items using the Optitex clothing engine.

The following new features have been added to **DAZ Studio 2.3.3.9**:

- **Cancel Load** - When loading content, the load can now be cancelled.
- **Clear Scene** - When clearing a scene to create a new document or close DAZ Studio, the scene is cleared faster than in earlier versions.

The following new features were added to **DAZ Studio 2.2.2.14**:

- **Save UV Set in Materials Preset** – When an alternate UV set has been applied to a figure and a materials preset is created using that alternate UV set, the materials preset can save the UV set that matches the materials and, when applied to the figure, will load the correct UV set for the materials being applied.
- **Lip Sync plug-in** - Provides the ability to load audio and Mimic DMC files to animate a figure's speech in DAZ Studio. Audio can also be recorded on the fly and applied to the figure along with the matching text data. If the user has Mimic Pro, the files can be automatically loaded into Mimic Pro, modified, then brought back into DAZ Studio and the animation updated.
- **Morph Panel** - Adds the ability to hide Parameter sliders until needed and to add favorite parameter dials to a local or figure favorites. Local favorites are available by body part while figure favorites are available no matter what body part is selected on the figure.
- **FBX and Collada Exports** - Adds the ability to export LOD levels and UV sets as part of the FBX and Collada exports.
- **PowerLoader** - Provides the ability for developers to supply options for loading a figure with various morphs, LOD-levels, Sub-D optimization, and available presets. This allows the user to specifically select what morphs they want injected into a figure when loaded into the scene, whether to load the LODs, and what material preset to load.
- **Hexagon Bridge Sub-D Support** - Provides the ability to transfer Sub-D meshes into Hexagon to create morphs for use in DAZ Studio
- **Smoothing Angle** - Provides control over how and what surfaces get smoothed, avoiding current and sometimes confusing workarounds. Adds the ability to calculate surface normals so that creases are displayed on the geometry when the angle between the adjacent faces is lower than a user-defined value. Smoothing can be turned on or off by material zone with a range from 0 to 180 degrees.
- Optimization of LOD functionality.
- Support for Sandio 3D Mouse and 3DConnexion 3D Mouse.

The following new features were added to **DAZ Studio 2.1.1.13**:

- **Drag-and-Drop** - Content can now be added to the scene and parented or fit to a figure, even if the figure is not currently selected. You are given a choice of how to add the content to the scene. In addition, a targeting system has been added to allow more precise placement of objects in the scene.

- **Level of Detail** - Figures that have multiple levels of detail can be loaded and switched between automatically depending on how far or close the figure is to the camera. This allows the use of more figures in a scene since figures further from the camera use lower level meshes in order to save on memory use.
- **Multiple UVs** - Objects with multiple UVs can have each UV set loaded and switched between, and also provides the ability to view the UV maps directly in the DAZ Studio viewport.
- **Pane Auto-Hide** - Panes on the sides of the DAZ Studio viewport can be pinned and unpinned so that the panes are either hidden as tabs on the sides or visible at the sides of the viewport. This provides additional screen space when needed.
- **Sub-Division Surfaces** - Objects can now be sub-divided using the Sub-D function. This function is not meant to be used with current DAZ figures or other high-res figures.

The following new features were added to **DAZ Studio 2.0.0.21**:

- **Hexagon Bridge** – Figures can be sent to Hexagon, modified, and the changes applied to the figure in DAZ Studio as a morph or as a new prop. New objects can also be created in Hexagon and sent to DAZ Studio as a new prop.

The following new features were added to **DAZ Studio 2.1.1.13**:

- **Quick Start** – DAZ Studio represents a powerful and robust tool that can be too complex and or overwhelming to new users. By introducing a simplified UI with categorized presets and content included, users will be able to quickly use the basic functions of DS and gradually learn the more complex functions of DS.
- **Content Manager** – The Content Manager product is a new Content tab option that offers a method of navigating 3D content using content categories rather than the file system approach. Specifically, instead of having to manage files in a file system (virtual or actual), users are be offered a categorization system that allows for personalizing how content is stored, categorized, sorted, and utilized.
- **Auto Magnetize** – Provides the ability to automatically apply matching morphs from a figure to conformed items, but only if the conformed item has the matching morphs. As the figure is modified, the conformed item is modified automatically to match. This removes the need to apply a second pose to the clothing in order to magnetize it to the figure morphs.
- **Replace Options** – Adds the ability to select how DAZ Studio loads content into the scene, either by always replacing similar content, asking what to replace, or never replacing (always add) content.
- **Export LOD levels** – When a figure has several LOD levels applied to it, exporting in OBJ format provides the option to export the currently selected level or to select a different level to export.

Of course, you will discover many other subtle improvements as you peek under the hood ... and we'll show you where to find them in this manual.

Included Documentation

DAZ Studio includes a full suite of documentation to make learning and using the program easy and enjoyable.

Artist Guide

The very document you're reading right now. DAZ's goal is to ensure that all of our documentation is complete, accurate, and friendly. We welcome all constructive feedback and suggestions for future improvements. Please email tech@daz3d.com at any time.

Conventions

Ordered Procedures

When you need to follow steps in a specific order, it will have numbers next to each step, as shown here:

1. Do this first...
2. Next, you have to do this...

Keyboard Entries

If you need to press a specific key on your keyboard, you will see the key label in bold letters (for example, **Ctrl**.) If you need to press two more keys simultaneously, the notation will appear as Key1+Key2 (for example **Ctrl+V**).

Commands and Prompts

Screen prompts, menu and window names, fields, buttons, boxes, etc. appear in bold type. The syntax used to demonstrate accessing a palette or submenu is **Menu > Submenu**. For example **Edit > Preferences** means that you should open the Edit pull-down menu and then select Preferences to open the Preferences dialog box.

Tips, Cautions, and Notes



TIP! Tips contain helpful advice and other information that makes the software easier and more enjoyable to use.



CAUTION! Cautions warn of potential problems that you will want to avoid.



NOTE! Notes contain other points worth mentioning.

ReadMe

At the end of the DAZ Studio installation process, the Readme file will automatically appear. This file includes late-breaking developments and other information that were too recent to be included in the Artist Guide or Install Notes. Please take a few moments to read this information carefully as it may affect how you use DAZ Studio.

System Requirements

In order to install and run DAZ Studio, you must have either a Windows PC or Macintosh that meets or exceeds the minimum requirements listed below. Computers that exceed the following specifications will be able to process scenes faster and/or store more content. For processing speed, RAM is the largest contributing factor followed by your processor speed, then your graphics card (for OpenGL renders, but not 3Delight). To store more raw content and/or finished scenes, add hard drive space.

The above recommendations are valid for both Windows PCs and Macintoshes.

Windows

To run DAZ Studio on a Windows PC, your computer must meet the following minimum requirements. Check them in **Windows' Device Manager -Control Panel > System > Hardware > Device Manager**.

Minimum Requirements

- Pentium® IV/AMD Athlon Processor running at 1.3 GHz
- Windows 2000®
- 512 MB RAM
- 100 MB free hard drive space for installation
- OpenGL 1.3 or higher compatible graphics card with at least 128 MB of onboard memory
- DirectX 9 or above

Recommended Requirements

- Pentium® IV/AMD Athlon Dual-Core Processor running at 2 GHz
- Windows® XP or Vista
- 1 GB RAM on XP, 2 GB RAM on Vista
- 500 MB free hard drive space for installation
- OpenGL 1.3 or higher compatible graphics card with at least 256 MB of onboard memory
- DirectX 9 or above

Macintosh

To run DAZ Studio on a Macintosh, your computer must meet the following minimum requirements - check them via **(Apple Menu) > About This Mac > More Info**, which opens the System Profiler.

*** Note: DAZ Studio will not function installed on a UNIX partition under Mac OS X.***

Minimum Requirements

- 1.25 GHz CPU
- Mac® OS X 10.3.7
- 512 MB RAM
- 100 MB free hard drive space for installation
- OpenGL 1.3 or higher compatible graphics card with at least 128 MB of onboard memory

Recommended Requirements

- 1.8 GHz CPU
- Mac® OS X 10.4 or above
- 256 MB RAM min (512 recommended)
- 500 MB free hard drive space for installation
- OpenGL 1.3 or higher compatible graphics card with at least 256 MB of onboard memory

Support

This manual addresses as many questions about DAZ Studio as possible. Should you need it, there are several ways to get additional help.

Contacting Technical Support

Need support? Please contact DAZ as follows:

- Toll Free Phone: (800) 267-5170
- Local Phone: (801) 495-1777 (Our technical support hours are Monday through Friday, from 9:00 a.m. to 5:00 p.m. Mountain Standard/Daylight Time).
- Fax: (801) 495-1787
- Online Direct: http://www.daz3d.com/support/contact_support.php
- US Mail: 12637 South 265 West, #300, Draper, UT 84020

Please note that DAZ Technical Support cannot provide assistance on changing settings on your computer.

Other DAZ Resources

- Web site: <http://www.daz3d.com>
- Support database: <http://www.daz3d.com/support>
- Community Forums: <http://forum.daz3d.com>
- Tutorials: <http://artzone.daz3d.com/wiki/doku.php/pub/tutorials/start>

Memory Issues

On a 32-bit system, you can set your configuration to use up to approximately 3GB of RAM, leaving the OS at least 1GB of RAM. These values can be adjusted as needed to insure optimal performance and compatibility, but the RAM can never be greater than 3GB. If run on a 64-bit system, DAZ Studio will be able to access up to 4GB of RAM.

For information on adjusting your configuration, links to Microsoft's support site are given below where you can find the most accurate information and instructions for making these changes yourself.

- WinXP Pro: <http://www.microsoft.com/whdc/system/platform/server/PAE/PAEmem.mspx>
- Also look at: <http://support.microsoft.com/default.aspx?scid=kb;en-us;319043>
- Vista: <http://msdn.microsoft.com/en-us/library/aa906211.aspx>

Installation

Before installing DAZ Studio, you must read, understand, and agree to the End User License Agreement ("EULA") and learn how DAZ Studio protects artists' copyrights. The EULA appears during DAZ Studio installation. For your convenience, we have included a print version in the appendices.

To install DAZ Studio on either a Macintosh or Windows system:

1. Make sure DAZ Studio is closed before installing the update.
2. (Macintosh only) Unpack the zip file to access the installer.
3. Double-click on the DAZ Studio installer icon to start the installation.
4. If a previous version of the program is already installed, you will be prompted to remove the current version to prevent possible conflicts. Click on **Yes** to continue.
5. Read the *Welcome screen* and click on **Next**.
6. Read the *Software License Agreement* and click on the radio button next to **I accept the agreement**, then click on **Next** to continue.
7. Read the *Tell-Ware Agreement* and click on the radio button next to **I accept the agreement**, then click on **Next** to continue.
8. (Windows only) The next dialog informs you that the Microsoft Visual C++ 2005 Shared Libraries need to be installed. Click on **Yes** to install the files or **No** if you already have them installed. Click on **Next** to continue.
9. Select the *Destination Directory* in the next dialog or accept the default location. Click on **Next** to continue.

Please note that Macintosh installations can now use spaces in the pathnames.

10. The next dialog asks whether you would like to use the previous content or to perform a content search on the next launch of DAZ Studio. If you have previously installed DAZ Studio, make sure the radio button next to the previous content option is selected. Click on **Next** to continue.
11. Next, you'll be asked if you want to create a desktop shortcut to the software. Select the radio button next to **Yes** to create the shortcut or next to **No** to not create the shortcut.. Click on **Next**.
12. Read the *Ready to Install text* and click on **Next**.
13. Once the software has been installed, read the *Important notes* and click on **Next**.


14. In the *Completing install* dialog, click on the checkbox next to **Launch DAZ Studio** if you want to use the program immediately; click on the checkbox next to **View the DAZ Studio Readme** then on **Finish** to close the installer and view the readme.

Running DAZ Studio

When you start DAZ Studio for the first time, the DAZ Studio **Startup Wizard** comes up followed by the **View Tutorials** dialog. The startup wizard prompts you to select a **Quick Start** option, search for content, and view some tutorials.

Complete the wizard as follows:

1. New Users only: If you have never installed DAZ Studio, a Quick Start scene will be loaded prior to the Setup Wizard starting.
2. If you have never registered DAZ Studio, the first screen of the **DAZ Studio Setup Wizard** will prompt you to register your copy of DAZ Studio online. It only requires that you have an active, verified account at the DAZ Web site (<http://www.daz3d.com>).




To register the software online, click the **Click Here to Register Online** button.

- To sign in to an existing account, enter your registered e-mail address and password, and click the **Sign In** button.
- To register a new account, enter a valid e-mail address in the **New Customers** section and click **Register**. You will be prompted to enter additional registration information, such as a password, first and last names, community user name, and date of birth. Additional options ask if you'd like to receive the DAZ newsletters and whether you would like users to search for your wishlist. After you enter the information, click **Create Account**.




NOTE! DAZ Studio will not run without the serial number.

3. After you sign in or create an account, you will be directed to the **Software Serial Numbers** page in your account screen. If the computer with DAZ Studio installed is not connected to the Internet, write down the serial number from the browser.



When you return to the **DAZ Studio Setup Wizard**, the serial number will be entered into the field on the registration screen. If DAZ Studio is installed on a computer not connected to the Internet, enter the serial number manually and click on **Next**.




4. New users: Wizard will skip to step 7.
5. If you have previously registered DAZ Studio, the next dialog will ask if you would like to load the Quick Start layout or keep your previous layout. If you select to load the Quick Start layout, the wizard will skip to step 7 and load the Quick Start default scene. If you choose not to load the Quick Start layout, the wizard will continue to step 6.





NOTE! If you select to use the Quick Start layout, the default scene will load each time you load DAZ Studio, until you select a [different default scene](#) in your preferences (or no scene at all).

6. The **Category View** dialog will come up next with details on the Content Manager feature and what it provides. If you do not want to use the manager, click in the checkbox next to **Turn off this feature**. Click on **Finish** to exit the setup wizard.




- If you did not turn off the Content Manager feature, the **Scan for Content** dialog will come up asking if you'd like to have DAZ Studio scan your content directories. If you have a lot of content and don't want to wait for the scan to complete or if you have not set any content directories in your preferences, click on **No**. Otherwise, click on **Yes** to begin the scan.




 **TIP!** When you change views in the Content tab to the Category view, this dialog will come up asking to search for new content. To turn this off when changing to Category view, click in the box next to **Do not show this dialog when opening the Category view** before clicking on Yes or No.


- If you clicked on Yes, the scan will begin and, depending on how much content you have, can take quite a while. You will see a progress dialog showing how many files have been found and added to the database. If you would like to see how many files are added at the end of the scan, click in the checkbox next to **Close this dialog when completed** to deselect it. Click on **Cancel** to cancel the scan.



Once the scan is completed, the dialog will show how many were scanned and added to the database. Click on **OK** to exit the dialog.



9. If you selected not to scan for content or once the scan completes, the Tutorial Listing dialog will come up asking if you'd like to see a listing of installed tutorials for DAZ Studio. If you do not want this dialog to come up each time DAZ Studio is loaded, click in the checkbox next to **Do not show this dialog again**. Click on **Yes** to view the list or on **No** to continue without viewing the list.



NOTE! You must be connected to the Internet in order to view these tutorials.

10. If you clicked on **Yes**, the dialog will change to show a listing of the available tutorials.



Click on a tutorial to select it then click on **View** or on **Close** to close the dialog without viewing any tutorials. If you clicked on View, the selected tutorial located on the ArtZone Wiki will open up in your browser.

[article](#)
[discussion](#)
[edit this page](#)
[old revisions](#)


DAZ Studio 3D Basics: Overview


A tour of the [DAZ Studio](#) interface and the activity tabs.

A brief overview of the layout and functions of [DAZ Studio](#) with Josh Darling and Ryan Bouche.

- [Download the video \(larger version\)](#).
- Click on the thumbnail below to start the video on YouTube ([IE](#) users may need to click twice).


11. Click on **Close** to close the dialog after viewing the tutorials. The Startup Wizard will close and the main DAZ Studio viewport will be available.
 - If you selected to use the Quick Start setup, a default scene will be loaded and you will see a simplified Quick Start layout as shown below:




 **NOTE!** If you did not do a search for content prior to starting the tutorials, you will get some file not found messages while loading items into the scene. Click on OK to close the dialogs as the files DAZ Studio cannot find are created as part of the content search process.

The layout includes the following:

- Menu Bar
- Toolbar with default file operations, Active Pose, Rotation/Translation, Render, and Help icons.
- Content tab with either the Quick Start category view (as shown above) or the content not found text if a content search was not done. See "[Content Manager](#)" for more on using the Content Manager.
- Main viewport with controls
- Quick Start tab with tutorials for getting started. See "[QuickStart Tutorials](#)" for basic information on using the tutorials.
- New at DAZ tab with links to new releases at the DAZ store.
- If you selected to not scan for content and did not turn off the database feature, the Content tab will show that no content was found.



- You can have DAZ Studio perform a directory search for content by clicking on the first link. Select which directories to be scanned from the dialog that comes up then click on **Do Search**. Click on **Cancel** to close the dialog and cancel the directory search.



- When you are ready to have DAZ Studio search for content (after adding content directories), click on the second link to begin the scan.

Getting Updates

DAZ will continue to evolve and improve DAZ Studio and release periodic updates. You can check for updates in one of two ways.

- Watch for news and updates at the DAZ forums (<http://forum.daz3d.com>).
- Allow DAZ Studio to do all of the checking for you. Choose **Edit > Preferences** and select the **General** tab. Two buttons appear near the bottom of the dialog. The first button allows you to check automatically for updates **Daily**, **Weekly**, **Monthly**, or **Never**. To check for updates


immediately, click **Check for Updates Now**. If there are updates, DAZ Studio presents you with the option to install them. Otherwise, you will get a note that there are no available updates at this time.

Getting Started

QuickStart Tutorials

If you are new to DAZ Studio, the **QuickStart tutorials** will give you a brief overview of loading and posing a figure, adding props and lighting, and rendering and saving your scene. Content to use during the tutorials is provided with DAZ Studio and, if you chose to search for content, it will be available in the QuickStart Category View.

To view the tutorials, click on the toggle buttons at the bottom of the **QuickStart tab**. As each button is clicked, the corresponding tutorial will come up and the matching button will show a checkmark to indicate that the tutorial has been viewed. You can come back to these tutorials at any time by choosing to view the QuickStart tab from the View > Tabs menu.





NOTE! If you did not do a search for content prior to starting the tutorials, you will get some file not found messages while loading items into the scene. Click on OK to close the dialogs as the files DAZ Studio cannot find are created as part of the content search process.

The Basics

"Take the attitude of a student, never be too big to ask questions, never know too much to learn something new." -Og Mandino


These tutorials will show you the very basics of DAZ Studio: how to take a basic set of content and turn it into a bit of artwork. This very basic run-through of DAZ Studio and its tools will help familiarize you with the interface and help you get comfortable with it. As you work through the tutorials, the concepts will become more and more advanced and will build upon the work you have done previously. By the time you finish, you have a pretty scene along with a basic but solid grasp of how to use DAZ Studio.

To begin, open DAZ Studio and see what is lurking in there.

Starting Your Project

DAZ Studio is like a virtual photo studio. The viewport appears in the center and is where you view and manipulate your scene's content. This is like viewing a room with limitless length, width, and height through a camera lens. You can fill this empty universe with whatever you like. This is the Default Scene.

If you choose a layout other than the Classic layout, you may see Activity tabs appear directly beneath the Menu bar. For example, if you choose the **View > Interface Layout > Select Layout** command, and then choose the Basic layout, there are three tabs that appear as shown in the image below: **Load**, **Pose/Animate**, and **Save**. The Content tab usually appears in the left pane of the interface layout.



NOTE! DAZ Studio allows you to customize the interface from top to bottom, from layouts to menu commands and shortcuts. This means you can create your own layouts, interface colors, and more.


To begin, launch DAZ Studio:

- In Windows, click **Start > All Programs > DAZ Productions > DAZ Studio > DAZ Studio**.
- In Mac OSX, double-click the DAZ Studio icon in the OSX dock, or go to the Finder and locate **Applications > DAZ Studio > DAZ Studio**.


Step One: Add a Figure

The first time you start DAZ Studio, the Content tab appears in the left part of the screen when you choose the Classic layout, or if you select the Load Activity tab in the Basic or Advanced layout.


The Content tab stores all of the content that you have available to use in your scenes. Think of the Content tab as a virtual storeroom where you keep all of your things. The right pane in the Load Activity tab displays the New at DAZ tab, which shows the newest weekly freebie and new content releases that may be of interest to you.



Use the Content tab to make your little universe not so empty. You should see a directory tree in the Content tab. Select **Studio > People > Victoria** to locate the **Victoria 3 RR LE** figure.



Parents, have no fear. This figure is about as anatomically correct as a little girl's plastic doll. To add the figure to your scene, simply double-click the **Victoria 3 RR LE** icon. She appears in your scene as shown below. However, we still need to give her some clothing.



NOTE! For sake of clarity for these screen shots, the background color is white. Don't be alarmed if you see a different color in your project file.

Step Two: Add Clothing


The DAZ Studio content folders include a Faerie Outfit that you can use in the following tutorial. This dress is made specifically for Victoria 3 and perfectly fits her default body shape.




TIP! As you become more familiar with DAZ Studio, you will eventually want to organize your content. There are no set rules, but be sure that whatever you decide on, it makes sense to you. For example, you can place base figures like people and animals in upper-level directories, and create subdirectories beneath them to store their clothing. You may get some ideas if you examine how Victoria and her content are organized.

To add the faerie dress to your scene, follow these steps:

1. Go back to the Content tab and expand the directory listings a little further. You want to navigate to the Studio > People > Victoria > Clothing > Faerie Outfit. In it, you'll find the dress that is shown below:




2. Double-click the dress, and watch it load into the scene. Once you load it, you will notice that it looks like it already fits. However, you are going to have to attach the dress to Victoria so that the dress follows her when you change her position or pose. You will learn how to fit clothing later in this section.



Step Three: Add Wings


When one imagines faeries, one usually pictures them with wings. The wings that you will use are also poseable (like the figure and the clothing). You can find the wings in the Content tab, in the **Studio > People > Victoria > Clothing > Faerie Outfit** folder, where you found your dress in the previous step. Double-click the **Wings2** icon to add the blue wings to your scene.



Step Four: Add Hair

You have no doubt noticed that Victoria has no hair. This isn't a fashion statement ... most figures come without hair for reasons of flexibility. That way, you can give your figure short hair, long hair, curly hair, dreadlocks, Medusa's snakes, or no hair. No problem. You'll add some hair right now.

By now, you should be familiar with the process of finding and adding content to your scene. There is a hairstyle for Victoria 3 that will work just fine for this tutorial, shown below.



To add the correct hair object for this tutorial, we will give you brief steps:


1. From the Content tab, find the **Studio > People > Victoria > Hair** folder. You should see an icon for Updo V3.
2. Double-click the **Updo V3** thumbnail in the lower portion of the Content tab. The selected hair will appear on the figure's head.

It's important to mention at this point that you shouldn't start posing your figure yet. DAZ Studio loads figures and other content in their "default position", which is usually at the center of the stage. When a content creator makes clothing for a figure, they always build it around a model that is placed in this position. Right now, the clothing looks like it fits the figure quite nicely ... however, if you try to pose the figure at this point you'll notice that the clothing stays right where you loaded it.

Therefore, the next step in any scene is to attach the clothing and other items (the dress, wings, and hair) to the figure so that they move along with the figure. You do this in the **Pose/Animate Activity tab**.

Attaching Clothing

The Scene tab allows you to work through the items in your scene, and it will come in handy for the purposes of attaching the clothing to your figure. If you are using the Basic layout, click the Pose/Animate Activity tab at the top of your screen. You'll see two tabs in the left pane: the Content tab and the Scene tab. The right pane contains the Parameters, PowerPose, and Puppeteer tabs. These tabs are most commonly used when you are building, arranging, and animating your scenes.




NOTE! If you need to add the Scene tab to your layout, simply choose **View > tabs > Scene**, and position the Scene tab anywhere you like. You most often find the Scene tab positioned on the left side of the screen, but you can position it wherever you feel it's most appropriate.

The clothing and hair that you just loaded into the scene also has to be attached to Victoria. If you're new to the 3D world, and unfamiliar with the process of using content that is compatible with programs like DAZ Studio, it might first be important to mention that there are two different ways to attach clothing and other content to a figure. The method depends upon whether the item is poseable or not poseable.

The figure below shows the various different types of content that can appear in the Scene tab.

Excluding lights and cameras, the content that you add to your DAZ Studio scenes falls into one of two categories:


- **Figures:** Figures are objects that are made up of two or more body parts that are controlled by bones. The Scene tab displays an icon of three cubes stacked together, and you can expand the list view to see the bones for the various body parts beneath them. If you load clothing that has bones, you will need to use the "Fit To" feature to attach them to your character.
- **Props:** Props are objects that do not have bones. Examples of props include scenery, furniture, and other non-poseable objects that your characters can hold or wear. You can move, rotate, or scale props, but you can't pose them. The Scene tab displays an icon of a single cube next to a prop, and there won't be a list of bones beneath it. If you want a prop to move automatically when you pose or move a figure, you have to **parent** it to the figure that wears or holds the prop.



In the sections that follow, you will learn how to use these features to attach the dress, wings, and hair to the faerie.

Step One: Fit the Dress

In order to fit the Faerie Dress to Victoria, you first switch to the Pose/Animate Activity tab, shown in the following figure. Once in the Pose/Animate Activity tab, you should see the Parameters tab on the right side of the screen. It may initially appear behind the PowerPose tab ... if so, simply click the Parameters tab to bring it to the foreground as shown below.




NOTE! If you don't see the Parameters tab, choose the View > tabs > Parameters command to unhide it. Then you can drag and drop the tab to arrange it anywhere you like.

TIP! In the Scene tab, everything loads from bottom to top by default - the first item loads (then the Default Camera), then the next item loaded sits on top of the first in the list, and so on. So, if you ever want to select something in a really huge scene but don't want to click on it in the viewport, just recall when you added it, and look in that part of the list. If you just added it, it will sit right on top. If you added it very early in the scene, it will be towards the bottom of the list.

To fit the faerie dress to Victoria, follow these steps:

1. Click the Scene tab, which appears directly behind the Content tab on the left side of your screen. When the Scene tab opens, you'll see five items in there: Victoria (shown as **Victoria RR LE**) on the bottom, then the Default Camera, Faerie Dress, Faerie Wings2 PP, and the hair on top.
2. Click **Faerie Dress** in the Scene tab to select it as the current object.
3. Now, click the Parameters tab (on the right side of your screen) to view the parameters of the faerie dress.
4. The **Fit to** button appears in the Misc section of the Parameters tab as shown below. When you click the button to expand the selections, you see a list of the figures in your scene. In the case of this tutorial, there should only be one item listed so far ... Victoria 3 RR LE. Highlight that item and release the mouse button. You should see the clothing adjust to fit Victoria.






TIP! You can change the name of the scene item into something friendlier - just click on the name within the Scene tab, click on it again after roughly half a second of time, and type in whatever new name for the item you want. Then, for the change to take effect, just hit **Enter**.

Step Two: Fit the Wings

The wings are also a poseable figure (they contain bones), so you have to use the Fit To feature to attach them to Victoria as well.

To fit the faerie wings to Victoria, follow these steps:

1. Return to the Scene tab, and select **Faerie Wings2 PP**.
2. Now, click the Parameters tab (on the right side of your screen) to view the parameters of the faerie wings.
3. The **Fit to** button appears in the bottom section of the Parameters tab. Select Victoria 3 RR LE. Highlight that item and release the mouse button to fit the wings to Victoria.




Step Three: Assign a Parent for the Hair

Like clothing, hair is figure-specific. Each hair object is usually designed to work with a specific figure. Some content creators create hair that loads as a figure and has moveable parts to style the hair. In these cases, you can use the "Fit To" feature to attach hair to the figure. Most commonly, however, the hair is a prop that you must attach to a parent object. Most often, the parent object for hair is the head of the figure. This way, when you move the figure's head, the hair follows.

To assign a parent to the Updo Hair, follow these steps:

1. Remember that the Victoria figure appears in the Scene tab as Victoria 3 RR LE (unless you changed the name). You can use one of the following methods to select her head:
 - Click Victoria's head (not the hair) in the viewport.
 - Expand the **Victoria 3 RR LE** tree in the Scene tab. Follow the hierarchy down from **Hip**, to **Abdomen**, to **Chest**, to **Neck**, and finally to **Head**.
2. With the tree properly expanded, select the hair object from the top of the scene list. Click and drag the hair down with your mouse until it is directly over the Head entry. Then release the mouse button. The Hair entry will then move itself down underneath the Head as shown in the figure below. This indicates that the hair is now a child object to Victoria's head (children appear beneath their parents in the hierarchy tree). Now you will notice as you pose and move the figure that the hair will retain its proper position and distance relative to the head.



Step Four: Pose the Figure

So far, we've added a figure to our scene, and given our figure some clothes and a head of hair. Now, let's give our figure some personality and movement. However, before we begin, let's quickly describe what poses and morphs do.


Poses are the simple manipulation of what are known as joints within a figure. For example, you can bend a figure's forearm to get the same kind of movement as when you move your own forearm to bend at the elbow.

You can manipulate joints in several different ways:

- Use your mouse to manipulate body parts in the viewport.
- Select the body part and use the General sliders in the Parameters tab to twist, bend, or otherwise turn the joint appropriately.
- Use the PowerPose tab to manipulate the pose of a figure with dots that correspond to each body part that you can pose.
- Apply a pose preset file that poses the figure automatically. This is the most popular option for those who are new to DAZ Studio.

To give you an idea of how a pose preset works, let's get Victoria to do something other than stand around with her arms sticking out:

1. In the Scene tab, select **Victoria 3 RR LE** as the current object. Make sure you set the root object, and not one of her body parts.
2. Switch to the Content tab, which should be directly behind the Scene tab.
3. Find and select the **Studio > People > Victoria > Poses > Faerie** folder. You'll notice a variety of poses within it.
4. Within this directory, we'll select the **Climbing** pose. Double-click it. After the file is opened, it is applied to Victoria. You will see the figure change accordingly.



Step Five: Using Morphs to Change Body Shape

Morphs work a little differently than poses. Morphs deform the figure's base structure (often called its mesh) to give it a different appearance. These morphs mold parts of your figure or other objects into different shapes to give them a unique look. For instance, you can use a morph slider to make Victoria appear nine months pregnant in less than a second. You can give someone a larger belly, increase or decrease breast size, change facial features to make the figure round-faced, square-faced, give it some ethnicity, etc.




NOTE! Morphs are not always available with figures. Some figures have morphs built into them, while others have morph packages available for purchase or download separately.

To give you an idea of how a morph works, we'll start with something simple. Since faeries are usually slender little things, let's give Victoria a bit of instant weight-loss:

1. To begin, select **Victoria RR LE** in the Scene tab if necessary. Select the root of the figure and not one of the bones.
2. Move to the Parameters tab at the right side of the screen. Scroll down until you get to the Morphs section, which is usually near the bottom of the Parameters list. Locate the **Skinny** slider.
3. Change the Skinny slider setting while you keep an eye on Victoria in the main viewport. You will see her lose weight right before your eyes. Make the setting whatever you want it to be (our example uses a setting of 0.9). You can change this slider setting in one of three ways:
 - Click or drag your mouse left or right in the slider
 - Click one of the arrow keys on either end of the dial
 - Right-click (Windows) or click and hold (Mac) within the middle of the slider area. Type in a value, and then press [Enter].

After you adjust the Skinny slider, your figure should look something like that shown below. Now you should have a slender faerie. You may have also noticed that her clothes automatically adjusted to fit her new size. If only it were that easy to lose weight and find clothes to fit in real life!



The reason that the clothing works properly is that the morphs in the clothing were designed to correspond to the morphs of the figure. In other words, custom morphs are included in the dress, and have similar names as the morphs in the Victoria figure. Because you fit the dress to Victoria, the morphs in the dress adjust accordingly when you change the matching morph in Victoria.



NOTE! Note that not all clothing items contain morphs, but the better ones usually do. When morphs are included in the clothing, the developers usually state so in their documentation or promotional material.

In Conclusion


In this tutorial, you learned how to load a figure, and how to add and attach clothing, hair, and other props (like wings). You also applied a preset pose and altered her appearance a bit. Finally, you rendered and saved the image and scene as separate files.

In the next tutorial, we will adjust the clothing, center the figure using cameras, and will begin to add all three basic lights to enhance the scene. We will also adjust the background, and add a second figure to the scene to make it a bit more interesting.

Rendering

If you are new to 3D software, you might not be aware that the viewport only displays a preview of how your final image should look. Most 3D software programs don't display the "final results" until after you render it. During the rendering process, the software looks at all of the elements in your scene. It performs calculations that determine the appearance or placement of materials, lights, shadows, highlights, reflections, and more. In this final exercise, you'll turn your first tutorial into a picture.

Now you'll learn about the Render Activity tab, shown below. Again, this Activity tab appears when you choose the Basic Layout. The Render tab appears in the right pane.




NOTE! If you prefer not to use the Render Activity tab, you can render your file at any time and in any view using the **Render > Render** command.

Step One: Render Settings

Don't worry yet if your scene doesn't look exact, centered, or perfect (we'll be working to perfect the image in the next section). All we want to do for the time being is to make sure that Victoria is in the scene, that she has some clothing on, some hair, that she has something other than the default pose and shape, and that the wings are attached and fitted to her.

To set your render settings, locate the Render tab in the right pane (or choose the **Render > Render Settings** command if it does not appear). The Render Settings options presented in either case are shown below.

The Speed section, at the top of the General tab, contains a slider that offers a quick and easy way to adjust the speed and quality of your renders. Slide that bar all the way to the right. The text below should indicate that you have selected the **3Delight-Software Render** setting.



TIP! The Render Settings pane allows you to specify the quality and size of the image that will render. As you learn more about creating your own scenes and projects, keep in mind that higher quality

or larger images take a longer time to render than smaller or lower-quality renders. You can always use lower-quality settings while you create your project and then reserve the best settings for when your project is complete.

Step Two: Render the Image

To render the image, use one of the following methods:

- Click the **Render** button (the solid sphere icon) in the Render Activity tab toolbar.
- Choose the **Render > Render** command.

Sit back and enjoy the show as DAZ Studio hands over the image to the 3Delight rendering engine and processes the 3D viewport into a two-dimensional image, complete with shadows and default lighting. When the renderer is finished, you should have an image in the viewport that looks a lot like the figure below.



Step Three: Save the Render

If you want to save the rendered image so far, choose the **File > Save Last Render** command. The Save Image dialog prompts you to enter a file name and choose the file type. You can save to JPG, PNG, TIF, or BMP (Windows Bitmap) format. Save the image to the folder of your choice.


Step Four: Save the Scene

Now that we have a basic scene to work on later, let's save the file:

1. Choose the **File > Save As > Scene** command. The Save File dialog shown below appears.
2. DAZ Studio automatically selects DAZ Studio Files (*.daz) as the file type for Windows users. This file type saves your DAZ Studio scenes. In addition, the save location automatically defaults to the **Studio > Content > People > Victoria** folder, so you can add the saved scene to your

Victoria content library and open the scene through the Content tab. If you desire, you can select a folder of your own choosing.

3. Assign a name for your file. Mac users can add the .daz suffix onto the filename for convenience.



NOTE! Save this scene wherever you want to, but remember where you saved it, since we'll begin from this point in the next section.

Lights! Camera!

In the first half of this tutorial, we settled on the basic mechanics of loading figures into a scene, applying basic settings, and rendering the results. Now, we're going to use a few other basic tools found within DAZ Studio to make the image into something much more visually pleasing, and to give it a little meaning.

About Lights

Lighting is one of the most important things you'll set up within a 3D scene. It affects the mood and amount of drama you inject into your artwork. Ask any artist, photographer, or filmmaker, and you will find that lighting is at the very top of their artistic and technical priorities when assembling a scene (especially with photographers.) Lighting plays a subtle but powerful role in enhancing or taking from the colors of everything within a scene. It gives the viewer a good idea as to where they are and even what time of day it may be. The bright and constant fluorescent lights of an office cubicle, the warm reddish glow of a sunset, the harsh retina-etching contrast of bright and dark in Outer Space, the otherworldly lights of some medieval torture chamber... lighting plays one of the largest roles in your work, and can easily make or break your final result.

DAZ Studio was set from the beginning to have flexible and powerful lighting capabilities. DAZ Studio itself comes with three types of lights. By the time you complete this tutorial, you will use all three lights to effect:

- **Spotlights** shine light from a specific direction. Your scene will contain a Spotlight that provides the main light and draws attention to our figure's upper body as she flies. This light will be set to cast shadows on the scene.
- **Distant Lights** provide uniform lighting, similar to the sun. In this project, a Distant Light will shine from underneath to fill in the dark areas just a little and give the scene a subtle touch of color to subdue the light.
- **Point Lights** shine light in all directions. These are typically used to apply emphasis, or to portray anything from light bulbs to campfires. This tutorial adds a Point Light, which will add a special effect when we add a companion for our little Faerie.



TIP! You can move and aim lights just like cameras, making it fast and easy to put them into place.

Using Cameras


Cameras in DAZ Studio operate just like any basic consumer camera, but come with two SLR-grade camera options that might interest you.

- You can set Focal length (in mm), which is like twisting an SLR camera lens to set your zoom.
- You can also set Focal Distance (which allows you, for instance, to focus on just the subject's face while blurring out everything behind it.)

Step One: Change the Background Color

To begin, open the saved scene from the last tutorial, and switch to the Pose/Animate Activity Tab. In the first part of this tutorial you will change the background color so that the lighting in the scene will be more dramatic. You can change the background color using the Viewport and Camera tools that are located in the upper-left corner of your viewport.

1. Click the options menu arrow and choose **Background Color** from the drop-down menu. A color selector, which should be the same as the color picker in your operating system.




2. Change the color to black and click **OK** to exit the color picker. Your background should now be black.

Step Two: Build and Adjust a Spotlight


Up to this point, you have been viewing your scene through the default light setup provided with DAZ Studio. There is so much more that you can do to make your scenes more dramatic through lighting. To begin, you'll add and position a Spotlight for dramatic effect. This will delete the existing default light, but you won't need it anyway.

Create the Spotlight

To create a new Spotlight for your scene, choose the **Create > New Spotlight** command. The Create New Spotlight dialog opens, with the name **Spotlight 1** pre-assigned. For this tutorial, name the light **faceLight** as shown below. Then click the **Accept** button at the bottom of the dialog box to rename the light.




No doubt, you're sitting there scratching your head and wondering why everything went dark after you added the light. Don't be alarmed, you didn't do anything wrong. The light is there, it's just not shining in the right direction.



Select the faceLight Camera


The easiest way to point the light is to look through the light while you move its position. Go up to the **Camera Selection Button** at the top-left corner of the viewport and select the **faceLight** from the drop-down menu.



While it probably doesn't look like much right now, you're now looking at the scene through the faceLight camera. The white line you see in the middle of the screen is the floor, because the camera loads at floor level. You'll also notice that the figure is not in view. In the next part of the tutorial we will aim the faceLight, which currently sits on the floor between her feet and points back and away from the figure. The trick is to move and point that light to where we need it.


Adjust the Spotlight

The Viewport and Camera Controls appear in the upper-left corner of your viewport window. These controls include camera icons that allow you to move, rotate, and pan any camera, along with controls that also allow you to point the camera to selected objects.



We will use the camera controls to move the faceLight into position:

1. Locate the **Zoom Camera** control icon (third icon down on the left side of the control panel). While your mouse is over it, hold down the left mouse button and push the mouse upwards. Keep moving the camera upward until you see the figure's left and right fingers near the top of the screen. Then release the mouse button.
2. Now you will move the figure's head into the viewport. To do so, select the **Pan Camera** control (the second icon on the left side of the control panel). Again, hold down the left mouse button, and pull the mouse downward. The camera rises upward, making the figure appear to move downward. Keep going until you can see the entire figure in your viewport.
3. Now you need to rotate the light so that it shines down and at the figure's face. Select the **Rotate Camera** icon (the first icon on the left). Left-click and pull the mouse down to rotate the camera around the figure. Right-click and pull the mouse to rotate the camera in place. Move the camera until you're pointing right at her face. You should also see how the light affects the figure in the viewport.
4. As you rotate the camera you might discover that you'll need to adjust the Zoom and Pan a little more. Continue to use the camera controls in the View tab until you get the lighting just the way you like. Use the other controls as needed until you have all of her in view, looking downwards at her face.
5. Before we consider this light finished, you have a couple of additional things to set in the Parameters tab. With the faceLight camera still selected, adjust the following settings in the **Shadow** portion of the Parameters Tab:
 - Click the **Shadow Type** button, and choose **Deep Shadow Map**.
 - To start, set the **Shadow Softness** to around 2%. You may want to increase or decrease this setting to taste after you do a test render.
 - The **Shadow Bias** setting controls the amount of gradient within the shadow area. Initially, you can set this to around 3.
6. In the **Light** portion of the Parameters Tab, adjust the following settings to your own preferences:
 - Make sure that **Illumination** is set to **On**.
 - The default light color is 255, 255, 255, which is a pure white. Leave this at the default value.
 - Turn the **Intensity** slider to the left to dim the light or toward the right to make it brighter. For our example, we reduced it to 77%.
 - Move the **Spread Angle** setting toward the left to decrease the angle and narrow the light in to a more specific region. Move the slider toward the right to create a light that fills a wider area. Because we've named this light faceLight, the intent is to focus on her face. In the example shown below, the Spread Angle is set to around 60.




Frame the Default Camera

Now that you have some practice in moving a camera, you can go back to adjust the Default Camera, and create your render:

1. Select the **Default Camera** from the camera list at the top of the viewport.
2. Use the camera controls in the View tab to frame the entire figure into the viewport. There is a great way to start the process:
 - Go to the Scene tab, and select all items in your scene except the faceLight. Then click the **Frame** button in the camera controls to center the camera on your scene.
 - Use the **Zoom camera** control to move your figure closer to you. Left-click and drag to **Dolly Zoom** the camera, making the objects appear larger or smaller in your view. Right-click and drag to **Focal Zoom** the camera to change its focus

When you are finished, you should have a scene that looks something like the image below. Of course, you can continue to adjust the camera view and lighting to your own taste.

You can render your scene again at this point if desired. When doing so, you might notice that the render takes a little bit longer. A dialog informs you that DAZ Studio is creating a shadow map for the spotlight. This shadow map is used to determine where the shadows are supposed to fall in your scene. After the calculations are complete, you see the render.



Step Three - Add a Distant Light

Though you can add and adjust a Distant Light using the same procedures that you used for the Spotlight, you are going to learn a different way to approach it. This time, you'll apply an existing camera setting to a new light when you create it. This method offers an advantage: it points the new light right where you want it to point when you build it.

Adjust the Perspective View

A Distant Light is usually used as a generalized "sun" type of light. In this tutorial you will use it for effect by placing it lower in the scene and pointing it upwards. You'll also soften the light so that it doesn't overpower the scene.

To create the Distant Light, follow these steps:


1. Select **Perspective View** from the Viewport and Camera controls in the upper-left corner of the viewport.
2. Use the icons in the Viewport and Camera controls to position the Perspective Camera so that it points up at the figure from underneath, as shown below. You should only need to use the Rotate Camera icon.



Create the Distant Light

Now you'll add the Distant Light and set the light so that it uses the current view of the Perspective camera:

1. Choose **Create > New Distant Light**. The Create New Distant Light dialog appears.
2. Rename the light from Distant Light 1 to something more descriptive if you desire.
3. Now, click the **Show Options** button. The dialog expands to show additional options.
4. Click the **Apply Active Viewport Transforms: <Perspective View>** option, then click **Accept** to apply the settings to the Distant Light.




Adjust the Light Properties

The light is quite bright, so let's adjust the properties of this new light, including the color. You want to achieve a soft lighting effect. You'll also add a little bit of color to the light. The results are shown below.

1. From the Pose/Animate Activity Tab, select Distant Light 1 in the Scene Tab if necessary.
2. Switch to the Parameters tab to view the parameters of the distant light.
3. Scroll to the bottom of the light parameters. The **Shadow properties** will be left at their default settings, which are as follows:
 - **Shadow Type:** None (This light will not cast shadows)
 - **Shadow Softness:** 0.0%
 - **Shadow Bias:** 1
4. Now, set the **Light properties** as follows:
 - **Illumination:** On
 - **Color:** Click the bar that lists the RGB color values (255 255 255 in this case). This opens a color picker that is similar to the one furnished with your operating system. Use any methods you normally use to select a light rose color. In the example we show, the color ends up being Red 188, Green 154, and Blue 142.
 - **Intensity:** Set to 80%

Note that if you move the perspective camera to another angle at this point, it won't affect the position of the new Distant Light at all. Presently, you are still looking through the Perspective camera and not the Distant Light, so you won't have to select it first. You can set the Perspective camera where you like, or leave it where it is.

5. Switch back to the Default Camera view.



Step Four - Add a Point Light

Now, you'll set up a small Point Light, in preparation for a little something that you'll add to the scene later on in the tutorial:



NOTE! A Point Light is an omni-directional light, meaning that it casts light in all directions. You cannot aim or manipulate Point Lights like a camera.

1. Choose **Create > New Point Light**. The Create New Point Light dialog appears.
2. With **Apply Default Settings** selected (by default), assign a name to the light, if desired, and then click **Accept**.
3. Initially, the new Point Light sits on the floor, in the center of the scene. It looks like a white wireframe globe with lines extending in all directions. With the Point Light selected in the Scene Tab, use the X, Y, and Z Translation sliders in the Parameters Tab to adjust its position. Move the light so that it is a bit above the figure's face and just in front of it. The settings should be approximately as follows (they don't have to be exact):
 - **X Translate:** -2.53
 - **Y Translate:** 218.31
 - **Z Translate:** 22.87
4. The light should now be positioned as shown below. It is close and strong enough that we won't have to do anything else to it, so let's leave it where it is for now.



TIP! Use some of the other cameras in conjunction with the Parameter sliders to check and set the exact position of an item in 3D space. Select those cameras and move them as needed to see the item you're positioning from at least two different angles to check.




TIP! If you want to add exact values for the Translate dials, right-click on the current numerical value that appears for the slider you want to change. Enter a new value for the parameter, and then press the Enter key to set the new value.

Step Five - Add and Scale a Second Figure

You can use more than one figure in a scene, and because our little faerie looks a bit lonely, you'll give her a companion:

1. Switch to the Content Tab on the left side of your screen. Navigate to the **Studio > Animals** folder and locate the **Darter Dragonfly**. Double-click it to bring it into the scene.
2. The dragonfly is quite large for our purposes, so we will scale it down to size. Switch to the Scene Tab, and select **Darter DragonFly**. The Parameters Tab should immediately switch to its properties.
3. Locate the **Scale** slider in the Parameters Tab and reduce the setting to around 15%.
4. Use the **Translation** sliders to raise the dragonfly up until it rests just above the Point Light. An easy way to accomplish this is to copy the X, Y, and Z Translation settings from the Point Light (one at a time), and then paste them into the X, Y, and Z Translation settings for the dragonfly. Then you can adjust the YTrans parameter setting to raise the dragonfly up a little bit. The following properties should put the dragonfly near the right area:
 - **XTrans:** -2.53
 - **YTrans:** 203.48
 - **ZTrans:** 22.57
5. It's also a good idea to rotate the dragonfly slightly so that you can see its underbelly a bit better. The X-axis pivots the camera left or right, and we want to rotate the dragonfly along that axis. Adjust the xrot (X-Rotation) slider toward the left until you can see its underbelly better. A setting of -15 looks just about right, but adjust to your tastes. All slider settings, along with your scene, should now look as shown below.



Step Six - Tests, Tweaks, and Workflow

Now is a good time to save your scene again. If desired, do some test renders to check out your new lighting and camera positions, and make the adjustments that you feel are necessary. To that end, the following step offers some pointers on helping you make your scenes better. There are no real rules on the workflow that you should follow. Many of these good habits will be beneficial when you move your artwork from one program or media to another. However, here are some general suggestions that will help as you create and build an image in any 3D program:

- It is usually a good idea to stop once in awhile and save your work. Remember, you're working with computers and we all know that there are occasions where something goes wrong. You could lose power, or experience a system crash. When you save your projects frequently, your work won't totally go to waste.
- Save your works-in-progress after every four or five large tasks within DAZ Studio, or just before you run a test or final render. Other good times to save are right before you export a scene or setting file. In addition, you definitely want to save your project before you try something new.
- After you add or adjust lighting or surface materials, run a test render to see exactly how the lights look, how well the figures interact within a scene, or if the eyes are pointed correctly.
- While the render is in progress, stand up and move your legs a bit. Go get a cup of coffee, a snack, or other little things while the scene is saving to disk.
- Look over your render critically. Note what you need to fix, and fix the issues before you proceed further.
- After you make your changes, render again. You can render the full scene, or use the Spot Render Tool to render only the area that is affected by your changes. Once again, look to see if any additional changes are needed. If you're satisfied with the fixes, continue with the rest of your project.

Adjusting the Lights

You might notice after you render your scene that the lighting needs some adjustment. Here are the problem areas that you might notice:


The scene looks a little flat. One reason is because the Distant Light is too strong and it washes out the shadows of the main faceLight.

You can barely see the dragonfly against the black background. This probably means that you need to adjust the Point Light.

To improve the lighting, follow these steps:

1. From the Scene Tab, select **Distant Light 1**. Reduce the Intensity slider in the Parameters Tab to 35%. That's about all you'll need to do to fix the flatness in the image.
2. Now select **Point Light 1** in the Scene Tab.
3. It will help if you look at things from another camera view. From the view selection menu above the upper-left corner of the viewport, choose Left View. You'll immediately notice why the dragonfly doesn't stand out. The Point Light is behind the dragonfly.
4. Use the **Z Translate** slider to move Point Light 1 in front of the dragonfly. Set it to around 80.
5. Switch back to the Default Camera and render your scene again. You'll notice now that the dragonfly is much more visible, but the light is too bright and is washes the dragonfly out of the scene. You might want to reduce the intensity of Point Light 1. Adjust the Intensity slider (toward the bottom of the Parameters Tab) to 50%.

6. Because you are concerned more about how the dragonfly is lit, there really is no need to render the entire scene while you adjust the Point Light. Choose **Tools > Spot Render** or click the **Spot Render Tool** icon in the Render toolbar. Draw a selection rectangle around the area you want to render (in this case, the dragonfly). The render will automatically begin to render the area you selected. You should see the changes quickly.
7. Continue to tweak, render, and tweak again until you get results that you like.
8. If you need to improve the framing of the scene, go to the Scene Tab and select the Default Camera. Then use the camera tools in the viewport, or the X Translate, Y Translate, and Z Translate dials in the Parameters Tab until you are satisfied with the framing.
9. Render the entire scene. Then save the scene (**File > Save**) and the render (**File > Save Last Render**). The image below shows the final results.



In Conclusion

In this section you learned the basic mechanics of lighting and cameras. You also learned about some workflow ideas that will help make your 3D artistry a lot less frustrating, and prevent the frustration of lost files or scene elements that you might overlook. You've also learned that you need to check your work from time to time, and tweak things here and there to improve your images. You've made a lot of headway in the past two sections. In the sections that follow you'll learn more about the DAZ Studio interface and how you can get the most out of it.

If you're anxious to work on some additional tutorials, you can find more in the "[Surfaces Tab](#)" section, where you'll learn how to build materials in DAZ Studio.

Menus & Commands


Using and Customizing the Interface

"It took me 40 years to find out that painting is not sculpture." -Paul Cezanne

DAZ Studio allows you to customize the interface on a grand scale. You can customize colors, menus, and toolbars. You can create your own Activity tabs and show the controls you want to appear in them. You can create new menus that contain items that you frequently use. In short, with DAZ Studio, you can work exactly the way you want to work.

Overview of Interface Items

In previous sections, you were introduced to the new Activity Tabs that appear in DAZ Studio: the Load Activity tab, the Pose/Animate Activity tab, and the Render Activity tab. Common to these tabs are several other types of menu commands, toolbars, viewports, panes, and tabs. The figure below shows a typical arrangement of these various elements.



Briefly, the various parts of the interface serve the following functions:

- **Activity Tabs:** Click one of these tabs to display the various panes and controls that you will commonly use when you Load, Pose, or Render your DAZ Studio scenes.

- **Menu Bar:** The menu bar appears at the top left of the DAZ Studio workspace. The menu bar contains seven menus: File, Edit, View, Render, Create, Tools, and Help. Click any menu header to display the commands that appear in each menu. For example, click File or press **Alt+F** to display the commands in the File menu. The commands in these menus are listed in the Command and Toolbar Reference.
- **Toolbars:** Toolbars contain icons for many common tasks. By default, a different toolbar appears beneath the Activity Tabs in each view.
- **3D Viewports:** Viewports are your windows to the virtual universe inside your computer. Whenever you look at your scene, you are looking at it through a virtual camera. The Viewport Selection menu, located at the upper-left corner of the Viewport window, allows you to display the view of any camera. Camera controls also allow you to tilt or rotate, pan, or dolly the camera to improve the view of the scene.
- **Panes:** Panes appear at the left and right sides of the DAZ Studio workspace by default. These panes are used to display various tabs that contain common controls, functions, and options. Controls in each pane allow you to show, hide, expand, collapse, and resize the tabs contained within them. See "[Customizing the Layout](#)," later in this section, to learn how you can customize the layout of your panes.
- **Tabs:** By default, there are several tabs that you can show or hide using commands in the View > Tabs Menu: Surfaces, Content, View, Scene, Parameters, Timeline, Help, Render, New at DAZ, Align, Tool, D-Form, PowerPose, and Scene Info. Additional tab options may also appear in this menu if you have additional plug-ins installed. Tabs contain most of the functions that you'll use while working with DAZ Studio, and are typically placed within panes. See "[Customizing the Layout](#)," later in this section, to learn how you can customize the layout of your tabs.



TIP! By default, DAZ Studio loads with one viewport. You can view your scene using up to four viewports at once. In addition, DAZ Studio gives you control over several viewport properties such as size, location, and selected camera. Refer to Viewports and Cameras for more information.



TIP! You can also use navigation keys to navigate through any tab that contains a list or tree. Click to select an item and navigate through the list as follows:

- Press PgUp to scroll up one page.
- Press PgDn to scroll down one page.
- Press Up Arrow to scroll up one item in the current list.
- Press Dn Arrow to scroll down one item in the current list.
- Press Right Arrow to expand one level in the current list, or to the next level in an expanded list.
- Press Left Arrow to collapse one level in the current list, or to the previous level in a collapsed list.


Customizing DAZ Studio

The **Edit > Customize** command opens the Customize DAZ Studio dialog, which allows you to customize virtually any element in DAZ Studio so that you can arrange things exactly the way you want them to be. If you are new to DAZ Studio, you might want to wait a bit before jumping in and customizing your interface ... otherwise tutorials and such will seem a bit confusing because you may not remember where you placed your panes, commands, and toolbars.

You'll probably find as you learn more about DAZ Studio that you want to locate panes or toolbars in a different place. You may need an Activity tab that displays all of the items you need when you modify

materials on an object, or when you create an animation. With the **Edit > Customize** command you can do all this and more.

To open the **Customize DAZ Studio** dialog, choose **Edit > Customize**. You'll see the dialog shown below.




Customize DAZ Studio Dialog

The left portion of the Customize DAZ Studio dialog displays an **Actions List** that includes all of the commands in the DAZ Studio menus and submenus. This also includes custom actions that you have created yourself when you save your own presets. Where shortcuts apply to a command, the shortcut is listed to the right side of the command menu.

Notice that some of the commands have their associated icons next to them. While you can add commands that do not have icons, it will be difficult to see them in the Activity tab or in toolbars until you hover over them. For this reason, you will primarily want to work with commands that have icons


associated with them. For example, the figure below shows commands that appear beneath the File menu of DAZ Studio. All of the commands have icons associated with them, with the exception of the Scene and Exit commands. If you try to add these two commands to a toolbar, you won't see any icon representation for them.



You can add any of these commands to an Activity tab, Menu, or Toolbar. Simply select an item from the **Actions list** and drag it to the appropriate tab on the right side of the Customize DAZ Studio dialog.


The Item list displays a list of the commands that appear in each toolbar. A couple of things should be mentioned when you look at the items in the list:

- Not all commands have icons associated with them. Where icons appear, you can add these items to any toolbar, including toolbars you create yourself.
- When you see an ampersand (&) immediately before a character, that means that you can use the key that follows to invoke the command when the menu is open. This is different from shortcuts, which do not need to have the menu open to use them. For example, you can use the shortcut **Ctrl+Shift+O** at any time to invoke the **File > Merge** command. However, when the File menu is open you can either click **Merge** or press the letter "**m**" to use the command. Menu hotkeys are always underlined in menus.



The right portion of the Customize DAZ Studio dialog is shown below. It contains three sub-tabs, the purpose of which will be discussed in the sections that follow.


- Use the **Activities** sub-tab to customize the icons and toolbars that appear in any Activity tab, or to create your own Activity tabs.
- Use the **Menus** sub-tab to customize the commands that appear in each of the menus in DAZ Studio, or to create your own custom sub-menus.
- Use the **Tool Bars** sub-tab to customize the icons that appear in toolbars, or to create your own toolbars.



Finally, the **Options** menu in the Customize DAZ Studio dialog contains three command options:

- **Import:** Allows you to import a saved configuration file. By default, user interface settings are saved to the DAZ Studio > Resources folder, and use a .dsx file extension.
- **Export:** Allows you to export a saved configuration file. After you make your changes, use this command to save your custom configuration to the DAZ Studio > Resources folder.

- **Restore Defaults:** Restores DAZ Studio Activity tabs, menus, toolbars, and actions to the original "as-shipped" configuration.




NOTE! After you make any changes in the Customize DAZ Studio dialog, be sure to use the **Export** command in the **Options** menu to save your customized items to your hard drive. That way, you can switch back to the default layout for tutorials, and then switch back to your custom layout after you have completed the learning.

Creating a Custom Action


Any DAZ Studio script can be used to create a **custom action** to allow you to automate tasks and place them in the toolbars. For example, if you use Victoria 4.2 a lot, you can create a custom action that will allow you to click on a button to load her into the scene without having to search for her.

To create and use a custom action:


1. Locate the item you want to make an action for. This can be a figure, material file, pose file, etc., as long as it is in the DAZ Studio script file format.
2. Right-click on the thumbnail and choose **Create Custom Action** from the menu. You will not get any messages indicating that the action has been created.




If you choose the same menu item again, you will get two error messages, one that indicates the file already has a custom action and the second that indicates the action already exists as a menu entry in the Customize dialog.



3. Choose **Edit > Customize** from the menu to open the **Customize DAZ Studio dialog**.
4. Click on the plus sign (+) next to the **Custom** label and the custom action just created will be listed.
5. Right-click on the action and choose **Edit Custom Action** from the menu.




6. The **Edit Custom Action dialog** will come up. The **Menu Text** will show the same file name as the thumbnail and along with a generic **Description**.



If needed, edit the **Menu Text** and **Description**.




7. Click on **Accept** to accept the changes to the action or on **Cancel** to abort the operation.
8. Right-click on the action again and choose **Change Icon** from the menu.




9. A default load dialog will come up. Locate the JPEG or PNG file to use as the icon and click on **Open**. This can be an image you create or the same graphic used for the thumbnail in the Content tab.



10. In the **Activities** tab in the right hand pane, select which toolbar to add the action to, for example to the Load, Pose / Animate, or Render tab.
11. Click on the plus sign (+) next to the selected toolbar and then on the one next to the **Actions** label.
12. Select the action in the left hand pane and drag it to where you want it to be on the toolbar.




Result:




13. Click on **Accept** to accept the changes or on **Cancel** to abort the operation.

14. Activate the toolbar where you added the action and there will be a small icon with the image you selected as the graphic in the location you placed it. If you did not add a graphic icon, the space will be blank. Hover over the icon and the Menu Text and Description you entered will be visible.




15. Click on the button and the figure will load into the scene. If the action was a preset that applies a material, pose, etc., make sure the figure is loaded and selected.



Customizing Shortcuts and Icons

When you right-click on any command in the Actions list, the menu shown below appears. This menu allows you to customize the shortcuts and toolbar icons that you use in DAZ Studio:



The following customizations are available:

- **Change Keyboard Shortcut:** Choose this command to assign a new keyboard shortcut to a menu item. DAZ Studio prompts you to press any key (or any combination of multiple keys like Shift+F9).
- **Clear Keyboard Shortcut:** Choose this command to remove the keyboard shortcut from the selected item.
- **Default Keyboard Shortcut:** Choose this command to revert to the original keyboard shortcut that was used with the shipping version of DAZ Studio.
- **Change Icon:** Choose this command to select an icon image for the command. A dialog prompts you to select an image from the DAZ Studio > resources > images folder. You can select an icon image in JPG or PNG format.
- **Default Icon:** Choose this command to revert to the original icon image associated with the command. If no icon was associated, your custom icon will be removed.

Customizing Activity tabs

When you first open the Customize DAZ Studio dialog, the **Activities** sub-tab displays the names of the three default Activity tabs: **Load**, **Pose**, and **Render**. The **Actions icons** and **Toolbars** that are displayed in each tab appear in a hierarchical list beneath each Activity tab header. When you expand an Activity tab heading, you see sub-trees that display a list of actions and toolbars that are configured for the selected Activity tab.


- The **Actions sub-tree** displays the icons that appear in the upper-left corner of each Activity tab. For example, the Actions icons that appear in the Load Activity tab are icons for the **File > New**, **File > Open**, **File > Import**, **Create > New Primitive**, and **What's This** help commands.
- The **Toolbars sub-tree** allows you to enable or disable the display of the **Help**, **Create**, **Tools**, and **Main** toolbars in each of the Activity tabs.



NOTE! Display of all toolbars is off by default, but you can toggle them on by right-clicking the toolbar you want to display and choosing **Enable Toolbar** from the menu that appears.

To add an Actions icon to any Activity tab:

1. Choose **Edit > Customize** to open the Customize DAZ Studio dialog.
2. Select the **Activities tab** in the right side of the dialog. Select the Activity tab (Load, Pose, Render, or custom Activity tabs) that will contain the new icon, and expand its list. Examples of the Actions and Toolbars lists for the Load Activity tab are shown below. Other Activity tabs will have similar options.
3. Look through the **Actions** list on the left side of the Customize DAZ Studio dialog. Select any command or action that has an icon associated with it.
4. Drag the associated command from the left side and drag it to the tabs on the right side of the dialog. Drop the selected command over or beneath the desired Actions tree.




To show or hide a toolbar in any Activity tab:

1. Choose **Edit > Customize** to open the Customize DAZ Studio dialog.
2. Right-click the toolbar that you want to show or hide.
 - Choose **Enable Toolbar** to display a hidden toolbar. The status will turn from **Off** to **On**.
 - Choose **Disable Toolbar** to hide a displayed toolbar. The status will turn from **On** to **Off**.

Customizing Menus

The **Menus sub-tab** in the Customize DAZ Studio dialog is shown in the following image. This sub-tab allows you to customize the commands that appear in the menu bar and in tab options menus.




You can accomplish the following tasks in this sub-tab:

- To add a command to a menu or sub-menu, drag the desired command from the **Actions List** in the left section of the Customize DAZ Studio dialog and drop it into the desired menu location.
- To create a new sub-menu, right-click on the menu beneath which you want to create the sub-menu. Then choose **Add Submenu** from the list that appears. A new menu item appears beneath the selected menu and you can assign a name to the new sub-menu.
- To rename a custom sub-menu, right-click on the sub-menu you want to rename, and choose **Rename Item** from the menu that appears. You can also click once to select the menu item and click again to activate the text edit field. Enter a new name and press **Enter**.

- To remove a command, separator, or custom sub-menu, right-click on the sub-menu you want to delete, and choose **Remove Item**. The selected item will be removed from your menu options.
- To add a separator between menu items, right-click on the menu item that you want to appear directly above the separator and choose **Add Separator**. A line appears directly beneath the selected menu item.

Customizing Toolbars

The **Tool Bars sub-tab** in the Customize DAZ Studio dialog allows you to create your own toolbars and add them to your custom interface layouts.



You can accomplish the following tasks in this sub-tab:

- **To add a command to a toolbar**, select a command in the Actions list that has an icon associated with it, otherwise you will not be able to see the item in the toolbar. Drag the desired command from the Actions List and drop it into the desired toolbar location.
- **To create a new toolbar**, right-click on any item that appears in the Tool Bars tab and choose **Add Toolbar**. A new toolbar item appears and you can assign a name to the new toolbar.

- **To rename a toolbar**, right-click on the toolbar you want to rename, and choose **Rename Item** from the menu that appears. You can also click once to select the toolbar item and click again to activate the text edit field. Enter a new name and press **Enter**.
- **To remove a command, separator, or custom toolbar**, right-click on the item you want to delete, and choose **Remove Item**. The selected item will be removed from your toolbar options.
- **To add a separator between items in the toolbar**, right-click on the toolbar command that you want to appear directly above the separator, and choose **Add Separator**. A line appears directly beneath the selected toolbar item.

Customizing the Layout

In addition to creating your own Activity tabs, menus, shortcuts, and toolbars, DAZ Studio also gives you a degree of control over the interface layout, allowing you to customize it to your specific uses and needs. You can customize the interface by auto-hiding, moving, and resizing panes, moving tabs, and using multiple monitors.


Using Multiple Monitors

DAZ Studio supports multiple monitors. When you make changes to your interface layout, you can click and drag your pane(s) or other elements to any available monitor. This allows you to create a larger area for your viewport.

Customizing Panes

The figure below displays the various components that you use in conjunction with customizing your panes and how you view them when they are docked. The controls that are common to most panes are as follows:

- **Pane Edge**: The Pane Edge appears along the side of the pane, at the side that is closest to the Viewport. You can reposition the edge to size each pane to your liking.
- **Pane Toggle**: When appropriate, the Pane Toggle allows you to expand or collapse the contents of the pane. The pane toggle is represented by two solid arrows facing in opposite directions. The direction of the arrows indicates the direction in which the pane contents will collapse or expand.
- **Pane Grip**: The Pane Grip area appears immediately to the right and left of the Pane Toggle. Drag the pane from this area to move the pane to a new location.



You can use any of the following procedures to customize the appearance of the panes in your layout:

- **To resize a pane:** Position your cursor along any edge of the pane you want to resize. The cursor changes to a pair of arrows that indicate the direction(s) in which you can resize the pane. Drag in the proper direction until the pane is resized to your liking.
- **To collapse or expand a pane:** Click the pane toggle (the three dots at the top of the pane).
- **To move a pane:** Click the **Pane Grip** (the area to the left or right of the pane toggle) at the top of your desired pane and drag it to its new location.


- **To undock or float a pane:** Click the **Pane Grip** and drop the pane on top of the viewport window. You can also drop a pane beyond the edge of the main DAZ Studio screen (such as when you want to put a pane on a separate monitor in a multi-monitor system).
- **To dock a pane beside, above, or below another pane:** Click and drag the pane by its **Pane Grip**. Drag the pane until you reach the **Pane Edge**, but stop before you reach the viewport. A white line highlights the spot where you can relocate the pane. Release the mouse button to dock the pane in-between the outermost pane and the viewport. The viewport will resize in height or width to accommodate the new pane.
- **To hide a pane completely:** Use commands in the **View > Tabs** menu to hide all tabs that are included in that pane.
- After you undock a pane, you can customize its appearance as follows:
 - **To resize a floating pane:** Place the cursor at any corner of the pane. Then click and drag your mouse and release when the pane is at the desired size.
 - **To dock or redock floating pane:** Click and drag the pane by its **Pane Grip**. Drop the pane above, below, or to the side of the viewport area. A white line highlights the area when you can release the mouse button. The pane will dock to the closest possible location, based on the locations of other panes in that area.
- To auto hide or unhide the tabs, click on the push pin to dock or undock the tabs from the side bars. See "[Pane Auto-Hide](#)" for more on using this feature.

Pane Auto-Hide

When you first start DAZ Studio, the side panes are visible on each side of the viewport for easy access, however, sometimes you need more workspace without having to actually close all the tabs. The **Auto-Hide** function provides the ability to dock the panes to the side when they are not in use.


To auto-hide the side/bottom panes:

1. Click on the pushpin button at the top right of the pane.



2. Repeat for the other side of the viewport if needed.

The panes will dock to the side and each tab available on the pane will show up as tabs at the sides of the viewport. Panes that were at the bottom of the viewport will be tabbed to the bottom left of the viewport.




To expand the panes temporarily:

1. Click on the folder tab for the tab you want to access. The pane will open up with the selected tab activated.




2. Resize the pane as needed.



3. Use the tabs as usual to select content or items in the scene, adjust surfaces, set parameters, etc. but once you move off the pane, it will auto-hide itself again.
4. If the pane does not auto-hide itself automatically when you move off the tab, click in the viewport.

To un-hide the panes:

1. Click on one of the tabs to expand the pane into the viewport.
2. Click on the pushpin button at the top right of the pane.




The pane will undock from the side and dock back to its default side location.

To add new tabs to the pane, pin the pane in place first, then add new tabs. Once the new tabs are in place in the pane, un-pin the pane to allow it to auto-hide itself.

To delete tabs while the pane is in auto-hide, click on the tab to expand it, then choose **Close** from the Options menu.

Customizing Tabs

The figure below displays the various components that you use in conjunction with customizing your tabs.



The Content Tab is shown in the following example, but the following controls are common to most tabs.


- **Tab Menu:** Each tab contains a set of commands that are specific to that tab. To access the tab menu, click the arrow icon in the upper-right corner of the tab.
- **Scrollbars:** In some cases, there is not enough space to display all of the options within a tab. If this is the case, a vertical scroll bar appears at the right side of a tab, and a horizontal scroll bar appears at the bottom of a tab, when appropriate. To use a scroll bar, click and drag in the proper direction to view additional information in the tab. Release the bar when your desired information comes into view.
- **Tab Toggles:** Tab toggles are used to expand or collapse the tab as needed, to maximize your work area.

To customize the appearance or layout of your tabs, use any of the following procedures:

- **To undock or float a tab:** Click and drag the tab by its tab name to locate the tab to a new position. Release the mouse button to place the tab in the new position. If you undock the only tab within a pane, the pane is removed.
- **To dock or re-dock a floating tab:** Click and drag the tab by its tab name, and drag to the left or right of the Viewport. A new pane will be created if none is present.
- **To move tabs from one pane to another:** Click and drag the tab to the new pane. The pane will merge and display the relocated tab with any other tabs in the same pane.
- **To nestle a tab into an existing pane:** Click the name of the tab, then drag-and-drop the tab into an existing pane. Drop it into a blank area to the right of any tab that currently appears within the pane. The tab will transfer to a new location in that pane
- **To show hidden tabs:** Use the **View > Tabs** menu commands to show the tabs you want to view. Then dock the restored tab into a pane if desired.
- To close tabs: Select **Close** from the Options menu for the tab or choose **View > Tabs** and select the tab to close.


Customizing Interface Colors

The **View > Interface Style** commands allow you to customize the background and highlight colors used in your DAZ Studio interface. You can choose from existing color schemes or create your own.



The functions of the commands in the **View > Interface Style** menu are as follows:

- **Select Style:** Opens a dialog that allows you to select one of several custom color configurations, including color schemes that use colors similar to Carrara, Hexagon, and DAZ Studio Classic.
- **Save Style As:** Choose this command to save your own color schemes. Styles are saved to the DAZ Studio > Scripts folder on your hard drive, and use a .ds extension.
- **Delete Style:** Opens the Delete Style dialog, which allows you to remove custom style scripts from the View > Interface Style menu.
- **Customize Colors:** Opens the Customize Interface Colors dialog, shown below. This dialog allows you to select custom background, text, and accent colors. The **Background Color** defines the base interface color. The **Text Color** defines the color of the text that appears in the menus, tabs, and dialog boxes. The **Accent Color** defines a secondary color for items like borders and inactive tabs. After you create your custom colors, click **Accept**. Then use the **Save Style As** command to save the configuration and the **Add Existing Styles** command to add them to the **View > Interface Style** menu.



Saving & Loading Custom Interface Layouts

Saving Custom Interface Layouts

After you rearrange your interface, it's a good idea to save your custom layout. You might also find that it is convenient to create several different interface layouts. For example, you might create a layout for when you are putting your scenes together, and then prefer a different layout when you are posing your figures.

To save a custom layout, choose the **View > Interface Layout > Save Layout As** command. The **Save Layout As** dialog prompts you to assign a name to your new layout. By default, the layout is saved into the **Studio > Scripts > Layouts** folder as a DAZ Script.

Loading Custom Interface Layouts

Any time you want to switch to an interface layout that is saved onto your hard drive, choose **View > Interface Layout > Select Layout**, and select a layout from the dialog that appears. Click **Apply** or **Accept** to use the layout you select.


For reference, the custom layouts that you create are saved into the **Studio > Scripts > Layouts** folder by default.

Setting Preferences

The Preferences dialog box contains a tab that allows you to customize the various aspects of the program, scene, interface, and where content is displayed and located, along with several other options.


Setting General Preferences

To set the General Preferences, choose **Edit > Preferences** to open the **Preferences** dialog and click on the **General** tab to enable it.



The General tab has the following options:


- Authorship Information:** Shows the author information added during initial startup. Click on **Edit** to add or edit the current author information. This is optional but if you create content, this information is written to Studio files you create which can help users contact you for information or assistance.



- Automatically check for updates to DAZ Studio:** Select when to check the DAZ website for updates to Studio. Select **Daily**, **Weekly**, **Monthly**, or **Never**. Click on **Check for updates now** to check immediately.


Setting Content Preferences

To set the Content Preferences, choose **Edit > Preferences** to open the **Preferences** dialog and click on the **Directories** tab to enable it. Directories added here are used by the Content Manager to scan for new content.




The Directories tab has the following options:

- **Content Directories:** Lists the Poser/Studio content directories linked to DAZ Studio.



- **DAZ Studio Content Directories:** Select to add or remove directories with Studio content.
- **Poser Content Directories:** Select to add or remove directories with Poser content.



- **Other Imported Content Directories:** Select to add or remove directories with content that is not in the default Studio or Poser directory structure or formats.




CAUTION! For Windows Vista users - Because Vista saves files to a mapped directory instead of to the correct DAZ Studio folder, the .dso files needed to load DAZ Studio scenes cannot be found. This problem can be fixed by adding the virtual directory to the list of content folders in the Preferences. The virtual directory is usually found at: "C:\Users\[User Name]\AppData\VirtualStore\Program Files\Daz\Studio\content\"

- **Add:** After selecting the type of directory being added, click on Add to locate and select the directory.
- **Remove:** Select the directory to remove and click on Remove to delete it from the linked directories.
- **Remove All:** Click to remove all linked directories.
- **Automatically Refresh Content Folders:** When enabled, automatically refreshes Content folders to show newly installed or moved content.

Setting Interface Preferences


To set the Interface Preferences, choose **Edit > Preferences** to open the **Preferences** dialog and click on the **Interface** tab to enable it.



The Interface tab has the following options:

- **Show Tool Tips:** Check the Show Tool Tips checkbox to display information about a tool when you hover over it with your mouse cursor. Clear this checkbox to disable this feature.
- **Activity Image:** Allows you to customize the image that appears in the right portion of the interface. By default, a grayscale image of Victoria 4 appears. You can also choose None, a Dragon, Trees, or Cycle (which cycles through all available images).


- **Hexagon Bridge Tools:** TBD
- **Open GL:** If your card cannot support OpenGL, a notice informs you as such. If your card supports OpenGL, the following options appear:
 - **Manipulation Draw Style:** The Manipulation Draw Style option allows you to conserve computing resources by displaying scene elements in reduced detail while you are manipulating (posing or moving) an object, camera, or light. There are three options: Choose Off to display the objects in your scene as they normally appear (with full geometry shape and textures) while you manipulate them. This option consumes the most computer resources. Choose Wireframe Box to display your objects in wireframe mode while you manipulate them. This option consumes the least amount of computer resources. Choose Smooth-Shaded Box to display your objects as smooth boxes while you manipulate them.
 - **Subdivide during Manipulation:** Click the option box to toggle this option Off or On. When On, this option will automatically switch to the zero subdivision level when a Sub-D figure is manipulated. When Off, the figure will remain at the current subdivision level when it is manipulated.
 - **Hardware AntiAliasing:** Click the option box to toggle this option Off or On. When On, this option transfers all the edge smoothing actions to the video card instead of to your CPU. You may want to turn this option Off if your video card supports OpenGL acceleration but is below the recommended requirements.
 - **OpenGL Texture Quality:** This option controls the quality of the textures in your Viewport. Drag the slider from left to right, or use the right and left arrow keys, to use the setting that is best for your system resources. Slider options, from left to right, are Best Performance, Good Performance, High Quality, and Best Quality.
 - **Pixel Buffer:** Provides a secondary buffer for rendering with 3D Bridge and by some hardware renderers where a viewport is obscured by another window while rendering. Not required unless you are using 3D Bridge with Photoshop and some hardware configurations may become unstable when pixel buffers are allocated. Toggle the buffer On or Off as needed and when it is On, use the slider to set the buffer size.
 - **About Current Hardware:** Click this button to view a list of features that are supported by your OpenGL-compliant video card. The list includes the OpenGL version supported by your card, and displays its manufacturer's name and model number. A list of supported features then follow, including limitations on the number of lights, texture units, and maximum texture size that the card can support.
 - **Display Optimization:** By default, this option is set to Off since not all video cards can handle the display optimization. When set to On, the optimization stores more of the loaded geometry in the memory of your video card in order to speed up the display.
- **Show the "Tutorial Listing" at Start-up:** Click this button to show the tutorials dialog when starting Studio. Use this if you selected not to show the dialog at startup and then decide you'd rather see it. A confirmation message will come up. Click on **OK**. The next time you start DAZ Studio, the tutorials dialog will come up.



- **Restore Factory Defaults:** Click this button to remove all of your custom settings and return to the default settings furnished with your DAZ Studio installation. This will reset all startup dialogs and remove content directories from the preferences.
- After you complete your Interface Preferences settings, use one of the three buttons at the bottom of the dialog:
 - Click **Apply** to set the settings for the current preference tab; the Preferences dialog remains open so that you can set other preferences.
 - Click **Accept** to exit the dialog immediately.
 - Click **Cancel** to exit the Preferences dialog and discard any unsaved changes.


Setting Scene Preferences

To set the Scene Preferences, choose **Edit > Preferences** to open the **Preferences** dialog and click on the **Scene** tab to enable it.



The Scene tab has the following options:


- **Default Scene:** Sets whether to open a default scene or not when DAZ Studio is launched. Choose **None** to load an empty scene using the program defaults or **Browse for Scene** to locate and select a default scene to load. Useful if you have a particular lighting and camera setup you like to use when creating scenes.




- **Default Scene on New:** Sets whether to open a default scene or not when a new document is created. Choose **None** to load an empty scene using the program defaults or **Browse for Scene** to locate and select a default scene to load. Useful if you have a particular lighting and camera setup you like to use when creating scenes.
- **Create a Default Camera on "New":** When enabled, will create a default camera when a new document is created. This is in addition to any cameras loaded using the default scene.
- **Ignore Viewport Background Colors on "Open":** When enabled, will ignore the saved background color in the scene file and use the current scene background color.
- **Record Viewport Background Colors on "Save":** When enabled, saves the current background color with the saved scene file so that when it is re-opened, it will have the background colors you set.
- **When importing a Pose that does not obey limits:** Sets preferences on how to handle pose limits.
 - **Ask Me:** When selected, will ask you what you want to do.
 - **Always turn off limits:** When selected, will always turn limits off.
 - **Always obey limits:** When selected, will always obey limits.

Setting Content Manager Preferences


To set the Content Manager Preferences, choose **Edit > Preferences** to open the **Preferences** dialog and click on the **Content Manager** tab to enable it. or choose Edit Preferences from the Content Options menu.




- **File Icon Size**




- **View Large File Icons:** Displays content and folder icons at an enlarged size, with the name of the content file appearing beneath the icon.



- **View Small File Icons:** Displays content and folder icons at a reduced size, with the name of the content file appearing to the right of the icon. Selected by default.



- **Remove & Replace**



- **Always Replace Items:** When selected, will replace current content in the scene with the selected content. For example, if you have hair attached to the selected figure and double-click on a new hair style, the new hair will replace the old hair. Selected by default.
- **Ask to Replace Items:** When selected, will ask whether you would like to replace current content in the scene with the new content.




NOTE! In order to replace content in the scene with new selected content, the two items must be of the same type, i.e., a hair prop cannot replace a conforming hair but it can replace another hair prop.




NOTE! Content must be mapped before it can be replaced using these options. See "[Content Manager](#)" for more information on mapping content.

- **Never Replace Items:** When selected, adds the selected content to the scene.
- **Show File Info Tooltip:** When selected, shows the file information as a tooltip when hovering the cursor over the thumbnail. Off by default.



- **Show File Extensions:** When selected, will show the file extensions in the Content tab. Off by default.




- **Auto Magnetize:** Toggle to turn the Auto Magnetize feature on or off. See "[Auto Magnetizing Clothing](#)" for more information on this feature.
- **Reset the Content Database:** When clicked, will delete the current content database and replace it with the default database settings and categories.

Command and Toolbar Reference


File Menu Commands

The File menu is where you access file-related functions. To access this menu, either click **File** or press **Alt+F**.



The Load Toolbar

Toolbars are completely customizable as described in "[Customizing Toolbars](#)" in "[Using and Customizing Your Interface](#)." When using the Basic interface style, the Load Activity tab contains a toolbar that contains some of the commands in the File menu.



From left to right, the toolbar commands shown in the tab are:

1. Clear the Scene and Start a New Scene
2. Open an Existing File
3. Save the Current Scene
4. Delete the Selected Item
5. Change the Backdrop File and Settings for the Current Scene
6. Click to Activate the Node Selection Tool
7. Click to Activate the Active Pose Tool
8. Click to Activate the Rotate Tool
9. Click to Activate the Translate Tool
10. Click to Activate the Scale Tool
11. Reverse the Previous Action
12. Reinstate the Previously Reversed Action
13. Click for Interactive Help

The commands in the File menu are described below:

New

To close your current scene file and start a new blank scene, choose one of the following options:

- Choose **File > New**.
- Click the **Clear the Scene** icon in the Load Toolbar.
- Use the keyboard shortcut **Ctrl+N**.

You will be prompted to save any unsaved changes before the new scene appears. If you do not save these changes, you will lose them. This action also clears and resets the **Undo/Redo stack**.



CAUTION! If you open a new scene or otherwise close the old one without saving it, you will lose all unsaved work within a scene.

Open

To **Open** a DAZ Studio scene file that you previously saved, use one of the following methods:

- Choose **File > Open**.
- Click the **Open an Existing File** icon in the Load Toolbar.
- Use the keyboard shortcut **Ctrl+O**.

A standard Open File dialog box appears. Navigate to the folder that contains your desired file, and select the file to open it. You will be prompted to save any work on the current scene before the new file opens. This action also clears and resets the **Undo/Redo stack**.

Merge

The **Merge** command allows you to merge a previously-saved scene into your current scene. Use one of the following methods:

- Choose **File > Merge**.
- Use the keyboard shortcut **Ctrl+Shift+O**.


Save

The **Save** command allows you to save your scene for the first time, or to overwrite a previous version of your current file with your latest changes. If you have not yet saved your scene, the Save File As dialog prompts you to choose a location and filename.

To save your current scene, use one of the following methods:

- Choose **File > Save**.
- Click the **Save the Current Scene** icon in the Load Toolbar.
- Use the keyboard shortcut **Ctrl+S**.

Save As



The **Save As** command allows you to save several different types of files:

- Choose **File > Save As > Scene** or press **Ctrl+Shift+S** to save all or part of your current scene to a different filename. You can save multiple versions of the same scene so that you can easily return to a previous version. A standard Save As dialog allows you to select your desired folder and filename. Scenes are saved with a .daz extension. When you save a Scene, it includes all information in your current scene. You can also use one of the other Save As options to save specific types of files to your content folder.
- Choose **File > Save As > [D-Form Preset](#)** to save deformers to the folder of your choice.
- Choose **File > Save As > [Puppeteer Preset](#)** to save custom Puppeteer poses to the folder of your choice.
- Choose **File > Save As > [Pose Preset](#)** to save the current frame as a still pose, or all frames as an animated pose.
- Choose **File > Save As > [Shader Preset](#)** to save the currently selected shader. The preset can include all surface properties or advanced surface properties.
- Choose **File > Save As > [Materials Preset](#)** to save one or all of the materials in the current object.
- Choose **File > Save As > [Light\(s\) Preset](#)** to save all lights or selected lights in your scene. You can save the lights as they appear in the current frame, or save a preset that animates your lighting.
- Choose **File > Save As > [Camera\(s\) Preset](#)** to save all cameras or selected cameras in your scene. You can save the cameras as they appear in the current frame, or save a preset that animates the cameras.
- Choose **File > Save As > [UV Preset](#)** to save applied UV sets as a preset and/or collect the files into a zip file for distribution purposes.

Save Last Render

Choose **File > Save Last Render** or press **Ctrl+Shift+R** to save your last rendered image as a file on your hard drive. A standard Browse dialog allows you to select a filename and folder for your saved image. This command will not be enabled until after you create a render in your current session.

If the rendered image or animation cannot be saved for some reason, a dialog will be displayed with the following options available:

- **Try Again:** When selected, will try to save the render again.
- **Choose New File:** When selected, will bring up a save dialog where you can select a different location and file name for the render allowing DAZ Studio to attempt to save the image to the new location.

Import

DAZ Studio allows you to import content that has been saved in several different formats. Choose **File > Import** or use the **Import an Existing File** button on the Main Toolbar. A Browse dialog appears for you to locate and select your desired content.

The currently supported import formats are:

- [Biovision \(.bvh\)](#) animation file
- [Poser 4® or later versions:](#)
 - .pz3 (.pzz for compressed version) - Scene files
 - .pz2 (.p2z for compressed version) - Pose Library files
 - .cr2 (.crz for compressed version) - Character/Figure Library files
 - .cm2 (.cmz for compressed version) - Camera Library files
 - .lt2 (.ltz for compressed version) - Light Library files
 - .hd2 (.hdz for compressed version) - Hand Library files
 - .fc2 (.fcz for compressed version) - Face/Expression Library files
 - .hr2 (.hrz for compressed version) - Hair Library files
- [Wavefront Object](#) (*.obj) (.obz for compressed version)

Export

Choose **File > Export** to save content to different formats. The Save As dialog allows you to select your desired folder and filename. The currently supported export formats are:

- [BioVision](#) (.bvh) animation files.
- [COLLADA](#) (.dae) files.
- [Wavefront Object](#) (*.obj) - For Bryce or other 3D programs that import 3D geometry in this format.
- [Universal 3D](#) (*.u3d) - A 3D format that allows you to import your DAZ Studio 3D content into Photoshop CS3 Extended

Click on the links above to access instructions on using each export option.



NOTE! Additional plug-ins are available for DAZ Studio to provide additional export options.

Exit

To exit the DAZ Studio application, use one of the following options. You will be prompted to save any unsaved changes.

- Choose **File > Exit**.
- Press **Alt+F4** (Windows) or **Ctrl+Q** (any platform).




CAUTION! Unlike most applications in OSX, Clicking the "X" icon in the upper-left corner of the DAZ Studio window title bar WILL SHUT DOWN DAZ Studio COMPLETELY and you will lose all unsaved changes with no prompt to save them.

File > Save As

Save as Scene

To save all figures, textures, props, lights, cameras, etc. into a scene file:


1. Build your scene, adding figures, textures, clothing, poses, etc.
2. Choose **File > Save As > Scene** from the menu. A default save dialog comes up.
3. Navigate to the content or storage folder where you want to save the scene, enter a file name, and click on **Save**. A progress dialog will come up showing the progress of the save. Once the dialog closes, you can continue working in DAZ Studio.



Save as D-Form Preset

To save a D-Form as a preset:

1. Create the d-formers and adjust as needed. See "[D-Form](#)" for more on using deformer.
2. Choose **File > Save As > D-Form Preset** from the menu. A default save dialog comes up.
3. Navigate to the content folder where you want to save the preset, enter a file name, and click on **Save**. The **Save D-Form Preset Options** dialog comes up.



4. Select the options to export:
 - **Animation Range** -
 - **Current Frame Only:** When selected saves only the current frame, even if the animation timeline has multiple keyframes associated with it.
 - **Animated Range:** When selected, saves out the designated frames associated with the timeline. Enter the **Start frame** and **End frame** to set where the animation export starts and ends.
 - **Data** -
 - **All D-Formers:** When selected, saves all D-Formers in the scene.
 - **Selected D-Former(s):** When selected, activates the D-Former selection pane where you can select which D-Formers to export, even if a different D-Former is selected in the scene. Use the Shift and Ctrl keys to select multiple D-Formers.
 - **Fitted Targets** - These options tell DAZ Studio whether or not the D-Form preset should "remember" that the D-Forms affect any fitted/magnetized clothing as well as the figure.
 - **Also affect All items fit to the figure:** When selected, the D-Form preset will influence all clothing items fit to the figure when the preset is applied.
 - **Also affect SELECTED items fit to the figure:** When selected, the D-Form preset will influence only the fitted clothing items selected when the preset is applied.
5. When all options have been selected or set, click on the **Accept** button to save the preset or on the **Cancel** button to cancel the operation. The presets will be saved with the D-Form labels and names as part of the preset.

Save as Puppeteer Preset

To save Puppeteer layers as a preset:

1. Create the Puppeteer animation and adjust as needed. See "[Puppeteer](#)" for more on using Puppeteer.
2. Choose **File > Save As > Puppeteer Preset** from the menu. A default save dialog comes up.
3. Navigate to the content folder where you want to save the preset, enter a file name, and click on **Save**.
4. The **Puppeteer Preset Options** dialog comes up. Select whether to **Save All Layers** or **Save from List**. If you select **Save from List**, the **Layer Listing** will activate and you can place a checkmark next to each layer to be included in the preset.




5. Click on **Accept** to save the preset or on **Cancel** to cancel the operation.

Save as Pose Preset


To save the current pose as a preset:

1. Adjust the parameters for the figure to pose it. Make sure the figure is selected.
2. Choose **File > Save As > Pose Preset** from the menu. A default save dialog comes up.
3. Navigate to the content folder where you want to save the preset, enter a file name, and click on **Save**.
4. The **Save Pose Preset Options** dialog comes up where you select which frames and properties to save as part of the preset.




- **Animation Range -**
 - **Current Frame Only:** When selected saves only the current frame, even if the animation timeline has multiple keyframes associated with it.

- **Animated Range:** When selected, saves out the designated frames associated with the timeline. Enter the **Start frame** and **End frame** to set where the animation export starts and ends.
- **Data -**
 - **Record All:** When selected, saves all transform, translation, and morph settings that are currently on the selected figure.
 - **Record Custom:** When selected, activates the **Property Listing** for the selected figure where you can select specific properties to save. For example, if you made a hand pose, you don't want to save the properties for the entire figure, just those for the hand.
 - Click on the plus/minus signs next to each label to expand/collapse the listing.
 - Click in the boxes to select specific settings to export.



- If needed, select options from the **Custom Options** menu.



Choose whether to select or deselect all **Channels**, **Morphs** (see caution below), **Transforms**, or **Modified** settings.




CAUTION! The **Select All Morphs** option selects only the morph channels in the body parts and not in the body. Full-body morph channels (i.e. 'valueParm' channels in the Poser File) are not selected by the 'Select all Morphs' box. This is simply because 'valueParm' channels can be used for any purpose. Currently, it is necessary to manually select the desired FBM channels from the list.

5. Click on **Accept** to save the preset or on **Cancel** to cancel the operation.

Save as Shader Preset


To save the current shader as a preset:

1. Create the shader and adjust as needed.
2. Choose **File > Save As > Shader Preset** from the menu. A default save dialog comes up.
3. Navigate to the content folder where you want to save the preset, enter a file name, and click on **Save**.
4. The **Shader Preset Options** dialog comes up where you select which surface properties to save as part of the preset.



- **Record All:** When selected, saves all transform, translation, and morph settings that are currently on the selected figure.
- **Record Custom:** When selected, activates the **Property Listing** for the selected figure where you can select specific properties to save. For example, if you applied a texture to the figure's lips, you don't want to save the properties for the entire figure, just those for the lips.
 - Click on the plus/minus signs next to each label to expand/collapse the listing.

- Click in the boxes to select specific settings to export.




5. Click on **Accept** to save the preset or on **Cancel** to cancel the operation.


Save as Materials Preset

To save a material setup as a preset:

1. Apply textures to the figure, clothing, or prop and adjust as needed.
2. Make sure the item is selected and choose **File > Save As > Material Preset** from the menu. A default save dialog comes up.
3. Navigate to the content folder where you want to save the preset, enter a file name, and click on **Save**.
4. The **Materials Preset Options** dialog comes up where you select which surface properties to save as part of the preset.




- **Record All:** When selected, saves all transform, translation, and morph settings that are currently on the selected figure.
- **Record Custom:** When selected, activates the **Property Listing** for the selected figure where you can select specific properties to save. For example, if you applied a texture to the figure's lips, you don't want to save the properties for the entire figure, just those for the lips.
 - Click on the plus/minus signs next to each label to expand/collapse the listing.
 - Click in the boxes to select specific settings to export.



- **Save Alternate UVs?:** When selected will save any alternate UV sets applied to the figure. This option is needed when the materials applied to the figure use an alternate UV

set. This option will save the information needed to apply the correct UV set to match the materials in the preset.



- The original UV set (Base) is not saved using this option.
- If this option is selected but no alternate UVs are applied to the figure, then this option is ignored.




TIP! If you only want one alternate UV set saved with the preset, then only load the UV set needed for the preset to work.

5. Click on **Accept** to save the preset or on **Cancel** to abort the operation.


Save as Character Preset

To save a character as a preset:

1. Create your character and adjust as needed.
2. Select the figure in the Scene tab.
3. Choose **File > Save As > Character Preset** from the menu. A default save dialog comes up.
4. Navigate to the content folder where you want to save the preset, enter a file name, and click on **Save**.
5. The **Save Character Preset Options** dialog comes up. To save the entire figure as a character, select the **Record All** option. To select specific body parts to save in the file, select the **Record Custom** option, expand the figure tree and select only those items that need to be exported.



6. If you selected to Record Custom, the options menu activates allowing you to select specific export options.




- Select All Channels - TBD
 - Deselect All Channels - TBD
 - Select All Morphs - TBD
 - Deselect All Morphs - TBD
 - Select All Transforms - TBD
 - Deselect All Transforms - TBD
 - Select All Modified - TBD
 - Deselect All Modified - TBD
7. Repeat step 4 for the Materials.
 8. Click on **Accept** to save the preset or on **Cancel** to cancel the operation.

Save as Light(s) Preset

To save a light setup as a preset:

1. Add lights to the scene and adjust as needed.
2. Select the lights in the Scene tab.
3. Choose **File > Save As > Light(s) Preset** from the menu. A default save dialog comes up.
4. Navigate to the content folder where you want to save the preset, enter a file name, and click on **Save**.
5. The **Save Light(s) Preset Options** dialog will come up.




Select the export options:

- **Animation Range** - Select to export only the current frame (default) or an animation range.
 - **Data** - Select to export all lights or to only export the currently selected light(s).
6. Click on **Accept** to save the preset or on **Cancel** to cancel the operation.

Save as Camera(s) Preset

To save a camera or set of cameras as a preset:

1. Create the cameras and adjust as needed.
2. Select the camera(s) in the Scene tab.
3. Choose **File > Save As > Camera(s) Preset** from the menu. A default save dialog comes up.
4. Navigate to the content folder where you want to save the preset, enter a file name, and click on **Save**.
5. The **Save Camera(s) Preset Options** dialog comes up.



Select the export options:


- **Animation Range** - Select to export only the current frame (default) or an animation range.
 - **Data** - Select to export all cameras or to only export the currently selected camera(s).
6. Click on **Accept** to save the preset or on **Cancel** to cancel the operation.

Save as UV Preset


Saving a set of UVs as a preset allows the additional UV sets to be saved and applied later to the same figure if needed and distributed for use by other users.

To save a UV set or sets as a preset:


1. Apply the UV sets to the current object.
2. Choose **File > Save As > UV Preset** from the menu.
3. A default file browser dialog will come up. Locate the save location for the preset (in the Studio content folder), enter a name for the preset, and click on **Save**.
4. The **UV Preset Options** dialog will come up. Click in the checkbox next to each UV set to be included in the preset. You cannot save the default UV set as it is already part of the original object so it will not be shown in the list. If you have five UV sets applied but only want to save three of them, only select the three you want to save.




5. To collect the UV sets in a zipped file for easier distribution, click on the checkbox next to **Collect Files in Zip**.
6. Click on **Accept** to save the preset or on **Cancel** to exit the dialog without saving the preset. If you clicked on **Accept**, the preset will be saved to the selected location as well as the zip file if that option was selected.



7. To check the UV preset, load the default object into your scene without applying any additional UV sets.
8. Make sure the object is selected and navigate to the content folder where you saved the preset.
9. Double-click on the preset thumbnail and the UV set(s) will be applied to the object. Please note that the more UV sets you have in the preset, the longer it will take to apply them.




10. Check the UV Set listing in the Surfaces tab to see if the UV sets are listed. Select the UV sets and apply matching textures to verify the UV sets were properly applied.



File > Import

Import BVH Files

The **BVH Importer Options** dialog comes up when you select **File > Import**, choose the **BioVision (.bvh)** export option, and select/open a .bvh file.



To import a BVH file:

1. Load and select the figure to apply the animation file to.
2. Choose **File > Import** from the menu, select the **BioVision (.bvh)** export option, locate and select the file to be imported, then click on **Open**.


The **BVH Importer Options dialog** comes up with the following options available:

- **Selected File:** Shows the name of the BVH file being loaded.
- **Selected Figure:** Shows the currently selected figure that the animation file will be applied to.
- **Scene Animation Setup Options**
 - **Adjust scene to match the file:** When selected will adjust frames in current scene to match the file being imported.
 - **Use the current scene values:** When selected will use the current scene frames and drop any frames from the animation that go over the scene max frames.
 - **In Place Mode (no X or Z hip translation):** When enabled will leave the figure in current location in the scene. When disabled, figure will move based on where the imported animation places the figure.
 - **Limit Joint Rotation:** When enabled, limits joint rotation even if the animation file has settings outside the limits. When disabled, does not limit joint rotation and the animation settings are used.
- **Show Details:** Click on button to expand the dialog and view the name mapping lists. The name mapping shows which nodes in the animation are mapped to the nodes in the selected figure. Changes to **Hide Details** when list is expanded.

3. If you are not sure if the name mapping is correct, i.e., animation was made for a biped and is being applied to a quadruped, etc., or know that the mapping is not correct, click on the **Show Details** button to view the current mapping.

- **Load Map:** Enables a saved name mapping to be loaded and applied to the import.
- **Save Map:** Enables the current name mapping to be saved so it can be used for a future BVH import or export.
- **File Nodes:** Lists the figure node hierarchy from the file being imported. Nodes with a checkmark next to them indicate that a matching node was found in the Figure Nodes list.


- **Figure Nodes:** Lists the figure node hierarchy for the selected figure.




4. Review the nodes listed in the **File Nodes** listing to ensure that they are correctly mapped to a node in the **Figure Nodes** listing.

5. If needed, remap nodes that are not mapped as needed for the figure or for the requirements of the animation, or map nodes that had no matching nodes.


- To change the mapping of a node:
 1. Click once on the name to be remapped in the File Nodes list to select it. The matching node in the Figure Nodes list will be highlighted as well.




- Click on a different node in the Figure Nodes list and the selected node in the File Nodes list will be remapped to the selected node.



If you remap a node from the figure to a node in the file and that figure node had a matching file node, the file node will be deselected and will not be imported. For example, the image below shows a IFoot figure node that has been remapped to the IShin file node. This means that the original IFoot file node no longer has a matching node so is automatically deselected and will not be imported. The node can be remapped to the IFoot and then the IShin remapped as well.




- Confirm the change by clicking on a different node in the File Nodes list, then reselecting the previous node. When it is selected, the remapped node will be selected in the Figure Nodes list instead of the original node.
- To map a node that did not have a matching name or was unmapped:
 - Click on the node to be mapped in the File Nodes list to select it. The checkbox next to the node will be empty.




- Click on the matching node in the Figure Nodes list to map to the file node. The blank checkbox next to the file node will automatically be checked to show that it

is now mapped to a figure node.




6. If needed, remove nodes from the **File Nodes** listing that should not be imported by clicking on the checkbox to remove the checkmark for that node. If a parent node is deselected, all child nodes will be deselected as well.

7. If the name mapping was changed, save the map by clicking on the **Save Map** button. The BVH Save Map dialog will come up.




8. Click on the arrow next to the **Stored Maps** field to select a name from the drop-down list to overwrite or click on the **New** button to create a new file. The **Stored Maps** field will be cleared and made editable. Enter a new name and click on **Save**.




9. To load a saved map that will override the current name mapping, click on the **Load Map** button. The **BVH Load Maps dialog** will come up.

10. Select the map to load from the **Stored Maps** drop-down menu then click on the **Load** button. The selected map will be applied to the current figure and file nodes.



11. To delete a saved map, click on the **Load Map** button. The **BVH Load Maps dialog** will come up.

12. Select the map to delete from the **Stored Maps** drop-down menu then click on the **Delete** button. A confirmation dialog will come up. Click on **Yes** to delete the map or on **No** to keep it.



13. Once all settings have been selected and names are mapped correctly, click on the **Accept** button. The animation will be imported and applied to the selected figure.

14. Press **Play** on the Timeline tab to play the animation.

Import Poser Files

Poser Runtime folders can be linked to DAZ Studio and the content loaded via the Content tab, however, if the files are not located in a Runtime folder, they can be imported into DAZ Studio by selecting **File > Import**, choosing the **Poser Files** export option, and select/open a supported Poser file.

Studio can import the following Poser 4 or higher files:


- .pz3 (.pzz for compressed version) - Scene files
- .pz2 (.p2z for compressed version) - Pose Library files
- .cr2 (.crz for compressed version) - Character/Figure Library files
- .cm2 (.cmz for compressed version) - Camera Library files
- .lt2 (.ltz for compressed version) - Light Library files
- .hd2 (.hdz for compressed version) - Hand Library files
- .fc2 (.fcz for compressed version) - Face/Expression Library files
- .hr2 (.hrz for compressed version) - Hair Library files

You will be notified if there are files that cannot be found and given the opportunity to locate them. In addition, the importer reads and sets the strength values for the settings found in the file, including ambient, diffuse, and specular settings.

Remember that DAZ Studio does not support Poser dynamic hair and clothing items that are contained in any of the files being imported.


Import OBJ Files

The **OBJ Import Options** dialog comes up when you select **File > Import**, choose the **Wavefront Object (*.obj; *.obz)** export option, and select/open an obj or obz file. It is usually safe to select the Preset you need then click on Accept to use the default options.




The following options are available on the import options dialog:

- Preset:** Provides a list of import presets which enable Studio to import the mesh at the correct scale. Select the Poser preset to import objects that were exported from Studio, Poser, or programs with specific exporters that support Poser.



- Scale:** Reflects the default scale for the selected program preset. The scale percentage can be changed prior to importing but it is recommended that you select the Custom option and adjust the scale for it.




- **Swap Y and Z orientation:** When enabled, compensates for packages which use +Z Up instead of +Y Up.
- **Read Vertices (v):** Indicates whether vertex statements are to be read from the imported file. This option is disabled and always checked since the vertex statements must always be read.
- **Read Groups (g):** Indicates whether group statements are to be read from the imported file.
- **Read UV Coordinates (vt):** Indicates whether texture coordinate statements are to be read from the imported file.
- **Read Surfaces (usemtl):** Indicates whether surface statements are to be read from the imported file.
- **Read Material Library (mtllib & .mtl):** Indicates whether the material library statement should be read from the imported file and whether the supported statements in the material library file itself should be read.

File > Export

Export BVH Files

The **BVH Exporter Options** dialog comes up when you select **File > Export** and choose the **BioVision (.bvh)** export option.



The following options/fields are available:


- **Load Map:** Enables a saved name mapping to be loaded and applied to the export. See "[Import BVH Files](#)" for more on loading name mappings.
- **Save Map:** Enables the current name mapping to be saved so it can be used for a future BVH import or export. See "[Import BVH Files](#)" for more on saving name mappings.
- **Selected Figure:** Shows the currently selected figure.

- **Selected File:** Shows the file name where the animation will be saved to.
- **Second Life Compatibility:** If exporting the animation for import into the [Second Life](#) online game, select this option, otherwise, make sure it is deselected.
- **Figure Nodes:** Click on the plus/minus signs to expand or collapse the listing for each figure node.
- **Export Option:** Click on the **E** next to each node you do not want to export. The **E** will be removed to indicate that the node will not be exported. Clicking on the **E** for a parent node will also deselect all child nodes but re-enabling a parent node will not reselect its children.

Export Collada Files

The **Collada Export Options** dialog comes up when you select **File > Export** and choose the **COLLADA dae (*.dae)** export option.

General Tab



The following options are available on the General tab:

- **Scene Options**

- **Up Axis:** Select the up axis for the particular program the object will be imported into. The default is Y Up, but different programs may use other axes. This changes only the Up-Axis setting and will not perform any additional geometry modifications.



- **Material Options**

- **Copy images to folder:** When selected will gather up the images/textures applied to the item(s) and place them in a folder for easy access by the user and the program being imported into. The folder will be created in the same directory where the file is being saved to. Pathnames to materials will be updated as needed to use the relative path.
- **Invert alpha images:** When selected, will invert the colors for any image used for the Opacity channel in Studio so the images are supported in Collada 1.4.1 which has no transparency option that matches the Studio format. Has no effect if the Copy image to folder option is not selected.

- **Animation Options**

- **Include Transformations:** Enable to include transformations in the animation export.
- **Include Morphs:** Enable to include morphs in the animation export.


- **Miscellaneous Options**

- **Skip polygons for invisible nodes:** If a node is invisible, will not export that node.
- **Remove unused vertices:** Scans the polygons to identify any vertices that are not being used, removes them from the mesh, and reassigns the polygons to use the reduced list. Affects both standard and LOD models so if exporting LOD levels and need the exported mesh to contain a compatible vertex list across all LOD levels, deselect this option.

- **Game Options**

- **Merge Materials by Diffuse Map:** Splits models into sub-meshes based on whether they share a Diffuse Color Map. Materials that don't use a Color Map will be merged if they share the same Diffuse Color.
- **Set to Defaults:** Click to reset all options on both tabs to the program defaults.


Morphs Tab



The following options are available on the Morphs tab:

- **Morph Options**


- **Include Types:** Select what types of morphs to bake.
 - **No Morphs:** When selected, no morphs will be baked into the geometry or exported as Collada morph targets.
 - **Active Morphs only:** When selected, only active morphs (those with a non-zero value) will be exported.



- **Morph Baking:** Select whether and how to bake morphs.
 - **Don't bake any morphs:** All morphs will be exported as Collada morph targets and not baked directly into the geometry.
 - **Bake all morphs into geometry:** All active morphs will be baked into the geometry of the figure making them static.
 - **Use Selection List:** Enables the **Morph Selection List** where specific morphs to bake can be selected or deselected.



- Geometry Details:** Determines the amount of geometry information that will be included in the exported morph definition.
 - Vertices Only:** Morphs will be exported in the standard format with just the vertex delta information included.
 - Full Mesh:** Add the texture and polygon information to the morph definitions. Used with importers that do not support vertex only morphs. Use with caution as this is the equivalent of adding a new figure for every morph.



- Morph Selection List:** Click on the plus signs to expand nodes and select morphs to bake. Not active unless the **Use Selection List** option is selected.

Selected morphs will be baked into the geometry while unselected morphs will be exported as Collada morph targets.

Checked morphs will be baked into the model geometry

| Morph Set | Type | Items | Modifier |
|--|------------|-------|-------------------------|
| [-] hair | DzNode | | |
| [-] <input checked="" type="checkbox"/> OverEar4R | single | 1 | figureHair OverEar4R |
| [-] <input checked="" type="checkbox"/> OverEar4L | single | 1 | figureHair OverEar4L |
| [-] <input checked="" type="checkbox"/> Neckline | single | 1 | figureHair Neckline |
| [-] <input checked="" type="checkbox"/> HairlineLow2 | single | 1 | figureHair HairlineLow2 |
| - Faerie Wings3 PP | DzSkeleton | | |
| + Faerie Dress | DzSkeleton | | |
| + Faerie Antennae | DzSkeleton | | |
| + Victoria 3 RR LE | DzSkeleton | | |


LOD Levels Tab

If the figure being exported has multiple LOD levels applied, an LOD level can be selected in the **LOD Levels tab**. Left-click on figure listing and choose an **LOD level** from the menu. Only one level can be exported at a time.



UV Sets Tab

If the figure being exported has multiple UV sets applied, any one of the UV sets can be selected in the **UV Sets tab**.




- **Use Scene Settings:** Will export the UV set currently selected.
- **Loaded UV Sets:** Select which UV set to export.

Export OBJ Files

The **Wavefront Object Export Options** dialog comes up when you select **File > Export** and choose the **Wavefront Object (*.obj)** export option.


The OBJ Exporter makes sure that there are no whitespaces in group name entries when exporting which prevents issues with incorrect grouping when importing OBJ files that were exported from DAZ Studio into other programs.

Basic Tab



The following options are available on the General tab:

- Preset:** Provides a list of export presets which enable Studio to export the mesh at the correct scale for the specified program. When exporting morph targets, even when they will be re-imported into Studio, select the Poser option.



- **Scale:** Reflects the default scale for the selected program. The scale percentage can be changed prior to exporting but it is recommended that you select the Custom option and adjust the scale for it.


Preset : Hexagon (1 unit = 1cm) ▼
 Scale : 100 %

Preset : Modo (1 unit = 1m) ▼
 Scale : 1 %

Preset : Poser (1 unit = 8ft) ▼
 Scale : 0.410104987 %

- **Do not export invisible nodes:** When enabled, nodes set to not visible will not be exported.
- **Weld Figures:** When enabled, welds duplicate vertices.
- **Remove Unused Vertices:** When enabled will removed unused vertices from the mesh.


Advanced Tab



The following options are available on the Advanced tab:

- **Swap Y and Z Orientation:** When enabled, compensates for packages which use +Z Up instead of +Y Up.
- **Write UV Coordinates:** When enabled, texture coordinate statements (UV coordinates) are written to the exported file.
- **Write Normals:** When enabled, vertex normal statements are written to the exported file.
- **Write Object Statements:** When enabled, divides the geometry into "objects" when saving out the scene and is a good way to separate different scene items. Only some importers support this, however, so it isn't always useful. Importers that do not support this option will ignore the object statements.
- **Write Groups:** When enabled, group statements are written to the exported file based on the selected options. Determines how facet grouping will be written to the saved file.
 - **Use Existing Groups:** Saves out the OBJ with the same grouping it currently has.
 - **Use Node Names:** This option will save all of the geometry for a node into a single group named the same as the node. This is useful for figures as it will save out geometry grouped according to bone and can also be useful when saving out scenes so that different props are saved into different groups.
 - **Use Surface Names:** This option will save out the geometry grouped according to its surface (material) names. For example, if saving a figure, all the geometry in the figure for the "Skin" material would be put into a single group.
 - **Use Figure Names:** This option will save out the geometry according to the figure/prop it belongs to. This is similar to the "Node Names" option, except that it will save a figure in a single group instead of a group for each bone.
- **Write Surfaces:** When enabled, surface statements are written to the exported file.
 - **Write Material Library:** When enabled, writes the surface and/or map information to an .mtl file. Enable this for export formats that support mtl files.
 - **No Maps:** No texture maps are written to the mtl file, only surface information.
 - **Collect Maps:** Maps are collected into a folder in the same location as the exported mesh file.
 - **Convert Maps (for Bryce):** Maps are converted to a format that can be imported into Bryce and the maps are collected into folders in the same location as the exported mesh file.


Mesh Options Tab



The following option is available on the Mesh Options tab:

- **Modify the LOD export level:** Allows selection of a specific LOD level to be exported. Only one LOD level can be exported at a time and only points that are connected to polygons.
 - **Node:** The selected figure node.
 - **Scene LOD:** The current LOD level selected in the scene.
 - **Export LOD:** The LOD level that will be exported.

To select a different LOD level to export without having to start the export process over again, right-click on the **Export LOD field** and select the LOD level to export.




The **Export LOD field** will change to show which LOD level is to be exported.



Export U3D Files

The **Export: Universal 3D (.u3d) Options** dialog comes up when you select **File > Export** and choose the **Universal 3D (*.u3d)** export option.




The following options are available:

- **Resample Maps:** Enable if the texture maps for the object are too large and may cause issues with loading and working with in Photoshop.
 - **Maximum Size:** Sets the maximum size of the resampled maps. Has no effect if Resample Maps is not enabled.
- **Export Lights:** Enable to export the lights in the scene along with the object.
- **Export Cameras:** Enable to export the cameras in the scene along with the object.

Edit Menu Commands

The **Edit menu** allows you to perform standard editing functions and to set global DAZ Studio preferences. To access this menu, either click **Edit** or press **Alt+E**.



Undo

The **Undo** command reverses the last action you took. DAZ Studio supports multiple undo actions, meaning that you can delete many prior actions. The undo operations occur in the reverse order, beginning with the most recent action. Undo actions apply only to those you performed in the current session. In other words, if you create a scene, save it, then close it, you will not be able to undo your previous actions when you reopen the file.

This menu item will remain grayed-out until you perform your first action in a scene. Afterward, you can use one of the following methods to perform an Undo action:

- Choose **Edit > Undo**
- Use the keyboard shortcut **Ctrl+Z**

Redo

The **Redo** command reinstates actions that you have deleted with the Undo command. DAZ Studio supports multiple redo actions, meaning that you can repeat many prior actions. Redo operations occur in reverse order, starting with action that was last Undone. Redo actions apply only to those you performed in the current session. In other words, if you create a scene, save it, then close it, you will not be able to redo your previous actions when you reopen the file.

This menu option will remain grayed-out until you perform an Undo. Afterward, you can use one of the following methods to perform a Redo action:

- Choose **Edit > Redo**
- Use the keyboard shortcut **Ctrl+Y**

Delete

To delete one object, light, or camera in your scene, select one item within the scene. You can also select multiple objects, lights, or cameras in the Scene Tab. Then choose **Edit > Delete** or press the **Del** key to delete the selected object(s).

Delete All Lights

If your scene contains one or more lights, choose **Edit > Delete All Lights** to delete all of the lights in your scene.

Delete All Cameras

If your scene contains one or more cameras, choose **Edit > Delete All Cameras** to delete all of the cameras in your scene.

Copy Settings

Choose **Edit > Copy Settings** or use the keyboard shortcut **Ctrl+C** to copy settings from one object to another. For example, you can select the figure's right thigh and copy it to the clipboard.

Paste Settings


Choose **Edit > Paste Settings** or use the keyboard shortcut **Ctrl+V** to paste settings from the clipboard into another object. For example, if you copied pose settings from a figure's right thigh into the clipboard, you could paste them to the left thigh.

Backdrop

To insert a background image into the scene, choose **Edit > Backdrop**. The **Backdrop Options dialog** prompts you to choose an image. You then have the option to rotate the background left 90 degrees, right 90 degrees, or 180 degrees. You can also flip the image horizontally or vertically.

Audio

Choose **Edit > Audio** to add an audio file as a background for an animation. The **Audio Options dialog** prompts you to select a .WAV file. You can play the audio file to preview the sound, specify the frame number in your animation where the audio file should start to play, and set whether to adjust the current animation range in order to accommodate the length of the audio file.



Preferences

Selecting **Edit > Preferences** opens the **Preferences dialog**, which contains four tabs: General, Directories, Interface, and Scene. Refer to "[Using and Customizing Your Interface](#)" and "[Setting Interface Preferences](#)" for more information on these settings.


Customize

Choose **Edit > Customize** to open the Customize DAZ Studio dialog, which allows you to customize menus, buttons, and toolbars to suit your own preferences. See "[Using and Customizing the Interface](#)" for more information on these settings.

Device Settings

Provides support for the Sandio 3D Mouse and 3DConnexion 3D Mouse (both purchased separately).

1. Make sure the mouse is installed with the latest drivers from [Sandio](#) or [3DConnexion](#).
2. Launch DAZ Studio and choose **Edit > Device Settings** from the menu, select the tab for your mouse, select a mode, and click on **Accept**:



- **Orbit Camera** - When selected, using the 3D mouse will orbit the currently selected camera around the scene.
- **Rotate Camera** - When selected, using the 3D mouse will rotate the currently selected camera around its axis.
- **Transform Scene Item** - When selected, using the 3D mouse will move the currently selected object in the scene.



NOTE! See the user guide for your 3D mouse for instructions on using the mouse controls to move around in the scene or manipulate objects.

Convert to SubD


Choose **Edit > Convert to SubD** to convert the selected object to a SubD object. See "[Sub-Division Surfaces](#)" for more information on this option.

Add Level of Detail

Choose **Edit > Add Level of Detail** to bring up the Import Geometry dialog. See "[Level of Detail](#)" for more information this option.

View Menu Commands


The **View** menu allows you to display and hide various items on your screen, configure the viewport layout, and show or hide various tabs. You can also save custom layouts.



Interface Layout


Commands in the **View > Interface Layout** menu pertain to the appearance of your interface. Here you can save or delete your own custom layouts, and restore session or factory layouts. The sub-commands are divided into sections:

The top section allows you to choose one of three built-in interface layouts: Basic, Advanced, or Classic.



The bottom section contains commands that allow you save, add or delete your own custom layout arrangements. The layouts you create will be added or removed from the list of available layouts in the **View > Interface Layout** menu:


- **Select Layout:** Allows you to choose one of several predefined layouts, including those you have created and saved yourself. The screen contains a drop-down menu that selects a default layout. The **Layout** options define the tabs that appear by default. A preview of each layout appears in the wizard screen as you select an option from the drop-down menu. After you make your selection, click on **Apply** to accept the changes.




- **Save Layout As:** Opens the Save Layout dialog, which prompts you to locate a folder and assign a name to your new style.
- **Delete Layout:** If custom layouts appear in your Interface Layout menu, use the Delete Layout command to select the items you want to delete from the menu.

Interface Style

Commands in the **View > Interface Style** menu allow you to choose one of several interface color schemes. You can also save your own custom styles, delete styles, and customize the background and accent colors of the DAZ Studio interface to suit your own preference.




- **Select Style:** Choose this command to select the interface color scheme that you want to use. The **Style Selection** screen displays various options for interface and text colors. The default style is Nouveau, but there are a variety of interface color options, including interface color options that are similar to those used in Carrara, Hexagon, and DAZ Studio classic. Previews of the color selections appear beneath the drop-down menu. After you make your selection, click on **Apply** to accept the changes.



- **Save Style As:** After you create your own interface style, choose View > Interface Style > Save Style As. The Save Style dialog prompts you to locate a folder and assign a name to the new style. By default, DAZ Studio saves the new styles to the DAZ Studio > scripts folder.
- **Delete Style:** If custom styles appear in your Interface Style menu, the Delete Styles command allows you to select the items you want to delete from the menu.
- **Customize Colors:** Opens the Customize Interface Colors dialog, which allows you to choose Background, Text, and Accent colors for your interface.


Viewport Layout

Commands in the **View > Viewport Layout** menu allow you to view your scene using up to four viewports at once. You will see a list of available viewport layout options, shown in the following figure. Click your desired selection and the viewport layout will immediately change accordingly.



Tabs

The **View > Tabs** submenu allows you to customize the DAZ Studio interface by toggling various tabs on and off. If a tab is hidden, click the tab name to show it, and vice-versa. A checkmark appears next to each visible tab.



- Select **View > Tabs > Surfaces** to show or hide the Surfaces Tab. A checkmark appears next to this option when the tab is on and disappears when the tab is off.
- Select **View > Tabs > Content** to show or hide the Content Tab. A checkmark appears next to this option when the tab is on and disappears when the tab is off.
- Select **View > Tabs > View** to show or hide the View Tab. A checkmark appears next to this option when the tab is on and disappears when the tab is off.
- Select **View > Tabs > Scene** to show or hide the Scene Tab. A checkmark appears next to this option when the tab is on and disappears when the tab is off.
- Select **View > Tabs > Parameters** to show or hide the Parameters Tab. A checkmark appears next to this option when the tab is on and disappears when the tab is off.
- Select **View > Tabs > Timeline** to show or hide the Timeline Tab, which allows you to set and control animation within DAZ Studio. A checkmark appears next to this option when the tab is on and disappears when the tab is off.
- Choose **View > Tabs > Help** to show or hide the Help tab, which provides links to download or view the most recent updates on the DAZ Studio documentation.
- Choose **View > Tabs > Render** to open the Render Settings dialog.
- Choose **View > New at DAZ** to show or hide the latest news, weekly freebie, and releases available at DAZ.
- Choose **View > Tabs > Align** to open the Align tab, which allows you to align selected elements along any combination of the X, Y and/or Z Axes.
- Choose **View > Tabs > Tool** to open the Tool Tab, which provides command options for the PowerPose Tab.


- Choose **View > Tabs > D-Form** to display options that allow you to create and manipulate D-Formers, nodes, and splines.
- Choose **View > Tabs > PowerPose** to open the PowerPose Tab, which provides a visual method of posing your figures.
- Choose **View > Tabs > Puppeteer** to open the Puppeteer tab, which allows you to edit, preview, and record Puppeteer animated poses.



NOTE! Other tabs may appear at the bottom of the View menu if you have installed DAZ original or third party plug-ins. See the documentation for these plug-ins for additional information.

Render Menu Commands


The Render menu allows you to render (take virtual photographs of) your scene and specify render settings (partially akin to adjusting a camera prior to taking a picture).



- Choose **Render > Render** or use the keyboard shortcut **Ctrl+R** to render your current scene using the currently selected camera. All visible lights, surfaces, and objects in your scene will be rendered according to the options configured in the Render Settings dialog.
- Choose **Render > Render Settings** or use the keyboard shortcut **Ctrl+Shift+R** to open the Render Options window.
- Choose **Render > Render Editor** to activate the **Render Album/Editor** (if installed).

Create Menu Commands

The **Create** menu allows you to add cameras, lights, nulls, and primitive geometrical objects to your scene.



The commands available in the **Create Menu** are as follows:

New Camera

To create a new camera in your scene, choose **Create > New Camera**. This behaves just like a film camera you may have in real life.

New Point Light

Choose **Create > New Point Light** to add a new local omni-directional Point Light that is similar to the light given off by an incandescent light bulb. You can only adjust the location, intensity, color, and enable or disable shadow casting.

New Distant Light

Choose **Create > New Distant Light** to add a Distant Light. A Distant Light is a directional light that covers an entire scene, but has no real source position. The closest real-world example would be sunlight. You can adjust the direction in which the light aims, its intensity and color, and enable or disable shadow casting.

New Spotlight

Choose **Create > New Spotlight** to add a new Spotlight. A Spotlight is a directional light that is cone-shaped (like a flashlight), and which has an adjustable area.

New Null

Choose **Create > New Null** to add a null object to your scene. Nulls are useful for grouping objects/items by parenting those items to the null object. They are also useful for "point at" targets; for instance, using persistent point at on the eyes, and then dragging the null around and having the eyes follow. They can also be used to mark a position in space for later reference.

New D-Former


Choose **Create > New D-Former** to add a new deformer to your scene. Deformers help you create morphs that change the shape of an object.

New Primitive

Choose **Create > New Primitive** to add a primitive geometry object to your scene. The Create New Primitive dialog allows you to choose one of six different geometrical shapes: Cube, Cylinder, Cone, Sphere, Torus, or Plane. Additional options allow you to specify the size of the object in meters, centimeters, yards, feet, or inches. You can also set the number of divisions in the object, with higher division numbers creating more polygons in the object.

Tools Menu Commands

The Tools menu commands allow you to choose one of several different tools to manipulate objects and render the contents of your scene.



NOTE! Some of the Tools Menu commands are available in the toolbars that you find in the Load, Pose/Animate, and Render Activity Tabs (in the Basic Layout).

TIP! The Rotate, Translate, and Scale Manipulators are great for getting poses, objects, etc., into their rough positions. For fine tuning, you will probably want to use the Parameters tab since it gives you more precise control.

The Tools menu commands serve the following functions:

Node Selection

To select any item in your scene, choose **Tools > Node Selection** or click the **Node Selection Tool** icon in the Pose toolbar. After you select an item you can view its properties in the Parameters window to make adjustments. You can also delete any selected item.

Rotate

To rotate items in your scene, choose **Tools > Rotate** or click the **Rotate Tool** icon in the Pose toolbar. In most cases, you cannot rotate body parts; however, because the hip is usually the root part of a figure you can rotate the entire body of a poseable figure by selecting the hip. The Rotate manipulator displays the rotation axes in three colors: Red rotates the object about the X axis. Green rotates the object about the Y axis. Blue rotates the object about the Z axis. Click and drag the circle that corresponds to the axis you want to rotate.

Translate

To move items in your scene, choose **Tools > Translate** or click the **Translate Tool** icon in the Pose toolbar. In most cases you cannot translate body parts; however, because the hip is usually the root part of a figure you can translate the entire body of a poseable figure by selecting the hip. The Translation manipulator displays three arrows pointing in the direction of each axis. The Red arrow translates the object in the X axis. The Green arrow translates the object along the Y axis. The Blue arrow translates the object along the Z axis.

Scale

To scale items in your scene, choose **Tools > Scale**. If you select a body part (or bone) in a poseable figure, the scale function applies only to the geometry associated with that body part, and moves all children of that body part accordingly. For example, when you stretch the forearm, the hand and fingers at the end of the forearm move accordingly. To scale an entire figure, select it in the Scene Tab, then use the Parameters pane to perform the scaling. If you select a prop or other object with no body parts (such as a light), you will scale the entire object.

The Scaling manipulator displays each axis with a box on each end. To use the manipulator, click and drag the line corresponding to your desired axis, with Red being the X axis, Green being the Y axis, and Blue being the Z axis.

Surface Selection

Choose **Tools > Surface Selection** to select one or more surfaces to modify in the Surfaces Tab. Right-click on a surface and you can select an individual surface for manipulation, select all surfaces with that selection's Diffuse Color, select all surfaces that use the same Texture Map, or simply clear a previous surface selection. The affected surfaces will show in a white cross-hatched pattern as shown above.

PowerPose


Choose **Tools > PowerPose** or click the **Active Pose Tool** icon in an applicable toolbar to select and use the PowerPose tool.

Spot Render

Choose **Tools > Spot Render** to render a small portion of your scene for test purposes. To use this feature, click the button, then draw a rectangle in any viewport around the area you want to render.

Help Menu Commands

The Help menu is where you access DAZ Studio documentation and information about your installation. To access this menu, either click **Help** or press **Alt+H**.



DAZ Studio Quick Start

Choose **Help > DAZ Studio Quick Start** to open the DAZ Studio Quick Start Guide in Acrobat (PDF) format.

DAZ Studio Help

Choose **Help > DAZ Studio Help** to open this very document in Acrobat (PDF) format.

Online Resources

The **Help > Online Resources** commands provide links to helpful online resources that will make your use of DAZ Studio more enjoyable:

- Choose **Help > Online Resources > DAZ Studio Online Help** or use the shortcut **Ctrl+F1** to open the online version of the DAZ Studio Artist Guide in your Web browser.
- Choose **Help > Online Resources > Frequent Questions** to open the DAZ FAQ page in your Web browser. Here you can view the most frequently asked questions and answers. This should be your first stop when seeking support for DAZ products since you can often get immediate answers and solutions.
- Choose **Help > Online Resources > DAZ Web Site** to open the DAZ home page (<http://www.daz3d.com>) in your Web browser. This site is your gateway to innovative 3D applications and excellent content that make 3D easy, fun, and affordable for everyone.
- Choose **Help > Online Resources > DAZ Tutorials** to open the DAZ Tutorials home page in your Web browser. Here you'll find an ever-growing library of basic, intermediate, and advanced tutorials written by our customers and members of our ever-growing artists' community.
- Choose **Help > Online Resources > DAZ Forums** to open the DAZ Web Forums page in your Web browser. Here you can meet and interact with fellow artists over the web, from all around the globe.
- Choose **Help > Online Resources > DAZ Galleries** to open the DAZ Galleries page in your Web browser. You are free to post and share your 3D art, or to see what others have done.

What's This Help

To learn about any interface item that you aren't sure about, choose **Help > What's This Help**. A popup window informs you what the item is used for.

About DAZ Studio

Choose **Help > About DAZ Studio** to open the About window, which contains the following information:

- The current version of DAZ Studio you are using
- Your name and other authorship information
- Contact information for DAZ Productions
- DAZ Studio production credits (use the scroll bar to view the entire list)

Click **OK** to close the window.

About Your Video Card

Choose **Help > About Your Video Card** to learn the video card information that your system reports to DAZ Studio and about the capabilities of your video card as it relates to DAZ Studio.

About Installed Plug-ins

Choose **Help > About Installed Plug-ins** to open a window that lists the status, filename, and “friendly” name of the plug-ins that you have installed in DAZ Studio. The Status column lets you know if the plug-in is installed successfully (or not), and provides an explanation as to why they did not load if they are not properly installed.

Report a Bug

Choose **Help > Report a Bug** to open the DAZ Bug Reporting page in your Web browser. DAZ encourages everyone to report problems as part of our ongoing efforts to provide top-quality products.

Tab Reference

Surfaces Tab

"An empty canvas is a living wonder.. far lovelier than certain pictures." -Wassily Kandinsky

Each figure and prop in your scene has at least one material group (or surface) assigned to it. Complex objects, such as DAZ figures, have many surfaces, giving you fine control over your figure's appearance. The Surfaces tab allows you to specify material settings for every surface in your scene. In other words, it allows you to specify the appearance of each object. You can use the Surfaces tab to visualize almost any type of surface imaginable: skin, metal, glass, fiber, and more.

If you do not see the Surfaces tab, choose **View > Tabs > Surfaces**, and drag it to a location of your choosing. You can also leave the tab free-floating or move it to a second monitor to maximize your workspace.

Each figure or prop in your DAZ Studio scene has its own separate list of surfaces. Each surface in an object has a unique ID, and all of the polygons in an object are assigned to only one of those unique IDs. If there are multiple copies of the same object in your scene, each copy maintains its own separate list of surfaces, giving you more flexibility and finer control over the materials in your scene.

Terminology

Sometimes the terminology about materials can be a bit confusing to beginners. The following should help clarify some of the terminology used throughout this manual:


- **Objects:** The geometrical objects in your scene, which can include figures, props, lights, cameras, and other items.
- **Surfaces:** The visible portions of an object. One object can have many different surfaces.
- **Materials:** In DAZ Studio, a material consists of a collection of colors and/or texture maps that are combined to achieve a desired look. Color is only one of these surface properties; many

objects use one or more maps that define other properties such as bumpiness, highlights, or opacity.

- **Shaders:** Each material in your scene also has a shader attached to it, regardless of whether you use the advanced properties or not. Shaders (or programmable shaders) can consist of numerous channels that are often more advanced and offer more realistic results when compared to basic materials. Shaders are usually configured specifically for the render engine used in your 3D software. DAZ Studio uses the 3Delight rendering engine, which is RenderMan(R)-compliant and which supports programmable shaders. You can create basic or advanced shaders in the Surfaces Tab. When you render your scene, the rendering engine calculates all of the components in your materials to arrive at values for each channel. Then it calculates how each channel affects the final appearance of the object's surface.
- **Texture Maps:** Each material can also use one or more different types of texture maps that can enhance the color, bumpiness, shininess, and other additional properties of an image. Texture maps are a 2D representation of your 3D object, and are specific to the object for which they are made. You'll learn more about the various types of texture maps when we explain the various types of material channels later in this section.
- **Layered Image File:** File created using the Layered Image Editor and containing layered image information.

Options Menu

An arrow appears in the upper-right corner of the Surfaces tab. Click this arrow to display a set of commands that apply to the Surfaces tab and more in particular to the Surface List.




The commands, shown in the figure, are:

- **Hide Surface List:** Hides display of the Surface List, leaving only the Basic and Advanced sub-tabs in the Surfaces tab.
- **Surface List on Side:** Places the Surface List on the side of the Surfaces tab.
- **Surface List on Top:** Places the Surface List on the top of the Surfaces tab.
- **Do Not Sort:** Prevents alphabetical sorting of the surfaces in each object in your scene.
- **Sort Ascending:** Sorts the names of the surfaces in each of your objects in alphabetical order, from A-Z.

- **Sort Descending:** Sorts the names of the surfaces in each of your objects in alphabetical order, from Z-A.
- **Expand All:** Expands the tree in the Surface List so that all surface names appear.
- **Collapse All:** Collapses the tree in the Surface List to display only the names of the objects in your scene.
- **Refresh Images:** Choose this command to update the image maps in your scene after you make changes to them.
- **Automatically Refresh Images:** When checked, this option automatically updates any changes made to the image maps in your scene. When not checked, the images will update only when you choose the Refresh Images command.
- **Close:** Closes the Surfaces tab.

The Surface List

A **Surface List** appears at the left side of the Surfaces tab. The list allows you to select any number of surfaces on one or more objects in your scene. The ability to work with multiple surfaces at once can be a huge time saver, especially when working with complex scenes.



Selecting a Single Object

To use the Surface List, follow any of the following procedures:

- Some objects may show their Surface Lists expanded, while others do not. To expand a branch of the tree, click the "+" (plus) sign next to a collapsed branch. To contract an expanded branch, click the "-" (minus) sign next to an expanded branch.
- Click to select a single item in the Surface List.
- Use the **Up** or **Dn** arrows on your keyboard to move your selection up or down one object at a time in the tree.
- Use the **PgUp** or **PgDn** keys on your keyboard to scroll quickly through the Surface List.

Selecting Multiple Objects

To select multiple objects using the Surface List, use any of the following methods:

- Click and drag inside the Surface List. Release the mouse when your selection is complete. All surfaces are selected regardless of the object they belong to.
- To select multiple surfaces that appear together in the list, click the first item to start the selection. Then press the **Shift** key while you click last item you want to select.
- To select multiple surfaces that are not contiguous in the list, press the **Ctrl** key while you click the items you want to select.

Copy/Paste Buttons

Beneath the Surface List, you'll see two buttons labeled Copy and Paste. The Copy button will activate when a surface is selected while the Paste button will activate once surface settings have been copied. These buttons allow you to copy material settings from one material to another.

To copy properties from one surface to another:

1. Select one or more surfaces to customize.
2. Make your desired property changes.
3. Click the **Copy** button.
4. Select one or more surfaces on which to apply the copied settings.
5. Click the **Paste** button.



TIP! Hold down **Ctrl** to select multiple surfaces, or Shift to select a range of surfaces (on Macs, use the **[alt option]** key instead of Ctrl.) Any changes you make in both the Basic and Advanced sub-tabs will be applied to all selected surfaces.

The Basic and Advanced Sub-tabs

Two sub-tabs appear on the right side of the Surfaces tab: the Basic sub-tab and the Advanced sub-tab:


- The **Basic Surfaces** sub-tab allows you to change the most common types of surface channels, which include Color (or Diffuse), Highlight (or Specular), Shadow (or Ambient), and Opacity. If

you are new to DAZ Studio, you might want to experiment with these basic channels until you learn more about how surfaces work.

- The **Advanced Surfaces** sub-tab takes advantage of the features included with DAZ Studio's powerful rendering engine. It allows you to fine-tune the properties of each surface for breathtakingly realistic results. In addition to the four basic surface channels mentioned above, the Advanced tab allows you to configure many additional types of surface channels and properties.

Basic

The **Basic sub-tab** allows the new user to configure basic surface channels without becoming overwhelmed.




The four types of channels that you can assign in the Basic sub-tab are listed below. You'll learn more specifics about each type of channel, and how to configure them, later in this section:

- **Color/Diffuse:** This channel defines the main color of currently selected material(s). You can assign a solid color or a texture map.
- **Highlight/Specular:** This channel defines the color of the highlights in the currently selected material(s). The Basic sub-tab only allows a solid color for this option.
- **Shadow/Ambient:** This channel defines the shadow color of the currently selected material(s). The Basic sub-tab only allows a solid color for this option.

- **Opacity:** This channel defines the opacity or transparency of the currently selected material. When the setting is at 0%, the material is fully transparent. When the setting is at 100%, the material is fully opaque. Click the button that reads "None" to assign a transparency map that varies the transparency based on the levels of black or white in the image.

Advanced

The **Advanced sub-tab** is designed for use by more experienced artists who want to be able to control every aspect of a surface's appearance. You have full access to every function available in the Basic tab and much more.



The list of configurable channels is much more extensive in the Advanced tab. The first four channel types are also found in the Basic tab, but the Advanced tab presents some additional options:

- **Diffuse:** This channel defines the main color of currently selected material(s). You can assign a solid color or a texture map in a similar way as in the Basic sub-tab. However you can also adjust the strength of the diffuse color, either based on a fixed percentage, or with a texture map.
- **Specular:** While the Basic sub-tab allows you to choose a Specular color, the Advanced sub-tab furnishes a few additional controls. You can control the amount of glossiness, either by percentage or with an image map. You can choose a Specular color, but also obtain Specular colors from an image map. Specular strength can also be set with a percentage slider, or with an image map. You also have the option to use an opacity map to turn off specularly in areas that are invisible.

- **Ambient:** This channel defines the shadow color of the currently selected material(s). While the Basic sub-tab only allows a solid color for this option, you can also use an image map in the Advanced sub-tab. In addition, you can assign the strength of the ambient property through a percentage slider or through an image map.
- **Opacity:** Opacity settings are similar in the Basic and Advanced sub-tabs. When the setting is at 0%, the material is fully transparent. When the setting is at 100%, the material is fully opaque. Click the button that reads "None" to assign a transparency map that varies the transparency based on the levels of black or white in the image.

The following additional channels are presented in the Advanced sub-tab. These options go a long way toward making your materials far more realistic:

- **Bump:** This option adds a bumpy appearance to the portions of the object that are facing the camera. The amount of bumpiness is controlled by an image map that is usually grayscale. Negative Bump and Positive Bump sliders also provide additional control over the appearance of the material.
- **Displacement:** Displacement is similar to a bump map with one exception. It actually displaces the geometry during render time. You'll be able to see the effects of the displacement along the sides of the object in addition to the portions that directly face the camera. Displacement maps help you to create materials that make the geometry look far more intricate than it really is. The amount of displacement can be controlled through a slider, and/or through an image map (usually grayscale). There are also sliders to keep the amount of displacement within a minimum and maximum range.
- **Reflection:** This channel controls how the surface of the material reflects light. You can assign a solid color or an image map to control the color of the reflections. In addition, the strength of the reflection can be controlled through a slider, or through an image map.
- **Refraction:** Light bends when it shines through surfaces like glass or water. This channel controls the color of the light as it bends and shines through a surface. You can use a solid color or an image map to define the color or strength of the refraction.
- **Lighting Model:** The lighting model option calculates the effects of different shader channels in response to light. You can make your material respond to light as if had a matte finish, or if were made of plastic, metal, glossy plastic, glossy metal, or skin.

Configuring Materials

One of the most obvious components of any material is its color- or, rather, colors. Several types of color make up a material. In addition, several settings control the strength of a given property.




NOTE! In the following sections, you'll see mention of a mushroom object which will be used in the tutorials at the end of the Surfaces section. Feel free to read about each channel then follow the applicable tutorial before moving on to the next channel.

Diffuse (Color) Channel

Let's turn to a bit of theory about what the **Color/Diffuse channel** does ...

When someone asks "What color is that?" they are referring to the diffuse color. A surface's diffuse color is the base color that shows when pure white light strikes the surface. For human skin, this can range from a light yellowish pink to a deep brown. Most plant leaves are shades of green. Pine boards are usually a light golden brown. Our mushroom is a light brown color with splatterings of a deeper brown.

In DAZ Studio, you can assign a solid color to an object. To achieve more realism, you can also assign a diffuse texture map. This map is a 2D representation of the colors in your 3D object. Using our mushroom as an example, you can find two different diffuse/color maps for the mushroom in the Studio > content > Runtime > textures > DAZ > Environment folder. They are named FFMushroom1.jpg (for the light brown mushroom) and FFMushroom2.jpg (for a darker brown mushroom).




Moving on to how you assign diffuse properties, let's take a look at the Basic and Advanced sub-tabs in the Surfaces Tab.

Basic Tab

The following settings appear in the **Basic** sub-tab for the Color|Diffuse channel:

- **Color|Diffuse** button (indicated by a color bar that contains three numbers): Shows the currently selected diffuse color. Click this button to open a standard Color Picker, and select any color you desire.
- **Image menu:** Click the arrow that appears beneath the currently selected color. This area is usually labeled "None," or with the name of the current texture map or layered image file. A menu prompts you to browse for an image, and displays images that are already present in your scene.




Advanced Tab

The following settings appear in the **Advanced** sub-tab for the Color|Diffuse channel:

- **Color:** Click this button (indicated by a color bar that contains three numbers) to open a standard Color Picker, and select any color you desire.
- **Image menu:** Click the texture button that appears beneath the Diffuse Color button. Select an image as noted under the Basic sub-tab.
- **Strength:** This slider controls how strongly the Diffuse Color reacts to light. This slider works in the same manner as a Parameter slider. A setting of 0% creates no response, while 100% means that the color is fully responsive to light.
- **Diffuse Strength Image Menu:** Click the small arrow icon that appears at the right of the **Diffuse Strength slider** to select a Diffuse Strength image map. For best results, use a grayscale texture map for finer control over how your material reacts to light. Black areas in the image will be equivalent to a setting of 0%, and white areas will be equivalent to a setting of 100%. Shades of

gray will be in between 0 and 100%, depending on how dark or light they are.



Specular (Highlight) Channel


Now let's examine the highlight, or specular surface property. In DAZ Studio, the **Specular channel** controls the color of the highlights in an object. Examples of specular highlights include the bright white glare-spot you might see when sunlight strikes stainless steel, or the faint sheen of human skin.

Glossy materials such as stainless steel show highlights differently than matte surfaces like human skin. For another example, glass usually shows a sharp white highlight when under bright light, whereas polished leather shows a softer sheen.

Basic Tab


The Basic sub-tab displays the following setting options for the Highlight/Specular channel.

- **Highlight/Specular:** Click the button to open a standard Color Picker, and select any color you desire.



Advanced Tab

The Advanced sub-tab allows you to control the amount of specular highlights even further. Adjust glossiness with a slider, for example. You can also use image maps to control the color or strength of the highlights, and use an opacity map to turn off or reduce highlights in transparent or semi-transparent areas.



- **Glossiness:** This slider controls the size of the highlight. Glossy items usually reflect light in very small areas. The glossier an item is, the smaller the highlight is. A setting of 0% creates an object that has more of a matte finish (with wider highlights). A setting of 100% creates an object with a very high gloss finish (with smaller, sharper highlights).
- **Glossiness Image Menu:** Click the arrow to the right of the Glossiness slider to select an image to control the strength of the glossiness in your object. Grayscale images are usually used for this purpose.
- **Color:** Click the Specular Color button to open a standard Color Picker and select any color you desire.
- **Color Image Menu:** To assign a texture map to the Specular channel, click the arrow that appears at the right of the currently selected Specular color. Use the Browse button to select an image if it does not appear in the list.
- **Strength:** This slider controls the strength of the highlight, or how strongly the highlight appears. A setting of 0% means no highlight, while 100% means a bright highlight.
- **Strength Image Menu:** Click the arrow that appears at the right of the Specular Strength setting to assign a texture map for finer control over how your material reacts to light. Grayscale images are recommended, with black areas equaling a setting of 0%, and white areas equaling a setting of 100%. Shades of gray will pass values between 0 and 100%, depending on how dark or light they are.
- **Multiply Through Opacity:** This toggle causes the Specular strength to be multiplied by the opacity strength. Turn this option on if you have a fully transparent (0% opaque) surface that should not cast highlights. Turn this option off for transparent surfaces that are glossy (such as camera lenses, corneas, glasses, and so on).

Ambient (Shadow) Channel

Ambient color is frequently used in 3D graphics to compensate for the fact that lighting in 3D environments only approximates real-world lighting. As a result, your materials frequently require additional parameters and adjustments to obtain the most realistic results when you render them.


The easiest way to define ambient color is to consider what color the object would be when there is absolutely no light shining upon it. In most cases, the ambient color is black, since you usually require light in order to see color. There are exceptions to this rule, particularly for surfaces that are self-illuminating such as a neon light or the light from a firefly's torso.

DAZ Studio allows you to assign Ambient color in the Basic or Advanced sub-tab. Because Ambient is generally set to Black, we will skip a tutorial in this section. However we encourage you to experiment with how this setting affects your materials.

Basic


The following settings appear in the Basic sub-tab for the Shadow/Ambient channel.

- **Shadow/Ambient:** This button (indicated by a color bar that contains three numbers) opens a standard Color Picker. Select any color you desire, with one precaution: The brighter your ambient color, the more it will appear as though it is self-illuminating. While you can use colors other than black, your objects will appear more realistic if you don't stray far from black when selecting your ambient color.



Advanced

The Ambient channel controls the surface color in the absence of illumination. You have the following options when working with this channel.



- **Ambient Color:** This button opens a standard Color Picker. Select any color you desire, using the same precautions mentioned for the Basic sub-tab above.
- **Ambient Color Image Menu:** To assign a texture map to the Ambient Color channel, click the arrow that appears at the right of the currently selected Ambient Color. Use the Browse button to select an image if it does not appear in the list.
- **Ambient Strength:** This slider adjusts the strength of the ambient color in the material. 0% removes the ambient color entirely, making the object appear flat and lifeless. 100% applies the ambient color at its full value.
- **Ambient Strength Image Menu:** To assign a texture map to the Ambient Strength channel, click the arrow that appears at the right of the Ambient Strength slider. Use the Browse button to select an image if it does not appear in the list. Grayscale images are usually used for this purpose.


Opacity Channel


Opacity measures an object's ability to pass light rays completely through the surface. You may also see this property referred to as transparency in other 3D programs, which is the opposite of transparency: in other words, an object that is 100% opaque is 0% transparent, and an object that is 0% opaque is 100% transparent. Sheet window glass is almost completely transparent, while wood is completely opaque.

The Opacity slider in the Basic and Advanced sub-tabs allows you to specify the opacity for your currently selected surface(s). You can set the amount of opacity through sliders, or you can use opacity maps to specify an exact amount of opacity at any given location in your object. You will typically find opacity maps used to feather the edges of modeled hair, or to make eyelashes appear as fine hairs rather than as a solid object. You can also use opacity maps to create sheer fabrics with intricate patterns.

The controls in the Basic and Advanced sub-tabs are shown in below. They work in a similar manner:

- **Opacity** (in the Basic sub-tab) or **Opacity Strength** (in the Advanced sub-tab): Use this slider to control how opaque the current material is. A setting of 0% will make the material completely transparent. A setting of 100% will make the material completely opaque.






- **Image Menu:** To assign an opacity map to your material, click the bar that appears beneath the Opacity slider in the Basic sub-tab. You can also click the arrow that appears at the right side of the Opacity Strength slider in the Advanced sub-tab. Opacity maps are usually grayscale images, with black designating areas that will be fully transparent and white designating areas that will be fully opaque. Any shades of gray in the image map will result in areas that are partially transparent, depending on how close they are to black or white.

Bump Channel

The **Bump channel** controls the surface roughness, giving the surface the illusion of being bumpy. Bump channels only affect surface normals (the geometry that faces the camera). As a result, the edges of the surface still appear smooth despite having bump applied.



You have the following options when working with this channel:


- **Strength:** When a bump map is selected, the Bump Strength slider controls the strength of the bumps, or how rough the surface appears. A setting of 0% means that the bump map will have no effect on the surface. A setting of 100% means that the bump map will have full effect on the surface.
- **Image Menu:** Click the button beneath the Bump Strength slider to assign a bump map, which is usually a grayscale image. You can browse for the image or layered image file, choose None to remove an existing image, select an image from the list of image maps that are currently used in your scene.
- **Minimum:** This setting controls the minimum amount of depth that will result with the darkest areas in the bitmap image. Negative values will increase the amount of depth that you can achieve.
- **Maximum:** This setting controls the maximum height that will result with the lightest portion of the bitmap image. Higher values offset the surface more than lower values.



TIP! While it is possible to use minimum and maximum bump at the same time (and can be useful when finessing a bump impression into an object), if the numbers are equal, they will cancel each other out.

Displacement Channel

The **Displacement channel** controls the surface roughness. While the settings are similar to those used in a Bump map, there is one key difference. Unlike the bump channel, displacement affects the underlying geometry of the surface. This means that the edges of the surface will also look rough.




You have the following options when working with the displacement channel:

- **Strength:** Click the button to assign a displacement map, which is usually a grayscale image. You can browse for the image or layered image file, choose None to remove an existing image, or select an image from the list of image maps that are currently used in your scene.
- **Minimum:** This setting provides a "low cutoff" setting for the lower areas of your displacement map. If the setting is too high, it can cause your geometry to appear much distorted and increases render time.
- **Maximum:** This setting provides a "high cutoff" for the higher areas of your displacement map. If the setting is too high, it can cause your geometry to appear much distorted and increases render time.

Reflection Channel

The **Reflection channel** controls the surface reflection. This component controls the color that the object casts into reflected light. When you add Reflection properties to your material, either by entering a value, using an image map, or both, one of two things will happen at render time:

- If you specify a reflection color map, DAZ Studio uses that map as a cubic environment map.
- If you do not specify a map, DAZ Studio invokes a raytracer during rendering. The raytracer examines the surroundings of the object and reflects the environment of the scene back into the reflection on the material.



You have the following options when working with this channel:

- **Color:** Click this button to open a standard Color Picker. Select the desired reflection color for surface. This color multiplies through any map you might apply, which means that the base color will blend through the map.
- **Color Image Map:** Click the arrow that appears to the right of the Reflection Color slider to assign a texture map that controls the reflection colors. Reflection maps are often created from pictures of the surrounding environment. Images such as skies, clouds, or water are commonly used for reflections.

- **Strength:** The Reflection Strength slider controls how strongly the surface geometry redirects light. A setting of 0% creates a material that has no reflective properties (such as wood). A setting of 100% creates a surface that is fully reflective (like a smooth polished mirror).
- **Strength Image Map:** Click the arrow at the right of the Reflection Strength slider to control the amount of reflection with an image map. A grayscale image is usually used for this purpose, with black being equal to a setting of 0%, and white being equal to a setting of 100%.


Refraction Channel

Light rays bend when passing through objects of differing densities. For example, light bends when it passes through air into water. **Refraction** makes objects appear as though they are in a different location than they really are because of the bending effect.

When you add refraction strength with a numerical value, an image map, or a combination of both, one of two things can happen at render time:

- If you use a refraction map, DAZ Studio uses that map as a cubic environment map.
- If you do not specify a map, DAZ Studio will invoke the raytracer to use surrounding materials in the refraction calculations.

The Refraction channel controls the surface light bending.




You have the following options when working with this channel:

- **Color:** Click the Refraction Color button to select a color with the standard Color Picker. Keep in mind that light can sometimes change color as it bends (think of white light passing through a prism). The refraction color multiplies through any map you might apply, which means that the base color will blend through the map.
- **Color Image Map:** Click the arrow at the right of the Refraction Color button to choose an image map that defines the refraction color.
- **Strength:** The Refraction Strength slider controls how much the light bending effect (or the index of refraction) is evident. A setting of 0% means that the refraction is not visible, while 100% means that the refraction effect is fully visible.
- **Strength Image Map:** Click the arrow at the right of the Refraction Strength slider to control the strength of the refraction with an image map.
- **Index of Refraction:** This setting determines the amount of bending that occurs when light passes through the object. Higher settings create more bending. The following are some refraction indices for some common materials:
 - Perfect Vacuum: 1.00000
 - Air (at sea level on a calm day): 1.00029
 - Ice (frozen clear ice): 1.31
 - Water (at room temperature, or 20 degrees Celsius): 1.33

- Acetone: 1.36
- Sugar solution(30%): 1.38
- Sugar solution (80%): 1.49
- Sodium chloride (salt): 1.54
- Polystyrene: 1.55-1.59
- Sapphire: 1.77
- Diamond: 2.417

Lighting Model

A **Lighting Model** is a method used to calculate the effects of different shader channels in response to light. The Lighting Model drop-down menu allows you to select your desired lighting model. Your options are:




- **Plastic:** The Plastic lighting model has additive Specular highlights. Highlights are generally very bright and reflect the color of light projected on to it.
- **Metal:** The Metal lighting model uses metallic (isotropic or elliptical) highlights, which are multiplied through the base surface color, thus tending to produce a slightly brighter tint of the same hue.
- **Skin:** The Skin lighting model uses sub-surface scattering to give the appearance of a semi-translucent layer (skin) with a blue sheen and a red opaque sub layer (blood/muscle).
- **Glossy (Plastic):** The Glossy (plastic) lighting model uses a Fresnel function to make the surface act more reflective at glancing angles. It also calculates specularly in a way that produces a more uniformly bright highlight (sharper), thus making the surface look glossy. Eyeballs are a great example.
- **Matte:** The Matte lighting model completely ignores the Specular channel.
- **Glossy (Metallic):** The Glossy (metallic) lighting model is similar to the Glossy (plastic) model, but the calculations are adjusted to produce a gloss that mimics the gloss of highly-polished metal.

Smoothing Angle

The **Smoothing Angle** feature adds the ability for the user to determine what geometry is smoothed. Smoothing is the process of recalculating normals for the geometry so that the geometry looks like a smooth surface, rather than a sharply faceted one. You can turn off smoothing – making the geometry look faceted - and control how sharp an edge is too sharp to be smoothed via the **Smooth Angle**

control. Any time two facets meet at an angle greater than the angle specified by the smoothing control, they will not be smoothed. The default value of the control is 89.9 degrees – this means that edges where faces meet at a 90 degree angle or greater will be "sharp" and any edges where the faces meet at less than that angle will be "smooth."

The **Smoothing Angle** is available per Material Zone, which provides the ability to smooth angles differently for different material zones. You can also select the root figure in the Surfaces tab and apply a smoothing angle to all material zones at once.



To set the smoothing angle:

1. In the Surfaces tab, select a material zone or multiple material zones.
2. In the Basic or Advanced tab, make sure the **Smooth** option is set to **On**. If not, click on the button to turn it on.
3. Adjust the smoothing angle by dragging the **Angle** slider left to smooth the angle or right to sharpen the angle.

To turn off the smoothing angle:

1. In the Surfaces tab, select a material zone or multiple material zones.
2. In the Basic or Advanced tab, if the **Smooth** option is set to **On**, click on the button to turn it **Off**.

Examples:

- Smoothing Angle on at default of 89.9:




- Smoothing Angle off:



Saving Materials

After you customize or create a new material, you'll probably want to save it to one of your content folders so that you can reuse it at any time. To save a material, follow these steps:

1. Select the item in the scene that contains the material(s) you want to save.
2. Choose **File > Save As > Materials Preset**. The **Filtered Save** dialog appears.
3. Locate the folder to which you want to save the preset:
 - To save the material to the default DAZ Studio folder, locate your file in any folder that appears beneath the **Studio > Content** folders that were installed with DAZ Studio.
 - To save the material to an external folder that is recognized as a content folder, locate your file in any external folders that you have set up in the **Directories** folder of the **Preferences** dialog (see Edit > Preferences in "Command and Toolbar Reference.")
 - To save the material to a new folder, create the new folder during the Save process, and then later use the **Edit > Preferences** command to add the new folder to your Directories list so that you can see the new material in the **Content Tab**.
4. Enter a name for the new material and press **Save** to continue. The **Materials Preset Options** dialog shown below appears. Use one of the following two options to save your material:
 - To save all materials and settings associated with the current object, choose the **All Surface Properties** option and click **Accept**. We recommend using this option until you become more familiar with DAZ Studio and material settings in general.
 - To select specific materials and settings, choose the **Advanced** option, and then expand or collapse the trees to select the specific properties you want to save. Click **Accept** when you're done with your selections.




Surface Tutorials


Preparing for the Tutorials

In the tutorials that follow, you'll experiment with the various types of material properties by applying them to a prop. To prepare your project file, create a new scene:

1. From the Pose/Animate Activity Tab, create a new scene using the **File > New** command.
2. From the Content Tab, navigate to the **Studo > Scenes > Faerie Forest** content folder, and double-click to load the **Faerie Forest DAY** scene.
3. Switch to the Scene Tab, and expand the **Summerwood PP tree**. Select **Mushroom1** as the current object.
4. Use the Viewport and Camera controls in the viewport window to select **Camera 3** as the current camera. Then click the **Frame** control to zoom into the mushroom.



5. Choose **View > Tabs > Surfaces** to open the Surfaces Tab if necessary. Initially, the tab appears in a floating pane. You can leave it as a floating window and move it away from the Viewport , or you can click and drag the Surfaces Tab to dock it to the left or right side of your screen.
6. If the surface list does not appear in the upper portion of the Surfaces Tab, open the Surfaces Tab Option menu and check either the **Surface List on Top** or **Surface List on Side** option.
7. Expand the Surface List, and select **Cap** under Mushroom1.






NOTE! Notice that nothing appears in the Surfaces Tab until you select a surface. When you select a surface, its settings appear in the Basic and Advanced sub-tabs. After you learn about how each material channel is configured in the Basic and Advanced sub-tabs, you'll firm up your knowledge with a brief tutorial.


Diffuse Tutorial

To learn how the diffuse color affects the mushroom in your scene, follow these steps:

1. In the Surfaces Tab, select the **Cap** surface from the Surfaces List.
2. From the Basic sub-tab, click the **Color|Diffuse** button (shown as 255 255 255) to open your Color Picker.



3. Let's choose a pale peach color ... Red 255 Blue 195 Green 167. Then click **OK** to return to the Basic sub-tab. The mushroom cap should turn the color you selected.



TIP! In most cases, the diffuse color is set to white when used in combination with a diffuse texture map. You can use very subtle pastel colors to tint the texture map to a different color. Darker diffuse colors may significantly reduce or remove the effect of the underlying texture map.

Specular Tutorial

Now we will examine some simple specular highlights on the mushroom in our scene. So that you can see the effect of the highlights on our mushroom, we'll select a slightly different color. A nice sunny yellow will fit the scene quite nicely.




NOTE! Highlights are dependant upon lights, so they may appear much different in the preview than they will when rendered. When you are creating materials with highlights, always perform renders as you adjust settings to make sure that the lights in your scene affect your settings properly.

The following tutorial assumes that you are starting from the settings that are already present in the Specular section when you first load the mushroom. To adjust the highlights on your mushroom, follow these steps:

1. In the Surfaces Tab, click the **Specular Color** button in the Advanced sub-tab.

2. Choose Yellow (Red 255, Green 255, Blue 0). When you render the mushroom with default lighting, you'll notice a very soft yellow highlight near the bottom of the cap.
3. Increase the **Specular Strength** setting to 60%. Render again and you will notice that the highlight is now a lot stronger around the base.
4. To see what the **Glossiness** slider does, reduce its setting to around 15 or 16% and render again. You'll notice that the highlight now covers a wider area and almost overpowers the mushroom.
5. Go back and forth between the **Specular Strength** and **Glossiness** sliders until you get the results you like. The image below shows the settings we arrived at (50% Glossiness and 70% Specular Strength), alongside an accompanying render.




Opacity Tutorial

There are a limited number of opacity maps to choose from in the content that is furnished with DAZ Studio. The end result in this tutorial won't be practical, but the steps you learn here give you the opportunity to see how opacity maps affect the appearance of an object. Try the following steps:


1. Return to the Faerie Forest DAY scene that you have loaded in your viewport.
2. From the Surfaces List, select the Cap material for the mushroom if necessary.

- From the Basic sub-tab, move the **Opacity** slider toward the left, or enter a value of 25 in the number field and press Enter.
- When you look through camera 3 in the scene, you'll notice that you can see right through the mushroom cap.
- To see the best results, choose **Render > Render** to render the mushroom. Your results should look similar to the image below.



Now let's see what happens when we add an opacity map. Granted, you rarely see a transparent mushroom, so this exercise is just for demonstration purposes:

- Switch to the Advanced sub-tab in the Surfaces list.
- Locate the **Opacity** section in the Advanced sub-tab. Click the arrow at the right side of the slider to display the **Image Menu** options. Choose **Browse for Image** and locate the **Studio > Content > Runtime > Textures > DAZ > Characters > MilWom > V3Maps** folder. Select the **V3Lo_Trans.jpg** image as the opacity map and click **Open**.
- Move up to the **Strength** slider, and change the setting back to 100% (the setting normally used when opacity maps are used).
- Render your image. You should now see what looks like one very strange mushroom (or floating eyelashes on a picnic table).




5. Before you proceed to the next section, click the **Image Menu** arrow again to change the image setting back to **None**. From this point on, the remaining material channel types appear only in the Advanced tab.

Bump Tutorial

Returning now to the faerie scene, you'll notice that the mushroom already has a bump map assigned. If you had to choose the same map yourself you would have to complete steps 1 and 2 to assign one. Otherwise, you can change the settings by starting the tutorial with step 3:

1. To assign a bump map where one does not exist, click the small arrow to the right of the Bump Strength slider.
2. Choose **Browse for Image**. Select an image to use for a bump map. For this example, the **FFMushroom1B.jpg** image in the **Studio > Content > Runtime > Textures > DAZ > Environment** folder is already selected for you.
3. The current settings for the bump map give results that are a bit subtle, so let's exaggerate it a bit. Enter or dial a value of **0.5** for the **Maximum** setting. Leave the **Minimum** setting where it is for now.
4. Render your image. You'll notice that the surfaces of the mushroom cap that face the camera now have more pronounced raised areas. Notice also that the edges of the mushroom cap appear smooth.

- To see how the **Minimum** setting affects the mushroom cap, reduce the **Minimum** setting to **-0.5**. Render again and you'll notice a more pronounced bump effect in the lower areas, as shown below.




Displacement Tutorial

Now you'll turn off the bump map and use the same image map as a displacement map. Follow these steps:

- So that you can see the differences between bump and displacement, reset the **Bump Strength** image map back to **None** so that it will have no effect on the displacement channel.
- To assign the displacement map, click the **Displacement Strength** button.
- Select an image to use for a displacement map. You'll use the same image that you used for the bump map, which should still be available in the Image Menu. Select the **FFMushroom1B.jpg** image.
- Use the **Strength** slider or numeric input field to increase the displacement strength setting to 100%.
- Render your image. You should see the surfaces of the mushroom cap that face the camera now appear to have raised and lowered surfaces, similar to when the bump map was used. However, unlike the bump map, you can also see that the edges of the object are also affected by the displacement.

6. You can adjust a few different settings to increase or decrease the effect of the displacement map:
 - Increase or decrease the **Displacement Strength** slider setting, which is adjustable from 0 to 200%
 - Increase or decrease the **Minimum** and/or **Maximum Displacement** settings very slightly, as a little goes a long way. In the example shown below, the Minimum Displacement setting was reduced from -1.00 to -1.25, and the Maximum Displacement setting was increased from 1.00 to 1.25.
7. Render again, and you'll notice a more pronounced bump effect, as shown below. While it's not really convincing for a realistic mushroom, you are able to see how the appearance of simple geometry can be totally transformed with displacement maps, especially around the edges of the mushroom cap.



Reflection Tutorial

You can give nearly anything a reflective (or in many cases a perfectly mirrored) finish. You can also use reflection maps to specify areas of varying reflectivity, to do various things such as simulating a cracked mirror, rusted metal, etc. You'll have to render the image to see the results, since reflections and lighting are processed at render time.

Also, when it comes to creating scenes that contain reflective materials, remember that the figures and props in DAZ Studio are three-dimensional. When you position a figure in front of a mirror, make sure that the back side of the figure is just as well-positioned as the front if you want to reflect the back side. Multiple reflections can come from lights or other objects that are positioned around the object you want to reflect.


You can easily create a mirror by adding a flat plane into your scene and setting the Specular and Reflection properties as outlined in the following tutorial:

- If you want a reflective floor, position and scale the object directly beneath the objects you want to reflect.
- If you want a mirror or reflective wall, rotate the plane accordingly. As you position the plane, look at the scene from all angles to make sure that the mirror is positioned properly in relation to the object you want to reflect.

In the case of our Faerie Forest Day scene, we'll make the ground reflective. This will cause the ground to have the appearance of water that reflects the surroundings in the scene.

To make the ground reflective, follow these steps:

1. From the Surfaces Tab, scroll down and expand the **Summerwood PP** branch of the tree. Select the **Tiling Terrain** surface.
2. When creating mirrored surfaces, you can set the **Diffuse Color** of the plane to any color you like. In the case of our terrain, an image map is used to define the diffuse colors of the ground. The reflections will combine into this texture so that you can still see the ground texture, but you'll also see the surrounding scenery reflected within it.
3. In the **Specular** section, set **Glossiness** to 99%. Set **Specular Color** to **White**, and **Specular Strength** to 100%.
4. In the **Ambient** section, set **Ambient Color** to Black, at 100% **Ambient Strength**.
5. In the **Reflection** section, set the **Reflection Color** to **White**, to reflect the colors in your scene with the most accuracy. Set **Reflection Strength** to 100%.
6. Render your scene. The rendering will take more time than the previous renders you performed, because DAZ Studio is examining the surrounding objects and calculating the reflections that will appear in the ground. After the render is complete, you should see the object or objects reflected in your mirrored surface as shown below.




Refraction Tutorial

When you stand in a pond or lake and look down at the fish, you are observing the effects of refraction. Thanks to refraction, the fish appear to be in a different location than they actually are. You can also use refraction to simulate a small or much exaggerated magnifying lens effect, as you'll see in the following tutorial.

Let's use the mushroom cap to refract the surrounding objects. We'll have to remove the existing textures from the cap and adjust some other properties to make it work:

1. In the Surfaces List, scroll back up to **Mushroom1**, and select the **Cap**.
2. In the Advanced Surfaces Tab, go to the **Diffuse** section and remove the diffuse color map by setting it to **None**. Set the diffuse color back to white.
3. In the **Displacement** section, remove the image map by setting it to **None**.
4. Select the **Gills** of the Mushroom. Remove the **Diffuse** and **Bump** texture maps by setting them to **None**. Repeat these steps for the mushroom **Stem**.
5. Set the following properties for the Cap, Gills and the Stem of the mushroom:
 - Diffuse Strength: 0%
 - Specular Glossiness: 0%

- Specular Strength: 0%
 - Ambient Color: White
 - Ambient Strength: 0%.
 - Opacity Strength: 1.0% or lower (otherwise you end up with a "fisheye" effect where the visible parts of the mushroom balloon out to take the place of the cap's outer curve).
 - Bump Strength: None (0%)
 - Displacement Strength: None (0%)
 - Reflection Strength: 0%
 - Refraction Color: White
 - Refraction Strength: 100%
 - Index of Refraction: 1.33
6. At this point you don't see your mushroom at all ... but wait until you render your scene and check out the results! The render takes longer due to all of the calculations but you'll see the scene refracting through the invisible mushroom. The magnification occurs because the light bends twice, through the back and front of the mushroom parts. The curves in the mushroom add to the distortion, working similarly to a glass lens.




Content Tab

In "The Basics" section, you got a brief introduction to the **Content tab** and how to use it to add content to your scene. Now we'll take a closer look at the features and commands contained within the Content tab.

While the Content tab primarily serves as a means to add content to your scene, you can also use commands in this tab to maintain your content folders. The Content tab provides access to all of your DAZ Studio-native and supported third-party assets and arranges them in folders. You can view these folders in one of two ways.

The image below shows the main buttons and controls that you will use in the Content tab. You'll learn more detailed information about these areas in this section.




Adding Content for DAZ Studio

Before you can view the content in your Content folder, it seems logical that you need to install content that you can view. When you download DAZ Studio from the DAZ web site, you are also provided with a separate download file that contains a wealth of content. Instructions for installing this content appear in "[Installing DAZ Content](#)."


Using the Directories Preferences Tab

The **Preferences** dialog contains a **Directories** tab that allows you to work with your available content directories. To open the Preferences dialog, choose **Edit > Preferences**. Click the **Directories** tab, which is described in the sections that follow. The top button allows you to select from one of three content categories to add or remove:


- **DAZ Studio Content Directories:** Choose this option to view or add folders that contain content that is created specifically for DAZ Studio. File extensions include .daz, .ds, and .dsb content.



- **Poser Content Directories:** Choose this option to view or add folders that contain Poser content. Examples of several external Poser content folders. DAZ Studio recognizes all Poser Runtime folders and supports all file formats for Poser 4 and earlier versions. While DAZ Studio will also include Runtime folders for Poser 5 and later versions, DAZ Studio does not fully support features contained in the later versions (such as dynamic hair, dynamic clothing, or procedural materials created in the Poser Material Room). Click the **Search** button to have DAZ Studio search automatically for any folders on your hard drive that include a folder named Runtime. Those folders will then be added to the available Poser Content Directories area.



- **Other Imported Content Directories:** This option lists the currently available content folders that do not fall into the above categories. For example, you can create folders to organize supported third-party models on any available drive.



Several buttons on the bottom of the Directories tab are common to all of the content categories. These buttons are:

- **Add:** Click the Add button to open a standard Browse dialog, which allows you to select your desired folder. When mapping Poser content, you should select the folder above the Runtime

folder. For example, for the path X:\My Poser Stuff\Projects\Runtime, you would select and map the Projects folder to make the content within it available inside DAZ Studio.

- **Remove:** To remove a folder from the list of available content folders, select a folder and click Remove. You can later use the Add button to add this folder again at any time. When you remove a folder from the DAZ Studio content list, you do not actually remove the data within the folder on your hard disk.
- **Remove All:** To remove all folders stored in the current list, click Remove All. You will not actually remove the data within the folders on your hard disk..
- **Automatically Refresh Content Folders:** This option is useful if you want to add assets while DAZ Studio is running. You won't have to switch in and out of a given folder to refresh its content list. The refresh time is dependent on how many expanded folders there are in the Content Tab, computer speed, and (if applicable) network traffic conditions. It is also useful for teams who are sharing assets from a single source, such as on a common network drive. Note that using this option may slow down interface interaction while the update occurs, depending on network speed if the content being refreshed is on a network drive.
- **Click for Interactive Help:** Click this button, and then click an item in the Preferences dialog to view a pop-up window that displays information about that feature.
- **Apply:** Click the Apply button to apply any changes you have made to your content directories. You can then make changes in other Preferences tabs.
- **Accept:** Click the Accept button to accept any changes you have made to your content directories. This option will close the Preferences dialog.
- **Cancel:** Click Cancel to exit the Preferences dialog immediately. You will lose any unsaved changes made to your content folders.

Installing DAZ Content

When you purchase content from DAZ 3D, it is distributed in Windows executable files (EXE extension) or in SIT format for Macintosh users. The setup process is self-explanatory, as the setup wizard guides you through the process of choosing the folders that will store your content. You can install your content in the default DAZ Studio content folder, or into an external Content directory in any folder that lies outside the DAZ Studio installation folder. If you install your content into a folder that DAZ Studio does not yet recognize as a content folder, you may need to use the Edit > Preferences command as described earlier to add the new content folder to your directory lists.

Another important thing to mention is that DAZ content is compatible with DAZ Studio and Poser. Products that are more recent may include a separate file that contains the DAZ Studio-specific files such as material settings. When you order a product from DAZ, check to see if there are separate files included with the product that have the letters DS toward the end of the file name. Install the files along with the base product if you plan on using the product in DAZ Studio.

Installing Third-Party Content


When you purchase content from third party developers that sell their products at stores other than DAZ, they are typically distributed in ZIP files. Most often, they are configured to be compatible with the Poser® library structure, meaning that all files are placed beneath a folder that begins with a Runtime folder. Many users of DAZ Studio extract these files into external folders so that they can use the same content in both DAZ Studio and Poser. Even if you intend on using this content in DAZ Studio, it may be beneficial to install them to an external folder of your choosing. Afterward, you will have to use the Edit > Preferences command to add the new Poser content folder to your directory lists.

Content Viewing and Navigation

The **Content tab** allows you to view your content in **List View** or **Tree View**, with or without the **Content Manager** capabilities. These options appear in the **Content tab Options menu**.


Content Tab Options

The Content tab **Options menu** appears in the upper-right corner of the Content tab. Click the Content tab **Options button** to open the Content tab **Options menu**.




The commands are as follows:


- **View Folders as List:** Displays your content folders in a list of columns, commonly seen in Macintosh-based systems.




- **View Folders as Tree:** Displays your content folders as a hierarchical tree. This is the default view.



- **View Categories - QuickStart:** Displays your content folders using the Content Manager categories and QuickStart buttons. See "[Content Manager](#)" for more on this option.



- **View Categories As List:** Displays your content folders using the Content Manager categories. See "[Content Manager](#)" for more on this option.




- **Delete:** Removes the selected content from your DAZ Studio Library.
- **Search for Content:** Searches for directories containing Poser/DAZ Studio content when viewing as a list or tree, or searches for new content when viewing as categories.
- **Edit Preferences:** Displays the Content Manager tab of the Preferences dialog where icon size is set, selection of replacement options is made, file tool tips enabled, and database reset. See "" for more on setting these options.
- **Close:** Closes the Content tab.

Navigating Content Folders

The DAZ Studio Library consists of a series of folders and sub-folders that contain the figures, props, lights, etc. you use in your scenes.

From left to right, the top portion of the Content tab contains three items as shown below:



Use the navigation buttons as follows:


- **Back:** The Back button functions like the Back button in your Web browser by taking you back to previously selected content folders. Each successive click takes you back one previous folder level. This button appears grayed out until you have navigated to at least two content folders.
- **Forward:** The Forward button functions like the Forward button in your Web browser by taking you forward to select content folders. Each successive click takes you forward to the next selected folder. This button appears grayed out until you have used the Back button at least once.

- **Up One Level:** If you navigate to at least one sub-directory level, the Up One Level button is enabled. Each successive click moves you up one level along your current content directory/sub-directory path.


Using List View

Selecting **View Folders as List** in the tab Options menu for the Content tab displays your content directories as icons, as shown below (this option operates the same way as a list view does in Macintosh OS X.)

By default, a single column appears at the top of the Content tab. You can use the Back and Forward buttons to navigate through the content list. When a folder contains items that you can add to your scene, an icon for each item appears. To work your way through the List View, single-click a folder name to view folders or items contained within it. You can also use the Back and Forward buttons and the Up One Level button to navigate through the List View.




For convenience, you can widen the Content tab to see two folder columns, as shown below. The left column displays the current folder level while the right column displays any folder(s) underneath the folder currently selected in the left column. For example, if you have the default Victoria folder selected in the left column, the right column will display the Clothing, Hair, and Poses sub-folders.



Using Tree View

You can also view your folders in a tree view. To do so, choose **View Folders as Tree** from the Content tab Options menu. This view displays your content folders as a hierarchical tree as shown below. This view allows you to jump quickly to any content folder on any level of your Library. Content within the currently selected folder appears in the bottom portion of the Content tab as described above.



To navigate through the Tree View:

- Click the + sign next to a collapsed tree to expand the branch.
- Click the - sign next to an expanded tree to collapse the branch.
- Use the **Back**, **Forward**, and **Up One Level** buttons to move upward and downward through the tree.




TIP! You can also use the Up, Dn, Right Arrow, Left Arrow, PgUp and PgDown keys on your keyboard to move through the list.

Maintaining Content


When a folder contains content that you can add to your scene, icons appear in the bottom portion of the Content tab as shown below. These icons are primarily used to add content to your scene. At the same time, they also provide a visual reference of the items contained within the selected folder.

There are several options hidden beneath the surface of this content area. You'll learn more about them in the sections that follow.



Content Menu Options

When you right-click over any content icon, a context menu displays the menu shown below.



The commands in this menu provide the following functions:

- **Open:** Clears the current scene and opens the selected item into a clean viewport.
- **Merge:** Merges the selected item into the current scene.
- **Cut:** Allows you to move content from one folder to another. Right-click over the selected item and choose **Cut** to place it in your clipboard.
- **Copy:** Allows you to create a copy of the selected item and places it in your clipboard.
- **Paste:** After you cut or copy an object into your clipboard, select a new folder from the List View or Tree View. Right-click on the new folder name and choose **Paste**. The selected item then appears in the new folder.
- **Delete:** Deletes the selected item from the current location. This is not undoable so you are asked to confirm the deletion before the item is removed from the folder.
- **Rename:** Allows you to rename the selected object. Enter a new name for the object and press **Enter** to assign it.
- **Create Custom Action:** Choose this option to add a menu item to the Scripts menu. This is a very handy feature that provides quick access to figures and other content that you frequently use.



TIP! Content can be moved using Cut/Copy & Paste or by using Drag-and-Drop to drag the content to new folders. See "[Moving Content via Drag-and-Drop](#)" for more on using this feature.

Moving Content via Drag-and-Drop


Besides using cut and paste operations to move content between folders, DAZ Studio provides the option to select items and drag them to new folders.

1. Make sure the folder where you want to move the content to is available either because the folder already exists or because you just created it.
2. Navigate to the folder where the content is located and select the content thumbnail(s). Select multiple items using the following methods:
 - Select first item then press **Shift** and click on the last item.


- Select first item, then press **Ctrl** and click on non-contiguous items.
 - Drag a marquee around the items to be selected.
3. Drag the content to the new folder by moving the mouse over the folders. To copy item(s) to a second category, press **Ctrl** while dragging. This will leave the item in the original folder and place a copy in the second folder.


When viewing as tree or category, as you move over the folders in the listing, they'll expand and can be navigated more easily. When you get to the correct folder, move the mouse over the folder and let up on the mouse button.

When viewing as list, the sub-categories do not yet expand so content must be moved in several operations or you can just make sure that the sub-folder is visible before moving the content.




4. A **Confirm File Move** dialog will come up asking you to confirm that you want to move the file(s) to the selected folder. Click on **Yes** to move the file or **No** to cancel the move.






If you select **Yes**, the selected content will no longer show in the current folder. If you select **No**, the content will remain in the original folder.

5. Select the folder where the content was moved to and it will now show in that folder.



Maintaining Folders

When you right-click the folder that is currently selected in List View or Tree View, you see the menu shown in the figure below.



Use these commands as follows:

- **Create New Subfolder:** Allows you to create a new folder beneath the currently selected folder. Enter a name for the new folder in the **New Folder dialog** and choose **OK** to create the folder.
- **Paste:** Allows you to paste an object from your clipboard into the currently selected folder.
- **Rename:** Allows you to assign a new name to the folder. Enter a new name then press **Enter** to assign it.
- **Delete:** Deletes the currently selected folder. This is not undoable and deletes any files or subfolders beneath the selected folder. DAZ Studio prompts you to confirm the deletion before the folder is removed.
- **Create Category From Folder:** Creates a category in the content database based on the current folder and/or sub-folders. See "[Content Manager](#)" for more on this option.
- **Browse to folder location:** Opens the directory folder where the selected content is stored.

Adding Content to Your Scene

You can use any of the following methods to add the content to your scene:

- Double-click a content icon. The object automatically appears in the center of your scene.
- Click and drag the content icon from the Content tab and drop it into the viewport. See "[Content Drag-and-Drop](#)" for more on this feature.
- Right-click on a content icon, and choose **Merge** from the context menu.
- To add the selected object to a completely new scene, right-click the content icon and choose **Open** from the context menu. Note that this option completely clears your current scene and replaces all its contents with the item you selected. Make sure you save any existing work before you choose this menu option.




NOTE! If the content being loaded is ExP-enabled, the PowerLoader dialog will come up giving you options for injecting morphs and loading presets. See "[PowerLoader](#)" for more on using this tool.

Content Sub-Tabs

Two sub-tabs appear beneath the content icon area: Info and Author. You'll also see a **Save As** button that allows you to save your own custom presets as DAZ Scripts.


Info Tab

The **Info sub-tab** displays basic information about the item you have selected in the Content tab. This information includes the name of the file, what type of file it is (depending on how it was saved), what version of DAZ Studio was used to create the file, when it was created and last modified, and the file size.



Author Tab


The **Author sub-tab** displays information about the company or individual that created the file you are using. If the content creator created their content within DAZ Studio and entered his or her authorship information, you will see the author's name, email address, and website URL here. Additional comments may also appear here.



Adding or Editing Authorship Information

The **Preferences dialog** allows you to enter your authorship information. Choose **Edit > Preferences** and click the **General** tab shown below.

Currently, DAZ Studio has two options within the **General tab**: The ability to edit authorship information (who you are and how you can be contacted) and at what frequency DAZ Studio checks for updates (Daily, Weekly, Monthly, Never), or you can check for updates immediately by clicking the **Check for updates now** button.



Save As Button

Two buttons appear at the bottom of the Content tab. The plus button is the **Add to Library** button, which adds content to your folders. The minus button is the **Remove from Library** button, which deletes content from your content folders.



You can save an entire scene or you can save specific elements of your scene as a DAZ Studio preset script file. The steps are as follows:

1. You may want to configure your desired **Save Filter** preferences set in **Edit > Preferences**.
2. Click the **Add to Library** button to open a menu with the following options:
 - **Scene**: Saves your entire scene and all objects and settings therein (figures, poses, lights, materials, cameras, props, etc.).

- **D-Form Preset:** Saves the current D-Former to your content folder.
 - **Puppeteer Preset:** Saves the current Puppeteer pose animation to your content folder.
 - **Pose Preset:** Saves the currently selected figure's pose information (transformation and/or morph settings, depending on your previously selected preferences).
 - **Shader Preset:** Saves the current shader to your content folder.
 - **Materials Preset:** Saves all material settings (maps, colors, etc.) from the currently selected figure or prop.
 - **Light(s) Preset:** Saves either the currently selected light(s) or all lights in your scene, depending on your previously selected preferences.
 - **Camera(s) Preset:** Saves either the currently selected light(s) or all lights in your scene, depending on your previously selected preferences.
3. You are then asked where you wish to save the scene or preset, and what name you wish to give it. Then, the **Filtered Save** dialog box appears. This box is functionally identical to its corresponding dialog in the Preferences window. You may navigate folders, create a new folder, name your preset, etc. Make your selections and click **OK** to finish saving the preset.

Your saved preset will now appear in the Content tab in the folder you had selected during the save. You can navigate up or down the folder levels to find your new preset in the folders contained in the Content tab.



NOTE! Additional save options may be available based on installed plug-ins. Consult the user guide for that plug-in for information on saving presets.

Viewports and Cameras

Viewports are your window to the virtual universe inside DAZ Studio. A viewport allows you to see and work with your scene, and DAZ Studio allows you to look at and make changes to your scene through up to four cameras at once, each in a different viewport. You can customize viewports in a number of ways, as you'll learn in this section.

However, before we start, it might help to explain some basic terminology about 3D, so that you can learn how to find your way around the viewports.

Basic 3D Terminology


If you're new to 3D graphics, you should familiarize yourself with some basic 3D concepts. Don't worry, it's not hard to get around it. Knowing the concepts behind what you're doing will give you a more complete understanding of how DAZ Studio works and how to use it.

Axes: Working with 3D on a 2D Screen

DAZ Studio allows you to work in three dimensions. However, this creates a dilemma ... the viewing surface of your computer monitor is two-dimensional, and your mouse only moves on a two-dimensional plane. The images that you generate from DAZ Studio will all be two-dimensional. If your tools and output are all in 2D, how can you possibly work in 3D?


Each of the three dimensions are represented by axes, with each individual representation termed an axis. These axes are usually designated as shown in the figure below, assuming that you are looking through the default or front camera:

- The axis that runs from left to right (width) is known as the **X axis**. The X axis is shown as red in the figure that follows, and also displays as red when you are using manipulators in DAZ Studio.
- The axis that runs up and down (height) is known as the **Y axis**. The Y axis is shown as green in the figure that follows, and also displays as green when you are using manipulators in DAZ Studio.
- The axis that runs front to back (depth) is known as the **Z axis**. The Z axis is shown as blue in the figure that follows, and also displays as blue when you are using manipulators in DAZ Studio.




Orthogonal and Perspective Views or Cameras

DAZ Studio has several pre-built cameras that allow you to view your scene from one or more different directions. You'll find them in the **View Selector** menu in the top-left corner of your Viewport area. Click the name of the current viewport to open the view selection menu, and select a different view as needed. These cameras fall into one of two category types: **orthogonal** or **perspective**.



Orthogonal Cameras

Orthogonal views and cameras (highlighted in the figure below) allow you to view your scene with a "straight-on" view. The objects in your scene that are farther away will appear to be the same size as objects that are closer to you. These views are very handy for positioning objects in relation to one another, so that you can get an accurate reflection of their actual position in a scene.




There are six possible orthogonal views for any real or virtual object, and they are listed in the following order in the View selector menu: Front View, Left View, Right View, Back View, Top View, or Bottom View:

- The **Front View** and **Back View** cameras display the objects in your scene along the X and Y axes.
- The **Left View** and **Right View** cameras display the objects in your scene along the Y and Z axes.
- The **Top View** and **Bottom View** cameras display the objects in your scene along the X and Z axes.


Many 3D objects, including humans, are not fully symmetrical, and you may need to view them from several orthographic directions to manipulate them. The view you select depends on what you want to change. For example consider the following while viewing the figure below:

- You can use the Front, Back, Left, or Right camera to adjust the height (or Y dimension) of an object, or to move the object
- You can use the Front, Back, Top, or Bottom camera to adjust the width (or X dimension) of an object or to move your object to the right or left of the screen.
- You can use the Left, Right, Top, or Bottom camera to move a figure forward or backward in your scene (along the Z axis).




Perspective Cameras

In the first three views of the figure above, you'll notice that the Front, Left, and Top camera views lack depth or distance from the viewer. You also might find when working with the orthographic cameras that you can't rotate the view to view your object from a different angle. That is where perspective view cameras come into play. DAZ Studio has two perspective view cameras available in the View selector: the **Default View** and **Perspective View**. The Default Camera is an optional camera that you can add to your scene if you don't plan on creating additional cameras.




Perspective view cameras add the element of depth to the view (that is, they more accurately display the relative size of objects that are nearer to or farther away from the camera).

For example, observe the diagram below. Let's say that your scene contains two people ... one near, the other far. Even though the people might be about the same size, the person in the distance appears smaller. This occurs because the nearer person takes up more of your field of vision than the farther person.



Customizing Your Viewport Layout


When you start DAZ Studio for the first time, you see your scene through one camera. This is called the **Single View**. The camera you view your scene from is selected from the **View Selector menu**, located at the upper-left corner of the viewport screen.



TIP! The size of the panes on the left and right of your viewport affects the amount of space that is available for your viewports. If you prefer to work with multiple viewports, reduce the width of the panes, or use floating panes instead. If you use multiple monitors, you can also move your panes to a second monitor so that the viewports use the maximum amount of screen real estate.


However, as we have mentioned, you can also configure DAZ Studio to look through more than one camera at a time. When you make changes in one viewport, the changes are automatically updated in the other viewports that you display.

To view your scene through more than one viewport, choose **View > Viewport Layout** and choose the layout arrangement that you want to use from the options shown below.



- **Single View:** Displays the currently selected view in the entire Viewport screen. This is the view that DAZ Studio starts out with in the default interface layout.
- **Side by Side:** Divides the viewport area into two vertical panels. By default, the Perspective view appears in the left panel, and the Front view appears in the right panel.
- **Top and Bottom:** Divides the viewport area into two horizontal panels. The Perspective view appears in the top panel, and the Front View appears in the bottom panel by default.
- **Four Views:** Divides the viewport area into four equally sized panels, two on top and two on the bottom. Perspective and Front views appear on the top, and Left and Top views appear on the bottom.
- **2 Right, 1 Left:** Divides your viewport into three sections. The left half contains the Perspective view by default. The right half displays the Front and Left views in half-sized windows.
- **2 Top, 1 Bottom:** Divides your viewport into three sections. The top half displays the Perspective and Front views in half-sized windows. The bottom half displays the Left view.
- **2 Left, 1 Right:** Divides your viewport into three sections. The Perspective and Front views are arranged in half-sized windows on the left, and the Left View appears on the right.
- **2 Bottom, 1 Top:** Divides your viewport into three sections. The Perspective view appears at the top, and the Front and Left views appear in half-sized windows on the bottom.
- **3 Right, 1 Left:** Divides your viewport into four sections. The left side displays the Perspective view. The right side displays the Front, Left, and Top views.
- **3 Top, 1 Bottom:** Divides your viewport into four sections. The top section displays the Perspective, Front, and Left views. The bottom section displays the Top view.
- **3 Left, 1 Right:** Divides your viewport into four sections. The left section displays the Perspective, Front, and Left views. The right section displays the Top view.
- **3 Bottom, 1 Top:** Divides your viewport into four sections. The top section displays the Perspective view, and the bottom portion displays the Front, Left, and Top view.

The figure below shows examples of the viewport options while displaying a simple scene.



Selecting the Active Viewport

If you are working in a multi-viewport layout, you can make changes to your scene within any available viewport. When you make changes in the active viewport, the other viewports in your multi-viewport layout also change.

To switch your active viewport, use one of the following methods:

- Click a blank area in the toolbar that appears above the viewport you want to select.
- Click any object in that appears in the viewport you want to select.

Changing Cameras


Whether you display one view or multiple views in your viewport area, you aren't restricted to using the cameras that appear in those viewports by default. You can select any camera you choose in any of the views, including light cameras or other custom cameras that you create yourself. You'll learn more about how to create custom cameras later in this section.

To switch cameras in a viewport:

1. Select the viewport that you want to assign a camera to.
2. Open the **View Selection List** drop-down at the upper left of the selected viewport.
3. Select the camera you want to assign to that viewport from the **Views** list.

DrawStyles

The **Viewport menu** displays a list of several different **DrawStyles** that you can use in your scene. These options are shown below.




You can choose a different DrawStyle for each viewport in your workspace. These DrawStyles only affect the display of objects in the viewport. They will not render as displayed unless you also select a corresponding RenderStyle in the Render Options dialog (which will be discussed in "Building and Rendering Scenes"). You may find that it helps you position objects and view relationships between them if you use different draw styles in your viewports.

To select a DrawStyle, open the Viewport drop-down menu by clicking the arrow to the right of the View Selection List, then select your desired DrawStyle for the current viewport.


- **Wire Bounding Box:** Selecting Wire Bounding Box displays objects as wire bounding boxes, allowing you to see outlines of the areas occupied by each object (figure, body part, prop) in your scene.
- **Solid Bounding Box:** Selecting Solid Bounding box displays objects as solid bounding boxes, allowing you to see the area occupied by each object (figure, body part, prop) in your scene.
- **Wireframe:** Selecting Wireframe displays objects as polygon meshes, allowing you to see each polygon that makes up the object. Meshes are colored according to the surface's diffuse color. Note that you can see all of the mesh, front and back.
- **Lit Wireframe:** Selecting Lit Wireframe displays polygon meshes as described above and also simulates your scene's lighting. The portions of the wireframe facing lights are brighter, and those in shadow are darker.
- **Hidden Line:** Selecting Hidden Line is similar to the Wireframe style described above, except that this option only displays the outermost layer of the polygonal meshes facing the camera. Any part of the mesh that is on the far side of the figure, or underneath/behind another object will not be shown to you unless you rotate the camera (or move other items) to view it.
- **Wire Shaded:** Selecting Wire Shaded displays both the polygonal meshes and object shading. This is a combination of Hidden Line and Smooth Shaded.
- **Smooth Shaded:** Selecting Smooth Shaded shows objects as solids with color and lighting but no maps.
- **Wire Texture Shaded:** Selecting Wire Texture Shaded displays all objects within the scene as a polygonal mesh imposed over the object's textures.
- **Texture Shaded:** Selecting Texture Shaded shows objects as solids with all color, light, and map information displayed. This is the default setting for DAZ Studio.
- **Cartoon Shaded:** (Available only with full OpenGL capability.) Cartoon Shaded will give you an accurate preview of what your image will look like after rendering if you have your render options set for Cartoon (as opposed to normal) mode. This gives you the chance to adjust the lighting for accurate shadows. (Note: Macintosh users may not have this option available as a preview, even if the card is capable of OpenGL acceleration.)

The figure below shows rendered examples of each of the draw styles that are available in DAZ Studio.



Other Viewport Options

Besides changing the way objects are displayed in your viewport, the **Viewport Options** dialog also displays the following additional commands that allow you to customize your viewport display:



- **Dock Toolbar:** Places the viewport and camera controls along the top of the viewport. Toggle this option again to place them back into the L configuration.
- **Background Color:** To change the background color of your viewport, choose Background Color from the Viewport menu. A standard color picker will allow you to select a new background color that you can use for display or in rendered images.
- **Show Floor:** By default, the floor appears as a grid in the viewport. It represents a plane that is oriented along the X and Z axes, and is centered at the origin of the Y axis. You can toggle the display of the floor on or off with the Show Floor option.
- **Show Center Axes:** The origin of your scene appears in the exact center of the scene, at floor level. It is represented by red, green, and blue lines that intersect at the (0,0,0) point in your scene. Use the Show Center Axes option to toggle display of the origin on or off as needed.
- **Show Aspect Frame:** The Aspect Frame option is on by default. The Aspect Frame helps you ensure that all of the items that you want to include in your render are within the area that will be rendered. We will describe this in more detail in "Building and Rendering Scenes."


Adjusting Cameras

You've already learned that each viewport in your DAZ Studio workspace allows you to look at your scene through a camera. You can fine-tune the positioning and rotation in several different ways. First, you can use the camera controls in the View tab. Secondly, you can use the camera control icons that appear in the upper-right corner of your Viewport window(s). Finally, you can also use Parameter dials to make camera adjustments. We'll discuss each of these methods in the following sections.

Using the Camera Controls

To use the **Camera Controls**, select your desired viewport from the **Viewport Selector**. Then, assign your desired camera to that viewport as described in "[Changing Cameras](#)" discussed earlier in this section.

Once you have selected a viewport/camera combination, you can control the camera using the controls that appear in the vertical portion of the viewport and camera controls:




- **Rotate:** The Rotate control is disabled when you choose an orthogonal camera. When it is enabled, you can left-click and drag to rotate the camera around the subject. If you right-click and drag, you can rotate the camera into place to point it in another direction.
- **Pan:** The Pan control translates your camera view along the X axis (side to side) or the Y axis (up or down). Left-click and drag your mouse in the desired direction to pan the camera. Right-click and drag your mouse in the desired direction to dolly the camera.
- **Zoom:** This control moves your camera to narrow or widen the view through the lens. Left-click and drag left to move in closer to the objects in your scene, or right to move out for a more distant view. If you right-click and drag you can change the focal length of the camera.
- **Bank:** The Bank control is disabled when using orthogonal cameras. This control rotates your camera from side to side. Left-click the Bank icon and drag your mouse toward the left to bank the camera to the left, and toward the right to bank the camera toward the right.
- **Frame Selection:** This control allows you to frame one or more selected objects into the view of the camera. Left-click to frame the current selection in the camera's view. Right-click to aim the camera at the current selection.
- **Reset Camera:** Click this button to reset the current camera to its default state. It will also return a custom camera to the state in which it was first created.

Creating Your Own Cameras


You've learned now how viewports and cameras interact with each other, and that DAZ Studio has several pre-built cameras that you can use in your scene. However, you can also create your own cameras as well. By default, your new camera will be a perspective camera. The name you assign to the camera will appear in the Scene tab and the View As drop-down menu in each viewport. To convert it to an orthogonal camera, use the Parameters tab as described later in this section.

You can create a new camera using the **Create > New Camera** command. The **Create New Camera dialog** displays several options that you can set when you create a camera. If you do not see these options, click the **Show Options** button at the bottom of the dialog.



These options are as follows:

- **Camera Name:** The **Camera Name** dialog appears, prompting you to enter a name for the new camera.
- **Apply Default Settings:** Creates a new camera with the same settings as the Default Camera.
- **Apply Active Viewport Transforms:** Creates a new camera with the same position and orientation as the camera that you are currently using.
- **Copy Selected Item:** Copies settings from a camera that you have selected in the Scene tab. You will need to select the camera before you choose the Create New Camera command, otherwise this option will be disabled.
- **Create a Persistent Point At Target:** When selected, points the camera at a null target and when the target is moved, the camera will rotate to continue pointing at the target. The image below shows an example of a camera target.



Using the Camera Parameter Dials


When you have a camera selected as your current object in the Scene tab, the parameters of the camera appear in the Parameters tab. While some of these parameters allow you to adjust the camera somewhat like the controls already mentioned, there are additional parameters that might be of interest to those who want to create their own cameras.

Every camera in your scene, including those you create yourself, have the following types of parameter dials:

- [The Transforms Section](#)
- [The Misc Section](#)
- [The Camera Section](#)

The Transforms Section


The controls in the **Transforms** section are common to practically every type of object you have in your scene, and while they are discussed in more detail in the Parameters tab section, we'll give a brief description here.



- **Translation:** The Translate dials move the camera in all directions. For example, if your camera is being blocked by a wall in your scene, you can use the Translate dials to move the camera in front of the wall. The X Translate dial moves the selected camera left or right. The Y Translate dial moves the camera up or down. The Z Translate dial moves the camera forward or backward.
- **Rotation:** The Rotation dials rotate the camera in all directions. To explain, think of yourself holding a camera and pointing it upward to photograph the top of a building. However, note that on the surface, it doesn't seem to follow the "norm" about how the X, Y, and Z axes work. We'll explain why rotation works this way in another section, but for now we will just list what the dials do. The X Rotate dial points the camera upward or downward. The Y Rotate dial points the camera to the left or right. The Z Rotate dial tilts (or banks) the camera to the left or right.
- **Scale:** The Scale sliders change the physical size of the camera object in your scene. They do not affect the way the camera displays your scene in any way. The Scale slider scales the camera equally in all directions. The X Scale slider adjusts the width of the camera geometry. The Y Scale slider adjusts the height of the camera geometry (in other words, it makes the camera longer or shorter). The Z Scale slider adjusts the depth of the camera geometry.

The Misc Section


The **Miscellaneous** section of the Parameters tab also contains controls that are common to many objects in your scene. There are three options here: Visible, Selectable, and Point At.



- **Visible:** This button toggles the visibility of the currently selected camera. Click the button to toggle visibility On or Off.
- **Selectable:** This button toggles whether or not the camera is selectable. For example, you can make the camera unselectable, to prevent accidental changes to its position or rotation when you are trying to select items in your scene that are close to it. Click the button to toggle this option On or Off.
- **Point At:** This option allows you to point your camera to a specific item in your scene. After clicking this button, you can select the item you want to point the camera toward from a hierarchical list of all of the items in your scene.

The Camera Section

The **Camera** section of the Parameters tab contains options that are unique to cameras.



The following settings are controlled here:

- **Perspective:** When this option is set to On, the camera acts like a perspective camera. Whenever you create a new camera, it is a perspective camera by default. You can turn this option Off to turn a perspective camera into an orthogonal camera, or On to turn an orthogonal camera into a perspective camera. There is one powerful aspect to this feature. You can initially create a new camera as a Perspective camera, and position and rotate it however you wish. After you set the position and rotation, set the Perspective toggle to Off. This changes your camera into an orthogonal camera that has its own local axes. In other words, instead of the X, Y, and Z axes position and rotation being related to the original center of the scene, they will relate to the position and rotation of the camera before you changed it to Orthogonal. The camera's viewport

look toward the camera's own negative Z axis, with X and Y perpendicular in the horizontal and vertical directions relative to that Z axis.

- **Focal Length:** A camera's focal length is usually expressed in millimeters. The Focal Length slider allows you to zoom in and out of your scene without moving the camera. This is useful when, for instance, you want a wider angle within a small space in your scene. In 35mm-format cameras, lenses that have a focal length of about 50mm are termed standard. Focal lengths below 35mm are called wide angle lenses, and focal lengths above 85mm are called telephoto lenses. Lenses with user-controllable focal lengths are called zoom lenses.
- **Depth of Field:** The depth of field is the distance from the camera at which objects appear most in focus. Setting this value is the same as adjusting the f-stop and focus on a professional SLR camera.
- **Focal Distance:** Moves the focal point of the camera closer or farther away.
- **F/Stop:** Adjusts the f-number of the camera aperture; the ratio of light/exposure

Scene Tab


The **Scene tab** displays a hierarchical view of every object in your scene with the exception of the default views. User-created cameras and lights, figures, body parts, and props all appear in this tab, giving you a centralized view of your scene and the relationships between objects.



NOTE! Some hands-on tutorials in the previous sections will give you a head start in working with the Scene tab. You may find that this reference section makes more sense after you complete the introductory tutorials.


Scene Hierarchy and Tab Controls

As mentioned above, the Scene tab presents a hierarchical view of your scene. These relationships are shown in a tree format with multiple levels of branches, where children appear in sub-branches. A useful example is to think of a real tree. The parent is the trunk, the children are the large branches, with additional levels of children being the twigs and leaves.



Using the Scene Tab and Scene List

The **Scene tab Option menu** button appears on the far right side of the Scene tab. Click this button to open the Scene tab Options menu, shown below. This menu allows you to perform the tasks outlined in the following sections. You can also accomplish similar tasks directly within the Scene List.




Showing and Hiding Items in the Scene List

Two icons appear beside each item in the Scene List. One icon appears like an open eye, the other a pointing hand. These icons control whether your items are visible or selectable in your scene. This feature is particularly useful if you have problem areas in your clothing that cause a figure's body parts to show through. For example, if your figure is wearing pants, and portions of the skin poke through the pants, you can select the figure and make its thigh and shin invisible, as shown in the figure below



NOTE! If you do not see the Visible and Selectable icons in the Scene Tab, you may need to widen the pane that holds the Scene Tab. Drag the right edge of the pane toward the right to widen the view of the tabs it holds.

- Visible/Invisible:** Click the icon that looks like an eye to show or hide an object in your scene. You might find it useful to hide objects when you want to modify something in the scene that sits partially out of view, without moving or changing cameras to do so. You can also use this feature to compare two pieces of clothing on a figure by loading both, then toggling visibility on and off for each to make direct comparisons.



- **Collapse/Expand:** Click on the arrow icon to collapse or expand the tree for the node.
- **Selectable/Not Selectable:** Click the hand icon to make an object selectable or not selectable in the viewport. This does not affect whether an item is selectable or not selectable in the scene list, however. This feature is useful when you wish to take a figure and add clothing, but then make changes to the figure's pose. If you make the clothing "not selectable", you can pose the figure beneath it without accidentally selecting and posing the clothing that it wears.




NOTE! Selecting to set an item as visible/invisible or selectable/non-selectable will not affect which item/node is selected in the scene.


Expanding and Collapsing the Entire Tree

You can completely expand or collapse the scene list using the following commands in the Scene Tab Menu. The figure below shows how these options affect the display of the items in the Scene tab.

- **Expand All:** Expands all branches and sub-branches in your scene.
- **Collapse All:** Collapses all branches and sub-branches in your scene.



Expand All



Collapse All

Expanding and Collapsing Portions of the Tree

For ease of viewing, you can expand and collapse individual branches and sub-branches in the Scene List tree:

- To expand a collapsed branch, either click the **+** (**plus sign**) button next to the branch you wish to expand or double-click the name of the item you wish to expand. The branch will expand one level.

- To collapse an expanded branch, either click the - (**minus sign**) button or double-click the name of the item you wish to collapse. Collapsing a branch will hide all sub-branch levels under the selected collapse point



NOTE! Expanding branches can cause the tree view to grow beyond your Scene tab's vertical and/or horizontal area. If this occurs, the vertical and/or horizontal scroll bars will appear as appropriate.

Selecting and Navigating Through Objects

The Scene tab allows you to select any object, root node, bone, user-created camera, or light in your scene. If you're working with a complex scene or simply want to find the exact object you're looking for quickly, this is the place to do so.

Use the following methods to navigate through the Scene List:

- Use the **Up Arrow** or **Dn Arrow** key on your keyboard to move your selection one object at a time.
- Use the **PgUp** and **PgDn** keys on your keyboard to scroll quickly through the scene list.
- Use the **Left Arrow** and **Right Arrow** keys to expand, collapse, and navigate tree levels.

The following procedures allow you to select one or more items in the Scene List:

- To select a single object in your scene, use the Scene tab's tree view to locate your desired object, then click it. This is very useful in a complex scene or where you cannot readily see your desired object using the viewports.
- To select multiple objects using the Scene tab, you may use any combination of the following methods:
- Click and drag around a group of nodes inside the hierarchy view. Children of selected objects are also selected, whether or not their branches are expanded.
- Press **Shift** while clicking to select all nodes between your previous selection and your next click.
- Press **Ctrl** while clicking to make multiple individual selections.

Creating Parent/Child Relationships

DAZ Studio supports drag-and-drop parenting, or the creation of hierarchical parent/child relationships between items. Child nodes appear on sub-branches within the Scene tab's tree view.

To parent one object to another:


1. Make sure that both the parent and child objects are in your scene. Don't worry about positioning the child object just yet.
2. In the Scene tab, click and drag the child object under your desired parent object. You can parent any object to any other object or bone. For example, you can parent a baseball bat to a hand, a ring to a finger.
3. The child object will move so that:
 - Its local origin coincides with the parent object's origin.
 - Its local axes are aligned with the parent object's local axes.
4. Rotate and/or translate the child object into your desired position relative to the parent.

- Child objects retain their position and alignment relative to any parent object. For example, if you parent a baseball bat to Michael's hand and then make the same bat a child of Victoria's hand, the bat will move so as to retain the same position relative to Victoria's hand (distance and alignment) that it had with Michael's hand.

Renaming Objects

You can rename objects within the Scene tab's tree view. To do this:


- Click to highlight the object that you want to rename.
- Click the object again to enable an editable text field as shown below.



- Enter your desired name for the selected object, then press **Enter** to assign the new name.

Scene Tab Options

The Scene tab **Options menu** appears in the upper-right corner of the Scene tab. Click the Scene tab **Options button** to open the Scene tab **Options menu**.




The commands are as follows:

- **Show:** Allows selection of what items to show or not show in the scene. See "[Showing and Hiding Items in the Scene Tab](#)" for more on this option.
- **Select:** Allows selection of specific content types in the scene. See "[Selecting All of a Specific Content Type](#)" for more on this option.
- **Sorting:** Provides options for sorting content in the Scene tab. See "[Sorting Content in the Scene Tab](#)" for more on this option.
- **Expand/Collapse from Selection:** Provides options for expanding and collapsing the scene tree from the current selection. See "[Expanding and Collapsing from Selection](#)" for more on this option.
- **Invert Selection:** Selects all items not currently selected and deselects all currently selected items.
- **Parent Items in Place:** A parented item attaches itself in relation to the origin and axes of the item that it is parented to. The **Parent Items in Place** command in the Scene tab options menu allows you to parent an object to another object, but the parented object will keep its position relative to the individual bone it is being parented to.
- **Close:** Closes the Scene tab.

Showing and Hiding Items in the Scene Tab


From the Scene tab Options menu, choose **Show** and click the right arrow to display the options shown below.



These options toggle the display of specific types of objects on or off in the Scene tab. A checkmark appears next to the option when the figures, objects, lights, cameras, or other plug-in options are listed in the Scene tab. If a checkbox does not appear, the items are not included in the list. Note that making objects visible or invisible in the tree list does not show or hide them in your scene.

- **Show Figures:** Figures are poseable objects that have bones. Enable or disable this option to show or hide the figures (boned objects) that are listed in the Scene Tab.
- **Show Objects:** Objects that do not contain bones are typically known as props. They include items like scenery, hair, and other items that do not contain bones. Enable or disable this option to show or hide the props that are listed in the Scene Tab.
- **Show Lights:** Enable this option to show or hide the lights that are listed in the scene tab.
- **Show Cameras:** Toggles viewing user-created cameras within the Scene Tab on and off (default views and cameras, aside from Default Camera, do not appear in the Scene Tab). A checkmark appears next to this option when it is enabled. Clearing this checkbox removes all user-created cameras from the Scene Tab tree view, and vice-versa.
- **Other Options:** Other options may appear in the list if you have purchased add-ons for DAZ Studio. For example, if you have the D-Form plug-in for DAZ Studio, you can toggle the deformers that appear in your scene list.


The image below shows what your scene list looks like if you choose to list only the figures in your scene. Other content types (objects, lights, scenes, and deformers) are removed from the list, making it easier to find the poseable figures in your scene.



Selecting All of a Specific Content Type

From the Scene tab Menu, choose **Select**, and click the right arrow to select all of a specific type of content. The options in the Select menu appear:


- **Select All:** Selects all objects in the Scene tab list.
- **Select All Figures:** Selects all poseable (boned) figures in the Scene tab list. This option is shown in the following figure.
- **Select All Objects:** Selects all non-poseable figures (props, scenery, and so on) in the Scene tab list.
- **Select All Lights:** Selects all lights in the Scene tab list.
- **Select All Cameras:** Selects all cameras in the Scene tab list.
- **Other Options:** Other options may appear in the list if you have purchased add-ons for DAZ Studio. For example, if you have the D-Form plug-in, you can choose the option to Select All DForms.



Sorting Content in the Scene tab

From the Scene tab Options Menu, choose one of the following commands to sort your material in the order you choose. Examples are shown in the figures below.


- **Do Not Sort:** Objects in your scene to appear in the Scene tab in the order you add them, from bottom to top (as explained in the Tutorials section.) This is the default behavior of the Scene tab.
- **Sort Ascending:** Causes objects in your scene to appear in the Scene tab sorted by name in ascending (A-Z) order.
- **Sort Descending:** Causes objects in your scene to appear in the Scene tab sorted by name in descending (Z-A) order.



Expanding and Collapsing from Selection

Three commands in the Scene tab menu allow you to expand or collapse the tree from a specific point, or to select all except the currently highlighted item. Examples are shown in the figure below:

- **Expand From Selection:** Expands the tree in the scene list to display all branches that appear beneath the selected item.
- **Collapse From Selection:** Collapses the tree in the scene list to hide all branches that appear beneath the selected item.
- **Invert Selection:** After you select an item, use the Invert Selection command to deselect the current item and select everything else in the scene list.



Parameters Tab

The **Parameters tab** gives you fine control over many of the objects in your scenes, including figures, clothing, body parts, props, hair, lights, cameras, and morphs. The Parameters tab organizes its contents into **Groups**, as shown below. When you click on a given group, you can hide or expand those parameters that belong to that group in the Parameters tab. For instance, you can show only the basic General parameters, just the Morphs, or any combination of these or other groups.



NOTE! You can create your own sub-groups beneath the General, Misc, or Morph groups. See "[Parameters Organizer](#)" for more on organizing parameter groups.

Tab Options

Clicking the **Parameter Options** button opens the **Parameter tab Options menu**, which contains the following options:



- **Memorize:** Opens a submenu of options that allow temporary storage of selected parameter settings. You can memorize the state of an entire figure, a pose, morphs, selected items, or transforms (position).
- **Restore:** The complement menu for Memorize. The Restore options allow you to recall the settings you have previously memorized.
- **Zero:** Allows you to set all **visible** dial settings to Zero for selected object(s). To completely zero all dial settings, including those of invisible dials, for the selected object, press **Ctrl** then select Zero from the options menu. You can zero the dial settings for an entire figure, a pose, morphs, selected items, or transforms.
- **Clear Animation:** Allows you to clear the animation for a figure, pose, transforms, morphs, or selected items.
- **Limits:** Allows you to turn limits on or off for the selected items.
- **Lock:** Selecting Lock opens a submenu where you can select the items to lock into place. This is helpful in preventing accidental changes in your scene, especially when you have worked hard on locations and poses. You can lock or unlock the currently selected node(s), morphs, or transforms. When items are locked, a padlock icon appears beside the settings you cannot change.
- **Symmetry:** Selecting Symmetry opens the Symmetry dialog. Refer to "[Posing and Moving Figures](#)" for more information on the Symmetry feature.
- **Move to Floor:** Raises or lowers the selected item to match its local Y origin to the scene's global Y origin. For most items, this places the bottom of the item at floor level, though it depends on where the content creator placed the item's Y origin.
- **Show Hidden Properties:** Allows you to view parameters that are not normally shown for a specific item. You can view them, but the dials will be grayed-out and not changeable.
- **Mouse-Over Sliders:** Hides parameter sliders until the parameter is "moused over." See "[Mouse-Over Sliders](#)" for more on using this feature.
- **Group Parameters:** Opens the **Group Parameters dialog**, where you can add and rename your own sub-groups beneath the General, Misc, and Morph groups in the Parameters tab.


- **Hide Unused Properties:** Most helpful when a figure or prop contains many morph dials. This option hides all dials that have a setting of zero, allowing you to view only the morphs you have used to shape your character or other morphable objects.
- **Close:** Closes the Parameters tab. To reopen it, choose View > Tabs > Parameters.

Mouse-Over Sliders

The **Mouse-over Sliders** feature provides the ability to hide property sliders until needed. This saves room on the tab and allows you to see more parameters at once.

To use the mouse-over sliders:


1. In the Parameters tab, select **Mouse-Over Slider** from the Options menu.



2. Expand any group with sliders in the Parameters tab (morphs, transforms, favorites) so the properties are visible. The slider will be "missing" from the properties with only the label and value visible.




3. Mouse over the property label to bring up the slider and adjust it by dragging the slider button or enter a value in the numeric field.



4. When you move off the property, the slider will disappear from the tab.

Local and Figure Favorites


On the Parameters tab, it is possible to save specific parameters as either a figure or local favorite. Local favorites are available only when the applicable body part is selected, while figure favorites are available no matter what body part is selected.



For example, if there is a parameter you use constantly for a body part, it can be saved as a local favorite. If there is a parameter you use frequently that requires you to continually change which body part is selected, you can save that parameter as a figure favorite.

To save a parameter as a favorite:

1. Select the body part containing the parameter to add to the favorites.
2. Right-click on the parameter and choose to add it to the **Local** or **Figure Favorites**. Select multiple parameters using **Shift+click** or **Ctrl+click**.



The parameter will be added to the selected favorites.






Figure favorites will now be visible no matter what body part is selected.




If multiple parameters are added to the figure favorites, the parameters will be organized by body part.




To add a parameter from the local favorites to the figure favorites:

1. Right-click on the parameter in the local favorites that is to be moved to the figure favorites. Select multiple parameters using **Shift+click** or **Ctrl+click**.
2. Choose Add Selected Properties to Figure Favorites from the menu.




The selected parameter(s) will be added to the Figure Favorites.



To remove a parameter from favorites:

1. Right-click on the parameter either in the favorites or in the original parameter listing. Select multiple parameters using **Shift+click** or **Ctrl+click**.
2. Choose **Remove Selected Properties from Figure Favorites** or **Remove Selected Properties from Local Favorites** from the menu depending on which favorites panel the parameter is in.



The selected parameter(s) will be removed from the selected favorites section.

Setting Parameters

Each parameter has a numeric value indicator that tells you its current setting. You can use sliders, nudge icons, or numerical entries to modify the setting.

When you adjust the settings, be aware of the type of dial you are changing, and what the numbers represent:


- **Transforms** are expressed in units of measurement
- **Rotations** are expressed in degrees, plus or minus 0 to 360 for full rotation in either direction. The same is true of rotation dials that have been renamed Twist, Front-Back, Up-Down, Side-Side, and so on.
- **Scales** are expressed in percentages, with 100% being the original size of the object.
- **Morph** dials are either expressed as 100% being the full morphed value, or 1 being the full morphed value. You can also dial negative values to reverse the morph. A value of 0 means that the morph has no effect on your object.



NOTE! If the Limits option is turned on in the Tab Options menu, you may be unable to exceed (or even reach) the maximum or minimum range that a parameter dial displays. One reason to keep limits on is that results will begin to get unpredictable when values are set too high.

To set parameters, use one of the following methods. These options are shown in the figure below.

- **Sliders:** The quickest way to set a parameter's value is to use the slider. Clicking and dragging the slider to the left lowers the parameter's value, and vice-versa. This is a quick and easy way to make rough settings. See "[Mouse-Over Sliders](#)" for information on hiding sliders until needed.
- **Nudge Icons:** The + (plus) and - (minus) icons at the end of each slider allow you to increase or decrease the parameter's value by a small amount. Click the **minus sign** to lower the value or the **plus sign** to increase the value.
- **Numeric Entry:** Left-click the numeric value in any parameter. This displays an editable field in which you can enter an exact value. This provides even finer control than the Nudge arrows. After you enter your desired value, press **Enter** to set it. If you enter a value outside the parameter's allowed limits, then the appropriate limit will be applied.



Menus and Buttons

Different objects may have drop-down menus, buttons, or both. For example:

- **Drop-down menus** appear when you might have multiple choices. For example, when you use the Fit To parameter, you see a drop-down menu in the Parameters pane. This allows you to select an object that you can fit the current object to.
- When you can turn a parameter On or Off, you see a **button** that enables you to do so. Checking a given **checkbox** enables the listed function, and vice-versa. For example, most objects have a Visibility button that allows you to toggle that object's visibility on and off.

Common Parameter Settings

The following parameter types are common to most objects, except where noted. You have already worked with some of these parameters if you have followed the earlier tutorials:

Translations

Translations are used to move the objects in your scene. These parameters are common to all object types: figures, bones, props, lights, and cameras.

Translations occur along the X, Y, and Z axes as follows:

- The **X Translation** (sometimes abbreviated xTrans) parameter moves the selected object along the X-axis, which runs left to right on your screen.
- The **Y Translation** (or yTrans) parameter moves the selected object along the Y axis, which runs up and down on your screen.
- The **Z Translation** (or zTrans) parameter moves the selected object along the X axis, which runs backward and forward on your screen.




Rotations

You can rotate any type of object in your scene, with the exception of point lights, seeing as they shine light in all directions. Translations and scales are somewhat obvious when it comes time to make adjustments. You move an object on the X axis to move it left or right, and scale the object along the X axis to widen it. You can also rotate objects along their X, Y, and/or Z axes, but a bit of explanation is needed to explain how rotation works.

The easiest way to explain rotation is to compare it to a pair of tires on an axle, examples of which are shown in the figure below. The axle is the axis of rotation, and the tires rotate in the direction that is perpendicular to the axis. For example, when the front of the car is facing directly toward you, the axle is running left to right along the X axis. The tires rotate front to back.

Now, let's say the car is tipped over on its side, so that the axle runs up and down along the Y axis, and the bottom of the car is facing toward you. The only way the tires can turn in this case is side to side (or left to right).

Let's turn the car again, so that the axle is running front to back, along the X axis. You are looking at the car from its side. Now, you see the tires turn clockwise or counter-clockwise.



This is precisely how rotation works in the 3D world. The axis of rotation is fixed along the X, Y, or Z axes, in the same way that the tires are in the previous figure. As you try to determine which of the three parameters will properly rotate your object, think of the axis as being the "fixed" direction. To summarize, the settings shown below work as follows:

- The **X Rotation** (sometimes abbreviated xrot) parameter fixes object along the X-axis (left to right). Objects rotate front to back.
- The **Y Rotation** (or yrot) parameter fixes the object along the Y-axis (up and down). Objects rotate side to side (or left to right).
- The **Z Rotation** (or zrot) parameter fixes the object along the X axis (front to back), and rotates objects clockwise or counter-clockwise.




NOTE! When a figure contains bones, as is the case with humans, animals, and poseable clothing, you will sometimes see the rotation parameters listed in more friendly terms: Twist, Bend, Side-Side, Up-Down, Front-Back, and so on.

Scale


Use the parameter dials in the **Scale** section when you want to increase or decrease the size of an object:

- **Scale**: Scales the selected objects equally in all directions.
- **xScale**: Scales the selected objects along the X (left to right) axis, making the object wider or narrower.
- **yScale**: Scales the selected objects along the Y (up and down) axis, making the object shorter or taller.
- **zScale**: Scales the selected objects along the Z (front to back) axis, making the object deeper or shallower.



Visible and Selectable

The **Visible** and **Selectable** parameters determine whether or not you can see an object in your scene, and whether or not you can select the object.




The **Visible** parameter comes in handy for cases such as the following:

- You have many objects in your scene and you need to hide an object that obstructs the view of another object that you want to change. Select the object that is obstructing your view, and turn the Visible setting off.
- You pose your character and find that skin pokes through the clothing in extreme poses. If you can't find morph dials that remedy the pokethrough issues, select the offending body part on the character, and turn its Visible setting off.

The **Selectable** parameter is helpful when you have spent a lot of time arranging your scene or posing a character and you want to prevent accidental changes from occurring. When the Selectable parameter is off, DAZ Studio does not allow any parameter changes to be made to the object.


Cast Shadows

By default, when you add an object to your scene, it is set to cast shadows when shadow-casting lights are present in your scene. There may be instances when you do not want an object to cast a shadow at all. In those cases, select the object and turn its **Cast Shadows** parameter off.




Bend

When a poseable figure is created, the joints of the figure are set to create a smooth transition from one joint to another when the figure is posed. This transition is controlled by the **Bend** parameter.




The **Bend** parameter is On by default, which creates a smooth transition between the connecting joints. The example on the left in the figure below shows a leg pose where the shin is bent backward. The Bend parameter of the thigh is On in this example.

When you turn the Bend setting Off on the thigh, the smooth transition is removed and you see a break in the transition between the thigh and the shin, as shown on the right in the figure. Though not practical for organic figures (such as humans or animals), this setting is useful when you want to create poseable figures that do not bend smoothly from one joint to another. For example, if you are creating a robot that is jointed in a manner where the body parts are made of separate pieces of metal, it might be beneficial to turn the Bend parameter Off.



Fit To


If you followed the earlier tutorials, you learned that the **Fit To** parameter "attaches" a poseable figure (such as clothing) to another poseable figure (such as a human figure).



To use the **Fit To** parameter, select the object that you want to attach. Then use the **Fit To drop-down menu** to select the item in the scene that will wear or have that object attached. The object that is fitted should automatically follow the pose of the object that it is fitted to. Note, however, that in order for clothing to properly fit and follow a character, it must be specifically created to fit that character (for example, clothing made for Victoria 3 won't work perfectly on Victoria 4 and vice-versa). If joint parameters are different between the clothing and the figure, the clothing won't exactly follow the pose of the figure.

Point At

The **Point At** parameter points any object toward another object. For example, you can use the Point At feature to point a camera toward an object, or point a character's eyes toward a camera or another figure or object in your scene.



To use the **Point At** feature, select the object you want to point. Then use the **Point At drop-down** menu to select the figure, object, or body part.

Morphs

Morphs are parameters that change the shape of an object. For example, many figures have morphs that will change their default body shape to make them lighter, heavier, more muscular, and so on. Other morphs in the face can make the figure smile, close their eyes, or add ethnicity.

Clothing objects often have morphs built in to them to match morphs that are included with figures. In addition, you can also see morphs in scenery props so that you can create hills and valleys in the land.

Each morph has its own parameter dial as shown below and you can use more than one morph in combination to arrive at the shape you desire. You can animate morph changes by setting a morph dial to one value in one frame of the animation and changing the value in a later frame. The state of the morph will transition from one state to another in the in-between frames.




Hip Type

Some DAZ and third-party assets support geometry swapping at the hip, where you can substitute one type of hip for another. The most common usage for this is to turn genitalia on and off for humanoid figures by swapping the hip geometry. If the figure supports it, you will see a button in the Parameters tab to give you the option to change hip types for the given figure.

The Numeric Parameter Settings Dialog

When you double-click the name of a parameter that has a numeric value associated with it, the **Parameter Settings** dialog shown below opens.




This dialog allows you to set the following options:

- **Name:** Displays the name for the parameter. To change the name, select the text with your cursor and type a new name in the field.
- **Hidden:** Determines whether or not the object is visible in the scene. Click to toggle the setting from No (which makes the object visible) to Yes (which hides the object).
- **Locked:** Determines whether or not you are able to make changes to the parameter. Click to toggle the setting from No (which allows changes) to Yes (which prevents changes from occurring).
- **Value:** Displays the current setting for the parameter. To change the setting, highlight the current setting and enter a new one.
- **Respect Limits:** Determines whether or not the current parameter will remain within the minimum and maximum limits that are set for it. Click the setting to change from Yes (which keeps the parameter within the limits) or No (which allows you to set the parameter beyond its limits).
- **Min Limit:** Sets the minimum allowable value for the parameter dial. When the Respect Limits setting (above) is set to Yes, DAZ Studio does not allow the minimum value to extend beyond this limit.
- **Max Limit:** Sets the maximum allowable value for the parameter dial. When the Respect Limits setting (above) is set to Yes, DAZ Studio does not allow the maximum value to extend beyond this limit.
- **Display As:** Click this field to toggle display units between **Value** (for a numeric value) or **Percent** (for a percentage value).
- **Sensitivity:** The Sensitivity field functions in one of two ways:
 - On a slider with limits, the Sensitivity value is the increment used each time you click a Nudge arrow.
 - On a slider without limits, the Sensitivity value sets both the Nudge arrow increments and the rate of change when you click and drag the slider.
- **Controllers:** Informs you whether or not there are external controllers that are linked to the parameter.

After you make your changes, click the **Accept** button to save them and close the dialog. Click the **Cancel** button to discard the changes and close the dialog. The Parameter Settings dialog will vary in appearance depending on the type of parameter you selected:

The Toggle Parameter Settings Dialog

When you double-click a parameter that has a toggle value associated with it (such as On/Off, Yes/No) the **Parameter Settings** dialog shown below appears.



The following settings are found in this dialog:

- **Name:** Displays the name for the parameter. To change the name, select the text with your cursor and type a new name in the field.
- **Hidden:** Determines whether or not the object is visible in the scene. Click to toggle the setting from No (which makes the object visible) to Yes (which hides the object).
- **Locked:** Determines whether or not you are able to make changes to the parameter. Click to toggle the setting from **No** (which allows changes) to **Yes** (which prevents changes from occurring).
- **Value:** Displays the current setting for the parameter. Click the current value to toggle to the other state.
- **Controllers:** Informs you whether or not there are external controllers that are linked to the parameter.

Parameters vs. Morphs

At face value, parameters and morphs seem similar if not identical. There are, however, several key differences:

- In general, **parameters** deal with object translation, rotation, and scale. Additionally, parameters are based on an item's type (such as a light) and sub-type (a specific kind of light). For example, all lights have intensity controls that allow you to dim and brighten them. Spotlights have rotation parameters, but Point Lights do not.
- **Morphs** involve specific deformations applied to items in a scene that are otherwise known as mesh objects. These deformations are specifically created for a given item, and are only available when installed and the correct item is selected in your scene.



TIP! While different, parameters and morphs share the same types of interface controls within DAZ Studio. For simplicity, we will use the term "parameters" in this section to mean both general parameters and morphs.

Timeline Tab

The **Timeline** is a basic animation tool found within DAZ Studio, which brings movement and motion to your scenes. Before we begin, a brief description of what animation is and how it works is in order.

Animation Basics

Animating a character involves a bit more than simply posing a character into a single static pose.

You should plan out ahead what movements your characters within a scene will make - the more detailed, the better. For example, a basic animation could depict a close-up of a character that tilts its head and smiles at the viewer. If the character also blinks, flares its nostrils, or narrows its eyelids while smiling, the animation becomes more believable and life-like.

Breaking it Down

An animation, while appearing fluid in its final form, is actually broken up into individual frames, much like individual frames on old-fashioned movie film. When DAZ Studio processes an animation into a movie, it will render each frame, one at a time, to produce the final movie clip. This does not mean that you yourself are forced to set up each frame, however.

Using what is known as Linear Interpolation, DAZ Studio itself works out what the intermediate positions of each part in a scene will be between what are known as Keyframes. A Keyframe is a user-set position or rotation setting of an arm, eyeball, falling object, or what-have-you at a given point in time (for instance, the image above would represent a collage of individual keyframes in a diving animation).

Keyframes tell DAZ Studio where and how you want everything to be at an exact moment in time. You can remove keyframes if you later decide to change something, or want to change the whole animation at any point in time.

If adding audio to the timeline, use the **Edit > Audio** command to load the audio file and select to **Automatically adjust animation range** so that the timeline is lengthened to play the full audio file.

Anatomy of the Timeline Tab

The **Timeline tab** that comes with DAZ Studio is a simple default tool that allows you to create and adjust basic animations. This tab is divided into several portions that are standard on almost any animation manipulation package.

By default, the Basic Timeline is shown. To switch to the Advanced Timeline, choose **Advanced View** from the **Timeline Options menu**.

These controls are shown below and serve the following functions:


Basic Timeline



Advanced Timeline



- **Scale Timeline (1):** Move left or right to scale the timeline and show more or less of the tick marks.



- **Scrubber (2):** Move the scrubber left to move backward through the animation, or right to move forward in the animation.
- **Total Frames (3):** This will tell you how many frames are in the entire animation clip for this scene. Notice, in the tab above, that a 30-frame scene will have 31 frames. This 31st frame is a reference frame, and cannot be accessed or manipulated by the user. It is only used for internal purposes only, and will not affect the animation. In the window next to the Total: label, you can change this to reflect as many frames as you desire in an animation. Just remember to add one to the total number you want. For example, if you want a 900-frame animation (which by default is 30 seconds of video @ 30fps), you would enter 901 into the Total field.
- **Current Range (4):** This field lists the current range of frames displayed in the timeline. You can manually enter the beginning and end frame that you want displayed, or it will update itself to show the current range if you move the range slider carets to reflect which part of the graph you want to concentrate on.

- **Current Frame (5):** This field shows you the frame currently displayed in the active 3D viewport, and shows you at what time-point of the video clip you are currently working (in hours : minutes : seconds : frames format).
- **FPS (Frames Per Second) Setting (6):** This field shows you how many frames of animation will constitute one second of video playback time. By default this is set at 30 frames per second.




TIP! Most people have eyes that automatically convert separate frames of animation into fluid motion at a minimum of 24 frames per second. The higher the FPS setting, the smoother the motion appears (and the smoother the linear interpolation calculations). However, this will also increase the number of frames required for the entire video clip, and will increase render times in proportion to the increase in setting.

- **Loop On/Off (7):** This button will allow you to preview the animation within the currently selected range as either a single-run video (where it will run only once until you play it again), or as a loop (where it will run over and over continuously until you manually stop the playback). The button icon will change accordingly from a pair of linked arrows (loop), to a pair of unconnected arrows, depending on which setting you choose.
- **Add/Remove Keyframe (8):** This button allows you to set a keyframe. A keyframe is defined as a point in the animation where you the user definitely want all portions within the frame to be positioned, and will be used as part of calculating interpolation. To add a keyframe, go to a frame where you want to set an important element of the scene to an intermediate position (such as an arm in mid-swing, an eyelid closed fully, a ball striking the ground in mid-bounce, etc). Click the Add Keyframe button to set the keyframe for the current frame.
- **Go to First Frame (9):** This button will take you and your current 3D viewport back to the first frame in your currently selected range.
- **Previous Keyframe (10):** This button will take you to the previous closest keyframe (within the currently selected range) before the frame you are currently in.
- **Back One Frame (11):** Fairly self-explanatory - this button will take you back one frame from the currently selected one.
- **Play/Stop (12):** This button will play the whole animation, starting at the current frame. If you have looping enabled (see previous page), the preview will play continuously over and over again through the currently selected range until you stop it. While playing, the icon on the button will change to the Stop button, which you can then press to stop the animation preview at any time.
- **Ahead One Frame (13):** This button will advance you ahead one frame from the currently selected one.
- **Next Keyframe (14):** This button will take you to the next keyframe you have set in your currently selected range.
- **Move to End Frame (15):** This button will take you to the last frame within your currently selected range.
- **Remove Keyframe (16):** To remove a keyframe, go to an active keyframe (you can use the previous/next keyframe buttons to do this), and select the Remove Keyframe button.

Clearing an Animation

An animation can be cleared by selecting **Clear Animation** from the **Parameters Option** menu as shown in the image below.




- **Clear Figure:** Removes the figure from the animation
- **Clear Figure Pose:** Removes figure pose from the animation
- **Clear Figure Morphs:** Removes figure morphs from the animation
- **Clear Selected Items:** Removes any selected items from the animation
- **Clear Transforms:** Removes any transformation changes from the animation

Render Tab

The Render tab provides the same options available from the Render menu. Refer to "[Render Menu Commands](#)" for more information.

Help Tab

Choose **View > Tabs > Help** to open the **Help tab**. The Help tab provides up to the minute references to where the latest versions of DAZ Studio help can be found.



New at DAZ Tab

Choose **View > Tabs > New at DAZ** to open the **New at DAZ tab**. This tab connects to the DAZ Website and then displays icons of some of the latest releases in the DAZ store. To learn more about a featured item, click the thumbnail or the link below it to navigate to the DAZ website.

Other Tabs


Additional tabs may be available to access plug-ins included with DAZ Studio or installed separately. Examples include Align Ace, PowerPose, and D-form. See the Tools section for information on using the included plug-ins.



NOTE! The plug-ins included in this guide are those that are included in the base DAZ Studio application. For third-party plug-ins that are available separately, see the separate documentation included with each plug-in.

The Tool Tab

Choose **View > Tabs > Tool** to open the Tool tab. This tab is used in conjunction with PowerPose, but may also be used in conjunction with other plug-ins where noted. See the PowerPose section for more information on how to use this tab in conjunction with the PowerPose tab.



Building and Rendering Scenes

Adding Content to the Scene

When adding content to your scene, there are multiple ways of doing so:

1. Double-clicking on a thumbnail in the Content tab.
2. Selecting a thumbnail and dragging into the viewport.
3. Merging content into the scene.
4. Using **Content Drag-and-Drop**.

The first three you're probably quite familiar with but the last item, "[Content Drag-and-Drop](#)," is new in DAZ Studio 2.0 and provides the ability to drag content into the scene and select whether to conform, parent, or apply the content to the figure, or to place the content in a specific location in the scene using a targeting system.

In addition, when content is added to the scene, options can be set in the Content tab Options Menu to allow the content to be replaced automatically, replaced after asking, or never replaced (always added). See "[Adding or Replacing Content](#)" for more on Add/Replace.

Content Drag-and-Drop

The **Content Drag-and-Drop** feature provides the ability to drag content into the scene and select whether to conform, parent, or apply the content to the figure, or to place the content in a specific location in the scene. With this new feature, you no longer get an error message when no figure is selected and you drag a conforming or smart prop onto the figure.

Content can include scene files, figures, clothing, props, light sets, cameras, hair, poses, and MAT pose files in both Poser and DAZ Studio format, mesh objects, and BVH files.


There are three methods of using Content Drag-and-Drop:

- [Conforming, Parenting, and Applying](#)
- [Drop-At Target Placement](#)
- [Adding Content from a Directory](#)


Conforming, Parenting, and Applying

To use content drag-and-drop to conform or parent items to a figure or apply a pose:

1. Load a figure into the scene.
2. Select a content thumbnail in the Content tab (conforming items, props, and pose files) and drag it on top of the figure. You can also select multiple items and drag them all at the same time.
3. If you drag the content to the figure and immediately drop it on the figure, it will automatically load in the default method (equivalent to double-clicking on the content thumbnail in the Content tab).
4. If you continue to hold down on the mouse button and move the cursor over the figure, the body part the cursor is hovering over will highlight and after a few seconds, a **Context menu** will come up providing options for loading the content.



If hovering over a body part that also has clothing conformed to it or a parented prop, all items on that body part will show in the list.




- **Default Load:** Loads the selected content in the default method, i.e., clothing will conform, hair will parent to the head, figure will be loaded in the center of scene, etc. The content must be set up properly in order to conform or parent. Equivalent to double-clicking on the item in the Content tab.
- **Fit to <figure/object>:** Loads the selected content and fits it to the figure or selected object.
- **Parent to <figure>:** Loads the selected content and parents it to the figure in the default location no matter what body part is being hovered over.
- **Parent to <figure> : <bodypart/object>:** Loads the selected content and parents it to the specific body part being hovered over.
- **Apply to <figure/object>:** Applies the selected pose, material file, etc. to the figure or other item on the high-lighted body part.

Drop-At Target Placement


To use content drag-and-drop to place content in a specific location in the scene:

1. Make sure no figures are selected in the viewport.
2. In the Content tab, select a content thumbnail (figure, prop, or clothing) and drag it into the viewport.


3. If you stop dragging the mouse but continue to hold down the mouse button, a context menu will come up allowing you to load the prop in its default location. Equivalent to double-clicking on content thumbnail or dragging the item to the viewport and dropping it.





4. If you press the **Opt/Alt** key while dragging the object into the viewport, a **Drop-at target** will show up on the ground plane and will move/resize as you drag the mouse around the scene. Decide where you want the object on the XZ-axes, move the cursor to that location, and let up on the mouse button. Do not let up on the **Opt/Alt** key until after you have let up on the mouse button or the item will revert to its default properties and be conformed or parented, as the case may be.



The item will be placed at the selected location as a stand-alone object/figure, i.e., not parented to a figure.



- To place an item to the left, right, above, or below another item (on the XY-axes), but at the same Z-Trans location (0 on the Z-axis), move the cursor above the horizon line (still holding down the **Opt/Alt** key) until you get a vertical drop-at target. Once the target is at the correct location, let up on the mouse button and the item will be loaded at that location on the X and Y-axis..




Adding Content from a Directory

Not only can content be dragged into a scene from the Content tab, but it can also be dragged directly from a directory folder on your computer. This is quite useful when you have a content directory that is not linked to DAZ Studio but contains objects you want to use in your scene. Be careful when using this when the directory is located on an external drive that is frequently moved to other computers. If the drive is not connected when you try open the saved scene file, Studio will not be able to find the content.

To add content to a scene directly from a directory folder:

- Locate and open the directory folder where the content is located.
- Place the folder so that it is either next to or over the DAZ Studio window.

3. Select the content and drag it on to the figure (you can select multiple items). It will automatically conform, parent, or apply based on the type of content. You will not get the context menu to choose how to apply the content.
 - Figures, stand-alone props, and mesh objects will be placed in the center of the scene.
 - Mesh objects and BVH files will get the applicable import dialogs.



Adding or Replacing Content

By default, DAZ Studio adds new content to the scene, however, you can choose whether to replace content automatically, ask every time, or always add content to the scene. However, in order for this to work, two things must be true:

- The content must be categorized in the content database. See "[Searching for New Content](#)" for more on this option.
- The content being used must be mapped so DAZ Studio knows what kind of content it is. For example, so it can replace a hair prop with another hair prop and not a shoe prop instead. See "[Mapping Content](#)" for more on mapping content for using to add/replace content. If a .map file is added after the item itself was added to the Content Manager, then a re-scan is required before the replace function will work. See "[Searching for New Content](#)" for scanning instructions.

Select a Replacement Option

To select a replacement option:


1. Make sure you are on the Content tab and bring up the Options menu.
2. Select **Edit Preferences** from the menu. The Preferences dialog comes up.
3. Click on the **Content Manager** tab and select an option from the **Remove & Replace** section:
 - **Always Replace Items** - When selected, will always replace items without asking first.
 - **Ask to Replace Items** - When selected, will ask if you want to replace an item and what you want to replace in the scene or on the figure.

- **Never Replace Items** - When selected, will always add items to the scene (default DAZ Studio action).
4. Click on **Accept** to save your changes.

Using the Replace Options

If **Always Replace Items** was selected


1. Load the new content by double-clicking on it or dragging it into the scene.
2. If the figure or item being replaced was not selected, the **Select an Item** dialog will come up with a listing of all items in the scene. Left-click on the item to be replaced and click on **Accept** to replace it or on **Cancel** to not load the new item into the scene.




3. If the figure or item being replaced was selected, the new item will replace the previous item, i.e., Bombshell hair will replace the Glamour hair.

If **Ask to Replace Items** was selected:

1. Load the new content by double-clicking on it or dragging it into the scene.
2. If the figure or item being replaced was not selected, the **Select an Item** dialog will come up with a listing of all items in the scene. Left-click on the item to be replaced and click on **Accept** to replace it or on **Cancel** to not load the new item into the scene.



3. If the figure or item being replaced was selected, the **Choose Content to Replace** dialog will come up. The dialog will list all items of the same type on the figure. For example, the Bombshell hair is categorized as a conforming hair item, so only items of the same type, i.e., Glamour hair, will show in the list. Select **None** to add the new item to the scene or select **the item to replace** in the scene.




4. If you would like to change which replace option to use (always or never), click in the checkbox next to that option.
5. Click on **Accept** to accept the changes and replace or add the hair (if None was chosen), or on **Skip Replace** to add the new item and leave the current item in the scene.



TIP! Selecting **None** and clicking on **Accept** is the same as selecting **Skip Replace**.

If **Never Replace Items** was selected:

1. Load the new content by double-clicking on it or dragging it into the scene.
2. If the figure or an item on the figure was not selected, the **Select an Item** dialog will come up with a listing of all items in the scene. Left-click on the item to be replaced and click on **Accept** to replace it or on **Cancel** to not load the new item into the scene.



3. If the figure or item on the figure was selected, the new item will be added to the scene.

Cancel Adding Content


When opening a saved scene file or adding content from the Content tab, there may be times when you select the wrong file or change your mind in the middle of the content being loaded. In these cases, you can cancel the file loading without having to wait for the entire scene to load.

Cancelling loading an item works while:


- Adding content from the Content tab
- Adding content via PowerLoader
- Opening a saved scene
- Merging a saved scene

To cancel loading content:

1. Click on the **Cancel** button on the loading dialog.



2. The scene/file will stop loading (you may see a "Please Wait" dialog flash by) and the cancelled dialog will come up. Click on **OK** to close the dialog.



NOTE! If the scene file or content is very small, you may not be able to cancel the load fast enough. In these cases, just delete the objects once they have loaded into the scene.

Posing and Moving Figures

Posing figures is one of DAZ Studio's central functions. There are several ways to pose figures. Let's discuss each method in more detail.

Selecting Which Joints to Move

Before you can pose a figure, you must select the bone you wish to move. There are two ways to select bones:

- Click the desired bone in any viewport. For example, if you want to bend the left leg at the knee, click the left shin.
- Select the desired bone within the Scene tab.

The **Bone Manipulators** appear at the selected bone's origin whenever you select a bone. These controls will vary depending on the currently selected mode (as selected in the Toolbar - Rotate, Translate, or Scale). You must select the correct bone(s) on the correct figure in order to achieve the desired results. This sounds obvious at first, but may require some advance planning. In many cases, you will need to move several bones in order to achieve the final result. For example, if you want your figure to salute, you will need to move the right shoulder, forearm, and hand. When working with multiple bones, it's usually best to start at the parent and work towards the children. This helps cut down on repetitive repositioning of the child bones. In this example, you'll want to:

1. Apply some rotation and twist to the shoulder. Try applying -75 degrees of twist and 20 degrees of bend.
2. Twist and bend the elbow. Try applying -85 degrees of twist and 120 degrees of bend.
3. Bend the hand a little. Try applying -3 degrees of twist and 2.05 degrees of bend.

As you can see, starting at the hand in this case would have made the process far more time consuming and difficult. That said, there are times when it may be a good idea to start at the child bones. For example, if you are placing a prop in a figure's hand, you might want to parent the prop to the hand, and adjust the hand into a realistic grasp before creating the pose. In this example, starting at the child ends (the fingers) will ensure that the prop will remain in the correct position relative to the figure's hand.

Direct Manipulation

Direct manipulation is the easiest and fastest way to adjust your figure's pose. At its most basic, the process is as follows:

1. Select the bone to move.
2. Click and drag the **Bone Manipulators** to move the joint.

This method is both easy and fast. Some users use this method to move figures into their rough positions, then switch to the Parameters Tab to make fine adjustments. The precision of this method depends on your viewing angle and distance; the closer you are the object you're manipulating, the finer the control you will have.



TIP! You could use one viewport, one at a wide angle, the other zoomed in, to give to you both gross and fine control using the Bone Manipulators.

Manipulation Movement Modes

There are three ways to move figures and their bones:

- **Rotation:** When you select a bone, rotation occurs at that bone's parent joint. For example, if you select the forearm, the bending will occur at the elbow. The hip is the parent bone for the entire figure. If you select the hip, you will rotate the entire figure.
- **Translation:** You usually should not translate individual joints, since doing so would result in scaling the affected bone. The hip is the parent bone for the entire figure. If you select the hip, you will translate the entire figure.
- **Scale:** When you select a bone, scaling occurs along the entire bone. For example, if you select the forearm, the entire forearm will expand or contract along your selected axis or axes. The hip is the parent bone for the entire figure. If you select the hip, you will scale the entire figure.

Applying Pose Presets


Many content creators create custom poses for figures. **Pose Presets** are a fast way to get great results without having to spend a lot of time fine-tuning each bone. In addition, pose presets can be used to apply materials (MAT files), inject or remove morphs (INJ and REM files), and adjust morph settings (MOR files).

To apply a custom pose preset to a figure:

1. Select the figure to apply the pose file to.
2. Locate the folder containing your desired pose file using the Content tab.
3. Double-click your desired pose file.

The pose file will be applied depending on the type of pose preset applied:

- Pose preset - figure will automatically assume the selected pose.
 - MAT preset - the materials will be applied to the figure.
 - INJ/REM preset - the morphs will be injected or removed from the figure.
 - MOR preset - morph parameter sliders will be adjusted to set a specific morph look.
4. If the figure is not selected when the preset is applied, a dialog will come up asking you to **Select an item from the scene**. By default, **None** is selected. Select the item to apply the pose preset to and click on **Accept**.



5. You can also use "[Drag-and-Drop](#)" to apply a pose to a figure.



TIP! If the applied pose includes translation settings, i.e. to move the figure to a different location, you can override the translation settings by pressing Ctrl while double-clicking on the preset thumbnail. This will ignore the translation settings in the preset and leave your figure where it is in the scene.

Moving Figures

To move a figure:

1. Select the desired figure's root node.
2. Use the **Rotation**, **Translation**, and/or **Scale** manipulators as desired.

Applying Morphs

Morphs are specific distortions of mesh created for specific figures. These can range from blinking an eyelid, to instantly creating a weightlifter's body-shape, to anywhere or anything in between.

To apply a morph to your figure, select your desired morph slider in the Parameters tab and assign it a new value. Positive values apply the selected morph as created, while negative numbers apply the opposite of the selected morph. For example, applying a negative value to a smile morph might result in a frown. Applying large positive or negative values can result in excessive distortion and can even break the polygon mesh. A jagged edge appears when there are breaks in the mesh. When working with morph targets, it's usually best to change values a little at a time if you're not sure of the results. You can use as many morphs as you like in any combination.

Different figures come with different default morphs, and you can always add more with certain packages available for purchase or download. DAZ figures include hundreds of morphs to allow virtually unlimited customization.

Morphs can also be injected or removed from a figure if the figure has been set up to use injections. These morphs are injected or removed using pose preset files, called INJ or REM files. See "[Applying Pose Presets](#)" for more on injecting or removing morphs using a pose preset.

Auto Magnetizing Clothing


When clothing is fit to a figure, it automatically follows the figure as it is posed, however, if the figure contains deformers, the clothing may have figure poke through or be too large for the figure, depending on the current morphs. One way around this is to provide magnetize poses that apply the deformers on the figure to the clothing. While this method works, there are several issues with it:

1. For each item of clothing, a separate pose file is required for DAZ Studio and Poser.
2. The creator must include instructions on how to use the file and the user must read that documentation.
3. Use of a pose file for a non-posing purpose.
4. The pose file has to be reapplied when the figure pose is modified or different morphs applied.


To get around these issues, DAZ Studio provides an **Auto Magnetize** function that checks a figure's deformers and, if the clothing has a matching morph, automatically applies the morphs needed to the clothing to match the figure. When the figure pose or morphs are modified, the clothing is automatically updated to match the changes. There is nothing extra for the user to apply once the clothing is fit to the figure or when changes are made to the figure itself.

Of course, there are limits to the clothing items following the figure morphs depending on the clothing item so you may still get poke through when using extreme morph settings!

The **Auto Magnetize** function is enabled by default in the Preferences:



Auto Magnetize can be turned off by clicking on the toggle button then selecting to **Apply** the change:



To use the auto magnetize function:

1. Make sure that **Auto Magnetize** is turned **On** in the preferences.
2. Load the figure into the scene.
3. Add/fit clothing to the figure, check the clothing to see if it has the required morphs.
4. Apply the appropriate morphs to the figure. The clothing should automatically adjust if the clothing morphs match the morphs being applied to the figure.

Applying Clothing Figures

As you will soon notice, most figures are nude when they first load into the Scene. This allows you the greatest possible flexibility to add clothing (or not...) Creating a dressed figure would require that the model and clothing be the same actual mesh object, thus limiting you to only one outfit for that figure.

From a technical standpoint, clothing items are figures with body parts and bones of their own. In other words, they are functionally identical to figures, such as Michael and Victoria. Select an appropriate clothing item in the Content tab and add it to your scene. You will see its root node and bones listed in the Scene tab.

Each figure has a unique bone structure tailored to the specific mesh object. In addition, each joint between bones is specifically designed to work with that figure's mesh. In order to fit properly, clothing items must have both a bone structure and joint settings that are similar to those of the underlying figure (just as your own clothes must be sized and tailored to fit your body). Therefore, each item of clothing is specifically designed to fit a certain figure.

There are three ways to apply clothing to a figure (if the clothing item was originally created with the ability to fit itself to a figure):

Automatic Mode

To fit clothing to your figure automatically:

1. Select the figure to apply the clothing item to.
2. In the Content tab, navigate to the folder containing the clothing item that you wish to fit to the figure.
3. Double-click the clothing item. The selected item is added to your scene and automatically fitted to your figure's current pose (if the clothing was made for the figure).

Manual Mode

To fit clothing to your figure manually:

1. Add the clothing to your scene.
2. Select the clothing item by either clicking its root object or by using the Scene tab.
3. In the Parameters tab, use the **Fit To** drop-down menu to select the figure to fit the clothing item to. The selected clothing item will fit to your selected figure.

Items designed for a different figure may work but will probably require additional adjustments.

Content Drag-and-Drop

New in DAZ Studio 2.0 is the ability to drag content from the Content tab or directories and have it apply to the figure or added to the scene.

See "[Content Drag-and-Drop](#)" for more details on using this feature.


Clothing Tips and Tricks

Fitting clothing to figures involves many complex behind-the-scenes calculations and may not be 100% perfect since there are too many variables beyond DAZ Studio's control. Keeping the following items in mind will help eliminate problems:

- It is usually best to pose and deform the figure before fitting clothing to it. It is easier to see your figure's exact position when nude, and fitting clothes after posing usually results in a more precise fit.
- You may get some poke-through, where one or more portions of the figure poke through the clothing. If this occurs, you have several choices:
 - Hide the body part(s) poking through the clothing.
 - Hide the surface(s) poking through the clothing (by turning their visibility off.)
 - Scale down the underlying body part a little.
 - Scale up the clothing item a little.
- By applying one or more of these methods, you can quickly eliminate any poke-through that might occur.
- If you are using clothing designed for a different figure, you should try a combination of the above methods.

Figure Parameters

To modify parameters for an entire figure, select its root node in the Scene tab. Selecting the hip in this instance will only affect that bone. Any translation or rotation changes to a parent bone will affect the position of the child bones connected to it. Selecting the root node applies all changes equally to all bones within that figure.



Each figure has the following default parameters, which you can adjust using the Parameters tab sliders.

- **Translate (XYZ):** The Translate sliders translate the figure along its local X, Y, and Z axes without altering its rotation.
- **Rotate (XYZ):** The Rotation sliders rotate the figure along its local X, Y, and Z axes without altering its location.
- **Scale (XYZ):** The Scale sliders scale the figure along its local X, Y, and Z axes.
- **Fit To:** The **Fit To drop-down menu** allows you to fit one figure to another. This is used for fitting clothing to figures. However, this menu appears for both clothing and figures, since they are technically the same. To cancel the selected fit, select **None**.
- **Visible:** Checking the **Visible checkbox** makes the selected figure visible, and vice-versa.

Root Node Parameters

A figure's root node has the following parameters:

- **Translate (XYZ):** The Translate sliders translate the root bone along its local X, Y, and Z axes without altering its rotation.
- **Rotate (XYZ):** The Rotation sliders rotate the root bone along its local X, Y, and Z axes without altering its location.
- **Scale (XYZ):** The Scale sliders scale the root bone along its local X, Y, and Z axes.

Bones

Other bones will have various default parameters depending on their degrees of freedom and parameter names assigned by the content creator. DAZ uses a standard convention for naming parameters based on their function. Some of the possible parameters are:

- **Bend:** The Bend parameter rotates the selected bone about its own lateral axis, that is, the local axis that passes through the parent joint from left to right.
- **Side-Side:** The Side-Side parameter rotates the selected bone toward or away from the figure's centerline. In other words, the rotation occurs along the bone's own transverse axis, that is, the local axis that passes through the parent joint from front to back.
- **Front-Back:** The Front-Back parameter rotates the selected bone toward the figure's anterior (front) or posterior (back) sides. For an example, hold your arm straight out and rotate your shoulder forward and back.
- **Twist:** The Twist parameter rotates the selected bone about its own longitudinal axis, that is, the local axis that extends from parent joint to child joint.



NOTE! The terms transverse, lateral, longitudinal, anterior, and posterior refer only to common medical terminology, which is the basis for naming the above-listed types of rotation. They do not relate to the Cartesian axes (X,Y,Z) or global & local coordinates.




NOTE! In the above image, notice that a human elbow cannot bend along its transverse axis. If you select the forearm on a DAZ figure, you will see that you cannot bend the arm in this manner.

Hip Type


Some DAZ and third-party content supports geometry swapping, where you can substitute one type of geometry for another. If you have content that supports this feature (such as DAZ's Michael 2 figure), a **Hip Type drop-down menu** appears in the Parameters tab when you select an object or bone that contains this feature. Geometry swapping is typically used with nude male figures to enable or disable displaying the male genitalia. This menu lists all of your available options (such as Hip and Genitals Off for a nude male hip bone). Click the menu and make your selection to enable your desired option.

Multiple Bones

DAZ Studio lets you work with more than one bone at a time. Once you have made your selection, you can modify any parameter shared by all selected bones using the Parameters tab. Here is one example that shows you how to make a fist using multiple selected bones. The figure below shows the selected bones and initial Bend setting. (Notice that it will likely say <Multiple> at first, but you can change this to 0.00 without affecting joint movement.)



We applied 30 degrees of bend to all of the selected bones in the hand. The figure below shows the results of that action. In just a few seconds, we created a hand pose that can be refined into a grasp or fist depending on your needs. The results are approximate, but positioning multiple bones can save you quite a bit of time as opposed to setting each bone's joint into place.




Symmetry

The Parameter tab Options menu includes a **Symmetry** command, which opens the **Symmetry dialog** shown in the following figure. Symmetry can be a useful time-saver when creating scenes, because you can pose part of a figure, then apply symmetry to apply the same pose to portions of the other side of the figure. In this fashion, the Symmetry dialog can make the work of posing much faster and easier.

The Symmetry dialog has two tabs: **Options** and **Preferences**. After making your selections in one or both tabs, select **Accept** at the bottom of the screen to perform your selected action(s), or **Cancel** to close the Symmetry dialog and discard your changes.

Symmetry Options

The **Options tab**, shown below, controls how the symmetry is applied to the selected figure. The currently available options are:




- **Nodes:** You can select to apply symmetry to either the already **Selected** elements, or to the figure **Root Node** - that is, the whole figure (to make all parts perfectly symmetrical)
- **Propagation:** You can use this to either choose to have **None** (where changes don't travel down the hierarchy from the selected item(s)), or have the changes made **Recursive**, where the symmetry apply to all child bones of the selected node(s) (that is, changes will affect not only the selected node(s), but their child bones as well.)
- **Direction:** In which direction are you making these changes? Left to Right, where modifications on the figure's left side travel to the right, Right To Left, where modifications move in the opposite direction. You can also choose to Swap Left and Right, which is handy if you want to mirror a pose entirely.
- **Trunk Nodes:** Determines what you want to do with the parts that run along the figure's centerline (for example a human's hip, abdomen, chest, neck, and head.) You can choose to **Leave Alone**, which will keep these items in place, **Mirror Y|Z Rotations**, which will set the centerline items' Side-Side and Twist settings to the opposite of how they're currently set, or you could choose to **Zero Parameters**, which will set those two parameters to Zero.
- **Left Node Prefix:** Lets you set the first letters of all "left" child bones (that is, bones that are on a figure's "left" side) that DAZ Studio must look for when setting symmetry.

- **Right Node Prefix:** Does the same as Left Node Prefix, but sets them for all of the affected "right" side bones.
- **Transforms:** These checkboxes let you choose what it is you want to change - child bone rotation (on each axis), child bone translation (on each axis), or scale (overall scaling, or selectively on each axis as desired.)

Symmetry Preferences

The **Preferences tab** controls which options are included when applying symmetry now and in future uses of this feature (until changed). The available options are:




- **Set Preferred Options:** This allows you to set these options now (or alternately, when the "Set Preferred Options on Accept" is selected, set the preferences whenever you use the feature.)
- **Read Preferred Options:** This button lets you see what your saved settings for Symmetry are at this time.
- **Restore Default Options:** This button resets all Symmetry settings back to factory defaults (which are shown in these illustrations.)

Working with Props

Props are only conceptually different from figures, hair, or clothing. They can contain a hierarchy of bones such as figures do, have multiple surfaces, and may also have morph targets depending on the content creator or any add-ons made for it. Props add context, interest, and realism to your scenes.

The figure below shows all of the props in a scene in false color with their texture maps removed, all sitting on an artificial grid. In most cases, props add a sense of completeness to a scene. Every scene or need is however different, and there are exceptions to every rule.



Working with Objects


In DAZ Studio, when you add an object to a scene, that object will appear at its originally created size, at the global origin with the local origin and axes matching their global counterparts. That's great for getting started, but your scenes would soon get pretty dull unless you could move and position your objects. In a real photo studio, moving, positioning, and aiming people, props, lights, etc. is a time-consuming chore. In DAZ Studio, you can do all this with a few mouse clicks.

There are several ways to position and aim objects in your scenes. Simply select the proper tool, then click and drag the object you want to move.

Global vs. Local Coordinates

In DAZ Studio, the center of the virtual universe is the global origin. Each object also has its own local origin. It's important to remember that an object's local origin and axes remain the same no matter where the object is located or oriented relative to the global origin and axes.

To explain how Global coordinates and Local coordinates differ, take a look at the figure below.



Person A is standing still on a sidewalk. Person B is walking down the same sidewalk, and eventually walks by Person A. Two situations are true, depending on the situation of who is viewing the scene:

- Person A, who is standing still, sees Person B moving as he walks by her.
- Person B, who is walking, sees Person A moving as he walks by her.

Now, let's say that Person A and Person B are both six feet tall. Person A is looking at the head of Person B, which is 6 feet from the ground. From her perspective, she sees the head move from XYZ coordinates $(-10,6,0)$ to $(10,6,0)$.

But what she is seeing are a couple of different things in combination:

- The feet of Person B are considered his local origin (his own personal $0,0,0$ coordinate).
- His feet take him where he wants to go, moving him from the left $(-10,0,0)$ to the right $(10,0,0)$ in the scene, making these the global coordinates.
- His head is six feet above his local origin. This makes the local coordinates of his head $(0,6,0)$.
- As Person watches the head move by, what she is looking at is the combination of Person B's global and local coordinates. The feet move from XYZ coordinates $(-10,0,0)$ to $(10,0,0)$, but the head (six feet above the global coordinates) moves at $(-10,6,0)$ to $(10,0,0)$.

Separating the global and local origins may seem complicated, but it actually makes life a lot easier when creating scenes for reasons we'll explore in the next section. Best of all, DAZ Studio handles the local coordinate calculations for you, so there's less work involved on your part.

Defining an Object's Location (Translation)

As you work in DAZ Studio, you will undoubtedly want to move objects around your scene. You accomplish this by exercising the first and easiest type of motion: Translation.

Translation occurs when an object's local origin moves in relation to the global origin, assuming that the local and global axes do not move.

You've already learned that DAZ Studio refers to the three-dimensional axes as X, Y, and Z. These designations are part of what is known in 3D software programs as the Cartesian coordinate system. This system uses these three axes to represent the three dimensions.

The 3D universe extends an infinite negative and positive distance in each dimension, and the origin is literally the center of that universe. The center of the DAZ Studio universe lies on the floor in the exact center of your scene. In fact, an item appears in the exact center when you first load an item from the Content Tab. From that point, you can use the xtran, ytran, or ztran Parameter dials to move your objects in a positive or negative direction as follows:


- Move your object along the X axis (xtran) to move it left or right. Negative numbers move it to the left of the center point. Positive numbers move it to the right of the center point.
- Move your object along the Y axis (ytran) to raise or lower it. Negative numbers move it down, and positive numbers move it up.
- Move your object along the Z axis (ztran) to bring it closer or move it farther away. Negative numbers move it backward, and positive numbers move it forward.

To show an example, use the Create > New Primitive > Cube command to place a cube inside an empty scene. It loads in the exact center of the default viewport, at the (0,0,0) position.

Now, say you want to move your object 60 units to the left of the origin point. Select the cube, and adjust the X Translate dial to -60. The Cartesian coordinate system now looks at the position as (-60,0,0) because the position is always listed as (X,Y,Z).

What if you want to move the object in more than one direction? You already have the cube moved 60 units to the left, but let's say you want to position your object 70 units up, and 90 units backward. Simply adjust the Y Translate dial to 70 to move the cube up, and the Z Translate dial to -90 to move the object backward. The new Cartesian coordinates will now be (-60,70,-90).

You can see the results of the preceding example below, where the original position is shown partially transparent. The red line indicates the X axis, the green line indicates the Y axis, and the blue line indicates the Z axis. The darker cube is the cube that has been relocated to the new position in the scene.



Rotating Objects


Need to rotate a figure, body part, prop, light, or other object? Programmatically, this requires trigonometry to calculate each point's new location. Luckily, DAZ Studio handles this for you.

Technically, rotation is the opposite of translation. In other words, rotation occurs when you move an object's local axes, relative to the global axes, without moving the local origin.

To help this make sense, imagine you are six feet tall. Now, imagine being spun upside down. Your head is still six feet from your feet.

Even though you're upside down, you still consider your head as the "top" side and your feet the "bottom" side. In other words, your head will still be above your feet (in your own local coordinates) low your feet in global coordinates.

The image that follows shows an example of rotation. DAZ Studio allows you to rotate entire objects or parts of objects (such as turning a figure's head).



Defining an Object's Shape and Size

Besides defining an object's location, Cartesian coordinates also define the shape or size of an object. In this case, the locations of each of the corners defines the size, shape, and location of the cube in relation to the origin.


A cube is a very simple example. Look at the image on the right and notice how each point defines a corner of a cube. Defining point locations, then connecting the dots gives us our shapes, complete with size and location information. What about a more complex shape like a human?

Scale is a fancy term for changing an object's size along one or more of its local axes. Again, this requires complex calculations, which DAZ Studio performs for you.

There are a number of different ways to scale:

- You can scale the entire object uniformly. For example, you could make a figure twice as big while preserving its proportions, as shown below.

- You can scale the object along one or more axes. For example, scaling the figure by 200% along its X axis will make it look twice as wide while preserving its height and length. This will result in a squashed look.
- You can scale one or more of a figure's body parts. For example, you can enlarge or shrink a figure's head without affecting the rest of its body. You can also scale his head uniformly or along only one or two axes.



Manipulating/Moving Props

There are three ways to manipulate props:

1. **Rotation:** Rotation occurs at that prop's center and alters orientation without altering location.
2. **Translation:** Translation occurs at the prop's center and alters location without altering orientation.
3. **Scale:** When you select a prop, scaling occurs along that entire prop in your selected axis or axes.

Using the Manipulator

Direct manipulation is the easiest way to adjust your prop's position. This method is both easy and fast. Some artists use this method to move props into their rough positions, then switch to the Parameters tab to make fine adjustments. The precision of this method depends on your viewing angle and distance; the closer you are to the object you're manipulating, the finer control you will have. At its most basic, the process is as follows:

1. Select the prop to move, as described above.
2. Click and drag the **Manipulator handles** to move the prop.

Selecting Which Prop to Move

You must select the prop you wish to move before moving it. The Manipulator (be rotation, translation, or scale) appears at the selected prop's center whenever you select a prop. These controls will vary depending on the currently selected manipulation mode. There are two ways to select props:

- Click the desired prop in any viewport.
- Select the desired prop using the Scene Tab.



TIP! These instructions describe selecting props that have no bones. Props with multiple bones behave like figures, save that they aren't usually tied together into a contiguous object like figures usually are.

Applying Morphs


Morphs are specific pre-built deformations created for specific objects. To apply a morph to your prop, select a desired morph slider in the Parameters tab and assign it a new value. Positive values apply the selected morph as created, while negative numbers apply the opposite of the selected morph. For example, applying a negative value to a smile morph might result in a frown. Applying large values can result in excessive distortion and can even break the polygon mesh. Breaks are holes or cracks that appear in the mesh. When working with morph targets, it's usually best to use small values. You can use as many morphs as you like in any combination. The images on the right show a single hair prop morphed into two distinct styles- and these are only two of hundreds of possibilities.

Different props come with different default morphs depending on the type of prop and the individual content creator. For example, some hair props come with morphs that allow several styling variations.



Multiple Props

DAZ Studio also lets you work with more than one prop at a time. Once you have made your selection, you can modify any parameter shared by all selected props using the Parameters tab. Remember that all movement occurs along each prop's local axes, unless you parent all of the affected props to one of them. This image shows an example of rotating several (unparented) props along their individual X-axes using multiple selections.



Prop Parameters

Each prop has the following default parameters, which you can adjust using the Parameters Tab:

- **Translate (XYZ):** The Translate sliders translate the prop along its local X, Y, and Z axes without altering its rotation.
- **Rotate (XYZ):** The Rotation sliders rotate the prop along its local X, Y, and Z axes without altering its location.
- **Scale (XYZ):** The Scale sliders scale the prop along its local X, Y, and Z axes.
- **Visible:** Checking the **Visible checkbox** makes the selected prop visible, and vice-versa.

More About Lights

The **Create** menu allows you to create cameras and lights. When you select any of the **Create Light buttons**, the same options dialog will appear:

Like the Camera Creation dialog, the **Light Creation dialog** will ask you if you wish to give the new light a name (or will use the presented default name if you do not give the light a name), then it will present one of four options. Default settings center the light on the floor at the scene's origin (0,0,0). When you apply the active viewport transforms, the light matches and orients itself in the same place and direction (if applicable) of the camera you're currently using. You can also copy the properties of an existing light in the scene, or copy and replace a selected light in the scene. If you have no other lights in the scene, the third and fourth option will be grayed-out and unavailable to you.

Lights illuminate your scene and can create interesting effects and moods. DAZ Studio includes a default light that lets you see and work with your scene.

Point Lights

Selecting **Create > New Point Light** allows you to create a new **Point Light** in your scene. A Point Light is an omni-directional light, such as that given off by an incandescent light bulb. Point Lights are the virtual equivalent of light bulbs. They put out a 360-degree sphere of light. The image shows a figure

illuminated by a single white Point Light. You will notice that it appears similar to a spot light. The difference is that the spot light is only casting light in one direction. In other words, an object behind a Spotlight will receive no illumination.



Point Light Parameters

Each **Point Light** has the following default parameters, which you can adjust using the Parameters tab.

- **Translate (XYZ):** The Translate sliders translate the prop along its local X, Y, and Z axes without altering its rotation.
- **Illumination:** The Illumination pull-down menu contains the following options:
 - **Off:** Selecting **Off** turns the selected light off. If you decide to turn a light to 0% intensity, we suggest shutting it off using this menu to conserve computing resources when rendering.
 - **Diffuse Only:** Selecting **Diffuse Only** specifies that the light will only cast light in the normal (diffuse) channel without affecting highlights or specularity. This selection only affects the appearance of rendered images. It will appear the same as the On selection in the interactive display.
 - **Specular Only:** Selecting **Specular Only** specifies that the light will only cast light in the highlight (specular) channel without affecting the diffuse channel. This selection only affects the appearance of rendered images. It will appear the same as the On selection in the interactive display.
 - **On:** Selecting **On** turns the selected light on. It will cast light in both Diffuse and Specular channels. When a light is on, its brightness is determined by the Intensity slider.

- **Cast Shadow:** Checking the **Cast Shadows checkbox** causes DAZ Studio's rendering engine to calculate shadows cast by objects within the selected light's area of illumination.
- **Shadow Bias:** The **Shadow Bias** parameter specifies how far to shift samples towards the light source to prevent objects casting shadows across themselves (self-shadowing). Increasing the bias value increases the sample shift, and vice-versa.
- **Shadow Softness:** The **Shadow Softness** parameter determines how soft the shadow's edges are. Most shadows in nature have at least a little softness around the edges; almost none have completely sharp edges. Increasing the softness value increases the shadow edge softness and vice-versa.
- **Color:** The **Color** indicator displays the light's current color. Clicking it opens a standard Color Picker, which allows you to select your desired color for the currently selected light.
- **Intensity:** The **Intensity** parameter adjusts the light's brightness from 0% (totally off) to 100% (totally on) and up to 200% (be careful that you don't "wash out" the colors of everything in the light's sphere of influence by going too far beyond 100%).

Distant Lights

Selecting **Create > New Distant Light** allows you to create a new **Distant Light** in your scene. A Distant Light is a directional light that covers an entire scene, but has no real source position. The closest real-world example would be sunlight.

Distant Lights are the virtual equivalent of the sun. They put out parallel light rays across your entire scene. Thus, their location does not matter - translating a Distant Light will not affect your scene's lighting. In this image, the light is located between the figure's feet but still casts uniform illumination. Rotation does affect your scene's lighting just as the sun's angle in the sky affects lighting on the ground. The image shows an example of a Distant Light shining down from the figure's left side (with shadows turned on for illustrational purposes).



Distant Light Parameters

Each **Distant Light** has the following default parameters, which you can adjust using the Parameters Tab:

- **Translate (XYZ):** The Translate sliders translate the light along its local X, Y, and Z axes without altering its rotation.
- **Rotate (XYZ):** The Rotation sliders rotate the light along its local X, Y, and Z axes without altering its location.
- **Scale (XYZ):** The Scale sliders scale the light along its local X, Y, and Z axes.
- **Illumination:** The Illumination pull-down menu contains the following options:
 - **Off:** Selecting **Off** turns the selected light off. If you decide to turn a light to 0% intensity, we suggest shutting it off using this menu to conserve computing resources when rendering.
 - **Diffuse Only:** Selecting **Diffuse Only** specifies that the light will only cast light in the normal (diffuse) channel without affecting highlights or specularity. This selection only affects the appearance of rendered images. It will appear the same as the On selection in the interactive display.
 - **Specular Only:** Selecting **Specular Only** specifies that the light will only cast light in the highlight (specular) channel without affecting the diffuse channel. This selection only affects the appearance of rendered images. It will appear the same as the On selection in the interactive display.
 - **On:** Selecting **On** turns the selected light on. It will cast light in both the Diffuse and Specular channels. When a light is on, its brightness is determined by the Intensity slider.
 - **Cast Shadow:** Checking the **Cast Shadows checkbox** causes DAZ Studio's rendering engine to calculate shadows cast by objects within the selected light's area of illumination.
- **Shadow Bias:** The **Shadow Bias** parameter specifies how far to shift samples towards the light source to prevent objects casting shadows across themselves (self-shadowing). Increasing the bias value increases the sample shift, and vice-versa.
- **Shadow Softness:** The **Shadow Softness** parameter determines how soft the shadow's edges are. Most shadows in nature have at least a little softness around the edges; almost none have completely sharp edges. Increasing the softness value increases the shadow edge softness and vice-versa.
- **Color:** The **Color** indicator displays the light's current color. Clicking it opens a standard Color Picker, which allows you to select your desired color for the currently selected light.
- **Intensity:** The **Intensity** parameter adjusts the light's brightness from 0% (totally off) to 100% (totally on) up to 200%.

Spotlights

Selecting **Create > New Spotlight** allows you to create a new **Spotlight** in your scene. A Spotlight is a directional light that covers an adjustable area in the shape of a cone, such as a flashlight.

Spotlights emit a cone of light in a certain direction. You can control the direction and width of the cone in degrees. As mentioned above, the difference between spot lights and Point Lights can be hard to see from certain angles. The main thing to remember is that spot lights only cast light in their specified cones.

Objects outside those cones do not receive any direct illumination. The image shows an example of a spot light shining down onto the figure's right shoulder.



Spotlight Parameters

Each **Spotlight** has the following default parameters, which you can adjust using the Parameters tab:

- **Translate (XYZ):** The Translate sliders translate the light along its local X, Y, and Z axes without altering its rotation.
- **Rotate (XYZ):** The Rotation sliders rotate the light along its local X, Y, and Z axes without altering its location.
- **Scale (XYZ):** The Scale sliders scale the light along its local X, Y, and Z axes.
- **Illumination:** The Illumination pull-down menu contains the following options:
 - **Off:** Selecting **Off** turns the selected light off. If you decide to turn a light to 0% intensity, we suggest shutting it off using this menu to conserve computing resources when rendering.
 - **Diffuse Only:** Selecting **Diffuse Only** specifies that the light will only cast light in the normal (diffuse) channel without affecting highlights or specular. This selection only affects the appearance of rendered images. It will appear the same as the On selection in the interactive display.
 - **Specular Only:** Selecting **Specular Only** specifies that the light will only cast light in the highlight (specular) channel without affecting the diffuse channel. This selection only affects the appearance of rendered images. It will appear the same as the On selection in the interactive display.

- **On:** Selecting **On** turns the selected light on. It will cast light in both the Diffuse and Specular channels. When a light is on, its brightness is determined by the Intensity slider.
- **Cast Shadow:** Checking the **Cast Shadows checkbox** causes DAZ Studio's rendering engine to calculate shadows cast by objects within the selected light's area of illumination.
- **Shadow Bias:** The **Shadow Bias** parameter specifies how far to shift samples towards the light source to prevent objects casting shadows across themselves (self-shadowing). Increasing the bias value increases the sample shift, and vice-versa.
- **Shadow Softness:** The **Shadow Softness** parameter determines how soft the shadow's edges are. Most shadows in nature have at least a little softness around the edges; almost none have completely sharp edges. Increasing the softness value increases the shadow edge softness and vice-versa.
- **Color:** The **Color** indicator displays the light's current color. Clicking it opens a standard Color Picker, which allows you to select your desired color for the currently selected light.
- **Intensity:** The **Intensity** parameter adjusts the light's brightness from 0% (totally off) to 100% (totally on) up to 200%.
- **Spread Angle:** The **Spread Angle** parameter controls the width of the cone of light projected by the Spotlight in degrees. Spotlights spread a cone of light that widens with distance. This cone is aligned with the light's rotation. This parameter specifies the cone's total width. For example, if you specify 40 degrees, the light cone will project 20 degrees to all sides of the centerline for a total of 40 degrees.

Manipulating/Moving Lights

There are three ways to move lights:

- **Rotation:** Rotation occurs at that light's center and alters orientation without altering location.
- **Translation:** Translation occurs at the light's center and alters location without altering orientation.
- **Scale:** Scaling occurs along the selected light's selected axis or axes.

Selecting Which Light to Move

You must select the light you wish to move before moving it. The **Manipulator** (as selected - rotate, translate, scale) will appear at the selected light's center whenever you select a light. These controls will vary depending on the currently selected movement mode. There are two ways to select lights:

1. Click the desired light in any viewport.
2. Select the desired light using the Scene tab.

Using the Manipulator

Direct manipulation is the easiest way to adjust your light's location and/or orientation. This method is both easy and fast. Some artists prefer to use this method to move lights into their rough positions, then switch to the Parameters tab to make fine adjustments. At its most basic, the process is as follows:

1. Select the light to move, as described above.
2. Click and drag the **Light Manipulators** to move the light.

Multiple Lights

DAZ Studio also lets you work with more than one light at a time. Once you have made your selections, you can modify any parameter shared by all selected lights using the Parameters tab. Remember that all movement occurs along each light's individual axis!

The image that follows includes a standard white Spotlight (with shadows off) and a green Distant Light pointing at the figure from behind to serve as a "backlight," to give its edges a green tint.



Rendering

"The object of art is not to reproduce reality, but to create a reality of the same intensity." -Alberto Giacometti

As we've mentioned elsewhere in this manual, rendering is the act of taking a virtual photograph of your scene. You can do this at any time using any available default view or custom camera. When rendering, DAZ Studio takes everything in your scene into account, including:

- locations of figures and objects
- figure poses
- light locations, types, and settings such as type, color, intensity, location, rotation, etc.
- surface settings including all colors and maps
- camera location and settings
- render settings

About the DAZ Studio Renderer

DAZ Studio uses 3Delight, a fast and powerful RenderMan®-compliant renderer that supports many advanced features such as:

- Programmable shaders for surfaces, displacement, lights, volumetrics, and images
- Camera controls such as depth of field
- Atmospheric effects
- Ray tracing
- Anti-aliasing
- Fully optimized for Windows and Mac OSX

The Render Process


Renders can be started using one of the following options:

- Click on the **Render** icon on the Render toolbar.
- Select **Render > Render** from the main menu.
- Press **Ctrl+R** to start the render process.
- From the **Render > Render Settings** from the main menu, then click on the **Render** button.
- Press **Ctrl+Shift+R** to bring up the Render Settings dialog, then click on the **Render** button.

Once the render process begins, the first thing DAZ Studio does is to begin optimizing the textures in order to convert them to TIFF format which is used by the 3Delight renderer. If, for some reason, the image processing hangs for some reason, click on the **Cancel** button on the optimization dialog to cancel the render process without having to kill the entire DAZ Studio process.

Once the images are optimized and in memory, the actual rendering process begins using the settings found on the Render Settings dialog. If you re-render the scene, the images are still in memory and are not re-optimized. If you change textures or add additional textures, only the new textures are optimized prior to rendering.

During the actual render, the render modal pane that comes up will indicate the progress of the render with a progress bar, percentage completed, and the elapsed time.



To minimize DAZ Studio while rendering, click on the **Minimize** button. To restore DAZ Studio, click on the program icon in the taskbar.

To cancel the render, click on the **Cancel** button.

Speeding Up Your Renders

When rendering, DAZ Studio takes the raw information from your scene and passes it through your render settings to the 3Delight or OpenGL rendering engines for the final result. Translating all of the 2D and 3D mapping information into individual pixels requires significant computing resources. The actual amount varies by scene complexity: the more items or custom settings and high resolution components you have in your scene (shadows, reflections, high-resolution textures, etc.), the more resources are required and the longer the rendering takes. DAZ Studio is designed to use your computer's resources as efficiently as possible and we are constantly looking for ways to achieve even greater performance. That said, your scene and your computer are always the largest factors that affect rendering times.

If your render is taking too long for your comfort, there are several things you can do to optimize performance. In order of preference, these steps include:

- Remove some items from your scene. Lights and multiple shadow settings are particularly costly in terms of required computing resources.
- Turn off shadows. Shadows require extensive computer resources.
- Add RAM to your computer. Your computer uses its hard drive as virtual memory, which behaves like additional RAM and expands the total available memory. The only problem with this is that your hard drive is much slower than your regular memory since the computer must read and write data to the hard drive just like any other file. Adding more RAM reduces the need for virtual memory, which can greatly speed up rendering times. The Macintosh platform is particularly responsive to increases in RAM.
- You should check to see if your computer's RAM is the best fit for your computer's specifications. Oftentimes even the large manufacturers put in lower-specification RAM to save money. You may be able to simply replace the RAM you have with higher-specification memory and get noticeable improvements (e.g. replacing PC2100 DDR RAM with PC-2700, or PC-3200 and better if your motherboard supports it.)
- Upgrade your computer's CPU if your motherboard can support it. Faster CPUs can process more data in any given amount of time. If your computer has insufficient RAM however, the faster CPU will simply spend more time waiting for information instead of processing the render, which doesn't do you too much good.
- Use smaller texture images (both in size and measurements) in order to decrease the image optimization that DAZ Studio is required to do for the render engine.

The Render Settings Window


The **Render Settings** window appears when you select **Render > Render Settings**. Once you have made your selections, you have the following options:

- To render an image using your current settings, click the **Render button**.
- To save your settings without rendering an image, click the **Accept button**.
- To exit the window, click the **Cancel button**.

By default, this window contains two tabs: [General](#) and [Advanced](#).

General Tab

The **General tab** is where you set the following basic rendering options:



- **Speed:** The slider at the top of this tab allows you to select **Fast-Time Render** (fast render with lower quality), **Software Render** (slow render with high-quality) or anywhere in between. Click and drag the slider to your selected value. You can also use the arrows at either end of the slider to nudge the value up or down as desired.
- **Style:** The **Style drop-down list** allows you to choose between normal render and cartoon-style render.
- **Dimensions:** The **Dimensions** section is where you select both the desired rendering resolution in pixels and the desired aspect ratio (ratio of render width to height). You have the following options:
 - **Presets:** The **Presets pull-down menu** allows you to select your desired aspect ratio from the following list of commonly used options:
 - Active Viewport: Render dimensions are the same as the viewport dimensions/ aspect ratio.
 - Custom: Select this if you want to come up with your own Aspect Ratio and Pixel Dimensions.
 - Display Standard: 4:3 aspect ratio. This is the standard used by most TV sets.
 - Display Wide: 5:4 aspect ratio.


- Widescreen: 16:9 aspect ratio. This is the standard used by most cinematic releases.
- Square: 1:1 aspect ratio.
- Academy Flat: 1.85:1 aspect ratio.
- Anamorphic Scope: 2.35:1. This is used by some high-end cinematic releases.
- Panorama/Cinemascope: 8:3 aspect ratio
- QTVR Panorama: 13:4 aspect ratio
- Letter (17:22)
- Legal (17:28)
- ISO Paper - Portrait (1:1.4142)
- ISO Paper - Landscape (1.4142:1)
- Photo/35mm Slide/VistaVision (3:2)
- Super 8 mm (27:20)
- 16 mm (18:13)
- Super 16 mm (5:3)
- 65mm (11:4)
- IMAX (10:7)
- 70mm (46:21)
- Techniscope (47:20)
- **Pixel Dimensions:** Enter your desired render size (in pixels) in the text fields in width x height format. If you have selected a preset or have Constrain Proportions checked, entering one value will adjust the other value to preserve the selected aspect ratio.
- **Aspect Ratio:** Enter your desired aspect ratio in the fields in width:height format. For example, if you select 4:3, the render will be 4 pixels wide for every 3 pixels high.
- **Constrain Proportions:** Checking the **Constrain Proportions checkbox** forces the selected aspect ratio to remain identical. Values will automatically adjust to preserve your selected setting. Clearing this checkbox allows you to set any dimensions/aspect ratio you desire.
- **Timeline:** Options in the **Timeline** section determine whether you are going to render a still image or an animation.
 - To render a still image, choose the frame you want to render and check the **Still Image (Current Frame)** option.
 - To render an animation, check the **Make Movie** option, and enter the range of frames that you want to render. The **Start Frame** field should display the first frame you want to render, and the **End Frame** field should display the number of the last frame you want to render.
- **Render To:** The **Render To options** allow you to specify where to output renders. Your available options are:
 - **Active Viewport:** Checking the **Active Viewport checkbox** renders images to the active viewport. Images rendered to the viewport will occupy the height and width of the

viewport. If you have an orthogonal camera selected, you will get an orthogonal render. Rendered images will be the same size as the currently active viewport.

- **New Window:** Checking the New Window checkbox will make your renders appear in a separate window.
- **File:** Checking the **File checkbox** saves rendered images directly to an image file on your hard drive instead of to your screen. If this option is selected, you must also select a filename or render to the currently displayed filename. To select a new filename, click the "..." button to open a standard Browse dialog, which allows you to select your desired folder and filename to save the new rendering. Clearing this checkbox disables this option. You can also specify your desired image format. DAZ Studio supports TIF, PNG, and JPG images.

Advanced Tab


The **Advanced tab** allows you to specify the following render options:



- **Preview Render - OpenGL Single Pass (No Shadows):** This option uses your the capabilities of your OpenGL video card to quickly render the image without visual cues, such as highlight and shadow. This option is essentially identical to a screen capture of the active viewport. Rendering in this way is much faster but not as realistic. If you experience any issues with OpenGL, try

updating your video card drivers with those provided by the manufacturer. Please refer to your video card's documentation for instructions on how to update the drivers.


- **Hardware Assisted Render - OpenGL Multi-Pass:** This option also utilizes your video card's OpenGL capabilities to create the final render. OpenGL uses dedicated rendering hardware on your video card to render images. The central processor on a 3D accelerated video card (often known as a Graphics Processing Unit, or "GPU") is specially designed to render polygons, textures, etc. In other words, it is specifically designed to create images based on everything in your DAZ Studio scenes. This level of specialization plus your video card's on-board high-speed RAM (up to 256MB and beyond for the high-end professional cards) makes OpenGL much faster than standard software renders.
 - **Use OpenGL Shader (GLSL):** A software render uses an application that instructs your computer's main CPU how to perform the calculations needed for rendering. This combined with system bottlenecks such as virtual memory and RAM speeds can greatly lengthen the time require to render any given scene. There are two ways to achieve this: With or without DAZ Studio's internal OpenGL shader. Without it, you will get a render that runs 8 passes (calculations) per light, and a general render quality. With the OpenGL Shader, you have finer control over how your render is accomplished by specifying how many passes occur per light by adjusting the **Passes per Light** slider.
- **Use Software (3Delight):** This option bypasses OpenGL (and the acceleration on your video card) and calculates the render entirely by your computer's CPU. This type of rendering takes more time, but has the most accuracy and the best results. It is also the only option open to those who are running DAZ Studio on a card that does not have sufficient OpenGL capabilities. There are three options in this menu:
 - **Bucket Order:** Allows you to select the order in which pixels are rendered. Your available options are **Horizontal** (top to bottom), **Vertical** (left to right), **Spiral** (center to corners), **Circle** (center outwards), and **Zig-Zag**.
 - **Bucket Size:** This allows you to select how much information the renderer will tackle at any one time. You can set the bucket size higher if you have a higher-performance machine with a lot of RAM, which speeds up your renders. If you have less RAM than recommended or want to make DAZ Studio appear more responsive during a render, lower the bucket size.
 - **Maximum Ray Trace Depth:** Lets you determine how many times you want a "ray" being traced to bounce off reflective/refractive surfaces before being discarded for calculation by the render engine. Setting it low will speed up the render time, but lowers the overall accuracy of the results. Raising it above default will increase the accuracy, but will slow down the renderer.
 - **Pixel Samples:** Determines how detailed the edges of objects are and how the soft blur for depth of field is rendered on the X and Y-axes.
 - **Shadow Samples:** Determines quality of the depth lookup estimate. The higher the setting, the smoother the edge of the shadow.
 - **Render to RIB:** When selected, activates the controls to save the current shaders, etc. to a RenderMan v6 compliant RIB file. Once this option is activated, you can click on the Browse button to navigate to where the file is to be saved and to name the file.



- **Keep Shadows:** When selected, will save the shadow map files to the DAZ Studio temp folder.
- **Collect and Localize:** When selected, will create a sub-folder in the same folder the RIB file is being saved to, then collect the necessary files into the sub-folder. This will also add a copy of the RIB file into the sub-folder with localized pathnames while the RIB file in the main folder will not be localized.

Spot Renders

If you want to see how part of your scene will look but don't want to wait for the whole thing to render, choose **Tools > Spot Render** or click on the **Spot Render** button on the main Render tab, then click and drag a rectangle in your active viewport around the area you wish to render. As soon as you release the mouse button, it will render the area you selected.



Tools: Plug-ins and Scripts

"You come to nature with all her theories, and she knocks them all flat." -Pierre Auguste Renoir

A Word About How DAZ Studio is Built

Plug-ins and Scripts are additional programs that you can use to expand and enhance DAZ Studio, beyond what it is capable of by itself. DAZ Studio was expressly written to be modular in nature, to expand in ways that will meet the needs and desires of both hobbyist and professional. Its internal architecture is built to be flexible for this reason, which make tools an integral part of what DAZ Studio is.

Why Such a Modular Approach?

Why build a modular architecture, instead of simply building an entire suite of features in one comprehensive package? The answers are varied, but they can be boiled down in this way:

- Not everyone wants or needs a potentially huge and expensive suite of features when in many cases a simpler program will do. With a modular approach, DAZ can distribute the core program free of charge and keep additional features to a lower, more attractive cost.
- A modular approach utilizes resources more efficiently by committing system resources only towards those plug-ins that are installed.
- A modular approach allows DAZ (as well as independent third-party developers) to isolate and rectify potential bugs and instability more rapidly.
- It is easier to learn and master a program one step at a time, and a modular approach isn't as intimidating to new users as a large suite would be.
- It is easier to customize your workflow as an artist or animator with a fast and light set of tools than it would be to use a large "one-size-fits-all" suite.

A modular approach builds a larger sense of community by inviting, encouraging, and assisting third-party development of tools from within the user community. The increased creativity and community participation is beyond measure, and of benefit to all.

What Kind of Tools Are There?

There are three types of tools available for DAZ Studio: Plug-ins, Scripts, and Stand-Alone Programs.

- **Plug-ins** are compiled C++ programs that rely on DAZ Studio to function, but operate on their own CPU time and in their own memory space. These are located on your hard drive in <DAZ Studio root>/plug-ins/, and are recognized by your operating system as dynamic libraries (*.dll in Windows, and *.dylib in Mac OS X.) These tools cannot be activated from outside of DAZ Studio (and typically rely on a specific version of the SDK.) Plug-ins are the fastest and most efficient of the three tool types, but require C++ and Qt programming knowledge to assemble and implement.
- **Scripts** are text instructions that are interpreted by DAZ Studio before execution. These are located on your hard drive in <DAZ Studio root>/scripts/, and are recognized by your operating system as special files read only by DAZ Studio (they carry the *.ds or *.dsb extension on both platforms.) Scripts are the easiest to create, require scripting knowledge and an understanding of the SDK, but are the least efficient of the three types.

- **Stand-Alone Programs** are independent executable programs. They are designed and compiled to work with DAZ Studio data, but are not dependent on it in order to run. These can be located almost anywhere on your hard drive, and are activated separately from DAZ Studio, though they do use modules that interface with and within it. Performance depends on complexity, resource requirements, and the skill of the developer(s) who built it. An example of a Stand-Alone Program would be Bryce 5.5, which is available at the DAZ website. Bryce is a powerful 3d landscape application that can operate independently or integrate tightly with DAZ Studio.

Where to Get Tools

Most tools can be purchased or downloaded from the DAZ website, or from other sites, artist communities, and online stores around the Internet. They don't necessarily have to be standalone compiled plug-ins, either. Again, they can be separate programs, compiled scripts, or library assets that add to and expand the functionality of DAZ Studio.

What Tools are Included?

DAZ Studio comes with several tools: Save Filters, Pz3 Importer, PowerPose, and D-Form, to name a few. We will describe them briefly here to show you how tools are used and found within DAZ Studio. For further information on these tools, please refer to the links below or to the menu/bookmarks to the left for each tool.

PowerPose is a tool that simplifies the act of posing a figure within a scene. Easy to learn and easy to put to use, PowerPose greatly speeds up the time required to pose a figure, and allows you to do so in a more intuitive way. It also allows for setting more natural and organic poses to a figure without the need to set each individual bone in a figure. PowerPose is activated by clicking on it in the Tools Toolbar, and will be described in the further down in this section.

D-Form is a tool that allows the you to deform an object, either as a whole or in part, in ways the original modeler may have never anticipated. It also allows you to tweak fitted items (such as clothing) so that they fit even better to the figure they're attached to. D-Form does this in a way that is intuitive and easy to grasp, and has a highly customizable set of features that can be set for each D-Form object you add to a scene, using little in the way of system resources to do so. D-Form is also compatible with and can import pre-built "Magnets" from E-Frontier's Poser(R) compositing suite. D-Form is activated by selecting it in the View > Tabs menu (as described below.)

Log onto the DAZ website to see other tools as they are created and made available, or to suggest ideas for new or existing tools.

Using Tools

There are three ways that you can bring up and utilize a tool, depending on how it was built and implemented within DAZ Studio. Check the documentation for each tool to determine how to activate and use each tool:

- Click the DAZ Studio **View > Tabs** menu and select the tool if it is listed in the menu.
- Check to see if the tool has added itself to one of the Toolbars, and select it from there, without accessing the tool tab (which may not be necessary with some tools.)
- Check to see if the tool has to be called from outside the DAZ Studio program (if it is built as a stand-alone tool.)


Included or Available Plug-ins

Listed below are links to the sections for each plug-in included in DAZ Studio. Some of the documentation is in stand-alone help files and will open in a new window. For PDF versions of the stand-alone help files, please refer to your Content > docs folder.

- [Align Ace](#)
- [Content Manager](#)
- [D-Form](#)
- [Hexagon Bridge](#)
- [Level of Detail](#)
- [Lip Sync](#)
- [Multiple UVs](#)
- [Parameters Organizer](#)
- [PowerLoader](#)
- [PowerPose](#)
- [Puppeteer](#)
- [Render Album](#)
- [Sub-Division Surfaces](#)


Align Ace

Choose **View > Tabs > Align** to open the **Align tab** (also known as **Align Ace**). This tab allows you to align two or more selected items to each other, or to a specific coordinate in your scene.




The **Options** menu contains the following commands:

- **Reset Options:** Choose this option to set all values back to "No Change."
- **Close:** Choose this option to close the Align tab.




There are three different methods used for repositioning objects in the Align tab: **Align**, **Stack**, and **Distribute**. These options are shown in the figure below.



Aligning Objects

Choose an **Align** option when you want all objects to be positioned along the same coordinate of one or more axes. For example, if you have several temple columns that have been placed in your scene haphazardly, you can use the Align method to place them all in a perfectly straight line.

When you align objects that are different sizes, you can choose to align them on the same side, to their centers, or to their origins (which, by default are usually at the center of the object). The figure below shows examples of objects that are aligned along the X-axis and viewed from the Top camera.



How to Align Objects to Each Other

You can use the Align tab to align selected objects to the X, Y, or Z-axis, or any combination of them all.

To align objects to each other, follow these steps:

1. Choose **View > Tabs > Align** to open the Align tab.
2. Select the objects that you want to align. The first item that you select will be the object that the others align to.
3. Set the appropriate alignment options in the X-axis, Y-axis, and/or Z-axis sections.
4. Click **Apply** to align the selected objects.

How to Align Objects to the Grid

To align objects to a precise position on the grid (that is, a specific location in your scene), follow these steps:


1. Choose **View > Tabs > Align** to open the Align tab.
2. Select the objects that you want to align.

3. Set the appropriate alignment options in the X-axis, Y-axis, and/or Z-axis sections. When setting the options, check the **To Grid** option along the-axis or axes that you want to align to a precise position. You will be prompted to enter a numerical value and choose a unit of measurement.
4. Click **Apply** to align the selected objects.

Distributing Objects

Choose a **Distribute** option when you want the sides or centers of your objects to be spaced equidistant to each other. Again thinking about the temple columns that were mentioned in the Align section, you can use the Distribute options to space the columns evenly after you align them.

When you distribute objects that are different sizes, you can distribute them in equal distances from any end, from their centers, or from their origins (which, by default are usually at the center of the object). The figure below shows examples of objects that are distributed along the X-axis and viewed from the Top camera.



How to Distribute Objects

To align objects to a precise position on the grid (that is, a specific location in your scene), follow these steps:


1. Choose **View > Tabs > Align** to open the Align tab.
2. Select the objects that you want to distribute evenly. Select them in the order in which you want to distribute them.
3. Set the appropriate alignment options in the X-axis, Y-axis and/or Z-axis sections:
 - To distribute objects so that they are evenly spaced on their end points, choose one of the options that defines which end point you want to distribute by (**Lefts**, **Rights**, **Tops**, **Bottoms**, **Fronts**, or **Backs**, depending on the-axis of distribution).
 - To distribute objects so that they are evenly spaced according to their centers, choose the **Distribute: Centers** option from any-axis.

- To distribute objects so that they are evenly spaced according to their origin point, choose the **Distribute: Origins** option from any-axis.
4. Click **Apply** to distribute the selected objects.


Stacking Objects

Choose a **Stack** option when you want your objects to butt up against each other along one or more axes. The Stack option uses the boundaries of each object as a reference point, and places the boundaries together with no space between them. Objects are stacked side to side (Lefts, Rights, Tops, Bottoms, Fronts, or Backs) depending on the-axis you choose to perform the stacking operation.


The figure below shows examples of objects before they are stacked along the X-axis, as viewed from the top camera. The cone (larger circle) is selected first, followed by the cylinder (smaller circle) and the cube.



Before Stacking



Stack Lefts




Stack Rights

Alignment Options

X-axis Alignment Options

Changes made along the X-axis (which runs left to right) are best viewed from the Front, Back, Top, or Bottom cameras.




The options you see for X-axis alignment are as follows:

- **No Change:** Choose this option if you do not want to align the objects along the X-axis.
- **Align : Lefts (-X):** Aligns the left edges of the selected objects to the left edge of the first object you clicked in your selection, or to the grid position you enter.
- **Align : Centers:** Aligns the centers of the selected objects to the center of the first object you clicked in your selection, or to the grid position you enter.
- **Align : Origins:** Aligns the origins of the selected objects to the origin of the first object you clicked in your selection, or to the grid position you enter.
- **Align : Rights (+X):** Aligns the right edges of the selected objects to the right edge of the first object you clicked in your selection, or to the grid position you enter.
- **Stack : To Left (-X):** Stacks objects to the left of the object you selected first, in the order in which the objects are selected.
- **Stack : To Right(+X):** Stacks objects to the right of the object you selected first, in the order in which the objects are selected.
- **Distribute : Lefts (-X):** All objects will be spaced evenly based on their left coordinates.
- **Distribute : Centers:** Spaces the objects evenly according to their center coordinates.
- **Distribute : Origins:** Spaces the objects evenly according to their origins (which are in the center by default).
- **Distribute : Rights (+X):** All objects will be spaced evenly based on their right coordinates.

Y-axis Alignment Options

Changes made along the Y-axis (which runs up and down) are best viewed from the Front, Back, Left, or Right cameras.




The options you see for Y-axis alignment are as follows:

- **No Change:** Choose this option if you do not want to align the objects along the Y-axis.
- **Align: Tops (+Y):** Aligns the tops of the selected objects to the top of the first object you clicked in your selection, or to the grid position you enter.
- **Align: Centers:** Aligns the centers of the selected objects to the center of the first object you clicked in your selection, or to the grid position you enter.
- **Align: Origins:** Aligns the origins of the selected objects to the origin of the first object you clicked in your selection, or to the grid position you enter.
- **Align: Bottoms (-Y):** Aligns the bottoms of the selected objects to the bottom of the first object you clicked in your selection, or to the grid position you enter.
- **Stack: Above (+Y):** Stacks objects above the object you selected first, in the order in which the objects are selected.
- **Stack: Below (-Y):** Stacks objects below the object you selected first, in the order in which the objects are selected.
- **Distribute: Tops (+Y):** All objects will be spaced evenly based on their top coordinates.
- **Distribute: Centers:** Spaces the objects evenly according to their center coordinates.
- **Distribute: Origins:** Spaces the objects evenly according to their origins (which are in the center by default).
- **Distribute: Bottoms (-Y):** All objects will be spaced evenly based on their bottom coordinates.

Z-axis Alignment Options

Changes made along the Z-axis (which runs front to back) are best viewed from the Top, Bottom, Left, or Right cameras.



The options you see for Z-axis alignment are as follows:

- **No Change:** Choose this option if you do not want to align the objects along the Y-axis.
- **Align: Fronts (+Z):** Aligns the fronts of the selected objects to the front of the first object you clicked in your selection, or to the grid position you enter.
- **Align: Centers:** Aligns the centers of the selected objects to the center of the first object you clicked in your selection, or to the grid position you enter.
- **Align: Origins:** Aligns the origins of the selected objects to the origin of the first object you clicked in your selection, or to the grid position you enter.
- **Align: Backs (-Z):** Aligns the backs of the selected objects to the back of the first object you clicked in your selection, or to the grid position you enter.
- **Stack: In Front (+Z):** Stacks objects in front of the object you selected first, in the order in which the objects are selected.
- **Stack: Behind (-Z):** Stacks objects behind the object you selected first, in the order in which the objects are selected.
- **Distribute: Fronts (+Z):** All objects will be spaced evenly based on their front coordinates.
- **Distribute: Centers:** Spaces the objects evenly according to their center coordinates.
- **Distribute: Origins:** Spaces the objects evenly according to their origins (which are in the center by default).
- **Distribute: Backs (-Z):** All objects will be spaced evenly based on their bottom coordinates.

Content Manager

The DAZ Studio **Content Manager** provides the ability to place items into categories so that they can be more easily located. This database allows you to categorize all Poser and DAZ Studio content into one content listing and do a search for a particular item.


As new content is added to DAZ Studio or Poser, a search can be done to locate the new content or you can manually locate the content and create new categories.

Located content is kept in the current directory structure, allowing you to keep this structure or change it, without affecting the actual directory structure.


Accessing QuickStart Category View

To access the content database category view:


1. In the Content tab, choose **View Categories - QuickStart** from the Options menu.




The listing will change to show the current categories.



If you ran a scan of all content directories when you opened Studio, the categories will already be located in the Un-categorized category and ready to be re-categorized. If you selected to not scan for content and did not turn off the database feature, the Content tab will show that no content was found.



2. You can have DAZ Studio perform a directory search for content by clicking on the first link. Select which directories to be scanned from the dialog that comes up then click on **Do Search**. Click on **Cancel** to close the dialog and cancel the directory search.




3. Once the scan is complete, if DAZ Studio found more than 10 content directories, a notice will come up letting you know that having this many directories may cause searching for content to take a long time. It will recommend that you remove some of the directories and since the search finds all directories with potential content, you can go into the Preferences and remove storage and backup directories from the Preferences.
4. When you are ready to have DAZ Studio search for content (after adding content directories), click on the second link to begin the scan.
5. Unless you selected not to show it, each time you select to view categories, the **Scan for Content** dialog will come up asking if you would like to scan for new content to add to the database. See "[Searching for New Content](#)" for more on adding new content to the database.

Using QuickStart Category View


Showing & Hiding QuickStart Categories

By default the QuickStart Category view hides any categories that do not contain content so as not to cause unnecessary confusion for new users. However, if you want to add new categories, the empty categories must be visible.


To show all categories, even the empty ones, right-click on one of the buttons or under the current buttons and choose **Show Empty Categories** from the menu.



All categories will now show up as buttons in the category view.




To hide empty categories, right-click on one of the buttons or in an empty area under the buttons and choose **Hide Empty Categories** from the menu.



Active Category


The active category is shown by a checkmark at the far right of the category button.




Accessing Category List View

To access the content database category view:


1. In the Content tab, choose **View Categories As List** from the Options menu.




The listing will change to show the default or current categories. Arrows indicate sub-categories. If you have not already performed a content search.



If you ran a scan of all content directories when you opened Studio, the categories will already be located in the Un-categorized category and ready to be re-categorized. If you selected to not scan for content and did not turn off the database feature, the Content tab will show that no content was found.



2. You can have DAZ Studio perform a directory search for content by clicking on the first link. Select which directories to be scanned from the dialog that comes up then click on **Do Search**. Click on **Cancel** to close the dialog and cancel the directory search.



3. Once the scan is complete, if DAZ Studio found more than 10 content directories, a notice will come up letting you know that having this many directories may cause searching for content to take a long time. It will recommend that you remove some of the directories and since the search finds all directories with potential content, you can go into the Preferences and remove storage and backup directories from the Preferences.
4. When you are ready to have DAZ Studio search for content (after adding content directories), click on the second link to begin the scan.
5. The first time you select to view categories, the **Scan for Content** dialog will come up asking if you would like to scan for new content to add to the database. See "[Searching for New Content](#)" for more on adding new content to the database.

Managing Categories & Content


While default content categories are provided with DAZ Studio, new categories and sub-categories can be added, renamed, and deleted as needed. Content can be moved around and added to the manager without affecting the actual storage location on your hard drive.

Creating a New Category


QuickStart Categories

To create a new category in QuickStart Category View:

1. If the hidden categories are not shown, right-click on one of the buttons or under the current buttons and choose **Show Empty Categories** from the menu.



2. Right-click on one of the buttons or in the empty space below the current buttons and choose **Create Category Here** from the menu.



3. The **Category Name** dialog will come up. Enter the name of the category and click on **Accept** to add the new category or on **Cancel** to abort the operation.



The new category will be added to the view.




List Categories

To create a new category in Category List View:


1. Right-click on any category except for the Newly Installed one and choose **Create New Category > Create Category Here** from the menu.



A new category will be added to the bottom of the category listing.




2. Delete the default name and rename it as needed. Press **Enter** to save the new name.




New Sub-Category

To create a new sub-category (QuickStart or List view):


1. Left-click on the main category or sub-category to select it the right-click in the right-hand pane and choose **Create New Category > Create Sub-Category**.



2. The **Category Name dialog** will come up. Enter a name for the new sub-category and click on Accept to create the new sub-category or on Cancel to abort the operation. Repeat as needed to add new sub-categories.




The new sub-category will be added to the view.



Renaming a Category


To rename a category:

1. Right-click on the category and choose **Rename** from the menu.



If you are in the Categorize Content dialog, right-click on any category and choose **Rename** from the menu.

2. The **Category Name dialog** will come up. Enter the new name and click on **Accept** to rename the category or on **Cancel** to abort the operation.



The category will be renamed and re-ordered alphabetically.




Deleting a Category


To delete a category:

1. Right-click on the category and choose **Delete** from the menu.

If the category is not empty, then the Delete option will not be available. Use the [Manual Recategorization](#) to move the content to a new category then the Delete option will be available.



2. If the category is empty, a confirmation message will come up asking if you are sure you want to delete the category. Select **Yes** to delete the category or **Cancel** to abort the deletion. This action cannot be undone. Empty categories in the Un-categorized category will delete automatically once the last item is moved to a new category.



Searching for New Content

Rather than manually adding newly installed content to the database, Studio can automatically scan your content directories for you and place the content into the correct categories.




TIP! This method will scan for all content in your linked Runtime and Content folders which may take a considerable amount of time depending on the amount of content you have installed. It may be easier to [manually categorize](#) folders such as Figures, Poses, etc. which will make it much easier to place the categorized content into their proper location.




TIP! When this method is used, all your content is placed into the Un-categorized category which then has to be recategorized (and you may have a huge list to go through). An alternate method is to use the [Create Category from Folder](#) option, then [drag-and-drop](#) the folder into the correct category, then move on to the next folder.


1. Make sure you are in the View Categories listing in the Content tab.
2. If this is the first time you have used the category listing or if you did not select the option to not show the dialog, the **Scan for Content** dialog will come up asking if you would like to scan for new content to add to the database.




3. If the dialog does not come up when you select to view categories, choose **Search for Content** from the Content tab Options menu and the **Scan for Content** dialog will come up. This option can be chosen any time you've added new content to the content directories.




4. If you have loaded new content recently or this is the first time seeing this message (see caution below), click on **Yes**. Click on **Yes** to continue or **No** to cancel the search.



5. If this is the first time a content scan has been done, a message will come up indicating that DAZ Studio is scanning the content directories (the ones you set in Preferences) and the percentage complete. If the scan is taking longer than you would like, click on **Cancel** to stop the search.



6. If this is a rescan to add new content to the database, DAZ Studio must first verify that all items in the database are still in the content directories.




If a file cannot be found, it will be removed from the database.

Once all the file are verified, the re-scan will start. Depending on how many files you have, this may take some time as the scan must find each file and then check to see if it is already in the database or not


- Let the scan run its course or click on **Cancel** to stop the scan. Once the scan has completed, a message will come up indicating how many items were scanned and how many added to the database. Click on **OK** to close the dialog.

Examples:


The first image below shows an initial scan where 60,748 files were added to the database. The second image shows a re-scan where 64,470 files were scanned and of those files, 60,748 of them were new and were added to the database.



- If this is the first time you have scanned for content, all new content will be visible in the **Uncategorized** category and in the same folder structure as the Poser and Studio content directories.




9. If this is a re-scan for new content added since the last content scan, categories with new content available will be highlighted, with the label in bold and an asterisk in front of the label.




Click on the categories to see if the content was placed into the correct categories, or if the content was placed into the **Un-categorized** category, move them into the correct categories. Any items not placed in the Un-categorized category were placed into the correct category found by the scan in the matching .map file. See "[Re-categorizing Content](#)" for more on re-categorizing content and "[Mapping Content](#)" for more on mapping content.



- When you've finished verifying and/or moving content, right-click on the category and choose **Mark as Viewed** from the menu.



 **CAUTION!** If you have a large runtime, this can take a long time to complete so you may want to wait until you go to bed or work and can set it running while sleeping or working or both. Average scan time is 0.35 ms per file.


Examples:

- 64,442 files, scan time: 37 minutes
- 95,601 files, scan time: 90 minutes

Create Category From Folder (Manual Category Creation)

Once you've added categories, it's time to categorize your actual content. You do not need to create every category you'll need before doing this as you can re-categorize items manually as needed.

1. From the Content tab options menu, choose to view folders as a list or as a tree, depending on your preferences.
2. Locate the folder with the content you want to categorize, right-click on it and choose **Create Category from Folder** from the menu, then select one of two options:
 - **Use Only This Folder:** will add only the contents of the selected folder, no sub-folders, to the content database.
 - **Also Use Sub-Folders:** will add any sub-folders to the content database.



NOTE! While you can select an entire Poser Runtime or Studio Content folder to add to the Content Manager, this can take a very long time to process. Selecting less, such as a particular character folder or just the Pose folder will take less time to accomplish.

3. Change the view back to **View Categories** and the content will be viewable in the **Un-categorized** category. Click on the new category and the items will show up in the preview panel.



4. Move the item(s) into the categories where you want them:

- [Move content manually](#)
- [Move content using drag-n-drop](#)

Re-categorizing Content

Content can be re-categorized either by using drag-and-drop or by manually selecting the category.

Using drag-and-drop, content can be moved by item, by folder, or copied into multiple categories (actual content is not copied). Using manual selection, only content can be re-categorized - folders must already exist - into one or multiple categories.

See the following topics for more on using each method:

- [Re-categorizing Content - Drag-n-Drop](#)
- [Re-categorizing Content - Manual](#)


Re-categorizing Content - Drag-and-Drop

Drag-and-Drop can be used to move entire folders, single items, or multiple items.


Folder Drag-and-Drop

To move an entire folder when using user-based directory structure after a manual scan:

- Select the folder, drag it into the blank area under Un-categorized, and drop it there.




- The entire folder structure along with contents will be added as a main category.




To move an entire folder when the category already exists:


1. Select the folder and drag it to the new category.



2. If the new category has sub-folders, pause for a second over the directory until it opens the folder listing then drag the folder to the sub-category as needed.




The entire folder and its contents will be moved to the new category.




Item Drag-and-Drop

To move or copy item(s) into a different category using drag-and-drop:

1. To **move item(s)** to a new category, left-click on the thumbnail of the item you want to move. Use the **Shift** key or drag a marquee around multiple objects to move several items at once. If you move the cursor over a bit, you'll see that a rectangle has been added to the cursor. You can also use the search option to locate specific content.



2. Still holding down the left mouse button, drag the cursor to the new category and let up on the mouse button when the category is highlighted. If the category has a sub-category, follow the arrows to the correct sub-category before letting up on the button. The items will be moved to the new category



3. To **copy item(s)** to a second category, press **Ctrl** while dragging. This will leave the item in the original category and place a copy in the second category.

Re-categorizing Content - Manual


Manual categorization can only be used on items, not folders.



NOTE! The only way to currently remove an item from a category is to remove its category mapping (see step 6 below).


To move item(s) into the correct categories manually:

1. Right-click on each thumbnail and choose **Categorize** from the pop-up menu.




You can select multiple thumbnails by pressing **Shift** and clicking on each thumbnail, then, without letting up on **Shift**, right-click on one of the thumbnails to get the pop-up menu. If you let up on the **Shift** key, all the other thumbnails will be deselected and only the one you right-clicked one will be selected.


The **Categorize Content** panel will come up. If the content has been previously categorized, the category it is in will be selected.




2. Click on the categories to locate the new sub-category for the content. Resize the dialog as needed.




- Once you locate the category where the content should be, click on the checkbox to select it. Do not click on the checkbox next to the main category unless you want to categorize the item(s) into both the main category and the sub-category.




- If the category where you want to place the content isn't available, right-click in the blank section of the category or sub-category (the panel to the right of the category), and choose **Create Category Here** from the menu.



5. The **Category Name** dialog will come up. Enter the name for the new category and click on **Accept** to add the new category or on **Cancel** to abort the addition.




The new category will be added.



6. To remove an item from a category, click in the checkbox to remove the check mark for that category.
7. If needed, add the items(s) to another category, for example, Aiko could be added to the **People > Cartoon Characters > Aiko** as well as to the **Women > Aiko** category.
8. Click on **Accept** when the item(s) have been added to all categories. In the category view, select the folder(s) where you categorized the item(s) and view the thumbnails.



9. Repeat for additional content as needed.




10. When all items have been removed from a directory in the Un-categorized category, the empty directory will be removed automatically. Empty categories and sub-categories in the main category listing must be removed manually.
11. Once an item has been re-categorized, select **Mark as viewed in all categories** to remove the bold highlighting from the item.


Removing Content from a Category

To remove content from a category:

1. In one of the category views, right-click on the thumbnail of the content to remove and choose **Remove from category** from the menu.




2. The **Confirm file removal** dialog will come up. Click on **Yes** to remove the file from the category or on **No** to cancel the removal.



Missing Content

If, for some reason, you need to delete or move the actual content files, the next time you access the category or categories where that item was indexed, DAZ Studio will ask you to locate the file or remove it from the database.




Locating Missing/Moved Content

To locate the missing files:

1. Left-click on the item to locate and click on the Locate File button.
2. A default file browser dialog will come up. Navigate to the folder where the content is, select it, and click on Open.



3. The item will be removed from the Missing Content dialog and the database updated to reflect the new path.
4. If multiple items are missing, locate them the same way.



5. Once all items have been located, click on **OK** to close the dialog.



CAUTION! If there are still items listed in the Missing Content dialog, clicking on OK will remove them from the database so make sure you locate all files before closing the dialog!

Removing Deleted Content from the Database

To remove deleted items from the database:


1. If any of the items were deleted from your system, first locate the items that were moved.
2. Once all moved items have been located, click on the **OK** button. The items in the list will be removed from the database.

Cleaning Up the Database


If several items have been deleted from your system and you do not want to have to search through all the categories to locate the missing items and remove them, you can have DAZ Studio clean up the database for you. However, if you have a lot of content, this will take some time as each item has to be located in the database then checked to make sure it is still on the hard drive (average of 35 ms per file).

To automatically clean up the database:

1. Before clicking on the **OK** button, click in the checkbox next to **Clean up database**, then click on **OK**.




2. A confirmation message will come up asking you to verify that you want to remove all invalid references from the database. Click on **Yes** to start the cleanup or on **No** to only remove the items not located in the Missing Content dialog, if any.



Backing Up the Content Database

To back up the content database, do the following:

1. Locate the folder where you installed DAZ Studio and open the folder.
2. Select and open the **resources** folder.
3. Select the **Content** file, copy it, and place in a secure location.



Mapping Content

In order to use the replace content feature of DAZ Studio, content must be mapped in the Content Manager database. Currently, this must be done manually, but is easy to accomplish.


When mapping content, it must be assigned to a database category and a content type. The database category tells DAZ Studio where the item is located in the content manager while the content type tells DAZ Studio what type of content it can replace, if that option is selected. For example, a conforming hair item will replace another conforming hair item instead of a conforming clothing item.

You will need the following items in order to map content:

- Pathname to content (optional - information only)
- Content database category or categories
- Type of content (conforming hair, prop hair, pants, shorts, top, etc.)
- A .MAP file

To map content:

1. Determine where the content should be categorized, for example, a hairstyle for Victoria might go under People/Victoria/Hair and Hair/Long.
2. Access the **resources** folder in your DAZ Studio directory and locate the **Categories.txt** and **ContentTypes.txt** files.



3. Open the **Categories.txt** file. You'll see several columns with text or numbers in them.
 - Column 1: Lists the **category number**
 - Column 5: Lists the **category name**
 - Column 6: Lists the **parent category number**
 - Column 7: Lists the **parent category name**

| Category Number | Parent Category Number | Parent Category Name | Category Name |
|-----------------|------------------------|----------------------|-----------------------|
| 0 | 1 | Un-categorized | Un-categorized |
| 1 | 1 | Categories | Categories |
| 2 | 1 | People 1 | People |
| 3 | 1 | Anatomy 2 | Anatomy |
| 4 | 1 | Cartoon Characters | 2 Cartoon Characters |
| 5 | 1 | Children | 2 Children |
| 6 | 1 | Fantasy-SciFi Chars | 2 Fantasy-SciFi Chars |
| 7 | 1 | Men 2 | Men |
| 8 | 1 | Michael 7 | Michael |
| 9 | 1 | Characters | 8 Characters |
| 10 | 1 | Clothing | 8 Clothing |

- In column five, locate the content type you need, for example, Hair, then look at the parent category number, which in our example is 17.

| | | | | | | |
|----|---|---|---|----------|----|------|
| 20 | 1 | 0 | 0 | Textures | | 19 |
| 21 | 1 | 0 | 0 | Hair | 17 | Hair |
| 22 | 1 | 0 | 0 | Textures | | 21 |

- Locate the parent category to see what its parent is. In our case, the Hair type found is under the David parent category.

| | | | | | | |
|----|---|---|---|---------------|----|---------------|
| 15 | 1 | 0 | 0 | Poses-Motions | 8 | Poses-Motions |
| 16 | 1 | 0 | 0 | Textures | 8 | Textures |
| 17 | 1 | 0 | 0 | David | 7 | David |
| 18 | 1 | 0 | 0 | Characters | 17 | Characters |
| 19 | 1 | 0 | 0 | Textures | 17 | Textures |


If you are mapping hair for Victoria, then you don't want to place it here so locate the correct figure and then the correct category, which for Victoria would be category 49.

| | | | | | | | |
|----|---|---|---|------------|----|-------|------------|
| 43 | 1 | 0 | 0 | Textures | | 35 | Textures |
| 44 | 1 | 0 | 0 | Women | 2 | Women | |
| 45 | 1 | 0 | 0 | Victoria | | 44 | Victoria |
| 46 | 1 | 0 | 0 | Characters | | 45 | Characters |
| 47 | 1 | 0 | 0 | Clothing | | 45 | Clothing |
| 48 | 1 | 0 | 0 | Textures | | 47 | Textures |
| 49 | 1 | 0 | 0 | Hair | 45 | Hair | |
| 50 | 1 | 0 | 0 | Textures | | 49 | Textures |

- If the content is under another category in the content database, locate that category as well, so to show that the hair is under the main Hair category and then in the Long sub-category, we'd locate category 95.

| | | | | | | |
|----|---|---|---|-------------------|----|-------|
| 93 | 1 | 0 | 0 | Uniforms-Costumes | | |
| 94 | 1 | 0 | 0 | Hair | 1 | Hair |
| 95 | 1 | 0 | 0 | Long | 94 | Long |
| 96 | 1 | 0 | 0 | Short | 94 | Short |
| 97 | 1 | 0 | 0 | Motions/Poses | 1 | |

- Note down the categories, i.e., 49 and 95.
- Next, open the **ContentTypes.txt** file and locate the type of content for the item, for example, the Bombshell hair is a conforming hair item, so locate Hair/Conforming in the list. Note down the exact content type name and/or copy it when you need to.



9. Now that you have the categories and content type, the map file can be created. To do this, go to the **resources/ContentMapFiles** folder in your DAZ Studio directory and copy one of the .map files there then paste the copy into the same folder. If you copy a .map file that is similar to the one you are adding, you'll have a bit less work to do.
10. Open the file and you'll see something similar to the image below, which shows the .map file format along with the three lines you will be modifying (the remaining lines are for future use).

```
<!-- Map File for \Runtime\libraries\Character\GlamourHair\GlamourHair V4.cr2 -->
<DAZStudioMapFile Version="1.0" >
  <Categories>49,95</Categories> ← Category Number
  <Type>Hair/Conforming</Type> ← Content Type
  <Compatibility></Compatibility>
  <Metadata></Metadata>
</DAZStudioMapFile>
```

← Comment - to help locate item if needed

- **Filename:** Not required but helps to show what item is affected, path name is for information only, filename is needed when saving .map file.
- **Categories:** Lists the categories where the item is located in the Content Manager.



NOTE! This category number also used by the content scan to pre-determine a file's location in the database. If no .map file exists for an item, it is automatically placed

into the Un-categorized category. If the user decides to manually categorize the content, these numbers are not used unless a full rescan is started.



NOTE! Only the categories listed in the Categories.txt file can be added to the .map file as user added categories are different for each user and cannot be mapped by DAZ Studio.

- **Type:** Lists the type of content for the item, determines what it can and cannot replace in the scene.

11. Replace the text in the file with the information needed for the new content.


For example:

- Filename changed to show the pathname to the Bombshell hair.
- Categories 49 and 95 are left in since they are the same for this item. Note that multiple categories are separated by a comma only.
- Type is left as Hair/Conforming

```
<!-- Map File for \\Runtime\libraries\character\DAZ Hair\BombshellV3 LongLayered.cr2 -->
<DAZStudioMapFile Version="1.0" >
  <Categories>49,95</Categories>
  <Type>Hair/Conforming</Type>
  <Compatibility></Compatibility>
  <Metadata></Metadata>
</DAZStudioMapFile>
```


12. Copy the filename of the item, i.e., BombshellV3 LongLayered.cr2, save the file and close it.

13. In the ContentMapFiles folder, rename the file using the filename copied above making sure that the .map extension is left in.



or

Choose **File > Save As** from the text editor menu and save the file with a .map extension.




14. [Rescan for new content](#) (uses the categories in the .map file) or [manually categorize the content](#).

Searching for Content to Add to Scene

Once an item(s) has been categorized, the **Search field** can be used to locate a specific item quickly.

To locate an item using search:

1. Make sure you are viewing categories in the Content tab.
2. Enter the search term in the **Search field** and press **Enter** or click on the **Search** button (the one with the magnifying glass). All items with the specified search term in the filename will be located and viewable in the preview panel.



3. Once a search term has been used, it will be available by left-clicking on the arrow to the right of the search field and choosing that term from the drop-down menu. Closing DAZ Studio will clear the search list.



D-Form

D-Form is a tool that allows the user to distort and modify figures in ways the original object modeler may have never intended. It is also a way to help make fitted figures fit their parent figures better, without the need to open the figure in a modeling program and modify it. It works by taking a user-defined area of the


model (in groups of what are called vertices), and distorting them at whatever extents and directions the user wishes.

Some of the ways D-Form can be handy in your artistic endeavors are.

- To make clothing and hair fit better on a figure by eliminating "poke-through"
- To give a figure a set of horns or other appendages without the need to load and position props
- To give a figure a unique personality
- To change the state of a figure's "condition," such as making a female (or male?) figure appear to be pregnant
- To give the illusion of a harder surface pushing into a softer surface (such as a parent's fingers pinching a baby's cheeks.)

The possibilities are as boundless and endless as your imagination.

Choose **View > Tabs > D-Form** to open the D-Form tab.




How D-Form Works

D-Form works by setting up a field of effect on the surface of an object. This field affects the vertices of an object. You can use the spline editor (explained later in this section) to adjust the amount of effect that the field exerts on each vertex. You can see the effect of the field before and during manipulation of the D-Former. When you move or scale any element of the D-Former, the vertices in the affected region change position. The change depends on the size and shape of the field, the distance that you move it, and the amount of effect applied on each vertex.


To add a D-Former to an object, select the object that you want to deform, then choose **Create > New D-Former**.

Anatomy of a D-Former

There are three elements to a D-Former: **Base**, **Handle**, and **Field**. The figure below shows how the assembly appears in the Viewport (minus the labels, of course.)



The figure below shows how the assembly appears in hierarchical order within the Scene tab (in this case parented to the head of a figure.)



The D-Former Base

The **Base** looks like a flat, circular disk. It loads into the scene directly beneath the D-Former Handle. The Base defines the baseline point from which mesh deformation occurs when you move the D-Former. Move the Base to where you want the center of the deformation to occur.

The D-Former Handle

The **Handle** looks just like a toy top with a long spindle. It rests on the Base when first loaded into a scene, and is listed as child to the Base in the Scene Tab.

The handle helps DAZ Studio determine how much deformation you want. The further from the Base that you move the Handle, the more deformation will occur.

- To pull the mesh, pull the Handle away from the Base.
- To shove the mesh off to one side or the other, move the translation sliders of the Handle off to one side.
- To push the mesh, push the handle down through the base.
- To twist the mesh, twist the handle along a rotational axis.
- To squeeze or stretch mesh, use the scale sliders.
- To restore the mesh to its original positions and sizes, set the handle's translation and rotational settings to 0.00 on all three axes, and all scaling to 100%.

The D-Former Field


The **Field** appears as a wireframe sphere that surrounds the Base and Handle. The Field determines the size of the area that deforms when you manipulate the Handle. When you create the D-Former, the Field tries to encompass the entire node to which the D-Former is applied. You will likely have to position and shape the field to taste before you manipulate the D-Former.

The strength and amount of "pull" that a D-Former exerts within this field falls off from the center, with the weakest point being on the edges (by default.) For more information on how to edit this, please refer to the D-Form Spline Editor reference later on in this section.



TIP! If the vertex colors are hard to see, or if you want to display different colors to show the amount of strength, select the D-Former in the Scene Tab. Then open the Display group in the Parameters Tab. You will see options to change the minimum and maximum strength colors, and a slider to change the Point Size. Move the slider toward the right to increase the vertex size. You can also use the Display Weights button to turn off the vertex display.

The figure below shows how the D-Former assembly looks in the Viewport when any D-Former element is selected in the Scene Tab. The figure's head is colored black for clarity.



When you select any D-Former element in the Scene Tab, you will see which vertices it effects on the mesh, as the colored vertices stop at the edge of the field. The vertex colors indicate the amount of affect that the D-Former affects the vertices:

- **Yellow** vertices are where the field is **weakest**.
- **Red** indicates where it is the **strongest**.


You can use the Parameters tab to move, size, and shape all three D-Former elements to taste (especially the field).



TIP! When a D-Former loads, the deformer and its base appear in the exact center of the node that you are applying the deformer to. This can result in the deformer and base being hidden from view. Move the Base (the Handle moves with it) out and away from the node so that you can see and manipulate the D-Former without deforming the object. You only deform the parts of the mesh when you move the Field.


D-Form Tab Options

The D-Form Tool has its own tab shown below. To open the tab, choose **View > Tabs > D-Form**.



There are no tab options, so that particular button is grayed-out. The tab can be docked or left floating, as you desire. The buttons that appear in this tab are as follows.

- Create New...:** This will create a new D-Former tool that will affect all nodes selected in the Scene. Select one or more nodes, and clicking this button will present the dialog shown below, where you are asked to give the new D-Former a name. Give the new D-Former a name, and click **OK**. If you do not wish to create a new D-former, simply click **Cancel** and you will be returned to the D-Form Tab.




TIP! You should always try to assign a unique name to each new D-Former, especially if you plan to use more than one. If you do not assign a name, DAZ Studio creates a default name that is followed by a number (D-Former_1, D-Former_2, and so on) in the order in which the deformers are created. If you name them yourself, you can keep track of them more easily and determine at a glance how your deformers affect the mesh. For example, it is easier to determine what a deformer named "bulge_head_upwards" is supposed to do.

- Add Node(s):** If you want to add one or more nodes to an already existing D-Former, simply select the nodes you wish to add, then click this button. You will be asked which D-Former you want the nodes added to. Select the D-Former you wish to add the nodes to, click **Accept**, and the effects of the D-Former will be applied to the added nodes, if the D-Former (and its field) are large and strong enough to encompass those nodes.
- Remove Node(s):** If you want a D-Former's effects removed from one or more nodes, select those nodes in the Scene and then select this button. You will be asked which D-Former you wish

removed from the selected nodes (even if there is only one D-Former, in which case only one will be displayed.) The effects of the D-Former will then be removed from those nodes. If there are no nodes left for the D-Former to effect, it will remain parented to the node it is currently parented to, but will not affect it whatsoever. Note that this will not delete the D-Former itself - you'll have to do that manually.

- **Remove All From Node(s):** This option allows you to remove all D-Former effects from one or more selected nodes. Select which nodes you want to clear, then select this option to clear all D-Former effects from the selected node(s). Note that this will not delete the D-Formers.
- **Edit Spline:** This opens the D-Form Spline Editor for the selected D-Former Field. Select a D-Former Field you wish to edit, and select this option. Full details on how to use the Spline Editor are explored in the next part of this section.
- **Spawn Morph:** Once you are done deforming the node(s) with one or more D-Formers, this option will create a Morph in the selected node(s)' mesh, which will then be listed in the Parameters Tab for each node selected. At this point the D-Formers are no longer necessary to create these deformations in the node(s)' mesh, and can be deleted or removed from the node(s). Be sure to save the figure (preferably under a new name from the one you loaded) if you want to keep the new morph permanently.
- **Create Root Control Parameter:** This option allows you to save the D-Former effects as a Morph for the entire figure, instead of one or more nodes. The resulting Morph will appear as a slider in the Parameters tab when the root node of the figure is selected. Select this option if you want your work to be saved as an overall Morph for the figure's entire mesh.
- **Delete Applied D-Former(s):** This option will delete the D-Former(s) used to build the morph once the new morph is spawned. If this option is not enabled, you will need to manually delete the D-Former(s). If you have a D-Former that affects multiple body parts, for example, the head and chest, but you only spawn a morph on the head, you will be asked if you really want to delete the D-Former.



On the confirm dialog select one of the following options:

- **Yes to All:** Deletes all the D-Former(s) that affect the selected node, you will not be asked to confirm deletion of additional D-Former(s).
- **Yes:** Deletes just the listed D-Former.
- **No:** Leaves the listed D-Former on the node.
- **No to All:** Leaves all the D-Former(s) that affect the selected node.
- **Apply Spawned Morph:** This option will apply the newly spawned morph immediately to the figure once the morph is created.


Refer to "[Save as D-Form Preset](#)" for instructions on saving D-Form presets.

The D-Form Spline Editor

The D-Former by default will apply its strongest "pull" at the center of the D-Former's Field, fading off gradually towards the edges of the field, wherever the mesh lies within that field. However, you can alter

that behavior, and how much strength is applied to all points of the mesh from the center of the field outward. This is done by clicking on the **Edit Spline...** option within the D-Form tab.

Before we detail how to work within the **Spline Editor**, a bit of concept will familiarize you with what a spline is and how it works. If you are already familiar with splines, you can safely skip the next part and get to the inner workings of the editor itself. For those who are not familiar with splines, the sections that follow will likely be of use to you.




What is a Spline?

The strength of the field will always reach outwards from the center in a 360° consistent radius, in all directions. In order to represent this radius of force from the center, the D-Form Spline Editor presents us with a **Spline**, which in 3D terms is a single-line intersection of given points in space, which in our case is from the center of the field to the outer edge. In the editor above, the spline is shown as a blue line on a graph. The left-hand side of that spline represents the center of the field, while the right-hand side of the spline represents the outer edge of the field.

Out from the Center

Think of each point along this spline as a spot sitting at a given distance from the center of the field in all directions... sort of like a shell inside the field that is shaped just like the field, only smaller, as shown below.



The center of the three spheres (blue) is the center of the field, or the point represented by the left-most end of the spline (as shown in the graph.) The outer sphere (in red) is the field's edge, or the point represented by the right-most end of the spline.

The darker sphere in-between them (gray) represents the area affected by the blue dot between the ends, as shown on the graph. As you can see in this example, that blue dot is actually representing a sphere within the field's edge. It's size depends on where it is along the spline... the closer to the center that dot is, the smaller the sphere it will represent.


Give it some 'oomph'!

The editor's graph also shows the relative strength of the field's ability to "pull" mesh at certain points along its spline, by representing strength with height on the graph.

The top of the graph represents the greatest strength, while the lower edge of the graph represents the weakest. This means that if a point on the spline is at the top of the graph, that area of the field will have the strongest amount of pull.

Working Within the Editor

Let's take a look at the Spline Editor itself, and see how one goes about editing the D-Former Field's behavior. To open the Spline Editor, first open the D-Form tab (View > Tabs > D-Form), and then click the **Edit Spline** button in the D-Form tab.



The **D-Former Field** drop-down menu allows you to select which D-Former Field effects you want to modify. Click on it to see and select from all of the D-Formers you have loaded in your scene (if you have only one, you get only one choice to pick from, though that one will already be shown by default.)

The three **Action modes** available to you are there to control what you want to be within the spline itself:

- **Move:** When this mode is selected (default), it allows you to move existing points (dots) on the spline up or down to control the strength along that point of the spline.
- **Insert:** This mode allows you to insert additional points along the spline (which shows up as new dots on the spline). The further to the right along the spline, you insert a point, the further out from the center of the field the effect will be. To insert points along the spline to manipulate, select the Insert option, then insert as many points as you wish along the spline by clicking on the spline where you wish the point to go. Note: Before you move any points along the spline, go back and select the Move option first, or you'll end up inserting additional points instead.

- **Delete:** This mode allows you to delete any additional points along the spline that you don't want. Select this option and then click on all the points along the spline that you don't want.



TIP! Something to keep in mind is that as you delete a point along the spline: The spline will try to compensate for the missing point by re-drawing itself in a smooth curve between the two points that surround the now-missing point.



TIP! Before you manipulate or move any other point, be sure to select the Move checkbox before you do, else you may accidentally delete points along the spline that you didn't want to.

- **Undo Last:** Clicking this button allows you to fix a mistake when editing the spline. Simply click the button to undo the last thing you did to the spline.
- **Undo All:** Clicking this button resets the entire spline to its default curve. If you become completely lost or turned-around when editing the spline, click this button to get a smooth curve once again. Note that all points along the spline (except the two default points) will also be removed.
- **Show Grid:** Toggles on and off the background grid on the graph. The grid represents no real numerical value, but rather they are relative divisions in space that you can use as a convenient reference. If it gets in your way, use this option to shut the grid off.


The **Graph** itself is where all the action is. To manipulate it, you simply add points to the spline (or use the two default points supplied) and move them up and down to increase or decrease strength of effect, respectively. Note that you have to add a point to the very spot on the spline where you want the effect to take place - you cannot move points left or right along the spline. The points only move up or down. As you manipulate the spline, keep an eye on the Viewport and look at the colors change on the affected vertices as you change each point. Vertices will turn red as strength increases, or yellow as it decreases along any given vertex. (Move the editor window out of the way if you can't see the Viewport.)

When you're done editing the spline, there are the **Accept** and **Cancel** buttons. Depending on which button you select, your changes to the spline will be applied to the Field (Accept) and the editor will exit, or ignored and not applied to the field (Cancel), then the editor will exit.


Tutorial: Creating a Head Morph

Let's begin by doing something simple and relatively useful with the D-Former. We'll start by taking a default figure and giving it a horn. This will require a single D-Former, and is fairly simple to perform, but it will give you an idea as to how to use this rather powerful tool in an easy way.

1. First, load a figure into an empty scene. Make sure it has no hair, since we're working on the head (the hair will only get in the way.) Clothes and other accessories are up to you, though if your computer isn't very robust, you'll find that loading just the figure will make things easier on your system resources. In our example, we are using the Aiko 3 LE figure shown below.




2. Now select her head in the Scene tab and use the **Frame** and **Rotate** controls (in the viewport and camera controls) to get a good close look at her forehead. With her head selected, choose **View > Tabs > D-Form** to open the D-Form tab. Dock it or leave it floating as you desire.
3. Then, click on **Create New** and name this new D-Former "**Horn**" as shown below. Click **OK** to create the D-Former.



You'll see the new D-Former appear, with the field encircling the head, but the Base and Handle (hidden inside the head (at the Field's center.)

Obviously, it's going to be pretty hard to manipulate the D-Former while the Handle and Base are buried or half-buried inside the figure's head (as seen in Aiko's case), so let's bring them out to where we can see them.

4. Select the **Horn_Base** (our D-Former base) in the Scene tab (it will be a child of the head node), and move it out to a place where you can comfortably see it. An **X-Translate** setting of around 17 should be fine. Adjust the camera as necessary, to achieve results similar to that shown in below.



TIP! Sometimes the Base and Handle are not buried inside the node, but may show up over-sized and off to one side of the node. You can always position and scale both Base and Handle for convenience by manipulating the Base, and not the Handle. The Handle will scale and follow the Base accordingly without deforming the mesh.




CAUTION! Sometimes the Base and Handle are not buried inside the node, but may show up over-sized and off to one side of the node. You can always position and scale both Base and Handle for convenience by manipulating the Base, and not the Handle. The Handle will scale and follow the Base accordingly without deforming the mesh.

5. Now let's shape the field into what we need it to be, and position it. Select the **field** in the Scene tab and change its size and shape so that it resembles an ovoid resting on the figure's forehead, as shown in the figure below.


The Field settings used on this Aiko 3 figure (in her default position) are as follows (all settings not listed were not changed.)

- Y-Translate: 160.43
- X-Translate: 9.76
- Y-Rotate: 1.25
- Scale: 23%%
- X-Scale: 1800%
- Y-Scale: 1400%


- Z-Scale: 2400%




6. These do not have to be exact figures, but should help in positioning the field to where we need it. If we were to move the Handle now, the results would look strange, to say the least. So, let's position the Handle and Base so that the mesh will pull at a decent angle out of her forehead. Select the **Base** and rotate it forward along its X-axis (in our case, we set the X-Rotate value to 50 degrees.) The Base and Handle will now look something like the figure below.



7. From this point, we can begin to deform the mesh. Select the **Handle** (the object called Horn in the Scene tab, which is beneath the Horn_Base), and begin to move the **Y-Translate** slider in the Parameters tab. (we set ours to 25), and watch the Handle move and the horn grow. Your results should look similar to the figure below.



If you want to see the results without all those vertices being lit up, select the figure's head in the Scene tab. The results will now look a little like the figure below.



TIP! Deforming a mesh will also deform the textures that are applied to it, so any moderate to extreme mesh deformations should be done with this fact kept in mind.

8. You can (if you wish) save the results as a morph (which makes things easier on your computer). Select the head in the Scene tab, then click **Spawn Morph** in the D-Form tab. After you create the morph, you can delete the D-Former and simply use the new morph in the Parameters tab.



TIP! When it comes to multiple D-Formers in a scene: The more D-Formers you add to a scene, the more resources your computer is going to require. It is usually preferable to save each as a morph and then delete the D-Former if you're only using one D-Former to create the morph. When handling multiple D-Formers in one scene, it will also be easier to manipulate them if you shut off visibility on each D-Former as you finish positioning it. You can do this by selecting the D-Former elements and shutting off visibility on each in the Parameters tab, or you can do this more easily by clicking the small eyeball icons to the right of each element within the Scene tab.

Experiment!

Try adding lots of other D-Former built horns (or other parts) to the figure's head and see what you can come up with.. Just make sure the figure doesn't lose her patience or sense of humor about it.




TIP! Try adding D-Formers to already-deformed parts of a node for new and interesting results.

Tutorial: A Coronation of One

We've used D-Formers to create a horn or two on the figure's head, but D-Formers can also act in more subtle and efficient ways. For instance, in this tutorial, we're going to use only one D-Former to create a "crown" of sorts on our figure's head. We'll do this by using the Spline Editor, and by tweaking both it and the D-Former in real time to achieve the results we want.

1. Let's begin by bringing a figure into the scene... Victoria 3 RR LE (which is included in the DAZ Studio package) is a good place to start. Load her up and let's zoom in on her head in a position where we can get a good look at her scalp.




- Now, let's select the head and attach a D-Former to it (remember to call up the D-Form Tab first, by selecting View > Tabs > D-Form.) Select **Create New** and name the D-Former "**Crown**", which is the name we'll be using in this tutorial.



TIP! Sometimes the Base and Handle may show up over-sized or off to one side, depending on the figure. Always position and scale the Base and Handle for convenience by manipulating the Base, and not the Handle. The Handle will scale and follow the Base accordingly without deforming the mesh.

- Position the D-Former **Base** off to the side of the head the same way you did in the previous tutorial, using the XTranslate slider in the Parameters Tab, so that it isn't in the way.
- You can also scale the Base and Handle down a bit. Select the **Base**, then scale it to whatever position and size feels most comfortable for you. (In this case, we scaled the Base down to 60%, and moved the X-Translate slider off to the right by 16.0 You're more than free to scale and place the Base to taste, however, as this will not affect the deformation at all.)




- Now we can begin to position and shape the field. Select **Crown_Field** in the Scene tab (it will be a child of the Head node) , and move it upwards (Y-Translate) until the affected vertices are all up in the scalp of the figure, just over the eyebrows. On Victoria 3 RR, this will place the Field at a Y-Translate slider setting of around 182.43.




TIP! The more precision you use in positioning a D-former, the better your results will be, especially on the more subtle deformations. To achieve this, using the sliders in the Parameters Tab is usually the best way to go. You can always adjust the sensitivity of each slider as well for even more precision, though this is rarely necessary.

- Now, let's get some deformations going. Select the **Handle** (named Crown in the Scene tab), and pull it up by moving its Y-Translate slider up by a good distance (we settled on 17.0 for this tutorial). You'll notice that the head now looks rather cone-shaped, but we're going to fix that by using the Spline Editor.



Before we edit it, recall that a spline is a single-line representation of any area at a given distance from the center of the field. Right now, the spline is set so that the field is strongest at the center and weakest at the outer edges. What we're going to do is modify the spline to do the opposite: We're going to make the center of the field weaker than the edges, so that we can get the results we're looking for.

7. With the **Crown_Field** selected in the Scene tab, click **Edit Spline** in the D-Form tab. The D-Form Spline Editor opens. Position the Spline Editor off to one side of the viewport so that you can observe the effects while you edit the spline.
8. Within the Spline Editor, verify that **Crown_Field** is selected in the **D-Former Field** drop-down menu. It should already be there by default since it is part of the only D-Former in the scene. Also, verify that the **Action** is set to **Move**.
9. Since there are already two points along the spline that we can manipulate, we'll use those first. Select each point in turn and move the higher one down and the lower one upwards, so that the spline looks a lot like the figure below.



You'll also notice that our head has now deformed accordingly (the Viewport updates each time you move and release a point.) It looks more like what we want to achieve, but it needs a bit more tweaking.

10. We've moved the two points on the spline as much as we can at the moment, so let's add more points and manipulate those. In the left side of the Spline Editor, switch to the **Insert Action** mode. Click once directly on the spline at a point in between the two points already there.




TIP! If you have a hard time seeing the points on the spline, you can always make the Spline Editor window larger, which will also magnify the points along the spline and make them easier to see.

11. Now, switch back to the **Move Action** mode and move that new point down a bit. You'll see two things: the rim of our "crown" will square itself off a bit more, and a slight depression is created in the center of it. The spline will now look a bit like the figure below.



TIP! The currently selected point along a spline will always show up in red, as in the example above.

12. Let's work on the outer edges of the crown a bit... Using the same method just described, insert another point onto the spline, but this time place the new point on the spline as far to the right as possible and move it up just a little. The results will improve the shape of the crown even more.



One thing you'll notice is that the center of our crown has risen a bit, but this will be fixed later. This is because the spline is affected as a whole whenever you move a point on it. The spline always tries to intersect the points that define it, so a change on one point will subtly change its whole while keeping its current points fixed on the graph.

13. We've now reached a point to where we'll have to modify the field directly to improve our results. We'll come back to the editor and use it, but we won't need it at the moment. Click **Accept** on the Spline Editor dialog, and make sure the **Crown_Field** is selected in the Scene tab.




TIP! It is always a good idea to use your working camera and "take a spin" around an object being deformed once in awhile. This way you can see the whole effect, and not stumble into any nasty surprises later.


14. With the field selected, move and scale the field to something resembling the following values:

- Y-Translate: 182.43
- Z-Translate: -0.30
- X-Scale: 1650%
- Y-Scale: 1650%
- Z-Scale: 2050%%

As you can see below, this will smooth out our crown, and make it near-vertical along all sides.




15. Now let's open up the Spline Editor again, and do something about the top. In the spline editor, **Insert** a new point between the two points towards the left of the spline, then **Move** it and its neighboring points as shown below. Exit the Spline Editor by clicking **Accept**.



16. Let's put in a bit of a depression in the center of it. In the Scene tab, select the D-Former **Handle** (it will be named Crown.) Adjust the Handle a bit (we used the Y-Translate slider to bring it up to 14), and notice in the figure below how we have a decent-looking crown now.

17. Test-render the results.



Now all we need do is save the results as a morph on the figure. If you want to keep this morph, be sure to save the figure as well.

18. Select **Victoria's Head** in the Scene tab. Then from the D-Form tab, select **Spawn Morph**. You will be prompted to give the new morph a name (call it **CrownHead**), and select **OK**. The new morph appears in the Parameters tab near the bottom of the morph list. You may have to scroll a bit on complex nodes such as the head.
19. You can now delete the D-Former and your morph will be safe. If you want to keep the morph, save the figure under a separate name.
20. Now all that remains is to create a render using our new morph. All we did to create the final image was the following:
 - Pose the figure.
 - Give her skin, lips, and pupils a greenish tint (by changing the Diffuse Color of these surfaces to a light bluish-green in the Surfaces tab.)
 - Finally, create a small green-patterned backdrop in any image editor. Import that into the scene, then render the scene using the default light.




Dynamic Clothing Basic

The Dynamic Clothing Basic plug-in for DAZ Studio is a free plug-in, included with DAZ Studio, to enable DAZ Studio users to work with cloth which has been designed to respond realistically to the 3D figure's movements and poses. Once the cloth material has been fitted to a 3D model and posed the material can be processed by a draping simulation engine to "drape" or "relax" the cloth material to the model and its position, based on the materials own parameters and outside environmental factors such as gravity and movements.

The Dynamic Clothing plug-in uses technology from OptiTex, a company which specializes in 2D and 3D CAD/CAM Fashion Design Software for the clothing and textile industry.

The Cloth Panel Overview

The Dynamic Clothing plug-in is available in DAZ Studio by choosing **View > Tabs > Dynamic Clothing** from the menu. The cloth panel and its sub-panes give the user the ability to customize the various garments and items within DAZ Studio and how the cloth will interact with each other. A brief overview of each option follows, with detailed usage covered in the next section.




- **Active Item** - Displays the current active cloth item or <Multiple> if more than one cloth item is selected in the viewport..
- **Cloth actions affect** - Drop-down menu that allows selection of which cloth items to affect. To speed up the draping, if clothing items on the figure or within the scene haven't changed or won't be affected you can unselect those items and only re-apply the draping algorithm to those items which have changed.
 - **All Selected Cloth** - Will affect all cloth items selected in the viewport, use Ctrl+click to select multiple items.
 - **All Cloth on Figure** - Will affect all cloth items on the figure whether the item is selected or not
 - **All Cloth in Scene** - Will affect all cloth items in the scene, no matter what figure they are applied to
- **Drape** button - clicking on this button starts the process of simulating the clothing material by running a physics engine which "relaxes" the cloth based on the parameters of the cloth material. While draping, a busy cursor and a progress dialog will pop up to give the user an indication of how long it will take.
- **Clear** button - clicking on this button removes the active cloth's cached draping data and resets the cloth to its original default initial or auto-rigged state.
- **Single Frame** - The first mode of draping that can be performed. This mode simply relaxes the cloth based on the current figures pose. The greater the changes from the initial pose and the final pose, the less accurate the drape will be. You may want to drape the item a few times in large pose differences.
- **Animated** - The second mode of draping that can be performed. This mode relaxes the clothing materials over a series of tiny increments. Because the increments are so small, the changes to the material are also much smaller which enables the overall draping simulation to be much more accurate.
- **Collide With** - Brings up a pane where you can select which items within the scene will collide/interact with the active cloth items. This applies to the "active" cloth item(s) - which depends upon what the user has selected and what the Cloth actions affect setting is also set to.
- **All Selectable in Viewport** - enables or disables the ability to set the interaction with all the selectable items in the viewport. It does not modify the Collide With box selections.
- **Garment tab** - Lists currently loaded cloth items along with the figure the items are fitted to and provides ability to layer clothing over or under other cloth items.
- **Panel tab** - Lists each garment panel and the current settings for resistance, damping, weight, etc.
- **Styles** - Lists any styles available for the selected cloth item and will be specific to the selected garment. These will be different for each individual garment based on how it was designed.

Using the Dynamic Clothing Plug-in

The Dynamic Clothing plug-in provides the ability to drape pre-made cloth items onto a figure, such as Victoria 4.

1. Load Victoria 4 into the scene in DAZ Studio.
2. Activate the Dynamic Clothing plug-in by choosing **View > Tabs > Dynamic Clothing** from the menu. The **Dynamic Clothing Panel** will come up.


3. Make sure the figure is selected and locate the content folder containing the dynamic cloth items.
4. Double-click on each cloth item to apply it to the figure.
5. Select each cloth item and check the **Parameters** tab to ensure it is fitted to the figure and fit them if needed.
6. In the **Dynamic Clothing** tab, select which cloth items to affect from the **Cloth actions affect** drop down menu.



- **All Selected Cloth** - will affect all cloth items selected in the viewport
 - **All Cloth on Figure** - will affect all cloth items on the figure whether the item is selected or not
 - **All Cloth in Scene** - will affect all cloth items in the scene, no matter what figure they are applied to
7. Select the draping mode of Single Frame or Animated.
 - **Single Frame** - This mode simply relaxes the cloth based on the current figures pose. Good for previewing.
 - **Animated** - This mode relaxes the clothing materials over a series of tiny increments. Best for final draping.
 8. If the cloth needs to interact with other items in the scene, such as a floor or chair, enable **All Selectable in Viewport** so the items in the scene can be selected in the **Collide With** dialog.
 9. Click on the button next to **Collide With**.




The select dialog will come up with **Everything** selected by default.




NOTE! The default ground plane is not a selectable object in the scene, so if the cloth needs to collide with the ground, add a flat box or plane under the figure.

10. If the cloth item will not be in contact with specific body parts, deselect them in the list by clicking on the plus sign (+) next to the figure/item and deselecting parts that will not be needed for the calculations. For example, the image below shows the head deselected for a shirt. A pair of slacks would probably not need to interact with the head and upper torso.




TIP! If you have problems with the cloth colliding with the hand and fingers, deselect these parts in the Collide With dialog, then adjust the hands after draping the cloth.

11. Click on **Accept** to apply the changes or **Cancel** to accept the original selections.
12. In the **Garment** tab, check the order of the cloth items to ensure they are layered correctly. For example, the image below shows that the jacket will be layered over the pants. If a shirt was added, it would need to be between the jacket and pants. Select the cloth item to move then use the up and down arrows to move it into the correct order.



13. If the cloth item contains styles, they will show up in the **Styles** section of the Garment tab. In the image below, the Gaucho Jacket has styles available for the back and lapels. Select the cloth item then click on the drop down menu for each item and select a style.




Remember to adjust any collide with options as needed based on the selected styles (see step 9 above).




NOTE! Each style is a different mesh object so selecting a new style will change what textures are required for that style. The garment creator may also have saved a default texture with the style itself. You can keep the texture applied or use a material preset to change the textures.

- In the **Panel tab**, you can view the current cloth settings for each cloth item and each panel for each cloth item and select different garment styles. Click on the button to the right of the **Selection** label to select a cloth panel from the list. You can also click on the arrow to the left of the Selection label to view the cloth items in a scrollable list on the left side of the dialog.




For each cloth panel, you can view the current settings for resistance, damping, shrinkage, weight, and friction. You cannot change these settings manually, however, if you have garment or fabric presets available, the presets can be applied to the cloth items to modify the current settings. See "[Applying Dynamic Presets](#)" for more on applying garment and fabric presets.


- Check over the **Dynamic Clothing tab** to ensure that all settings are correct.
- Select the figure and apply a pose.
- Check the **Cloth actions affect** field and if **All Selected Cloth** is selected ensure that the correct clothing items are selected in the viewport. To do this, click on the cloth item to affect in the viewport, press **Ctrl** and click on additional cloth items if needed. The selected cloth items will be highlighted with their bounding boxes.




18. Click on the **Drape** button. A progress bar will come up showing the percentage complete and elapsed time.




19. Wait until the simulation is complete or click on **Cancel** to cancel the operation. You may have some pokethrough issues at elbows and knees, depending on the pose and/or type of outfit. Draping the cloth over an animation range may help to alleviate it.



20. Before changing the pose or styles on the cloth items, click on the **Clear** button to clear the draping for the selected cloth items. Click on **OK** to confirm that all existing drape animations will be cleared.




 **CAUTION!** Make sure you apply all poses, including feet, etc. before draping the cloth or you will need to re-drape after adjusting the pose.

Draping Over an Animation Range


Draping over a single frame is usually all that is required, however, some cloth items may require additional draping or need to be draped over an animation, i.e., move with the figure during an animation.

To drape cloth over an animation range:


1. In the Dynamic Clothing tab, click on the **Clear** button and confirm that you want to clear all existing drape animations.
2. Select the figure and choose **Restore > Restore Figure Pose** from the Parameters tab Options menu or apply your starting pose to the figure.




3. If the Timeline is not visible, select **View > Tabs > Timeline** from the menu.
4. Select **Advanced View** from the Timeline **Options** menu. This will make the add/delete keyframes and range fields available



5. Drag the scrubber to the last frame then apply a new pose to the figure. Make sure you don't apply the final pose before moving the scrubber.



- Click on the **Add Keyframe** button to add a keyframe at the last frame.



- Move the scrubber back to the first frame. The drape will not work if the first frame is not the current one.
- In the Dynamic Clothing tab, click on the radio button next to **Animated** to select it.



- Click on the **Drape** button to begin the draping process.



(White seams on the images above are the stitches which have not yet had materials applied.)

10. Apply materials and render.

Applying Dynamic Presets

The settings for a cloth panel or complete cloth item, can be saved as a Dynamic Cloth Preset in the Controller and Creator versions of the plug-in. These presets can then be used by Basic version users (who can't change the presets manually). A cloth item can also have a material preset available which will apply textures to the cloth surfaces.

There are two types of dynamic cloth presets:

- **Garment Dynamics Preset** - This preset is specific to a cloth item and uses the garment's material zones to set the cloth properties. The settings are applied to all panels/material zones of the cloth item. It does not set surface properties (applying colors, textures, etc.).
- **Fabric Dynamics Preset** - This preset can be used on any cloth item to set a specific type of fabric, such as cotton, lycra, silk, etc. The settings are applied to the currently selected panels/material zones on the cloth item.

Applying a Garment Preset

To apply a garment preset:

1. Select the cloth item or any panel/material zone of the cloth item.
2. Double-click on the garment preset in the Content tab (default presets are located in the DAZ Studio Panel Presets folder).

Applying a Fabric Preset

To apply a fabric preset:

1. Select the panel/material zone to apply the preset to. To select more than one material zone, use **Ctrl**+click in the Surfaces tab or in the Selection field of the Dynamic Clothing tab.



TIP! Fabric presets are applied only to the currently selected panel/material zone. Select multiple zones to apply the preset to more than one zone at a time.

2. Double-click on the fabric preset in the Content tab (default presets are located in the DAZ Studio Panel Presets folder)..



NOTE! You cannot apply garment or fabric presets to stitches.

Hexagon Bridge


The DAZ Studio Hexagon Bridge provides a way to bring figures, hair, clothing, and props into Hexagon via DAZ Studio, modify the item using the tools and paint features of Hexagon, then bring the changes into DAZ Studio and apply them to the selected item.

The created morph target is applied to the root figure and can be left as is or a morph target just for the affected body part can be spawned and imported back on to the body part. See the section on spawning morph targets in the main DAZ Studio documentation.


Creating a Single Morph Target or Prop

To use the bridge to create a single morph target or bring in the changed mesh as a prop:


1. In DAZ Studio, load the figure that you want to modify in Hexagon.
2. Make sure the item is selected and choose **File > Send to Hexagon** from the menu or click on the **Send to Hexagon** icon.




The item will be brought into Hexagon as a single mesh. If sending over an LOD level, the lowest level available will be imported into Hexagon which will allow any morphs created to be used on higher level LODs.



3. In Hexagon, use the tools in Hexagon to modify the item, making sure that:
 - The name of each mesh remains the same. If it is changed by Hexagon, change the name back to the original name.
 - No polygons/vertices are added or removed unless the mesh will be sent as a prop back into DAZ Studio.




4. When all modifications have been made, save the Hexagon scene file (just in case), select which items to send over to DAZ Studio (just the figure, the figure and the clothing, etc.) then choose **File > Send to DAZ Studio** from the menu.




NOTE! If you close Hexagon before sending the file back to DAZ Studio, a confirmation message will come up asking if you'd like to send the file over before closing Hexagon.


5. In DAZ Studio, the **Create Morph** dialog will come up.



- **Group Path:** Determines what group the morph will be placed under in the Parameters tab.




- **Morph Name:** User defined morph name, click in field and type name of morph.




- **Override Existing Morph?** If the user-defined morph name is the same as a morph already on the figure, selecting this option will replace the existing morph with the new one. Unless you are replacing a morph you made yourself, make sure this option is not selected.
- **Accept:** When selected, compares the new mesh to the original mesh and creates a morph target based on the differences and using the provided morph name.

- **Cancel:** When selected, brings up the **Canceled Morph** dialog which asks if you'd like to import the geometry as a prop instead of a morph. Click on **Yes** to import it as a prop, click on **No** to cancel the entire operation.




6. If you accepted the changes, the **Material Data** dialog will come up asking if you'd like to bring over the materials from Hexagon. If you did not make any changes to the materials, click on **No**. If you made changes to the materials using the paint tools in Hexagon and want to keep those changes, click on **Yes**. See an example in the next section on adding a second morph.



NOTE! Currently, the Material Data dialog will come up even if you select No on the Canceled Morph dialog. Just click on No when it comes up.

7. The import process will be finalized and after a few moments, the item in the scene will update to show the applied morph.




8. Look at the Parameters tab for the root figure (select the main figure node in the Scene tab) and you'll notice that the new morph has been added where you set the group path in the import dialog. It will also be set to 1.00 by default.



Adding a Second Morph Target


To add additional morphs to the figure:

1. Make sure the item is selected and choose **File > Send to Hexagon** from the menu or click on the Send to Hexagon icon.
2. Modify the mesh as needed for the second morph (yes, example below is unrealistic, but it works). The example shows the material modified as well so you can see what happens when it is brought into DAZ Studio.




3. When all modifications have been made, save the Hexagon scene file then choose **File > Send to DAZ Studio** from the menu.
4. Select the group path location, name the new morph, and click on **Accept**.

5. If you changed the materials in Hexagon, select **Yes** to bring over the materials.



6. The new morph will be added to the figure and to the Parameters tab.



I don't think Victoria is very pleased ...



Creating a New Prop from Scratch

The modeling tools of Hexagon can be used to create an object which can then be sent into DAZ Studio as a prop. You can also create meshes in other modeling programs, import them into Hexagon, then send to DAZ Studio.

To do this in Hexagon:

1. Open Hexagon and build your model.
2. Set up the UVs and materials.
3. Save the materials from Hexagon
4. Choose **File > Send to DAZ Studio** from the menu.
5. Click on **Cancel** in the **Create Morph** dialog.
6. Click on **Yes** in the **Cancel Morph** dialog. The mesh is brought into DAZ Studio as a static object, with the UVs applied that were set up in Hexagon.
7. Apply the saved materials to the prop.

Bridge Guidelines

When using the Hexagon Bridge, keep the following in mind:

- Materials must be in shading domains to go over.
- By default the bridge will not let you overwrite an existing morph on a figure, however this can be over written by checking the "Override Existing Morph" check box on the simple morph dialog that appears.
- No world translation, rotations, or scaling are sent over, in either direction (figures/props in Hexagon will look as if they had had been zero posed in DAZ Studio). Applied morphs however are sent from studio to hexagon. If a scale, rotation, or translation is desired, then these actions must be done in Hexagon using face, edge, or vertex selection.
- Changing geometry in Hexagon will make it so that a morph cannot be created. The object can still be sent to DAZ Studio but it will be imported as a prop. Geometry is changed when faces/edges/vertices are added to or removed from the sent over geometry.
- The bridge relies on the names of objects to be the same. The object in hexagon that will be the morph in DAZ Studio must have the exact same name as the object in DAZ Studio. DAZ Studio will apply it to the first figure/object it finds in the scene with the sent over name. If no object matches name, the object will be brought over a prop.
- It doesn't matter which application is started first, the bridge will send geometry in either direction.
- The scale from Hexagon to DAZ Studio is 10:1, 1 unit in Hexagon = 10 cm.
- If an operation in Hexagon changes an objects name, then the user must change the name back if they wish to have it applied as a morph.
- When Send to Hexagon is pressed in DAZ Studio, all selected props, figures, and their children will be sent over. Selecting a bone of a figure is considered the same as selecting the figure. Children are defined as any object fit to or parented to the selected object/prop.
- When Send to DAZ Studio is pressed in Hexagon, all selected objects in Hexagon are sent over. DAZ Studio will use the name of these objects to decide if it should try to apply the changes as a morph or if it should just bring it in as a prop. Props always copy their Hexagon materials. Users are asked if they wish to keep materials changes on objects that become morphs.


- Currently all morphs are applied and sent over as full body morphs.
- The bridge does not change rigging, it only allows morphs. Objects morphed beyond their rigs look very weird when posed.
- When objects are sent to Hexagon the textures are temporarily copied. These copies are made permanent if they are changed and the user sends the object back to hexagon. They will be saved in the directory they originally came from with an affixed number to avoid overwriting existing files. Textures created by Hexagon and not sent from DAZ Studio, must be saved normally in Hexagon.
- Objects can be sent to Hexagon, exported, modified by another program, then re-imported into Hexagon and sent over to DAZ Studio. This would be the most viable way to create a morph on a welded figure morph. The only caveat is that all programs must maintain the vertex count and order.
- Props created in Hexagon and sent to DAZ Studio will have their Studio orientation based on the Hexagon Universe.

Lip Sync

The **Lip Sync plug-in** provides the ability to load audio and configuration files to a figure so the figure can talk, sing, etc. Sound files can also be recorded using your system's recording software, analyzed, and applied to the figure. The Lip Sync plug-in cannot be used to modify the lip sync animation. You can use the DAZ Studio Timeline to do some modifications, but Mimic Pro is highly recommended for more detailed modifications.


To use the lip sync plug-in:

1. Load the figure into the scene. Make sure the phoneme/viseme morphs are injected/available.
2. Choose **View > Tabs > Lip Sync** from the menu. The **Lip Sync** tab will come up.



The tab can be docked to one of the side panels if needed to provide more room in the viewport.


3. Click on the **Details** arrow to expand the dialog.




The tab contains the following options;

- **Sound File -**

- **Load:** When clicked, brings up the Open Sound File dialog where you can select an audio file (.wav for PC, .aiff for Mac). If a matching text file exists, it will be loaded at the same time as the audio file.




- **Listen:** When clicked, will play the sound file. The figure will not be animated as the audio is played.
- **Record:** When clicked, clears any currently loaded audio and text file and activates the sound recorder. The button changes to say **Stop**.



- Use your system's microphone to record a phrase then click on **Stop**. A **Save Recorded Audio** dialog will come up.
- Enter a filename and click on **Save**.


- **Analyze:** When clicked, will analyze the currently loaded audio file and text and apply the animation to the Timeline. Use this if you just recorded the audio and entered the text in the Text field.
- **Launch Mimic Pro:** When clicked, will do a search for the Mimic Pro executable and launch the program.




If the program is not found or if you click on **Cancel**, a dialog will come up where you can browse your installation folders for Mimic Pro, go to the product page for Mimic Pro to learn more about it, or Cancel.



- The files loaded in Lip Sync will be opened automatically in Mimic Pro. Click on OK to close the Session Manager and access the Working Window. See the Mimic Pro documentation on how to use the program.
- When finished modifying the animation, click on the **Return to DAZ Studio** button in the Display window.




- You will be asked to confirm that you want to return to DAZ Studio and close Mimic.




Click on **Yes** to close Mimic and return to DAZ Studio or on **No** to continue working in Mimic.


- If you click on Yes, you will be asked if you want to keep the audio file currently loaded into Lip Sync or replace it with the one from Mimic. If you made no changes to the audio file, click on **Keep**. If you changed the audio file and want to keep the changes, click on **Replace**.



- Next, you'll be asked whether you want to add frames to the current animation in Studio in order to import the entire pose. Click on **Yes** to add frames or on **No**, to keep the frame count (if you added frames in Mimic, you will end up short on frames in Studio)




- **Open Timeline:** When clicked, will open the Timeline tab so the animation can be played in Studio.



- **Sound File:** Shows the selected sound file. Click on the **Browse** button to load a different sound file or click on the Load button at the top of the tab.
- **Text File:** Shows the text file that matches the loaded sound file. This is loaded automatically if Lip Sync finds a matching text file. Click on the **Browse** button to load a different text file.

- **Text Field:** Shows the text found in the loaded text file. If the sound file does not have an associated text file (especially if you just recorded the sound file), click in this field to enter the required text. Enter the text phonetically then click on the Analyze button to allow Lip Sync to analyze the sound and the text.
- **Configuration File:** Shows the DMC file for the loaded figure. Click on the **Browse** button to load a different configuration file. You will need Mimic Pro in order to create new DMC files.



Multiple UVs

The Multiple UVs tool provides the ability to load multiple UVs on to a model. This will allow the use of different UVs for mapping textures to surfaces, i.e., spherical, planar, etc. It also provides the ability to view the UVs by node or by material.

Currently, the Multiple UVs tool works with figures that have multiple UVs available but also have the same material groups and matching geometry. This means that a remapped P4 Nude Woman figure that uses the Victoria 3 maps won't work correctly when applied to the original P4 Nude Woman figure, or vice versa. In order for the figure to work correctly, the original figure would need to have the material groups remapped to match the groups in the Victoria 3 figure. The UV map on the original figure wouldn't change, just the material groupings ... and of course, any MAT Pose files for the original textures would have to be updated to use the new material zones.


Adding Multiple UVs

To add multiple UVs to a figure:

1. Load original figure.
2. If multiple LOD levels have been added to the figure, select the level that matches the UV set being loaded. The geometry must match between the OBJs being used. For example, you cannot load a UV set for the base figure if a 17K LOD level is currently selected.
3. In the Surfaces tab, select the root figure material node.




4. From the **Options** menu, choose **Load UV set**.




An **Import Geometry** dialog will come up.

5. Browse to where the OBJ file for the new UV set is located, select, and open it.




(The V3 to V2 OBJ is being used in this example, even though it does not have the correct material zones.)


6. In the **Load UV Set** dialog, enter a name for the new UV set. Make sure to give it a name that will reflect what type of maps can be used with the set. Click on **OK**.



CAUTION! If the geometry between the figure in the scene and the one being loaded do not match, the following error will come up, click on **OK** and start over by selecting an OBJ file with the correct geometry or changing which LOD level is selected (if any were loaded).



- In the **Surfaces > Advanced** tab, locate the **UV Maps** section and click on the drop-down menu for **UV Set**. The new UV set will be available. If it is not available on the root surface node, select another surface node. When the UV set that was loaded does not match all the material zones, the root node will only show the original UV set. For example, the V3 to V2 remapped figure does not have the same material zones as V3 does, so several of the surface nodes will only have the default UV available as shown below on the right.



- Select the new UV set from the list.
- Apply a MAT Pose file to the figure that uses the new UV set.



TIP! A UV set can be saved as part of a [Materials Preset](#) which, when applied to the figure, will load the correct UV set and apply the matching materials.


Viewing UV Maps

UV Maps can be viewed by node or by material zone using the UV View pane. If the selected figure has multiple UVs applied to it, each UV can be selected and viewed in the UV View.


To view the current UV map applied to a figure:

- Load the figure into the scene.


2. Unpin the side panes so you have more room on the screen (only a suggestion, but recommended).




3. Select **View > Viewport Layout > Side by Side** from the menu.




4. In the right-hand pane, choose **UV View** from the View menu. The pane will change to a white square.




5. In the left-hand pane, select a node on the figure. The matching UV map will show in the **UV View** since the default view is **View by Node**. Multiple nodes can be selected using **Ctrl** while selecting nodes either in the viewport or in the Scene tab. Selecting the entire figure will show a white UV View pane as the figure skeleton has no associated UV map.




6. To view the UVs by material zone, select **View by Material** from the **View by** drop-down menu.




7. In the Surfaces tab, select a material zone.



The corresponding UV will show in the UV View pane. Multiple material zones can be selected using **Ctrl** while selecting material zones in the Surfaces tab.



8. If you find that working with two panes does not provide a close enough look at the UVs, change the view to Single View, select UV View from the view menu, and select nodes and material zones from the corresponding tabs.



PowerLoader

The PowerLoader provides an interface for users to determine which morphs to inject or remove from a figure, load LOD levels, set Sub-division options, and which material preset to load.

This provides the capability of having ExP-enabled products available in one location rather than having to search through folders to find the right injection or removal file.

The PowerLoader only works with ExP-enabled figures, such as Victoria 4.2, Aiko 4, and the SubDragon.




CAUTION! If you have multiple runtimes and the ExP files for figures are duplicated in any of the runtimes, PowerLoader will not be able to find the correct files to load. This includes if you have Victoria 4.2 in one location and Victoria 4EZ in another location since they share files. This can be avoided by moving all ExP files into the main runtime, i.e., the main Poser Runtime folder or the DAZ Studio > Content > Runtime folder

Import Mode

To use the PowerLoader when importing a figure:


1. Navigate to the People or Figures folder where the figure CR2 file is located.
2. Double-click on the figure thumbnail to begin the load process. The PowerLoader dialog will come up.

- To inject all available morphs for a product, the **Basic tab** provides a quick selection option. Just click on the checkbox next to the product you want to use, then click on Accept. The figure will be loaded with all the morphs injected for the figure.




- To select specific morphs or presets to load, click on the **Advanced tab** to activate it.

The Advanced tab has four sub-tabs: Parameters, Mesh Resolution, Preset, and Information.



5. On the **Parameters tab**, locate the product you want to use and click on the **plus sign (+)** next to the thumbnail to expand the listing. This will show a listing of all morphs available for injecting into the figure for the product.




6. Click in the checkbox next to each item you do not want to inject.



7. To select additional morphs to inject, expand the listing for the product you want to use, such as Aiko 4, and click in the checkboxes next to each item you want to inject.




 **NOTE!** When selecting a full product, i.e, V4.2 Base Morphs, if the checkmark is dark, this means that some items in the listing have been deselected. If the checkmark is lighter in color,


this means that all morphs in the listing will be injected.




8. Click on the **Mesh Resolution** tab to activate it.



9. To convert the figure to a Sub-D Surface when loaded, click in the checkbox next to **Convert to Sub-Division Surface**, then use the slider to set the default **Number of Divisions**. The usual default is 1, but this option allows you to select a different setting.




10. To load the LOD levels for the figure (if any), click in the checkbox next to **Load Level(s) of Detail**. This will activate the LOD listing allowing you to select which LOD levels to load (or not).




NOTE! LOD and Sub-D cannot be selected at the same time as these functions are incompatible with each other. However, you can deselect both options at once so neither is used.

11. To not use Sub-D or LOD levels, make sure both checkboxes are blank.
12. Click on the **Preset tab** to activate it. From here, you can load a material preset from the listed presets.
13. Click in the checkbox next to **Load Preset** to activate the **Presets listing**.
14. Scroll down until you find the material preset you want to load and click on the radio button next to it. You can only select one preset at a time as the script cannot determine on its own the correct order to load several presets on to the figure.




15. Click on the **Information tab** to activate it. This tab provides options for restoring the default options for the PowerLoader (not yet operational) and for overriding how to execute the PowerLoader script. See "[Overriding to not Show Dialog on Import](#)" for more on using the override options.



16. Click on the **Parameters** tab to activate it.

17. At the bottom of the dialog, select which ExP files to generate.

- Make sure that **Generate ExP files** is selected.



- Select which primary ExP files are to be generated for the figure.
 - **Include Support for All Listed Products:** When selected, will create primary ExP files with support for all the listed products in the Parameters tab.
 - **Include Support for Checked Products Only:** When selected, will create primary ExP files with support for only the selected products. Selecting this option will limit what you can select when accessing the Modify mode through the context menu for the figure as support for other morphs will not be available.




NOTE! If you select to only include support for checked products when initially loading the figure, then the remaining products will not be available in the Modify Mode.



NOTE! If you deselect Generate ExP files, then no Exp files will be generated which means that no morphs will be injected and you will only have the morphs available from the base figure, if any.




18. At the bottom of the tab, is the **Show this dialog on Import** option. If you deselect this option, then the next time you load the figure, it will load the figure using the last settings you selected in the PowerLoader.




19. Check all tabs to ensure you've selected all the options you wish to use then click on **Accept**.

The script will begin generating the ExP files, then injecting the selected morphs, then set the Sub-D divisions or loading LOD levels, then apply any material presets.




20. Once the figure is loaded into the scene, the selected morphs and LOD or Sub-D should be available in the Parameters tab and, if a Material Preset was selected, the textures should be applied to the figure.



Overriding to Not Show Dialog on Import

If you deselected the Show this dialog on Import option, the next time you load the figure, it will automatically load the figure using the last settings you selected in the PowerLoader for that figure.



To override this do one of the following:


- Press **Shift** and double-click on the figure thumbnail to execute the script with all options, i.e., load everything!
- Press **Ctrl/Cmd** and double-click on the figure thumbnail to bring up the PowerLoader dialog (overrides the do not show option).

Modify Mode

Once a figure has been loaded into the scene, either by using the Launch Figure on Accept option or by the user loading the figure into the scene using PowerLoader, the PowerLoader can be relaunched in order to inject additional morphs or remove morphs.

To relaunch the PowerLoader:

1. Right-click on any body part of the loaded figure and choose **Power Loader** from the menu.




2. The user PowerLoader dialog will come up with the text "**Modify**" in the header. Expand and collapse the listings to select additional morphs or deselect morphs to remove.



NOTE! If you selected to only include support for checked products when initially loading the figure, then the remaining products will not be available in the Modify Mode.



3. Click on **Accept**. A dialog will come up showing that files are being injected or removed.



And the Parameters tab will show that the settings are being removed.



4. Once the dialog closes, check the figure to ensure that the correct morphs were added or removed.

PowerPose

PowerPose was built with workflow in mind. All too often, when a user composites a scene he is forced position each bone on a figure. This is a tedious process that tends to consume time and patience. While almost any compositing program allows you to drag and position bones on a figure within the viewport window, most are inaccurate. In addition, their processes tend to take just as long as using parameter dials, sliders, or other similar methods.



PowerPose was built to be different, by combining two desirable actions:

- The speed of positioning a figure with the mouse directly within a viewport.
- The ability to have the figure bend intelligently when manipulating it, while obeying intentional limits.

Some may confuse using PowerPose with traditional Inverse Kinematics (IK). However, it is important to point out that PowerPose takes a different approach. Inverse Kinematics is typically limited in nature and scope, because it causes other bones in a predefined IK chain to rotate and move in response to the part that you directly move. In traditional IK this chain of movement stops at the root bone of the figure. By way of example, when you apply traditional IK to the legs or feet of a figure and then try to move the chest, movement is limited to the bones between the chest and the root bone (typically the Hip). If you try to move the shin, only the shin and thigh move while the hip and feet remain unchanged.

PowerPose by contrast calculates movement of all bones in a figure between any pinned bones and the bone being moved. With PowerPose, you can pin any bone, and then move all bones between the bone that is pinned and the bone that is dragged, including the figure's root bone.


The PowerPose Tab

The PowerPose tab consists of one Body sub-tab where, when a poseable figure is selected in your scene, displays the shape of a human figure with a series of dots (and sometimes triangles) arranged on it. These dots and triangles represent the parts of the body that you can pose.

Posing Body Parts

Use the Body tab to pose the main body parts. To pose a part, simply click one of the dots to activate it. The dot "lights up" when it is selected. After you select a part, you simply drag your mouse up, down, left, or right over the dot and you'll see the body part move in response to your mouse movements.

Click on the Hands or Head icons to switch to the tabs for those body parts. Once on one of these tabs, click on the Figure icon to return to the main Body tab.



The icons at the bottom of the Body tab give you a visual indication of the mouse button you should click and the direction you should move the mouse to rotate a body part in any given direction. For example, when you look at the mouse icons in the figure shown below, you see that if you left-click your mouse and drag left to right you will rotate the selected body part along the Y-axis. Pay attention to these icons, as the displays change depending on the body part you select, and the axis on which the body part is aligned by default:

For the Body (which selects the entire figure for rotation), click the posing point in the lower-right corner of the Body tab, and then use your mouse in the following manner:

- Left-click and drag the mouse left or right to rotate along the Y axis
- Right-click and drag the mouse left or right to rotate along the Z axis

- Left or right-click and drag the mouse up or down to rotate along the X axis

For the Hip (the root part of the figure):

- Left-click and drag the mouse left or right to rotate along the Y axis
- Right-click and drag the mouse left or right to rotate along the Z axis
- Left or right-click and drag the mouse up or down to rotate along the X axis

For the majority of body parts (Head, Neck, Chest, Abdomen, Hands, Buttocks, Thighs, and Toes), the following processes are used:

- Left-click and drag the mouse left or right to Twist the body part
- Right-click and drag the mouse left or right to move the body part Up or Down
- Left or right-click and drag the mouse up or down to Twist the body part

For the Collars:

- Left-click and drag the mouse left or right to move the body part Front to Back
- Right-click and drag the mouse left or right to move the body part Side-to-Side
- Left or right-click and drag the mouse up or down to Bend the body part

For the Shoulders:

- Left-click and drag the mouse left or right to move the body part Front to Back
- Right-click and drag the mouse left or right to move Twist the body part
- Left or right-click and drag the mouse up or down to Bend the body part

For the Forearms:

- Left-click and drag the mouse left or right to Bend the body part
- Right-click and drag the mouse left or right to move the body part Side-to-Side
- Left or right-click and drag the mouse up or down to Twist the body part

For the Feet:

- Left-click and drag the mouse left or right to move the body part Side-to-Side
- Right-click and drag the mouse left or right to Twist the body part
- Left or right-click and drag the mouse up or down to Bend the body part

When positioning a figure, it is helpful to keep a few things in mind:

- Always check your poses from more than one camera angle. Take the time to select another camera and move it around. This ensures that you have the figure right where you want it, and provides a better view of what you're doing.
- You can always Undo one or more actions if things don't go the way you anticipated, so feel free to experiment.
- PowerPose is fairly resource-intensive. You may want to move the mouse more slowly on older systems, as there may be some lag.
- You can always use PowerPose to help you get your figure into a rough position, and then fine-tune it later by working with individual bones. Conversely, you can use it to create something natural and unique. The choice is yours.

If you want to start all over again, click the **Reset Pose** button in any of the PowerPose tabs to return the figure to its default position.




NOTE! If your figure truly is distorted beyond all recognition, you always have the option of using the Reset Pose button, which appears at the top of the Body, Head, and Hands Tabs. However, keep in mind that the Reset Pose button will return the entire figure to its default position, regardless of the tab it appears in. In other words, the Reset Pose button in the Hands tab does not only reset the hand pose, and the Reset Pose button in the Head tab does not only reset the Head pose. Fortunately, the Edit > Undo command gives you a way back out of the Reset Pose command if you change your mind afterward.

Using Limits

Using the limits on a figure's individual joints can help keep things from becoming twisted or distorted excessively in extreme poses, or prevent a bone's movement from getting out-of-hand. Here's how:

1. If you moved something and find that it has twisted the body part beyond all recognition, choose **Edit > Undo** to undo the action or actions that caused the trouble.
2. Select the bone that seems to be the cause of the problem.
3. In the Parameters tab, navigate to the specific joint properties for that bone (for example, Bend, Side-Side, or Twist).
4. Double-click the label of the specific slider you want to modify (Twist, for example).
5. Locate the **Respect Limits** toggle:
 - Toggle the setting to **Yes** to turn limits on. This prevents limbs from being rotated beyond their preset limits. You can then raise or lower the **Min Limit** and **Max Limit** settings to keep movement of a limb within a predefined range. Values closer to zero restrict movement in a positive or negative direction. Values farther away from zero allow a wider range of movement.
 - Toggle the setting to **No** to turn limits off. This allows you to move a limb beyond its preset limits but results can be unpredictable and can often make poses appear unnatural.







TIP! To prevent distortion and contorting when you pose your figures with PowerPose, it's best to leave the Respect Limits setting on for each joint of a figure's three rotational axes (bend, twist, and side-side). If you have limits turned off, keep a very close eye on your movements and perform those movements in small steps. DAZ Original figures have limits pre-built into them. Though it takes time, you can manually set the Min and Max limits on each joint in any figure that does not have them.

Posing Hand Parts

To access the Hands Tab from any of the other tabs, simply click the green dot that appears in one of the corners, near the small hand silhouette. The Hands Tab, shown below, appears. Dots appear for each finger section as well as for the hand.



When you pose a hand, you'll probably find it much easier to see what's happening when you bring the hand and fingers into closer view. For example, if you are trying to position fingers around an object that the hand holds, use the Scene Tab to select all hand parts (hand and all fingers). Then click the Camera Frame control icon in the Viewport/Cameras toolbar to frame all of the selected hand parts into the view of the camera as shown below. If you are using multiple views, you'll need to click the Camera Frame control in each view to focus on the selected parts.



The mouse control icons at the bottom display the axis of rotation for each finger when you click its control point. Briefly, the rotations of the fingers and hand can be summarized as follows:

For the Hand, and for the second and third segments of each finger:

- Left-click and drag the mouse left or right to Twist the body part
- Right-click and drag the mouse left or right to move the body part Side-to-Side
- Left or right-click and drag the mouse up or down to Bend the body part

For Thumb1 (the segment of the thumb that is closest to the hand):


- Left-click and drag the mouse left or right to Bend the body part
- Right-click and drag the mouse left or right to Twist the body part
- Left or right-click and drag the mouse up or down to move the body part Up or Down

For the segments of the remaining fingers that are closest to the hand (Index1, Mid1, Ring1, and Pinky1):

- Left-click and drag the mouse left or right to move the body part Side-to-Side
- Right-click and drag the mouse left or right to Twist the body part
- Left or right-click and drag the mouse up or down to Bend the body part

Posing Head Parts

To access the Head Tab from any of the other tabs, simply click the green dot that appears in one of the corners, near the small head silhouette. The Head Tab, shown below, appears. Dots appear so that you can pose the head, neck, and eyes.



For the Head and Neck:

- Left-click and drag the mouse left or right to Twist the body part
- Right-click and drag the mouse left or right to move the body part Side-to-Side
- Left or right-click and drag the mouse up or down to Bend the body part

For the Eyes:


- Left or Right-click and drag the mouse left or right to move the body part Side-to-Side
- Left or Right-click and drag the mouse up or down to move the body part Up or Down



TIP! When posing eyes, you will find it easier to use the Camera Frame control (as mentioned earlier about posing hands) when you are posing the eyes. Select the left and right eyes from the Scene Tab and frame the camera to the selected parts. This way you can get a better view of the position of each eye and make sure that they aren't pointing in different directions. Cross-eyed people are very distracting and it's one of the first things you notice!

The PowerPose Tool Tab

PowerPose, once installed, is already waiting within the Tools Toolbar (see image below.) To deactivate PowerPose, all you need to is select another means of manipulation on the toolbar (Rotate, Translate, Scale or Surface Selection, etc.)



To fine-tune or change the conditions under which PowerPose operates, let's look at the **PowerPose Tool** tab. Click on **View > Tabs > Tool** to bring up the **Tool** tab, which displays the following options for the PowerPose tab.

Pinning Options

When you transform a body part, it sometimes moves other body parts at the same time. However, you can use pins to prevent selected body parts from being moved or changed accidentally.


It is not necessary to pin a bone. If no bones are pinned, then the figure's root bone (the hip in most figures) will act as the pinned bone. After you pin another bone on a figure, the parent bone (such as the hip) moves freely as part of the pose as long as it lies between a pinned bone and the bone that you are manipulating.

It's easy to figure out what happens when you pin certain bones. Simply pin the bones you want to keep in place, then click and hold the bone you want to move (just don't move the mouse.) You will then see exactly which bones will be affected.



CAUTION! Pinning every bone on an entire figure and then trying to move a bone on that figure is quite likely to cause program instability.

Pinning options are shown below and work as follows:




- **Toggle Pins:** This button will pin all currently selected figure bones into an absolute point in space. If any or all of the selected bones are already pinned when this button is pressed, then the button will remove those pins.
- **Un-Pin All:** This button will remove any and all existing pins on the selected figure.

- **Pin Position:** This drop-down menu will allow you to determine the behavior of all pinned bones, by letting you set exactly what part of the pinned bone you want fixed in space. The options are as follows:
 - **Pin at Origin:** This option pins the bone at a point that is closest to its parent bone. For example, a shin bone will be fixed at the knee, a foot will be fixed at the ankle, or a forearm will be fixed at the elbow. The pinned bone pivots at the joint closest to its parent. Pinned bones that do not have a parent, such as a hip, will pivot at the center.
 - **Pin at Ends:** This option pins the bone at the point that is farthest from its parent bone. For example, a shin bone will be fixed at the ankle, a foot will be fixed at the toes, or a forearm will be fixed at the wrist. The pinned bone pivots at the joint furthest from its parent. Pinned bones with no children (such as fingertips) will pin at their origin if this option is selected. Pinned bones with multiple ends (such as the Hip and Chest) will pin at all ends.
 - **Pin at Both:** This option holds both ends of the bone(s) in a fixed position, effectively fixing the entire bone in absolute space. It will not pivot or change position at all in PowerPose unless pushed to extremes

Dragging Options

Dragging Options determine how and where a body part is dragged.




- **Drag Position:** This sub-menu lets you select which part of a bone will move when you select and drag it around in the viewport, and determine its behavior. This submenu comes with three options:
 - **Drag at Center:** This option moves the bone around its center and uses that point to calculate position, no matter where you click and drag the bone.
 - **Drag at Origin:** This option moves the bone by the point that is closest to its parent. Bones with no parents (such as a Hip) will be calculated and moved by their centers instead.
 - **Drag at End:** This option moves the bone by the point of that bone furthest away from its parent. Bones with multiple ends (such as **Transform Gizmo** as a Chest or Hip) will be calculated and moved by their centers instead.
- **Transform Gizmo:** This menu allows you to select and place a Transform Gizmo into a scene, which allows for a higher precision in using PowerPose. When you use Transform Gizmos you don't have to rely as much on moving cameras to check all three dimensions of movement.

The Transform Gizmo options are as follows:


- **None:** No Transform Gizmos are used in the scene.

- Translate:** This option provides a high degree of precision. It behaves just like the regular translate tool. Drag a translate arrow along an axis to move the bone in one direction. Choose one of the small outlined planes emanating from the central cube to drag along any two axes. Select the central cube to translate the bone along all three axes at the same time.



Drawing Options


Drawing Options determine how bones are represented while you drag them. You can choose higher settings to improve the display of objects while you move them, or lower settings to conserve on system resources.



- Accurate/Fast Slider:** This slider controls the accuracy of the calculations when you move bones into place, and the amount of precision you have when you move a bone. Move the slider left toward Accurate to create slow, precise movement, which is heavier on system resources. Move the slider right toward Fast to move bones more easily, but in larger and less precise steps.
- Use Manipulation Draw Style:** Check this option to toggle the Manipulation Draw Style, which determines the way objects are drawn when you move a part. When the option is on (default), PowerPose switches to Smooth Shaded Box to speed display of the while you move it. Uncheck this option to display your figure in the drawstyle that you have selected for the viewport.

Selected Bone Properties

Use the **Selected Bone Properties** settings to control how bones react when you move them. The movement can be very stiff or very fluid, depending on how you configure these settings.




- **Stiffness:** This property can be set for each bone. The slider determines how "stiff" you want the joint movement to be in DAZ Studio at that particular bone. Set the slider all the way to the left (1.00%) to produce movement that is fluid at all joints of the selected bone. Move the slider toward the right (100% maximum setting) to create maximum stiffness that moves the bone as little as possible.
- **Reset Bone Stiffness:** Resets the stiffness settings of the selected bone(s) back to their default values.
- **Reset Figure Stiffness:** Resets the stiffness settings of all bones in the entire figure back to their default values.
- **Load Stiffness File:** Allows you to load a PowerPose data file (.dsx extension) that contains predetermined settings for various figures and body parts. Files are located in the DAZ Studio > plug-ins > PowerPose folder on your hard drive.

Puppeteer

Puppeteer provides an ingenious method to create animated poses for the figures and other poseable objects in your scene. It's a fun and easy way to create walk cycles, dancing figures, and a wide array of facial expressions. You can combine several different layers of animation, each moving one or more body parts, into a more complex animation that brings them together to create realistic movement and expression.

The Puppeteer tab is shown below and is accessed by choosing **View > Tabs > Puppeteer**.




This tab is divided into the following sections:

- **Selection Menu:** Use the drop-down list to select the item in your scene that you want to animate.
- **Mode Selection:** Select from one of three modes (**Edit**, **Preview**, or **Record**) to develop an animation cycle in the current layer.
- **Layer Grid:** The grid in the Puppeteer tab does not represent physical space. Nor does it represent linear time. Basically, when you are in the Edit mode, you place various dots in the grid, with each dot representing a target pose or morph. In the Preview mode, you move your mouse from dot to dot, creating fluid movement between the poses to preview the movement that you can achieve as you move toward, between, and away from the dots. Finally, in Record mode, you write the motions to the Timeline and create a full animation.

The Puppeteer Options Menu

The Puppeteer **Options** menu displays the commands shown below.



Use the Options menu commands as follows:


- **Play Audio:**
- **Fill Skipped Frames:**
- **Extend Frames:**
- **Zoom to Fit:** Zooms in to the dots you have placed on the layer so that they fill the grid.
- **Center View:** Centers all of the dots in the grid.
- **Reset View:** Resets the position of the dots to the default zoom and pan area.
- **Add Layer:** Adds a new layer to the grid. You can assign any name that you like to the new layer.
- **Delete Layer:** Deletes the current layer.
- **Rename Layer:** Assigns a new name to the current layer.
- **Clear Layer:** Clears all dots from the current layer.
- **Clear Layer Animation:** Clears the animation generated from the current layer from the Timeline.
- **Delete Selected Pose:** Deletes the current pose dot from the layer.
- **Update Selected Pose:** Allows you to change the pose of a dot. Select the dot you want to change, repose the figure, then choose this command to assign the new pose.
- **Close:** Closes the Puppeteer tab.

Using the Edit Mode

The basic steps in using Puppeteer in Edit mode are as follows:

1. Use the drop-down menu in the Puppeteer tab to select the item in your scene that you want to animate.


2. Pose or position the figure or other object in its starting pose. You can use pre-made poses or pose the figures yourself using the Parameter dials, or the PowerPose tab.
3. With the Puppeteer tab in **Edit** mode, click to add a red dot in the grid. This stores the current pose for the selected object.
4. Add a new pose or position for the object and click in the grid to add a dot for the new pose.
5. Continue to add poses and dots until you have a number of different dots in the grid.
6. Arrange the dots in a circular fashion so that it is easy to move your mouse between them. It might also be helpful to place a neutral pose in the center.



Using the Preview Mode

After you add your pose dots in Edit Mode, you then use the **Preview** mode to determine whether or not you might need additional poses. You can also use preview mode to plan out your animation.

Basically, you click on a dot to start the preview, then you drag your mouse toward, between, away from, and around the various pose dots to see what kind of animation you get by moving between the various poses. The figure below shows the mouse cursor between poses, and the figure moving in response to the position of the mouse. The figure changes pose and animates in real time, while responding to your mouse movements and their distance from the pose dots you placed.




You can use any type of mouse motion you like ... straight lines, figure eights, circles, crosses, any type of movement that creates desirable movement in your figure. You'll also notice that you can go outside the circle of dots to exceed the settings of the original pose, thereby creating exaggerated movement.

If, during your experiments, you arrive at a pose that you want to save, stop dragging at that point. Switch back to Edit mode and save a pose dot for that new intermediate pose. Then switch back to Preview mode to continue experimenting with the variations you can get.

Using the Record Mode

After you preview your poses and movements, you'll probably come upon a good range of mouse movements that will give you the type of animation you're looking for. Now it's time to switch to **Record** mode.




When you record your Puppeter mouse movements, each mouse movement that you make (around, away from, and between the dots) is recorded in real time, including any pauses that you might make to keep your figure still. The recording continues for as long as you keep the mouse button pressed. Once you release the mouse button, the recording stops. You can click again at any time to start the recording session up again.

If the Timeline is not visible, choose **View > Tabs > Timeline** to display it. Then press the **Play** button and watch your animation play back exactly as you recorded it.

Using Layers

Puppeter allows you to layer your animations so that you can combine several actions into a single, fluid, complete animation. One way to demonstrate this capability is to show you how to animate a face with several different layers.


To begin, load Victoria 3 RR LE into a new empty scene, and zoom the camera into her face. Adjust the camera so that you can also see her neck, and turn the camera slightly to one side as shown below.



Layer 1: Turning the Eyes

We'll use the first layer to create three poses ... one with her eyes and face in its default neutral pose, another with her eyes looking upward to the left, and another with her eyes looking upward to the right. Proceed as follows:

1. With Victoria's face in the default position (as she loads from the Content tab), make sure that the Puppeteer tab is in **Edit** mode. Then click to place a dot in the center of the grid. (If necessary you can use the Center View command in the Puppeteer options menu to center the dot).
2. Select **Victoria's Right Eye** in the Scene tab. Adjust the **Up-Down** and **Side-Side** parameters of the left eye each to -12.
3. Click to the left of the dot in the Puppeteer tab, about half way to the edge of the grid. This saves the new eye pose.
4. Again select **Victoria's Right Eye** and adjust the **Side-Side** parameter to +12. Leave the **Up-Down** parameter as it is.
5. Select the **Left Eye** and adjust the **Side-Side** parameter to +12. Now Victoria is looking the other way.
6. Click to the right of the center dot in the Puppeteer tab, about half way to the edge of the grid. This saves the third eye pose. Your layer should look similar to that shown below.




7. Now it's time to use the **Preview** mode to get a feel for how the new morphs work. Move the mouse around the dots and watch how the eyes respond.
8. Once you get an idea of how you want to create the animation, go into **Record** mode and create an animation that is at least ten seconds (300 frames) long, but feel free to make it longer if you like. The animation will record for as long as you keep the mouse button pressed, and stops when you release the button.

Layer 2: Moving the Brows

Let's add a little more expression to the face by adding another layer that raises her eyebrows. We'll again create three poses ... one with her eyebrows at the neutral position, another with the brows raised, and another with the brows frowning. Follow these steps:

1. Return the Puppeteer tab to **Edit** mode.
2. From the Puppeteer **Options Menu**, choose **Add Layer**. Name the new layer **Brows** and click **OK**.
3. With the face in its neutral position (which it should be because there are no other dots in the layer), click to place a dot in the center of the grid.
4. With the **Head** selected in the Scene tab, scroll through the morphs in the Parameters tab until you find **BrowUpR** and **BrowUpL**. Set both dials to 30%. Then click above the center dot to create a new dot in the Brows layer.
5. Now return to the Parameters tab and set both brow dials back to zero. Move down to the **BrowFrownR** and **BrowFrownL** parameter dials and set them both to 115%. Click to set a new pose dot beneath the center dot.
6. After you set the third dot, return the **Frown** settings to zero. When you're done your Brows layer should look similar to the figure below.



7. Once again, enter **Preview** mode, and get a feel for the mouse movements you need to make to achieve results you like.
8. The real magic begins when you enter **Record** mode. But first you'll have to make sure that you are starting the brow animation in the first frame. Use the **Scrubber** on the timeline or the **Current Frame** field to move to the first frame (frame 0) in the animation. Then click inside the Puppeteer grid to begin your brow animation. You'll notice that the timeline plays the first eye animation that you made, while also keeping track of the brow movements. Play a bit here ... if you don't like the results, you can always choose the **Clear Layer Animation** command from the Puppeteer **Options Menu** to remove the current layer animation and start the recording over again.
9. After you record your second layer animation, play it back and observe the results. Animation can't get much more simple than that!


One More Layer: Head Movement

Now that you have two layers done you are no doubt beginning to see the power of layered animation and you have all sorts of ideas running through your head. We'll go gentle on you in this tutorial, though, and will create one more animation layer. After that you can continue to experiment on your own to add more facial layers until you get a completely unique animation of your own. You can even use Mimic to add speech to the animation should you decide to make your character speak.

To create the head animation layer, follow these steps:

1. Return to the Puppeteer tab and set it back to **Edit** mode.
2. Choose the **Add Layer** command from the **Options menu**, and name the new layer **Head Movement**.

3. Select the head from the Scene tab and scroll through the list of dials in the Parameters tab. Verify that all dials are set to zero. If they are not, use the **Zero > Figure Morphs** command in the Parameters tab options menu to remove all morph settings from the figure.
4. With the head at its default position, click to add a dot in the center of the Puppeteer Grid.
5. At this point, create two or more additional head poses (the number is up to you), using combinations of the **Bend**, **Twist**, and **Side-Side** parameter dials. Create poses that make the head look up, down, left, right, or any combination thereof. Place the dots around the center dot so that you logically know the approximate way that the head is pointing. In other words, if the head is pointing up toward the left, place the dot above and to the left of the center dot. When you are finished making your poses, get ready to preview your animation layer.



6. Once again, put Puppeteer into **Preview** mode to get a feel for the options you have. Another thing that hasn't yet been mentioned is that if you find an intermediate pose that works well, you can stop your mouse movements at any time in preview mode and return to **Edit** mode to save the current point as another pose dot.
7. After you are done with your preview, once again go into **Record** mode and watch the fun begin. As you build layer upon layer of animation, your head animation becomes more and more realistic.

Hopefully by now you see the power behind Puppeteer, and how it can assist you in creating realistic fluid motion that would take much longer than if you had to use traditional keyframe methods. Experiment and have fun with this innovative tool!


Level of Detail

The **Level of Detail** (LOD) tool provides the ability to add Multi-Res Meshes to a figure and to automatically set which LOD mesh to use based on distance from camera or manipulation of the mesh. The mesh LODs are created separately in a modeling program and best of all, the figure morphs still work with the lower-res meshes.


Adding LOD Levels

To add LOD level meshes to a figure:


1. Make sure that the different meshes needed are in the correct Geometry folder for the figure.
2. Access the Level of Detail tool by selecting the root figure then choosing **Edit > Add Level of Detail** from the menu.
3. The **Import Geometry** dialog comes up. Locate, select, and open the first LOD file to load. It does not matter what order they are loaded in as the listing will show up in Studio sorted alpha-numerically.




The **OBJ Import Options** dialog comes up with the default settings selected.




4. Select the **Poser** preset from the preset listing and click on **Accept**.




- The **Add LOD Mesh Level** dialog comes up asking you to enter a name for the new mesh level. Enter the name and click on **OK**. Do not start the name with a non-alpha-numeric character (such as a period, exclamation point, etc.).




- In the Parameters tab, scroll down and locate the new **Mesh Resolution** group. The default **LOD Settings** should show the new LOD mesh just loaded.



- If the new LOD mesh is not visible in the list, deselect the figure in the viewport, then reselect the root figure in the Scene tab. Check the **LOD Settings** menu again and this time the new level should be visible. It will also be selected.



- Continue adding any additional mesh levels as needed. If you wish, wait until all are loaded before deselecting and reselecting the figure to update the menu listing.



9. Select each level and verify that they switch correctly. The image below shows a comparison between the base mesh of Victoria 4.1 down to the 0.5K level mesh.



10. Set the [Dynamic LOD Settings](#).
11. Save the figure as a DAZ scene file in applicable folder for the figure in the **Content > People** folder.



CAUTION! Loading additional meshes for LOD will increase the loading, working, and saving time required since all meshes must be accounted for.



CAUTION! Using too high-res a base mesh and loading a fairly high-res LOD level to it; or starting with a low-res base mesh and loading a very high-res LOD level to it will cause Studio to become unstable to the point of crashing.




NOTE! The LOD levels can be exported in any format currently available in Studio, however, only the currently selected mesh level will be exported. This means that the figure cannot be exported as a CR2 file with the LOD levels intact.


Dynamic LOD Settings

Along with adding the LOD levels to a mesh, Studio provides options for setting and using dynamic options when using a figure with LOD.


In addition to the LOD levels available from the LOD Settings menu, two additional options are available:




- **Use Dyn Settings:** When selected, applies the dynamic LOD settings based on the options chosen in the Dynamic LOD Settings panel. See "[Using Dynamic Settings](#)" for more on using this option.
- **Edit Dyn Settings:** Brings up the **Dynamic LOD Settings panel** where options are set for using LOD during editing, rendering, and viewing. The panel is shown below with an explanation of each option listed below the image.




- **Auto-Switching Settings:**
 - **Simple LOD:** When enabled, performs a simple switch of the current LOD level based on whether the object is being edited or rendered. This allows a lower resolution to be used for editing and a higher resolution to be used while rendering.
 - **Viewport:** Select the LOD level from the drop-down menu to be used during editing operations.
 - **Render:** Select the LOD level from the drop-down menu to be used during rendering.



- **Advanced LOD (Distance from Camera):** When enabled, allows the mesh to automatically switch to a different LOD based on its distance from the camera. Objects that are closer than the minimum range specified will use the highest available mesh resolution.
 - **Beyond Distance:** In each distance range field, enter a distance range from the camera in meters. The selected LOD level will be used once it is beyond the set range.
 - **LOD:** From each LOD drop-down menu, select an LOD level to be used when the object is beyond the specified range from the camera.



- **Use LOD during object manipulation:** When enabled, allows the mesh to automatically switch to a different LOD resolution when modifying the object using the parameter dials or viewport tools. To use, click in the checkbox to activate the option then select which LOD level to use during manipulation from the **LOD** drop-down listing. For example, you could set this option to always switch to the Base LOD level when the object is being modified.
- **LOD List:** Displays the currently available LOD levels and allows the following adjustments.
 - **Delete:** Select an LOD level and click on the **Delete** button. (May not yet be an available option)
 - **Rename:** Select an LOD level and click on the **Rename** button. A **Change LOD Mesh Level Name** dialog comes up. Enter a new name for the LOD level and click on **OK** to confirm the rename or **Cancel** to discard the name change.



- **Move Up/Down:** Select an LOD level and click on the **Move Up** or **Move Down** buttons to reorder the listing.


Using Dynamic Settings

Once the dynamic LOD settings have been set using the Dynamic LOD Settings panel, the settings can be activated in the Parameters tab.


1. Select **Use Dynamic Settings** from the LOD Settings menu to activate the dynamic settings of the LOD figure.
2. As you work with the figure, the settings will be applied based on the options you chose.

Examples:

1. Simple LOD was selected with a viewport level of 2K and render level of Base. While working in the viewport, the 2K mesh is used but when Render is selected, the high-res Base mesh is used.



2. Advanced LOD was selected with the settings shown below. While working in the viewport and moving the camera, the specified LOD level is automatically switched to when the object goes beyond the specified range from the camera.




Creating LOD Meshes

While LOD mesh levels can be made after the fact, doing so is much more difficult than if the mesh is created with LOD in mind. In order for LOD to work, two things must be true:

1. The UV Mapping must match for each level.
2. All vertices on the lower mesh levels must match a vertex on the highest resolution mesh so that morphs will work on all mesh levels.

The image below shows an example with the low-res mesh having four vertices that match up with four vertices on the hi-res mesh. Even though the hi-res mesh has four polygons and the low-res mesh only has one, the four vertices on the low-res mesh match up with the four outer vertices on the hi-res mesh.



Some modeling programs have tools available to match up vertices. These tools can be used to ensure that the low-res vertices match up to the correct vertices on the hi-res mesh.

Steps to creating LOD level meshes from the ground up:

1. Begin modeling the object until a basic low-res mesh is completed.
2. Divide mesh into groups and material zones and map the model using a UV Mapping program.
3. Save the model as an OBJ mesh, save the scene file, and place it in a safe location.
4. Continue adding to the model making sure that no vertices are removed that the first version matches up to.
5. Once basic details have been added to the model, save the model as an OBJ mesh, save the scene file, and place it in a safe location.
6. Continue adding details/polygons to the model, saving out interim builds to be used as LOD levels.
7. When the model is complete, rig it for use in Poser/Studio.
8. In Studio, apply the LOD levels to the final model and save as a DAZ scene file.



NOTE! While it is possible to start with a high-res mesh and decrease the polygons to create the lower-res meshes, extreme care must be taken to ensure that vertices continue to match up as the lower-res versions are created.

Using the Add Levels of Detail Script


When you install DAZ Studio, a script is added that automatically adds the provided LOD meshes to the Victoria 4.x figure.

To use this script:


1. Load Victoria 4.x into the scene and make sure she is selected.
2. In the Content tab, navigate to the **Studio Content > People > Victoria 4 > LOD** folder.
3. Double-click on the **Add Levels of Detail** thumbnail.




The LOD meshes will be applied to Victoria 4.x.



4. Once the progress dialog closes, access the Parameters tab and locate the **Level of Detail Settings** section.



- Click on the **Base** tab and a drop-down menu will come up, with a listing of all the new LOD meshes available.



NOTE! This script will only work with Victoria 4 using the LOD meshes supplied with the Victoria 4.2 installer.


Sub-Division Surfaces

The **Sub-Division tool** provides the ability to sub-divide a mesh for greater detail and smoothing of the mesh. Sub-dividing the mesh of a figure will not lose the ability to adjust morph targets that were added to the figure prior to be subdivided. In addition, the UV Mapping of the object is adjusted to reflect the additional polygons.

Most figures supplied by DAZ or other sources are usually at a fairly high polygon count once they are released so using sub-d on them will probably not be a good idea, especially as it may cause memory problems due to the increased polygon count.


To sub-divide a mesh in Studio:

- Select the object/figure to sub-divide.




If you do not have a mesh selected, when you choose the convert command, you will get an error message that a node must be selected.

2. Choose **Edit > Convert to SubD**. A message will come up indicating that this operation cannot be undone and the effect on any LOD levels added to the object.
3. Click in the checkbox if you do not want to see this warning to come up when selecting to subdivide an object. Click on **Yes** to continue with the operation or **Cancel** to leave the object as it is.



A conversion dialog will come up indicating that the conversion is in process. Once the object is finalized, it will show in the viewport at the default Sub-D setting of 1 (four polygons for every one original polygon).



NOTE! If you notice that the mesh is not sub-dividing, this may indicate that your memory is low and Studio cannot complete the operation. Close Studio to clear memory and re-open it or use some other method of clearing memory in order to continue.


3. Make sure the main body or object is selected and in the Parameters tab, scroll down until you see the **Subdivision** section.



Two parameters will be available in this section, described below.


The values can be adjusted by dragging on the slider, clicking on the +/- signs, or double-clicking on the number and entering a different value.

- **Viewport Level:** Indicates the level of Sub-D visible in the viewport. The default is 1 which is one level of Sub-D, zero indicates no Sub-D visible. The slider goes from 0 to 2 but can be increased by double-clicking on the label and increasing the **Max Limit**. Be careful when using this as some figures/objects are already at a high resolution and increasing the Sub-D level could lock up your system if it cannot handle the memory requirements.



- **Render Level:** Indicates the level of Sub-D used when the object is rendered. This allows you to work at a low resolution and then render at a higher resolution. The default settings are 0 to 3 but the **Max Limit** can be set higher just like the Viewport Level, but again, be careful using this at higher resolutions (depending on the complexity of the mesh).

The examples below show a sphere rendered first at 0 Sub-D then at 3 Sub-D. Note how the second sphere is much smoother than the first one.





NOTE! Currently, when using the OpenGL renderer on a sub-d mesh, it will render at the "Viewport Level" instead of at the "Render Level."



CAUTION! Sub-division of surfaces does not work well with objects that have non-welded vertices. Make sure that all vertices are welded prior to applying Sub-D.



CAUTION! Any morph targets applied prior to sub-dividing a mesh should work afterwards, however, once sub-divided, any morph targets made to work with the original mesh will no longer match the new mesh and cannot be loaded as a morph target.

Appendices

Appendix A: The Components of 3D Objects

We all know that objects in the "real world" are three-dimensional. They have width, height, and depth. It's impossible for a physical object to have any less than three dimensions; we wouldn't be able to see them otherwise.

However, in the 3D world, you can have objects that have fewer than three dimensions. These theoretical dimensions are of immense value when you work within DAZ Studio or other 3D software. In the 3D world, we can define objects by the number of dimensions they have:

- Zero Dimensional (0D): A 0D object defines a location in space, called a point, or sometimes called a vertex when relating to a 3D model. A Point Light is a great example of a 0D object within DAZ Studio since light emanates from a single point.
- One Dimensional (1D): A 1D object is a single straight line that has length but no height or width. Straight lines are also called edges when they relate to a 3D model.
- Two Dimensional (2D): A 2D object is a plane that has any two of the three dimensions (height and width, height and length, or width and length). You can also see them referred to as polygons or facets when they relate to a 3D object.
- Three Dimensional (3D): A 3D object has all three dimensions (height, width, and length). 3D objects are usually composed of many 2-dimensional polygons that form the shape of the 3D object.

Types of 3D Objects

So far, we've talked about the three dimensions (X, Y and Z). We've explored 0, 1, 2, and 3 dimensional objects, looked at Cartesian coordinates, and made comparisons between global axes and origins vs. local axes and origins. We've also learned about the types of motions you can apply to objects within DAZ Studio. What exactly are these objects we keep talking about?

Points (Vertices)

As we touched on previously, a point has no dimension of its own. It does exist at a 3 dimensional position in space and has both a local and a global coordinate. For example, if a six-foot figure is standing ten feet in front of the origin, the point at the top of the figure's head is at (0,6,0) in local coordinates and at (0,6,10) in global coordinates. If a figure at the global origin rotates 45 degrees to the left, the same point remains at (0,6,0) in local coordinates while moving to (-4.242,4,242,0) in global coordinates.

If a point defines a corner of a polygon, then it is called a vertex (singular) or vertices (plural).

Segments (Edges)

A segment is a 1D component with length, but no width or height. A segment connects two points to each other. Several 3D applications, including DAZ Studio, often use segments to define the edges of polygons.

Lines (Splines)

A spline is similar to a segment in that it is a 1D component with length but no width or height own. It is also similar to a segment, in that it too, connects points to each other. One major difference, however, is that a spline can also be influenced by additional points, called control points. Splines are often used to create smooth curved lines using a minimal number of points, curves that would otherwise require many times the number of points, to be made with [linear] segments. Motion paths are perfect examples of splines. There are many types of splines, all of which are variations on the examples shown here. From left to right, they are:

- **Linear:** Linear splines connect each end point without the influence of additional control points, a straight line.
- **Interpolating:** Interpolating splines always pass through every control point. Linear splines are a form of interpolating spline. There are many ways to calculate interpolation.
- **Approximating:** Approximating splines do not necessarily touch all of their control points. For these types of splines, the control points define the approximate shape, hence the term approximating. Again, there are many ways to calculate the approximations.

Polygons (Faces/Facets)

A polygon is a component whose corners are defined by vertices and connected by edges. Creating a polygon involves placing one point for each corner, then connecting the vertices to form a closed loop, or face. Polygons can have 3 sides (triangle), 4 sides (quadrangle), or more than 4 sides (commonly referred to as n-sided). Polygons defined by three points are always considered planar (2D), as three points are needed to define an arbitrary plane. Polygons with four or more points may be planar as well, but are subject to becoming convex (bowing out) or concave (bowing in) depending on the coordinates of the vertices that define the face. Convex or concave polygons are often the culprits behind artifacts (anomalies) in a render of a polygonal mesh.

Objects (Meshes)

While vertices and edges define polygons, all 3D objects in DAZ Studio consist of many polygons arranged into a mesh that has the form of the desired object, such as a human, chair, dragon, plant, building, etc. The left side of the image shows Vicky as a polygon mesh. If you've ever seen a piece of jewelry, you know that gemstones have facets or a series of flat sides cut in such a way as to create a shape. If DAZ Studio only displayed polygons, then all 3D objects would have this faceted appearance, resulting in a significant loss of realism. DAZ Studio therefore employs polygon smoothing, which makes the collection of planar polygons appear like smooth rounded objects. Throw in a material and you have a realistic 3D object as shown on the right side of the image.

An object that consists of two or more polygons is interchangeably called a polygon mesh, a mesh object, or simply a mesh. DAZ Studio uses meshes for figures (human, animal, and otherwise) and props (such as furniture, hair, etc.). Other items, such as lights, may appear as polygon meshes but that is strictly for viewport display purposes, and do not render.

Material Groups

In order for DAZ Studio to assign materials properly, the polygons that make up a mesh must be assigned to one or more groups. Every mesh object is different and will have different groups unique to that object. There are many types of groups; this section covers surfaces, which comprise the group type used in DAZ Studio.

Surfaces

A figure or prop in your scene can have several different surfaces. For example, a human figure may have skin, finger and toenails, irises, etc. Surfaces allow you to change the look of part of an object without affecting the whole thing. For example, you could make a figure's fingernails red without changing the skin color. If you're working with a figure that includes built-in clothing, the upper arm may have skin and shirt surfaces assigned to it. A polygon that belongs to one surface cannot belong to another surface. The image here shows an example of surface groups, where the figure's surfaces each bear different colors.

Appendix B: Bones and Hierarchies

A typical figure creation process works like this:

- Build the polygon mesh.
- Build the bones inside the mesh and create a hierarchy.
- Adjust the bone locations.
- Define which bone controls which vertices (create vertex weight maps).
- Define the degrees and range of motion for each bone.

Like you, DAZ Studio figures have bones that can move and bend. Your bones control how your body bends. Your knees bend along one axis while your back can bend around all three, and so forth. In addition to defining the type or degrees of freedom, your bones define the range of motion. Your arm can only extend until it is straight out. Your wrists cannot bend backward more than 90 degrees or so.

At the same time, the bones in your body are arranged in a specific order. In the 3D world, the way that bones are arranged is called a hierarchy, which tells DAZ Studio how bones are connected to each other, much like the old song "Dry Bones" that works its way up from the toes to the neck. You know ... the toe bone is connected to the foot, which is connected to the ankle, which is connected to the leg, which is connected to the knee, and so on.

Bones

When you load a figure, DAZ Studio reads the mesh and the bone information. This information allows the application to deform the mesh in accordance with the vertex weight maps or falloff zones, bones, and rotation information.

There is one more wrinkle ... literally ... to bones and deforming meshes. When you bend your elbow, the skin and muscle on the inside of your elbow contracts while the skin on the outside of your elbow stretches out. This change is most pronounced right at your joint and decreases with distance. Skin more than a couple inches away from your joint remains unchanged. On your body, this occurs because of your skin and muscular elasticity.

DAZ Studio has no intrinsic way of knowing how to handle the deformation. However, there are two ways to provide this information:

- **Falloff zones:** A falloff zone defines the area that is affected by the bending motion. In general, the area towards the center of the zone deforms the most, and then decreases (or falls off) over distance until it reaches 0 at the edge of the zone. Falloff zones are relatively simple for the content creator to implement in their content. The drawback is lack of fine control. DAZ Studio can read falloff zone information in imported content.

- Vertex weight map: Objects are made of polygons, and each polygon has a vertex, or point, at each of its "corners." A vertex weight map performs the same function as a falloff zone, but offers far more precise control. Vertex weight maps can assign varying degrees of deformation to any or all of the vertices in the model.

The Hierarchical Chain

We now have created a bone structure that defines where and how the object bends. Now we need to define a hierarchy that determines what other bones, if any, are affected when you move any given bone. In addition, you can also use hierarchies to define interactions between objects.

Hierarchies

Hold your arm straight and rotate your shoulder in any direction. Notice what happened: As your shoulder moved, so did your upper arm, forearm, hand, and fingers, while the rest of your body remained in its original position. Now move your fingers and notice that the rest of your arm remains still. Now bend your elbow. Your shoulder and upper arm remain still while your forearm, hand, and fingers move. This is a perfect example of a hierarchy, or situation where different components exert a greater or lesser degree of influence over others.

Hierarchies are often referred to as parent/child relationships within many 3D applications (including DAZ Studio). Children are affected by their parents, but not the other way around. Using the previous example, your shoulder is the parent of your entire arm, with your upper arm, forearm, hand, and fingers being children. Your elbow is both a parent of your forearm, hand, and fingers and a child of your shoulder. Thus, bending the shoulder moves your entire arm while bending your elbow only moves your elbow's children.

Remember our discussion about global versus local coordinates? The same concept applies here as well. By moving your shoulder, each part of your arm has changed its absolute position while its relative position remains unchanged. For example, if you raise your arm, your elbow will move higher but will still remain the exact distance from your shoulder. This action is called forward kinematics.

Parent/Child Relationships Between Objects

So far, we've only discussed parent/child relationships within the same object, such as a figure or prop. You can also create parent/child relationships between objects in your scene. Here are just a few examples:

Hair props are children of a figure's head, meaning that the hair will move with the head.

You can place a hat on a figure's head. If you forget to make it a child of the head, the hat will remain still while your figure moves. Establishing a parent/child relationship allows the hat to remain on the figure's head and in the same position relative to the head. For example, if you parent a baseball cap to a figure's head, the brim will always be over the figure's face just like its real-world counterpart.

You can place an object in a figure's hand (such as a pen, ball, tool, etc.) and the object will remain in its position. To create a construction worker swinging a hammer, parent the hammer to the figure's hand. As you rotate the figure's arm or move the figure's body, the hammer will remain in the figure's hand.

You can have a camera follow any body part, prop, or any other item in your scene. There are different ways to do this.

There are many other possible examples; you will discover this as you become more familiar with DAZ Studio.

Appendix C: Other DAZ Products

As you begin using DAZ Studio for custom projects, you'll need to obtain characters, props, and other content beyond the starter content supplied with the program.

DAZ figures are a wonderful addition to any existing 3D library. The Millennium Figures are completely set up and ready to work in DAZ Studio. They give artists realism and versatility that is unmatched by any other commercially available 3D models. DAZ releases updates and other additions for each figure on a regular basis, giving you an ever-expanding array of options.

As you continue delving into DAZ Studio and creating more scenes, you will need to add content to your library. DAZ is the leading creator and publisher of high-quality 3D content including figures, props, textures, and more. We also create other software applications. Visit us on the Web at <http://www.daz3d.com> to see our growing collection of content!

Appendix D: DAZ EULA

By using the software you signify that you have read and agree to all the terms of the license agreement.

AGREEMENT. THIS IS A LEGAL AND BINDING AGREEMENT BETWEEN YOU, HEREINAFTER ALSO REFERRED TO AS "USER", AND DAZ Productions, INC., HEREINAFTER ALSO REFERRED TO AS "DAZ 3D". BY INSTALLING THIS PROGRAM OR USING THESE 3-D APPLICATION(S), MOTIONS, TEXTURE MAP(S), BUMP MAP(S) OR ANY OTHER 3D RELATED PRODUCTS, HERINAFTER REFERRED AS 3-D APPLICATION(S), (OR AUTHORIZING ANY OTHER PERSON TO DO SO), YOU INDICATE YOUR COMPLETE AND UNCONDITIONAL ACCEPTANCE OF ALL THE TERMS AND CONDITIONS OF THIS LICENSE AGREEMENT. THIS LICENSE AGREEMENT CONSTITUTES THE COMPLETE AGREEMENT BETWEEN YOU AND DAZ 3D. IF YOU DO NOT AGREE TO THE TERMS OF THIS LICENSE AGREEMENT, YOU MAY DESTROY THE INSTALLED PROGRAM PACKAGE (WITH ALL ACCOMPANYING MATERIALS). YOU MUST DELETE THEM FROM YOUR COMPUTER AND FROM ANY BACKUP DEVICES THAT YOU MAY HAVE USED.

1. 3-D PROGRAM LICENSE. DAZ 3D grants to User and User hereby accepts, subject to the limitations and obligations of this Agreement, a personal non-exclusive, nontransferable License to use the 3-D Application(s), together with all accompanying written materials (collectively referred to as "3-D Application(s)").

2. TITLE AND OWNERSHIP. Notice is hereby given that the 3-D Application(s) contains copyrighted and/or proprietary information protected by the laws of the United States. DAZ 3D retains all rights in, title to, and ownership of the 3-D Application(s). User shall take all steps reasonably necessary to protect DAZ 3D's ownership rights.

3. LICENSE FEES. DAZ 3D agrees to provide the 3-D Application at no charge.

4. COPYING RESTRICTIONS. The 3-D Application(s) may be copied in whole or in part for User's exclusive use. Unauthorized copying of the 3-D Application(s) is expressly forbidden. User expressly agrees to include DAZ 3D's (and third parties, if any) copyright notice(s) and proprietary interest(s) on all copies of the 3-D Application(s), in whole or in part, in any form, including data form, made by User in accordance with this Agreement.

The 3-D Application(s) is provided for User's exclusive use. User does not have the right to provide the 3-D Application(s) to others in any form or on any media.

5. TELLWARE. This application is considered tellware. The user is required to tell two other people where to download this application (www.daz3d.com) in order to install and or use it. Note: During the alpha phase of testing, users will not be required to follow this program due to the test base being a closed group. During the alpha stage of testing, DAZ Studio will only be distributed to Platinum Club members.

6. OTHER RESTRICTIONS. This Agreement is your proof of License to exercise the rights granted herein and must be retained by you. User shall not give, sell, rent, lease, sublicense, or otherwise transfer or dispose of the 3-D Application(s) on a temporary or permanent basis without the prior written consent of DAZ 3D. DAZ 3D's 3-D Application(s) and/or contracts are non-transferable and shall only be used by the Licensed User. User may not reverse engineer, decompile, disassemble, or create derivative works from the 3-D Application(s). These restrictions do not pertain to rendered images or pre-rendered animations.

7. PROTECTION AND SECURITY. User agrees not to disclose, publish, release, transfer, or otherwise make available the 3-D Application(s), or any portion thereof, in any form, to any person, without prior written consent from DAZ 3D. User agrees that the 3-D Application(s) is the property of and proprietary to DAZ 3D, and further agrees to protect the 3-D Application(s) and all parts thereof from unauthorized disclosure and use by its agents, employees, or customers. User shall be exclusively responsible for the selection, supervision, management, control, and use of the 3-D Application(s). User agrees to utilize its best efforts to see that its employees or any other user of the 3-D Application(s) complies with the terms and conditions of this Agreement and refrains from taking any steps, such as reverse assembly or reverse compilation, to derive a source code equivalent of the 3-D Applications.

8. EXPORT RESTRICTIONS. The 3-D Application(s) may be subject to the export controls of the United States Departments of State and Commerce and User agrees to fully comply with all applicable United States export regulations governing export, destination, ultimate end user, and other restrictions relating to the 3-D Applications.

9. UNITED STATES GOVERNMENT RESTRICTED RIGHTS. If you are acquiring the 3D Application(s) on behalf of any unit or agency of the United States Government, the following provision applies--It is acknowledged that the 3-D Application(s) and the documentation were developed at private expense and that no part is in the public domain and that the 3-D Application(s) and documentation are provided with restricted rights. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in Subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, or Subparagraphs (c)(1) and (2) of the Commercial Computer Software--Restricted Rights at 48 CFR 52.227-19, as applicable. Contractor/Manufacturer is DAZ Productions, INC., 12637 South 265 West #300, Draper, UT 84020.

10. PATENT, COPYRIGHT, AND TRADE SECRET INDEMNITY. User agrees to indemnify and hold harmless DAZ 3D against all liability resulting from or related to any claim of patent or copyright infringement, misappropriation, or misuse of trade secrets or other proprietary rights based upon the use by User of the 3-D Application(s), or any portion thereof, in whatever form, or the exercise by User of any rights granted under this Agreement.

11. LIMITED WARRANTY. DAZ 3D warrants that the 3-D Application(s) will perform substantially in accordance with the accompanying written materials for a period of seven (7) days from the date of receipt.

12. NO OTHER WARRANTIES. DAZ 3D DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ARISING FROM USAGE OF TRADE OR COURSE OF DEALING OR PERFORMANCE, WITH RESPECT TO THE 3-D Application(S), AND THE ACCOMPANYING WRITTEN MATERIALS. IN NO EVENT SHALL DAZ 3D OR ITS DEALERS, DISTRIBUTORS, OFFICERS, AGENTS, EMPLOYEES, OR SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER, WHETHER BASED ON CONTRACT, TORT, WARRANTY, OR OTHER LEGAL OR EQUITABLE GROUNDS, INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, OR OTHER PECUNIARY LOSS, ARISING OUT OF THE USE OF OR INABILITY TO USE THE 3-D Application(S), EVEN IF DAZ 3D HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BECAUSE SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

13. NO LIABILITY FOR HARDWARE. User assumes complete responsibility for all hardware used in conjunction with the 3-D Application(s). DAZ 3D shall not be responsible in any way for the non-

performance or malfunction of any hardware used in conjunction with the 3-D Application(s), nor for any damages whatsoever arising out of the use of any hardware.

14. INDEMNIFICATION. User shall defend, indemnify, and hold DAZ 3D harmless from any actions, claims, or proceedings with respect to the 3-D Application(s) or other provisions of this Agreement.

15. REMEDIES. The remedies provided herein shall not be deemed exclusive, but shall be cumulative and shall be in addition to all other remedies provided by law and equity. No delay or omission in the exercise of any remedy herein provided or otherwise available to DAZ 3D shall impair or effect DAZ 3D's right to exercise the same. An extension of indulgence or forbearance (which must be in writing) shall not otherwise alter or effect DAZ 3D's rights or obligations nor be deemed to be a waiver thereof. The parties hereto agree that breach of any provisions of non-disclosure, secrecy, confidentiality, copying, use, protection, and security in this Agreement by User will cause immediate and irreparable damage and injury to DAZ 3D. Each of the parties confirms that damages at law may be an inadequate remedy for breach or threatened breach of any such provisions. The parties agree that in such event DAZ 3D shall be entitled by right to an Injunction restraining the User from violating any of said provisions. User hereby acknowledges that DAZ 3D has disclosed or will disclose to User valuable proprietary data set products, which are new and unique and give DAZ 3D a competitive advantage in the marketplace; that DAZ 3D intends to use such information to expand its business throughout the world; and that a violation of any of the provisions of this Agreement is material and important and DAZ 3D shall, in addition to all other rights and remedies available hereunder, at law or otherwise, be entitled to a Temporary Restraining Order and an Injunction to be issued by any court of competent jurisdiction enjoining and restraining User from committing any violation of said provisions, and User shall consent to the issuance of such Injunction. User acknowledges that the remedies provided for in this Agreement are not injurious to nor violative of any public interest or policy, and will not create a hardship greater than is necessary to protect the interest of DAZ 3D.

16. GENERAL PROVISIONS.

a. Costs and Expenses of Enforcement. In the event of the failure of either party hereto to comply with any provisions of this Agreement, the defaulting party shall pay any and all costs and expenses, including reasonable attorneys' fees arising out of or resulting from such default (including any incurred in connection with any appeal), incurred by the injured party in enforcing its rights and remedies, whether such right or remedy is pursued by filing a lawsuit or otherwise.

b. Governing Law, Jurisdiction, and Venue. This Agreement is governed by the laws of the State of Utah. Jurisdiction and venue for the enforcement of this Agreement shall be found exclusively in the courts within Utah County, State of Utah.

c. Further Information. Should you have any questions concerning any of the provisions of this Agreement, or if you desire to contact DAZ 3D, please write: DAZ Productions, INC., 12637 South 265 West #300, Draper, UT 84020. If you need technical support for a DAZ 3D product, please call (801) 495-1777. Our technical support hours are 9:00 a.m. to 5:00 p.m. M.S.T.

d. Trademark and Copyright. All DAZ 3D products are trademarks or registered trademarks of DAZ Productions, INC. All other brand and product names are trademark or registered trademark of their respective holders.

DAZ Productions, INC., 1995.

Contact Information:

DAZ Productions
12637 South 265 West #300
Draper, UT 84020

Phone:(801) 495-1777

FAX:(801) 495-1787

TOLL-FREE 1-800-267-5170

www.daz3d.com

Index

| | |
|--|--|
| 0 | |
| 0D..... | 378 |
| 1 | |
| 1D..... | 378 |
| 2 | |
| 2D..... | 121, 127, 166, 240, 378 |
| 2-dimensional..... | 378 |
| 3 | |
| 32-bit | 7 |
| 35mm | 178 |
| 360-degree..... | 232 |
| 3D. 1, 3, 4, 23, 29, 32, 45, 69, 75, 119, 121, 127, 130, 131, 166, 168, 195, 202, 227, 240, 243, 246, 294, 378, 380, 382 | |
| 3D Bridge | 69 |
| 3D Manipulation | 3 |
| 3D Viewports..... | 29, 45, 202 |
| 3DConnexion 3D Mouse..... | 108 |
| 3Delight..... | 7, 29, 121, 238, 240, 243 |
| 7 | |
| 70mm | 240 |
| 8 | |
| 85mm | 178 |
| A | |
| About Current Hardware | 69 |
| About DAZ Studio | 8, 46, 119 |
| About Installed Plug-ins | 119 |
| About Lights | 32, 232 |
| About This Mac | 7 |
| About window..... | 119 |
| About Your Video Card | 119 |
| Academy Flat | 240 |
| Accent Color..... | 65, 111 |
| Accept button | 32, 80, 91, 151, 199, 240 |
| Accessing Category..... | 260 |
| Accurate/Fast Slider | 355 |
| Acrobat..... | 119 |
| Actions List..... | 47, 54, 55, 57, 58 |
| Activate ... | 50, 57, 58, 75, 81, 82, 84, 85, 87, 116, 246, 347, 368, 371 |
| Active Pose Tool..... | 75 |
| Node Selection Tool | 75 |
| Rotate Tool | 75 |
| Scale Tool..... | 75 |
| Translate Tool..... | 75 |
| Active Category..... | 256 |
| Active Item | 307 |
| Active Morphs | 99 |
| Active Pose..... | 10 |
| Active Pose Tool..... | 75 |
| Active Pose Tool icon | 117 |
| Active Viewport 32, 172, 175, 232, 240, 243, 245 | |
| Activity Tabs4, 18, 23, 29, 32, 45, 46, 47, 50, 55, 59, 138 | |
| Add button..... | 151 |
| Add Clothing | 18 |
| Add content..... | 150 |
| Add Existing Styles | 65 |
| Add Hair | 18 |
| Add Keyframe button | 202, 308 |
| Add Layer..... | 357, 361 |
| Add Levels of Detail script | 372 |
| Add LOD Mesh Level dialog..... | 366 |
| Add Node | 292 |
| Add RAM..... | 240 |
| Add Separator..... | 57, 58 |
| Add Submenu | 57 |
| Add Toolbar | 58 |
| Add/fit..... | 218 |
| Add/Remove Keyframe..... | 202 |

| | | | |
|--|--------------------|---|-----------------------------------|
| Added to | 212 | Side-Side | 361 |
| Content Manager | 212 | Skinny | 23 |
| Adding .. 18, 32, 55, 68, 142, 151, 163, 165, 202, | | Spotlight..... | 32 |
| 207, 211, 246, 288, 289, 296, 322, 329, 366, | | Up-Down..... | 361 |
| 374 | | xrot..... | 32 |
| <i>a scene</i> | 246 | YTrans | 32 |
| Actions icon..... | 55 | Zoom..... | 32 |
| Content | 151, 163, 207, 211 | Advanced LOD..... | 368, 371 |
| D-Former..... | 289 | Advanced shaders | 121 |
| D-Formers..... | 296 | Advanced Sub-tabs..... | 122, 123, 124, 127, 129, |
| Distant Light..... | 32 | 130, 131, 138, 141, 142 | |
| Figure | 18 | Advanced Surfaces..... | 75, 124, 148 |
| keyframe | 202 | Advanced Surfaces Tab | 148 |
| Library button | 165 | Advanced Tab..... | 103, 124, 127, 129, 142, 243, 329 |
| LOD Levels | 366 | Advanced Timeline | 202 |
| Multiple UVs..... | 329 | Advanced tutorials | 119 |
| opacity map..... | 142 | Advanced View | 202, 308 |
| Point Light..... | 32 | Aiff..... | 325 |
| Scene..... | 288 | Mac..... | 325 |
| Second..... | 322 | Aim..... | 32, 116, 226 |
| Add-ons | 184, 185, 226 | faceLight | 32 |
| DAZ Studio..... | 184, 185 | Alias Motion Builder FBX | 4 |
| Adjust 1, 2, 23, 29, 32, 80, 81, 82, 84, 85, 87, 88, | | Align 45, 111, 182, 206, 236, 248, 250, 251, 252, | |
| 89, 91, 96, 103, 116, 124, 129, 130, 135, 141, | | 347 | |
| 145, 148, 168, 172, 174, 176, 177, 178, 194, | | Apply..... | 250 |
| 202, 216, 217, 218, 221, 227, 230, 232, 233, | | Objects | 250 |
| 235, 236, 237, 240, 289, 296, 301, 361, 374, | | Align Ace..... | 206, 248 |
| 380 | | Align Objects..... | 250, 251 |
| Cameras | 174 | Each Other | 250 |
| Distant Light..... | 32 | Grid..... | 250 |
| f-number..... | 178 | Align Tab..... | 4, 111, 248, 250, 251 |
| f-stop | 178 | Align, Stack..... | 248 |
| Handle..... | 301 | Alignment Options..... | 250, 251, 252 |
| Intensity..... | 32 | All Cloth in Scene..... | 307, 308 |
| Light Properties..... | 32 | All Cloth on Figure | 307, 308 |
| light's..... | 233, 235, 236 | All Listed Products | 335 |
| Lights | 32 | Include Support | 335 |
| Perspective View | 32 | All Programs | 18 |
| Point Light..... | 32 | | |

| | | | |
|---|--------------------------|---|--------------------------------|
| All Selected Cloth | 307, 308 | deformer | 289 |
| All Surface Properties option | 137 | Dynamic Presets | 316 |
| Alt45, 75, 119 | | Fabric Preset | 316 |
| Alt key | 209 | Garment Preset | 316 |
| Alt option | 123 | Morphs | 218, 231 |
| Always Replace Items | 72, 212 | Pose Presets | 217 |
| Ambient | 124, 130, 146, 148 | Approximating | 378 |
| Ambient Color | 130, 146, 148 | splines | 378 |
| Ambient Color Image Menu | 130 | ArtZone Wiki | 10 |
| Ambient Strength | 130, 146, 148 | Ask | 212 |
| Ambient Strength Image Menu | 130 | Replace Items | 212 |
| Analyze button | 325 | Ask Me | 71 |
| Anamorphic Scope | 240 | Ask to Replace Items | 72 |
| Anatomy | 202, 289 | Aspect Frame | 174 |
| D-Former | 289 | Aspect Ratio | 240 |
| Timeline Tab | 202 | Assign ..23, 29, 32, 54, 57, 58, 66, 111, 121, 124, | |
| Animals | 2, 18, 32, 195, 198, 378 | 127, 129, 130, 131, 132, 133, 144, 145, 159, | |
| Animate | 18, 23, 32, 45, 138 | 162, 172, 174, 175, 183, 218, 222, 231, 283, | |
| Animate Activity Tab | 32 | 292, 357, 378, 380 | |
| Animated | 307, 308 | Parent | 23 |
| Animated Range | 80, 82 | ATI Radeon | 7 |
| Animation | 205 | Attach | 18, 23, 29, 121, 198, 246, 301 |
| Clearing | 205 | Clothing | 23 |
| Animation Basics | 202 | D-Former | 301 |
| Animation Options | 99 | Attaching Clothing | 23 |
| Animation Range | 80, 82, 88, 89, 308 | Audio | 108, 325 |
| Anti-aliasing | 3, 238 | Audio Options dialog | 108 |
| Aperture | 178 | Author Information | 10, 66 |
| AppData | 68 | Author Tab | 164 |
| Appendix | 378, 380, 382 | Authorship Information | 66, 119, 164 |
| Apple Menu | 7 | Auto Magnetize | i, 4, 72, 218 |
| Applications .. 3, 18, 75, 119, 243, 246, 324, 378, | | Auto Magnetizing Clothing | 72, 218 |
| 380, 382 | | Auto-Hide | i, 59, 61 |
| software render uses | 243 | Automatic Mode | 219 |
| Applying 23, 32, 66, 69, 151, 208, 217, 218, 219, | | Automatically Refresh Content Folders ... | 68, 151 |
| 231, 250, 251, 289, 316, 372 | | Automatically Refresh Images | 122 |
| align | 250 | Auto-Switching Settings | 368 |
| Clothing Figures | 219 | Available separately | 206 |

| | |
|-----------------------------|---|
| Axes | 99, 111, 117, 166, 168, 174, 177, 178, 182, 195, 209, 217, 221, 222, 226, 227, 229, 230, 231, 232, 233, 235, 236, 237, 250, 252, 289, 349, 354, 378 |
| Axis... | 32, 99, 117, 166, 168, 174, 178, 195, 197, 209, 217, 222, 224, 227, 229, 230, 237, 238, 250, 251, 252, 289, 296, 347, 350, 354, 380 |
| B | |
| Back button | 156 |
| Back One Frame | 202 |
| Back View | 168 |
| Backdrop | 75, 108, 301 |
| Backdrop File | 75 |
| Backdrop Options dialog | 108 |
| Background 2 | 18, 23, 32, 65, 71, 108, 111, 174, 295 |
| Background Color | 18, 32, 65, 71, 174 |
| Backlight | 238 |
| Bank | 2, 174, 177 |
| Bank icon | 174 |
| Bank the camera | 174 |
| Base . | 1, 18, 23, 65, 85, 127, 133, 134, 135, 141, 153, 206, 289, 296, 301, 329, 366, 368, 371, 372 |
| Base, Handle | 289 |
| Basic | 4, 7, 18, 23, 29, 32, 75, 103, 111, 117, 119, 121, 122, 123, 124, 127, 129, 130, 131, 138, 140, 142, 164, 166, 187, 202, 216, 230, 237, 240, 358, 371 |
| Basic 3D Terminology | 166 |
| Basic Layout | 4, 18, 23, 29, 117 |
| Basic Surfaces | 124 |
| Basic Tab | 103, 124, 127, 129 |
| Basic Timeline | 202 |
| Behind-the-scenes | 220 |
| Bend | 23, 124, 134, 148, 198, 216, 217, 222, 345, 347, 349, 350, 351, 361, 380 |
| Best Performance | 69 |
| Best Quality | 69 |
| Beyond Distance | 368 |
| BioVision | 91, 98 |
| Bitmap | 132 |
| BMP | 29 |
| Body Shape | 23 |
| Bodypart | 208 |
| Bone Manipulators | 216 |
| Bones | 3, 23, 103, 117, 182, 184, 195, 216, 217, 219, 221, 222, 224, 226, 231, 246, 324, 345, 347, 349, 353, 354, 355, 356, 380 |
| grouped according | 103 |
| Bottom View | 168 |
| Bridge Guidelines | 324 |
| Browse | 71, 75, 127, 129, 130, 132, 133, 142, 144, 151, 162, 240, 329 |
| Scene | 71 |
| Browse All Tutorials | 10 |
| Browse dialog | 75, 151, 240 |
| Bryce | 75, 103, 246 |
| Bucket Order | 243 |
| Bucket Size | 243 |
| Bug | 119 |
| Building | 172, 174 |
| Bump | 124, 132, 133, 144, 145, 148 |
| Bump Channel | 132, 133 |
| Bump Strength | 132, 144, 145, 148 |
| Bump Tutorial | 144 |
| BVH | 75, 91, 98, 208, 211 |
| BVH Exporter Options dialog | 98 |
| Bvh file | 91 |
| BVH Importer Options dialog | 91 |
| BVH Load Maps dialog | 91 |
| BVH Save Map dialog | 91 |
| C | |
| Camera Controls | 3, 32, 45, 138, 174, 238, 296 |
| Camera Frame | 350, 351 |
| Camera Library | 75, 96 |
| Camera Name | 175 |
| Camera Name dialog | 175 |
| Camera Section | 178 |

| | | | |
|---|------------------------|--|---|
| Camera Selection Button | 32 | Change Icon..... | 50, 54 |
| Cameras.. i, 1, 2, 3, 4, 18, 23, 32, 45, 69, 71, 75, 80, 89, 96, 107, 108, 116, 121, 124, 129, 132, 138, 142, 145, 165, 166, 167, 168, 169, 170, 172, 174, 175, 176, 177, 178, 179, 180, 182, 184, 187, 195, 199, 208, 232, 238, 250, 251, 252, 296, 301, 347, 350, 351, 354, 361, 365, 368, 371, 380 | | Change Keyboard Shortcut | 54 |
| Cancel Adding Content | 215 | Change rigging..... | 324 |
| Cancel button | 80, 199, 240, 295 | Changes...i, 1, 2, 3, 4, 10, 18, 23, 32, 47, 50, 54, 59, 69, 75, 91, 96, 103, 111, 116, 122, 123, 124, 134, 142, 144, 151, 166, 168, 170, 172, 174, 177, 178, 180, 188, 194, 197, 199, 201, 202, 205, 212, 218, 221, 222, 223, 224, 225, 229, 248, 252, 256, 260, 273, 283, 288, 289, 295, 296, 301, 317, 322, 324, 329, 331, 347, 353, 357, 359, 368, 378, 380 | |
| Cancel Morph dialog | 317, 324 | Apply..... | 218 |
| Canceled Morph dialog | 317, 324 | Backdrop File..... | 75 |
| Cap surface..... | 140 | Background Color..... | 32 |
| Cartesian | 222, 227, 229, 378 | Cameras | 172 |
| Cartesian coordinates | 378 | Diffuse Color..... | 301 |
| Cartoon..... | 172 | Hide Details | 91 |
| Cartoon Characters..... | 276 | Point Size | 289 |
| Cartoon Shaded | 172 | spline | 295 |
| Cast Shadow..... | 32, 197, 233, 235, 236 | Channels..... | 82 |
| Categorize Content | 276 | Character/Figure Library..... | 75, 96 |
| Category..... | 263, 266, 267, 283 | Characters | 2, 3, 23, 47, 75, 87, 96, 142, 188, 197, 198, 202, 273, 276, 361, 366, 382 |
| Deleting..... | 267 | Checkbox 9, 10, 69, 91, 184, 195, 212, 221, 232, 233, 235, 236, 240, 276, 281, 295, 368, 374 | |
| Renaming..... | 267 | Checked Products Only | 335 |
| Category and choose Mark..... | 268 | Include Support | 335 |
| Category Name dialog | 263, 266, 267, 276 | Child Relationships | 182 |
| Category view | 10 | Classic | 4, 18, 111 |
| Category View dialog | 10 | Clear Animation | 188, 205 |
| Celsius..... | 134 | Clear Figure | 205 |
| Center... 18, 23, 29, 32, 163, 174, 178, 208, 211, 226, 227, 230, 231, 232, 237, 243, 250, 251, 252, 289, 293, 294, 295, 296, 301, 353, 354, 357, 358, 361, 380 | | Clear Figure Morphs | 205 |
| DAZ Studio..... | 227 | Clear Figure Pose | 205 |
| D-Former's Field | 293 | Clear Keyboard Shortcut | 54 |
| Puppeteer Grid | 361 | Clear Layer | 357, 361 |
| spline represents | 294 | Clear Layer Animation | 357, 361 |
| Center dot..... | 361 | Clear Selected Items..... | 205 |
| Center of the field..... | 301 | Clear Transforms | 205 |
| Center View..... | 357, 361 | Clearing..... | 75, 205 |
| Centerline..... | 224, 236 | Animation..... | 205 |

| | | | |
|------------------------------------|---|--|--|
| Scene | 75 | storyboards | 2 |
| Scene icon | 75 | <i>Compiled plug</i> | 246 |
| Cloth Panel Overview | 307 | Components..... | 59, 64, 121, 124, 133, 240, 378, 380 |
| Clothing | 18, 157, 198, 219, 220 | 3D Objects | 378 |
| Applying | 219 | Composited | 2, 246, 345 |
| Tips | 220 | Conclusion | 23, 32 |
| Cm2 | 75, 96 | Configurable..... | 124 |
| Cmz | 75, 96 | Configuration File..... | 325 |
| COLLADA..... | 4, 99 | Configuring..... | 124 |
| Collada 1.4.1 | 99 | Materials | 124 |
| Collada Export Options dialog..... | 99 | Confirm File Move dialog | 160 |
| Collada morph | 99 | Conforming | 283 |
| Collapse All | 122, 181 | Connects.10, 103, 198, 206, 211, 221, 229, 378, 380 | |
| Collapse From Selection | 186 | DAZ Website | 206 |
| Collapsing..... | 181 | Constrain Proportions | 240 |
| Entire Tree | 181 | Consuming chore..... | 226 |
| Collapsing Portions | 181 | Contact Information..... | 119 |
| Tree..... | 181 | Contacting Technical Support..... | 8 |
| Collect Files in Zip | 90 | Contenti, 3, 4, 7, 9, 10, 17, 18, 23, 29, 32, 50, 59, 64, 66, 68, 69, 75, 80, 81, 82, 84, 85, 87, 88, 89, 96, 111, 117, 119, 127, 137, 138, 142, 144, 150, 151, 153, 154, 156, 157, 158, 159, 160, 162, 163, 164, 165, 184, 185, 186, 187, 188, 207, 208, 209, 211, 212, 217, 219, 222, 226, 231, 246, 256, 260, 263, 267, 268, 273, 274, 276, 281, 283, 288, 361, 366, 372, 380, 382 | |
| Collect Maps | 103 | choose Search..... | 268 |
| Collide With | 307, 308 | Pathname | 283 |
| Color..... | 1, 2, 3, 7, 18, 32, 65, 99, 111, 116, 117, 121, 124, 127, 129, 130, 133, 134, 135, 140, 141, 146, 165, 172, 174, 226, 233, 235, 236, 238, 289, 295, 378 | Content Database | 283 |
| Color Image Map..... | 133, 134 | Content Directories | 10, 68, 69, 151, 153, 156, 157, 211, 256, 260, 268 |
| Color Image Menu..... | 129 | Content directories linked | 68 |
| Color Picker.... | 32, 127, 129, 130, 133, 134, 140, 174, 233, 235, 236 | Content Drag-and-Drop | 208, 209, 219, 274 |
| Color/Diffuse | 124, 127 | Content Folders | 156 |
| Color Diffuse..... | 127, 140 | Content including | 382 |
| Commands . | 5, 18, 29, 32, 45, 46, 47, 54, 55, 57, 58, 59, 64, 65, 66, 75, 108, 111, 116, 119, 122, 137, 138, 150, 153, 159, 162, 174, 175, 181, 186, 223, 227, 248, 347, 357, 361, 374 | Content Manager ...4, 10, 68, 154, 212, 256, 283 | |
| Activity..... | 47 | added to..... | 212 |
| Common Parameter Settings..... | 195 | scan | 68 |
| Community Forums..... | 8 | | |
| Compelling | 2 | | |

| | | | |
|--|---|---|--|
| Content Manager Database | i | Corresponding | 331 |
| Content Manager feature | 10 | UV | 331 |
| Content Manager Preferences | 72 | Counter-clockwise..... | 195 |
| Content Menu Options | 159 | CPU | 69, 240, 243 |
| Content Sub-Tabs | 164 | Cr2 | 3, 75, 96, 283 |
| Content Tab . 3, 4, 10, 18, 23, 29, 32, 50, 64, 96, 111, 137, 138, 150, 151, 154, 156, 157, 158, 163, 164, 165, 207, 208, 209, 211, 212, 217, 219, 227, 256, 260, 268, 273, 288, 361, 372 | | CR2 file | 75, 366 |
| Content Tab Options . 4, 154, 158, 207, 268, 273 | | Create > New Null..... | 116 |
| Content via Drag | 160 | Create > New Primitive | 55, 116, 227 |
| Content Viewing | 154 | Create Account | 10 |
| ContentMapFiles | 283 | Create Category From Folder..... | 162, 273 |
| ContentTypes..... | 283 | Create Category Here..... | 263 |
| Context menu..... 159, 163, 208, 209, 211 | | Create Custom Action..... | 50, 159 |
| Control Panel | 7, 32 | Create Light | 232 |
| Controls | 1, 2, 3, 7, 10, 23, 32, 45, 59, 64, 69, 111, 117, 121, 124, 127, 129, 130, 131, 132, 133, 134, 138, 150, 174, 176, 177, 178, 180, 187, 194, 198, 201, 202, 216, 220, 224, 230, 231, 235, 236, 237, 243, 295, 296, 350, 351, 355, 356, 378, 380 | Create menu | 116, 232 |
| Convert..... 4, 103, 175, 202, 374 | | Create Menu Commands..... | 116 |
| SubD | 374 | Create Morph dialog | 317, 324 |
| Convert Maps..... | 103 | Create New .32, 45, 55, 116, 162, 175, 227, 256, 263, 266, 289, 292, 296 | |
| Coordinates 96, 103, 226, 227, 229, 248, 250, 252, 378 | | Create New Camera dialog | 175 |
| Copy | 123, 159 | Create New Category | 263, 266 |
| Copy button | 123 | Create New Distant Light dialog | 32 |
| Copy Selected Item..... | 175 | Create new DMC | 325 |
| Copy Settings | 108, 123, 175 | Create New Point Light dialog | 32 |
| Copy/Paste Buttons | 123 | Create New Primitive dialog | 116 |
| Corner | 32, 45, 75, 122, 170, 347, 380 | Create New Spotlight dialog | 32 |
| Body..... | 347 | Create New Subfolder | 162 |
| DAZ Studio window | 75 | Create Root Control Parameter..... | 292 |
| Surfaces..... | 122 | Create Sub-Category | 266 |
| viewport..... | 32, 170 | Creating | 2, 32, 45, 50, 55, 71, 116, 175, 182, 218, 219, 289, 292, 296, 317, 371 |
| Viewport window..... | 45 | Custom | 50 |
| Corners..... 32, 45, 55, 59, 64, 75, 122, 167, 170, 174, 229, 243, 347, 350, 351, 378, 380 | | Default Camera | 71 |
| | | D-Former | 289, 296 |
| | | Distant Light..... | 32 |
| | | Head Morph..... | 296 |
| | | LOD Meshes..... | 371 |
| | | Morph..... | 292, 296 |
| | | Parent/Child Relationships | 182 |

| | | | |
|----------------------------------|---|---|---|
| Persistent Point At Target..... | 175 | Tabs..... | 64 |
| Single..... | 317 | Toolbars..... | 58 |
| Spotlight..... | 32 | Your..... | 170 |
| Creating Materials..... | 32, 124, 141 | Your Viewport Layout..... | 170 |
| Creation dialog..... | 232 | Cut..... | 159, 160, 216, 378 |
| Crz..... | 75, 96 | Cut/Copy..... | 159 |
| Ctrl..... | i, 5, 47, 75, 108, 116, 119, 123, 160, 182, 188, 274, 331 | Cycle..... | 69, 356 |
| Cube..... | 23, 116, 227, 229, 252, 354 | D | |
| Cube, Cylinder..... | 116 | Dae..... | 4, 75, 99 |
| Current..... | 75 | Daily..... | 16, 164 |
| Current Frame..... | 75, 80, 82, 88, 89, 202, 240, 361 | Damping..... | 307 |
| Current Frame Only..... | 80, 82 | Database..... | 281 |
| Current Range..... | 202 | Daz3, 7, 8, 16, 18, 29, 45, 68, 75, 119, 121, 127, 142, 144, 151, 153, 199, 206, 218, 222, 246, 382 | |
| Current Scene..... | 75 | DAZ 3D | 1, 68, 153 |
| Current view..... | 32 | DAZ Bug Reporting..... | 119 |
| uses..... | 32 | DAZ content..... | 153 |
| Custom option..... | 82, 96, 103 | DAZ FAQ..... | 119 |
| Customizable..... | 75 | DAZ figures..... | 4, 121, 218, 222, 382 |
| Customization..... | 2, 218 | DAZ Forums..... | 16, 119 |
| Customizations..... | 54 | DAZ Galleries..... | 119 |
| <i>Customize Colors</i> | 45, 65, 111 | DAZ Original..... | 111, 349 |
| Customize command..... | 46 | DAZ Productions..... | 18, 119 |
| Customize DAZ Studio dialog..... | 46, 47, 50, 55, 57, 58, 108 | DAZ scene file..... | 366, 371 |
| Customize dialog..... | 50 | DAZ Scripts..... | 66, 164 |
| <i>Customizing</i> ... | 45, 46, 50, 54, 55, 57, 58, 59, 64, 65, 108, 111, 170 | DAZ Studio .. | 1, 2, 3, 4, 5, 7, 8, 9, 10, 16, 17, 18, 23, 29, 32, 45, 46, 47, 50, 54, 59, 65, 66, 68, 69, 75, 80, 96, 108, 111, 119, 121, 124, 127, 129, 130, 133, 134, 137, 142, 146, 150, 151, 153, 156, 160, 162, 164, 165, 166, 167, 169, 170, 172, 174, 175, 182, 184, 185, 187, 197, 199, 201, 202, 205, 206, 207, 208, 211, 212, 215, 218, 219, 220, 222, 224, 226, 227, 229, 231, 232, 233, 235, 236, 238, 240, 243, 246, 252, 256, 260, 263, 268, 281, 283, 288, 289, 292, 301, 317, 322, 324, 356, 372, 378, 380, 382 |
| Activity tabs..... | 55 | Macintosh..... | 7 |
| commands that..... | 57 | Windows PCs..... | 7 |
| DAZ Studio..... | 46 | DAZ Studio Classic..... | 65, 111 |
| <i>Interface</i> | 45 | | |
| Interface Colors..... | 65 | | |
| Layout..... | 59 | | |
| Menus..... | 57 | | |
| open..... | 55, 108 | | |
| Panels..... | 59 | | |
| Shortcuts..... | 54 | | |

| | |
|---|---|
| DAZ Studio Content .. | 18, 68, 151, 153, 256, 283 |
| DAZ Studio Content Directories | 68, 151 |
| DAZ Studio Content Manager | 256 |
| DAZ Studio creates | 292 |
| DAZ Studio Files | 29 |
| DAZ Studio Help | 1, 119, 205 |
| DAZ Studio icon | 18 |
| DAZ Studio installer | 9 |
| DAZ Studio Library..... | 156 |
| DAZ Studio Online Help | 119 |
| DAZ Studio Quick Start..... | 119 |
| DAZ Studio Quick Start Guide | 119 |
| DAZ Studio Readme | 9 |
| <i>DAZ Studio Renderer</i> | 238 |
| <i>DAZ Studio root>/plug-ins</i> | 246 |
| <i>DAZ Studio root>/scripts</i> | 246 |
| DAZ Studio Setup Wizard | 10 |
| DAZ Studio Startup Wizard..... | 10 |
| <i>DAZ Studio View</i> | 246 |
| DAZ Studio window..... | 75, 211 |
| DAZ Studio-native | 150 |
| DAZ Tab | 4, 10, 18, 206 |
| DAZ Tutorials | 119 |
| DAZ Web Forums | 119 |
| DAZ Web Site | 10, 119, 151 |
| DAZ website..... | 66, 206, 246 |
| Decrease ... | 23, 32, 145, 194, 197, 295, 371, 380 |
| Displacement Strength | 145 |
| Minimum and/or Maximum Displacement .. | 145 |
| Deep Shadow Map..... | 32 |
| Default Camera | 23, 32, 71, 169, 175, 184 |
| Default Icon | 54 |
| Default Keyboard Shortcut..... | 54 |
| Default Load..... | 50, 208 |
| Default LOD Settings | 366 |
| Default Scene..... | 10, 18, 71 |
| Default Sub-Division Surfaces | 374 |
| Default UV..... | 329 |
| Default View..... | 169, 179, 184, 238, 331 |
| Defaults.9, 10, 18, 23, 29, 32, 45, 47, 50, 54, 55, | 66, 68, 69, 71, 80, 81, 82, 84, 85, 87, 88, 89, |
| 96, 99, 103, 111, 137, 141, 153, 157, 166, | 169, 170, 172, 174, 175, 178, 179, 184, 186, |
| 187, 197, 198, 199, 202, 208, 209, 212, 217, | 218, 221, 222, 225, 227, 231, 232, 233, 235, |
| 236, 238, 240, 243, 250, 251, 252, 256, 260, | 263, 281, 289, 292, 293, 295, 296, 301, 317, |
| 324, 329, 331, 347, 355, 356, 357, 361, 366, | 374 |
| Favorites..... | 187 |
| Studio | 29 |
| Defines3, 65, 111, 121, 124, 130, 134, 146, 202, | 227, 229, 251, 288, 289, 301, 317, 324, 378, |
| 380 | |
| Object's Location | 227 |
| Object's Shape | 229 |
| Deformer | 116, 289, 292 |
| Deformers | 75, 80, 116, 184, 187, 218, 292 |
| Del key | 108 |
| Delete All Cameras | 108 |
| Delete All Lights | 108 |
| Delete button..... | 91, 368 |
| Delete Layer..... | 357 |
| Delete Layout..... | 111 |
| Delete option..... | 267 |
| Delete Selected Pose | 357 |
| Delete Style..... | 65, 111 |
| Deleting..... | 75, 108, 267, 292, 296, 301 |
| Category | 267 |
| D-Former | 292, 296, 301 |
| D-Formers | 292 |
| Selected Item..... | 75 |
| Description | 50 |
| Deselect All Channels..... | 87 |
| Deselect All Modified | 87 |
| Deselect All Morphs | 87 |
| Deselect All Transforms..... | 87 |
| Destination Directory..... | 9 |

| | | | |
|-----------------------------------|--|------------------------------------|--|
| Detail | i, 4, 365, 366, 372 | Directories | 10, 18, 23, 68, 137, 151, 153, 156, 162, 211, 219, 256, 260, 274, 276, 283, 324 |
| Level of | i, 4, 365, 366, 372 | Directories list | 137, 153 |
| Detail Script | 372 | Directory level | 156 |
| Add Levels | 372 | Directory Search | 154 |
| Detail tool | 366 | Directory structure | 68 |
| Device Manager | 7 | Directory/sub-directory | 156 |
| Device Settings | 108 | Displacement | 124, 133, 145, 148, 238 |
| D-Form ... | 45, 184, 185, 206, 246, 288, 289, 292, 293, 295, 296, 301 | Displacement Channel | 133, 145 |
| D-Form Preset | 75, 80, 165 | Displacement Strength | 145, 148 |
| D-Form Spline Editor | 293, 294, 301 | Displacement Strength button | 145 |
| D-Form Tab | 288, 292, 293, 295, 296, 301 | Displacement Tutorial | 145 |
| D-Form Tab Options | 292 | Display As | 166, 199 |
| D-Form Tool | 292 | Display Properties | 7 |
| D-Former | 165, 289, 292, 293, 296, 301 | Display Standard | 240 |
| D-Former Field | 289, 292, 295, 301 | Display Wide | 240 |
| D-Former Handle | 289 | Distant Light Parameters | 235 |
| D-Former tool | 292 | Distant Lights | 32, 116, 234, 235, 238 |
| D-Former_1 | 292 | add | 32 |
| D-Former_2 | 292 | Distribute | 153, 246, 248, 251, 252 |
| D-Formers | 292, 295, 296, 301 | Apply | 251 |
| Diffuse .. | 117, 124, 127, 140, 146, 148, 172, 233, 235, 236, 301 | Objects | 251 |
| Diffuse Color | 117, 124, 127, 140, 146, 148, 172, 301 | Distribute Objects | 251 |
| Diffuse Color button | 127 | Divides | 103, 170, 202, 356, 371, 374 |
| Diffuse Only | 233, 235, 236 | viewport | 170 |
| Diffuse Strength | 127, 148 | Division | 374 |
| Diffuse Strength Image Menu | 127 | <i>DII</i> 246 | |
| Diffuse Tutorial | 140 | DMC file | 325 |
| Diffuse/color | 127 | Dn Arrow key | 182 |
| Dimensional | 2, 29, 146, 166, 227, 378 | Do Search | 10, 256, 260 |
| Dimensions | 166, 168, 227, 240, 354, 378 | Dock Toolbar | 174 |
| Dimensions/aspect | 240 | Dolly the camera | 174 |
| Direct Manipulation | 216, 230, 237 | Down | 2, 5, 10, 23, 32, 45, 91, 111, 123, 135, 146, 148, 151, 165, 166, 172, 174, 175, 177, 194, 195, 197, 198, 199, 202, 208, 209, 216, 219, 220, 221, 222, 224, 226, 227, 229, 233, 234, 235, 236, 240, 243, 246, 252, 274, 283, 288, 289, 295, 301, 329, 331, 347, 350, 351, 353, 356, 358, 361, 366, 368, 372, 374 |
| Direct Select | 3 | | |
| Direction . | 2, 32, 59, 64, 116, 117, 167, 168, 174, 177, 194, 195, 197, 224, 227, 232, 235, 288, 294, 324, 347, 349, 351, 354, 380 | | |

| | | | |
|---------------------------------------|----------------------------------|-------------------------------------|---|
| Drag..... | 347, 350, 351 | Dynamic LOD Settings | 368, 371 |
| mouse left | 347, 350, 351 | Dynamic Preset..... | 316 |
| Drag left..... | 174 | Applying..... | 316 |
| move in | 174 | E | |
| Drag Position..... | 354 | Edit..... | 3, 5, 16, 45, 46, 50, 55, 57, 58, 66, 68, 69, 71, 108, 111, 137, 151, 153, 164, 165, 289, 292, 293, 295, 301, 347, 349, 356, 358, 359, 361, 366, 368, 374 |
| Drag-and-Drop | i, 4, 159, 274 | D-Former Field's..... | 295 |
| Dragging..... | 32, 138, 216, 230, 237, 274, 354 | spline | 295, 301 |
| Bone Manipulators..... | 216 | Edit Custom Action | 50 |
| Dolly Zoom..... | 32 | Edit Custom Action dialog..... | 50 |
| Focal Zoom..... | 32 | Edit Dyn Settings | 368 |
| Light Manipulators | 237 | Edit menu..... | 108 |
| Manipulator | 230 | Edit Menu Commands | 108 |
| Options..... | 354 | Edit Mode..... | 356, 358, 359, 361 |
| Surfaces Tab..... | 138 | Edit Preferences | 154 |
| Drape..... | 307 | Edit Spline..... | 292, 293, 295, 301 |
| Draping Over an Animation Range | 308 | Edit Spline button..... | 295 |
| Drawing | 355 | Edit, Preview..... | 111, 356 |
| Options..... | 355 | Editable | 91, 183 |
| DrawStyle | 172, 355 | Editable field | 194 |
| DrawStyles | 172 | Editing Authorship Information..... | 164 |
| Drive space | 3 | Editor..... | 121, 283, 293, 294, 295, 301 |
| Drop..... | 159, 160, 209, 274 | <i>E-Frontier's Poser</i> | 246 |
| Drop-At Target Placement | 209 | Enable..... | 55, 66, 68, 69, 71, 75, 91, 96, 98, 99, 103, 107, 116, 156, 174, 183, 184, 195, 202, 218, 222, 368 |
| Dry Bones..... | 380 | Morph Selection List..... | 99 |
| DS | 4, 65, 151, 153, 246 | Enable All Selectable..... | 308 |
| Ds file | 3 | Enable Toolbar..... | 55 |
| Dsb..... | 3, 151, 246 | End Frame | 80, 82, 202, 240 |
| Dso..... | 68 | End User License Agreement..... | 9 |
| Dsx | 47, 356 | Entire Tree | 181 |
| Dsx file..... | 47 | Collapsing..... | 181 |
| Dyamic Clothing tab..... | 316 | Environment..... | 127, 130, 133, 134, 144 |
| <i>Dylib</i> | 246 | Establishing..... | 380 |
| Dynamic Cloth Preset | 316 | parent/child | 380 |
| <i>Dynamic Clothing</i> | 246, 307 | EULA..... | 9 |
| Dynamic Clothing Basic..... | 307 | | |
| Dynamic Clothing Panel..... | 308 | | |
| Dynamic Clothing tab..... | 308 | | |

EXE 153

Execute 335

 PowerLoader..... 335

Existing.....292, 382

 3D 382

 D-Former.....292

Existing File.....75

Existing File button.....75

 Main Toolbar.....75

Existing File icon75

Exit .. 10, 32, 47, 69, 75, 151, 240, 295, 301, 324

 DAZ Studio application75

 Spline Editor.....301

ExP.....335

Expand . 4, 18, 23, 32, 45, 55, 59, 64, 82, 84, 85, 87, 91, 98, 99, 122, 123, 137, 138, 146, 151, 158, 160, 181, 182, 186, 187, 217, 240, 246, 382

 Activity.....55

 Surface List.....123, 138

Expand All122, 181

Expand From Selection.....186

Expand Pane.....61

Expanding array382

 options382

Export i, 4, 32, 47, 75, 80, 82, 84, 85, 87, 88, 89, 91, 96, 98, 99, 103, 107, 324, 366

 Biovision BVH4

 morph.....103

Export BVH Files.....98

Export Cameras107

Export Collada Files.....99

Export Lights107

Export OBJ Files103

Export Option 75, 87, 88, 89, 91, 96, 98, 99, 103, 107

Export U3D Files107

Express1, 2, 178, 194

Extend Frames.....357

F

F/Stop 178

F1119

F475

F954

Fabric Preset.....308, 316

 Applying 316

Face/Expression Library 75, 96

Faces/Facets 378

Faster CPUs 240

Fast-Time Render..... 240

FBM 82

Fc2 3, 75, 96

Fcz 75, 96

Figure.i, 1, 2, 3, 4, 17, 18, 23, 29, 32, 45, 47, 50, 59, 64, 66, 75, 80, 82, 84, 85, 87, 91, 96, 98, 99, 103, 108, 111, 117, 121, 122, 146, 156, 159, 162, 165, 166, 168, 169, 170, 172, 179, 180, 181, 184, 185, 186, 187, 188, 194, 195, 198, 199, 205, 207, 208, 209, 211, 212, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 226, 229, 231, 232, 234, 235, 238, 246, 248, 250, 251, 252, 268, 283, 288, 289, 292, 296, 301, 317, 322, 324, 329, 331, 345, 346, 347, 349, 353, 355, 356, 357, 358, 359, 360, 361, 365, 366, 368, 371, 372, 374, 378, 380, 382

 Fitting clothing 220

 Res Meshes..... 365

Figure icon 347

Figure Morphs.....4, 205, 218, 361, 365

Figure Nodes 91, 98, 317

Figure Nodes list..... 91

Figure Parameters 221

Figure pose 218

Figure/object 208

Figure's centerline..... 222, 224

Figure's root node 221

Figures/props 324

Figure-specific..... 23

File Icon Size 72

File menu 45, 47, 75

| | |
|----------------------------|--|
| DAZ Studio..... | 47 |
| File Nodes | 91 |
| File Nodes list..... | 91 |
| Fill Skipped Frames | 357 |
| Filtered Save dialog | 137, 165 |
| Finder | 18 |
| Finish..... | 9, 10 |
| First Frame..... | 202, 240, 361 |
| Fisheye..... | 148 |
| Fit To | 4, 23, 29, 195, 198, 208, 218, 219, 221, 324 |
| Fit to button | 23 |
| Fitted Targets | 80 |
| Fitting clothing | 18, 219, 220 |
| figures | 220 |
| Floor | 188 |
| Focal Distance | 32, 178 |
| Focal Length | 32, 174, 178 |
| Focal Zoom | 32 |
| Folder Drag | 274 |
| Folders | 162, 273 |
| Maintaining..... | 162 |
| Forward button | 156, 157 |
| FPS | 202 |
| Frame | 32, 75, 80, 82, 91, 108, 138, 174, 199, 202, 240, 296, 350, 351, 361 |
| Default Camera..... | 32 |
| Frame button..... | 32 |
| Frame Selection | 174 |
| Frames Per Second | 202 |
| Frames required..... | 202 |
| Fresnel | 135 |
| lighting model uses | 135 |
| Front View | 168, 170 |
| Front-Back..... | 194, 195, 222 |
| Full Mesh..... | 99 |
| Fully Optimized | 3, 238 |

G

| | |
|--------------------------------|--|
| G4 | 7 |
| Garment Dynamics Preset..... | 316 |
| Garment Preset..... | 316 |
| Applying..... | 316 |
| Garment tab | 307, 308 |
| General ... | 16, 23, 29, 66, 99, 103, 108, 137, 164, 187, 188, 201, 240, 243, 380 |
| General Tab | 16, 29, 66, 99, 103, 164, 240 |
| General, Directories..... | 108 |
| Generate ExP files..... | 335 |
| Genitals Off..... | 222 |
| Geometry | 366 |
| Geometry Details | 99 |
| Global..... | 108, 188, 222, 226, 227, 229, 378, 380 |
| Glossiness | 124, 129, 141, 146 |
| Glossiness Image Menu | 129 |
| Glossy | 124, 129, 135 |
| GLSL..... | 243 |
| Good Performance..... | 69 |
| GPU | 243 |
| Graph | 202, 294, 295, 301 |
| Graphics Processing Unit | 243 |
| Grayscale..... | 69, 124, 127, 129, 130, 131, 132, 133 |
| Grid | 250 |
| Group Parameters | 188 |
| Group Path..... | 317, 322 |
| Grouped according | 103 |
| bone..... | 103 |
| Groups ... | 96, 103, 116, 182, 187, 188, 288, 289, 317, 322, 329, 371, 378 |
| objects/items..... | 116 |

H

| | |
|---|--------|
| Hair .2, 3, 18, 23, 29, 75, 96, 131, 151, 157, 184, 187, 208, 212, 226, 231, 283, 288, 296, 317, 378, 380 | |
| Hair Library | 75, 96 |
| Hand Library | 75, 96 |

| | | | |
|---|----------------------------|---|-------------------------|
| Hand pane..... | 266 | Hr2 | 3, 75, 96 |
| Handle . 3, 71, 226, 230, 289, 296, 301, 374, 380 | | Hrz | 75, 96 |
| Hands Tabs..... | 347, 350 | I | |
| Hardware..... | 7, 69, 243 | Icon Size | 154 |
| Hardware AntiAliasing..... | 69 | Icons9, 10, 18, 23, 29, 32, 45, 47, 50, 54, 55, 58, | |
| Hardware Assisted Render | 243 | 64, 75, 127, 154, 157, 158, 159, 163, 174, | |
| Hd2..... | 3, 75, 96 | 180, 188, 194, 202, 206, 296, 317, 322, 347, | |
| Hdz..... | 75, 96 | 350 | |
| Head Movement..... | 361 | Ignore Viewport Background Colors | 71 |
| Head Tab..... | 347, 351 | Ignores | 71, 85, 103, 135, 295 |
| Head, Neck | 347, 351 | Specular | 135 |
| Help.. 4, 8, 10, 18, 32, 45, 55, 66, 111, 116, 119, | | IK 345 | |
| 121, 124, 166, 172, 174, 205, 216, 220, 229, | | IK chain | 345 |
| 246, 283, 288, 289, 296, 347, 349 | | rotate..... | 345 |
| Help menu | 119 | Illumination...2, 32, 130, 232, 233, 234, 235, 236 | |
| Help Menu Commands | 119 | Image | 29, 142, 144 |
| Help Tab..... | 111, 205 | Image Menu | 127, 131, 132, 142, 145 |
| Hexagon.....i, 4, 65, 111, 317, 322, 324 | | Images/textures | 99 |
| Send..... | 317, 322, 324 | IMAX | 240 |
| Hexagon Bridge | i, 4, 317, 324 | Import..... | 96 |
| Hidden Line | 172 | Import BVH Files..... | 91 |
| Hide Details..... | 91 | Import Geometry dialog | 329, 366 |
| Hide Empty Categories | 256 | Import Mode..... | 335 |
| Hide Surface List..... | 122 | Import OBJ Files | 96 |
| Hide Unused Properties | 188 | Import Popular File Formats | 3 |
| Hiding Items | 180, 184 | Import Poser Files..... | 96 |
| Hiding QuickStart Categories..... | 256 | Importing..... | 55, 71, 75, 91, 96 |
| Hierarchical Chain..... | 380 | Pose..... | 71 |
| Hierarchies | 23, 91, 182, 224, 226, 380 | Include Morphs | 99 |
| High Quality..... | 1, 2, 3, 69, 240, 382 | Include Support..... | 335 |
| Higher-performance | 243 | All Listed Products..... | 335 |
| Higher-specification..... | 240 | Checked Products Only..... | 335 |
| Highlight | 129 | Include Transformations | 99 |
| Highlight/Specular | 124, 129 | Include Types..... | 99 |
| High-resolution | 240 | Included Documentation | 5 |
| Hip Type | 199, 222 | Included Plug-ins | 206, 246 |
| Horizontal | 64, 170, 181, 243 | Index | i, 4, 134, 148, 281 |
| Hotkeys | 47 | Refraction | 134, 148 |

| | | | |
|--|----------------------------------|--|---|
| Info Tab | 164 | Keyframes..... | 80, 202, 361 |
| INJ..... | 217, 218 | L | |
| INJ/REM..... | 217 | Landscape | 240, 246 |
| Insert | 108, 295, 301 | Launch | 9 |
| Insert Action | 301 | Layer Grid | 356 |
| Install Notes | 5 | Layer Listing..... | 81 |
| Install text | 9 | Layered Image Editor | 121 |
| Installation | 5, 7, 9, 69, 119, 153 | Layered Image File | 121 |
| Installing | 9, 153 | Layout 3, 10, 18, 23, 29, 47, 59, 64, 66, 111, 170 | |
| DAZ Content | 153 | Left Arrow..... | 45, 69, 158, 182 |
| DAZ Studio..... | 9 | Left edges | 252 |
| Third-Party Content | 153 | Left floating | 292 |
| Intensity | 32, 116, 201, 233, 235, 236, 238 | Left Node Prefix | 224 |
| Interactive Help | 75, 151 | Left View | 32, 168, 170 |
| Interface 3, 18, 32, 45, 46, 47, 58, 59, 65, 66, 69, 75, 108, 111, 119, 151, 170, 201, 246 | | Lefts, Rights | 168, 209, 251, 252, 361 |
| <i>Customizing</i> | 45 | Level of Detail | i, 4, 365, 366, 372 |
| Interface Items | 45 | Library | 9, 29, 75, 96, 119, 153, 158, 165, 246, 382 |
| Interface Layout | 18, 58, 59, 66, 111, 170 | Library button | 165 |
| Interface Layout menu | 111 | Light | i, 3, 29, 75, 96, 129, 208, 233, 234, 235, 236, 237, 238, 347 |
| Interface Preferences..... | 69 | material reacts | 127, 129 |
| Interface Style | 10, 65, 75, 111 | Light affects..... | 32 |
| Interface Style menu | 65, 111 | figure..... | 32 |
| Internet..... | 10, 246 | Light Creation dialog..... | 232 |
| Interpolating | 378 | Light Library | 75, 96 |
| splines..... | 378 | Light Properties..... | 32 |
| Inverse Kinematics..... | 345 | Light/exposure | 178 |
| Invert Selection | 186 | Lighting Model..... | 124, 135 |
| ISO Paper..... | 240 | Limit Joint Rotation | 91 |
| Item dialog..... | 212 | Limits..... | 3, 71, 91, 142, 188, 194, 199, 218, 219, 345, 349 |
| Item list..... | 23, 47, 281 | Linear Interpolation | 202 |
| J | | Linear splines..... | 378 |
| JPEG | 50 | Lip Sync | 325 |
| JPG | 29, 54, 127, 142, 144, 145, 240 | Lip Sync tab | 325 |
| K | | List Categories | 263 |
| Keyboard Entries..... | 5 | | |
| Keyframe | 80, 82, 202, 361 | | |

List View . 23, 154, 157, 159, 162, 260, 263, 266, 267

Lit Wireframe172

Load 4, 10, 17, 18, 23, 32, 45, 50, 55, 66, 68, 71, 75, 85, 91, 96, 98, 107, 117, 119, 138, 141, 142, 180, 208, 209, 212, 218, 219, 227, 268, 288, 289, 292, 295, 296, 301, 317, 329, 331, 356, 361, 366, 372, 374, 380

 Custom Interface Layouts.....66

Load Activity Tab..... 4, 18, 45, 55, 75

Load button91

Load clothing.....23

Load Map91, 98

Load Map button91

Load Stiffness File.....356

Load Toolbar75

Load, Pose 18, 45, 50, 55, 117

Load, Pose/Animate.....18, 50, 117

Loading Custom Interface Layouts66

Local Coordinates 222, 226, 229, 378, 380

Local omni..... 116

LODi, 4, 103, 317, 329, 365, 366, 368, 371, 372, 374

LOD Levels i, 4, 103, 329, 366, 368, 371, 374

LOD List368

LOD Mesh Level Name dialog368

LOD Meshes 365, 368, 371, 372

 Creating371

LOD settings366, 368, 371

Loop On/Off.....202

Lowers 2, 4, 18, 29, 32, 132, 133, 144, 145, 148, 154, 188, 194, 227, 240, 243, 246, 294, 301, 347, 349, 355, 365, 368, 371

 Min Limit.....349

Lower-specification240

L-shaped toolbar4

Lt23, 75, 96

Ltz.....75, 96

M

Mac.....23, 325

 aiff325

Mac OSX.....3, 18, 238

MAC Support 3

Mac users29

Macintosh.....7, 9, 153, 157, 172, 240

Macintosh OS 157

Macs 123, 246

Magnets 246

Main category266

Main Toolbar75

Main toolbars 55

Maintaining..... 158, 162

 Content..... 158

 Folders..... 162

Manage 3, 4, 263

 UI 3

Manager.....273

Managing Categories.....263

Manipulate 3, 18, 23, 32, 69, 111, 117, 168, 202, 216, 230, 289, 295, 296, 301, 345, 353

 Base.....296, 301

 D-Former289, 296

 Handle289

 spline295

Manipulating/Moving Lights237

Manipulating/Moving Props230

Manipulation Draw Style 69, 355

Manipulation Movement Modes.....217

Manipulator117, 166, 230, 231, 237

Manual Category Creation.....273

Manual Mode219

MAP file.....283

Maps32, 68, 91, 98, 103, 107, 121, 122, 124, 127, 129, 131, 132, 133, 134, 142, 144, 145, 146, 148, 151, 165, 172, 212, 238, 240, 268, 276, 283, 329, 371, 380

 Poser 151

MAT208, 217, 329

| | |
|---|--|
| Material.. i, 1, 3, 4, 23, 29, 32, 46, 50, 75, 85, 87, 96, 99, 103, 121, 123, 124, 127, 129, 130, 131, 133, 134, 137, 138, 142, 146, 151, 153, 165, 186, 208, 217, 317, 322, 324, 329, 331, 371, 378 | Min Limit..... 199, 349 |
| Material Data dialog317 | Minimum ...7, 124, 132, 133, 144, 145, 194, 199, 202, 289, 368 |
| <i>Material Groups</i> 121, 329, 378 | Minimum Displacement 145 |
| Material Options99 | Mirror Y Z Rotations..... 224 |
| Material zone.....316 | Misc.....23, 178, 187, 188 |
| Materials Preseti, 4, 75, 85, 137, 165, 316 | Misc Section.....23, 178 |
| Materials Preset Options dialog85, 137 | Miscellaneous99, 178 |
| Matte finish..... 124 | Miscellaneous Options..... 99 |
| Max Limit..... 199, 349, 374 | Missing Content dialog 281 |
| Maximum Displacement..... 145 | Mode Selection 356 |
| Maximum Ray Trace Depth243 | Modify4, 46, 82, 87, 103, 117, 164, 180, 194, 218, 221, 222, 231, 238, 283, 288, 295, 301, 317, 322, 324, 368 |
| Maximum Size..... 107 | spline 301 |
| MB7 | Modify ModeOnce..... 335 |
| MB RAM.....7 | Monthly 16, 66, 164 |
| Memorize.....188 | MOR.....217 |
| Memory Issues.....8 | Morph23, 99, 187, 188, 194, 197, 199, 217, 218, 226, 231, 292, 296, 301, 356, 361 |
| Menu Bar..... 4, 10, 18, 45, 57 | Morph Baking..... 99 |
| Menu Commands.....18, 45, 75 | Morph dial 199 |
| <i>Menu/bookmarks</i>246 | Morph list 301 |
| Menus..... 3, 5, 10, 18, 32, 45, 47, 50, 54, 55, 57, 58, 59, 65, 75, 80, 81, 82, 84, 85, 87, 88, 89, 91, 108, 111, 119, 127, 135, 145, 154, 158, 159, 162, 163, 165, 167, 172, 175, 180, 185, 188, 195, 198, 199, 207, 212, 219, 221, 222, 233, 235, 236, 240, 243, 246, 256, 263, 267, 268, 273, 276, 283, 288, 295, 301, 317, 322, 324, 329, 331, 353, 354, 358, 366, 368, 371, 372 | Morph Name 317 |
| Merge 47, 64, 75, 159, 163, 207 | Morph Options 82, 99 |
| previously-saved.....75 | Morph Selection List99 |
| Mesh..... 103 | Morphable 188 |
| MHz..... 7 | Morphed.....i, 4, 23, 82, 84, 85, 87, 99, 103, 116, 165, 187, 194, 197, 199, 201, 217, 218, 226, 231, 292, 296, 301, 317, 322, 324, 356, 361, 371, 374 |
| Microsoft DirectX 8.17 | Morphs23, 99, 116, 187, 188, 194, 199, 201, 205, 217, 218, 231, 361 |
| Microsoft Visual C++ Shared Libraries9 | Morphs deform..... 23 |
| Millennium Figures382 | Morphs depending 231 |
| Mimic135, 361 | type 231 |
| Mimic Pro325 | Morphs Tab..... 99 |
| | Morphs work 23 |
| | Mouse-Over Sliders 190 |
| | Move existing points 295 |

| | | | |
|---|-------------------------|---|--------------------|
| Move/resize | 209 | New button..... | 91 |
| Movie option..... | 240 | New Camera | 116, 175, 178 |
| Moving Figures..... | 195, 215, 216, 217, 218 | New Customers | 10 |
| Ms..... | 268, 281 | New D-Former | 116, 289, 292, 296 |
| Mtl..... | 96, 103 | New Distant Light..... | 32, 116, 234 |
| Mtl file | 103 | New Export Options | 4 |
| Mtllib | 96 | New Folder dialog..... | 162 |
| Multiple 3D Views..... | 3 | New Interface Design | 4 |
| Multiple Bones..... | 216, 222, 231 | New layer | 357 |
| <i>Multiple copies</i> | 121 | New LOD | 366, 372 |
| Multiple items | 274 | New Mesh Resolution group..... | 366 |
| Multiple levels..... | 179 | New morphs work | 361 |
| Multiple Lights | 238 | New Null..... | 116 |
| Multiple Props | 231 | New Point Light..... | 32, 116, 232 |
| Multiple Undo/Redo..... | 3 | New Primitive | 55, 116, 227 |
| Multiple UVs | i, 4, 329, 331 | New Spotlight..... | 32, 116, 235 |
| Multiple UVs tool | 329 | New Sub | 266 |
| Multiply Through Opacity | 129 | New Tabs..... | 4 |
| Multi-viewport | 172 | New Window | 240, 246 |
| N | | Newly Installed..... | 263 |
| Name 1, 5, 10, 23, 29, 32, 50, 55, 57, 58, 64, 66, | | Next Keyframe | 202 |
| 68, 69, 80, 81, 82, 84, 85, 87, 88, 89, 91, 98, | | No Change..... | 248 |
| 103, 111, 119, 122, 127, 137, 151, 153, 157, | | Node Names..... | 103 |
| 159, 162, 164, 165, 167, 175, 181, 183, 186, | | Node Selection..... | 75, 117 |
| 199, 201, 222, 232, 246, 263, 266, 267, 276, | | Node Selection Tool icon..... | 117 |
| 283, 292, 301, 317, 322, 324, 329, 357, 361, | | Nodes....75, 91, 98, 99, 103, 111, 117, 182, 188, | |
| 366, 368 | | 221, 224, 289, 292, 296, 301, 329, 331, 374 | |
| D-Former..... | 301 | Non-poseable..... | 23, 185 |
| Native File Formats | 3 | Norm | 177 |
| Navigate4, 18, 32, 45, 75, 80, 81, 82, 84, 85, 87, | | Not Show Dialog | 335 |
| 88, 89, 138, 156, 157, 158, 160, 165, 182, | | Overriding | 335 |
| 206, 219, 281, 349, 372 | | Not Sort..... | 122, 186 |
| Content Folders | 156 | Nouveau..... | 111 |
| DAZ website..... | 206 | N-sided..... | 378 |
| Studio..... | 32 | Nudge | 194, 199, 240 |
| Navigating Through Objects | 182 | Nudge Icons..... | 194 |
| Navigation | 18, 45, 154, 156 | Number of Divisions..... | 335 |
| Negative Bump..... | 124 | | |
| Never Replace Items..... | 72, 212 | | |
| Never replacing | 4 | | |

| | | |
|--|--|--|
| Numeric Entry | 194 | 206, 211, 223, 233, 235, 236, 240, 243, 246, |
| Numeric Parameter Settings Dialog..... | 199 | 248, 250, 251, 256, 260, 274, 281, 283, 288, |
| NVIDIA GeForce FX..... | 7 | 289, 292, 295, 296, 301, 324, 329, 366, 374 |
| O | | Bug |
| Obj..... | 3, 75, 96, 103 | 119 |
| OBJ file..... | 329 | Customize..... |
| OBJ Import Options dialog..... | 96, 366 | 55, 108 |
| Object shading | 172 | Customize DAZ Studio dialog |
| Object/figure | 209 | 46, 55 |
| OBJs..... | 4, 329, 371 | Customize Interface Colors dialog |
| Obz..... | 75, 96 | 65 |
| Omni-directional | 32, 232 | DAZ..... |
| Omni-directional Point Light..... | 116 | 206 |
| On/Off..... | 201 | DAZ Bug Reporting |
| Online Direct | 8 | 119 |
| Online Resources..... | 119 | DAZ Studio |
| Opacity | 1, 3, 99, 121, 124, 129, 131, 142, 148 | 75 |
| Opacity Channel..... | 99, 131 | DAZ Tutorials..... |
| Opacity map | 142 | 119 |
| add..... | 142 | Delete Style dialog..... |
| Opacity Strength | 129, 131, 148 | 65 |
| Opacity Tutorial | 142 | D-Form |
| Open File dialog | 75 | 295 |
| Open GL..... | 69 | D-Form Spline Editor |
| Open Sound File dialog..... | 325 | 292 |
| OpenGL..... | 3, 7, 69, 172, 240, 243, 374 | Display |
| list includes | 69 | 289 |
| OpenGL 1.5..... | 7 | Edit..... |
| OpenGL Multi-Pass..... | 243 | 5 |
| OpenGL Shader | 243 | Existing File |
| OpenGL Single Pass..... | 243 | 75 |
| OpenGL Texture Quality | 69 | Existing File icon..... |
| OpenGL-compatible | 7 | 75 |
| OpenGL-compliant..... | 69 | F1119 |
| Opens5, 7, 10, 18, 23, 29, 32, 46, 47, 50, 55, 65, | | Form |
| 66, 68, 69, 71, 75, 91, 96, 108, 111, 116, 119, | | 288, 296 |
| 127, 129, 130, 133, 138, 140, 142, 151, 159, | | Group Parameters dialog |
| 162, 163, 165, 167, 172, 180, 188, 199, 205, | | 188 |
| | | Preferences dialog..... |
| | | 151 |
| | | Scene |
| | | 180 |
| | | Spline Editor |
| | | 295 |
| | | submenu..... |
| | | 188 |
| | | Symmetry dialog..... |
| | | 223 |
| | | System Profiler |
| | | 7 |
| | | View Selection List |
| | | 172 |
| | | Opt |
| | | 209 |
| | | press..... |
| | | 209 |
| | | Opt/Alt key |
| | | 209 |
| | | Option menu button |
| | | 180 |
| | | Options button..... |
| | | 188 |
| | | Options menu..... |
| | | 32, 47, 59, 61, 64, 87, 122, 154, |
| | | 157, 158, 180, 184, 186, 188, 212, 223, 248, |
| | | 256, 260, 329, 357, 361 |
| | | Content..... |
| | | 157 |
| | | OptiTex |
| | | 307 |

| | | | |
|---|--|---|-----------------------------------|
| Orbit Camera..... | 108 | Parameter fixes..... | 195 |
| Ordered Procedures..... | 5 | object..... | 195 |
| Orientation..... | 96, 103, 175, 230, 237 | Parameter On | 195 |
| Origin..... | 174, 182, 188, 216, 226, 227, 229, 232, 250, 251, 252, 353, 354, 378 | Parameter Settings dialog | 199, 201 |
| Orthogonal | 167, 168, 174, 175, 178, 240 | Parameter Tab ..3, 4, 23, 32, 111, 117, 175, 176, 177, 178, 187, 188, 199, 216, 218, 219, 221, 222, 223, 230, 231, 232, 233, 235, 236, 237, 238, 289, 292, 296, 301, 317, 322, 349, 361, 366, 371, 372, 374 | |
| Orthogonal camera | 168, 174, 175, 178, 240 | Parameters | 111, 201, 361, 366, 368, 371, 374 |
| Orthogonal Cameras..... | 168 | Parameters command | 23 |
| OSX..... | 7, 18, 75 | unhide..... | 23 |
| OSX 10.3..... | 7 | Parameters list..... | 23, 195 |
| OSX dock | 18 | Parameters Option menu..... | 205 |
| Override..... | 324 | Parameters Tab | 308 |
| Override Existing Morph..... | 317 | Parameters window | 117 |
| Overriding..... | 335 | Parent/child | 182, 380 |
| Not Show Dialog | 335 | Parent/Child Relationships Between Objects | 380 |
| Overview | 17, 45 | Parented ...4, 18, 23, 91, 98, 116, 179, 182, 207, 208, 209, 211, 216, 217, 221, 222, 231, 283, 288, 289, 292, 324, 353, 354, 380 | |
| Interface Items | 45 | Parts..... | 347, 350, 351 |
| P | | Paste..... | 32, 108, 123, 159, 160, 162, 283 |
| P2z | 75, 96 | Paste button..... | 123 |
| P4 Nude Woman..... | 329 | Paste Settings..... | 108 |
| Pan..... | 32, 45, 174, 357 | Pathname..... | 283 |
| Pane Auto..... | i, 4 | content..... | 283 |
| Pane Auto-Hide..... | 61 | show | 283 |
| Pane Edge | 59 | PC | 3, 240, 325 |
| Pane Grip | 59 | wav | 325 |
| Pane Toggle..... | 59 | PC2100 DDR RAM | 240 |
| Panel tab | 307, 308 | PC-2700..... | 240 |
| Panes | 4, 59 | PC-3200..... | 240 |
| Customizing | 59 | PDF | 4, 119, 246 |
| sides..... | 4 | Pentium..... | 7 |
| Panorama/Cinemascope..... | 240 | Pentium III..... | 7 |
| Parameter. 3, 23, 32, 45, 82, 111, 117, 127, 130, 174, 175, 176, 177, 178, 187, 188, 194, 195, 197, 198, 199, 201, 205, 216, 217, 218, 219, 221, 222, 223, 224, 230, 231, 232, 233, 235, 236, 237, 238, 289, 292, 296, 301, 317, 322, 345, 349, 358, 361, 366, 368, 371, 372, 374 | | Persistent..... | 175 |
| Parameter dials | 174, 176, 194, 197, 199, 345, 358, 361, 368 | Create..... | 175 |
| | | Perspective ..2, 32, 167, 169, 170, 175, 178, 226 | |

| | | | |
|-----------------------------------|---------------------------------------|--|--|
| Perspective Cameras..... | 2, 32, 169, 175, 178 | Pose toolbar..... | 117 |
| Perspective View..... | 32, 167, 169, 170 | Pose/Animate..... | 117 |
| PgDn..... | 45, 123, 182 | Pose/Animate Activity..... | 18, 23, 45 |
| PgDown..... | 158 | Pose/Animate Activity Tab..... | 4, 32, 138 |
| PgUp..... | 45, 123, 158, 182 | Poseable... .. | 18, 23, 117, 184, 185, 195, 198, 346, 356 |
| Photo/35mm Slide/VistaVision..... | 240 | Poseable clothing..... | 195 |
| Photoshop..... | 69, 75, 107 | Poser..... | 3, 68, 82, 96, 103, 151, 153, 208, 218, 246, 256, 268, 273, 329, 366, 371 |
| Photoshop CS3 Extended..... | 4, 75 | Poser Content Directories..... | 68, 151 |
| Pictures..... | 2, 18, 29, 116, 121, 133 | Poser Files..... | 82, 96 |
| Pin Position..... | 353 | Poser Material Room..... | 151 |
| Pinning..... | 353 | Poser Runtime..... | 96, 151, 273 |
| Options..... | 353 | Poser Stuff..... | 151 |
| Pixel Buffer..... | 69 | Poser®..... | 103, 153, 366, 371 |
| Pixel Dimensions..... | 240 | Posing..... | 18, 23, 32, 45, 71, 138, 157, 195, 268, 273, 329, 347, 350, 351 |
| Pixel Samples..... | 243 | Body Parts..... | 347 |
| Place Mode..... | 91 | Figure..... | 23 |
| Plane..... | 116, 146, 166, 174, 209, 354, 378 | Hand Parts..... | 350 |
| Plastic..... | 18, 124, 135 | Head Parts..... | 351 |
| Play..... | 360 | Importing..... | 71 |
| press..... | 360 | Position..... | 1, 18, 23, 32, 59, 64, 116, 117, 146, 168, 172, 174, 175, 178, 182, 188, 202, 216, 220, 221, 222, 226, 227, 230, 234, 237, 250, 251, 252, 288, 289, 296, 301, 345, 347, 350, 351, 353, 354, 357, 358, 359, 361, 378, 380 |
| Play Audio..... | 357 | D-former..... | 301 |
| Play/Stop..... | 202 | D-Former Base..... | 301 |
| <i>Plug-ins</i> | 246 | Perspective Camera..... | 32 |
| Plus/minus..... | 98 | Scene..... | 23 |
| PNG..... | 29, 50, 54, 240 | Spline Editor..... | 301 |
| Point At..... | 116, 175, 178, 199, 238, 378, 380 | Spotlight..... | 32 |
| Point At Target..... | 175 | Positive Bump..... | 124 |
| Point Light Parameters..... | 233 | PowerLoader..... | 335 |
| Point Lights | 32, 116, 195, 201, 232, 233, 235, 378 | PowerLoader dialog..... | 335 |
| Pokethrough..... | 197, 308 | PowerPose23, 45, 111, 117, 206, 246, 345, 346, 347, 349, 353, 354, 355, 356, 358 | |
| Poke-through..... | 288 | PowerPose Tab .. | 4, 23, 111, 206, 346, 347, 353, 358 |
| Popup window..... | 119 | | |
| Portrait..... | 240 | | |
| Pose file..... | 50, 208, 217, 218, 329 | | |
| Pose Library..... | 75, 96 | | |
| Pose Preset..... | i, 3, 23, 75, 82, 165, 217, 218 | | |

PowerPose Tool117, 353

PowerPose Tool Tab.....353

Pp2.....3

Preferences.... 5, 10, 16, 32, 66, 68, 69, 71, 108, 111, 137, 151, 153, 164, 165, 218, 223, 225, 240, 268, 273

Preferences dialog 5, 10, 66, 68, 69, 71, 108, 137, 151, 164

Preferences window..... 165

Presets i, 4, 23, 47, 50, 75, 80, 81, 82, 84, 85, 87, 88, 89, 96, 103, 137, 164, 165, 217, 240, 349, 366

Preview Mode359

Preview Render.....243

Previous Action75

Previous Keyframe.....202

Previously Reversed Action75

Program Files.....68

Programmable shaders.....238

Projects ... 1, 18, 29, 32, 135, 138, 151, 236, 382

Prompts .. 5, 9, 10, 29, 54, 66, 75, 108, 111, 127, 162, 175, 250, 301

Prop Parameters232

Property.....82, 84, 85

Props.... 1, 2, 3, 4, 17, 23, 80, 85, 103, 117, 121, 138, 146, 156, 165, 172, 179, 184, 185, 187, 188, 195, 199, 208, 209, 211, 212, 216, 226, 229, 230, 231, 232, 233, 283, 288, 317, 324, 378, 380, 382

Puppeteer... 23, 75, 81, 111, 165, 356, 357, 358, 360, 361

Puppeteer Grid.....361

Puppeteer Options Menu357, 361

Puppeteer poses75

Puppeteer Preset75, 81, 165

Pz23, 75, 96

Pz33, 75, 96, 246

Pz3 Importer.....246

Pzz75, 96

Q

Qt programming246

Quick Start 10

QuickStart256, 266, 267

QuickStart buttons 154

QuickStart Categories.....263

QuickStart Category View..... 17, 256, 263

QuickStart tab 17

QuickStart Tutorials 17

QVTR Panorama 240

R

RAM7, 240, 243

 replace..... 240

 save 240

RAM speeds 243

Ray tracing..... 238

Raytracer 133, 134

Read Groups..... 96

Read Material Library 96

Read Preferred Options..... 225

Read Surfaces 96

Read Vertices 96

Recategorized.....268

Record71, 82, 84, 85, 87, 111, 356, 360, 361

Record All 82, 84, 85, 87

Record Custom 82, 84, 85, 87

Record Mode 360

Record Viewport Background Colors..... 71

Recursive 224

Redo 75, 108

Redock..... 59

Reduce.....32, 69, 129, 140, 141, 144, 145, 170, 240

 Intensity 32

 Minimum 144

Reflection3, 29, 124, 133, 146, 148, 168, 240

Reflection Channel..... 133

Reflection Color 133, 146

Reflection Strength 133, 148

| | | | |
|---|------------------------|---|------------------------|
| Reflection Tutorial | 146 | Removing Deleted Content..... | 281 |
| Reflections and lighting are processed | 146 | Rename button | 368 |
| Reflective/refractive..... | 243 | Rename Item | 57, 58 |
| Refraction..... | 124, 134, 148 | Rename Layer | 357 |
| Refraction Channel | 134 | Renaming..... | 183, 267 |
| Refraction Color | 134, 148 | Category | 267 |
| Refraction Color button | 134 | Objects | 183 |
| Refraction Strength | 134, 148 | Render ..7, 10, 17, 23, 29, 32, 45, 50, 55, 69, 75, | |
| Refraction Tutorial..... | 148 | 111, 116, 117, 121, 124, 130, 133, 134, 141, | |
| Refresh Images..... | 122 | 142, 144, 145, 146, 148, 172, 174, 202, 233, | |
| Register | 1, 10 | 235, 236, 238, 240, 243, 245, 301, 368, 371, | |
| Register Online button | 10 | 374, 378 | |
| Relate | 75, 119, 178, 222, 378 | Image..... | 29 |
| 3D | 378 | Render Activity..... | 29, 45, 117 |
| Cartesian..... | 222 | Render Activity Tab..... | 4, 29, 45, 117 |
| DAZ Studio..... | 119 | Render Album/Editor..... | 116 |
| REM | 217, 218 | Render button | 29, 240 |
| Remap..... | 91 | Render Editor..... | 116 |
| Remapped..... | 91, 329 | Render Level..... | 371, 374 |
| Remedy..... | 197 | Render menu | 116 |
| pokethrough..... | 197 | Render Menu Commands..... | 116 |
| Remove .. 4, 9, 54, 57, 58, 64, 65, 68, 69, 91, 98, | | Render Options dialog | 172 |
| 103, 111, 130, 132, 133, 140, 148, 151, 159, | | Render Options window..... | 116 |
| 162, 165, 184, 198, 202, 205, 217, 218, 226, | | Render Settings | 29, 111, 116, 238, 240 |
| 240, 268, 276, 281, 292, 295, 317, 324, 353, | | Render Settings dialog | 111, 116 |
| 361, 371 | | Render Settings Window | 240 |
| Diffuse..... | 148 | Render To..... | 32, 111, 142, 240 |
| keyframe | 202 | Render toolbar | 32 |
| morphs | 218 | Rendering Scenes | 172, 174 |
| Remove All 68, 69, 151, 184, 226, 281, 292, 361 | | RenderMan | 3, 121, 238 |
| Remove All From Node..... | 292 | RenderMan@-compliant..... | 3, 238 |
| Remove Content | 154 | RenderStyle | 172 |
| Remove from category..... | 281 | Replace dialog | 212 |
| Remove Item..... | 57, 58 | Replace Items | 212 |
| Remove Keyframe | 202 | Ask..... | 212 |
| Remove Node | 91, 292 | Replace Options | 212 |
| Remove Unused Vertices | 103 | Replace Options – Adds | 4 |
| Removing Content from a Category | 281 | Replacement Option | 212 |

| | | | |
|------------------------------------|---|--------------------------------|--|
| Replacing | 240 | RGB | 32 |
| PC2100 DDR | 240 | Right Arrow | 45, 158, 182 |
| Replacing Content..... | 72, 212 | Right edges..... | 252 |
| Reports..... | 119 | Right Node Prefix..... | 224 |
| Bug..... | 119 | Right To Left | 224 |
| DAZ Studio..... | 119 | Right View..... | 168 |
| Res Meshes | 365, 371 | RoboHelp | i, 4 |
| Resample Maps | 107 | Root Node..... | 182, 218, 219, 221, 224, 292, 329 |
| Resampled | 107 | Root Node Parameters | 221 |
| Rescan | 268, 283 | Rotate ... | 23, 32, 45, 75, 108, 117, 146, 169, 172, 174, 175, 177, 178, 182, 195, 216, 217, 221, 222, 229, 231, 232, 235, 236, 237, 296, 345, 347, 349, 353, 378, 380 |
| Reselect | 98, 366 | IK chain..... | 345 |
| Reselecting | 91, 366 | Objects | 229 |
| figure | 366 | Rotate Camera..... | 108 |
| Reset Bone Stiffness..... | 356 | Rotate Camera icon..... | 32 |
| Reset Camera | 174 | Rotate Tool | 4, 75, 117 |
| Reset Figure Stiffness..... | 356 | Rotate Tool icon..... | 117 |
| Reset Options | 248 | Rotate, Translate | 117, 216, 237, 353 |
| Reset Pose..... | 347 | Rotations..... | 10, 117, 174, 177, 178, 194, 195, 201, 202, 216, 217, 218, 221, 222, 224, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 324, 347, 350, 380 |
| Reset Pose button..... | 347 | Runtime..... | 75, 96, 127, 142, 144, 151, 153, 268 |
| Reset the Content Database..... | 72 | S | |
| Reset View | 357 | Sandio 3D Mouse | 108 |
| Resistance..... | 307, 308 | Save | i, 3, 4, 17, 18, 23, 29, 32, 47, 65, 66, 68, 71, 75, 80, 81, 82, 84, 85, 87, 88, 89, 91, 98, 103, 108, 111, 137, 163, 164, 165, 199, 211, 222, 225, 231, 240, 246, 263, 283, 292, 296, 301, 317, 322, 324, 329, 359, 361, 366, 371 |
| Resize | 45, 59, 209, 276 | body parts..... | 87 |
| dialog | 276 | Current Scene | 75 |
| Resized | 59 | Current Scene icon..... | 75 |
| Resizing..... | 59 | Custom Interface Layouts | 66 |
| Resource-intensive | 347 | D-Former | 292 |
| Resources | 3, 47, 54, 69, 233, 235, 236, 240, 246, 283, 296, 347, 355 | JPG..... | 29 |
| Respect Limits..... | 199, 349 | Materials | 137 |
| Restore..... | 47, 69, 111, 188, 225, 289 | RAM..... | 240 |
| Restore Default Options..... | 225 | | |
| Restore Defaults | 47, 225 | | |
| Restore Factory Defaults | 69 | | |
| Restores DAZ Studio Activity | 47 | | |
| Resulting | 292 | | |
| Morph..... | 292 | | |

| | | | |
|---|--------------------------------------|---|-------------------------------------|
| Render | 29 | Scene Animation Setup Options..... | 91 |
| Scene..... | 29, 75 | Scene Hierarchy | 3, 179 |
| Save All Layers | 81 | Scene Info..... | 45 |
| Save Alternate UVs..... | 85 | Scene List..... | 23, 180, 181, 182, 184, 186 |
| Save As . i, 29, 75, 80, 81, 82, 84, 85, 87, 88, 89, 137, 164, 165, 283, 292, 329, 371 | | Scene Options | 99, 207 |
| Save As Button | 164, 165 | Scene Tab...3, 4, 23, 32, 71, 80, 87, 88, 89, 108, 111, 117, 138, 175, 176, 179, 180, 181, 182, 183, 184, 185, 186, 216, 219, 221, 231, 237, 289, 296, 301, 317, 331, 350, 351, 361, 366 | |
| Save as D-Form Preset..... | 80 | Scene Tab Menu..... | 181, 185, 186 |
| Save As dialog | 75 | Scene Tab Selection Options | 186 |
| Save As Puppeteer Preset..... | 81 | Script Code | 5 |
| Save As Scene..... | 29, 75, 80 | Scripts | 50, 65, 66, 111, 159, 165, 246, 372 |
| Save File As dialog | 75 | Scripts menu | 159 |
| Save File dialog..... | 29 | Scrollbars | 64 |
| Save Filters | 165, 246 | Scrubber | 361 |
| Save Image dialog | 29 | Use | 361 |
| Save Last Render | 29, 32, 75 | <i>SDK</i> | 246 |
| Save Layout As | 66, 111 | Search button..... | 151, 288 |
| Save Layout As dialog | 66 | Search field..... | 288 |
| Save Map | 91, 98, 283 | Search for Content..... | 154 |
| Save Style As..... | 65, 111 | Second Life Compatibility | 98 |
| Save Style dialog | 111 | Select.....i, 2, 3, 4, 5, 7, 9, 10, 16, 18, 23, 29, 32, 45, 47, 50, 54, 55, 57, 58, 64, 65, 66, 68, 69, 71, 75, 80, 81, 82, 84, 85, 87, 88, 89, 91, 96, 98, 99, 103, 107, 108, 111, 116, 117, 123, 124, 127, 129, 130, 131, 132, 133, 134, 135, 137, 138, 140, 141, 142, 144, 145, 146, 148, 151, 156, 157, 158, 159, 160, 162, 163, 164, 165, 167, 168, 170, 172, 174, 175, 176, 177, 178, 180, 181, 182, 183, 185, 186, 188, 195, 197, 198, 199, 201, 202, 205, 207, 208, 209, 211, 212, 216, 217, 218, 219, 221, 222, 223, 224, 225, 226, 227, 230, 231, 232, 233, 234, 235, 236, 237, 238, 240, 243, 245, 246, 248, 250, 251, 252, 256, 260, 266, 267, 268, 273, 274, 276, 281, 283, 289, 292, 295, 296, 301, 317, 322, 324, 329, 331, 346, 347, 349, 350, 351, 353, 354, 355, 356, 357, 358, 361, 366, 368, 371, 372, 374 | |
| Saving Custom..... | 66 | 3Delight-Software Render | 29 |
| Scale Manipulators..... | 117, 218 | Active Viewport..... | 172 |
| Scale Timeline..... | 202 | Activities | 55 |
| Scan | 10, 68, 212, 256, 260, 268, 274, 283 | All185 | |
| Content dialog..... | 260 | | |
| Content Manager | 68 | | |
| Scene 1, 2, 3, 4, 7, 10, 17, 18, 23, 29, 32, 45, 47, 50, 66, 68, 69, 71, 75, 80, 87, 88, 89, 91, 96, 99, 103, 107, 108, 111, 116, 117, 121, 122, 123, 127, 132, 133, 137, 138, 140, 141, 142, 144, 146, 148, 150, 156, 157, 158, 159, 163, 165, 166, 167, 168, 169, 170, 172, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 195, 197, 198, 199, 201, 202, 207, 208, 209, 211, 212, 216, 217, 218, 219, 220, 221, 223, 226, 227, 231, 232, 234, 235, 237, 238, 240, 243, 245, 246, 248, 250, 251, 283, 288, 289, 292, 295, 296, 301, 317, 322, 324, 329, 331, 345, 346, 350, 351, 354, 356, 358, 361, 366, 371, 372, 378, 380, 382 | | | |
| Add..... | 288 | | |

| | | | |
|------------------------------|---------------|--|-------------------------|
| Base..... | 296, 301 | Symmetry | 188 |
| BioVision..... | 91 | Texture Shaded..... | 172 |
| Clear Animation | 205 | Tiling Terrain..... | 146 |
| Create | 232, 234, 235 | View | 301 |
| Custom..... | 96, 103 | View Folders..... | 157 |
| Default Camera..... | 32 | viewport | 172, 355 |
| D-Former..... | 289, 292, 296 | viewport/camera | 174 |
| D-Former Field..... | 292 | Wire Bounding Box..... | 172 |
| D-Former Handle | 301 | Wire Shaded..... | 172 |
| Diffuse Only | 233, 235, 236 | Wire Texture Shaded..... | 172 |
| Diffuse Strength | 127 | Wireframe | 172 |
| DrawStyle..... | 172 | Select All ...i, 32, 82, 87, 117, 182, 185, 186, 350 | |
| Edit..... | 108 | Select All Cameras | 185 |
| File | 96 | Select All Channels..... | 87 |
| General | 16 | Select All DForms | 185 |
| Handle..... | 296, 301 | Select All Figures..... | 185 |
| Hidden Line..... | 172 | Select All Lights | 185 |
| Insert..... | 295 | Select All Objects..... | 185 |
| Lit Wireframe..... | 172 | Select Category Type | 68 |
| Load Activity..... | 18 | Select Close..... | 64 |
| Lock | 188 | Select Create New..... | 232, 234, 235, 301 |
| Move | 295 | Select Daily | 66 |
| Move checkbox..... | 295 | Select Layout | 18, 66, 111 |
| Multiple Objects | 123 | Select Mark..... | 276 |
| Off | 233, 235, 236 | Select menu | 57, 185 |
| On | 233, 235, 236 | Select Perspective View | 32 |
| Pan Camera..... | 32 | Select Studio..... | 18 |
| Poser..... | 96 | Select Style | 65, 111, 308 |
| Preset..... | 96 | Select Use Dynamic Settings | 371 |
| Remove Keyframe button | 202 | Select UV View | 331 |
| Rotate Camera icon..... | 32 | Select View | 111, 157, 170, 301, 331 |
| Shift..... | 123 | Select Yes..... | 160, 267, 322 |
| Single Object..... | 123 | Selectable | 178, 180, 197 |
| Smooth Shaded | 172 | Selectable/Not Selectable..... | 180 |
| Solid Bounding..... | 172 | Selected bone | 222 |
| Specular Only | 233, 235, 236 | Selected Bone Properties | 356 |
| Studio..... | 23 | Selected clothing item..... | 219 |

| | | | | |
|------------------------------|--|--|------------------------------|---|
| Selected during | 165 | Shadow Softness | 32, 233, 235, 236 | |
| save | 165 | Shadow Type | 32 | |
| Selected Figure | 82, 84, 85, 91, 98, 103, 165, 219, 221, 224, 331, 353 | Shadow Type button | 32 | |
| Selected File | 91, 96, 98, 99, 103, 107 | Shadow/Ambient..... | 124, 130 | |
| Selected level | 4 | Shortcuts | 54 | |
| Selected morphs | 99, 218, 231 | Customizing | 54 | |
| Selected shader | 75 | Shoulders | 347 | |
| Selecting Lock | 188 | Show Aspect Frame | 174 | |
| Selecting On | 233, 235, 236 | Show Cameras | 184 | |
| Selecting Skip Replace | 212 | Show Center Axes | 174 | |
| Selecting View Folders | 157 | Show Details | 91 | |
| Selection Menu | 32, 167, 356 | Show Details button | 91 | |
| Semi-translucent | 135 | Show Figures | 184 | |
| Semi-transparent | 129 | Show File Extensions | 72 | |
| Send to | 317, 322, 324 | Show File Info Tooltip | 72 | |
| DAZ Studio | 322, 324 | Show Floor | 174 | |
| Hexagon | 322, 324 | Show Grid | 295 | |
| Send to DAZ Studio | 317, 322, 324 | Show Hidden Properties | 188 | |
| Send to Hexagon | 317, 322, 324 | Show Lights | 184 | |
| Sensitivity | 199, 301 | Show Objects | 172, 184 | |
| Session Manager | 325 | Show Options button | 32, 175 | |
| Settings .. | 29, 32, 47, 69, 75, 82, 84, 85, 91, 108, 121, 123, 124, 127, 130, 133, 134, 137, 138, 141, 144, 145, 153, 165, 175, 178, 188, 194, 195, 201, 217, 218, 219, 224, 225, 232, 238, 240, 289, 296, 349, 355, 356, 361, 366, 371, 372, 374 | Show Tool Tips | 69 | |
| Current Scene | 75 | Side .4, 23, 32, 45, 47, 55, 59, 64, 122, 123, 124, 131, 138, 142, 146, 170, 172, 174, 180, 194, 195, 222, 223, 224, 229, 234, 236, 250, 251, 252, 289, 294, 296, 301, 331, 347, 349, 350, 351, 361, 378 | Panes | 4 |
| Setup | 2, 10, 32, 71, 85, 88, 153 | Side-Side | 194, 195, 222, 224, 349, 361 | |
| Shader | 84, 121, 124, 135, 165 | Side-to-Side | 347, 350, 351 | |
| Create | 84 | Sign In button | 10 | |
| Shader Preset | 75, 84, 165 | Simple LOD | 368, 371 | |
| Shaders | 121 | Single Frame | 307 | |
| Shadow | 29, 32, 116, 124, 130, 172, 197, 233, 234, 235, 236, 238, 240, 243 | Single Object | 123 | |
| Shadow Bias | 32, 233, 235, 236 | Single View | 170, 331 | |
| Shadow casting | 116 | SIT | 153 | |
| Shadow Samples | 243 | Skip Replace | 212 | |
| | | Sliders | 190 | |

| | | | |
|---|-----------------------------------|--|----------------------------|
| SLR | 32, 178 | Stack option | 252 |
| SLR-grade | 32 | Stacking | 252 |
| Smooth | 135 | Objects | 252 |
| Smooth Angle control | 135 | <i>Stand</i> | 246 |
| Smooth Shaded | 69, 172, 355 | <i>Stand-Alone Programs</i> | 246 |
| Smooth Shaded Box | 69, 355 | Start .i, 1, 4, 9, 10, 17, 18, 23, 32, 69, 75, 80, 82, 103, 108, 123, 141, 144, 166, 170, 179, 202, 216, 226, 240, 268, 281, 283, 296, 301, 324, 329, 347, 358, 359, 360, 361, 366, 371 | |
| Smoothing Angle | 135 | New Scene | 75 |
| Software Render | 29, 240, 243 | Studio | 69 |
| Solid Bounding Box | 172 | Start Frame | 80, 82, 240 |
| Sort Ascending | 122, 186 | Starting pose | 308 |
| Sort Descending | 122, 186 | Startup Wizard | 10 |
| Sorting | 186 | Status | 55, 119 |
| Content | 186 | Stiff | 356 |
| Sound File | 325 | Still Image | 240 |
| Spatterings | 127 | check | 240 |
| Spawn Morph | 292, 296, 301, 317 | Stop button | 202 |
| Specific Content Type | 185 | Stored Maps | 91 |
| Specular 124, 129, 135, 141, 146, 148, 233, 235, 236 | | Strength 124, 127, 129, 130, 132, 133, 134, 142, 145, 289, 293, 294, 295 | |
| Specular Color button | 129, 141 | Strength Image Map | 133, 134 |
| Specular Glossiness | 148 | Strength Image Menu | 129 |
| Specular Strength | 124, 129, 141, 146, 148 | Style | 23, 65, 111, 172, 231, 240 |
| Specular surface property | 129 | Style Selection | 111 |
| Specular Tutorial | 141 | Styles | 307, 308 |
| Specularity | 124, 135, 233, 235, 236 | Sub | 307, 374 |
| Speed RAM | 243 | applying | 374 |
| Speeding Up Your Renders | 240 | increasing | 374 |
| Sphere | 29, 116, 232, 233, 289, 294, 374 | SubD | 374 |
| Spline | 111, 292, 293, 294, 295, 301, 378 | Subdirectories | 18 |
| Spline Editor | 289, 292, 293, 294, 295, 301 | Sub-dividing | 374 |
| Splines | 289, 293, 294, 378 | the mesh | 374 |
| Spot Render | 32, 117, 245 | Subdivision | 374 |
| Spot Render button | 245 | Sub-Division Surface | 335 |
| Spot Render Tool icon | 32 | Sub-Division Surfaces | i, 4, 374 |
| Spotlight | 32, 116, 201, 232, 235, 236, 238 | Subfolders | 162 |
| Spotlight Parameters | 236 | | |
| Spread Angle | 32, 236 | | |

| | | | |
|---|------------------------------|---|---|
| Submenu | 5, 188, 354 | Texture Maps | 103, 107, 117, 121, 124, 127, 129, 130, 133, 140, 148, 226 |
| Submenus | 5, 47, 111, 188, 354 | Texture Shaded | 172 |
| Sun | 32, 234 | Textures | 1, 3, 69, 80, 84, 85, 96, 99, 103, 107, 117, 121, 124, 127, 129, 130, 133, 140, 142, 144, 146, 148, 172, 226, 240, 243, 296, 324, 329, 382 |
| Surface List | 122, 123, 138, 140, 142, 148 | Three-dimensional | 2, 146, 227, 378 |
| Surface scattering | 135 | TIF | 29, 240 |
| Surface Selection | 117, 353 | Tiling Terrain surface | 146 |
| Surfaces Tab 1, 3, 111, 117, 121, 122, 123, 124, 127, 138, 140, 141, 146, 301, 329, 331 | | Time Render | 240 |
| Surfaces Tab Option menu | 138 | Timeline 45, 80, 82, 91, 111, 202, 240, 308, 325, 356, 357, 360, 361 | |
| Symmetry | 188, 223, 224, 225 | Timeline Options menu | 202, 308 |
| Symmetry dialog | 188, 223 | Timeline Tab | 91, 111, 202 |
| Symmetry Options | 224 | To Grid | 250 |
| Symmetry Preferences | 225 | check | 250 |
| System 3, 4, 7, 9, 32, 59, 69, 119, 207, 227, 243, 246, 281, 296, 347, 355, 374 | | Toggle Parameter Settings Dialog | 201 |
| System Preferences | 7 | Toggle Pins | 353 |
| System Profiler | 7 | Tool Bars | 47, 58 |
| System Requirements | 7 | Tool Tab | 111, 206, 246, 353 |
| T | | Toolbar Reference | 45, 137 |
| Tab Controls | 179, 225 | Toolbars 3, 4, 45, 46, 47, 50, 55, 58, 59, 75, 108, 117, 246 | |
| Tab Options | 45, 57, 157, 188, 194, 292 | Tools ..i, 1, 4, 18, 32, 45, 47, 55, 58, 69, 75, 111, 117, 166, 202, 206, 226, 245, 246, 292, 296, 317, 324, 353, 361, 365, 366, 368, 371, 374, 380 | |
| Tab Options menu | 57, 157, 194 | Tools menu | 117 |
| Tab Toggles | 64 | Tools Menu Commands | 117 |
| Tabs ..i, 3, 4, 10, 17, 18, 23, 29, 32, 45, 47, 50, 55, 57, 58, 59, 64, 65, 66, 68, 69, 75, 99, 103, 108, 111, 121, 124, 127, 129, 130, 131, 138, 140, 142, 150, 151, 154, 157, 164, 174, 179, 180, 188, 194, 202, 205, 206, 223, 224, 225, 227, 240, 245, 246, 248, 250, 251, 288, 292, 293, 295, 296, 301, 331, 346, 347, 353, 356, 357, 358, 360, 361, 372 | | <i>Tools Toolbar</i> | 246, 353 |
| Tabs menu | 17, 45, 47, 59, 64, 246 | Top | 18, 23, 29, 32, 45, 59, 111, 119, 122, 151, 156, 157, 168, 169, 170, 174, 177, 186, 208, 229, 240, 243, 250, 251, 252, 283, 289, 294, 301, 347, 378 |
| Target | 317, 322 | Top View | 168, 170 |
| Technical | 8 | Torus | 116 |
| Contacting | 8 | Total Frames | 202 |
| Techniscope | 240 | Transform Gizmo | 354 |
| Tell Ware Agreement | 9 | Transform Scene Item | 108 |
| Temporary | 188 | Transformations | 99, 165, 205 |
| Terminology | 121, 166, 222 | | |
| Text Color | 65, 111 | | |

Transforms 32, 82, 84, 85, 87, 145, 175, 177, 187, 188, 194, 224, 232, 353, 354

Transforms Section 177

Translate 2, 32, 75, 117, 174, 177, 182, 216, 217, 221, 227, 232, 233, 234, 235, 236, 240, 354

 Distant Light 234

Translate Tool 4, 75, 117, 354

Translate Tool icon 117

Translation 10, 32, 82, 84, 85, 91, 117, 177, 195, 201, 217, 218, 221, 224, 227, 229, 230, 231, 237, 289, 324

Tree 1, 18, 23, 45, 55, 69, 87, 122, 123, 137, 138, 146, 154, 158, 159, 160, 162, 179, 181, 182, 183, 184, 186, 273

Tree View 18, 154, 158, 159, 162, 181, 182, 183, 184

True Color 7

Trunk Nodes 224

Tutorials... i, 8, 10, 17, 18, 23, 29, 32, 46, 47, 69, 124, 130, 138, 141, 142, 144, 146, 148, 179, 186, 195, 198, 296, 301, 361

Twist. 23, 32, 194, 195, 216, 222, 224, 289, 347, 349, 350, 351, 361

 SLR 32

Two-dimensional 29, 166

Txt 283

Txt file 283

U

U3d 75, 107

UI 4

UI layout 3

Uncheck 355

Undo 75, 108, 295, 347, 349

Undo All 295

Undo Last 295

Undoable 159, 162

Undone 108, 267, 374

Unhide 23, 59

 Parameters command 23

Universal 3D 4, 107

Unparented 231

Un-Pin All 353

Unselectable 178

Unselected morphs 99

Up Arrow 182

Up One Level button 156, 157, 158

Update Selected Pose 357

Updates 16

 Getting 16

Updates Now 16

 Check 16

Up-Down 194, 195

Upgrade 240

Usemtl 96

User Documentation 1

User-controllable 178

Using ... 3, 4, 5, 23, 29, 32, 45, 59, 69, 71, 75, 85, 111, 116, 119, 121, 123, 127, 130, 133, 137, 138, 151, 153, 157, 158, 159, 160, 164, 166, 172, 174, 175, 176, 180, 181, 182, 202, 206, 207, 208, 211, 212, 216, 217, 218, 219, 220, 221, 222, 230, 231, 232, 233, 235, 236, 237, 238, 240, 246, 256, 274, 283, 288, 296, 301, 317, 324, 331, 345, 347, 349, 350, 354, 358, 359, 360, 361, 366, 368, 371, 372, 374, 378, 380, 382

 Camera Controls 174

 Camera Parameter Dials 176

 Directories Preferences Tab 151

 Edit Mode 358

 Manipulator 230, 237

 Preview Mode 359

 Record Mode 360

 Scene Tab 180

Using Cameras 23, 32

Using clothing 220

Using Content Drag-and-Drop 207, 208

Using Drag 159

Using Dynamic Settings 371

Using Layers 361

| | | | |
|-----------------------------------|--|---|---------------------------|
| Using Limits..... | 349 | View Small File Icons..... | 72 |
| Using List View..... | 157 | View Tutorials dialog..... | 10 |
| Using LOD..... | 368 | Viewport2, 3, 4, 10, 18, 23, 29, 32, 45, 59, 69, 117, 138, 142, 159, 163, 166, 167, 170, 172, 174, 175, 178, 180, 207, 209, 216, 227, 231, 232, 237, 240, 243, 245, 289, 295, 296, 301, 331, 345, 350, 354, 355, 366, 368, 371, 378 | |
| Using Morphs..... | 23 | Viewport Layout.....2, 3, 111, 170, 172, 331 | |
| Change Body Shape..... | 23 | Viewport Layout menu..... | 111 |
| Using Multiple Monitors..... | 59 | Viewport Level..... | 371, 374 |
| Using PowerLoader..... | 335 | Viewport menu..... | 172, 174 |
| UV..... | 331 | Viewport Options dialog..... | 174 |
| corresponding..... | 331 | Viewport Selection menu..... | 45 |
| UV coordinates..... | 96, 103 | Viewport Selector..... | 174 |
| UV Maps..... | 4, 329, 331, 371, 374 | Viewport window..... | 32, 45, 59, 138, 174, 345 |
| UV Preset Options dialog..... | 90 | Viewport/Cameras toolbar..... | 350 |
| UV Set listing..... | 90 | Viewports2, 3, 4, 18, 29, 45, 59, 64, 69, 111, 142, 163, 166, 170, 172, 174, 175, 180, 182, 207, 209, 216, 237, 289, 295, 296, 301, 374, 378 | |
| UV sets..... | i, 4, 85, 90, 329 | Views list..... | 172 |
| UV View..... | 331 | Viseme morphs..... | 325 |
| UVs..... | 85, 324, 329, 331 | Visibility button..... | 195 |
| V | | Visible ...4, 32, 50, 103, 111, 116, 121, 134, 148, 160, 178, 180, 184, 188, 197, 199, 201, 221, 232, 256, 268, 360, 366, 374 | |
| Value | 23, 32, 91, 99, 121, 129, 130, 132, 133, 134, 142, 144, 178, 194, 199, 201, 218, 231, 233, 235, 236, 240, 248, 250, 295, 296, 301, 349, 356, 374, 378 | Visible parts..... | 148 |
| Translate..... | 32 | Visible/Invisible..... | 180 |
| ValueParm..... | 82 | <i>Volumetrics</i> | 238 |
| Vertices Only..... | 99 | Vt 96 | |
| Video Tutorials..... | 69 | W | |
| View As..... | 160, 167, 175 | Wav..... | 325 |
| View Categories..... | 256, 260, 268, 273, 288 | PC..... | 325 |
| View Categories - QuickStart..... | 154 | WAV file..... | 108 |
| View Categories As List..... | 154, 260 | Wavefront OBJ..... | 4 |
| View Folders..... | 157, 158, 273 | Wavefront Object..... | 3, 96, 103 |
| View Folders as List..... | 154 | Wavefront Object Export Options dialog..... | 103 |
| View Folders as Tree..... | 154 | Website URL..... | 164 |
| View Large File Icons..... | 72 | Weekly..... | 16, 18, 66, 111 |
| View menu..... | 111, 331 | Weights..... | 289, 307 |
| View Menu Commands..... | 111 | | |
| View of your scene..... | 179 | | |
| View Selection List..... | 172 | | |
| View Selector menu..... | 167, 168, 170 | | |

Welcome 1, 9
 Read 9
 Weld Figures 103, 324
 What's This Help 119
 What's This? 4
 What's New 4
 What's This Help 55, 119
 Widescreen 240
 Windows..... 3, 5, 7, 9, 18, 23, 29, 45, 68, 69, 75,
 119, 131, 138, 151, 153, 166, 170, 174, 202,
 238, 240, 246, 295, 301
 Windows 98/2000/XP 7
 Windows 98SE 3, 7
 Windows 98SE/2000/Me/XP 3
 Windows Bitmap 29
 Windows PC 7
 Windows PCs 7
 Windows Vista 68
 Windows' Device Manager 7
 Windows' Display Properties 7
 Wire Bounding Box 172
 Wire Shaded 172
 Wire Texture Shaded 172
 Wireframe 32, 69, 172, 289
 Wireframe Box 69
 display 69
 Wishlist 10
 Workflow 1, 3, 32, 246, 345
 Working 295
 Within 295
 Works-in-progress 32
 Write Groups 103
 Write Material Library 103
 Write Normals 103
 Write Object Statements 103
 Write Surfaces 103
 Write UV Coordinates 103

X

X Translate 32, 177, 227, 301
 X Translate dial 227
 X, Y 378
 X,Y,Z 222, 227
 X-axes 231
 X-axis 32, 195, 250, 251, 252, 296
 X-axis Alignment Options 252
 Xrot 32, 195
 X-Rotation 32
 XScale 197
 X-Scale 296
 X-Scale 301
 Xtran 227
 XTrans 32, 195
 XTranslate 301
 X-Translate 296
 XY 209
 XY-axes 209
 XYZ 221, 232, 233, 235, 236
 XYZ coordinates 226
 XZ 209
 XZ-axes 209

Y

Y Translate 32, 177, 227, 301
 Y Translate dial 227
 Y-axis 195, 250, 252, 347
 Y-axis Alignment Options 252
 Yrot 195
 Y-Rotate 296
 YScale 197
 Y-Scale 296
 Y-Scale 301
 Ytran 227
 YTrans 32, 195
 Y-Translate 296, 301

Z

Z Translate32, 177, 227
 Z Translate dial227
 Z-A.....122, 186
 Zag243
 Z-axis..... 4, 209, 250, 252
 Z-axis Alignment Options252
 Zero i, 99, 188, 224, 324, 349, 361, 374, 378
 Zero Dimensional378
 Zig243
 Zig-Zag243
 ZIP153
 Zlib.....3

Zoom 32
 Use 32
 Zrot..... 195
 ZScale 197
 Z-Scale.....296
 Z-Scale.....301
 Ztran..... 227
 Ztran Parameter..... 227
 Ztran Parameter dials 227
 move 227
 ZTrans.....32, 195
 Z-Trans 209
 Z-Translate..... 301