

**3-D SPEX™**

Games Package

# Pause

## **!** WARNING!

Pause a moment before you get started and heed the following warnings. Read your NuVision 3-D SPEX User's Guide for complete safety warnings.

### **May cause seizures.**

If you or anyone in your family has experienced seizures, or if you experience dizziness, altered vision, eye or muscle twitching, involuntary movements, loss of awareness, unconsciousness, or disorientation, discontinue use immediately and consult your physician.

### **Do not use 3-D SPEX where loss of balance or limiting your field of vision could be dangerous.**

Do not use near stairs, ledges, or balconies. You may risk falling during or after use. Never use 3-D SPEX if you already feel tired or ill.

### **3-D SPEX are intended for use only with a desktop computer system.**

Any other use could result in serious injury or death. Do not wear 3-D SPEX as sunglasses or safety glasses. Never wear 3-D SPEX while driving, swimming, or operating machinery.

### **Not for use by young children.**

Artificial stereo vision display may not be safe for children under seven and may cause serious, permanent damage to their vision.

### **Supervise your children when they use 3-D SPEX.**

We recommend that you observe your children while they play PC games. Children may not always recognize physical signs of stress or injury.

### **Choking hazard: keep out of reach of small children.**

The 3-D SPEX contain small parts. Babies and young children could choke on the glasses' removable nose piece. Keep the glasses out of the reach of small children.

### **Stereoscopic viewing may create a slight after effect in your vision.**

Your visual system changes to accommodate wearing stereoscopic glasses. Wait a few moments for your eyesight to return to normal before resuming your regular activities.

### **Repetitive stress injury: avoid prolonged use.**

Some people may experience fatigue or discomfort after playing for long periods. Take at least a 15 minute break during every hour of play. If you experience discomfort, tingling or numbness in your hands or arms, stop and rest.


### **Electric shock hazard.**

Don't use 3-D SPEX near water. You risk electric shock to yourself as well as damage to the 3-D SPEX.

# Plug

## *To set up the 3-D SPEX:*

- 1 Turn off your computer.
- 2 Plug the parallel port interface into a parallel port on your computer.
- 3 Plug the cord from the glasses into the back of the driver module.
- 4 Plug the AC transformer into an appropriate source of 120 V 60 Hz power and into the driver power connector.
- 5 Turn on your computer.
- 6 Install the game software by following the instructions on the game cards enclosed.



Compact Disc  
DIGITAL AUDIO

**3-D SPEX™**

HSG01-CD-01

Version 1.0

**NuVision**  
TECHNOLOGIES, INC.

**DESCENT™**  
**II**  
Destination Quartzon™

CD-SP

Copyright © 1996 NuVision Technologies, Inc. 31005 Parallel Software

LOGIC GENERAL PORTLAND, OR

K088945-2


108-285

All rights reserved. Descend, Destination Quartzon and Tokarra are trademarks of NuVision Technologies, Inc. All rights reserved.

# DESCENT™

## II

DESTINATION QUARTZON™



In Descent™ II: Destination Quartzon from Interplay™, you'll find yourself thrown into alien worlds populated by deranged robots determined to destroy you. It is your mission to fight through the robot hordes to each mine's main reactor. Destroying this reactor and escaping is your primary mission!



This card provides short but complete instructions for setting up and playing Descent II: Destination Quartzon.

# Plug

## Minimum System:

- IBM™ PC compatible 486-DX50 or faster, 8 MB RAM
- DOS 5.0 or later including MS DOS only mode of Windows® 95
- 2X CD-ROM
- 30 MB free hard disk space
- VGA video card and monitor
- Parallel (printer) port

## Recommended:

- Pentium™-class processor with 16 MB of RAM
- SVGA color monitor that supports 100 Hz vertical refresh rate
- Video card that supports VESA 1.2 Bios in ROM (or VBE emulator)
- 4X CD-ROM or faster

# Play

## To install:

- 1 Switch to MS-DOS. If running Windows 95, reboot in MS-DOS mode. If running Windows 3.x, exit to an MS-DOS prompt.
- 2 While in MS-DOS insert the Descent II: Destination Quartzon CD and type **D:** (or the appropriate drive letter) and press Enter to change to the CD drive.
- 3 Type **INSTALL** and press Enter. The installer guides you through the installation process. Be sure the VR Device is set to 3-D SPEX.
- 4 If the 3-D SPEX are plugged into a parallel port other than LPT1, run the SETLCDLP utility as described in the *3-D SPEX User's Guide*.














## To play:

- 1 Change to the directory where you installed Descent II: Destination Quartzon. For example, at the DOS prompt type **CD C:\GAMES\DESCENT2** and press Enter.
- 2 Type **D23D** and press Enter.











2D images appear for the introduction, then 3D images appear after you are told to "PREPARE FOR DESCENT."

Once a 3D image appears on the screen, the lenses of the glasses turn gray, indicating that they are working properly. If they do not, see the troubleshooting section of the *3-D SPEX User's Guide*.

## Keyboard Controls

	Abort game
	Help screen
	Options
	Cockpit
	Drop marker
	Record demo
	Multi-player HUD
	Send typed message
	Taunt macros
	Change window size
	Save screen shot
	Pause in single-player mode
	Automap

## Keyboard Flying Controls




	Forward
	Reverse
	Turn left/right
	Rotate up/down
	Slide left/right
	Slide left/right
	Slide up/down
	Tilt left/right
	Tilt left/right
	Afterburner

\*numerical keypad keys









This Guide Bot will help you through the mines!

## Weapons

	Fire primary
	Fire secondary
	Drop bomb/mine
	Fire flare
	Cycle primary and secondary weapons
	Select primary
	Select secondary
	Drop primary
	Drop secondary

## Joystick Controls

		Turn left/right
		Dive/Climb
		Fire primary
		Fire secondary

## Interplay Product Support

If you have any questions about this game, or any other Interplay product, you can reach our Customer Service/Technical Support Group at: Interplay, 16815 Von Karman Ave., Irvine, CA 92606, Attn: Customer Support.

If you have a modem, you can reach us at the following:

**The Interplay BBS:** We have a 24-hour, 7-day a week multiline BBS available for customer questions, support and fixes. The number is (714) 252-2822. Modem settings are 300-28.8k Baud, V.32bis, 8-N-1. You also may contact our BBS over the Internet. Telnet to bbs.interplay.com. This is a free service. (Excluding toll charges.)

**Internet:** You can reach Interplay with "support@interplay.com". Many Interplay demos and patches are available at Internet FTP sites. To visit our World Wide Web site, point your browser to "http://www.interplay.com" or you may ftp to ftp.interplay.com.

**Note:** This game was designed to be run under the DOS environment. For this reason, Interplay cannot provide technical support for problems running the game under other environments such as Windows 95, OS/2, or on a Macintosh using a DOS compatibility card. If you experience problems running under any of these environments, contact the environment's manufacturer for technical assistance or reboot your computer to MS-DOS mode to play.

### Limited 90-Day Warranty

This computer software product is warranted for a period of 90-days from the date of purchase against defects in material and workmanship of the recording medium on which the software program is recorded. NuVision will replace, free of charge, any product discovered to be defective within such period upon receipt at the place listed below, of the product, postage paid, with proof and date of purchase. Additional limitations apply. Contact NuVision for details.

Please send the defective disc(s) with a description of the problem to:

Limited Warranty Replacements  
NuVision Technologies, Inc.  
1815 NW, 169th Place  
Building 3060  
Beaverton, Oregon 97006 USA

You can also contact NuVision Product Support at:

Phone: (503) 614-0567  
Fax: (503) 614-0867

### COPYING PROHIBITED

This software product and the manual are all rights reserved by Interplay and are protected by the copyright laws that pertain to computer software. The CD-ROM is not copy-protected. This does not mean you may make unlimited copies.

Descent II: Destination Quartzon: © 1996 Parallax Software. All rights reserved. Descent, Destination Quartzon and Interplay are trademarks of Interplay Productions. All rights reserved.

© 1996 NuVision Technologies, Inc. All rights reserved. 3-D SPEX is a registered trademark of NuVision Technologies, Inc. in the United States of America and other countries.



**NuVision™**  
TECHNOLOGIES, INC.



# 3-D SPEX™

HSG01-GD-02  
Version 1.0

**NuVision**  
TECHNOLOGIES, INC.

**Whiplash™**  
by Interplay™/Gremlin

**Slipstream 5000™**  
by Gremlin

**Nuviewer**




# Slipstream 5000™

## 3D Edition

Part battle and part race, the Slipstream 5000 is a world-reknoned flying competition set in the near future.

This card provides short but complete instructions for setting up and playing Slipstream 5000™ from Interplay™.





# Plug

## Minimum System:

- IBM™ PC compatible 486 or faster, 4 MB of RAM
- DOS 5.0 or later including MS DOS only mode of Windows® 95
- VGA card and monitor
- 8 MB free hard disk space
- Parallel (printer) port

## Recommended:

- Pentium™-class processor with at least 8 MB RAM
- SVGA color monitor that supports 100 Hz vertical refresh rate
- Video card that supports VESA 2.0 Bios in ROM (or VBE emulator)
- SoundBlaster sound card (ADLIB and ROLAND supported)
- Joystick



## To install:

- 1** Switch to MS-DOS. If running Windows 95, reboot in MS-DOS mode. If running Windows 3.x, exit to an MS-DOS prompt.
- 2** While in MS-DOS insert the Slipstream CD and type **D:** (or the appropriate drive letter) and press Enter to change to the CD drive.
- 3** Type **CD \SLIP5000** and press Enter.
- 4** Type **INSTALL** and press Enter. The installer guides you through the installation process.
- 5** If the 3-D SPEX are plugged into a parallel port other than LPT1, run the SETLCDLP utility as described in the *3-D SPEX User's Guide*.

# Play

## To play:

- 1** Change to the drive and directory where you installed Slipstream 5000. If you installed it in the default location, type **C:** and press Enter, then type **CD \SLIP5000** and press Enter.
- 2** Type **SLIP** and press Enter.

Once a 3D image appears on the screen, the lenses of the 3-D SPEX turn gray, indicating that they are working properly. If they do not, see the troubleshooting section of the *3-D SPEX User's Guide*.

## Keyboard Controls

- |  |  |                 |
|--|--|-----------------|
|  |  | Turn left/right |
|  |  | Rotate up/down  |
|  |  | Accelerate      |
|  |  | Fire weapon     |
|  |  | Select weapon   |
|  |  | Exit to DOS     |

## Set View

- |  |                |  |
|--|----------------|--|
|  | Cockpit        |  |
|  | Chase          |  |
|  | Rear           |  |
|  | TV             |  |
|  | Set view using |  |
|  |                |  |
|  |                |  |
- (numerical keypad keys)

## Joystick Controls

- If the game detects a joystick, it will automatically disable the keyboard controls.
- |         |               |                  |
|---------|---------------|------------------|
|         |               | Turn left/right  |
|         |               | Tip forward/back |
| Trigger | Accelerate    |                  |
| Thumb   | Fire weapon   |                  |
|         | Select weapon |                  |

## Interplay Product Support

If you have any questions about this game, or any other Interplay product, you can reach our Customer Service/Technical Support Group at: Interplay, 16815 Von Karman Ave., Irvine, CA 92606, Attn: Customer Support.

If you have a modem, you can reach us at the following:

**The Interplay BBS:** We have a 24-hour, 7-day a week multiline BBS available for customer questions, support and fixes. The number is (714) 252-2822. Modem settings are 300-28.8k Baud, V.32bis, 8-N-1. You also may contact our BBS over the Internet. Telnet to bbs.interplay.com. This is a free service. (Excluding toll charges.)

**Internet:** You can reach Interplay with "support@interplay.com". Many Interplay demos and patches are available at Internet FTP sites. To visit our World Wide Web site, point your browser to "http://www.interplay.com" or you may ftp to ftp.interplay.com.



**Note:** This game was designed to be run under the DOS environment. For this reason, Interplay cannot provide technical support for problems running the game under other environments such as Windows 95, OS/2, or on a Macintosh using a DOS compatibility card. If you experience problems running under any of these environments, contact the environment's manufacturer for technical assistance or reboot your computer to MS-DOS mode to play.

### Limited 90-Day Warranty

This computer software product is warranted for a period of 90-days from the date of purchase against defects in material and workmanship of the recording medium on which the software program is recorded. NuVision will replace, free of charge, any product discovered to be defective within such period upon receipt at the place listed below, of the product, postage paid, with proof and date of purchase. Additional limitations apply. Contact NuVision for details.

**NuVision™**  
TECHNOLOGIES, INC.

Please send the defective disc(s) with a description of the problem to:

Limited Warranty Replacements  
NuVision Technologies, Inc.  
1815 NW, 169th Place  
Building 3060  
Beaverton, Oregon 97006 USA

You can also contact NuVision Product Support at:

Phone: (503) 614-0567  
Fax: (503) 614-0867

### COPYING PROHIBITED

This software product and the manual are all rights reserved by Interplay and are protected by the copyright laws that pertain to computer software. The CD-ROM is not copy-protected. This does not mean you may make unlimited copies.

Slipstream 5000: © 1996 Gremlin Interactive, Ltd. All rights reserved. Slipstream 5000 is a trademark of Gremlin Interactive, Ltd. All rights reserved.

© 1996 NuVision Technologies, Inc. All rights reserved. 3-D SPEX is a registered trademark of NuVision Technologies, Inc. in the United States of America and other countries.

# WHIPLASH™

## 3D Edition



In the near future, the world's top eight major car manufacturers hold a yearly competition to prove who has the best car. The event soon escalates into a no-holds-barred media circus. The world had never seen the likes of this since the days of the Roman gladiators—both tactics and driving have become extreme to say the least. Some drivers will use any method to win...even if the outcome is fatal.

This card provides short but complete instructions for setting up and playing Whiplash™ from Interplay™.


# Plug

## Minimum System:

- IBM™ PC compatible 486-DX2/66 or faster, 8 MB of RAM
- DOS 5.0 or later including MS DOS only mode of Windows® 95
- 2X CD-ROM
- VGA card and monitor
- 30 MB free hard disk space
- Parallel (printer) port

## Recommended:

- Pentium™-class processor with at least 16 MB RAM
- SVGA color monitor that supports 100 Hz vertical refresh rate
- Video card that supports VESA 1.2 Bios in ROM (or VBE emulator)



## To install:

- 1** Switch to MS-DOS. If running Windows 95, reboot in MS-DOS mode. If running Windows 3.x, exit to an MS-DOS prompt.
- 2** While in MS-DOS insert the Whiplash CD and type **D:** (or the appropriate drive letter) and press Enter to change to the CD drive.
- 3** Type **CD \** and press Enter.
- 4** Type **INSTALL** and press Enter. The installer guides you through the installation process.
- 5** If the 3-D SPEX are plugged into a parallel port other than LPT1, run the SETLCDLP utility as described in the *3-D SPEX User's Guide*.



# Play

## To play:

- 1** Change to the drive and directory where you installed Whiplash. If you installed it in the default location, type **C:** and press Enter, then type **CD \INTRPLAY\WHIPLASH** and press Enter.
- 2** Type **WHIPLASH** and press Enter.

Once a 3D image appears on the screen, the lenses of the glasses turn gray, indicating that they are working properly. If they do not, see the troubleshooting section of the *3-D SPEX User's Guide*.

## Keyboard Controls

- |   |                      |
|---|----------------------|
|  | Steer left           |
|  | Steer right          |
|  | Accelerate           |
|  | Decelerate           |
|  | Up gear              |
|  | Down gear            |
|  | View down            |
|  | View up              |
|  | Decrease screen size |
|  | Increase screen size |
|  | Configuration menu   |

For more game instructions, consult the online manual. To view the manual, type **D:** (or the appropriate letter for your CD-ROM drive) and press Enter. Type **CD \** and press Enter. Then type **MANUAL** and press Enter.

## Interplay Product Support

If you have any questions about this game, or any other Interplay product, you can reach our Customer Service/Technical Support Group at: Interplay, 16815 Von Karman Ave., Irvine, CA 92606, Attn: Customer Support.

If you have a modem, you can reach us at the following:

**The Interplay BBS:** We have a 24-hour, 7-day a week multiline BBS available for customer questions, support and fixes. The number is (714) 252-2822. Modem settings are 300-28.8k Baud, V.32bis, 8-N-1. You also may contact our BBS over the Internet. Telnet to [bbs.interplay.com](mailto:bbs.interplay.com). This is a free service. (Excluding toll charges.)

**Internet:** You can reach Interplay with "support@interplay.com". Many Interplay demos and patches are available at Internet FTP sites. To visit our World Wide Web site, point your browser to "<http://www.interplay.com>" or you may ftp to <ftp.interplay.com>.



**Note:** This game was designed to be run under the DOS environment. For this reason, Interplay cannot provide technical support for problems running the game under other environments such as Windows 95, OS/2, or on a Macintosh using a DOS compatibility card. If you experience problems running under any of these environments, contact the environment's manufacturer for technical assistance or reboot your computer to MS-DOS mode to play.

### Limited 90-Day Warranty

This computer software product is warranted for a period of 90-days from the date of purchase against defects in material and workmanship of the recording medium on which the software program is recorded. NuVision will replace, free of charge, any product discovered to be defective within such period upon receipt at the place listed below, of the product, postage paid, with proof and date of purchase. Additional limitations apply. Contact NuVision for details.

**NuVision™**  
TECHNOLOGIES, INC.

Please send the defective disc(s) with a description of the problem to:

Limited Warranty Replacements  
NuVision Technologies, Inc.  
1815 NW, 169th Place  
Building 3060  
Beaverton, Oregon 97006 USA

You can also contact NuVision Product Support at:

Phone: (503) 614-0567  
Fax: (503) 614-0867

### COPYING PROHIBITED

This software product and the manual are all rights reserved by Interplay and are protected by the copyright laws that pertain to computer software. The CD-ROM is not copy-protected. This does not mean you may make unlimited copies.

Whiplash: © 1996 Gremlin Interactive, Ltd. All rights reserved. Licensed from and developed by Gremlin Interactive, Ltd. Interplay is the sole publisher and distributor. Whiplash and Interplay are trademarks of Interplay Productions. All rights reserved.

© 1996 NuVision Technologies, Inc. All rights reserved. 3-D SPEX is a registered trademark of NuVision Technologies, Inc. in the United States of America and other countries.



NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

**BUSINESS REPLY MAIL**

FIRST-CLASS MAIL

PERMIT NO. 57

BEAVERTON OR

POSTAGE WILL BE PAID BY ADDRESSEE

CUSTOMER SERVICE  
NUVISION TECHNOLOGIES INC  
1815 NW 169TH PL STE 3060  
BEAVERTON OR 97006-9991



## *Register Now!*

*Return this card for a chance to win free stuff from NUVISION TECHNOLOGIES, INC.*

---

Your Name

---

Street Address

---

City

State

Zip

---

Telephone

Fax

Email

What are your favorite games?

What do you like best about them?

---



## *NuVision Tech Support*

Confused? Frustrated? Unfulfilled? For more information about the glasses refer to the *3-D SPEX User's Guide*. For more information about any of the games read the individual game cards enclosed. If there is a problem with the 3-D SPEX, contact NuVision in the following ways:

- Call 503-614-0567 or fax to 503-614-0867. Technical support hours are M to F 8:00 AM to 5:00 PM PST.
- Visit the NuVision Web site at [www.nuvision3d.com](http://www.nuvision3d.com) or send E-mail to [support@nuvision3d.com](mailto:support@nuvision3d.com).

## *Copyright Information*

Information in this document is subject to change without notice. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of NuVision Technologies, Inc.

© 1996 NuVision Technologies, Inc. All rights reserved.

3-D SPEX is a registered trademark of NuVision Technologies, Inc. in the United States of America and other countries.

The CD-ROM software included in this package is copyrighted by its manufacturers.

All other trademarks and registered trademarks are the property of their respective holders.

## *Licensing Agreements*

Software Licensing Agreements are binding between the user and the respective manufacturers. Please review each individual Licensing Agreement on the CD-ROMs before installing that game.

**NuVision™**  
TECHNOLOGIES, INC.