

# **Default**

Heiko Schröder

**COLLABORATORS**

	<i>TITLE :</i> Default		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Heiko Schröder	August 5, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>Default</b>	<b>1</b>
1.1	FontCode 1.05e for FinalCopy/Finalwriter . . . . .	1
1.2	Installation . . . . .	1
1.3	Benutzung . . . . .	2
1.4	Author . . . . .	2
1.5	History . . . . .	2

---

# Chapter 1

## Default

### 1.1 FontCode 1.05e for FinalCopy/Finalwriter

»FontCode 1.05e«

is an ARExx-Script for Finalwriter or FinalCopyII.  
Now you are be able to write exotic ASCII-codes.

Installation

How to use

Author

History

Sorry, for my bad english. If you want, you can translate my german guide and send to me. You can find the german guide in the Aminet.

biz/swood/fw\_font.lha

Thanks.

### 1.2 Installation

1. Copy »FontCode.fw« to your FWMacros-Drawer.

---

2. Start program »RexxMast«.
3. Start »Finalwriter« or »FinalCopyII«.
4. Open menu "User - Other - Preferences...".
  - \* "Action" - New
  - \* "Name of menu" - FontCode
  - \* "Command" - "Type" - ARexx-Script
  - \* "Command" - "Select" (FontCode.fw)
  - \* "HotKey" - F10
  - \* "Accept"
  - \* "Save"

### 1.3 Benutzung

If you need a symbol, load the font, press F10 and input the ASCII-Code.

Thats all.

### 1.4 Author

Send improvements, tips or other problems with Finalwriter to me.

Heiko Schröder  
Arnoldstr. 1  
04299 Leipzig  
E-Mail: s93324@fh-telekom-leipzig.de

Leipzig, 10. September 1996

### 1.5 History

- |       |          |  |
|-------|----------|--|
| 1.05e | 96/09/10 | - delete command "Address "FINALW.1"<br>- now the macro is not startable from WB<br>- optimized ARexxVersion with<br>REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES <ul style="list-style-type: none"><li>* FontCode.fw.long - normal (202 Bytes)</li><li>* FontCode.fw - optimized (131 Bytes)</li></ul> |
| 1.04e | 96/09/04 | - shorter code<br>- optimized ARexxVersion with<br>REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES <ul style="list-style-type: none"><li>* FontCode.fw.long - normal (221 Bytes)</li><li>* FontCode.fw - optimized (150 Bytes)</li></ul>   |
| 1.03e | 96/08/30 | - shorter code<br>- optimized ARexxVersion with<br>REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES   |
-

---

- \* FontCode.fw.long - normal (245 Bytes)
- \* FontCode.fw - optimized (167 Bytes)

1.02e 96/07/29 - first english release  
- optimized ARexxVersion with  
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS

- \* FontCode.fw.long - normal (346 Bytes)
- \* FontCode.fw - optimized (275 Bytes)

1.02 96/07/25 - third release (german)

1.01 96/07/15 - second release (german)

1.00 96/07/08 - first release (german)

---