

Default

Heiko Schröder

COLLABORATORS

	<i>TITLE :</i> Default		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Heiko Schröder	August 5, 2022	

REVISION HISTORY

<i>NUMBER</i>	<i>DATE</i>	<i>DESCRIPTION</i>	<i>NAME</i>

Contents

1	Default	1
1.1	FontLook-Auto 2.72e for Finalwriter	1
1.2	Requirements	2
1.3	Installation	2
1.4	How to use	2
1.5	Author	3
1.6	History	3
1.7	Whats coming up?	5

Chapter 1

Default

1.1 FontLook-Auto 2.72e for Finalwriter

»FontLook-Auto 2.72e«

is an ARexx-Script for Finalwriter to get an automatized overview about your fonts.

Requirements

Installation

How to use

Author

History

Future

Sorry, for my poor english. If you want, you can translate my german guide and send to me. You can find the german guide in the Aminet.

biz/swood/fw_font.lha

Thanks.

1.2 Requirements

- FinalWriter
FinalCopy, i dont know if all ARexx commands work
- REXXMast
- REXXReqTools.library (© Rafael D`Halleweyn - latest version: 37.95)
available:
 - Aminet (9) - text/edit/CedASIF.lha
 - Aminet (10) - util/rexx/varexx.lha
 - Aminet (11) - comm/tcp/amiconnect.lha
 - Aminet (12) - comm/fido/xpack275.lha
 - Aminet (13) - util/libs/ReqToolUsr.lha
 - Aminet (15) - util/libs/ReqToolUsr.lha
- ReqTools.library (© Nico François - latest version: 38.1435)
available:
 - Aminet - util/libs/ReqToolUsr.lha
- c:List (© Amiga Technologies)
- c:Sort (© Amiga Technologies)
- c>Delete (© Amiga Technologies)

1.3 Installation

If you use always an other version of »FontLook-Auto.fw«:

1. Copy »FontLook-Auto.fw« in your FWMacros-Drawer.

If you dont use »FontLook-Auto.fw«:

1. Copy »FontLook-Auto.fw« in your FWMacros-Drawer.
2. Start programm »REXXMast«.
3. Start »Finalwriter«.
4. Open menu "User - Other - Preferences...".

- * "Action" - New
- * "Name of menu" - FontLook-Auto
- * "Command" - "Type" - ARexx-Script
- * "Command" - "Select" (FontLook-Auto.fw)
- * "HotKey" - Alt+F9
- * "Accept"
- * "Save"

1.4 How to use

Start the macro with the Shortcut Alt+F9.

You have to do:

Select if you want to have a codelist or a layout of a font.

Select the screen output. (speed is 100% faster than normal. idea from Frank Waechter)

Select a font directory.

You can also select the perforation sign, to collect the prints of the fonts.

Last, but not least, you have to select: Save, Save+Print or only the print output.

Thats all.

1.5 Author

Send improvements, tips or other problems with Finalwriter to me.

Heiko Schröder
Arnoldstr. 1
04299 Leipzig
E-Mail: s93324@fh-telekom-leipzig.de (- 08/97)
age@thepentagon.com (NetForward)
HomeBase: <http://yi.com/home/SchroederHeiko>

Leipzig, 27. April 1997

Other projects in Aminet

docs/lists/DTypeGuide.lha - overview about Amiga-datatypes
V120 - english
util/libs/LibGuide.lha - overview about Amiga-libraries
V1423 - english
docs/hyper/FGP_1996.lha - dates, facts and results of Formula 1
V16/16 - german
biz/swood/FW_Mef_eng.lha - Macro "Insert Several" for FW
V1.5e - english
biz/swood/FW_SaveLoad.lha - Macro "Save & Load as lha" for FW
V1.0e - english

1.6 History

2.72e 97/04/27 - open the requester on the FW-PubScreen

- cleaned up some bugs
 - optimized code
 - optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 - * FontLook-Auto.fw.long - normal (6830 bytes)
 - * FontLook-Auto.fw - optimiert (5142 bytes)
 - 2.70e 97/01/20 - now it looks for the global variable "Decimal"
 (now this script works correctly on english
 versions of FinalWriter)
 - 200% faster then the other versions (speed-output)
 - adjusted the Font-Drawer to "FWFonts/SWOLFonts/"
 - output of Font-Drawer
 - erased the 60point layout output
 - optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 - * FontLook-Auto.fw.long - normal (6948 bytes)
 - * FontLook-Auto.fw - optimiert (5205 bytes)
 - 2.60e 96/12/15 - bug fixed
 - 33% faster then the other versions (speed-output)
 - delete the info file about Fonts in a drawer
(ram:fonts)
 - optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 - * FontLook-Auto.fw.long - normal (6407 bytes)
 - * FontLook-Auto.fw - optimiert (4814 bytes)
 - 2.52e 96/11/30 - FW document window recognition corrected
 - shorter code :-)
 - optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 - * FontLook-Auto.fw.long - normal (6438 bytes)
 - * FontLook-Auto.fw - optimiert (4759 bytes)
 - 2.51e 96/09/16 - sorry, but in V2.50e dont work correctly the REXX-Port
 on some machines; now does it correct
 - optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 - * FontLook-Auto.fw.long - normal (6798 bytes)
 - * FontLook-Auto.fw - optimiert (5120 bytes)
 - 2.50e 96/09/10 - automatized recognition of the correct FW-ARexx-port
 if more than one documents are open
 - better output before you clear the document
 - optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 - * FontLook-Auto.fw.long - normal (6782 bytes)
 - * FontLook-Auto.fw - optimiert (5107 bytes)
 - 2.40e 96/09/05 - Font-Error -> no more »SoftSans«-Output
 - publication of non-FW-fonts
 - »Ctrl-C«-Break
 - optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
 - * FontLook-Auto.fw.long - normal (6631 bytes)
 - * FontLook-Auto.fw - optimiert (4958 bytes)
-

- 2.30e 96/09/04 - not released
- added perforation signs (optional)
- optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
* FontLook-Auto.fw.long - normal (5455 bytes)
* FontLook-Auto.fw - optimized (4576 bytes)
- 2.20e 96/08/30 - added the date-output at the end of paper
- a better print layout
- description of the ASCII-Code 255;
sorry, i forgot this in V2.00e
- error-output in FW
- optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
* FontLook-Auto.fw.long - normal (5501 bytes)
* FontLook-Auto.fw - optimized (4536 bytes)
- 2.10e 96/08/15 - not released
- 2.00e 96/07/29 - first english release
- optimized ARexxVersion with
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS
* FontLook-Auto.fw.long - normal (5486 bytes)
* FontLook-Auto.fw - optimized (4418 bytes)
- 2.00 96/07/25 - first »FontLook-Auto.fw« release (german)
- 1.01 96/07/15 - second release (german)
- 1.00 96/07/08 - first »FontLook.fw« release (german)

1.7 Whats coming up?

? ? ?

Send your improvements to
me
.