

# **Default**

Heiko Schröder

**COLLABORATORS**

	<i>TITLE :</i> Default		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Heiko Schröder	August 5, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>Default</b>	<b>1</b>
1.1	FontLook 2.72e for Finalwriter . . . . .	1
1.2	Installation . . . . .	1
1.3	How to use . . . . .	2
1.4	Author . . . . .	2
1.5	History . . . . .	3
1.6	Whats coming up? . . . . .	5

---

# Chapter 1

## Default

### 1.1 FontLook 2.72e for Finalwriter

»FontLook 2.72e«

is an ARExx-Script for Finalwriter to get an overview about individual fonts.

Installation

How to use

Author

History

Future

Sorry, for my poor english. If you want, you can translate my german guide and send to me. You can find the german guide in the Aminet.

biz/swood/fw\_font.lha

Thanks.

### 1.2 Installation

If you use always an other version of »FontLook.fw«:

---

1. Copy »FontLook.fw« in your FWMacros-Drawer.

If you dont use »FontLook.fw«:

1. Copy »FontLook.fw« in your FWMacros-Drawer.

2. Start programm »RexxMast«.

3. Start »Finalwriter«.

4. Open menu "User - Other - Preferences...".

- \* "Action" - New
- \* "Name of menu" - FontLook
- \* "Command" - "Type" - ARexx-Script
- \* "Command" - "Select" (FontLook.fw)
- \* "HotKey" - Alt+F10
- \* "Accept"
- \* "Save"

### 1.3 How to use

Start the macro with the Shortcut Alt+F10.

You have to do:

Select if you want to have a codelist or a layout of a font.

Select the screen output. (speed is 100% faster than normal. idea from Frank Waechter)

Select the relevant font..

You can also select the perforation sign, to collect the prints of the fonts.

Last, but not least, you have to select: Save or the print output.

Thats all.

### 1.4 Author

Send improvements, tips or other problems with Finalwriter to me.

Heiko Schröder  
Arnoldstr. 1

---

04299 Leipzig  
 E-Mail: s93324@fh-telekom-leipzig.de (- 08/97)  
 age@thepentagon.com (NetForward)  
 HomeBase: http://yi.com/home/SchroederHeiko

Leipzig, 27. April 1997

---

Other projects in Aminet

---

docs/lists/DTypeGuide.lha - overview about Amiga-datatypes  
 V120 - english  
 util/libs/LibGuide.lha - overview about Amiga-libraries  
 V1423 - english  
 docs/hyper/FGP\_1996.lha - dates, facts and results of Formula 1  
 V16/16 - german  
 biz/swood/FW\_Mef\_eng.lha - Macro "Insert Several" for FW  
 V1.5e - english  
 biz/swood/FW\_SaveLoad.lha - Macro "Save & Load as lha" for FW  
 V1.0e - english

## 1.5 History

2.72e 97/04/27 - cleaned up some bugs  
 - optimized code  
 - optimized ARexxVersion with  
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES  
 - optimized ARexxVersion with  
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES  
 \* FontLook.fw.long - normal (4660 bytes)  
 \* FontLook.fw - optimized (3684 bytes)

2.70e 97/01/20 - now it looks for the global variable "Decimal"  
 (now this script works correctly on english  
 versions of FinalWriter)  
 - 200% faster then the other versions (speed-output)  
 - output of Font-Drawer  
 - erased the 60point layout output  
 - optimized ARexxVersion with  
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES  
 \* FontLook.fw.long - normal (4785 bytes)  
 \* FontLook.fw - optimized (3774 bytes)

2.60e 96/12/15 - 33% faster then the other versions (speed-output)  
 - optimized ARexxVersion with  
 \* FontLook.fw.long - normal (4439 bytes)  
 \* FontLook.fw - optimized (3492 bytes)

2.52e 96/11/30 - FW document window recognition corrected  
 - shorter code :-)  
 - optimized ARexxVersion with  
 REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWARES  
 \* FontLook.fw.long - normal (4433 bytes)  
 \* FontLook.fw - optimized (3474 bytes)

---

- 
- 2.51e 96/09/16 - sorry, but in V2.50e dont work correctly the REXX-Port on some machines; but now does it correct  
- optimized ARexxVersion with  
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS  
\* FontLook.fw.long - normal (4787 bytes)  
\* FontLook.fw - optimiert (3829 bytes)
- 2.50e 96/09/10 - automatized recognition of the correct FW-ARexx-port if more than one documents are open  
- better output before you clear the document  
- optimized ARexxVersion with  
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS  
\* FontLook.fw.long - normal (4769 bytes)  
\* FontLook.fw - optimiert (3814 bytes)
- 2.40e 96/09/05 - Font-Error -> no more »SoftSans«-Output  
- publication of non-FW-fonts  
- »Ctrl-C«-Break  
- optimized ARexxVersion with  
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS  
\* FontLook.fw.long - normal (4607 bytes)  
\* FontLook.fw - optimiert (3654 bytes)
- 2.30e 96/09/04 - not released  
- added perforation signs (optional)  
- no Print-Requester; print with standard-preferences  
- optimized ARexxVersion with  
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS  
\* FontLook.fw.long - normal (3592 bytes)  
\* FontLook.fw - optimized (3274 bytes)
- 2.20e 96/08/30 - shorter code  
- added the date-output at the end of paper  
- a better print layout  
- description of the ASCII-Code 255;  
sorry, i forgot this in V2.00e  
- optimized ARexxVersion with  
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS  
\* FontLook.fw.long - normal (3548 bytes)  
\* FontLook.fw - optimized (3175 bytes)
- 2.00e 96/07/29 - first english release  
- optimized ARexxVersion with  
REXXOPT 1.7 (9.1.95) © by PROXITY SOFTWAREWORKS  
\* FontLook.fw.long - normal (3813 bytes)  
\* FontLook.fw - optimized (3461 bytes)
- 2.00 96/07/25 - third release (german)
- 1.01 96/07/15 - second release (german)
- 1.00 96/07/08 - first release (german)
-

## 1.6 Whats coming up?

? ? ?

-----

Send your improvements to  
me  
.

-----