

Default

COLLABORATORS

	<i>TITLE :</i> Default		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		January 2, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Default	1
1.1	Apper v1.0	1
1.2	Introduction	1
1.3	Configuration	2
1.4	Requirements	2
1.5	Support, Adresse	2
1.6	History	3

Chapter 1

Default

1.1 Apper v1.0

```
Apper v1.0 (15.9.97)
Configurable AppIcon
by Eric & Ulrich  Hambuch © 1997
```

Introduction

Requirements

Configuration

History

Authors

1.2 Introduction

Apper is an AppIcon, that can be fully controlled by the user. By dropping an icon Apper will execute any shell command, so that you can create many useful tools for your workbench.

Please try the examples.

Back

1.3 Configuration

Apper can only be started from Workbench and not from shell!!!!

You can setup Apper via Tooltypes:

COMMAND= enter here the shell command, that will be executed
 when an icon is dropped. The string "%s" will be
 replaced by the filename.
 (e.g. COMMAND=more %s)

WINDOW= here you can define your output window (console).
 Preset: CON:0/10/640/100/Ausgabe/AUTO/CLOSE/WAIT

ICONX= x-position of your Appicon!

ICONY= y-position of your Appicon!

Apper will take the program icon for your AppIcon. So you can copy Apper, rename it and change its icon to create several utilities.

Back

1.4 Requirements

Requirements:

- OS 2.0 (v37) or better

Back

1.5 Support, Adresse

Apper is FREEWARE!

You may freely copy and spread this program, as long as nothing is changed.

You use this program at your own risk. No responsibility for any damage.

If you want to contact us:

Eric & Ulrich Hambuch
Prinzenstraße 9
53639 Königswinter
Germany

eMail: PIXAR@ERATOSTH.DSSD.SUB.ORG
101.27241@germanynet.de

We are looking forward for any email.

[Back](#)

1.6 History

version 1.0 15.9.97
· first version

[Back](#)
