

Documentation

COLLABORATORS

	<i>TITLE :</i> Documentation		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 7, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Documentation	1
1.1	CodePW 2.1. Short english documentation	1

Chapter 1

Documentation

1.1 CodePW 2.1. Short english documentation

Jürgen Einrauch
Pattbreite 12
D-49082 Osnabrück
++49 (0)541-53678

Note my native language is german.

If you can't understand this script, remember I wrote my last english technical documentation in the middle of the last century, I believe for a gentleman named James Watt.

- * Please read this documentation very carefully, especially all warnings. All use is at your own risk.
- * The warning of wrong input for three times is only a warning with no functions.
- * Password input is invisible now, many thanks to Toni Nikolic.
- * If you have an old version of codePW on your harddisk first use <delete codePW 2.1>, it deletes old versions, too.

The files <install codePW 2.1>, <delete codePW 2.1> and <codePW> are freeware, but any distribution must include the information file <read me 2.1>.

<install codePW> is a script to install the very small file <codePW> with a personal identity word or number and the name and address of the owner. <codePW> interrupts the boot process until it reads the correct password input.

You can choose another order as it is usual in your country, when inputting your name and address.

Then you can set the password.

- * Attention! You must choose only one word or number with no

space at the begin, the end and between.

- * Reset your amiga to check the correct installation.

To change your password first use <delete codePW 2.1>. Then use the install program again.

- * It is very useful to reboot the system after every use of the install and delete program to clear the RAM. Using the install and the delete program without a reset could produce unclear results. I believe I fixed this bug, but a reset could be better.
- * Make sure to have a bootable and intact Workbench floppy disk. It is the only way to start your computer when <install codePW 2.1> misinterprets unclear inputs.
- * If this happened, put this disk into your floppy drive and boot your Amiga. Then open your WB-directory "S" and delete the file <codePW>. Then you can boot your Amiga from harddisk again.

Delete the install program, the delete program and this readme file from your harddisk after password installation, otherwise everybody can input another password and then start your system. Save all these files on a floppy disk.
