

AminetPart

COLLABORATORS

| | | | |
|---------------|------------------------------|----------------|------------------|
| | <i>TITLE :</i> AminetPart | | |
| <i>ACTION</i> | <i>NAME</i> | <i>DATE</i> | <i>SIGNATURE</i> |
| WRITTEN BY | | August 7, 2022 | |

REVISION HISTORY

| <i>NUMBER</i> | <i>DATE</i> | <i>DESCRIPTION</i> | <i>NAME</i> |
|---------------|-------------|--------------------|-------------|
| | | | |

Contents

| | |
|------------------------------|----------|
| 1 AminetPart | 1 |
| 1.1 GNU C compiler | 1 |

Chapter 1

AminetPart

1.1 GNU C compiler

Click name to unpack, description to read the readme or get help

| File | Dir | Size | Age | Description |
|--------------------|---------|------|------|---|
| bmake15.lzh | dev/gcc | 133K | 316* | A GNU make well compatible b+C_source |
| bsdtools.lha | dev/gcc | 58K | 159* | (net)bsd archive tools (ar/ranlib/nm) |
| cybergl39_12gc.lha | dev/gcc | 19K | 20* | Develop CyberGL programs with gcc |
| fd2inline.lha | dev/gcc | 26K | 308* | converts fd-files to inline code |
| fd2inline.lha | dev/gcc | 22K | 168* | Updated and improved fd2inline |
| fd2inline_bin.lha | dev/gcc | 104K | 97* | GCC inlines generator, 1.1 (binaries) |
| fd2inline_bin.lha | dev/gcc | 109K | 82* | GCC inlines generator, 1.11 (binaries) |
| fd2inli_src.lha | dev/gcc | 53K | 97* | GCC inlines generator, 1.1 (sources) |
| fd2inl_src.lha | dev/gcc | 57K | 82* | GCC inlines generator, 1.11 (sources) |
| gcc222_1.lha | dev/gcc | 605K | 203* | Ixemul free port of gcc 2.2.2 |
| gcc222_2.lha | dev/gcc | 610K | 203* | Ixemul free port of gcc 2.2.2 |
| gcc222_3.lha | dev/gcc | 711K | 203* | Ixemul free port of gcc 2.2.2 |
| gcc260c++.lha | dev/gcc | 1.4M | 213* | Gcc v2.6.0 (C++ compiler) C/C++/ObjC ↔ |
| Compiler set | | | | |
| gcc260c.lha | dev/gcc | 715K | 213* | Gcc v2.6.0 (C compiler) C/C++/ObjC Compiler ↔ |
| set fo | | | | |
| gcc260c_020.lha | dev/gcc | 694K | 213* | Gcc v2.6.0 (020+881 C compiler) C/C++/ObjC ↔ |
| Compile | | | | |
| gcc260diffs.lha | dev/gcc | 133K | 213* | Gcc v2.6.0 (diff files) C/C++/ObjC Compiler ↔ |
| set fo | | | | |
| gcc260doc.lha | dev/gcc | 683K | 213* | Gcc v2.6.0 (base docs) C/C++/ObjC Compiler ↔ |
| set for | | | | |
| gcc260objc.lha | dev/gcc | 616K | 213* | Gcc v2.6.0 (Objc compiler) C/C++/ObjC ↔ |
| Compiler set | | | | |
| gcc260utils.lha | dev/gcc | 1.1M | 213* | Gcc v2.6.0 (utilities) C/C++/ObjC Compiler ↔ |
| set for | | | | |
| gcc260_base.lha | dev/gcc | 1.2M | 213* | Gcc v2.6.0 (base materials) C/C++/ObjC ↔ |
| Compiler se | | | | |
| gcc260_c++_020.lha | dev/gcc | 1.4M | 213* | Gcc v2.6.0 (020+881 C++ compiler) C/C++/ ↔ |
| ObjC Compi | | | | |
| gcc260_objc020.lha | dev/gcc | 597K | 213* | Gcc v2.6.0 (020+881 Objc compiler) C/C++/ ↔ |
| ObjC Comp | | | | |
| gcc260_readme.lha | dev/gcc | 31K | 213* | Gcc v2.6.0 (readmes) C/C++/ObjC Compiler ↔ |
| set for A | | | | |

| | | | | | | |
|--------------------|---------|------|------|---|------------|---|
| gcc260_texi.lha | dev/gcc | 1.2M | 213* | Gcc v2.6.0 (texinfo files) | C/C++/ObjC | ↔ |
| Compiler set | | | | | | |
| gcc260_utildoc.lha | dev/gcc | 878K | 213* | Gcc v2.6.0 (utilities doc) | C/C++/ObjC | ↔ |
| Compiler set | | | | | | |
| gcc261c.lha | dev/gcc | 2.2M | 199* | Gcc v2.6.1 - C compiler update | | |
| gcc261cp.lha | dev/gcc | 1.3M | 199* | Gcc v2.6.1 - C++ compiler update (you need | | ↔ |
| C updat | | | | | | |
| gcc261objc.lha | dev/gcc | 582K | 199* | Gcc v2.6.1 - Objc compiler update (you need | | ↔ |
| C upda | | | | | | |
| gcc263_utils.lha | dev/gcc | 975K | 156* | Gcc v2.6.3 - Utilities (repost) | | |
| gcc270c.lha | dev/gcc | 759K | 141* | Gcc v2.7.0 - C part - C/C++/ObjC Compiler | | ↔ |
| set for | | | | | | |
| gcc270c020.lha | dev/gcc | 708K | 141* | Gcc v2.7.0 - 68020 C part - C/C++/ObjC | | ↔ |
| Compiler se | | | | | | |
| gcc270cp.lha | dev/gcc | 1.8M | 157* | Gcc v2.7.0 - C++ part - C/C++/ObjC Compiler | | ↔ |
| set fo | | | | | | |
| gcc270_020objc.lha | dev/gcc | 617K | 157* | Gcc v2.7.0 - 68020 Objc part - C/C++/ObjC | | ↔ |
| Compiler | | | | | | |
| gcc270_base.lha | dev/gcc | 1.5M | 141* | Gcc v2.7.0 - Base part - C/C++/ObjC | | ↔ |
| Compiler set f | | | | | | |
| gcc270_cp020.lha | dev/gcc | 1.7M | 157* | Gcc v2.7.0 - 68020 C++ part - C/C++/ObjC | | ↔ |
| Compiler | | | | | | |
| gcc270_doc.lha | dev/gcc | 1.1M | 141* | Gcc v2.7.0 - Doc part - C/C++/ObjC Compiler | | ↔ |
| set fo | | | | | | |
| gcc270_inclib.lha | dev/gcc | 918K | 141* | Gcc v2.7.0 - Headers and Libs part - C/C++/ | | ↔ |
| ObjC Co | | | | | | |
| gcc270_objc.lha | dev/gcc | 639K | 157* | Gcc v2.7.0 - Objc part - C/C++/ObjC | | ↔ |
| Compiler set f | | | | | | |
| gcc270_readme.lha | dev/gcc | 119K | 157* | Gcc v2.7.0 - README part - C/C++/ObjC | | ↔ |
| Compiler set | | | | | | |
| gcc270_src.lha | dev/gcc | 7.9M | 157* | Gcc v2.7.0 - Sources part - C/C++/ObjC | | ↔ |
| Compiler se | | | | | | |
| gccdoc.lha | dev/gcc | 1.6M | 141* | GNU CC documentation in TeX and Postscript | | ↔ |
| format | | | | | | |
| gccfaq.lha | dev/gcc | 81K | 111* | FAQ for the Amiga port of GCC, v 0.6 | | |
| GccFindHit.lha | dev/gcc | 19K | 171* | FindHit for gcc compiled programs, V1.0 | | |
| GccFindHit_1_2.lha | dev/gcc | 20K | 135* | FindHit for gcc-compiled programs. v1.2 | | |
| gcctools920420.lha | dev/gcc | 100K | 245* | ar, ranlib, hunk2gcc,.. | | |
| gcc_frontend.lha | dev/gcc | 17K | 300* | Driver & Setup program for GNU C / C++ | | |
| geninline.lha | dev/gcc | 57K | 316* | Inline header generator, second attempt | | |
| Info2Guide_3.lha | dev/gcc | 5K | 226* | An update to info2guide with better | | ↔ |
| documentation | | | | | | |
| inline_retina.lha | dev/gcc | 3K | 275* | inline header for Retina graphics board | | ↔ |
| programmin | | | | | | |
| ixem000s.lha | dev/gcc | 99K | 98* | IXemul 45.0 - 68000 library | | |
| ixem000s.lha | dev/gcc | 103K | 85* | IXemul 45.1 - 68000 library | | |
| ixem000s.lha | dev/gcc | 84K | 118* | IXemul 43.1 - 68000 library | | |
| ixem000t.lha | dev/gcc | 101K | 98* | IXemul 45.0 - 68000 trace library | | |
| ixem000t.lha | dev/gcc | 86K | 118* | IXemul 43.1 - 68000 trace library | | |
| ixem000t.lha | dev/gcc | 105K | 85* | IXemul 45.1 - 68000 trace library | | |
| ixem020f.lha | dev/gcc | 82K | 118* | IXemul 43.1 - 68020+fpu library | | |
| ixem020f.lha | dev/gcc | 101K | 85* | IXemul 45.1 - 68020+fpu library | | |
| ixem020f.lha | dev/gcc | 96K | 98* | IXemul 45.0 - 68020+fpu library | | |
| ixem020s.lha | dev/gcc | 97K | 98* | IXemul 45.0 - 68020 library | | |
| ixem020s.lha | dev/gcc | 82K | 118* | IXemul 43.1 - 68020 library | | |
| ixem020s.lha | dev/gcc | 102K | 85* | IXemul 45.1 - 68020 library | | |
| ixem030f.lha | dev/gcc | 91K | 125* | IXemul 43.0 - 68030+fpu library | | |

| | | | | |
|--------------------|---------|------|----------------------|--------------------------------------|
| ixem030s.lha | dev/gcc | 92K | 125*IXemul | 43.0 - 68030 library |
| ixem040f.lha | dev/gcc | 101K | 85*IXemul | 45.1 - 68040+fpv library |
| ixem040f.lha | dev/gcc | 82K | 118*IXemul | 43.1 - 68040+fpv library |
| ixem040f.lha | dev/gcc | 96K | 98*IXemul | 45.0 - 68040+fpv library |
| ixem040s.lha | dev/gcc | 97K | 98*IXemul | 45.0 - 68040 library |
| ixem040s.lha | dev/gcc | 102K | 85*IXemul | 45.1 - 68040 library |
| ixem040s.lha | dev/gcc | 82K | 118*IXemul | 43.1 - 68040 library |
| ixem404lib.lha | dev/gcc | 372K | 208*IXemul.library | 40.4 |
| ixem404src.lha | dev/gcc | 1.0M | 208*IXemul.library | 40.4 source code |
| ixemsdk.lha | dev/gcc | 2.2M | 85*IXemul | 45.1 - developer's tool kit |
| ixemsrc.lha | dev/gcc | 2.1M | 85*IXemul | 45.1 - full source code |
| ixemul_bin.lha | dev/gcc | 1.6M | 157*IXemul.library | 41.3 |
| ixemul_bin.lha | dev/gcc | 40K | 85*IXemul | 45.1 - various utilities |
| ixemul_bin.lha | dev/gcc | 34K | 118*IXemul | 43.1 - various utilities |
| ixemul_bin.lha | dev/gcc | 40K | 98*IXemul | 45.0 - various utilities |
| ixemul_doc.lha | dev/gcc | 46K | 98*IXemul | 45.0 - various documentation |
| ixemul_doc.lha | dev/gcc | 42K | 118*IXemul | 43.1 - various documentation |
| ixemul_doc.lha | dev/gcc | 48K | 85*IXemul | 45.1 - various documentation |
| ixemul_src.lha | dev/gcc | 1.4M | 157*IXemul.library | 41.3 |
| ixemul_tz.lha | dev/gcc | 209K | 118*IXemul | 43.1 - TZ management files |
| ixemul_tz.lha | dev/gcc | 232K | 98*IXemul | 45.0 - TZ management files |
| ixemul_tz.lha | dev/gcc | 232K | 85*IXemul | 45.1 - TZ management files |
| ixem_sdk.lha | dev/gcc | 1.6M | 118*IXemul | 43.1 - developer's tool kit |
| ixem_sdk.lha | dev/gcc | 2.2M | 98*IXemul | 45.0 - developer's tool kit |
| ixem_src.lha | dev/gcc | 1.8M | 118*IXemul | 43.1 - full source code |
| ixem_src.lha | dev/gcc | 2.1M | 98*IXemul | 45.0 - full source code |
| ixpath.lha | dev/gcc | 12K | 141*Patch | dos to use ixemul style path parsing |
| ixprefs1_2.lha | dev/gcc | 51K | 165*IXemul | 41.0-41.1 GUI/CLI config program |
| libauto_920413.lha | dev/gcc | 7K | 316*automatically | open libraries |
| libg++253.lha | dev/gcc | 734K | 244*libg++-2.5.3 | update to gcc-2.5.7 ← |
| environment. | | | | |
| libg++2_0.lha | dev/gcc | 361K | 316*AmigaDOS | libg++2.0 for gcc2.0 |
| libg++ud.lha | dev/gcc | 163K | 243*libg++-2.5.3 | update |
| libm.lzh | dev/gcc | 89K | 316*GNU math | library source |
| libmat.lha | dev/gcc | 28K | 152*Matrix | classlib. for GCC |
| libnix.lha | dev/gcc | 151K | 213*A library | for amiga specific development on ← |
| gcc V0 | | | | |
| libnixV1_0.lha | dev/gcc | 349K | 164*Link | library (V1.0) for Amiga gcc |
| libnixV1_1.lha | dev/gcc | 366K | 130*A static | library for gcc (V1.1) |
| make_3_68.lha | dev/gcc | 83K | 262*Amiga | binary of GNU make v3.68 |
| newgccstart.lha | dev/gcc | 46K | 233*A amiga-specific | startup code for gcc |
| objam02.lha | dev/gcc | 90K | 176*An Objective | C environment. V0.2 |
| sipp.lha | dev/gcc | 148K | 285*Sipp, | a 3drendering lib;for gcc only |
| sobja.lha | dev/gcc | 31K | 308*convert | gcc object files to Amiga hunks |
| Unwind.lha | dev/gcc | 12K | 89*Unwind_function | to handle exceptions with g ← |
| ++ | | | | |