

# **AmiComSysMUI**

Håkan Parting@

**COLLABORATORS**

	<i>TITLE :</i> AmiComSysMUI		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Håkan Parting@	October 9, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>AmiComSysMUI</b>	<b>1</b>
1.1	Contents . . . . .	1
1.2	Copyright . . . . .	2
1.3	Registration . . . . .	3
1.4	Yes . . . . .	5
1.5	No . . . . .	5
1.6	Updates . . . . .	5
1.7	Introduktion . . . . .	6
1.8	Requirements . . . . .	8
1.9	Installation . . . . .	9
1.10	Upgrade to 1.20a . . . . .	9
1.11	The files in your AmiComSys directory . . . . .	10
1.12	Usage . . . . .	10
1.13	Settings . . . . .	12
1.14	Personal & System Settings . . . . .	13
1.15	Server & Security Settings . . . . .	14
1.16	Program Settings . . . . .	16
1.17	Window Settings . . . . .	18
1.18	Misc Settings . . . . .	19
1.19	Client List settings . . . . .	20
1.20	Pagoo/ICQ settings . . . . .	21
1.21	Features . . . . .	21
1.22	Client List . . . . .	23
1.23	Version button . . . . .	24
1.24	Send File . . . . .	24
1.25	MultiSend button . . . . .	24
1.26	Message type cycle . . . . .	24
1.27	Message text field . . . . .	25
1.28	Send button . . . . .	25
1.29	ARexx interface . . . . .	25

---

---

1.30	SendWEB . . . . .	28
1.31	SendFTP . . . . .	28
1.32	SendIRC . . . . .	29
1.33	SendEmail . . . . .	29
1.34	Notify ARexx . . . . .	29
1.35	Message ARexx . . . . .	30
1.36	ARexx menu . . . . .	30
1.37	Hot Line (Public chat) . . . . .	31
1.38	Private chat . . . . .	32
1.39	Iconify Single windows . . . . .	33
1.40	Chat Window's keybindings . . . . .	34
1.41	Friendsbook . . . . .	34
1.42	Pagoo . . . . .	35
1.43	Add button . . . . .	35
1.44	Status choice . . . . .	35
1.45	Info box . . . . .	36
1.46	Message requester . . . . .	36
1.47	Ignore List . . . . .	37
1.48	The rules . . . . .	37
1.49	Bugs . . . . .	38
1.50	Contact me . . . . .	39
1.51	Trademarks . . . . .	40
1.52	To do . . . . .	41
1.53	FAQ . . . . .	41
1.54	History of changes . . . . .	44
1.55	Thanks to . . . . .	48
1.56	Index . . . . .	50

---

# Chapter 1

## AmiComSysMUI

### 1.1 Contents

Amiga Communicator System 1.20a-MUI

<http://amicomsys.tibb.at>

(located in Austria)

Fast mirror at <http://surf.to/AmiComSys/>

(located in Sweden)

Copyright © 1997-1998 Håkan Parting

All rights reserved.

ShareWare

Read History for new features ...

Read upgrade to 1.20a to upgrade.

**Copyright and disclaimer** This work is mine,  
but I'm not responsible for any  
damage." }

**ShareWare registration** What I want from you

**Introduction** What is this?

**Requirements**

**Installation** How to install

**Upgrade to 1.20a**

**Usage** How to use it.

**Features** The user interface ...

**Settings**

**Configure the GUI** How to configure the Main Window's GUI. (toolbar placements).

**ARexx interface**

**The rules** The rules to follow ...

**FAQ** Frequently Asked Questions. (updated 98-07-19)

[History](#) Fixed bugs and improvements.

[To do](#) Future

[Bugs](#) :-)

[The Author](#) Contact me!

[Credits](#)

[Updates](#) Where to find updates

[The files in the directory](#) What is that .msghistory file?

[Trademarks](#)

[Index](#)

## 1.2 Copyright

### COPYRIGHT

AmiComSys - Amiga Communicator System Copyright 1997-1998 Håkan Parting

All rights reserved.

The unregistered Amiga Communicator System - AmiComSys is

ShareWare and may be freely spread, if no files are added, deleted or modified.

If you register you will get a personalized keyfile which will enable all

features. That keyfile is private and only the licensee is allowed

to use it, on one computer at a time. The licensee is not allowed

to use his/her keyfile on any public machine - Amiga, or make it available on

any download site!

The AmiComSys keyfile is NOT public domain and may not be spread freely. If you do so it's considered as an act of piracy.

The licensee agrees to the license agreement above and the disclaimer below by registering.

Magazines are allowed to distribute the AmiComSys archive on their

Cover-discs/CD.

Aminet and Aminet CD have my permission to distribute AmiComSys.

BBS:es are allowed to distribute AmiComSys if they do not take out any download fee.

Nobody but myself are allowed to make any profit from AmiComSys.

PD-companies are allowed to distribute AmiComSys if they only take out the cost of copying and disk (max. 25 SEK, £3, 5 DM).

### DISCLAIMER

THIS SOFTWARE IS PROVIDED "AS IS".

NO REPRESENTATIONS OR WARRANTIES ARE MADE WITH RESPECT TO THE ACCURACY, RELIABILITY, PERFORMANCE, CURRENTNESS, OR OPERATION OF THIS SOFTWARE, AND ALL USE IS AT YOUR OWN RISK.

THE AUTHOR DO NOT ASSUME ANY RESPONSIBILITY OR LIABILITY WHATSOEVER WITH RESPECT TO YOUR USE OF THIS SOFTWARE.

THE AUTHOR HAS NO RESPONSIBILITY TO HOST A DEFAULT SERVER. ANY AMARQUEED SERVER MAY BE USED.

THE AUTHOR CAN'T BE MADE RESPONSIBLE FOR LOST MONEY SENT BY POST.

---

## 1.3 Registration

ShareWare registration

If you use AmiComSys regularly and like it you have to register.

If you register you will get a personalized keyfile, which will enable all features. That keyfile may not be made available to another part.

The unregistered AmiComSys has this disadvantages:

- \* The positions of the toolbar, message line, and info line GUI-components cannot be saved. In the registered version you may "drag & drop" the GUI-components and then save it, so they raitain the positions you have set the next time you start AmiComSys.
- \* You cannot hide your IP-address/hostname.
- \* You can't see in the client list if a client is away or busy. In the registered version there will be a "Zzz"-image for Away and a "X"-image for Busy inserted in front of all clients' nick name.
- \* The content of the Message History buffer won't be saved automatically when you disconnect or shutdown AmiComSys.
- \* You cannot ignore certain user's messages sent to you with the Ignore List, but you could use the less efficient bann-list in the Network settings instead. Via the registered version's Ignore List you can make it impossible for certain clients to send you messages, and they can't even get your System-info and Version-info.
- \* All security options is disabled, e.g messages, SendFile and PChat can not be turned off.
- \* **Send confirmation** is always enabled.
- \* A **NotifyArexx.amicomsys** script can not be used.
- \* A **MessageArexx.amicomsys** script can not be used.
- \* The Busy and Invisible options of the status-button is disabled. In the registered version you can logg in without anybody seeing you! Or when you don't want to be disturbed you can swith to busy status.
- \* Message requester cannot be closed automatically after a send.

By registering you support the shareware concept and will help me to improve AmiComSys, and in further development on Amiga, the computer we all like so much ...

By registering you also agree with the **copyright notice and the disclaimer** .

The registration fee is currently (updated 1998-07-14):

For a uuencoded or MIMEd emailed keyfile:

120 SEK OR

---

16 US Dollar OR

10 Great Britain Pound OR

30 D-Mark

Discounts are possible if several people register at the same time (5 or more).

Send the fee in bills with a letter telling **me** that you want to be a registered user of AmiComSys. No other currencies than US Dollar, Swedish Crowns (SEK), Great Britain Pounds or D-Mark are accepted.

Don't forget to include your name, address and emailaddress.

And don't forget to send me the AmiComSys.key1 you have created with the AmiComSysRegister program as below.

If you register for someone other than yourself you most also include his/her name, address and emailaddress.

Be aware of the fact that I can not be held responsible for lost money sent by post. I advice you to send them by registered mail. However no mail have been lost yet.

Make sure you are reading the latest version of this guide!

Other, more secure and more expensive, options to send the fee:

Notice, you must add to the fee, because my bank is charging me when I cash the Int.Money Order, Intl. Bank Draft, or when I receive a bank transfer, from abroad. The amount shown below is what you pay me.

\*International Money Order with the amount of 150 SEK or 19 USD.

\*International Bank Draft with the amount of 150 SEK. The receiving bank have to be: Skandinaviska Enskilda Banken (SEB), Sweden. And the recipient Håkan Parting.

\*Bank-transfer (people not living in Sweden):

Please transfer the fee, 165 SEK, via Eurogiro or SWIFT to my account number 421 38 50-3 with Postgirot Bank AB (publ), SE-105 06 Stockholm, Sweden. Their SWIFT address is: PGSI SESS. This bank charge me 45 SEK, so the total amount is 165 SEK.

Eurogiro-transfer can only be done by European citizens which have some kind of Postal Giro system in their country. Like GiroBank PLC, Bikuben GiroBank A/S, Postipankii Oy, La Poste, Postsparkasse, Direction Des Services De Paiement PTT, or Deutsche Postbank AG. Others go for SWIFT at your local bank.

\*Bank-transfer (people living in Sweden):

(in Swedish:)

Mitt Postgiro är 421 38 50-3.

Jag har också ett konto i S-E-Banken om du föredrar det. (Borde inte vara någon insättningsavgift :) Kontonummer: 5392-00 39742



Registreringsavgiften är 120 kr.

Eurocheques or any other cheque are NOT accepted! They are not cashable in Sweden!

The registration follows the following steps, step by step:

1. Send the fee to me with your name, address, and email address by ordinary mail.
2. Do you have a public PGP key?

**Yes! No!**

## 1.4 Yes

3. Send **me** the shareware fee.
4. Email me your Public PGP Key.
5. When I've received your payment I will send you the key PGP-encoded.
6. PGP-decode the file AmiComSys.key you get from me, and copy it to your AmiComSys directory.
7. It is now ready to use.

## 1.5 No

3. Send **me** the shareware fee.
4. Run the AmiComSysRegister program in the AmiComSys/Register directory.
5. The file AmiComSys/Register/AmiComSys.key1 is then created.
6. Email AmiComSys.key1 to me either MIMEd or uuencoded.
7. When I've received your payment I will send you the key MIMEd or uuencoded.
8. When you get the response from me, copy the file AmiComSys.key2 to your AmiComSys/Register/ directory.
9. Run the program AmiComSysMakeKey in the AmiComSys/Register directory.
10. Your keyfile is now ready to use. It is installed in the AmiComSys directory.

## 1.6 Updates

Updates

The most recent version should always be available from

[Aminet:comm/net/AmiComSysMUI.lha](ftp://se.aminet.net/pub/AmiComSysMUI.lha)

(e.g. <ftp://us.aminet.net/pub/aminet/> and <ftp://se.aminet.net/pub/aminet/>)

Latest version is always first available at my homepages:

or <http://amicomsys.tibb.at>

or <http://surf.to/AmiComSys/>

Updates of BetterString.mcc can be found on Allan Odgaard's homepage at

---

<http://www.diku.dk/students/duff/>

Updates of Toolbar.mcc can be found on Benny Kjær Nielsen's homepage at

<http://www.diku.dk/students/benny/>

Updates of Textinput.mcc can always be found at

[ftp://ftp.vapor.com/pub/misc/textinput\\_x.xx.lzx](ftp://ftp.vapor.com/pub/misc/textinput_x.xx.lzx)

Please subscribe to the AmiComSys-update-mailing-list to get notification when a new version is available!

Just send an empty email to [amicomsys-update-subscribe@makelist.com](mailto:amicomsys-update-subscribe@makelist.com) to add yourself to the list!

To subscribe to the AmiComSys discussion mailing list send an empty email to [amicomsys-subscribe@makelist.com](mailto:amicomsys-subscribe@makelist.com)

## 1.7 Introduktion

### Introduction

AmiComSys is an AMarquee client program which you use to communicate with other people on a tcp/ip-net - e.g Internet. At the same time it make it easier to find people's IP-addresses and homepages.

Now you can say Hi! to your Amiga buddies on the net, or just see if they are connected, or why not find now friends? AmiComSys could be the place where the Amiga community stick together.

You can:

- \* send text messages
- \* send chat requests
- \* send WEB-requests.
- \* transfer files.
- \* have a public chat
- \* have a private chat, with photos.
- \* check your Pagoo message box.
- \* advertise your homepage, ftp-site or IRC-server.
- \* see if your Amiga buddies are online.

Future updates will include more.

Please put it in your Online-script or WBStartup drawer and enjoy ...

AmiComSys requires amarquee.library v.47+ in LIBS:. Get it from the AMarquee-package - <aminet:comm/net/AMarqueeX.xx.lha>

68000 CPU users need amarquee.library v.48+.

and Magic User Interface (MUI) version 3.8 or higher

and NList.mcc by Gilles Masson, available at [Aminet:dev/mui/MCC\\_NList0\\_86.lha](aminet:dev/mui/MCC_NList0_86.lha)

and BetterString.mcc by Allan Odgaard. Included in the archive

---

(MUI/libs/BetterString.mcc).

and Toolbar.mcc by Benny kjær Nielsen (only in the 68020+/WB3.0 version). Also included in the archive.

optionally you may also use NewString.mcc by Rüdiger Sopp. (found in the Ibrowse-archive).

or Textinput.mcc by Oliver Wagner (found at [ftp://ftp.vapor.com/misc/textinput\\_13.xx.lzx](ftp://ftp.vapor.com/misc/textinput_13.xx.lzx))

Note that the above only apply if your friends are using AmiComSys,

and have an Amiga. ( An IBM-PC-version of AMarquee.library would

be nice, or better a JAVA class :-)) Yeah, there already is a JAVA-class

version of it, named JAMarquee, <http://hem.passagen.se/hparting/jamarquee/>

Features:

- \* Send text messages.
- \* Includes a client list, which shows people which have logged in.
- \* Send WEB- or Chat-requests.
- \* Uses Magic User Interface (MUI).
- \* A person oriented message history buffer, which saves all the received messages.
- \* Logging
- \* Arexx interface
- \* File transmission.
- \* Public chat (HotLine)
- \* Private chat (PChat)
- \* Friendsbook.
- \* TAB- and ':'-nickname-expansion in chat-fields.
- \* Iconification of single windows are supported!.
- \* Send WWW, FTP, IRC -addresses to your WEB-browser, FTP-client respective AmIRC.
- \* Optional string-gadget class. Choose from Betterstring.mcc, Newstring.cc and Textinput.mcc
- \* Show all/Show only frinds/Highlight friends.
- \* Check you Pagoo message box.
- \* See a photo of the one you are chatting with in PChat.
- \* Hide you IP-address from others.
- \* Ignore users in HotLine, Client-List, PChat, SendFile & Messaging.
- \* May be put in the WBStartup drawer, and will then automatically connect to the server when you are online.

See **To do** .

## 1.8 Requirements

### Requirements

There are two versions of AmiComSys:

A Kickstart 3.0 (68020+) version, and another one for Kickstart 2.0 (68000) users.

The requirements are:

-----

An Amiga with a 68020 or better processor (Kickstart 3.0 version) or a 68000 processor (Kickstart 2.0 version). Read the NOTE below for the Kickstart 2.0 version.

An Internet connection and a TCP/IP-stack like Miami, TermiteTCP, Genesis or AmiTCP3.0b2+.

INET225 users must use some kind of `bsdsocket.library->socket.library` mapper.

Termite TCP users must use some kind of `bsdsocket.library->tsocket.library` mapper.

(available at the Hisoft support-web-site.)

The shared library `AMarquee.library v.47+`. `Aminet:comm/net/AMarqueex.xx.lha`

Magic User Interface (MUI) version 3.8+. `http://www.sasg.com`

The MUI custom class `NList.mcc` version 19+. `Aminet:dev/mui/MCC_NList0_86.lha`

If `OpenURL.library` is installed it will be used for sending a http-adress to your web-browser. It's available at `Aminet:comm/www/OpenURL10.lha`

-----

In addition to the above the Kickstart 3.0 version requires these:

The MUI custom class `BetterString.mcc`. Included in the archive. (`MUI/libs/BetterString.mcc`)

The MUI custom class `Toolbar.mcc`. Included in the archive. (`MUI/libs/Toolbar.mcc`)

Updates of `BetterString` can be found on Allan Odgaard's homepage located at `http://www.diku.dk/students/duff/`

Updates of `Toolbar` can be found on Benny kjær Nielsen's homepage located at `http://www.diku.dk/students/benny/`

-----

The server to connect to must have `AMarquee` 1.49 installed for everything to work right. Notice that 1.49 isn't currently released. `amicomsys.tibb.at` is running it.

### NOTE:

Under Kickstart 2.0 the normal `string.mui` gadget or `Newstring.mcc` is used, and `betterstring.mcc` and `textinput.mcc` can't be used.

Photos in PChat won't work, because `DataTypes.library` is required.

The Kickstart 2.0 version uses normal MUI-buttons instead of the `Toolbar.mcc` MUI-class, and requires `amarquee.library v. 48+`.

## 1.9 Installation

### Installation

Just start the Installer program!

If you don't want do that, do this:

Just copy all the files to wherever you want, but please preserve the file structure.

Choose which graphics-set you want to use. Rename the directory MWBImages to Images to use the MagicWB(8-colour)-set. If you want to use the NewIcons(20-colour)-set rename the NIIImages directory to Images.

If your AmiComSys screen has a lower size than 640x512 you shouldn't use the MagicWB-graphics-set. It's probably to big.

If you put AmiComSys in the WBStartup drawer you must set the PROGDIR ToolType to the path of your AmiComSys directory. If you don't arexx scripts will not work. (SendWEB, SendFTP & SendIRC and the other ones in the rexx/ directory ). Neither will the toolbar images be found.

If your AmiComSys screen has a lower resolution than 640x512 you should set the Tooltype LOWRESOLUTION in the AmiComSys icon to make it use a different Toolbar layout by default.

If you're using a multiuser-system that Tooltype could be set to a directory in your HOME: assign. Please make sure that whole AmiComSys distribution is available there.

I recommend you to check the Time Zone settings (under the Program page-Variou-tab). The time zone should be right if you have configured Workbench Locale preferences appropriate, but if it's Daylight Savings Time you must check the checkbox (mostly in the summer time).

If your computer is behind a fire wall, or if you are using MLink or Slirp, set that setting in the network settings.

All the **requirements** must be satisfied.

## 1.10 Upgrade to 1.20a

Upgrade from an earlier version

You should use the installation program.

If you don't want to do that, follow the **installation** instructions.

New files compared with version 1.20

-----

AmiComSys/AmiComSys

AmiComSys/AmiComSysMUI.guide (FAQ is updated)

## 1.11 The files in your AmiComSys directory

The files in your AmiComSys directory

Maybe you wonder what all the files which AmiComSys has created in your AmiComSys directory do. Some of them are obsolete today and may be deleted.

Files of use in AmiComSys version 1.20

-----

.buddybook - The friendsbook is saved into this.

.ignorelist - The Ignore List is saved into this.

.lastinfoupdate - Caches the information in the upper part of main window.

.lastmessageindex - An internal number of the last seen system message.

.mhistory - The message history is saved into this.

AmiComSys.prefs - The settings are saved into this.

Obsoleted with version 1.20 (were used in version 1.19g)

-----

.friendsbook - The friendsbook was saved into this.

.friendsbook.bak

.msghistory - The message history was saved into this.

AmiComSys.config - The settings were saved into to this.

Obsolete. (Could safely be deleted).

-----

AmiComSys.data - Was used by the obsolete Gadtools version a long time ago, to save the window positions.

## 1.12 Usage

Usage

If to use it from Workbench:

Just doubleclick the icon.

For settings you should pick the General item in the **settings-menu** .

TOOLTYPES:

CX\_POPUP=Yes/No: Not working currently, can be set in iconification settings in the AmiComSys general settings.

Should AmiComSys open its window at startup? Default is Yes.

CX\_POPKEY=lalt shift a :

The hotkey which will cause AmiComSys to Show its Main Window.

Default is lalt shift a.

CX\_PRIORITY= -128 - 127 :

The commodities priority. Default is 0.

Server = anyhost.domain.anywhere :

The server which AmiComSys will connect to. Defaults to amicomsys.tibb.at.

Port = amarqueed port:

The AMarqueed port which the server uses. Defaults to 2957, which is the official AMarqueed Port.

MULTIPLE = Yes/No:

If yes, Several copies of AmiComSys may be started. Bear in mind that they must connect to different servers for this to work. It's possible to fake this if you connect to localhost and set the environmental variable AMARQUEED\_FAKECLIENT to different hostnames.

e.g. setenv AMARQUEED\_FAKECLIENT /number.com/AmiComSys

You should never set this to Yes, unless you like to run AmiComSys connected to a local server on your Amiga.

Default is No.

REALNAME = Yes/No:

If yes, AmiComSys will read the environmental variable REALNAME and use its value as RealName. Miami sets this variable automatically.

Default is Yes.

USERNAME = Yes/No:

If yes, AmiComSys will read the environmental variables LOGNAME, USER or USERNAME and use its value as Login. Miami sets USERNAME automatically.

Default is Yes.

LOGIN = <username>:

The loginname you want to use in AmiComSys.

NAME = <realname>:

The realname you want to use.

COMMENT = <comment>:

The comment you want to be showed next to your name.

EMAIL = <your email>:

Your email address. It will not be showed for others. It will has a usage in a future version.

HOMEPAGE = <your homepage address>:

FTPSITE = <your ftp site address>:

RECONNECT = Yes/No:

Specify if you want AmiComSys to try to reconnect when no connection could be established or the connection is lost, or just quit. Useful if you start AmiComSys from an Online-script. Defaults to Yes.

---

If you put AmiComSys in the WBStartup drawer RECONNECT should be Yes, and if you run AmiComSys from an Online-script RECONNECT should be set to No.

If yes, AmiComSys will try to reconnect one time every minute if connection is lost.

The problem is if you set this to NO, and the server reboots AmiComSys will quit. So probably it's better to set it to YES, and shut it down via Arexx when you goes offline.

PROGDIR = <path to your AmiComSys directory>

Set it to the path to your AmiComSys directory if you start AmiComSys from another directory than it's own, e.g. WBStartup drawer.

This is needed so AmiComSys can find the rexx and images directories and the config files.

LOWRESOLUTION

Set this if you have a screen with a lower height than 512 pixels.

I will make AmiComSys to use another Toolbar layout by default.

If to use it from Shell:

The command line is:

AmiComSys CX\_POPUP=Yes/No CX\_POPKEY=hotkey CX\_PRIORITY=0 Server/S Port/N

MULTIPLE=Yes/No REALNAME=Yes/No

USERNAME=Yes/No LOGIN=<username> NAME=<realname> COMMENT=<comment>

EMAIL=<your email> RECONNECT=Yes/No HOMEPAGE FTPSITE PROGDIR=<path>

LOWRESOLUTION

All tooltypes above can also be used exactly the same as command line arguments.

e.g. AmiComSys Server=amicomsys.tibb.at Port=2957 Reconnect=No

For more settings see [Settings](#) .

## 1.13 Settings

Settings

The settings window can be reached by picking the menu Settings/General.

With it you can set the values which AmiComSys always read in at startup. The settings is saved to the file AmiComSys.prefs

If you start AmiComSys without command line arguments all settings in that file will be used.

Parameters given as TOOLTYPES when start from WorkBench or as command line arguments from CLI will override this settings.

The GUI-positions will also be saved.

General settings:

Pages:

**Personal** - Personal and System Info



**Network** - Server and Security

**Program** - Various

**Windows** - Chat, message and History windows

**Misc** - Scripts and pathes.

**Client list** - The client list. Show friends/Hide others etc.

**Pagoo/ICQ** - Set your PagooID.

Save preferences

Save the settings to disk.

Notice that the TOOLTYPES will override the saved values in the file

AmiComSys.config. So if you change something in the settings and it does not seem to be changed the next time you start AmiComSys you probably have set the same KEYWORD in the ToolTypes to another value.

## 1.14 Personal & System Settings

Personal & System info settings

Tab - Personal info

Email - Same as TOOLTYPE EMAIL

Your email address. It is your unique name on the server. So it's very important that you enter your real unique email-address.

It will never be showed to another user, if you don't want to.

It is just used internally.

Public

If you check this checkbox your email address will be showed in the client info window and other's Friends books.

Login - Same as TOOLTYPE LOGIN

The Loginname you want to use in AmiComSys.

If the checkbox is unchecked then AmiComSys will get the login name from the environmental variables USER or USERNAME.

Same as ToolType USERNAME.

RealName - Your real name.

If the checkbox is unchecked then AmiComSys will get the real name from the environmental variable REALNAME.

Same as ToolType REALNAME.

Comment - The comment you want to show beside your username in AmiComSys. The maximum numbers of character is currently 150.

HomePage - Same as TOOLTYPE HOMEPAGE

Here you can advertise your homepage. It must start with http://

e.g. <http://amicomsys.tibb.at>

---

FTPSite/HomePage2 - Same as TOOLTYPE FTPSITE

Here you can advertise your FTP-server-address or a second home page address. Set the cycle to http:// for a second homepage and ftp:// for a ftp-site. No need to start the address with ftp:// or http://.

e.g. ftp://amigas.dyn.ml.org

IRCServer-Path

Here you can advertise your own IRC-server-address. It must be entered in the following way:

host/#channel

e.g. myownhost.com/#myownchannel

e.g. myownhost.com myIrcTCPport/#myownchannel

Don't forget the slash, /, between the host address and channel ...

Tab - System info

Here you may enter some info about your system and yourself.

Location (country)

Enter the country you're living in.

Configuration

Enter your computer configuration.

e.g. Amiga 4000, Cybergfx etc.

Programs

Enter programs you use and like.

Personal interests

Enter your personal interests here.

Picture (photo) http://

Add a link to a photo of yourself here. It must be placed on a home page.

No need to start with http://

It will be used in the PChat. You can link to the same photo as you use for YAM 2.0. The dimension of it must be 72x100.

The format of the picture must be JPG or GIF (for cross platform compatibility).

## 1.15 Server & Security Settings

Server settings

Server settings group:

Server - Same as TOOLTYPE Server

The AMarqueeed server AmiComSys will connect to. Defaults to amicomsys.tibb.at. Instead of the hostname the IP-address can be given.

Port -Same as TOOLTYPE Port

---

The port which AmiComSys connects to the server. Defaults

to 2957, which is the official AMarquee Port.

Security group

Banned users (ignore these)

Insert people into this list if they harass you. All you have to do is enter their realname and/or nick name. They will then be banned from your host, and can't send messages to you. There is a better and more efficient option, see [Ignore-List](#)

I'm behind a firewall

Check this if you are behind a firewall or are using Slirp or don't have a "real IP-address" for another reason. If not, people can't connect to you via PChat or SendFile. If you don't know what a firewall is you'd better leave this unchecked, but if you notice that people can't connect to you via PChat or SendFile you could test to check this.

Hide my IP-address/hostname

Check this if you don't want other people to see your ip-address or host name via AmiComSys.

<Disabled in the unregistered version>

MessAccess

With this you can enable or disable messages from specified host with an ordinal Amiga wildcard pattern.

With this wildcard you describe the authorized hosts which are allowed to send you a message. Default is #?, which means that anybody may send you a message.

(e.g #?.se, means that only Swedish host may send you messages.)

(#?.se|#?.com|#?.edu) gives message access to host with .se, .com or .edu domains.

{HI "If you found that people can't send messages to you, set this to #?"}

<Disabled in the unregistered version>

Enable Messages

This must be checked if you want to receive messages.

<Always enabled in the unregistered version>

Enable MultiMess

This must be checked if you want to receive messages sent with pattern matching (MultiSend).

<Always enabled in the unregistered version>

Enable Message-Center

This must be checked if you want to receive messages from the message center at the AmiComSys home page at <http://amicomsys.tibb.at>.

Enable SendFile

This must be checked if you want to be able to receive files.

<Always enabled in the unregistered version>

Enable PChat

This must be checked if you want to be able to receive Private Chat requests.

<Always enabled in the unregistered version>

---

## 1.16 Program Settings

Various program settings

Tab - Program

Program function group

Multiple copies - Same as TOOLTYPE MULTIPLE

If checked, Several copies of AmiComSys may be started.

Bear in mind that they must connect to different servers for this to work.

It's possible to fake this if you connect to localhost and set the environmental variable AMARQUEED\_FAKECLIENT to different hostnames.

e.g. `setenv AMARQUEED_FAKECLIENT /amiga.com/AmiComSys`

You should never check this, unless you like to run AmiComSys connected to a local server on your Amiga.

Default is unchecked.

Reconnect - Same as TOOLTYPE RECONNECT

Specify if you want AmiComSys to try to reconnect when no connection could be established or the connection is lost, or just quit. Useful if you start AmiComSys from an Online-script. Defaults to Yes, i.e. checked.

If you put AmiComSys in WBStartup drawer RECONNECT should be Yes, and if you run AmiComSys from an Online-script RECONNECT could be set to No, but should probably be set anyway, in the event the server is rebooted.

If yes, AmiComSys will try to reconnect one time every minute if connection is lost.

Iconification group

CloseGadget iconify main window - If checked AmiComSys Main Window will enter iconified state when you press the close button. If not it will quit AmiComSys

The window can be deiconified again by using the hotkey or by clicking the icon.

Default is unchecked.

No GUI at startup

AmiComSys will start iconified.

Show icon

Show an icon on the workbench when a window is in iconified state.

Show menu

Add a menuitem to the workbench tools menu when the window is in iconified state.

Set icon-position

Set the Workbench position of the main AmiComSys icon here.

Main Window Hotkey

Set the hotkey to use to open up or iconify the main window.

e.g. `lshift lalt a`

Application Hotkey

---

Set the hotkey to use to open up or iconify the whole application, i.e., all windows that is is open or hidden.

e.g. lshift lalt s

Tab - Various

TimeZone settings group

The only thing you must set here is the Daylight Savings Time checkbox.

Daylight Savings Time

If it is Daylight Savings Time (DST) check this. Currently it's daylight savings time, and therefore should be checked.

Get GMT offset from

The number of hours from Greenwich Mean Time is read from Locale-preferences by default, but if it is not right you can set it with the popup-menu.

It shall be in hours from GMT. If your time zone for instance is one hour (+0100,MET) east of GMT set it to GMT + 01 Hour. It shall be negative if your time zone is west of GMT, and positive if you live east of GMT.

If you do not set this correctly the time stamp on your messages won't be right.

(The online time will be wrong too ...) (Not for you, but for others ...)

Use string class settings group

Choose the string-gadget you like best ... It will be used in every stringgadget, except for the comment field in the Friendsbook. Note that BetterString.mcc can't be used on a Kickstart V37 Amiga.

You must restart AmiComSys for the setting to take effect.

BetterString.mcc

Use BetterString.mcc (found in AmiComSys's archive)

Textinput.mcc

Use Textinput.mcc (found at <ftp://ftp.vapor.com/misc/>)

Newstring.mcc

Use Newstring.mcc. (found in the Ibrowse archive)

String.mui

This the normal string-gadget which comes with MUI.

Answerbox settings group

If you want another message than default to be sent to users trying to contact you while you are away you can enter your own text here.

(With away means that you have set the status popupmenu, found in the main window, to Away.

Logging group

AmiComSys can log onlines, offline and updates to a file.

Path - The path to where you want to save the log file.

Level - The logging level:

None - No logging.

Simple - Onlines and offlines is logged.

Everything - In addition to above program end and start and client info updates is logged.

Append date - Today's date will be appended to the file name.

---

## 1.17 Window Settings

Window settings

Tab - Chat Windows

Column name Display:

Specify how the username shall be shown.

Realname & username,

Realname,

or only Username.

PChat:

Put Picture -

at the bottom or

to the right.

Specify where you want the photo to be placed.

Tab - Message History Windows

Column name Display:

Specify how the username shall be shown.

Realname,

or nickname.

Autosave history

If this is checked the message history will be saved to the file .msghistory in the AmiComSys root directory, when you quit or disconnect AmiComSys. Please clear this list after a period of time.

If you not it could take while before the list is drawn, and while it is drawing AMiComSys is locked ... The Message History will be reworked in a future version.

It will be restored next time you start AmiComSys.

<Disabled in the unregistered version>

Flow

In what direction should the entries flow. Top to Bottom, or Bottom to Top.

Tab -Message requester settings:

Screen to open on

Specify which kind of screen you allow the message requesters to open on.

Default is Front most screen.

Put screen to front

Should the screen, which the requester opens on be brought to front.

Default is no.

Beep when new message

---

Beep and flash the screen when a new message is received. Default is checked; Yes.

Send confirmation (Send-button)

Specify if you want a requester to pop up when you send a message asking you if you are sure you want to send it.

<This may only be turned off in the registered version>.

Send confirmation (Return-key)

Specify if you want a requester to pop up when you press the Return key to send a message. Note that the previous setting must be unchecked when you uncheck this. If not it will not take effect.

<This may only be turned off in the registered version>.

Close requester after send

Should the message requester close when you press the send button.

Default is no. <And this feature is only for registered users.>

Max-horiz-chars

Specify the width of the requester in characters.

Defaults to 50 characters.

Activate delay

The time since the last key press you allow a message requester to steal the current focus. Time in seconds.

0=steal the focus whenever it want.

Default is 1 second.

This setting is here to prevent you from accidentally enter information in the wrong window.

## 1.18 Misc Settings

Misc settings

Use NotifyArexx.amicomsys - Check this box if you want to use the **NotifyArexx feature** .

Unregistered users can not use this feature.

Use MessageArexx.amicomsys - Check this box if you want to use the **MessageArexx feature** .

Unregistered users can not use this feature.

Replace ACS's requester

Should the arexx-script replace ACS requesters if enabled.

Defaults to yes.

WEB-Browser-Path Type in the path to your web-browser (e.g. Ibrowse, Voyager or AWeb) here. It will be used by the SendWeb-function.

If OpenURL.library is installed this will be disabled, and OpenURL is used

---

instead.

FTP-Program-Path Type in the path to your ftp-client (e.g. AmFTP, AmiFTP) here. It will be used by the SendFTP-function.

IRC-Client-Path Type in the path to your irc-client (it must currently be AmIRC) here. It will be used by the SendIRC-function.

SendFile Save-path Type in the path to the initial directory of the SendFile save requesters.

SendFile Load-path Type in the path to the initial directory of the SendFile load requesters.

Picture directory Type in the path to the directory where you want to save photos you download via PChat. This you could be the same directory as you use for YAM 2.0 photos. Defaults to PROGDIR:pictures

## 1.19 Client List settings

Client list settings

On this page you may customize your client list.

Show list title

Check this if you want the client list to have a title.

Checked as default.

Show Mode

Choose if you want all clients connected to server to show up in your client list.

You may choose from:

Show all.

Highlight friends. Clients which can be found in your friends book will be highlighted.

How they are highlighted can be chosen as below.

Show only friends. If you chose this, only the friends found in your friends book will show up in the client list. There will be three sections in the list:

Online - People which is online.

Offline - Friends of you which is offline.

New friends - People not friends of you who have sent you a message during the current session.

Way of highlighting

How friends are highlighted. Choose from italicize, highlight pen or bold.

Show which information

What information do you want to see in the client list?

\* Loginname, Realname, Host and comment.

---



## 1.20 Pagoo/ICQ settings

### Pagoo/ICQ settings

AmiComSys can check your Pagoo message box at regular intervals, so you don't have to waste your time looking at your online center manually.

Look at <http://www.pagoo.com> for more info about Pagoo.

When a new message arrives a message will pop up after a while (depends on your settings) asking you to visit your Online Pagoo Message Box.

Pagoo already provide you with the service to send you an email asking you to visit your Message Box online. If you want you can switch that service off and use AmiComSys instead, but it is your choice. Personally I like this better, I don't want my in-box in YAM filled with Pagoo-notifications. I'm too lazy to delete them :)

You can advertise your ICQ # in the client info. There's no way to connect to the ICQ servers via AmiComSys!

#### PagooID

Enter your Pagoo ID here!

#### Pagoo Password

Enter your Pagoo password here!

#### Show ID in client list

Do you allow people to see your Pagoo ID in the client info?

This defaults to no, i.e, unchecked.

#### Check for messages when going online

Check this if you want AmiComSys to check your Pagoo Message Box when you go online.

#### Check for messages with interval

Select in which intervals you want AmiComSys to visit your Online Message Box to search for new messages. Select this according to the possibility of you getting a Pagoo message. For most of us 'Never' and 'check when going offline' is suitable.

#### Show this ICQ U# in my client info

Here you can advertise your ICQ UIN. It will be showed in the client info, and people can click it to go to your ICQ message center.

## 1.21 Features

### Features

AmiComSys contains an information bar, a status-popup-menu, a listview, some buttons and a menu. How the main window looks like depends on your

settings. It's not possible to show here how it looks like or were a specific button is. The buttons are rather self explainable. They also have bubble-help. So place the mouse pointer on the button and wait a while to get a description.

It's possible to drag and drop all the components in the Main Window, to modify its positions. By saving the settings it will stay the same the next time you start AmiComSys. This won't be saved in the unregistered version. The client list, the toolbars, and the other GUI-components have their own context menu. Press the right mouse button to see it!

A 8-button toolbar may be divided into two by picking the "divide" menu item in the context menu, that shows up when you press the right mouse button on it.

If there are two toolbars in the same area they may be merged into one by picking that menuitem, "merge toolbars", on one of them.

The GUI-components in the same area may be moved down by picking the "Top to Bottom" menu item.

This is how it looked like a few versions ago:

**Info Status-menu**

**C l i e n t l i s t / Client Info**

**Add PChat SendFile Version**

**MultiSend Message type**

Message **Send**

HotLine

Friendsbook

Close Gadget Will iconify, or close the window.

Menu

Project/

About - Shows info about AmiComSys.

Iconify Window - Iconifies the main window.

Iconify application - Iconifies the whole application (all windows).

Quit - Will quit AmiComSys.

Windows/

Message history All the messages you send and receive is saved to this history buffer.

**HotLine** Public chat.

**Friendsbook** Friends list.

**Pagoo** Pagoo.

The rules - shows the current **rules** anybody must follow on AmiComSys.

**ARexx/**

---

Execute arexx script - Execute an ARExx script

Add arexx script - Add an ARExx script to the menu.

### Settings/

General ... - Opens up the **settings window** .

**Ignore users** - Ignore users.

Show in list > Choose if you want to show all, highlight friends, or only show friends in the client list.

MUI ... - Opens up the MUI-Settings.

Save preferences Saves the settings to disc.

Restart - Restarts the whole application.

**Message requester** AmiComSys has its own requester.

**Iconify single windows**

## 1.22 Client List

Client list

All visible connected clients shows up in this list. You can select an entry.

This client list is costumizable in the **Client list settings** .

If you doubleclick an entry, a requester will appear, which contains information about that client.

It will in the following text be called 'the ClientInfo'.

(i.e realname, host, login and comment, homepage, ftpsite and IRC-server)

There are five buttons in this requester:

HTTP - Send the homepage address of the selected client to your Web browser, using the arexx script **SendWEB.amicomsys** or the OpenURL.library if installed.

FTP - Send the ftp site of the selected client to your web browser/ftp client, using the arexx script **SendFTP.amicomsys** .

IRC - Send the irc-server-address of the selected client to AmIRC, using the arexx script **SendIRC.amicomsys**

System Info - Send a request for system info. If available you will receive a message with the client's system info.

Close - Do nothing, just continue.

In the first column of the list two different characters may appear:

A grey key : The user is testing AmiComSys, and therefore is unregistered.

An orange/yellow key: The user has decided to register, and therefore are able to turn off messagehandling and more.

'zzZ' : The user is away.

'X' : The user is busy.

In the second column this character may appear:

A bubble : The user has joined the HotLine, i.e. has it opened.

Help-Bubble shows number of connected clients!

---

## 1.23 Version button

Version button

Version - Sends a Version request to the selected client. You will then get the version information of the AmiComSys the client is using,

sent as a message to you.

The Client owner will not notice anything. If the client ignores via the Ignore List you won't get the Version-info.

## 1.24 Send File

Send File button

With this feature you can send a file to another client.

Just click the button - Pick a file and press Send.

A transmission window will open showing some statistics.

To Abort the transmission: close the transmission window.

When someone sends a file to you

A requester will then open asking you whether you want to download the file or not.

The receiver will see a similar window, and can also abort the transmission by closing the window.

With AmiComSys 1.15+ this feature is multithreaded. You can send several files simultaneously.

There's a maximum of 40 simultaneously open transmission windows.

Every window has a Iconify Window- menu item.

## 1.25 MultiSend button

MultiSend button

If you press the MultiSend button a window will appear, where you may enter a wildcard that specify which hosts shall get your message when you transmit them by pressing the Send button in that little window.

e.g. #?.se will send the message to every Swede, which is connected to the server.

#? will send to everyone connected to server.

Use this sparingly. You are only allowed to send one multi-message every 10 minutes.

## 1.26 Message type cycle

Message type popup-menu

There are three kind of messages. With this choice gadget you specify which you want to use:

Message - A text message.

---

Chat request - A chat request. Use this if you want to chat with someone using IRC. Type in the IRC channel in the message field.

WEB request - A WEB request. With this you can send a home page address to a client. Type in the home page address in the message field. The recipient will then get a requester asking him/her if he/she wants to show the specified page.

The page address will then be sent to his/her web browser using the arexx script [SendWEB.amicomsys](#) .

Ibrowse, Voyager, AWeb and Amosaic is supported. ARexx must be running. The Arexx-server is started with the RexxMast program found

in the SYS:system directory. If your web-browser is not running AmiComSys will start it. See [SendWEB.amicomsys](#) .

If you have installed the new OpenUrl.library it will be used instead. Make sure that the OpenURL prefs is okay.

## 1.27 Message text field

Message field

All messages are typed into this field. There is maximum number of character limit of 1000.

The [Send button](#) is automatically pressed if you press enter in this gadget.

There's a timeout for every client, to protect from bombings. When you have sent a message to a client you must wait 8 seconds before you can send a message to the same client again.

## 1.28 Send button

Send button

Sends the message in the message field to the selected client in the client list.

A confirmation requester will pop up before it is sent, asking if you are sure.

The send confirmation can be turned off when you press the Send button.

( Not when you press Return in the client field.)

## 1.29 ARexx interface

ARexx interface

With the ARexx interface you can receive information from AmiComSys, like clients hostname, login or name.

AmiComSys's ARexx port is AMICOMSYS, and it understands the following commands:

DISCONNECT - Log out from server.

SHOW - Shows the main window.

HIDE - Hide the windows.

ICONIFY - Iconify the windows. HIDE and ICONIFY do the same thing in the MUI-version.

QUIT - Quits AmiComSys.

STEM <var>. - Use it with GET to get the result included in structure.

e.g. GET STEM info.

VAR <var> - Copy the result to the variable <var>.

GET - Get information from AmiComSys.

Parameters:

CLIENTLIST - Get info from clientlist.

e.g. GET STEM info. CLIENTLIST

Results: info.<name>

connected - Connected to server. 0 = no, 1 = yes.

browserpath - The path to the web-browser.

ftpprgpath - The path to the ftp-client.

ircprgpath - The path to the irc-client.

status - The current status. ONL, OFF, AWA, BUS or INV

numclients - Number of lines in the client list.

numconnected - Number of connected clients. May differ from 'numclients' if 'listshowmode=2'.

listshowmode - The show mode of the contact list. (0=all, 1=highlight friends and 2=show only friends).

The following needs the parameter CLIENTLIST specified

selected - The index (the line in client list) of the selected client.

hostnames - An array of the hostnames of the clients.

e.g. hostnames.0 for the first one.

usernames - An array of the usernames of the clients.

realnames - An array of the realnames of the clients.

comments - An array of the comments of the clients.

homepages - An array of the homepage addresses of the clients.

ftpsites - An array of the ftpsite addresses of the clients.

onlinetimes - An array of the onlinetimes of the clients.

login - Your user name.

realname - Your real name.

comment - Your comment.

email - Your email.

homepage - Your homepage.

ftpsite - Your ftpsite.

onlinetime - The time when you went online with AmiComSys.

SET - Set information in AmiComSys.

Parameters:

LOGIN <username> - The Login name.

REALNAME <name> - The Real name.

COMMENT <comment> - The comment.

UPDATE - Update the information on the server.

To make the changes of the above item apply give the command SET UPDATE.

LOGPATH <path> - The path to the logging file.

LOGLEVEL <n> - The logging level.

SELECTED <username> - Select the user-client.

HOTLINE <open/close> - Open or close the HotLine

MESSAGEAREXX <0/1> - Enable/disable messagearexx.amicomsys temporarily.

It will not be saved to disc.

STATUS - Set the current status. ONLINE, OFFline, AWAY, BUSy, INVisible.

e.g. set STATUS AWAY

REQUEST - Open a requester

Parameters:

TITLE - The title of the requester

BUTTONS - The buttons. e.g. "\_Ok|\_Cancel"

TEXT - The text

Use the rawkey 13, instead of 10 to get a newline

e.g.

```
NL='0d'x;
```

```
thetext='hello'\\NL\\'there'
```

```
REQUEST TITLE hello BUTTONS okey TEXT thetext
```

REQUESTA - Open a non-blocking requester

Parameters:

TITLE - The title of the requester

BUTTONS - The buttons. e.g. "\_Ok|\_Cancel"

TEXT - The text

HOSTNAME - A hostname in the format /hostname/AmiComSys

If specified the requester will have a string

gadget and a Send gadget.

It's the same format as the one messagearexx.amicomsys-script gets from AmiComSys.

Use the rawkey 13, instead of 10 to get a newline

e.g.

```
NL='0d'x;
```

```
thetext='hello'\\NL\\'there'
```

```
REQUEST TITLE hello BUTTONS okey TEXT thetext
```

SEND - Send messages or files.

Parameters:

MSG - Send message

CHAT - Send chat request

WEB - Send WEB-request

USER <username> - The username

---

TEXT <the text> - The text you want to send  
FILE - Send a file to the USER  
NAME - File name of the file  
ASK - Confirm before sending  
rc=0 = Message was sent  
rc=10 = Message was not sent  
rc=1 = User answered no to the confirmation or time out now finished (15 seconds).  
See rexx/AmiComSysTest.rexx for examples.

In the rexx directory there are some arexx scripts which is started at different occasions:

**NotifyArexx.amicomsys** - When the client list change.  
**MessageArexx.amicomsys** - When a message arrives.  
**SendWEB.amicomsys** - Send homepage address to web-browser.  
**SendFTP.amicomsys** - FTP address to ftp-client.  
**SendIRC.amicomsys** - IRC address to AmIRC.  
**SendEmail.amicomsys** - Email to for example YAM.

The program includes a menu **Arexx** .

## 1.30 SendWEB

SendWEB

You send a WEB-request by changing the message type to WEB, type the homepage address in the message field and then press SEND.

When one get a WEB-request message it pops up a requester asking if you want to show the homepage.

When you press the SHOW button the arexx script SendWEB.amicomsys is started. It will try to connect to IBrowse, Voyager, AWeb and AMosiac. If it succeed it will send the homepage address to the web-browser.

If your Web-browser is not started this will not succeed.

To start it automatically: enter the path to your web-browser in the Misc-settings.

Make sure you have the latest rexx-scripts. (SendWEB.amicomsys).

Or if you have OpenURL.library installed make sure it's settings is correct. AmiComSys will use it instead. It's kinda faster than an Arexx-script, and is more customizable.

## 1.31 SendFTP

SendFTP

In the client info requester, which will appear if you doubleclick on a client, you can click on the ftp-server.

When you press this button the arexx script SendFTP.amicomsys is started. It will try to connect to IBrowse, Voyager, AWeb and AMosiac. If it succeed it will send the ftp address to the web-browser.

If your Web-browser is not started this will not succeed.

To start it automatically: enter the path to your ftp-client in the Misc-settings.

Make sure you have the latest rexx-scripts. (SendFTP.amicomsys).

This could be changed to a real FTP client if you prefer that.

But if a web-browser is started the address will be sent to it ...



## 1.32 SendIRC

SendIRC

In the client info requester, which will appear if you doubleclick on a client, you can click the IRC server address.

When you press this button the arexx script SendIRC.amicomsys will be executed. It will try to connect AmIRC. If it succeeds it will connect to the

irc-server address.

If it does not succeed, make sure you have entered the path to your AmIRC in the Misc-settings.

Make sure you have the latest rexx-scripts. (SendIRC.amicomsys).

## 1.33 SendEmail

SendEmail

In the message requester which pops up on the screen when some one sends you a message via the Message Center at the home page, you can press

an Email button to transfer the email address of the sender to your mailer.

Currently only YAM 1.3.x and YAM2.0p5+ is supported.

If the mailer isn't running it may be started from the script.

## 1.34 Notify ARexx

NotifyARexx

The arexx script NotifyARexx.amicomsys is run when:

- Someone is connecting
- Someone has updated his/her info.
- Someone has disconnected.

Use this script to tell other application that the client list is updated.

This command line arguments is sent to the script:

HOST USERNAME con/upd/dis

If the hostname isn't available, i.e. hidden, N/A will be returned for HOST.

You could parse it in Arexx with

PARSE ARG host user action

con= connecting, upd=updating, dis=disconnecting

It's only for registered users.

There's a script by Scott Beardwood at Aminet:comm/net/ACS-Notify.lha

## 1.35 Message ARexx

MessageARexx

The arexx script MessageARexx.amicomsys is run when:

- A text, chat or WEB -message arrives

If the 'Replace ACS's requesters' is enabled in settings this script it will take over the message handling of AmiComSys.

Thess command line arguments is sent to the script:

USER\0NAME\0TEXT\0ACTION

You could parse it in Arexx with

```
PARSE ARG user '\0' name '\0' text '\0' act
```

'act' can be msg/chat/web

An example script:

```
/* MessageArexx.amicomsys example
```

```
** You parse the arguments which AmiComSys send to
```

```
** this script in the following way:
```

```
user=username
```

```
name=realname
```

```
text=the message text
```

```
act= MSG, CHAT or WEB.
```

```
*/
```

```
PARSE ARG user '\0' name '\0' text '\0' act
```

```
Say "User:" user
```

```
Say "Name:" name
```

```
Say "Text:" text
```

```
Say "Act:" act
```

It's only for registered users.

## 1.36 ARexx menu

Arexx menu

In the ARexx menu you can execute arexx scripts and add arexx scripts to the fast menu.

Execute arexx script - Executes an arexx script. (An ASL filerequester pops up).

Add arexx script - Adds an arex script to the fast menu. (an ASL filerequester pops up).

fastmenu items ,, Pick one of the items and that script will be executed.

There are some scripts in the rexx/ directory:

Ping.rexx - Pings the selected client. (A window is opened).

Finger.rexx - Fingers the selected client. (A window is opened).

AmiComSysTest.rexx - Outputs the whole client list to a window.

Note that these scripts will not work if you do not have ping or finger in the AMITCP:bin/ or MiamiXXXXXX in the MIAMI: directory.

If you want another program to use the host name of the selected client, just make a copy of the Ping.rexx script and make appropriate changes.

```
ADDRESS AMICOMSYS;
OPTIONS RESULTS;
GET stem info. CLIENTLIST;
/* "stem info." inserts the results to the structure 'info.'. */
/* "var s" would have inserted all the results to one string in s. */
/* "CLIENTLIST": We want to read the client list information. */
s=info.selected;
ADDRESS COMMAND "AMITCP:bin/Ping " info.hostnames.s;
/* To start another application just change ping to any other
program name */
```

## 1.37 Hot Line (Public chat)

HotLine (public chat)

This is a public chat window.

You only receive chat messages when the HotLine window is opened (to iconify is not to close).

Topic: Here you enter the topic, if you want to change it.

Say: Here you enter what you want to say.

Online/Offline-button: Press this if you want to disconnect while the window is opened. You can reconnect by pressing the Offline-button, which then will change to online-mode.

Note: All people who have their Hotline-window open will have a "bubble" in front of their username in the clientlist.

Messages that are addressed to you (message beginning with your loginname) will be highlighted.

When someone enter or quit the HotLine a notification will be inserted into the list (From <System> and is italicized).

The username display is configurable in the [Chat-settings](#).

The chat-textinput-field have some [keybindings](#)

---

## 1.38 Private chat

Private chat

If you press the PChat button you will connect to the one selected in the client list.

A private chat window, which work almost the same as the one in the Hotline, will open.

With this feature you can chat with somebody while looking at a photo at the one you are talking to.

A request for a private chat will be sent to the remote host. If he/she accept you're connected, and you may exchange text messages.

Topic: Here you enter a topic, if you want to change it.

Say: Here you enter what you want to say.

In the bottom part of the window a status text shows up. It will for the most part tell which clients the window is connected to, or if the connection went broken.

The window has a menu:

Project menu

Iconify window

Iconify this window.

Save as ...

Save text buffer.

Quit

Close the connection and the window.

Action menu

Clear buffer

Clear the whole text buffer.

Invite selected user

With this feature you can connect to the client selected in the main window.

Use this item to chat with multiple clients!

If a photo of the remote user is available a button will appear at the bottom.

Press it to download the photo. Save it the Pictures directory of the AmiComSys home directory or where you have set in the Misc-settings-Picture directory.

One window can be connected to a unlimited number of clients. You will act as a server for the clients you have connected. All you say will be sent to all the others, which you are connected to in that window. What all the clients which you you have connected say will be sent to all the others which you have connected.

So if you close the window the others which you have connected will also lose the "connection" to each other.

---

With this feature it is possible to talk to all your buddies at the same time.

But if the ones you have connected wants to keep talking to eachother when you must break your connection, they must connect to each other. Do this with the "Invite selected client" menu item.

Learn it by testing. It's not so easy for me to describe how it's working in just text. Maybe I should draw a picture.

The username display is configurable in the [Chat-settings](#).

The chat-textinput-field have some [keybindings](#)

## 1.39 Iconify Single windows

Iconify Single windows

Every window has a menu item Iconify Window in it's project menu.

The shortcut is 'Right Amiga i'.

By picking this menu item you may iconify just that window which is activated.

You can also click the MUI-iconify-button in the upper right corner of the MUI-window-frame (if you have decided to show that button in the MUI-prefs).

By choosing Iconify application in the menu or the MUI-frame-menu item 'Iconify' you can iconify the whole application. The MUI-iconify-button iconize only the active window.

If you iconify the main window or the whole application it can be deiconified by:

- \* pressing the hotkey. (default Left Shift -Left Alt- A for the Main Window)
- \* pressing the application hotkey.
- \* clicking the icon on the workbench. (If show icon is on)
- \* choosing the menu item in the Workbench tools menu. (if show menu is on)

NOTE: Don't set the HotKey setting in the MUI-prefs. To set the the HotKey for the AmiComSys Main Window, open the ToolTypes and set CX\_POPKEY.

Default is CX\_POPKEY=lalt lshift a

Hotkey= Left shift, Left Alt and the a-key

It could also be set in the Iconification settings found in the Program settings of AmiComSys.

Note that the Tooltype will override the setting in the AmiComSys settings!

So insert a couple of pharanteses in front and after the "ToolType" CX\_POPKEY if you only want to use the setting in the preferences.

---

## 1.40 Chat Window's keybindings

Keybindings in chat windows

There are some keybindings for the chat-textfields in the chat windows (hotline & pchat).

TAB

If you press TAB in the beginning of the line the username of the last seen user in the list will be inserted into the textfield. e.g. <TAB> goes amigafan:

It also has a expansion feature. For example if you write am and then press the TAB key, AmiComSys will search through the clientlist till it finds a username which is matching. If amigafan has joined the Hotline, am will be expanded to amigafan:.

If the search word is ambiguous press TAB again and the next client in the list that match the search string will be inserted.

:

If you press ':' in the beginning of the line the last used nickname will be inserted into the textfield.

Cursor up & cursor down

Will browse through the chat text list. Text will be inserted into the textfield.

A smiley may be entered by pressing the CTRL key while pressing the ':'-key.

How you get that ':' may differ from mine, which is "SHIFT ."

## 1.41 Friendsbook

Friendsbook

You open the Friendsbook by selecting the Windows-Friendsbook-menuitem.

In it you may insert buddies':

name

username

email

comments

Pagoo ID

ICQ UIN

The path to a photo of the friend (locally on your computer).

With the 'New' and 'Remove' buttons you may insert a new one respective remove the selected entry.

If you use the Add-button in the main window you may insert the selected client into your friendsbook.

The email of the client will not be showed if the user have not decided to make it public.

It's then hidden. If you try to insert a email in the email-textfield it will be compared against the one got from the server, and if the are the same it will be

inserted into the list. If they are not a confirmation dialog will open. You should not write another email here than the one the client is using in AmiComSys, because that email will be used to recognize people.

You may also "drag & drop" a client from the Client List into the Friendsbook list to insert it!

You may also configure a couple of events here (several more is to come ...):

On the Events-tab:

On Connect:

Get a notification when the current user connects.

On Disconnect:

Get a notification when the current use disconnects.

## 1.42 Pagoo

Pagoo Menu

In the Pagoo menu, a sub menu of Windows menu, you find:

Check Messages

Let AmiComSys check your Online Pagoo Message Box, and tell you if it could found any new messages.

Send Message

A link to the Pagoo Send Message Home Page.

## 1.43 Add button

Add button

With this button found in the main window you may add clients to your friends-book. The email address will be hidden if the user has decided to make it not public.

The client will be highlighted if you use "Highlight friends"-show mode.

## 1.44 Status choice

The status popupmenu

With the status popupmenu in the upper right corner of the mainwindow you may set a status :)

Online:

Go online.

Offline:

Go offline.

Away:

You are away. An answerbox will be activated. It will send out a message

---

to people trying to connect to you. And received messages will be saved to the Message History (in Window menu), under "While Away".

Messages received while away will be highlighted.

Number of waiting messages will be showed in the information box at the upper part of the main window.

Busy:

You are busy and don't want to be disturbed. Nobody can connect to you with AmiComSys.

Invisible:

You will be invisible to all other connected. You will see the other connected but they will not see you.

The last two do only work if you're a registered user.

## 1.45 Info box

The info box

In the information box in upper part of the main window, various information will be showed.

No text in it is hardcoded into the program. There's a cache for it named .lastinfoupdate, and may be found in the AmiComSys home directory.

## 1.46 Message requester

Message requester

AmiComSys uses its own message requester.

It does not block other traffic, like the usual AmigaOS one.

It is always centered.

The buttons have these shortcuts:

The right button: ESCape or the underlined character.

The left button: The underlined character.

The RETURN key will press the selected button. (select with the TAB-key).

With the TAB-key you may cycle through the alternatives.

It doesn't steal the current focus while you are using the keyboard. (costumizable in the Window-settings).

You don't have to close a requester before you can get or send another message.

The message text requesters also has this:

A message field and a send button. You can use these to reply, without opening the main window. The requester will not close when you press the Send-button or Enter in the message-field.

This requester could also include other features later.

AmiComSys will use MUI-windows for this in a future version, but this GadTools version will probably be optional.

You can configure the requester at [Windows settings](#)

---



## 1.47 Ignore List

Ignore List

The ignore list you find by picking the settings/ignore users menu item.

With it you can automatically ignore certain people that harass you.

There are one list in the window. It shows the current entries in the Ignore List.

By selecting an entry the checkboxes at the right of the list will show what what is ignored.

With the button, "Add selected client", you add a client to the list. That client will then be deleted from the Client List.

The button, "Remove", removes the selected entry in the Ignore List.

With the three checkboxes, named "HotLine", "ClientList" and "Msg, PChat & SendFile", you may specify what is to be ignored for every entry individually.

HotLine - By checking this you won't see any entry in the HotLine from the added client. You won't notice if it changes the Topic either.

ClientList - By checking this you prevent the client to show its existence in your Client List.

Msg, PChat & SendFile - By checking this you prevent the added client to send you messages and connect to you via PChat and SendFile. The added client can't even get your System-info and Version-info!

<This is disabled in the un-registered version of AmiComSys>. Unregistered users could use the 'Bann-list (ignore these)' found in the Network settings instead. But with this the message is actually sent to your machine but filtered out. With the feature above it's stopped at the server, so nothing is sent to you!

Finally the Update button, which uploads the current settings to the server.

You may "drag & drop" a client from the Client List into to this list, as an option to use the "Add selected client" button.

## 1.48 The rules

The rules

The current rules of AmiComSys are: (last updated 980904)

I support free speech, but these rules apply everybody while using messaging and the HotLine, whether it be private or public:

§1) NO text that could be offensive or insulting to anybody shall be posted to the HotLine's Topic or Say field.

§2) NO ONE is allowed to post text that is just garbage in the HotLine, or send a MultiMessage or a Private message with such garbage. Not only does it take up unnecessary bandwidth, it also creates anger in the receiving person.

§3) In your comment, you may write whatever you find informative or humorous. Remember that this is not a place where you are to accuse people for anything. Such comments easily create a bad atmosphere and anger, IMHO.

§4) NO ONE owns the Topic field. If someone modifies your Topic, show them some consideration, and do not change it back to what suits you right away.

§5) Do NOT use rude speech.

§6) Do NOT slander each other.

§7) Do NOT use your comment to spread rumours about AmiComSys!

§8) Do NOT talk about pirate software in the HotLine, or by Multi-Messages, except how to combat it.

Remember:

If you start talking about religion, you are responsible for what happens. Do NOT mail me about infringements of the above rules in that case! The one who has joined the game must accept the consequences!

If anyone use AmiComSys to find IP-addresses to nuke or flood, do not write to me to tell me. Write to the Internet operator of the host which is flooding you! By registering AmiComSys you may hide your IP-address.

Remember there are NO "back-doors" in AmiComSys that any unnamed piracy group could use to steal your files. The only thing they can use AmiComSys for is to find your IP-address and try to connect to some of your ports. If you are running one of their programs, that program could be listening on a port that they could connect to on your host and to steal your files. Another security risk is if you are running a FTP-server at port 21, with an unsafe password, or a Samba-server at port 139. I recommend you to use Miami's IP-filter to block access to certain ports, and use the 'netstat' command to find out which connections are established.

These rules should make sure that nobody will feel insulted while they are online and have AmiComSys running. Insulting behaviour can create a bad atmosphere that could make people leave AmiComSys. That is NOT a thing I want to happen!

Users that do not follow these rules may be kicked out of AmiComSys or be disallowed connection to the server.

For your information, the HotLine can be seen by anybody and is logged by the server.

If you want to say something private you are encouraged to use PChat or Messaging instead of HotLine.

If you feel that someone is insulting you or sending you unwanted messages I advise you to insert that person's login name and/or RealName into your Ignore-list, which is found in the NetWork-security-settings. That person should then be unable to send you any private messages or connect to you through PChat or SendFile.

## 1.49 Bugs

Bugs

Known bugs:

\* Probably some memory leakage. (mostly caused by amarquee.lib.)

If you find a bug, please first check the [FAQ](#) , then tell [me](#) .

Before you send me a bug report make sure that you have the most recent version of AmiComSys.

I want to know:

1. description of the bug( when?, how?, what happen?)
2. your name, address and email-address, if you have one.
3. which version of AmiComSys do you use?
4. your computer configuration.

## 1.50 Contact me

The author

If you have suggestions, want to report a bug, just want to say something, or want to register write to me at the address below:

Always make sure that you have the latest .guide before you report a bug or register.

Snail-mail:

Håkan Parting

Organistv. 11

SE-17579 Järfälla

Sweden

E-mail: [hparting@hem.passagen.se](mailto:hparting@hem.passagen.se) (permanent)

[id96\\_har@isk.kth.se](mailto:id96_har@isk.kth.se) (temporary, don't save to address books ...)

[hparting@swipnet.se](mailto:hparting@swipnet.se) (last until February year 2001)

Homepage: <http://hem.passagen.se/hparting>

[http://www.isk.kth.se/~id96\\_har](http://www.isk.kth.se/~id96_har)

<http://amicomsys.tibb.at>

Faster mirror at <http://surf.to/AmiComSys/>

FidoNet: Hakan Parting@2:204/255

Don't send your mail to all the email-addresses. Mail sent to one of them is forwarded to the one a curently use.

NEW! There are two AmiComSys mailing lists:

AmiComSys-update

-----

Subscribe to this mailing list if you want to get a notification when a new version of AmiComSys have been released.

You cannot send anything to this mailing list.

Subscribe by sending an empty email to [amicomsys-update-subscribe@makelist.com](mailto:amicomsys-update-subscribe@makelist.com)

AmiComSys Mailing list

-----

Use this mailing list for discussions of future updates and bugs. You are allowed to send to this one!

Subscribe by sending an empty email to [amicomsys-subscribe@makelist.com](mailto:amicomsys-subscribe@makelist.com)

The mailing list email address is [amicomsys@makelist.com](mailto:amicomsys@makelist.com)

My computer system is:

Amiga 1200Tower/68030/50MHz/18MB/2.1GB/CD-Drive/USR Sportster Voice 33.6.

Other programs by me is:

VersionWB \*\*\*\*\* Current Version is 2.9d (01.04.98)

---

aminet:util/sys/VersionWB

An AmigaDos Version replacement which supports XFD and shows version info in a requester.

\*\*\*AMarquee for Java\*\*\*\*\*

A port of the amarquee.library, by Jeremy Friesner, to Java 1.0.2.

This Java-package makes it possible to connect to an AMarquee-server and exchange data.

It's home page may be found at <http://hem.passagen.se/hparting/jamarquee/>

\*\*\*AMarquee for Amiga\*\*\*\*\*

I have taken over the development of amarquee.library and AMarqueed.

Except to see version 1.49 soon ...

It's home page will soon be located at <http://hem.passagen.se/hparting/amarquee/>

\*\*\*\*\*GlossTask\*\*\*\*\* Current version is 1.73 (29.07.98).

aminet:misc/edu/GlossTask.lha

The GlossTask is the program with which you do your glossary home work with. It can test you from one language to another.

The program is managed by mouse, has many features and is very easy to use :-). Of course you can save your vocabulary list for use at another occasion.

Now in a GTLayout-version!

## 1.51 Trademarks

Trademarks

AmiComSys and Amiga Communicator System is copyright by Håkan Parting.

AMarquee is copyright by Jeremy Friesner and Håkan Parting.

Amiga and Workbench is a registered trademark of Amiga International, Amiga Inc., Gateway.

ICQ is copyright by Mirabilis.

Pagoo is copyright by Pagoo Communications, Inc.

AmIRC is copyright by Oliver Wagner.

Betterstring.mcc is copyright by Allan Odgaard.

Newstring.mcc is copyright by Rüdiger Sopp.

Textinput.mcc is copyright by Oliver Wagner.

Toolbar.mcc is copyright by Benny Kjær Nielsen.

NList.mcc, NListview.mcc & NFloattext.mcc is copyright by Gilles Masson.

Ibrowse is copyright by Omnipresence Intl.

Voyager is copyright by Oliver Wagner.

AWeb is copyright by Yvon Rozijn.

---

Miami is copyright by Nordic Global Inc.

YAM is copyright by Marcel Beck.

Busy.mcc is copyright by Klaus Melchior.

OpenURL.library is copyright by Troels Walsted Hansen.

Trademarks mentioned are owned by their respective owners.

## 1.52 To do

To do

Future versions will include:

Search feature. (Seen)

File server features.

Localization.

Possibility to load preferences from disc.

Sounds when anything happen.

Multiselections.

Plug-ins. (Registered Arexx-scripts)

Possibility to use bold, italic, center etc. in messages.

Send emails.

User-list in the HotLine

Possibly show photo of friend in the Friendsbook.

more ?

Is anything missing, tell **me** .

## 1.53 FAQ

FAQ

Everytime I start AmiComSys the MUI settings get squeezed

You probably have a screen size lower than 640x512. Then set the Tooltype

LOWRESOLUTION in the AmiComSys icon. Then AmiComSys will open with the two toolbars merged to one and put in the lower part of the window. This layout should work with any usable screen size.

If you are a registered user you may customize the toolbar positions to your own taste.

Can I use the NewIcons graphics set even though I don't have the NewIcons version 3 or 4 installed?

Yes, NewIcons is not required. I call them NewIcons-style-images because they have more colours than 8, indifference to the MagicWB-style graphics set.

The number of connected is no more in the About box. Where do I find it?

---

Place the mouse pointer on the Client List and then wait until the bubble help appear. There you will see it. Make sure that you have enabled bubble help in the MUI-System-prefs.

Why is the toolbar with the MultiSend button wider than the other one?

That's because the text "MultiSend" takes larger size than the images their self. To fix this go to the Toolbar-settings in the MUI-prefs and choose a smaller Font-size.

If you have the two toolbars in sequence then merge them by pressing the right mouse button on them and choose the "Merge toolbars" menu item.

Why do the window borders get corrupted, or overwritten when I place a window in front of the Main Window, PChat window, and the HotLine window, or resize the ditto.

This is not an AmiComSys bug. It's seems like MUI's simple refresh and redraw without clear settings don't work correctly. So to correct this problem go to the MUI-prefs and open the Windows-page. There you should find a setting called "Refresh" and "Redraw". They could be localized.

Set this settings to "Refresh: Smart" and "Redraw: with clear". This will fix the problems, and your windows will also be refreshed quicker.

When I try to resize the Rules Window and the IgnoreList window my computer crashes.

This not an AmiComSys bug. I'm not currently sure what MUI-modules(class) that is bugging, but I suspect NList.mcc.

There is a fix to this. Do as described above with the settings "refresh" and "redraw".

How do I enter a Smiley :-) in the HotLine?

In addition to the keys you usually press to get that ':', press the CTRL-key.

Usually the message-requesters appear at the centre of the screen, but sometimes they appear in the upper left. How come?

AmiComSys detects keypresses. So it knows when you are using the keyboard.

If it has detected a keypress within one second before the requester is to open, it will open in the upper left instead of centered. This prevents it from being opened in front of the text you are working with. You usually aren't typing in the upper left, are you?

At the same time it also opened unactivated to prevent it from stealing the current focus. See below.

How do I create my own chat room, with only people I have invited?

Press the PChat button while one of them you want to chat with is selected in the client list. Then when you are connected you can pick the menu item 'invite selected client' in the Action menu of the PChat window. That client will then be added to your PChat window. Read more about this [here](#).

Sometimes the message requesters stoles the current focus. So when

I think I am typing text in one text field I'm actually not. And if I press

Return the message requester is accidentally closed. What to do?

AmiComSys has a feature which try to avoid these situations. It listens on your key-presses. If you haven't pressed a key for one second AmiComSys thinks it's safe to pop up an active window, but for some people that time is too short. You can increase it in the Windows-settings - Message Requester tab - Activate Delay. Test to increase it with one second steps and see if that is long enough.

Will AmiComSys be able to connect to ICQ in the future?

This is a very difficult question. It is possible to implement ICQ compatibility into AmiComSys cause there are a couple of sources which anyone have connection to. But such a version would currently be illegal. Therefore I can't implement ICQ into AmiComSys, even though it would be nice!

All sources that are available are only using the old ICQ version 2 protocol, which Mirabilis probably will drop its support for in a few months. To get rid of all these ICQ clones ... ICQ 98 for Windows is using version 4 if I remember right.

What will happen in the future I can't tell. Maybe Mirabilis, or the new owners, will release the ICQ protocol, and then I will of course add it to AmiComSys.

How can friends not using an Amiga contact me when I'm online. And how can I contact them?

First how people can contact you:

- \* Tell them to go to the AmiComSys Message Center at the AmiComSys home page

<http://amicomsys.tibb.at/messagecenter.html>

There they need to enter your nick-name and can send you an instant message. They can see

if you are online by looking at <http://amicomsys.tibb.at/clientlist.html>

- \* If you have a Pagoo user id they can send you a message via Pagoo.

- \* Via email.

- \* Using one of the illegal ICQ clones for Amiga ...

Second, how you may contact them:

- \* If they are using ICQ, you can visit their message center,

located at <http://wpp.mirabilis/ICQUIN/>

and send a message. Exchange ICQUIN with their ICQ #.

- \* If they use Pagoo you can send a message by picking the Windows/Pagoo/Send Message menu item in AmiComSys. You will then be taken to the Pagoo Send Message Home Page.

- \* Use one of the illegal ICQ clones for Amiga ...

- \* If they use another AOL clone, I don't know what to do. Maybe they also have some kind of Home Page Message Center. Tell me!

## 1.54 History of changes

### HISTORY

1.20a (05.09.1998)

#### BUGFIX:

Because of uninitialized memory the Events in the Friendsbook could automatically be activated when AmiComSys read in an old .friendsbook file created by AmiComSys version 1.19g. The only solution for the one which have used the 1.20 version is to go to the Friendsbook and the Events tab, and disactive "On Connect" and "On Disconnect" if you don't want to be notified when your friends connects or disconnects.

Bug reported by Harry Samwel. Thanks!

AmiComSys have problems to open on a screen width lower hight that 512 pixels.

I recomend that people that have a screen of 640x256(200) to choose the NewIcons-style (20 colours) graphics set in the installation. Then go to the MUI-prefs, choose Toolbar, and then decrease most of the settings. For example Group Spcace is 20 by default, 5 is probably better. You could also choose a smaller font, or show the images without text below it.

I have also implemented a little fix in this bugfix release that will place all buttons in one 8 button toolbar when the window refuse to open, because it doesn't fit.

Users with a screen size lower than 640x512 have to set the ToolType LOWRESOLUTION in the AmiComSys to make AmiComSys always open up with the 8-button tooltype.

If you don't set this your MUI-settings will be scrambled everytime AmiComSys is started :( It will also take significantly longer time to open up the window.

I hope that I can provide you with a graphics set with smaller images in the future.

Reported by Fredrik Zetterlund. Thanks!

The whole application was deinconified when you granted access for a PChat Session.

1.20 (30.08.1998)

#### NEW:

Added image-buttons. Drag & drop on the whole GUI in the main window.

The GUI positions can be saved. The toolbars, message group and status group may be moved to another position than default!

The support for pre 1.19c versions of AmiComSys were removed.

You may now Drag & Drop clients from the Client List to the Friends Book.

You may now Drag & Drop clients from the Client List to the Ignore List.

Clients are now inserted alpabetically sorted into the Friendsbook and Ignore List. Also added a menu item. Entries->Sort.

---



Now uses OpenURL.library if installed, to send HTTP://-URLs to your browser.

Added restart to the settings menu. The program is now also automatically restarted when a configuration change requires a restart.

New configuration file format. Should be faster to read in. Old configuration file "AmiComSys.config" is automatically converted to the new format and saved to "AmiComSys.prefs".

Person-oriented message history implemented.

The picture that may show up in PChat is now inserted to the right.

You set it back to former position, i.e. below, in the Windows settings, Chat tab-PChat, Put Picture cycle.

Enhanced the iconification settings. Now there will be no problem if you set one of the iconification settings in the MUI-prefs. It's completely ignored by AmiComSys. New settings are: Hotkey for main window open/close and another hotkey for open/close the entire application, i.e. all windows at once. The CX\_POPUP Tooltype you may set in the icon will override the Main Window Hotkey. The hotkeys now by default switch between iconified and uniconified state, just like MUI's default hotkey does. The iconify item in the MUI-menu, which may appear in the window frame, may now be used without any problems. So is the Iconify Application menu item in the project menu.

AmiComSys may now open windows even though the whole application is iconified, which was the reason to replace MUI's default iconification mechanism with my own one, which also supports iconification of single windows! (Just press the MUI-iconify button, which may appear in the window frame.)

In addition to this it's also possible to set the position of the application and Main Window icon.

New keyfiles and protection. Upgrades will be available.

There are a couple of context menus here and there now (Client list, toolbars, other GUI-components, and in the Person-list in the Message History).

The number of connected clients now show up in the help bubble you get by moving the mouse pointer to the Client List and waiting a while.

Added Events to the Friendsbook. You may now get a notification when your friends connect or disconnect. Note: This is pretty experimental in this version.

The System info on Version 1.20 users does look a little better now.

It is now possible to switch off the send confirmation for sending via the Return-key (you press the Return-key in the message field to send the message).

Go to the Windows-message requester tab- settings to change this. Only possible for registered users.

You may press the email button in the Client Info to open up YAM.

---

**BUGFIX:**

Clients added to Friendslist, were not directly highlighted in the client list, if there email was not set to public. This only applies if you have set ClientList to highlight your friends.

The ClientList was not updated after a removal or manual addition to the friendsbook. It will now be refreshed when you close the Friendsbook window. May take a while if the net is lagging.

If someone that you had added to the Ignore List was selected in the client list you were unable to send a multi-message.

The Pagoo Check is working again.

1.19g (25.07.1998)

From 1.19f the PagooID was sent to the server, which makes it show up in your client info, even though you had set it not do that :(

Reported by Jonas Davidsson. Thanks!

If one pressed the New button in the Friendsbook, and then directly closed the window, there will be an empty entry, with just the text New entry in the name field. This is still the case, but now no Enforcer hits are thrown when the list is saved to disc. But why would anybody wanting to do that?

1.19f (22.07.1998)

**BUGFIX:** Couldn't connect to people that had hidden their IP-address, via PChat and SendFile :(

When you changed the hide-ip option from ON to OFF the clients didn't notice it. You had to reconnect to make the server notice that you don't want to hide your IP-address anymore.

Reported by Frederik Thiesen. Thanks!

Didn't get any message when the recipient of a SendFile request denied access.

Didn't output any error message when something went wrong while starting AmiComSys. Probably crashed instead.

Shouldn't put screen to front while you are using the keyboard.

**NEW:**

Moved the host-column in the client list to the right of the comments.

Created two mailing-lists. Read Contact author in guide for more info.

1.19e (19.07.1998)

**BUGFIX:** Corrupted memory list detected in free mem-GURUs could be shown, meaning there was a LibFreePooled() with the wrong size in the source code.

Some buttons in the AmiComSysMUI.guide (rules and ignore-list) were not working.

Garbage could be shown in the info-box in the upper part of main window, the first time you were using AmiComSys. (especially under kick 2.0)

---

Topic changed-notes should not be inserted into the HotLine when the user hasn't joined the HotLine.

1.19d (16.07.1998)

BUGFIX: If AmiComSys made your system instable from version 1.19 I hope it's fixed now. I found one possible cause, but can't be sure if that was the real cause ... That problem could easily be fixed by removing the .friendsbook file, though.

The rexx/notifyrexx.amicomsys script got wrong information from version 1.19, causing for example ACS-Notify showing wrong information.

Reported by the author of ACS-Notify, Scott Beardwood. Thanks!

TAB should not insert ">>>" and "<System>" in a ChatWindow (HotLine and PChat).

Fixed some other bugs in the TAB-completion-mechanism. Hope it fixes the crashes some users have encountered. Now also works with Textinput.mcc again ...

Fixed some bugs in the ':'-completion of a Chat-Window.

Does no longer insert a space after ':' when you have never addressed a chat line to anybody.

The HotLine's TAB-expansion and ':'-last nick inserter was very incompatible to Textinput.mcc, because Textinput.mcc obviously has dropped support for further string.mui tags :( It also returns strange values when string.mui-tags are used, which probably caused AmiComSys to crash for some users.

The <System> messages in HotLine was not properly removed from the history you can cycle through with the cursor up and down keys.

Sometimes when you entered the HotLine you could see the chat lines you have entered coming back to you. I haven't been able to reproduce this, but I suspect that it happened when you had the HotLine open while connecting to the server. There was a race-condition then.

Bug reported by Frederik Thiesen and Alex Tucker. Thanks!

Fixed some security features, which I can't tell you about.

Fixed some layout errors in the Settings window.

Removed the CPS from the SendFile windows.

The old copy of the client data on the server was not removed immediately when the same client connected again, but this time with another IP-address.

Happen when your host crashed and you have to call up your Internet provider again.

NEW: Only users who have joined the HotLine will be possible to get with TAB-completion.

Managed to tweak the CPU-usage while in sleeping state back to 0.0%, and reduced the CPU-usage while the program is used, by stop using MUI's timer.

Added a window with the current rules of AmiComSys. Window menu-The Rules.

When someone modifies the Topic in Hotline a message is inserted into the

list.

The SendEmail.amicomsys script was updated. It now works with both YAM 1.3.x and YAM2.0p5. The text is now also inserted into the mail editor.

It's no longer possible to send messages to clients you have on your ignore-list.

Added "Super-Ignore". You can ignore clients in the ClientList, HotLine and messaging by adding an entry to The AmiComSys Ignore List found in the Settings menu ->"Ignore users". By activating all options you may remove a certain client entirely from AmiComSys. Only registered users may ignore client messaging via the Ignore-List in the Ignore-list-window, but the less efficient one in the Network-settings still works. When Message ignore is activated the ignored client can't even get your Version-info or System-Info!

1.19c (23.06.1998)

NEW: Changed the internal addressing scheme to make AmiComSys more efficient on the server side and by the same time added support for several users connecting from the same fire wall. This could lead to incompatibility problems with older versions of AmiComSys. So please update your copy of AmiComSys now!

BUGFIX: Memory leakage in Pagoo-checking

The information line in the upper part of the main window wasn't updating anymore.

It should now be possible to send normally long URLs, beginning with http://, with WEB-messages.

An Enforcer hit was thrown when the "Send" gadget was pressed in the Message Requesters.

Bug in the word length counter which forced you to use words with a length less than 50 characters. Now 65 is maximum length.

1.19b (17.06.1998)

BUGFIX: HotList online/offline status was not updated after a reconnect.

Reported by Rolf Bollmann. Thanks!

NEW: Updated Pagoo-check to the current standard. (to make it work again ...)

<removed version 1.19a to 1.9>

1.8 (08.04.1997)

-----

First Official release on Aminet.

## 1.55 Thanks to

I would like to thank

Jeremy Friesner for AMarquee.library.

Thomas Steinbichler for the full-time AmiComSys server site at amicomsys.tibb.at.

Michael Balzer for ARexxBBox. It makes Arexx much simpler.

Gilles Masson for NList.mcc. It makes the lists userfriendly.

Dirk Tietke for the AmiComSys.dock.

Mark Denholm for the AmiComSys-clips for ScreenTAB & StartMenu.

Allan Odgaard for the BetterString.mcc (optional string type in AmiComSys)

Rüdiger Sopp for Newstring.mcc (optional string type in AmiComSys)

Oliver Wagner for Textinput.mcc (optional string type in AmiComSys)

Mads 'Yedo' Jensen for the MagicWB-graphics.

Brecht 'Darklite' Machiels for the NewIcons-graphics.

Steven G. Wilson, Jr. for the help with the English grammar of the Rules section.

For bug reports and suggestions:

Jeremy Friesner, USA

Thomas Steinbichler, Austria.

Alex Tucker, Singapore

Richard Lake, UK.

Darius Mazurkiewicz.

Thomas Svenson, Sweden.

Sonat Böler, Sweden.

Pete (isnibs), Canada

Scott Beardwood, UK.

Fredrik Zetterlund, Sweden.

Neil Sedger, UK.

Rolf Bollmann, Germany.

Stefan Öggemar, Sweden

Alexander Wild, Germany

Michael Praschl, Austria

Allan Odgaard, Denmark

Håkan Magnusson, Sweden

Mike Constantine.

Steven Lyon.

Kenneth Craig, USA.

David Hamilton, Canada.

Asha DeVelder, USA.

Frederik Thiesen, Sweden.

Jonas Davidsson, Sweden.

---

## 1.56 Index

Arexx Interface

Arexx-scripts:

NotifyArexx.amicomsys

SendWEB.amicomsys

SendFTP.amicomsys

SendIRC.amicomsys

SendEmail.amicomsys

Bann clients

Buttons

Beep()

Client Info

Command line parameters

Crashes

Daylight Savings Time

Divide the 8 button toolbar

Gadgets in main window:

Clientlist

Message field

Message type

MultiSend

Send

SendFile

Version

Garbage in the window border

HotLine

Ignore clients (completely)

Ignore clients

Menus

Merge the two toolbars into one

Message requester

PChat

PChat with multiple clients

Public chat

Rules

Send a file

Settings:

Chat

---

Logging

Message History

Message requesters

Program function

Personal info.

Security

Server

TimeZone

Smileys in the HotLine

Start web browser

---