WarpWB

Marcus Tobias

WarpWB

COLLABORATORS					
	TITLE:				
	WarpWB				
ACTION	NAME	DATE	SIGNATURE		
WRITTEN BY	Marcus Tobias	October 9, 2022			

REVISION HISTORY					
NUMBER	DATE	DESCRIPTION	NAME		

WarpWB

Contents

1	War	1 PWB
	1.1	WarpWB
	1.2	intro
	1.3	req
	1.4	usage
	1.5	changes
	1.6	reg
	1.7	install
	1.8	history
	1 0	future

WarpWB 1/4

Chapter 1

WarpWB

1.1 WarpWB

```
WARPWB 2.1
```

useful Workbench enhancer

by Marcus Tobias

I.

Introduction II. Requirements III. Usage

IV. Changes

V.

Registation

VI.

Installation

VII.

History

VIII

Future

1.2 intro

Introduction

```
When working a bit with the WB you experience a garbage amount of
directory-windows on your screen - it's time to start closing all the
unused ones....:(
Now WarpWB simply closes the parent-window whenever you enter a subdir, so
your screen will be clean and free of waste ;).
```

WarpWB 2/4

You can optionally keep or close the parent-window by pressing a hotkey (see below \hookleftarrow) while opening a subdir.

1.3 req

Requirements

- 680x0 Processor
- OS 2.x or higher
- MUI 3.x

1.4 usage

Usage

Open the Interface via Exchange.

There you can edit the prefs of WarpWB.

if "Close always" is selected, parent window will only be kept when the hotkey is pressed. Otherwise the window will close on pressing hotkey.

Now you can select 3 different qualifiers to represent the hotkey.

Patterns:

You can enter patterns, that will be compared with the name of the child's windowname. If the pattern matches, the parent window will optional close or stay. Depent on the state of the "Close always"-Flag. It's like pressing the hotkey.

For registered users:

The prefs are stored in the ToolTypes of WarpWB. The patternprefs are stored in "ENVARC:WarpWB.patterns".

1.5 changes

Changes

- Patterns for general close/stay of parent window by child's name
- Locale support
- Middle Mousebutton support in qualifierprefs

1.6 reg

WarpWB 3/4

Registration

Features of registered version:

- Loading/Saving of Prefs

New features in work.

Updates are done via e-mail. If you want to register WarpWB send 4 US\$ or 5 DM and your e-mail address to:

Marcus Tobias Drostestr. 8 30161 Hannover

hpl@stud.uni-hannover.de

1.7 install

Installation

Execute the Installscript from WB.

1.8 history

History

- 2.1 (18.9.98)
 - Rusian Docs/Installer and Locales
- Keyfile-System
- 2.0 (22.6.98)
- Patterns for general close/stay of parent window by child's name
- Locale support
- Middle Mousebutton support in qualifierprefs
- 1.2 (28.5.98)
- MUI Interface
- Commodity support
- 3 different qualifier as hotkey
- Prefs saved in Tooltypes (reg)
- Hotkeyprefs
- Switch how hotkey work
- Installer
- AmigaGuide Docs
- 1.1 (27.5.98)

WarpWB 4/4

- completely rewritten in AmigaE (bug fixes and safer)
- can now be started from wb
- included lowlevel.library in archive
- 1.0 (20.5.98)
- first release

1.9 future

Future

- "parent"-button to reopen parent window
- "parent&close"-button to reopen parent window and close the old one.
- Keyfile-System
- WB-Window Manager
- ScalOS usage
- docs , lacales and installer in spanish and italy