

Documentation/Phonebill

COLLABORATORS

	<i>TITLE :</i> Documentation/Phonebill		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 2, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Documentation/Phonebill	1
1.1	Documentation/Phonebill.guide	1
1.2	Phonebill.guide/Legal issues	2
1.3	Phonebill.guide/License	2
1.4	Phonebill.guide/No warranty	3
1.5	Phonebill.guide/Disclaimer	4
1.6	Phonebill.guide/Introduction	4
1.7	Phonebill.guide/Installation	5
1.8	Phonebill.guide/Workbench and Shell	6
1.9	Phonebill.guide/Menus	7
1.10	Phonebill.guide/Project	7
1.11	Phonebill.guide/Settings	7
1.12	Phonebill.guide/Groups	8
1.13	Phonebill.guide/Control panels	8
1.14	Phonebill.guide/Main panel	9
1.15	Phonebill.guide/Miscellaneous settings panel	10
1.16	Phonebill.guide/Log files panel	10
1.17	Phonebill.guide/Log settings panel	11
1.18	Phonebill.guide/Hosts panel	12
1.19	Phonebill.guide/Host settings panel	12
1.20	Phonebill.guide/Rates panel	13
1.21	Phonebill.guide/Rate settings panel	14
1.22	Phonebill.guide/Rate period settings panel	14
1.23	Phonebill.guide/Maintenance panel	15
1.24	Phonebill.guide/Group settings panel	16
1.25	Phonebill.guide/User interface notes	16
1.26	Phonebill.guide/Configuration	17
1.27	Phonebill.guide/Scanner configuration (Scanner.config)	17
1.28	Phonebill.guide/Supported log files	20
1.29	Phonebill.guide/Program updates	21

1.30	Phonebill.guide/How to register	21
1.31	Phonebill.guide/Acknowledgements	23
1.32	Phonebill.guide/Revision history	23
1.33	Phonebill.guide/Version 1.0	24
1.34	Phonebill.guide/Version 1.07	24
1.35	Phonebill.guide/Version 1.08	25
1.36	Phonebill.guide/Version 1.1	25
1.37	Phonebill.guide/Version 2.0	26
1.38	Phonebill.guide/Version 2.1	26
1.39	Phonebill.guide/Version 2.2	27
1.40	Phonebill.guide/Version 2.3	27
1.41	Phonebill.guide/Version 2.4	28
1.42	Phonebill.guide/Version 2.5	28
1.43	Phonebill.guide/Version 3.0	29
1.44	Phonebill.guide/Version 3.1	30
1.45	Phonebill.guide/Author Info	31

Chapter 1

Documentation/Phonebill

1.1 Documentation/Phonebill.guide

Phonebill

Welcome to the 'phonebill' 3.1 documentation. Before going ahead with the program, please read the following sections first.

Legal issues

Legal issues first...

Introduction

Quick overview

Installation

How to install 'phonebill'?

Workbench and Shell

How to use 'phonebill' from WB/Shell?

Menus

Information on the pull-down menus

Control panels

All control panels explained

User interface notes

Special services provided by the user interface

Configuration

Configuring 'phonebill'

Supported log files

Notes on various log file formats

Program updates

How to obtain program updates?

How to register
 How should you register?

Acknowledgements
 Credits

Revision history
 List of changes & enhancements

Author Info
 How to get in touch with the author?

1.2 Phonebill.guide/Legal issues

Legal issues

License

No warranty

Disclaimer

1.3 Phonebill.guide/License

License
=====

This license applies to the product called 'phonebill', a program for the Amiga computer, published by Raymond Penners under the concepts of ShareWare, and the accompanying documentation, example files and anything else that comes with the original distribution. The terms 'Program' and 'phonebill' below, refer to this product. The licensee is addressed as 'you'.

- * You may copy and distribute verbatim copies of the program's executable code and documentation as you receive it, in any medium, provided that you conspicuously and appropriately publish only the original, unmodified program, with all copyright notices and disclaimers of warranty intact and including all the accompanying documentation, example files and anything else that came with the original.
 - * You may not copy and/or distribute this program without the accompanying documentation and other additional files that came
-

with the original. You may not copy and/or distribute modified versions of this program.

- * You may not copy, modify, sublicense, distribute or transfer the program except as expressly provided under this license. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the program is void, and will automatically terminate your rights to use the program under this license. However, parties who have received copies, or rights to use copies, from you under this license will not have their licenses terminated so long as such parties remain in full compliance.
- * By copying, distributing and/or using the program you indicate your acceptance of this license to do so, and all its terms and conditions.
- * Each time you redistribute the program, the recipient automatically receives a license from the original licensor to copy, distribute and/or use the program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.
- * You may not disassemble, decompile, re-source or otherwise reverse engineer the program.
- * You may use the programs for a period of up to 3 weeks for evaluation. After that, you have to register or quit using the program.
- * If you wish to incorporate parts of the programs into other programs, write to the author to ask for permission.
- * You agree to cease distributing the program and data involved if requested to do so by the author.
- * You may charge a fee to recover distribution costs. The fee for diskette distribution may not be more than the cost to obtain a public domain diskette from Fred Fish.

1.4 Phonebill.guide/No warranty

No warranty
=====

THERE IS NO WARRANTY FOR THE PROGRAMS, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAMS "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAMS IS WITH YOU. SHOULD THE PROGRAMS PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY REDISTRIBUTE THE PROGRAMS AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAMS (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAMS TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

1.5 Phonebill.guide/Disclaimer

Disclaimer

=====

No warranty, either express or implied, is made with respect to the fitness or merchantability of 'phonebill'.

Raymond Penners (referred to as 'the author'), reserves the right to not develop any future versions of 'phonebill'.

The author will try to make a good faith attempt at correcting any problems if any are discovered, but is in no way required, nor bound to correct them.

The author neither assumes nor accepts any responsibility for the use or misuse of these programs. He will also not be held liable for damages or any compensation beyond the original registration fee due to loss of profit or any other damages arising out of the use, or inability to use this program.

The author will not be liable for any damage arising from the failure of this program to perform as described, or any destruction of other programs or data residing on a system attempting to run the programs. The user of this program uses it at his or her own risk.

1.6 Phonebill.guide/Introduction

Introduction

'phonebill' is, simply said, a log file analyzer. What it basically does is scan log file(s) generated by a terminal program or a mailer, extract all information about calls you have made by using your modem, and store this in its own (short) format. After extracting the calls 'phonebill' can generate various reports in which you can find information on duration and costs of the calls.

Here is a small list of the main features:

- * Very flexible user-configurable rates, supporting exceptions for

certain days and dates. Handles fees and time units with up to 9 decimals (e.g. \$1.2344657 dollars per 30.225678 seconds).

- * User-configurable log scanners: 'phonebill' by default supports various log files, but for any log file that is not supported the user is able to create a scanner. The following is a list of log files that are already supported:
 - * AutoPilot

 - * CyberPager

 - * GPFax

 - * JrComm

 - * MagiCall

 - * MicroDot

 - * Multifax (both v2.0 and Multifax professional)

 - * NComm

 - * Term action log and Term call log

 - * Terminus

 - * TheAnswer

 - * TKR-BTX

 - * Trapdoor

 - * Trapfax

 - * UUCP TimeLog

 - * XenoLink

- * Log files can be automatically truncated if their size exceeds the maximum size.

- * Generates miscellaneous reports: statistics, total costs,

- * Context-sensitive online help.

- * Requires Kickstart 2.04 or higher.

- * Supports new 3.0 features (new look menus, ...).

- * Nice 'Amiga User Interface Style Guide' conformant user interface.

1.7 Phonebill.guide/Installation

Installation

There are two ways to install 'phonebill': the hard way and the easy way. If you choose the latter, just double click the 'Install phonebill' icon to execute the Commodore installer. This installer can be found on the 'Install2.1' or 'Install3.0' disk from Commodore. If you don't have it then you'll have to install the program manually, which really is not that hard. Just drag the 'phonebill' drawer over the drawer where you like to copy it to. If you haven't used any previous version of 'phonebill' then this is all you have to do. If you already have a version older than 3.0 installed then you'll have to follow these steps:

- * Convert the configuration files so that they can be used with this release. This can be done by running the supplied program called 'ConvertConfig' from the shell:
1> ConvertConfig
- * After running the converter, the new configuration files can be found in 'T:'. You should copy these files to the 'Phonebill/Config' directory, e.g.:
1> copy T:#?.config Phonebill/Config
- * If you wish, delete the 'phonebill' configuration files found in 'ENV:' and 'ENVARC:'.
1> delete ENV:Phonebill all
1> delete ENVARC:Phonebill all

1.8 Phonebill.guide/Workbench and Shell

Workbench and Shell

The program can be started from both the shell and the workbench. When started from the shell, the program accepts commandline arguments. To view all known arguments, supply a "?" as the only argument to the program, for example:

```
1.SPHINX-O-HD:Comm/Phonebill> Phonebill ?
```

The following keywords/switches are supported:

PROC=PROCESS/S

Supplying this switch will cause the program to process the log files and return control to the shell when done.

LIST=LISTCALLS/K,BILL/K,STATS=STATISTICS/K,BILL/K

Generates the specified report and outputs it to a file.

FROM/K,TO/K

Use these to specify the scanrange. If you don't supply these arguments the range specified in the configuration will be used.

QUIET/S

Supplying this argument disables output produced when processing the logs.

The following command will cause the program to quietly process the log files and then save two reports. The former will be displayed in the console, the latter will be saved to 't:bill.txt':

```
1> phonebill proc list=* bill=t:bill.txt quiet
```

1.9 Phonebill.guide/Menus

Menus

The following text is to describe the menu items available in the 'phonebill' main panel.

Project

Settings

Groups

1.10 Phonebill.guide/Project

Project

=====

Iconify

Closes the window and drops an icon labeled 'phonebill' on the Workbench window. Double-clicking this icon will cause the program to wake up and to return the state it was in before it was iconified.

About 'phonebill'...

Shows some additional information on the program.

Quit

Terminates the program. If the configuration has been changed, you will be prompted to confirm your decision.

1.11 Phonebill.guide/Settings

Settings

=====

Miscellaneous...

See

Miscellaneous settings panel

.

Host...

See

Hosts panel

.

Log...

See

Log files panel

.

Save settings

Saves all the configuration files to disk.

1.12 Phonebill.guide/Groups

Groups

=====

Note: this menu is only available if groups have been defined. See

Group settings panel

.

If the Default item is checked, all hosts will be taken into account when generating reports. However, if Default is not checked, only hosts that are member of the checked groups will appear in the reports.

1.13 Phonebill.guide/Control panels

Control panels

Main panel

Miscellaneous settings panel

Log files panel

Log settings panel
Hosts panel
Host settings panel
Rates panel
Rate settings panel
Rate period settings panel
Maintenance panel
Group settings panel

1.14 Phonebill.guide/Main panel

Main panel

=====

Here it all begins. This panel provides gadgets and
Menus
which give
you control over the main functions of the program.

Process logs

Scans and/or truncates all listed log files, See
Log files panel

.
If new calls were found, they will be added to the binary log file.

Settings

See
Miscellaneous settings panel

About

Shows some additional information on the program.

From, To

The dates entered here specify the period over which a report is
to be made.

Statistics, Bill, List calls

Selecting one of these will cause a report to be generated. If the
program encounters calls to a host that is not known, you will be
prompted to either add the host, skip it, or cancel the report
generation. When the report was generated successfully, it will be
shown to you using a text viewer.

Maintenance

See

Maintenance panel

.

1.15 Phonebill.guide/Miscellaneous settings panel

Miscellaneous settings panel

=====

In the miscellaneous panel you can configure general program options.

Binary log file

The file name of the binary log file used for storing calls.

Carrier detect time

It always takes some time before your modem has detected a carrier. The connect time in the log files generated by your terminal program are therefore incorrect, because the modem has been online trying to get a carrier for a couple of seconds. For example, it takes my modem approximately 15 seconds to connect.

Save dates on exit

If this option is checked, the <from> and <to> date will be saved automatically when you exit the program.

Text viewer

The text viewer to be used for displaying reports.

Report file

The file name of the report to be generated.

Bill sort method

The order in which the hosts from the bill report are to be sorted.

Delete report after viewing

If this option is checked, the report will be deleted after it has been viewed.

Save

Saves current settings, and closes the panel. The from- and to dates from the main panel are also saved.

Use

Closes the panel, without saving the settings.

1.16 Phonebill.guide/Log files panel

Log files panel

=====

In the log files panel you can add, remove log files and edit their options for use with the program.

Log files

The list of log files to be processed by the program.

Add

Adds a new log file to the list.

Edit

Lets you edit the settings of the selected log file, See

Log settings panel

. Log files can also be edited by double clicking the entry in the list.

Remove

Removes the selected log file.

Save

Saves current log files settings, and closes the panel.

Use

Closes the panel, without saving the log files settings.

1.17 Phonebill.guide/Log settings panel

Log settings panel

=====

This is where you edit the options of a log file.

File name

The file name of the log file.

Max. size, Truncate %

The maximum size in kilo-bytes of the log file. If the files' size exceeds this value, the file will be truncated to the percentage specified in Truncate % of the original size. This only works if the truncate option is activated.

Scan log file

If this option is enabled, the log file will be scanned for calls using the scanner selected in the list of Scanners.

Truncate log file

If this option is enabled log files will be truncated. See Max. size.

Check archivebit

If enabled, the files' archivebit will be set after processing. If a log file with the archivebit set is encountered, it will be regarded as not changed since the last time it was scanned.

Selecting this option increases processing of the log files significantly.

Scanners

A list of several types of log files the program is able to scan. Select the appropriate entry that belongs to the current log file if you wish to scan the log for calls.

1.18 Phonebill.guide/Hosts panel

Hosts panel

=====

In the hosts panel you see a list of all 'known' hosts. You can add, remove and edit hosts.

Hosts

The list of hosts known to the program.

Add

Adds a new hosts to the list.

Edit

Lets you edit the settings of the selected host, See

Host settings panel

. Hosts can also be edited by double clicking the entry in the list.

Remove

Removes the selected host.

Save, Use

Save and/or use the current settings. Please note that the rate settings are also saved, since hosts and rates depend on each other.

1.19 Phonebill.guide/Host settings panel

Host settings panel

=====

In the host panel you can specify information about the host, like carrier detect time, rates, and telephone number.

Name, Telephone number

The name and/or telephone number of the host. You must at least fill in one of these. If a host has more than one node, you can enter the telephone numbers seperated by a vertical bar |

character, e.g.: "12345|6789".

Use default, Carrier detect time

If the carrier detect time is not the same for each host, you can choose here whether you want to use the default carrier detect time as specified in the

Miscellaneous settings panel

or use the

Carrier detect time specified for this host.

Rate

The rate set for this host.

Groups

Check all groups you wish the host to be a member of. See

Group settings panel

.

Use, Cancel

Use or drop the current host settings.

1.20 Phonebill.guide/Rates panel

Rates panel

=====

In the rates panel you can create new rates, or modify existing rates.

Rates

This list contains all installed rates.

Add

Adds a new rate to the list.

Copy

The selected rate will be duplicated.

Edit

Lets you edit the selected rate, See
Rate settings panel

.

Remove

Removes the selected rate.

Save, Use

Save and/or use the current settings. Please note that the host settings are also saved, since hosts and rates depend on each other.

1.21 Phonebill.guide/Rate settings panel

Rate settings panel

=====

The information to be specified in this control panel will be used to calculate the amount of money to be paid for a call.

Name

Specifies the name of the rate.

List of periods

The phone companies have the bad tendency to increase the costs you have to pay each couple of years. This will cause calls in a certain time period to be accounted different than calls in another time period. You can specify a different rate for each period, for example: from 1-jan-90 to 1-jan-92 there is rate A, but from 1-jan-92 up to now is rate B. You'll find all different periods in the list of periods

Add, Copy, Edit, Remove

Use these to add, copy, edit and remove certain rate periods.

1.22 Phonebill.guide/Rate period settings panel

Rate period settings panel

=====

The information to be specified in this control panel will be used to calculate the amount of money to be paid for a call, specifically for a certain time period.

From, To

The period in which the rate settings specified in this panel are active. If you don't want to set a date, then just enter nothing.

Days and dates

This list contains the standard settings and exceptions for certain dates and days of the week. When calculating the costs for a call, 'phonebill' first checks if the date on which the call was made is listed in one of the exceptions. If this is the case, then the settings for that exception will be used. If this isn't the case, the day of the call will be compared with the days listed in all 'day' exceptions. If no exception is found, the standard settings will be used.

Add date(s)

Will invoke a control panel to create a new rate entry to be used on specific date(s). Multiple dates should be separated by a

vertical bar | character, e.g.: "25-Dec|1-Jan".

Add day(s)

Will create a new rate entry referring to one or more days of the week. Use the buttons of the control panel to select the days the current settings will be valid for.

Time

For each entry in the Days and dates list there is at least one associated starting time available which defines when the associated rate settings are to be used. You will find the time settings in the list titled Time. To add a new time use the Add button, to edit an existing entry, use the Edit button. To remove an entry, press the Remove button.

Units

For each entry in the Time list there is at least one associated unit available which defines how much you have to pay per second starting at that time. Normally, only one entry will be listed. If the first unit should be accounted differently than the second, you can enter two different units in the Units list. This can be applied to as much units as you like. If you only have to pay for the connection, then just set the first units' seconds to zero, and set the costs in Minimal costs.

1.23 Phonebill.guide/Maintenance panel

Maintenance panel

=====

In the maintenance panel you can modify the binary log file. Only calls that fall within the specified scan range from the main panel will be shown in the list.

Add

Adds a new call to the list.

Edit

Lets you edit the selected call. Calls can also be edited by double clicking the entry in the list.

Remove

Removes the selected call from the list.

Remove all

Removes all calls from the list.

Save

Saves the binary log file.

Cancel

Closes the maintenance panel without saving any changes.

1.24 Phonebill.guide/Group settings panel

Group settings panel

=====

Hosts can be divided into several groups, for example hosts where you 'poll' your mail belong to the group "Mail". In the group panel you control the groups.

Groups

This list contains all installed groups.

Add

Add a new group to the list.

Remove

Removes the selected group from the list.

Save,Use

Save and/or use the current settings.

1.25 Phonebill.guide/User interface notes

User interface notes

To operate a gadget, press the key corresponding to the letter highlighted in the gadget label. Suppose a slider is labeled Minutes with the letter M underlined; in order to increase the slider value one has to hit the key labeled M, to decrease the value one is to hold down either Shift key while pressing the key M.

Windows in which only a single scrolling list is present cursor keys may be used to scroll the contents.

The Return and Escape keys are respected by most windows. A button surrounded by a recessed box represents the default choice in a requester, pressing the Return key will select it. The Escape key mostly selects the most negative response (e.g. 'Cancel'), whereas the Return key selects the most positive response (e.g. 'Use'). Most windows to feature a close gadget in the upper left corner can be closed by pressing the Escape key.

Numeric entry fields accept input several notations, namely hexadecimal (\$.. and 0x..), octal (&..) and binary (%..).

The user interface support library tries to make all control panel windows fit on the screen. If the first attempt fails a different font is used. If this did not help either a new screen will be opened for the window.

1.26 Phonebill.guide/Configuration

Configuration

This section describes briefly how to configure 'phonebill' manually by editing the configuration files. All configuration files are plain ASCII text files, which are parsed at startup of the program. For each configuration file there are several keywords which let you control the certain variables. The following list describes all keyword types:

string

A keyword of type string is of the following form:

```
(<NAME> <STRING>)
```

where <STRING> is a valid c-style string.

stringlist

Keywords of type stringlist are of the following form:

```
(<NAME> <STRING1> <STRING2> ... <STRINGn>)
```

integer

Keywords of this type are used to assign a integer value to a variable:

```
(<NAME> n)
```

where n is a valid integer number.

boolean

A keyword of type boolean can only have the value 1 (which stands for true) or 0 (which stands for false).

block

Keywords of this type are used to enter a block in which a new set of keywords is valid.

```
(<NAME>
    ; Block keywords
)
```

Most configuration files can be controlled by editing the settings using the the program. The description of these configuration files will therefore be omitted.

Scanner configuration (Scanner.config)

Log scanners

1.27 Phonebill.guide/Scanner configuration (Scanner.config)

Scanner configuration (Scanner.config)

=====

The "Scanner.config" file is used for defining the log file scanners.

Before listing the format of this configuration file you'll have to learn about the way 'phonebill' scans a log file.

Log files are scanned line by line. Each line is searched for certain information concerning calls. If enough information is found to make up the date, time, duration and destination of the call, the call is insert in the list of new calls. The information needed can be divided into different types, for example: day of the month in which the call took place, telephone number, etc. Each line of the log file is compared to a format string which contains so called 'cookies' on certain places in which information is to be expected.

Cookie	Description	Type	Range
%n	host name	STRING	
%a	phone number	STRING	
%A	phone number (char restriction)	STRING	
%h	hour (connection)	INT	0..23
%m	minutes (connection)	INT	0..59
%s	seconds (connection)	INT	0..59
%y	year (connection)	INT	1970..
%e	year, short (connection)	INT	0..99
%o	month (connection)	INT	1..12
%t	month, string (connection)	STRING	
%d	day of month (connection)	INT	1..31
%p	AM or PM (connection)	STRING	("AM" "PM" "A" "P" " " ← ")
%H	hour (end of connection)	INT	0..23
%M	minutes (end of connection)	INT	0..59
%S	seconds (end of connection)	INT	0..59
%Y	year (end of connection)	INT	1970..
%E	year, short (end of connection)	INT	0..99
%O	month (end of connection)	INT	1..12
%T	month, string (end of connection)	STRING	
%D	day of month (end of connection)	INT	1..31
%P	AM or PM (end of connection)	STRING	("AM" "PM" "A" "P" " " ← ")
%U	hours (connection length)	INT	
%I	minutes (connection length)	INT	
%X	seconds (connection length)	INT	
%#	dummy number	INT	
\$\$	dummy string	STRING	# >= 1
%c	dummy character	CHAR	

Now, let's take a look at the following log file:

```
01-Jul-94 18:04:04 Connected to "BBS" (911)
01-Jul-94 18:06:33 Disconnected
```

The following are scanstrings used for comparing with lines of this log file:

```
"%d-%t-%e %h:%m:%s Connected to \"%n\" (%a)"
```

```
"%D-%T-%E %H:%M:%S Disconnected"
```

Such scanstrings are listed in keyword "scanstring.default" of type stringlist. Now take a look at the following part of the log file:

```
01-Jul-94 18:07:01 Calling 911
01-Jul-94 18:07:16 BUSY
...
01-Jul-94 18:14:01 Connected to "BBS"
01-Jul-94 18:23:21 Disconnected
```

The line that contains "BUSY" has to be taken special care of: all information found up to that line needs to be disposed. This can be done using the keyword "scanstring.reset" of type stringlist:

```
scanstring.reset = "%#-%3$-%# %#:%#:%# BUSY"
```

If a string is encountered that matches the above string, all information found so far gets disposed. There are however cases in which not all information may be disposed. Take a look at this log file:

```
----- 10 Aug 94
13:33:30 Connected to "BBS"
13:41:22 Disconnected
13:42:10 Connected to "Other BBS"
13:52:56 Disconnected

----- 11 Aug 94
16:42:64 Start of session
```

This time it's not that easy to create a log scanner because the date is only listed once. When the first 'Disconnected' is encountered, the call will be inserted in the list of new calls, and every information gets disposed. The second call won't have a date, which is required for the call to be recognized. To resolve this problem, use the following two scanstrings: "scanstring.sticky" and "scanstring.hardreset", both of type stringlist. Every information detected by a sticky scanstring will only be lost by a hardreset, not by a reset. This all results in the following log scanner for the above log:

```
(scanner
  (name "foobar")
  (scanstring.reset "%#:%#:%# BUSY")
  (scanstring.hardreset "")
  (scanstring.sticky "----- %d-%o-%e")
  (scanstring.default "%h:%m:%s Connected to \"%n\"%"
    "%H:%M:%S Disconnected")
)
```

Now you have seen some examples, a more formal description is given. Valid keywords in "Scanner.config" are:

scanner (block)

Using this keyword a new scanner can be defined. The following keywords are valid within a scanner block:

name (string)

Defines the name of the scanner.

scanstring.reset, scanstring.hardreset, scanstring.sticky, scanstring.default ←
 (stringlist)
 Explained above.

noyear (boolean)
 Set this to true (e.g. "(noyear 1)") if the year in which the calls are made is not logged. The program will try to fill in the year itself.

signature (string)
 To keep track of what calls have already been processed, it is possible to add a signature to the end of the log file. All calls that appear before this signature are regarded as 'previously scanned'.

As you can see, creating your own log file scanner is not that easy. If you have a log file that is currently not supported then please don't hesitate to mail it to me (uuencoded please) and I'll create the scanner for you. See

Author Info
 for my address.

1.28 Phonebill.guide/Supported log files

Supported log files

This section contains a couple of notes on some log files:

'GPFax' log

The log produced by 'GPFax' is a binary log file. As it is currently not possible to define a scanner for binary log files, the scanner for this file format is built-in. I didn't have any information about the structure of this log, so the built-in scanner is a bit of a hack. Therefore it is currently not possible to truncate this kind of log file.

'term' action log

The call information placed in the action log files was never intended for postprocessing with call-log analyzers. There is no fixed defined file structure and localization of 'term' can introduce a lot of trouble. Therefore it is recommended to use the 'term' call log instead.

'term' call log

The file format of this log file is compatible to that of 'NComm'.

'terminus' log

'terminus' has an option to select the format of the logged date. You can choose "dd-mm-yy", "dd/mm/yy" and "mm/dd/yy". It isn't always possible to decide what format is being used, for example: is "05/01/94" of type "dd/mm/yy" or "mm/dd/yy"? Therefore only the first date format is supported, no calls will be found in a log

file using the other two date formats.

'trapdoor' log

If the 'trapdoor' scanner doesn't work with your log file, you probably have insufficient loglevel settings. You should put the following settings in the 'trapdoor' configuration file:

```
LOGLEVEL 0:2          ; debugger
LOGLEVEL 1:2          ; link
LOGLEVEL 2:2          ; transfer
LOGLEVEL 3:2          ; system
LOGLEVEL 4:2          ; modem
LOGLEVEL 5:2          ; session
LOGLEVEL 6:7          ; security
LOGLEVEL 7:2          ; outside
LOGLEVEL 8:7          ; information
LOGLEVEL 9:2          ; scheduler
```

1.29 Phonebill.guide/Program updates

Program updates

Whenever a new release of 'phonebill' becomes available it will be uploaded to:

```
Grafix Attack (SysOp Kees Huizer)
+31-(0)10-4745816 (V32Bis)
+31-(0)10-4741062 (19k2 ZyXEL)
+31-(0)10-4744682 (28K8)
```

```
FidoNet: 2:286/407.0
AmigaNet: 39:153/201.0
NLA:      14:101/200.0
```

I will also try to upload it to the aminet as soon as possible.

1.30 Phonebill.guide/How to register

How to register

As with the previous versions of the program, 'phonebill' v2.0 and higher are shareware. There is one difference: starting from version 2.0 'phonebill' has been crippled, not all features are available in the unregistered version:

- * Binary log file maintenance is disabled.
- * 'phonebill' only calculates the fees with up to two decimals (e.g. \$0,15). In the registered version nine decimals are supported,

which provides a better accuracy.

Many people hate crippled software, including myself. But it just seems that uncrippled software isn't 'appreciated' anymore, because very few people registered. That is why I decided to cripple the program.

Important information: The registration fee for the uncrippled version was \$5 US, but I had to raise the price because starting from version 2.0 I will have to send users that register a disk containing a keyfile. Now, starting from 27 September 1993, the registration fee will be \$10 US. If I receive any registrations containing \$5 US after this date, they will be regarded as a registration for the 'old' (pre 2.0) version of the program. So, if you registered with \$5 US after this date you will not receive a keyfile: you'll have to send another \$5 US. I would to thank all people that have registered the uncrippled version of the program before this date by sending them a keyfile without having to pay extra.

Registration procedure: Complete the details in one of the supplied registration forms found in the "Documentation" directory, and follow the instructions given there. If for some reason you don't have the registration form, then do the following:

1. Write a note with your complete name and mailing address, and state clearly that you want to register the Amiga version of 'phonebill'. If you have access to e-mail (e.g. internet, fidonet, etc.) please specify your e-mail address too. If you want your key to arrive fast I can send it by e-mail, but for security measures you will have to send me your PGP (Pretty Good Privacy) public key first.
2. The registration fee is \$10 US, DM 15,-, FL 15,-, AUD \$15, or the equivalent of \$10 US in any other currency.

Decide how to transfer the money, e.g.:

- * cash (at your own risk).

- * a postal money order.

- * a EuroCheque (only in FL!), foreign cheques are *NOT* accepted!

3. Send this to:
Raymond Penners
Berkenlaan 4
NL-6241 AZ Bunde (The Netherlands)
 4. Wait for your keyfile to arrive. You should receive your key within 10 days after the arrival of your registration fee. Please allow up to four weeks, due to unforeseen circumstances.
 5. Copy the keyfile to the directory where you keep 'phonebill' in or to the 'L:' directory. Thanks for registering!
-

1.31 Phonebill.guide/Acknowledgements

Acknowledgements

I would like to thank the following people for support, suggestions, help and assistance: Richard Schiffelers, Maurice Lahaye, Matthias Scheler, Philippe Duchein, Eric Delord, Johan Billing, Henrik Gelius, Jan van den Baard, Michael Holloway, Lars Hanke, Sven Kuenzler, Jos Swolfs, Kenneth Fribert, Finn Kettner, Stephan Grochowina, Richard Galezowski, Peter C. Lowish, Thomas Andersson, Andreas Baum ...

Special thanks go to Olaf 'Olsen' Barthel, for releasing the sourcecode of 'term' and creating 'gtlayout.library'. Great work!

Some quick greetings to: Erwin Penders, Mel Nijsten, Maurice Penners, Walter Konrad, Frans Bouma (Not at ericson anymore? What's your e-mail adr.), Robert Udo, Bart Cremers, Arnaud Gouder de Beauregard, Walter Dees, Rino Roufs, Rex (the ONE and ONLY SPHINX-O-Dog), Marcel Meuldijk, Edwin Boesten, Ephrem Bollen, Marcel Franquinet ...

Furthermore I would like to say hello to all 'dudes' on IRC : Ikke, Bilbol, Savage, Dense, Milano, Pjotr, ALFred, Mnemo, Xed, SteveVai, Zop, Janne, Outland, Mjoelnir, Juggi, Goldrnr, Lundman, Shocker, Mag, VAG, Herb, _ho_ and everyone I know but forgot to mention here!

These are all listed in 'an-alphabetic' order! I am sorry if I forgot someone (which I'm sure I have) ...

1.32 Phonebill.guide/Revision history

Revision history

Please select the version of which you you want to see the changes:

Version 1.0

Version 1.07

Version 1.08

Version 1.1

Version 2.0

Version 2.1

Version 2.2

Version 2.3

Version 2.4

Version 2.5

Version 3.0

Version 3.1

1.33 Phonebill.guide/Version 1.0

Version 1.0

=====

Version 1.0 was released 6-Jun-1993:

- * First public release.

1.34 Phonebill.guide/Version 1.07

Version 1.07

=====

Version 1.07 was released 14-Jul-1993:

- * Compiled on A4000 :-)
 - * All configuration files now use the IFF format, and are stored in ENV: and ENVARC:.
 - * The documentation is now in guide format.
 - * Improved preferences: more options.
 - * Added requester that warns you on exit if the configuration has been modified.
 - * Keyboard shortcuts for most of the gadgets.
 - * Requester warning if <from> date is 'above' <to> date.
 - * At the beginning of the report you'll now see the time period.
 - * If no calls were found during scanning the report will state an error message. (In V1.00 an empty textfile would be displayed)
 - * Included built-in rates: German, French, Dutch, Swedish rates.
 - * Added commandline arguments. Try "Phonebill ?".
-

- * Added menus to the main window.
- * Added support for MagiCall log file.
- * In the report produced by "List Calls" sometimes only the phonenumber would be displayed, although a name was provided in the hostmanager.
- * If Phonebill was running under a localized workbench, the default from-date ("Yesterday") and to-date ("Today") weren't accepted anymore.
- * Fixed some V39 problems: the busy pointer now appears in the same resolution as the normal mouse pointer, and some problem concerning V39 listviews is fixed too.
- * If you were using a bigger system font the rate exception editor would mess up. Also, if you de-zoomed the editor window you wouldn't see the exception anymore.

1.35 Phonebill.guide/Version 1.08

Version 1.08

=====

Version 1.08 was released 1-Aug-1993:

- * Added Terminus support.
- * Severe bugs were found in Term, MagiCall and NComm scanning (thanks to Benno Zuure, Henrik Gelius and Frank Petzold). I've rewritten all log scanning routines to avoid software failures when unknown log messages were encountered.
- * The saved configuration files had the wrong version/revision tag. Also, Phonebill would disregard this tag and load any configuration file. So if the configuration files need to be changed in the future, the old version of the program would load the new config files which would probably result in a software failure.
- * Under some circumstances phonebill refused to remove a rate, although it wasn't in use.

1.36 Phonebill.guide/Version 1.1

Version 1.1

=====

Version 1.1 was released 16-Aug-1993:

- * The host and log lists now show some additional information.
- * Added support for Amiga UUCP timelog.
- * The pre-defined rate "Sverige: Riks 1" was wrong. The exception "Monday-Friday 18:00-22:00 0.29 per 52 secs" was missing.

1.37 Phonebill.guide/Version 2.0

Version 2.0

=====

Version 2.0 was released 27-Sep-1993:

- * GUI facelift: windows backfilled, listview doubleclick, changes in the menus.
- * Brand new rate editor
- * Improved "Do you really want to quit?" requester.
- * <From> and <To> date are now saved as strings.
- * Iconification.
- * Crippled.
- * Added JrComm support.
- * Binary log file maintenance.
- * Context-sensitive online help, by pressing 'help'.
- * New improved documentation, including ASCII and DVI formats.
- * Improved keyboard control: 'Escape' will function as a cancel/use action, and 'return' as an ok/save action.
- * 'Skip' in the 'Unlisted host found'-requester now really skips the host, and not just for once.
- * Now 'phonebill' is able to scan a 'Terminus 2.0b' log file correctly (it has some strange 'LF' before its connection string).

1.38 Phonebill.guide/Version 2.1

Version 2.1

=====

Version 2.1 was released 19-Oct-1993:

- * Fixed bug in 'trapdoor' scanner: you don't have to pay for incoming calls anymore.
- * Fixed bug in 'AmigaUUCP' scanner: calls of length greater then 99 minutes in the UUCP log are misaligned. This caused 'phonebill' to skip such calls.
- * Now you can add and edit calls from within the binary log file editor.
- * Time units extended with upto 4 decimals (e.g. \$1,2345 per 12,3456 seconds).
- * Bugfix: If the textviewer name contained spaces 'phonebill' couldn't find the viewer.

1.39 Phonebill.guide/Version 2.2

Version 2.2

=====

Version 2.2 was released 7-Dec-1993:

- * Under most circumstances the updating of the binary log file is much faster and efficient compared to previous versions.
- * Added MultiFax professional support.

1.40 Phonebill.guide/Version 2.3

Version 2.3

=====

Version 2.3 was released 6-Feb-1994:

- * New callrate feature: least costs.
 - * The statistics have been improved and new statistics have been added (hourly activity).
 - * Bugfix: the calls in the binary log file weren't always sorted chronologically.
 - * Added MicroDot support.
 - * Added TrapFax support.
-

- * Due to the use of the quotes when running the textviewer you couldn't specify any commandline arguments (e.g. "WatchIt -i"). This has been fixed.

1.41 Phonebill.guide/Version 2.4

Version 2.4

=====

Version 2.4 was released 13-Mar-1994:

- * Added TKR-BTX support.
- * Added AutoPilot support.
- * Fixed a problem with the MicroDot log file: A call ending with "NETCALL abgebrochen" was not recognized as a valid call, and therefore skipped.
- * Any trailing spaces entered at the end of the from/to-date strings are ignored now.
- * The 'LogScan' signature from the term log file did not have the appropriate dateformat. Therefore, it could happen that the signature wasn't recognized during some months, which might have resulted in 'fake' (duplicate) new calls.
- * Generating report now is approx twice as fast due to the use of asynchronous I/O.
- * More commandline arguments are supported.
- * Added a "Save"-button in the "Settings not saved" requester.
- * Added 'dupe'-detection: duplicate calls are automatically removed. So now there is no harm done when a log file is accidentally scanned twice. I recommend that you re-save your binary log file by pressing 'Save' in the maintenance panel, so that dupes from previous versions are removed (if there were any).

1.42 Phonebill.guide/Version 2.5

Version 2.5

=====

Version 2.5 was released 6-Apr-1994:

- * When adding calls using the maintenance panel the date is automatically set to the current date instead of 01-jan-78.

- * Added GPFax support.
- * Bugfix: dupe-detection failed sometimes.
- * AutoPilot problem fixed: only sessions ending with "End of Session" were recognized.

1.43 Phonebill.guide/Version 3.0

Version 3.0

=====

Version 3.0 was released 25-Aug-1994.

- * The program can now be localized by translating the supplied catalog description file.
 - * The configuration files have changed from IFF to plain ASCII text files which are parsed on startup. Files in ENV:Phonebill are no longer needed, which saves memory.
 - * Moved from built-in scanners to user-configurable scanners. The only built-in scanner left is 'GPFax' (which is binary log file).
 - * Improved the rates: extended the limit of 4 decimals for units and seconds to 9, support for different rates in different time periods, you can enter more than one date in a date exception by seperating them using a '|' character, first and second unit have made place for a listview in which you can configure as much units as you wish.
 - * Replaced the ugly CON: window by a nice intuition window.
 - * You can set a different carrier detect time for each host, or use the default carrier detect time as desired.
 - * Support for hosts with more than one phone number by seperating the numbers using a '|' character.
 - * Cleaned up the statistics report a bit. It's also possible to define the sort order in which the host listed in the bill report are sorted.
 - * Added support for 'CyberPager', 'TheAnswer', 'JamMail' and 'Multifax 2.0'.
 - * New user-interface featuring 'gtlayout.library' by Olaf 'Olsen' Barthel. I found this the best compromise between a plain and fast gui like the old 'phonebill', and a slow but very configurable gui like 'MUI'.
 - * Re-arranged the menus. I noticed that the 'Project' menu was called 'Projects', which looks very ugly. Why didn't anyone report this? :)
-

- * Cleaned up the code: large parts have been re-written.
- * Installation is now done by using the Commodore Installer (or should that be Samsung Installer, or Philips Installer? :-)

1.44 Phonebill.guide/Version 3.1

Version 3.1

=====

Version 3.1 was released 4-Oct-1994.

- * Changed: the program now also looks for the keyfile in the directory specified by the KEYPATH variable, if it exists.
 - * Changed: The cookie %a only accepted certain phonenumber, which caused a lot of problems. Now %a accepts any string. So now, "Calling %n (%a)" and "Calling BBS (123-AMI)" match. "A BBS 123" and "%n %a" match too: name="A" nr="BBS 123", to resolve this "%n %A" should be used.
 - * Bug fix: Updating the binary log files on MC68000-amigas could crash because of reading from an odd address.
 - * Changed: when adding hosts the last selected rate will be used as default for a new unlisted host.
 - * Added an option called 'connection costs' to the rates.
 - * Changed: if "ENV:AmigaGuide/Path" is set-up correctly, you can put the "Phonebill.guide" wherever you want.
 - * Added some average costs/calls/online per day to the stats. Also, if the <to date> is set somewhere in the future, 'phonebill' will estimate the total costs on that date (bill report).
 - * Changed: hosts with multiple phonenumber did not work the way it was supposed to be. For example, now you can group a host "Line A" (9111) and host "Line B" (9112) to "Lines" (9111|9112).
 - * New: Hosts can be assigned to groups, over which reports can be generated seperately, for example: create a group called "Poll" and assign all hosts you poll for mail to this group. Then you can view reports concerning these hosts only...
 - * Bug fix: the 'minimal costs' weren't saved.
 - * By pressing 'Cancel' in the host settings panel the changes to the host were dropped, but changes to the rates weren't. Now, you can only pick a rate from within the host settings panel. Editing rates is done by using the rate editor.
 - * The format of the configuration files has changed again. For
-

example: "scanner ... endscanner" is now "(scanner ...)" The new format is more compact, and the parser should be a bit faster compared to the old parser.

- * Added German and Swedish catalogs, updated Swedish rates.
- * And last but not least: my fido e-mail addresses have changed. :)

1.45 Phonebill.guide/Author Info

Author Info

Send bug reports, log files, suggestions, comments, postcards, flames, contributions, etc. to:

- * Snail-Mail:
 - Raymond Penners
 - Berkenlaan 4
 - NL-6241 AZ Bunde (the Netherlands)
- * Internet: raymondpsphinx.stack.urc.tue.nl
- * Fido: 2:286/407.60
- * AmigaNet: 39:153/201.60
- * NLA: 14:101/200.60
- * You may also find me (nickname "Sphinx") on IRC in the #amiga channel.

Below you will find my public key.

-----BEGIN PGP PUBLIC KEY BLOCK-----
Version: 2.3a

```
mQCNAixCIEEAAEEAMYJLUgyMWTJHOzMailLk50GXN86f2Ym2R7sHt6To3XluXhN
UYtkL+G2FYlGI+FzVL4oRBUCnzKqkvvIQHYbanxuVEX3XJ/w0tHWMc6+nj0/XniQ
4N9sUk4a0CiQWlo6CH6O6l+JvUoEamLpOmHeNKbOs jzh3Ekg2WxCH+ITWUepAAUR
tCtSYXltb25kIFBlbm5lcnMgPHJheWlvdjYy50dWUubmw+
=CMBu
-----END PGP PUBLIC KEY BLOCK-----
```