

Amster

Jacob Laursen

COLLABORATORS

	<i>TITLE :</i> Amster		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Jacob Laursen	August 9, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Amster	1
1.1	Amster documentation	1
1.2	Introduction	2
1.3	License	2
1.4	Requirements	3
1.5	Installation	3
1.6	FAQ	3
1.7	Main window	4
1.8	Advanced search options	5
1.9	Debug window	6
1.10	Messenger window	6
1.11	Amster Chat	6
1.12	Download window	6
1.13	Upload window	7
1.14	File sharing	8
1.15	Configuration	8
1.16	User settings	8
1.17	Program options	9
1.18	Program events	10
1.19	Advanced settings	10
1.20	Available ARexx commands	11
1.21	Past versions	12
1.22	How to contact the authors	14
1.23	Reporting bugs	15
1.24	Known bugs	16
1.25	Server navigator	16
1.26	Connect to...	16
1.27	Magic User Interface	16

Chapter 1

Amster

1.1 Amster documentation

Amster v0.7a User Manual

=====

Introduction

- Introduction to Amster

License

- License information

Requirements

- Software requirements

Installation

- How to install Amster

Main window

- Using Amster

Messenger window

- Chatting with other users

Chat window

- Chat channel windows

Download window

- Downloading files

Upload window

- Uploading files

Library window

- Shared files

Debug window

- Debug/verbose information
-

- Configuration
 - Configuration options
- Navigator
 - Server navigator
- ARexx interface
 - Available ARexx commands
- FAQ
 - Frequently Asked Questions
- History
 - What's new in this version
- Known bugs
 - Existing problems
- Authors
 - Contact information

Amster mailinglist:
<http://www.egroups.com/group/amster>

Amster IRC channel:
#Amster on IRCNet

1.2 Introduction

Introduction

Napster is an MP3 sharing community using a special client that features things like chatting, searching, downloading, notify lists, etc. If you want to read more about Napster in general, go to <http://www.napster.com>. Here you can also download the official Windows version of the client.

Amster is an Open Source MUI based Napster client for AmigaOS.

Trademark and copyright notices

Amiga, AmigaOS and Workbench are trademarks of Amiga, Inc.

Napster is a trademark of Napster, Inc.

Windows® is a registered trademark of Microsoft Corporation

MUI is copyright © Stefan Stuntz

1.3 License

License

Amster (Amiga Napster client)

Copyright © 1999-2000 Güler Özen

Copyright © 2000 Jacob Laursen

Amster is released under GPL. You can find a copy of GPL at <http://www.gnu.org/copyleft/gpl.html>

No reverse engineering on Napster client was done to make this client, it's fully based on protocol documentation by the Linux community.

1.4 Requirements

Requirements

- * AmigaOS 3.x
- * MUI 3.8 or higher
- * NList.mcc 19.97+ (MUI Class)
- * TCP/IP stack (Genesis, Miami 2.0+ or MiamiDx)

Amster will also use Lamp.mcc 11.1+ if available. TWFmultiLED 12.6+ will be used if chosen in prefs or Lamp.mcc 11.1+ is not available. Neither of these classes are required to run Amster.

For recompiling sources

- * SAS/C 6.50+ Commercial
- * MUI Developer Kit Aminet, dev/mui/mui38dev.lha
- * Miami Developer Kit <http://www.nordicglobal.com>
- * FlexCat Aminet, dev/misc/FlexCat.lha
- * OpenURL includes Aminet, comm/www/OpenURL30.lha
- * Lamp.mcc includes Aminet, dev/mui/MCC_Lamp.lha
- * NList.mcc includes Aminet, dev/mui/MCC_NList0_89.lha
- * TWFmultiLE includes Aminet, dev/mui/MCC_TWFmultiLE.lha

1.5 Installation

Installation

Double-click on the Install icon and the installer script will guide you through the installation.

Amster keep its preferences in ENVARC: (Amster.prefs).

When upgrading from pre-0.7 versions, please note:

- Amster.default is now called Amster.shares.
- The last three sound/script events needs reconfiguration.

1.6 FAQ

FAQ

Q. I can't find same MP3's after reconnecting?

A. Napster has many MP3 servers, and they're not linked together. If you enable "Cache servers" in the configuration (Options/Server list), you can find the same server using the navigator window (from the Amster menu).

- Q. Amster exits with "cannot create mui app!" message.
A. Check your MUI installation and make sure you have a reasonable amount of RAM available.
- Q. When creating my own account and logging in for the first time, I get "Invalid password" from server.
A. Username is already taken - try another.
- Q. When starting Amster, I get the error "Failed to open main window!".
A. If you're running a very low resolution, this may be the problem. Solution: Increase the screen size. When you've done that you can save some space by disabling the icon panel (from the Settings menu).
- Q. Amster sucks. Are there any other Napster clients for Amiga?
A. Yes, aNapster (<http://www.crosswinds.net/~jsiv/anapster>) and the BWrap port, which can be found on Aminet.

1.7 Main window

Main window

This is the window that you'll see when starting Amster. It consists of three parts:

1. Searching

Song

Enter the keywords you want to search for here. They can be part of the song title, the artist or both. Each keyword must be separated with a space. Press return to perform the file search.

Max.

Maximum number of hits to return to the result list. This may be any number from 3 to 100. (Default is 100)

Advanced search options

Press the little **popup** gadget right next to the "Max." string gadget to see these options. The popup is typically pictured as a magnifying glass.

Search

Perform the file search based on the above mentioned criterias.

User / Browse button

This will list all MP3 files shared by a single user. The list is shown when you press return or the browse button. Please note that the search criterias are ignored when gathering this list!

Result list

The '@' to the left indicates link speed intervals (only available when Lamp.mcc or TWFmultiLED is installed):

Black = Unknown

Red = Modem

Yellow = ISDN/cable

Green = DSL/T1+

If the time is shown in italics, it's because the time calculation by Amster and the sharing client differs more than 3%. This may be due to a huge ID3v2 tag or simply a bug in the other client.

Clear / Clear all

Remove all or selected search results from the list. "Clear all" is only useful when "Clear list before new searches" is disabled in the configuration ([Options](#)).

Download

[Download](#) selected file(s). You can also double-click on a file to download it.

Paths

If selected, full paths will be shown in the result list.

2. Connection panel

Status line

This contains information about number of shared songs on the server and how many gigabytes that is. It will automatically update every now and then. The lamp to the right indicates connection status: green = online, yellow = connected, red = offline, black = lost/no connection.

Connect

This will get the optimal server from the main server and then connect to it. If you have configured an MP3 server, you will connect directly to this one.

Disconnect

Disconnects you from the server.

Reconnect

If you have configured a main server, pressing this button will disconnect, reconnect and find a new optimal server. This will usually connect you to a new server with other users and files. So if you didn't find what you searched for, reconnect.

3. Icon panel

Info

Open/close a [debug window](#) . Here you can see a log of events, such as established or failed connections and welcome messages.

Messenger

Open [chat window](#) - chat not fully implemented yet.

Multi-chat

Open a new [channel window](#) .

Download

Open/close [download window](#) .

Sharing

Open/close [library window](#) .

Config

Open/close [configuration window](#) .

1.8 Advanced search options

Line speed must be...

If "Not important" is selected in the first cycle gadget, this search option is ignored. Otherwise you build a criteria with the two cycle gadgets, like this:

"Line speed must be" + "At Least" + "ISDN 64K"

This statement will only give you results with line speed equal to or higher than 64 kbps.

Bitrate must be...

This will decrease the number of search results by demanding a certain bitrate in the MP3 encoding. It works the same way as the "Line Speed must be..." option.

Frequency must be...

Like the other two advanced search options.

1.9 Debug window

Debug window

This window will gather information returned by the server, and debug information. This information is more verbose than the information displayed in the status line in the main window. When filing in bug [reports](#), please include details from this window.

Clear

Press this button to clear the window contents.

1.10 Messenger window

Messenger window

From this window you can communicate with other users. Available commands at the moment:

<nick> <message>

to send a message to another user. And:

/whois <nick>

to get userinfo from another user.

1.11 Amster Chat

Chat window

You can open as many chat windows as you like. In each window you can join a chat channel, just like when using IRC. The available commands are:

/list

to get a list of available channels on the server. A new window will pop up with the list.

/join <channel>

to join the channel.

/leave

to leave the channel in that window.

1.12 Download window

Download window

This window contains a list of all downloads.

The four buttons have the following meaning:

Play - Spawns external MP3 player - this is configured in the

Events section . It's possible to spawn the player before the download is finished. If your Internet connection is fast enough, you can listen to music while you download it!

Abort - Cancel download of the selected file.

Resume - Start the transfer of the selected file again. A resume requester will show up asking you if you want to proceed.

Cleanup - This will remove all finished/aborted downloads from the list.

Resume

If the file to download already exists in your download directory, a resume requester will show up with some of the following choices (depending on an MD5 checksum comparison, which will be shown in the requester):

Resume - Continue download of the existing file.

Rename - Download the file with a new file name.

Overwrite - Overwrite the existing file.

Cancel - Cancel the download.

The MD5 checksum and filesize of incomplete files are saved in the file comment. Tip: If you find a file you want to resume, you can rename your existing file to the same name, before proceeding. If the MD5's do not match, but you are sure it's the same file (or are willing to take the chance, based on filesize comparison), you can simply delete the file comment, which will reduce Amster's resume denial to a resume warning.

Errors

Unfortunately every download will probably not proceed as planned. Here's a list of some of the possible errors and their meaning:

Logged out - The user logged out and the requested file is no longer available

Teaser - The user sharing the file currently has a queue limit of 0, which means that nobody can download from the user at the moment.

Busy - The user is currently busy serving other users, and you ran out of **retries** .

Timed out - The download was caught by Amsters garbage collector, because the request wasn't fulfilled within 2 minutes, and thus considered timed out. Use "Resume" to try again.

1.13 Upload window

Upload window

This window contains a list of all uploads.

The two buttons have the following meaning:

Abort - Cancel upload of the selected file.

Cleanup - This will remove all finished/aborted uploads from the list.

1.14 File sharing

Library window

Here you can add/remove files to your library of shared files. The library will always be synchronized with the server, so there's no need to speculate about updating it manually. You can drag'n'drop files into this window to add them.

The buttons

Add - Add files to your library.

Add recursive - Add files recursively. A requester will ask for the directory from which to start the recursion.

Remove - Remove selected files from your library.

Remove all - Remove all files from your library.

The library menu

Load... - Load another library.

Save - Save current library in currently used file (default is "Amster.shares").

Save as... - Save current library in another file.

Don't forget to save your library - this is not done automatically, unless you have "Auto-save library on program exit" enabled in the configuration ([Options](#)).

1.15 Configuration

Configuration

User

- User account information

Options

- Amster options

Events

- Program events

Advanced

- Advanced configuration

1.16 User settings

If you haven't registered a Napster account yet, just enter your user data in this section and connect.

Username

This must be a unique username. If you get a "wrong password" error when trying to connect, the username is probably already taken. Solution: Try another one.

Password

Don't forget to save the configuration and/or write down your password.

E-Mail

Enter your e-mail address here.

Update - Click here to update your e-mail address on the server.

You must be connected to a server to perform this operation.

Note: This feature is not implemented in the Napster servers yet!

Connection

Select your kind of Internet connection here. It's shown when other users /whois you and when showing your shared files.

Download path

All downloaded files will be saved in this directory.

Filename length

All filenames exceeding this limit will be truncated and have the ".mp3" postfix appended. For FFS set this to 30, for PFS2 to 31 and for PFS3/SFS to 100.

1.17 Program options

Auto-connect on program startup

If this option is enabled, Amster will automatically connect to the Napster server when the program is started. Otherwise you'll manually have to press the 'Connect' button in the main window.

Clear list before new searches

When performing new searches, Amster can either accumulate the displayed results or clear the list each time. Enable this option if you want the latter.

Always ask filename

Enable this to always have a file requester pop up before downloading a file. This way you'll have a chance to rename the file in a meaningful way instead of letting Amster truncate the name automatically.

Add downloaded files to library

Automatically add downloaded files to your shared library.

Auto-save library on program exit

Automatically (and silently) save sharing library on program exit (will only write the file if it has changed).

Auto-cleanup successful uploads

Automatically remove uploads from the **upload window** once they're successfully transferred.

Server list

This list is shown when you open the navigator window.

Don't remember - Don't save the list to a file when quitting Amster.

Save on exit - Save the server list on program exit.

Cache servers - Automatically add new servers to the list. This includes servers returned by the meta server and servers you manually type in. When this option is enabled, the list will automatically be saved on program exit.

Lamps

Select which MUI lamp class you wish to use. You will have to restart Amster for this to have effect.

1.18 Program events

Events

In this section you can define what Amster should do when one of the listed events occur:

Startup

Exit

Connect

Disconnect

Download finished

Upload finished

Transfer error

For each event you can select a sound file to play. Make sure you have a datatype installed for playing your sound files. And for the last event:

MP3 player

you can select an AmigaDOS command to run when 'Play' is pressed in the [download window](#) . Example scripts are included in the REXX/ directory for spawning some of the most popular MP3 players for AmigaOS.

%f is replaced with the filename, so normally you will have to add "%f" to your player command or script. Example:

```
REXXC:RX REXX/PlayAmigaAmp.rexx "%f"
```

1.19 Advanced settings

Meta server

This is the server Amster will connect to in the first place to get the address of the optimal Napster server. Default is server.napster.com:88. Each time Amster connects to this server, it is most likely to receive a different server address than last time. Don't mess around with the meta server address unless you know what you're doing.

MP3 server

If you write anything here, Amster will attempt to connect directly to this server, instead of getting the optimal server from the main server first. Usually you don't want to do that.

Listening port / Behind firewall

Enter a port number you want to use for the sharing server here. If you're behind a firewall and can't allow connections to any ports, select this option. Note: Not used yet!

Concurrent downloads / Pri

Maximum number of simultaneous downloads. The rest will be queued and downloaded later. Pri sets set task priority.

Concurrent uploads / Pri

Maximum number of simultaneous uploads. The rest will be rejected. Pri sets the task priority.

Queue limit retries / Delay between retries

Number of times to attempt to download a queued file. The delay is the number of seconds between each attempt. Don't set this too low, or you might get kicked or banned from the server.

1.20 Available ARexx commands

Name of ARexx port: AMSTER.<x> where x is the instance number of the program.

CONNECT

Syntax: CONNECT

Function: Connects to a server (the same as pressing the "Online" button).

Result: RC = 0 - All OK

DISCONNECT

Syntax: DISCONNECT

Function: Disconnects from a server (the same as pressing the "Offline" button).

Result: RC = 0 - All OK

DOWNLOAD

Syntax: DOWNLOAD NUM/A/N

Function: Download song.

Input: NUM - song number (returned by the SEARCH command).

Result: RC = 0 - All OK
RC = 9 - No such number in list
RC = 10 - Not online

ISONLINE

Syntax: ISONLINE

Function: Check if Amster is currently online.

Result: RC = 0 - Offline
RC = 1 - Online.

SEARCH

Syntax: SEARCH TITLE/A,STEM/A

Function: Searches for a song.

Please note that this command doesn't work correctly when "Clear list before new searches" is disabled.

Input: TITLE - Song title or artist
STEM - The STEM to contain the results

Result: RC = 0 - All OK
RC = 10 - Failure
RC = 15 - Not connected and logged in

<STEM>.COUNT	Number of search results
<STEM>.<NUM>.TITLE	Song title
<STEM>.<NUM>.USER	User name
<STEM>.<NUM>.MD5	MD5 checksum
<STEM>.<NUM>.SIZE	File size
<STEM>.<NUM>.BITRATE	Bitrate
<STEM>.<NUM>.FREQUENCY	Frequency
<STEM>.<NUM>.TIME	Time in seconds
<STEM>.<NUM>.LINK	Link: 0 = Unknown
	1 = 14.400 Modem
	2 = 28.800 Modem
	3 = 33.600 Modem
	4 = 56K Modem
	5 = ISDN 64K
	6 = ISDN 128K
	7 = Cable
	8 = DSL
	9 = T1
	10 = T3+

SEARCHSTATE

Syntax: SEARCHSTATE

Function: Check if Amster is currently searching.

Result: RC = 0 - No search started.
RC = 1 - Amster is currently searching
RC = 2 - Amster has the results

WHOIS

Syntax: WHOIS USER/A

Function: Shows the userinfo in the messenger window.

Result: RC = 0 - All OK

1.21 Past versions

History

0.7a

- * Improved ARexx SEARCH command
- * A few bugfixes (for details, see file CHANGES)

0.7

- * Channel list window
- * Hotlist
- * Improved messenger/chatting
- * More flexible transfer manager
- * Lots of bugfixes

0.6

- * Upload (sharing)
- * Built-in server navigator
- * Automatic download retry when other client is busy
- * Transfer queue settings
- * Filename truncation with .mp3 suffix
- * Improved error handling
- * Lots of bugfixes and minor improvements

0.5a

- * List sorting in main- and share window
- * Chat - EXPERIMENTAL
- * Misc. small bugfixes and changes

0.5

- * Resume support
- * New network code
- * Threaded downloads
- * Improved GUI
- * Player support
- * /whois command (in messenger window)
- * File share window (uploads not implemented yet)
- * Now saves search options in config
- * A few ARexx commands
- * More languages

0.4

- * Amster.guide
- * Locale support
- * Advanced search criterias
- * Reconnect button
- * Browse a specific user's files
- * New configuration options
- * New menus
- * Shared file access

0.3

- * Info/debug window
- * Option to clear result list automatically
- * Chat

0.2

- * Version spoofing

0.1

- * Initial public release

1.22 How to contact the authors

Contacting the authors

Coder

(Version 0.4-)

Jacob Laursen <laursen@myself.com>

<http://home.worldonline.dk/~jlaur/amiga/>

Original coder

(Version 0.1-0.5)

Gürer Özen <palpa@linuxfan.com>

Don't contact Gürer with bug reports and suggestions

Read [this](#) about reporting bugs.

Documentation

Jacob Laursen <laursen@myself.com>

ATO Translation Teams

Catalan:

Llorenç Grau <llor69@olivet.com>

Czech:

Vit Sindlar <sindlarv@voskop.cz>

Danish:

Jacob Laursen <laursen@myself.com>

Dutch:

Frank Mosch <frank.mosch@pandora.be>

Guno Heitman <Guno@cable.A2000.nl>

Finnish:

Janne Karppanen <janne.karppanen@quicknet.inet.fi>

Samppa Rönkä <eksotic@dlc.fi>

French:

Jerome Chesnot <jchesnot@noname.fr> *

German:

Heiko Hayn <Smeagel@gmx.net>

Sönke Tesch <soenke@kino-fahrplan.de>

Hungarian:

Péter Kovács <smit@matavnet.hu>

Álmos Rajnai <racs@fs2.bdtf.hu>

Italian:

Francesco Celli <mc3510@mclink.it>

Francesco Mancuso <mcfrank@mediatel.it>

Norwegian:

Øyvind Falch <oyvind.falch@triumph.no>

Portuguese:

Rúben Alvim <alvim_r@yahoo.com>

Joel Alvim <mindwalker@mail.telepac.pt>

Russian:

Oleg Sergeev <bigblack@mail.lanck.net>

Andrew Boyarintsev <ntrs@redline.ru>

Slovenian:

Uros Bogataj <urosb@technologist.com>

Damir Arh <damir.arh@telesat.si>

Spanish:

Javier de las Rivas <javierdlr@retemail.es>

Pablo Peskin <Pablo@peskin.com>

Swedish:

Fredrik Söderberg <mcdriill@hem.passagen.se>

Linus Andersson <linus_79@lover-boy.com>

Turkish:

Sinan Gürkan <sgurkan@superonline.com>

(Translator listed first, then proof-reader) If your team isn't listed here, and you want to do a translation, please contact Jacob.

* = Not an ATO translator

1.23 Reporting bugs

Reporting bugs

When submitting bug reports, please include as much information as possible. Don't just write "it doesn't work". As a minimum, gather the following information:

- Which version of Amster are you using? OS version? NList version?

Lamp version? MUI version?

- Do older versions (which) of Amster have the same problem (please test)?
- How can the problem be reproduced? If it can't, under which circumstances have you seen it occur?
- What happens exactly? Does the machine crash? Hang?
- If it's a problem with a specific file or user, please use /whois in the Messenger window and write down which client he or she is using.

1.24 Known bugs

Bugs

- Amster crashes when quitting? If you're using TWfmultiLEDs, try to use Lamps instead. If that solves the problem, you may want to upgrade to a newer version of TWfmultiLED. Otherwise you're another victim of a known crash problem in Amster. Hopefully this will be fixed soon.

1.25 Server navigator

Navigator

In this window you can manually add server entries and connect directly to any server. If you have **Cache servers** enabled, Amster will automatically remember all the servers you've been connected to. Also, when you were last connected will be remembered. This way you can always find the last server you were on by reverse sorting the Last online column (by clicking in the title).

The buttons

Connect - Connect to the selected server.

Remove - Remove selected server.

Add - Add a new server.

1.26 Connect to...

Connect to

Here you can connect directly to a specific server. Optionally you can register the account when logging in (default). If you disable this, the login time will be significantly reduced.

You also have the opportunity to type in a username and password to login with. This will not be saved, so if you register an account this way, don't forget the login information afterwards.

1.27 Magic User Interface

This application uses

MUI - MagicUserInterface

(c) Copyright 1992-97 by Stefan Stuntz

MUI is a system to generate and maintain graphical user interfaces. With the aid of a preferences program, the user of an application has the ability to customize the outfit according to his personal taste.

MUI is distributed as shareware. To obtain a complete package containing lots of examples and more information about registration please look for a file called "muiXXusr.lha" (XX means the latest version number) on your local bulletin boards or on public domain disks.
