

# **WBStartup+Prefs**

Pavel Fedin

**COLLABORATORS**

	<i>TITLE :</i> WBStartup+Prefs		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Pavel Fedin	August 13, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>WBStartup+Prefs</b>	<b>1</b>
1.1	WBStartup+Prefs	1
1.2	Distribution	2
1.3	Future	2
1.4	Installation Instructions	2
1.5	Author & Tech	2
1.6	Features	3
1.7	Bugs	3
1.8	Where to get Updates	3
1.9	History	4
1.10	How to use WBStartup+Prefs	4
1.11	Tooltip: ENABLEDPATH	5
1.12	Tooltip: DISABLEDPATH	5
1.13	Tooltip: ALPHABETIZE	5
1.14	Catalogs	6
1.15	Index	6

# Chapter 1

## WBStartup+Prefs

### 1.1 WBStartup+Prefs

WBStartup+Prefs  
March 06, 2002

by: Pavel Fedin  
sonic\_amiga@rambler.ru

WBStartup+ and WBStartup+Prefs was originally written by John Hughes.  
© 1996 All Rights Reserved.

Installing/Updating

How to install or update WBStartup+Prefs.

Author & Tech

About the author and compiler.

Features

What WBStartup+Prefs does.

Distribution

Distribution

Where to get Updates

Places to get newer versions

Catalogs

Information on included catalogs

History

Previous versions.

Future

The future of WBStartup+Prefs.

How to use

How to use this program.

---

## 1.2 Distribution

I, Pavel Fedin, allow to distribute and modify this software freely. I'm not the original author, so i leave the original conditions unchanged.

Anyone may do anything to this archive within the following constaints:

This document file must be included with all distributions of any part of this archive (except with the 3 libraries listed above).

Full credit to the original author of WBStartup+ and WBStartup+Prefs (John Hughes) must be given in any modified source code, or executable which is redistributed from this archive. People who modify the source code may also include there names for possible future 2nd party updates.

## 1.3 Future

In future it is possible to extend WBStartup+Prefs to control WBStartup++'s options. I can do it if somebody will wish it.

Unfortunately i don't have much time, and it's not my only project (and is not primary one), so i don't know when i'll implement this. If you wish to help, you are welcome!

## 1.4 Installation Instructions

INSTALLATION:

The installation is easy. Just copy the "WBStartup+Prefs" executable anywhere you want (usual place for it is "SYS:Prefs" drawer).

## 1.5 Author & Tech

About the author  
and other tid-bits.

Program: WBStartup+Prefs  
Version: 3.0  
Date: 06 March 2002  
Coded by: Pavel Fedin  
Email: sonic\_amiga@rambler.ru  
Compiled with: SAS/C 6.58  
Machine: A1200 68040/40 AmigaDOS 3.9  
Required: AmigaDOS 3.0 or above, MUI v3.6 or above.

---

Original author of this software is:

John Hughes  
901 Highview Rd.  
East Peoria, IL 61611 USA  
E-Mail: johughes@heartland.bradley.edu

Thank him very much for opening the source code of WBStartup+.

## 1.6 Features

Features

WBStartup+Prefs is designed to be an alternative preferences editor for the "WBStartup++" program by Frank Fenn <fenn@nucleus.com>, but also will work with old "WBStartup+" program. Actually this project is part of WBStartup+. When i had installed AmigaOS v3.5 i discovered that my old good WBStartup+ program doesn't show icons. Also there was some other little problems. So i decided to take care of this program and rework it for OS v3.5. But when i started this work i discovered that there was already a project called WBStartup++, which worked under OS v3.5. So my project became senseless, but i didn't want to abandon it because i've had already spend some time on it. So i decided to partially finish the work and here's the result. I should say, i like my preference editor more than WBStartup++'s native. Now you've got a choice too.

## 1.7 Bugs

Bugs

Currently no bugs are known.

If you find one, you can  
contact me

.

## 1.8 Where to get Updates

Locations to find Updates

All WBStartup+Prefs updates are posted to Aminet at:

`ftp://ftp.wustl.edu/~aminet/util/boot/WBStartupPlus.lha`

---

## 1.9 History

### History

V3.0 March 06, 2002

First release. Differences from original WBStartup\_Prefs V2.8:

- o Graphical interface uses MUI. More flexibility and improved look.
- o Translated Russian.catalog to Amil251 encoding.

## 1.10 How to use WBStartup+Prefs

### How to use WBStartup+Prefs

The Prefs program allows you to choose which program to run at startup, and in which order to run them.

Tooltypes

ENABLEDPATH

Must be the same as that of WBStartup+

DISABLEDPATH

Must be the same as that of WBStartup+

ALPHABETIZE

App Window

You can easily copy or move files into the enabled or disabled directory by simply dropping icons into the window from workbench.

A window will appear asking you if you want to copy or move the files, and whether to put the files in the Enabled or Disabled directory.

The Listview Gadget

Each item in the list that has a checkmark will be run at startup. To toggle the checkmark, just click the left mouse button on the checkbox.

To change the startup priority of a program, click in that area of the listview, set the slider gadget to the desired priority and close the window.

To bring up the Workbench icon information window for one of the programs listed in the listview gadget, select the program name, and then select "Icon Window" from the "Edit" pulldown menu.

Creating Groups

Set the checkmarks in the listview to your desired settings.

---

Choose "Create Group" from the "Edit" menu.  
Type the name that you want to call the group and press enter.  
You now have a new group.  
You MUST save the settings, or the new group will be forgotten.  
A requester will be appear to allow you to save any group modifications on ←  
quitting.

#### Selecting a Group

Choose "Group" from the "Select" menu.  
Select the name of the group you want to use from the list and select  
"Ok". (Double clicking works too)

#### Other Gadgets

Select "Save" to save the settings.  
Select "Cancel" to exit the program without making any changes.

Select the "Restore" menu to restore the setting to what they were  
when WBStartup+Prefs was run.

## 1.11 Tooltype: ENABLEDPATH

ENABLEDPATH=

Set ENABLEDPATH to the directory where the programs are that you want  
to run at startup (boot time).

Default:

ENABLEDPATH=SYS:WBStartup/WBStartup (Enabled)

## 1.12 Tooltype: DISABLEDPATH

DISABLEDPATH=

Set DISABLEDPATH to the directory where programs that should not be  
run at startup are. This is like a storage directory.

Default:

DISABLEDPATH=SYS:WBStartup/WBStartup (Disabled)

## 1.13 Tooltype: ALPHABETIZE

ALPHABETIZE

If this tooltype exists, the list of programs will be in alphabetical  
order, otherwise it will be in order by priority.

---



Examples:

ALPHABETIZE           The list will be alphabetized from A to Z.  
 (ALPHABETIZE)        The list will be ordered by priority.

## 1.14 Catalogs

### Catalogs

The following is a list of catalogs and their authors.

Language	1st release	Author
Dansk	2.7	Jacob Laursen
Deutsch	2.5	Arno Eigenwillig with assistance from Hubert Feyrer ←
Español	2.8	Ernesto Poveda Cortes
Français	2.5	Eric Sauvageau
Italiano	2.5	Giacomo Magnini
Magyar	2.8	készítette Kertai Gábor
Norsk	2.5	Stian S. Olsen
Russian	2.8	D.I. Mikhilov
Suomi	2.7	Arttu E. Kdrpinlehto
Svenska	2.5	Daniel Stenberg

The current .ct file is included in the locale directory. If you would like to see WBStartup+ in your language, please add your translations to that file and email it to me :)

## 1.15 Index

Documents

Author & Tech

Bugs

Catalogs

History

How to use WBStartup+Prefs

Installation Instructions

Features

Tooltype: ENABLEDPATH

Tooltype: ALPHABETIZE

Tooltype: DISABLEDPATH  
Buttons

ALPHABETIZE

Author & Tech

Bugs

Catalogs

DISABLEDPATH

ENABLEDPATH

Features

History

Installing/Updating

WBStartup+Prefs

Where to get Updates