

Pixload

COLLABORATORS

	<i>TITLE :</i> Pixload	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		August 13, 2022

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1 Pixload	1
1.1 Pixload Documentation - Contents	1
1.2 description	1
1.3 installation	2
1.4 configuration	2
1.5 authors	3
1.6 distribution	3
1.7 tests	3
1.8 future	4
1.9 error	4

Chapter 1

Pixload

1.1 Pixload Documentation - Contents

Pixload (version 1.70)
(by Pixel Art Asc.)

DESCRIPTION
INSTALLATION
CONFIGURATION
ERROR
TESTS
AUTHORS
DISTRIBUTION
FUTURE

1.2 description

DESCRIPTION :

This little "bar" allows to you load any program or script by one click on icon
A bubble help tells you the name of loaded program. Two help files (GUIDE and ↔
HTML)
are available.

NEWS : Pixload can be placed anywhere by a zone at left, available under right ↔
mouse button !

WHAT'S :

It is a window with buttons including pictures. Each click on button, loads a ↵
command line
which loads a program or script. It was made in AREXX and RXMUI for graphic part ↵
. You can modify
everything (colors, aspect, etc.. from the contextual menu Pixload bar).

1.3 installation

INSTALLATION :

Click on "Install-Pixload" (you must have INSTALLER in your C folder)

You must install BEFORE ! :

- MUI (version 3.8)
- RXMUI (version 24.0 or more ONLY - Freeware on <http://web.tiscalinet.it/amiga/> ↵
rxmui)
- Rexxmast (in your system folder from Workbench)

1.4 configuration

CONFIGURATION :

There are 3 elements to configure :

- Icons (in Pixload/icones folder from 0 to 9) - First color of icon will be ↵
TRANSPARENT !!!
- Mui (look at Mui documentation) : You can configure MUI from contextual menu ↵
Pixload bar
Prefs file : Pixload.1.prefs is located at : SYS:prefs/env-archive/mui and RAM ↵
:Env/mui
- The Pixload program by a configuration program.

The Pixload folder contains a "Pixload configuration program" (look at bubbles ↵
help pf Pixload-Prefs)

- Click on Pixload-Prefs in System Prefs folder
- Choose if you want to display Pixload horizontaly
- Choose number of icons
- Choose yours programs and fill the bubble help

- Buttons after icon mean if : the file is a program (by default) or a script ↵
(button pushed)
-

Example : to launch DOPUS, don't use this option
to launch a command : "lha x -x ram: etc..... " from file, use this ↔
option

- The lastest button closes Pixload and the previous launches Prefs's file. You ↔
can't change them !

That's all, the graphic interface from MUI, is available under the right mouse ↔
button.

1.5 authors

AUTHORS :

It was made in Arexx and RXMui by PIXEL ART

[Http://www.Pixel-Art.fr.st](http://www.Pixel-Art.fr.st) - E-mail : pixelart@wanadoo.fr

Rmxui was made by : : Alfonso Ranieri - alforan@tin.it - <http://web.tiscalinet.it/amiga> ↔

Rmxui official web site : <http://web.tiscalinet.it/amiga/rxmui>

(Thanks to Polymère, Bernd Gollesch and also Alfonso Ranieri)

1.6 distribution

DISTRIBUTION :

FREEWARE

1.7 tests

TESTS :

- A1260, Rom 3.0 et OS 3.0, graphic card under Picasso96, screen in 800x600 24 ↔
bits
- A1260, Rom 3.1 et OS 3.9, graphic card under Picasso96, screen in 1024x768 16 ↔
bits

Thanks to Mr Bérengué, Triple A and Mr Halvadjian

1.8 future

FUTURE :

- Drag and Drop
- Yours suggests

1.9 error

ERROR :

If you have got this message : "Arithmetic conversion error" or 'Speedbar"

It means :

- One or more of icon is mislocated
- The access to files are not correct
- A " or ' or) is missing in a command line
- You have got an old RXMUI version

An RXMUI update is available at : <http://web.tiscalinet.it/amiga/rxmui>
