

TxtToHTML

Krzysztof 'ssnake' Olszynski

COLLABORATORS

	<i>TITLE :</i> TxtToHTML		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Krzysztof 'ssnake' Olszynski	August 13, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	TxtToHTML	1
1.1	TxtToHTML Guide (c) Krzysztof 'ssnake' Olszynski	1
1.2	ABOUT	1
1.3	USAGE	2
1.4	List of colours	3
1.5	History	6
1.6	Future	7
1.7	Known bugs	7
1.8	Author	7
1.9	Prefomated blocks	7

Chapter 1

TxtToHTML

1.1 TxtToHTML Guide (c) Krzysztof 'ssnake' Olszynski

TxtToHTML 1.6 Guide (c) Krzysztof "ssnake" Olszynski

A B O U T

U S A G E

C O L O U R S

H I S T O R Y

F U T U R E

B U G S

A U T H O R

Visit: <http://www.ssnake.amiga.prv.pl> or
<http://strony.wp.pl/wp/amissnake/>

1.2 ABOUT

Text files to HTML Docs Converter.
Written by Krzysztof "ssnake" Olszynski.

Thanks to:
Slawomir "TimSucker" Strumecki,
Marcin "Morgoth" Kurek,
Ken Gregory.

Since version 1.1 TxtToHTML is E-MAILWARE,
so if you use this program, tell me about it by e-mail.

All questions, bugs reports, and what you want
send to ssnake@interia.pl

For new versions and other programs search on:

<http://www.ssnake.amiga.prv.pl> or
<http://strony.wp.pl/wp/amissnake/>

1.3 USAGE

Usage: TxtToHTML <inputfile> [outputfile] [options]

OPTIONS:

-ctr, -centre	Centre all text
-iso2	Convert AmigaPL -> ISO-8859-2
-fs SIZE, -fsize SIZE	Font size (1-7) [Default is 3]
-fc COLOUR, -fcolour COLOUR	Font colour
-bgc COLOUR, -bgcolour COLOUR	BackGround colour
-pre	Preformatted blocks
!!!	
-nbsp	Non-breaking space
-pf	Paragraph formatting
-mkl, -makelinks	Make links
-lc COLOUR, -lcolour COLOUR	Link colour
-alc COLOUR, -alcolour COLOUR	Activated link colour
-vlc COLOUR, -vlcolour COLOUR	Visited link colour

Only the inputfile is required.

inputfile	text file to convert
outputfile	path to html file (converted inputfile)

NOTE: The program will accept both the American spelling of
colour (color) and centre (center) OR the English, so fcolour or
fcolor as well as center or centre are accepted.

A list of font and backgrounds colours can be seen
here

.

You can also set colours by using the HEX code.
For example:

```
FFFFFF = white   (for example: TxtToHTML in.txt -fcolor FFFFFFF)
FF0000 = red     (for example: TxtToHTML in.txt -bgcolor FF0000)
FF7F50 = coral  (for example: TxtToHTML in.txt -fcolor FF7F50)
000000 = black  (for example: TxtToHTML in.txt -bgcolor 000000)
```

So using HEX code you can find the colour that you need.

1.4 List of colours

List of colours:

```
aliceblue
antiquewhite
aqua
aquamarine
~azure

beige
bisque
black
blanchedalmond
blue
blueviolet
brown
burlywood

cadetblue
chartreuse
chocolate
coral
cornflowerblue
cornsilk
crimson
cyan

darkblue
darkcyan
darkgoldenrod
darkgray
darkgreen
darkkhaki
darkmagenta
darkolivegreen
darkorange
darkorchid
darkred
darksalmon
darkseagreen
darkslateblue
darkslategray
darkturquoise
```

darkviolet
deeppink
deepskyblue
dimgray
dodgerblue

firebrick
floralwhite
forestgreen
fuchsia

gainsboro
ghostwhite
gold
goldenrod
gray
green
greenyellow

honeydew
hotpink

~indianred
indigo
ivory

khaki

lavender
lavenderblush
lawngreen
lemonchiffon
lightblue
lightcoral
lightcyan
lightgoldenrodyellow
lightgreen
lightgrey
lightpink
lightsalmon
lightseagreen
lightskyblue
lightslategray
lightsteelblue
lightyellow
lime
limegreen
linen

magenta
maroon
mediumaquamarine
mediumblue
mediumorchid
mediumpurple
mediumseagreen
mediumslateblue

mediumspringgreen
mediumturquoise
mediumvioletred
midnightblue
mintcream
mistyrose
moccasin

navajowhite
navy

oldlace
olive
olivedrab
orange
orangered
orchid

palegoldenrod
palegreen
paleturquoise
palevioletred
papayawhip
peachpuff
peru
pink
plum
powderblue
purple

red
rosybrown
royalblue

saddlebrown
salmon
sandybrown
seagreen
seashell
sienna
silver
skyblue
slateblue
slategray
snow
springgreen
steelblue

tan
teal
thistle
tomato
turquoise

violet

wheat

white
whitesmoke

yellow
yellowgreen

1.5 History

TxtToHTML history:

- 1.6 (12-09-2002) - Little sped up makelinks function.
 - Removed debug infos outputs from makelinks function.
- 1.5 (26-07-2002) - Fixed small bug in makelinks function.
 - Some improved:
 - > Now when you forgot SIZE or COLOUR after -fsize, -fcolour or -bgcolour option the program still should work correctly.
 - > Now you can use -mkl instead of -makelinks, -ctr instead of -centre, -fs instead of -fsize, -fc instead of -fcolour, -bgc instead of -bgcolour.
 - Added link colour, alink (actived link) colour and vlink (visited link) colour options.
- 1.4 (05-05-2002) - Fixed bug in mailto links '@' (MakeLinks option).
 - Added making ftp links (MakeLinks option).
 - Replaced [68020] version of TxtToHTML by new [68020-60] one.
 - Fixed another bug in MakeLinks function (MakeLinks option).
- 1.3 (03-05-2002) - Fixed wrong converting Copyright '@' mark.
 - Fixed wrong converting tabulature mark.
 - Removed writing when preformatted blocks option is enable.
 - Fixed wrong converting Registered trademark '@' mark.
 - Added makelinks option.
 - Fixed some small bugs.
- 1.2 (21-03-2002) - Sped up.
 - Add paragraph formatting option.
 - Optimalized source code.
 - Fixed some small bugs.
 - Add GUI (wizard).
- 1.1 (01-01-2002) - Rewrite all source code.
 - Add font colour, background colour and font size options.
 - Add preformatted blocks option.
 - Add non-breaking space option.
 - Changed status on

E-MAILWARE

.
1.0 (16-07-2001) - First release.

1.6 Future

In next version I want to add/change:

- new GUI
- PPC version
- Your suggestion

But I will only do this when I get more than 10 e-mails from users.
I remind you that TxtToHTML since version 1.1 has become
E-MAILWARE

1.7 Known bugs

Known bugs:

- I don't know any bugs in TxtToHTML on today. :)

1.8 Author

Author: Krzysztof "ssnake" Olszynski

mail: ssnake@interia.pl

www: <http://www.ssnake.amiga.prv.pl>

<http://strony.wp.pl/wp/amissnake/>

1.9 Prefomated blocks

Font size (-fsize) option doesn't work with preformatted blocks.

With preformatted blocks INetBrowser can display spaces, tabulators and end lines characters like in ASCII (txt) mode.
