

**ATalkARexx**

**COLLABORATORS**

	<i>TITLE :</i> ATalkARexx		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		January 13, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>ATalkARexx</b>	<b>1</b>
1.1	AmigaTalk© 1998 ARexx documentation: . . . . .	1
1.2	PlaceCodesInFile command: . . . . .	1
1.3	PurgeClass command: . . . . .	1
1.4	ReloadClass command: . . . . .	2
1.5	GetClassListType command: . . . . .	2
1.6	ReloadMethod command: . . . . .	2
1.7	AddClass command: . . . . .	2
1.8	AddMethod command: . . . . .	2
1.9	Quit command: . . . . .	2
1.10	GetError command: . . . . .	3
1.11	GetClassFileName command: . . . . .	3
1.12	ReportStatus command: . . . . .	3

---

# Chapter 1

## ATalkARexx

### 1.1 AmigaTalk© 1998 ARexx documentation:

Herein is documented the ARexx Commands that TheBrowser can issue to the AmigaTalk program.

ARexx commands recognized by AmigaTalk:

PlaceCodesInFile

PurgeClass

ReloadClass

GetClassListType

ReloadMethod

AddClass

AddMethod

Quit

GetError

GetClassFileName

ReportStatus

### 1.2 PlaceCodesInFile command:

SYNOPSIS

success = PlaceCodesInFile filename classname methodname

Get the byteCodes for the given method & given class & write them to the filename given.

### 1.3 PurgeClass command:

SYNOPSIS

success = PurgeClass classname

Remove the given class from the AmigaTalk internal Class Dictionary.

---

## 1.4 ReloadClass command:

### SYNOPSIS

success = ReloadClass tempfilename

Load the contents of the given file into the system using the )i system directive of AmigaTalk.

## 1.5 GetClassListType command:

### SYNOPSIS

typestring = GetClassListType

Get a string from a Requester that describes the first class description file set to load into TheBrowser. TheBrowser only executes this command once on startup.

## 1.6 ReloadMethod command:

### SYNOPSIS

success = ReloadMethod filename classname methodname

Using the )i system directive, load in the given method from the given class & located in the given file.

## 1.7 AddClass command:

### SYNOPSIS

success = AddClass filename classname

Using the )i system directive, load in the given class located in the given file.

## 1.8 AddMethod command:

### SYNOPSIS

success = AddMethod filename classname methodname

Using the )i system directive, load in the given method from the given class & located in the given file.

## 1.9 Quit command:

### SYNOPSIS

Quit

Tell AmigaTalk to shut down the ARexx Port, because TheBrowser has been closed.

---

### **1.10 GetError command:**

#### SYNOPSIS

errorstring = GetError errornumber

Translate the given error number into an error description string.

### **1.11 GetClassFileName command:**

#### SYNOPSIS

filename = GetClassFileName classname

Return the source filename of the given class.

### **1.12 ReportStatus command:**

#### SYNOPSIS

status = ReportStatus

This command currently does nothing.

---