# Virus Info Base

| COLLABORATORS | | | |
|---|---|---|---|
| | *TITLE* : <br><br> Virus Info Base | | |
| *ACTION* | *NAME* | *DATE* | *SIGNATURE* |
| WRITTEN BY | | August 24, 2022 | |

| REVISION HISTORY | | | |
|---|---|---|---|
| NUMBER | DATE | DESCRIPTION | NAME |
| | | | |

# Contents

# Chapter 1

# Virus Info Base

## 1.1   Australian Parasite

```
Name          : Australian Parasite

Aliases       : No Aliases

Type/Size     : Boot/1024

Clone         : There exist many Clones. Please send them to SHI.

Symptoms      : No Symptoms

Discovered    : 24-05-90

Way to infect: Boot infection

Rating        : Dangerous

Kickstarts    : 1.2/1.3

Damage        : Overwrites boot.

Removal       : Install boot.

Comments      : The virus uses the coolcapture-vector to stay resident
                in  memory.  It  uses  the  DoIO() - Vector  from  the
                exec.library  and  the  BeginIO () - Vector  from  the
                trackdisk.device  to  infect  other  disks.  In  the
                bootblock you can read:

                The  Australian Parasite! By Gremlin 18/5/88! Will NOT
                destroy  game  bootsectors or corrupt disks, and kills
                other viruses!


                Click on this gadget to see a  Demo  of the Australian
                Parasite virus. Push left mouse button to return.

          NOTE: This virus was well-spreaden in my hometown. I got an
                Australian Parasite-Version with the 124th Generation
```

and that's very much for such an in fact bad coded
virus. (20.09.1994/Alex)