

AFD-Guide

COLLABORATORS

	<i>TITLE :</i> AFD-Guide		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		October 9, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	AFD-Guide	1
1.1	AFD-Guide	1
1.2	AFD-Guide/Introduction to AFD-COPYRIGHT(TM)	1
1.3	AFD-Guide/Advantages of AFD-COPYRIGHT(TM)	2
1.4	AFD-Guide/About the Rules in AFD-COPYRIGHT(TM)	3
1.5	AFD-Guide/DefaultTools	4
1.6	AFD-Guide/Icons	6
1.7	AFD-Guide/Trademarks	6
1.8	AFD-Guide/Availability	7
1.9	AFD-Guide/People who support AFD-COPYRIGHT(TM)	7
1.10	AFD-Guide/Credits	10
1.11	AmigaGuide-Demo in German	11
1.12	AmigaGuide-Demo/Steuerbefehle	12
1.13	AmigaGuide-Demo/Fenstertitel zu TEXT	12
1.14	AmigaGuide-Demo/Fenstertitel zu LINK	13
1.15	AmigaGuide-Demo/Fenstertitel zu SYSTEM	14
1.16	AmigaGuide-Demo	14
1.17	My contribution to the World Wide Web	16
1.18	Amiga Translators' Organization (ATO)	16
1.19	AFD-Guide/Index	17

Chapter 1

AFD-Guide

1.1 AFD-Guide

A F D - G u i d e

Welcome to AFD-Guide!

This AmigaGuide® document has two major purposes:

First of all I want to give you as developers more information about
AFD-COPYRIGHT.

This includes

Motivation

- Why shall you use AFD-COPYRIGHT?

Advantages

- What is so special about AFD-COPYRIGHT?

Rules

- How can you use AFD-COPYRIGHT?

Credits

- Who contributed to AFD-COPYRIGHT?

Second, I want to help developers who don't know how to make AmigaGuide® documents for their own software. Therefore I collected some information by reading several guides, written by other people, to show you as much possibilities of AmigaGuide® as possible. This includes also some demos:

AmigaGuide-Demo

- short English demonstration

AmigaGuide-Demo.de

- German demo for AmigaGuide documents

1.2 AFD-Guide/Introduction to AFD-COPYRIGHT(TM)

Why shall you use AFD-COPYRIGHT?

Well, why did I release it? - While I was reading several documentations of freely distributable Amiga software, I realized that there are several things I don't like. First of all, it is a waste of time to read those parts of the documentation telling me that I can copy and re-distribute the package, that there is no guarantee, and so on... Second, some documents are not so clear about what the actual status of the software is. On one hand it says it is freeware, on the other hand the author would like to receive a gift or a mail from each user. Third, most authors use their favourite text viewer as

DefaultTool

in the icons of the docs.

About 50% of these DefaultTools don't work, because I don't have the requested viewer or the path is incorrect.

Also, some users who realized these problems don't read this copyright and distribution stuff at all. Others don't understand it properly because of their limited knowledge of the English language.

Later, writing the documentation to my own FD-software, I realized that writing the copyright stuff myself is not so easy and is again a waste of time. Using a "pre-written" document would be much easier and I could use my time to improve my poor programming-abilities.

That's why I released this Standard Amiga FD-Software Copyright Note and used my contacts in the Internet to ask some people in different countries to make a

translation

in their language.

I hope I can stop writing stuff about © when this Guide is finished!

1.3 AFD-Guide/Advantages of AFD-COPYRIGHT(TM)

What are the Advantages of AFD-COPYRIGHT?

This Standard Copyright Note for Freely Distributable Amiga Software was inspired by the Standardized Amiga Shareware Group (SASG) and by the "GNU Public Licence" (created by the Free Software Foundation). There are no relations between the SASG, the FSF and AFD-COPYRIGHT!!!

- The "GNU Public Licence" is only for software placed in the "Public Domain" and every developer has to include the source code of the programs or (s)he has to make the sources available otherwise.
- The SASG is a group of developers who want to improve the image and success of the concept of Shareware. For this aim they set some standards for the products becoming "SASG" products.

AFD-COPYRIGHT is for all kinds of FD-Software the developers want to keep the copyright of - from Freeware to Shareware!!!

You as a developer don't have to think about copyright stuff yourself,

because AFD-COPYRIGHT has already been written and translated.

So you can save a lot of time for more important things, for example

- improve your product
- fix more errors
- improve the instructions to your product
- make a bike tour...

The users of your product have to read AFD-COPYRIGHT only if they haven't done so before.

The more developers include AFD-COPYRIGHT in their software package, the better for this concept of a "standard licence"!

AFD-COPYRIGHT is available in several languages via Aminet.

So you can be quite sure that the users have read it at least once and did understand it. (The number in the name of this archive corresponds to the number of languages available in this release.)

This is also a first step to "localize" software.

Currently AFD-COPYRIGHT is available/under construction in

Danish	English	French	German
Italian	Luxembourgish	Norwegian	Polish
Portuguese	Spanish	Swedish	

Read AFD-README to get the latest information of the status of AFD-Files in the paragraph Release Notes .

You help to set a standard for
DefaultTools

.

Did I convince you to use AFD-COPYRIGHT? Then have a look at the
rules

.

1.4 AFD-Guide/About the Rules in AFD-COPYRIGHT(TM)

If you want to include "AFD-COPYRIGHT"(TM) in your own Amiga(TM ↔)

FD-Software package you have to follow the rules stated in "AFD-COPYRIGHT"(TM), chapter 5 "DEVELOPERS INFORMATION".

In the following paragraph is further information about these rules. I hope my explanations are easy to understand.

- a. Read AFD-COPYRIGHT carefully and make sure that you agree with the whole text WITHOUT ANY EXCEPTIONS.

Chapter 1 explains the meaning of COPYRIGHT.

Chapter 2 states the rules for DISTRIBUTION of the software.
 Chapter 3 is a DISCLAIMER.
 Chapter 4 tells the user about the RETURN SERVICE (or EQUIVALENT) (s)he has to provide.
 Chapter 5 is directed to all developers and invites them to become a member of the "AFD-Family" ;-)
 Chapter 6 says that AFD-COPYRIGHT(TM) is itself COPYRIGHTED SOFTWARE!!!

b. Use the stated

```
DefaultTools
in your
icons
!
```

c. Include a paragraph like the following in the manual to your product:

```
-----8<-----
This software is subject to the "Standard Amiga FD-Software Copyright Note"
It is <type_of_software> as defined in paragraph 4<x>. [...]
For more information please read "AFD-COPYRIGHT" (Version 1 or higher).
-----8<-----
```

This is probably the most important rule. In this paragraph you tell the user of your product that it is copyrighted and what the status of the package is. Future versions of AFD-COPYRIGHT will keep the idea, but improve the rules, for example more DefaultTools or more FD categories. If you think there is a category missing in chapter 4 then please contact me!

You should write your address near this paragraph. Please do not forget to include your own address into the documentation of your product! If you upload your software to Aminet you should include this paragraph in the .readme to make AFD-COPYRIGHT better known to the rest of the Amiga ← community.

The [...] says you can add further information here, but DO NOT MODIFY AFD-COPYRIGHT IN ANY WAY. (see above at "Chapter 6").

d. You have to include this file called "AFD-COPYRIGHT"(TM) (English). IF you include an AmigaGuide® hypertext documentation you can link it to this file or include the whole text in the AmigaGuide® file just as you like. Please do not add more than two translations of this file to your package. So your package doesn't get too big.

Do not forget to add at least the English version of AFD-COPYRIGHT!!! The files AFD-README and this "AFD-Guide" are only meant to help you as developers, please do not add them to your package!

1.5 AFD-Guide/DefaultTools

About the problem with different DefaultTools

When you de-archive freely distributable software you can find a lot of different DefaultTools for ASCII text files, for example

```
more,      C:More,      :c/more,      SYS:c/more,      MyDisk:c/more, ...
muchmore, C:MuchMore, :c/muchmore, SYS:c/muchmore, YourCD:c/MuchMore, ...
multiview, ...
```

and so on with smore, most, less, ppmore, ... and MuchMuchMuchMore!!

The problem with this is that nobody has all these viewers, because you only need one of these to view ASCII-text files. So, what do you do now? Change all the "DefaultTools"? To much work! Make links for all the different entries? Impossible - nobody can make enough links for all possibilities.

With AmigaGuide® hypertext files you have the choice between

```
AmigaGuide, :Utilities/AmigaGuide, SYS:Utilities/AmigaGuide
Multiview, ...
```

IFF-ILBM pictures can be displayed using

```
Display,      ... (AmigaOS 2.x)
Multiview,    ... (AmigaOS 3.0+)
Viewtek,      ...
```

It would be much better when you have only one DefaultTool for each filetype:

```
for ASCII text files:           More
for AmigaGuide® hypertext files: AmigaGuide
for AmigaOS scripts:           IconX
for ARexx scripts:             RX
for configuration files:       Ed
for Installer scripts:         Installer
for IFF-ILBM pictures:        Display
```

Note that each filetype has it's own DefaultTool entry.
So each user can use the tools (s)he prefers:

More is available since AmigaOS 1.x.

AmigaGuide and Display are available since AmigaOS 2.0.

AmigaOS 3.0+ users can make links on their preferred tools. These are the links I installed on my system in the directory SYS:Utilities

```
More          -> MuchMore
AmigaGuide    -> Multiview
Display       -> Multiview
```

Here are a lot of possibilities to use the favourite tools for all users:

- AmigaOS 1.0+: Rename YourViewer More
Probably the easiest way!
 - AmigaOS 2.0+: Deft II (Freeware by Lionel Vinterat)
Available on German-Disk #376, needs MUI 2.2+!
 - AmigaOS 3.0+: MakeLink AmigaGuide Multiview
List generates incorrect output!
-

- AmigaOS 3.0+: MagicCX (function "ToolAlias") (Shareware by Kai Iske/SASG)
Costs DM 30, but has a lot of other functions!
WARNING!!! ToolAlias changes the DefaultTool of your icons!!!
Do NOT activate MagicCX while preparing your AFD-Product for release!
This would cause trouble in fulfilling this standard!!!
- AmigaOS 3.0+: MCP (function "ToolAlias") (Mailware by ALiENDESIGN)
MasterControlProgram is similar to MagicCX
- AmigaOS 3.0+: ExgExe (Exchange Executable) (Freeware by Stefan Hochmuth)
Available on Saar-Disk #789!

1.6 AFD-Guide/Icons

About the icons in this archive

I included two different icons in this archive. Both icons are in "MagicWB"(TM) style and 3 bitplanes deep. The AFD text icon is my own work. You can add this one to your free-distributable package!

I took the "AmigaGuide" icon from the package "RomIcons1", painted by Roman Patzner. "RomIcons" is Mailware! Roman's addresses are:

```
Roman Patzner
Maschl 91
5600 St.Johann
AUSTRIA/EUROPE      Internet:k3052e1@edvz.uni-linz.ac.at
```

NOTE: the archives "AFD-Files1-03/./07.lha" contained 8-bitplane-icons!
I changed them using OptIcon, found in Aminet:util/wb/ITools*

("MagicWB"(TM) © 1993 by Martin Huttenloher)

1.7 AFD-Guide/Trademarks

About the trademarks used in this archive

- * My opinions about the idea of trademarks are added behind the stars.
I did not use any trademarks for making any profits from them. They were used to specify the terms under which AFD-COPYRIGHT may be used.

"Standard Amiga FD-Software Copyright Note" and
"AFD-COPYRIGHT" are trademarks by Dietmar Knoll

- * I declared these names as trademarks to avoid misuse of the ideas of AFD-COPYRIGHT. AFD-COPYRIGHT is Freeware. The name "Amiga" was used to specify AFD-COPYRIGHT to be usable for Amiga software only, not for making any profits by producing hardware under this name. Therefore I hope it is ok.

"Amiga" is a registered trademark by ESCOM AG
 "AmigaGuide" is a registered trademark by ESCOM AG
 "AmigaDOS" is a trademark by ESCOM AG

* These names were declared as trademarks and/or registered, because ESCOM and Amiga Technologies want to avoid others to make any profits from using them and imitating Amiga products.

"Aminet" is a registered trademark by Stefan Ossowskis Schatztruhe
 Gesellschaft für Software mbH

* The name "Aminet" was registered because the makers of the Aminet CD-ROMs do not want other CD-ROM producers to imitate their discs, which could destroy the "quality image", and/or make any profits from this name.

"MagicWB" (TM) is a trademark by Martin Huttenloher

1.8 AFD-Guide/Availability

AFD-COPYRIGHT is available from the following sources:

The latest version of AFD-COPYRIGHT is available on Aminet:

/pub/aminet/docs/misc/AFD-Files1-xx.lha

AFD-COPYRIGHT is also available on the following CD-ROMs:

Aminet CD 5	(08.02.1995)	contains	AFD-Files1-04.lha
Aminet CD 6	(28.04.1995)	contains	AFD-Files1-05.lha
Aminet CD 8	(08.09.1995)	contains	AFD-Files1-06.lha
Aminet Set 2	(21.10.1995)	contains	AFD-Files1-06.lha

Meeting Pearls Vol. III contains AFD-Files1-06.lha (?)

Aminet CD 10	(03.01.1996)	contains	AFD-Files1-08.lha
Aminet CD 11	(02.03.1996)	contains	AFD-Files1-10.lha
Aminet Set 3	(24.06.1996)	contains	AFD-Files1-10.lha

1.9 AFD-Guide/People who support AFD-COPYRIGHT(TM)

Developers supporting AFD-COPYRIGHT

I know the following software to be subject to AFD-COPYRIGHT:

docs/misc	Various documents		
AFD-Files	since version 1.0	(10-Dec-94)	- Freeware by Dietmar Knoll ;-)
pix/icon	Icons and backdrops		
ABC-Patterns	since version 1.2	(30-Dec-94)	- Mailware by Dietmar Knoll (DE)
text/hyper	Hypertext tools		
XPKGuide	since version 1.7	(11-Jan-95)	- Mailware by Simon Dick (UK)

```

util/misc      Miscellaneous
Chooser       since version 1.0    (13-Jan-95) - Mailware by Simon Dick (UK)
util/cdity    Commodity type software
FTrash       since version 1.0    (01-Feb-95) - Freeware by Fionn Behrens (DE)
dev/misc     Misc development software
rcsgui       since version 1.41   (10-Jun-95) - Freeware by Tommy Svensson (SE)
Protomaker   since version 1.0    (11-Jun-95) - Freeware by Tommy Svensson (SE)
game/----- [TIME437]
Arctic Fire  since version 1.0    (30-Aug-95) - Shareware by Tom Wysoki (CA)
comm/mail    Mailing soft
ADMail       since version 1.6    (27-Sep-95) - Shareware by Simon Brown (UK)
biz/misc     Misc business type software
MuiRechnungSrc for version 2.27 (24-Apr-96) - Freeware by Stefan Scherer (DE)
comm/cnet    BBS CNET software
PFDis       since version 1.2    (18-Jun-95) - Mailware by Peter M. Klein (DK)
FPLc2       since version 1.2    (23-May-95) - Mailware by Peter M. Klein (DK)
FPOFR       since version 1.2    (06-Jul-95) - Mailware by Peter M. Klein (DK)

```

I know the following software to be subject to AFD-COPYRIGHT 1.1+:

```

biz/dbase     Data base software
ModuleDB     since version 0.72b (27-Jun-96) - Freeware by René Rasmussen (DK)
biz/dopus    Direcorey Opus software
(player3_0opus5) was version 3.0 (10-Nov-95) - Freeware by Eckhard Ludwig (DE)
cdda_mpeg_op5 since version 3.1 (02-Jan-96) - Freeware by Eckhard Ludwig (DE)
CD_MM_OPUS5  since version 1.0    (28-Apr-96) - Freeware by Eckhard Ludwig (DE)
show_opus5   since version 0.98    (20-Aug-96) - Freeware by Eckhard Ludwig (DE)
comm/bbs     BBS programs
TAFileTagger since version 1.1.6 (03-Dec-95) - Shareware by Jürgen A. Lamers ( ←
DE)
disk/misc    Various disk related software
HDOff       since version 1.34   (22-Feb-96) - Freeware by Gideon Zenz (DE)
comm/cnet    BBS CNET software
qwe_Flut!   since version 4.0    (23-Mar-96) - Mailware by Michael Arlt (DE)
SN_Bul      since version 2.1    (08-Jan-96) - Mailware by Phil Beazley (US)
SN_CSt      since version 1.1    (07-Jan-96) - Mailware by Phil Beazley (US)
SN_RTF      since version 1.0    (15-Dec-95) - Mailware by Phil Beazley (US)
SN_Run      since version 3.1    (15-Dec-95) - Mailware by Phil Beazley (US)
SN_MRC      since version 1.1    (08-Jan-96) - Mailware by Phil Beazley (US)
dev/e       E language related
fromSPlugs  since version 1.0    (10-May-95) - Mailware by Stephen Sinclair (CA ←
)
docs/misc    Various documents
AFD-Files   since version 1.1    (27-Feb-95) - Freeware by Dietmar Knoll ;-)
game/2play  2 and more player games
YAGG       since version 1.0    (01-Dec-95) - Shareware by Giuliano Pochini ( ←
IT)
game/role   Role, adventure games
Cursed Kingd. since version 0.90 (12-Dec-95) - Freeware by Mikko Lindfors (FI)
gfx/board   Custom gfx board software
wfmgybergfx since version 40.1 (18-Apr-96) - Shareware by Miloslaw Smyk (PL)
gfx/misc    Misc graphics software
PicView     since version 1.2    (05-Nov-95) - Giftware by Holger Papajewski ( ←
DE)
hard/hack   Selfmade hardware
Epic       since version 1.0    (16-Mar-96) - Mailware by Stephen Marsden (UK)

```

```

misc/edu      Educational software
DITO         since version 3.2b (19-Jun-96) - Shareware by Dirk Holtwick (DE)
mus/play     Sound players
TinyPlayer   since version 2.0 (25-Nov-95) - Mailware by Hjalmar Wikholm (SE)
text/print   FujSetup      since version 1.0 (29-Jan-96) - Giftware by Michael Mommertz (NL ↔
)
Taper       since version 2.01 (04-Feb-96) - Freeware by Michael Mommertz (NL ↔
)
util/cdity   Commodity type software
ScreenTab   since version 1.32 (05-Dec-95) - Giftware by Michael Link (DE)
util/misc   Miscellaneous
IntuiCookie since version 2.95 (12-Dec-95) - Giftware by Christian Kemp (LU)
ICookie_RT  since version 1.0 (17-Dec-95) - Mailware by Christian Kemp (LU)
ICookie_MUI since version 2.96 (01-Jan-96) - Giftware by Christian Kemp (LU)
losung      since version 1.1 (19-Mar-96) - Mailware by Renate & Andreas ↔
Regitz (DE)
losung.eng  since version 1.1 (19-Mar-96) - Mailware by Renate & Andreas ↔
Regitz (DE)
PIEd       since version 1.0 (28-May-96) - Giftware by Thomas Igracki (DE)
util/sys
TxtFind     since version 1.003 (??-??-??)
              3.001 (15-Mar-96) - Giftware by Frank Peters (NL)
util/time   Clocks and timing
ScreenClock since version 1.81 (25-Nov-95) - Shareware by Thomas Igracki (DE)
util/wb     Workbench utilities
WBStars    since version 1.0 (04-Jun-96) - Mailware by Alexander Pokahr (DE ↔
)

```

I know the following software to be subject to AFD-COPYRIGHT 1.2+:

```

comm/www
WebPlug     since version 1.0 (19-Aug-96) Shareware by Esteve Boix Sánchez ( ↔
ES)
dev/c       C language related
dbt        since version 2.0 (08-Jun-96) - Shareware by Henrik Isaksson (SE ↔
)
docs/misc   Various documents
AFD-Files  since version 1.2 (27-Feb-96) - Freeware by Dietmar Knoll ;- )
game/2play 2 and more player games
YAGG       since version 1.17 (06-Jun-96) - Shareware by Giuliano Pochini ( ↔
IT)
mus/play    Sound players
TinyPlayer  since version 2.1 (10-Jun-96) - Mailware by Hjalmar Wikholm (SE)
pix/icon    Icons and backdrops
ULPatterns since version 3.0 (24-Mar-96) - Mailware by Christian Kemp (LU)
pix/mwb     MagicWB icons and backdrops
UselessMWB  since version 2.0 (16-Mar-96) - Mailware by Christian Kemp (LU)
text/misc   Misc text software
remcr      since version 1.2 (08-Jun-96) - Mailware by Henrik Isaksson (SE)
util/arc    Archivers
ShortQt    since version 1.0 (??-??-96) - Mailware by Esteve Boix Sánchez ↔
(ES)
util/cli    Command line interface
DoVer      since version 1.5 (17-Sep-96) - Freeware by Bert Jahn (DE)
util/dir    Directory utilities

```

Smarty (ES)	since version 2.2	(11-May-96)	- Shareware by Esteve Boix Sánchez ↔
util/misc	Miscellaneous		
Adagis (ES)	since version 4.0b	(31-May-96)	- Cardware by Esteve Boix Sánchez ↔
ICookie_BGUI	since version 1.0	(24-Mar-96)	- Mailware by Christian Kemp (LU)
Pcb IT)	since version 0.98β	(17-Jun-96)	- Shareware by Alessandro Zummo (↔
ScrollTitle	since version 1.1	(18-Jun-96)	- Mailware by Henrik Isaksson (SE)
Smartass	since version 2.0	(10-Jul-96)	- Giftware by Christian Kemp (LU)

If you want your product to appear on this list - drop me a note !

1.10 AFD-Guide/Credits

Credits

Thanks goes to all the
developers
who will use AFD-COPYRIGHT.

Additional thanks to Roman Patzner for the "AmigaGuide"
icon
.

Special thanks to all translators for their efforts and support!

Very special thanks to these persons:

Osma Ahvenlampi (Finland)
Osma was the first Amiga user I "met" on the Internet and he gave me
a lot of important hints to use Email, FTP &
World Wide Web
.

I had a little discussion with Osma about
DefaultTools
. I also took a
lot of ideas from the copyright note in his package "TauIcons".

Marco Musso (Italy)
Marco created the Italian version of AFD-COPYRIGHT and maintains the
"Amiga Developers Project", a
World Wide Web
list of all Amiga
developers in Italy.
Marco asked me about the rule for
DefaultTools
. From this I took the
inspiration to make this Guide to tell you more about the whole concept
and the
rules
.

Simon Dick (United Kingdom)
Simon was the first to send me an Email concerning AFD-COPYRIGHT!

He made the suggestion to add the
DefaultTool
"Installer".

Christian Kemp (Luxemburg)
Christian translated AFD-COPYRIGHT to French . After this, he also tried
to do the translation to Luxembourgish , but he is not quite sure about
his own language!

Christian asked to change the
icons
from 8 to 3 bitplanes, and
he suggested to add the version string and the
trademark disclaimer
.

Pål Løberg (Norway)
Pål is always a great help, maintaining the mirror of
GAUHPIL
in
Trondheim. He also created the Norwegian version of AFD-COPYRIGHT.
Pål suggested to put an online-HTML-version of AFD-COPYRIGHT in the

World Wide Web
. This is still an option for the future...

Urban Dominik Müller (Switzerland) and Matthias Scheler (Germany)
for administrating the
Aminet@
main archive.

Stefan Schulz (Germany)
for including AFD-COPYRIGHT in the
MeetingPearls CD
.

Ole Friis Østergaard (Denmark)
Ole is the main administrator of
ATO
and a great help in finding more
translators.

1.11 Amigaguide-Demo in German

AmigaGuide-Demo

=====

Dies ist ein AmigaGuide-Demo, das die einzelnen Schlüsselwörter
des Hypertext-Formats erklären soll.

Alle Schlüsselwörter beginnen mit einem At-Sign "@" und dem Schlüsselwort
DIREKT dahinter. In diesem Demo mußte ich einen Trick anwenden, um die Texte
darstellen zu können. Die GROSS/klein-Schreibung ist anscheinend egal.

Format
 Text
 Gadget
 DOS-Befehl

1.12 AmigaGuide-Demo/Steuerbefehle

Am Anfang des Dokumentes (1. Zeichen!) muß eine Kennung stehen, ←
 damit es
 als Hypertext-Dokument erkannt werden kann. Dazu gibt es einige Optionen:

Format des Hypertext-Dokuments ~~~~~	Zweck: ~~~~~
@DATABASE AmigaGuide.guide	AmigaGuide-Kennung
@REMARK \$VER: AFD-Guide 1.0 (15.01.1995) @REMARK Autor: Dietmar Knoll	optional: Bemerkungen
@INDEX Indexnode	optional: Index
@MASTER <dateiname>	optional: Quelldatei (?)
@FONT topaz.font 11	optional: Schriftart
@WORDWRAP	optional: Zeilenumbruch
@WIDTH <Breite>	optional: Textbreite

Danach folgen ein oder mehrere
 Textknoten.
 (@-Zeichen in die ERSTE SPALTE !)

1.13 AmigaGuide-Demo/Fenstertitel zu TEXT

Text:
 ~~~~~  
 Der Text ist in Nodes (Knoten, also Seiten) aufgeteilt, die folgendes  
 Format haben ( @-Zeichen muß in der ERSTEN SPALTE stehen! ):

|                                           |            |
|-------------------------------------------|------------|
| @Node Nodename "Fenstertitel zu Nodename" |            |
| @Prev PrevNode                            | [optional] |
| @Next NextNode                            | [optional] |
| @TOC TOCNode                              | [optional] |

... eingerückter Text ist übersichtlich ...

@EndNode

Der Hauptknoten, der als Startseite aufgerufen wird, heißt "Main"  
 Daraus ergibt sich das Minimalformat des AmigaGuide@-Dokumentes:  
 es besteht aus der  
 AmigaGuide-Kennung

und dem Hauptknoten.

Der Fenstertitel kann wegfallen, es wird dann der Nodename verwendet. Die Anführungszeichen sind nötig, falls der Fenstertitel Leerzeichen enthält. Der Fenstertitel kann auch in einer eigenen Zeile stehen:

```
@Node Nodename
@Title "Fenstertitel zu Nodename"
```

Wenn @Prev und @Next weggelassen werden, wird einfach in der Reihenfolge geblättert, in der die Knoten aneinandergesetzt sind.

Wenn @TOC in einem Knoten fehlt, wird "Main" als Inhaltsseite (Table Of Contents) benutzt.

Im Textknoten kann man folgende Steuerzeichen verwenden:

```
@{b} bold @{ub} ..... bold;      Fettschrift
@{u} underlined @{uu} ... underlined; Unterstreichung
@{i} italic @{ui} ..... italic;   Kursivschrift

@{fg back} .. foreground backgroundcolor; Schriftfarbe 0
@{fg text} .. foreground textcolor; Schriftfarbe 1
@{fg shine}.. foreground shinecolor; Schriftfarbe 2
@{fg fill} .. foreground fillcolor; Schriftfarbe 3

@{bg back} .. background backgroundcolor; Schriftfarbe 0
@{bg text} .. background textcolor; Schriftfarbe 1
@{bg shine}.. background shinecolor; Schriftfarbe 2
@{bg fill} .. background fillcolor; Schriftfarbe 3
```

## 1.14 AmigaGuide-Demo/Fenstertitel zu LINK

Link (Verbindung):

~~~~~

Innerhalb des Textes kann man mit

```
@{"GadgetText" link "Nodename" [Zeilennummer]}
```

eine Verbindung zu einem anderen Textknoten (Seite) herstellen.

Die Angabe der Zeilennummer ist optional. In der

englischen Anleitung

habe ich Links innerhalb einer Seite verwendet.

Der Nodename kann sich auch auf ein anderes Dokument beziehen, z.B.:

```
@{"GadgetText" link "Dokument2/Nodename" [Zeilennummer]}
```

Bei reinen ASCII-Texten muß man als Nodename "Main" verwenden.

Der Nodename kann zusätzlich "in Anführungszeichen" gesetzt werden.

Ungültige Nodennamen werden ignoriert.

1.15 AmigaGuide-Demo/Fenstertitel zu SYSTEM

System (Systembefehl):

~~~~~

Innerhalb des Textes kann man mit

```
@{"GadgetText" system "Befehl"}
```

einen AmigaDOS-Befehl (CLI-Befehl) aufrufen. Dabei wird das AmigaGuide-Dokument nicht verlassen.

Beispiel: @{" Öffne eine neue Shell " system "Run NewCLI"}

```
===> Öffne eine neue Shell
```

## 1.16 AmigaGuide-Demo

AmigaGuide-Demo

=====

This is an AmigaGuide demonstration written to explain the single keywords of this hypertext document format (short english version, please read the full source of this AmigaGuide@ file using an ASCII viewer or editor).

All keywords begin with an at-sign "@" and the keyword DIRECTLY behind it, i.e. NO BLANK behind the "@!!! (I had to use a trick to show the @ below). The case (UPPER/lower) of the keyword seems to have no meaning.

Format

Text

Gadgets for Links and DOS-Commands

Format: At the beginning of the document (1st sign!) has to be ←  
a keyword

to tell the viewer program it is an AmigaGuide@ hypertext document!

Keyword of the hypertext dokument

~~~~~

@DATABASE AFD-Guide

Meaning:

~~~~~

AmigaGuide@-Keyword

@REMARK \$VER: AFD-Guide 1.0 (15.01.1995)

@REMARK Author: Dietmar Knoll

optional: some remarks

@INDEX Indexnode

@MASTER <filename>

optional: index

optional: sourcefile (?)

@FONT topaz.font 11

@WORDWRAP

@WIDTH <width>

optional: font

optional: sic!

optional: text width

( The @-sign has to be in the first column of the line! )

After this there follow one or more  
     textnodes  
     ...

Textnodes:

The text is devided in nodes (pages), which have the following format:

```
@Node Nodename "window title of nodename"
@Prev PrevNode [optional]
@Next NextNode [optional]
@TOC TOCNode [optional]
```

... indented text is easier to edit ...

@EndNode

( The @-sign has to be in the first column of the line! )

The node named "main" will be shown first!  
 If you leave away the window title, AmigaGuide@ will use the nodename.  
 The "emphasis" is needed, if the window title contains blanks (" ").  
 The window title can be placed in a new line, using:

```
@Node Nodename
@Title "window title of nodename"
```

@Prev and @Next will change the behavior of "browsing". Without this, you can browse the nodes as they are joined together in the document. If @TOC is missing, "main" will be used as "Table Of Contents".

Inside the textnode you can use the following control codes:

```
@{b} bold @{ub} ..... bold
@{u} underlined @{uu} ... underlined
@{i} italic @{ui} ..... italic
```

```
@{fg back} .. foreground backgroundcolor; font in color 0
@{fg text} .. foreground textcolor; font in color 1
@{fg shine}.. foreground shinecolor; font in color 2
@{fg fill} .. foreground fillcolor; font in color 3
```

```
@{bg back} .. background backgroundcolor; background in color 0
@{bg text} .. background textcolor; background in color 1
@{bg shine}.. background shinecolor; background in color 2
@{bg fill} .. background fillcolor; background in color 3
```

GADGETS

-----

Link: inside the text you can make a link to another node using:

```
@{"GadgetText" link "Nodename" [LineNumber]}
```

The LineNumber is optional. In this node I made links to different lines!

The Nodename can be in another document:

```
@{"GadgetText" link "Document2/Nodename"}
```

For plain ASCII texts one has to use "Main" as Nodename.  
The nodename may be "emphasized".

Bad Nodenames will be ignored.

System Command: You can execute an AmigaOS command from inside AmigaGuide without leaving the help file using:

```
@{"GadgetText" system "command"}
```

Example: @{" Open a new shell " system "Run NewCLI"}

```
===> Open a new shell
```

## 1.17 My contribution to the World Wide Web

My contribution to the World Wide Web:

~~~~~

The World Wide Web is a hypertext-based information system on the Internet. It combines hyperlinks like AmigaGuide@ but also includes pictures and sounds, even MPEG videos! The web-browsers Mosaic and Lynx can use HTTP, FTP, Gopher and other transfer protocols in one system!

If you have access to the Internet you can enter the World Wide Web (WWW) with Amiga Mosaic (Amiga Mosaic is Freeware and available on the Aminet). The information in the WWW is addressed by a Uniform Resource Locator (URL).

The URL of my WWW-homepage is:

```
http://home.pages.de/~D-Online/
```

From there you can access my

```
"Geographical Amiga Users Home Page Internet List" (GAUHPIL)
```

```
(Mirror: http://www.stud.unit.no/studorg/augunit/GAUHPIL/Amiga.html)
```

Currently (27.10.1996) the list contains links to homepages of >500 Amiga users in 31 countries from AT (Austria) to ZA (South Africa). Please try it out! Greetings to all web surfers!

1.18 Amiga Translators' Organization (ATO)

Amiga Translators' Organization (ATO)

~~~~~

AFD-COPYRIGHT is now one of the projects of the Amiga Translators' Organization. This organization consists of many Amiga users all

over the world, who translate documents in between several languages.  
You can find more information about ATO at:

[http://www2.dk-online.dk/users/Ole\\_Friis/Trans/](http://www2.dk-online.dk/users/Ole_Friis/Trans/)

This URL links you to the main ATO site, maintained by the main administrator of ATO, Ole Friis Østergaard.

## 1.19 AFD-Guide/Index

### A

#### Advantages

- What is so special about AFD-COPYRIGHT?
- AFD-README - .readme file for the Aminet
- AFD-COPYRIGHT - English version of AFD-COPYRIGHT
- AFD-COPYRIGHT.de - German version of AFD-COPYRIGHT
- AFD-COPYRIGHT.dk - Danish version of AFD-COPYRIGHT
- AFD-COPYRIGHT.es - Spanish version of AFD-COPYRIGHT
- AFD-COPYRIGHT.fr - French version of AFD-COPYRIGHT
- AFD-COPYRIGHT.it - Italian version of AFD-COPYRIGHT
- AFD-COPYRIGHT.lu - Luxembourgish version of AFD-COPYRIGHT
- AFD-COPYRIGHT.no - Norwegian version of AFD-COPYRIGHT
- AFD-COPYRIGHT.pl - Polish version of AFD-COPYRIGHT
- AFD-COPYRIGHT.pt - Portuguese version of AFD-COPYRIGHT
- AFD-COPYRIGHT.se - Swedish version of AFD-COPYRIGHT

#### AmigaGuide-Demo

- English Demo for AmigaGuide Docs

#### AmigaGuide-Demo.de

- German Demo for AmigaGuide Docs

#### ATO

- Amiga Translators' Organization

#### Availability

- Where can AFD-COPYRIGHT be found?

### B

### C

#### CD-ROMs

- Which do contain AFD-COPYRIGHT?

#### Credits

- People who contributed to AFD-COPYRIGHT

### D

- Danish - Danish version of AFD-COPYRIGHT

#### Developers

- People who support AFD-COPYRIGHT

#### DefaultTools

- a new standard

### E

---

|   |                |                                                    |
|---|----------------|----------------------------------------------------|
|   | English        | - English version of AFD-COPYRIGHT                 |
| F | French         | - French version of AFD-COPYRIGHT                  |
| G |                |                                                    |
|   | GAUHPIL        | - My contribution to the World Wide Web            |
|   | German         | - German version of AFD-COPYRIGHT                  |
| H | History        | - Latest notes about AFD-COPYRIGHT                 |
| I |                |                                                    |
|   | Icons          |                                                    |
|   | Introduction   | - Why shall you use AFD-COPYRIGHT?                 |
|   | Italian        | - Italian version of AFD-COPYRIGHT                 |
| J |                |                                                    |
| K |                |                                                    |
| L |                |                                                    |
|   | Languages      | - Which languages are available?                   |
|   | Luxembourgish  | - Luxembourgish version of AFD-COPYRIGHT           |
| M |                |                                                    |
| N | Norwegian      | - Norwegian version of AFD-COPYRIGHT               |
| O |                |                                                    |
| P | Polish         | - Polish version of AFD-COPYRIGHT                  |
|   | Portuguese     | - Portuguese version of AFD-COPYRIGHT              |
| Q |                |                                                    |
| R | Release Notes  | - Latest notes about AFD-COPYRIGHT                 |
|   | Rules          | - How can you use AFD-COPYRIGHT?                   |
| S |                |                                                    |
|   | Sources        | - Where AFD-COPYRIGHT can be found                 |
|   | Spanish        | - Spanish version of AFD-COPYRIGHT                 |
|   | Swedish        | - Swedish version of AFD-COPYRIGHT                 |
| T |                |                                                    |
|   | Trademarks     | - and Registered Trademarks                        |
|   | Translators    | - Who made the different translations?             |
| U |                |                                                    |
|   | Users          | - Geographical Amiga Users Home Page Internet List |
| V |                |                                                    |
|   | Versions       | - Latest notes about AFD-COPYRIGHT                 |
| W |                |                                                    |
|   | World Wide Web |                                                    |

---

X

Y

Z