

# **WarpJPEG**

Oliver Roberts

**COLLABORATORS**

|               |                            |                 |                  |
|---------------|----------------------------|-----------------|------------------|
|               | <i>TITLE :</i><br>WarpJPEG |                 |                  |
| <i>ACTION</i> | <i>NAME</i>                | <i>DATE</i>     | <i>SIGNATURE</i> |
| WRITTEN BY    | Oliver Roberts             | August 27, 2022 |                  |

**REVISION HISTORY**

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
|        |      |             |      |

# Contents

|          |                                   |          |
|----------|-----------------------------------|----------|
| <b>1</b> | <b>WarpJPEG</b>                   | <b>1</b> |
| 1.1      | WarpJPEG.datatype 44.11 . . . . . | 1        |
| 1.2      | Description . . . . .             | 2        |
| 1.3      | System Requirements . . . . .     | 2        |
| 1.4      | Installation . . . . .            | 2        |
| 1.5      | Speed . . . . .                   | 3        |
| 1.6      | Distribution Conditions . . . . . | 4        |
| 1.7      | Disclaimer . . . . .              | 5        |
| 1.8      | Acknowledgements . . . . .        | 5        |
| 1.9      | About the author . . . . .        | 5        |
| 1.10     | Future . . . . .                  | 5        |
| 1.11     | Program History . . . . .         | 6        |

---

## Chapter 1

# WarpJPEG

### 1.1 WarpJPEG.datatype 44.11

WarpJPEG.datatype 44.11 - the  
fastest  
24-bit JPEG picture datatype!  
(for WarpUp PPC systems only)

Copyright © 1999-2000  
Oliver Roberts  
, All Rights Reserved.

Description  
what is this datatype for?

System requirements  
what you need to use this software

Installation  
installing this software

Speed  
information regarding speed issues

Distribution  
distribution conditions

Disclaimer  
important notices

Acknowledgements  
thankyous and credits

About the author  
how to contact the author

Future

---

improvements I intend to make

History  
program history

## 1.2 Description

As you've probably guessed, WarpJPEG.datatype is a yet another JFIF/JPEG datatype. The difference is that this is for owners of PPC cards, and it has been targetted specifically at WarpUp (not PowerUp). Even better, it is fast, compact, clean, well behaved and fast - a true plug'n'play PPC datatype.

I decided to write this datatype because no other decent WarpOS native JPEG datatype exists for the PPC, and I thought this would be the ideal chance to finally learn how to start coding PPC stuff on the Amiga. Yes, this is my first PPC project, although I have worked a lot with JPEG coding and datatype coding already, so I do know what I'm doing, honest ;)

## 1.3 System Requirements

This datatype needs the following in order to work:

- PPC accelerator card + 68040/060
- WarpUp Release 4 (powerpc.library V15) or higher
- picture.datatype v43 or higher  
(i.e. either of the ones supplied with AmigaOS 3.5, P96 or CGraphX)
- Kickstart 3.0 or higher

Note that a graphics card is not necessary - the P96 or OS 3.5 picture.datatype will automatically dither images down to your native Amiga display requirements.

## 1.4 Installation

To install this datatype, simply run the provided installer script ←  
by  
double-clicking the icon.

Alternatively, the datatype can be installed manually (be sure to understand the

requirements  
first though) by typing the following shell

commands:

```
Copy "Devs/Datatypes/JPEG#?" DEVS:Datatypes
Copy Classes/Datatypes/WarpJPEG.datatype SYS:Classes/Datatypes
AddDataTypes REFRESH
```

You'll probably want to make a backup of your existing JPEG descriptor (the

---

file in DEVS:Datatypes) first. You will also need to ensure there are no other JPEG/JFIF datatypes in DEVS:Datatypes. Finally, a reboot may be needed for the changes to take effect.

## 1.5 Speed

The fastest JPEG datatype?

WarpJPEG is currently the fastest JPEG datatype available. The table below shows the time (in seconds) it took to decode 10 different images on my A1200 603e/240MHz 060/50MHz, with BVision and CGX picture.datatype, with other tested datatypes configured as close as possible to WarpJPEG's internal settings:

|                 |              | PowerPC  |              | M68K   |      |      |
|-----------------|--------------|----------|--------------|--------|------|------|
|                 |              | WarpJPEG | akJFIF       | JFIFdt | OS   |      |
|                 |              | 44.11    | WarpUp / 68K | G.Nikl | 3.5  |      |
| 2008x1597 col,  | 225570 bytes | 2.13     | 3.66         | 6.25   | 8.16 | 8.80 |
| 1280x1012 col,  | 148387 bytes | 0.96     | 1.70         | 3.05   | 3.72 | 3.96 |
| 804x1040 col,   | 306821 bytes | 1.01     | 1.58         | 3.67   | 3.45 | 3.54 |
| 1024x 766 col,  | 244522 bytes | 1.05     | 1.55         | 3.53   | 3.29 | 3.33 |
| 779x 767 col,   | 162752 bytes | 0.71     | 1.12         | 2.55   | 2.30 | 2.35 |
| 779x 767 col p, | 86016 bytes  | 1.20     | 1.63         | 3.28   | 2.92 | 3.05 |
| 450x 450 col,   | 50845 bytes  | 0.27     | 0.55         | 0.99   | 0.77 | 0.78 |
| 370x 502 col,   | 24480 bytes  | 0.19     | 0.43         | 0.69   | 0.60 | 0.63 |
| 506x1007 gry,   | 88115 bytes  | 0.27     | 0.55         | 1.08   | 1.16 | 0.78 |
| 761x 495 gry p, | 68593 bytes  | 0.42     | 0.65         | 1.35   | 1.25 | 1.05 |

(p = progressive)

These figures are provided for comparison purposes only, but they speak for themselves... WarpJPEG is around 60-70% faster on most images (twice as fast on greyscale and small colour images) than the native WarpOS version of akJFIF and around 3 times faster than 68k datatypes on a 060 (the speed difference will be even greater on 040 systems with a fast PPC). All this and no loss in image quality!

All tests were performed, multiple times, using Visage, with the following command line: "visage test.jpg nojpeg time test".

Still too slow!

Despite these facts, I'm still disappointed with the relatively slow performance advantage offered by my 603e over my 060 (approximately only 3 times faster). The main problem is that PPC datatypes still have to use the 68k for reading the data from disk and for creating / writing to the bitmap structures that the datatypes system requires. As far as the former goes, time lost for file i/o is negligible as WarpJPEG uses double buffered asynchronous i/o (supports DMA controllers).

The largest bottleneck is that the DTM\_WRITEPIXELARRAY method of the picture.datatype has to be used to write the image data from WarpJPEG into

the image bitmap. As this process is done via picture.datatype, it can only currently be performed by the 68k. To give you some idea of how much of a problem this is for WarpJPEG, typically, half of the overall decode time is used by the PPC to decode the whole image, and the other half is used by DTM\_WRITEPIXELARRAY on the 68k. And that's on a graphics card - the time used by DTM\_WRITEPIXELARRAY will probably be even greater on systems using native Amiga graphics. It doesn't take a genius to see that this is slowing the datatype down, and is the main reason why WarpJPEG will still be faster on a 060 than a 040.

How to make the datatype faster

Is there anything that can be done about this? Well, yes, there are a few patches that you can install which should make things faster:

- NewWPA8 (util/boot/NewWPA8.lha on Aminet) should provide a notable speed increase on native Amiga graphics - probably won't make any difference if you use a graphics card.
- If you use a graphics card and CyberGraphX, you may want to make sure you are using the supplied v43 picture.datatype, as this will be faster than the P96 and OS3.5 picture.datatype on your system.

Of course, any other general speed-up patches should help too.

## 1.6 Distribution Conditions

WarpJPEG.datatype is public domain with the copyright remaining ↔  
with the

author

and may be freely distributed legally providing:

- (1) None of the distributed files are changed in any way
- (2) It is not sold for profit and it is not included on any disks that are sold solely for profit (includes magazine coverdisks)
- (3) The distribution contents remain complete (see list below)

If this software is to be sold for profit, permission must be obtained from me, the

author

.

Aminet, Amiga Format and Amigactive have been granted permission to distribute WarpJPEG.datatype on their CDs.

The following files must be present in their original and unchanged form in any copies of this software:

```
Classes/Datatypes/WarpJPEG.datatype
Devs/Datatypes/JPEG
Devs/Datatypes/JPEG.info
WarpJPEG.guide
WarpJPEG.guide.info
Install_WarpJPEG
```

Install\_WarpJPEG.info

## 1.7 Disclaimer

This software is provided "as is", without warranty of any kind, either expressed or implied, statutory or otherwise. By using the archive and its contents, you accept the entire risk as to its quality and performance.

Neither Oliver Roberts nor any other party involved in the creation, production or delivery of the archive and its contents shall be liable for any direct, indirect, special, consequential or incidental damages, including without limitation damages for loss of profits, loss of use or loss of anticipated costs, expenses or damages, and any data or information which may be lost or rendered inaccurate, even if Oliver Roberts is advised of the possibility of such damages.

Do not attempt to tamper with the supplied files. Doing so will cause problems and you may find things start going wrong!

## 1.8 Acknowledgements

This software is based in part on the work of the Independent JPEG Group, using the libjpeg link library (compiled for WarpOS).

It was made possible by VBCC, which was used to build and compile the datatype. Thanks to Volker Barthelmann and the other authors involved.

Thanks also to Sam Jordan for WarpOS and helping me out with various queries regarding it.

Finally, thanks to the OS 3.5 development team - now everyone has access to a 24-bit picture.datatype, I don't need to bother messing about adding dithering routines :)

## 1.9 About the author

If you have any problems with this software, or if you have any suggestions/queries, please contact me and I will do my best to sort any bugs out as soon as possible:

e-mail: [oliver.roberts@iname.com](mailto:oliver.roberts@iname.com)  
www: <http://www.nanunanu.org/~oliver/>  
icq: 34640231

## 1.10 Future

---



Some things that may appear in the future:

- If I can squeeze any more speed out of the datatype, I'll do so :)
- I'm also considering making a 68k and PowerUp version of this datatype, but whether I do so depends on how much interest there is, so

mail me  
if you'd like to see either of the above.

If you have any other suggestions, please  
let me know

.

Future releases of WarpJPEG.datatype will be available from either Aminet (util/dtype/WarpJPEGdt.lha) or its webpage:

<http://www.nanunanu.org/~oliver/warpjpeg.html>

## 1.11 Program History

44.11 (7.5.2000)

- Made the descriptor less pedantic, so it will now match JFIF files starting with any standard marker type - i.e. less common, unidentifiable, types of JPEG file should now be recognized too.
- Minor optimizations and code changes.

44.10 (5.3.2000)

- Descriptor now recognizes JPEG's saved by Graphic Workshop for Windows.
- Very minor code changes.

44.9 (8.2.2000)

- Fixed a problem in the error cleanup code, which caused a PPC crash after decoding some corrupt JPEG files.

44.8 (4.2.2000)

- Added support for images using the Adobe YCCK format.
- Descriptor now recognizes Photoshop 3.0/5.2 JPEG file variations.

44.7 (22.1.2000)

- Fixed possible deadlock case (caused everything to freeze/lock-up) which usually only occurred when lots of images were being decoded simultaneously.

44.6 (15.1.2000)

- Rewrote parts of the descriptor code, so that it still works if other datatypes have messed with the current file position. Should also be faster and more efficient.
  - Now able to decode EXIF thumbnail images.
-

- Minor code changes.
- The installer will now remove any JFIF descriptor files.

#### 44.5 (9.1.2000)

- When the OS3.5 picture.datatype is in use, dithering is now switched off (only) if the image is to be rendered to a hi/true colour screen, resulting in much higher performance, with negligible quality loss.
- Enhanced descriptor file to detect EXIF and Photoshop JPEG file variations.
- Fixed bug in error handling.
- Dispatcher now performs some extra functions, which may quash the stability problems that some users have experienced.

#### 44.4 (5.1.2000)

- Fixed silly bug new to v44.3 which caused a lot of images to be rendered with half the vertical resolution (i.e. every other line was left out and the rest were doubled), resulting in blocky images.
- Ironically, fixing the above bug enabled the optimizations that I had originally intended: 30-50% faster for colour images, and around 100% faster for greyscale images!
- Reverted to my simpler and less hungry asynchronous engine, as the new engine in 44.3 no longer offers an advantage with the above optimizations in place. [after release this was found to solve major stability problems that some users experienced with v44.3]
- Corrected akJFIF WarpUp benchmarks  
.

#### 44.3 (3.1.2000)

- At least 35% faster overall (upto 60% faster in many cases!), with no loss in the output image quality.
- Enhanced descriptor file to detect more JPEG file formats.
- Now uses asynchronous i/o routines which has made things a little bit faster overall, but will be most noticable on large (low compression) files and/or slower media.
- Improved error handling.
- Added

Speed  
section to this documentation.

#### 44.2 (18.12.1999)

- Now at least 10-25% faster (depending on the JPEG file) after optimizations and tweaking libjpeg settings.
- Greyscale jpegs are now displayed if using the OS 3.5 or P96 picture.datatype (only worked with the CGX one in v44.1).
- Fixed little bug in the lib init (wasn't setting the revision number).

#### 44.1 (15.12.1999)

- Initial release.
-