

hyperapp.hyper

COLLABORATORS

	<i>TITLE :</i> hyperapp.hyper		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		September 19, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	hyperapp.hyper	1
1.1	HyperApp Help	1
1.2	quit	1
1.3	Transmoglify gadget	1
1.4	Cancel button	2
1.5	OK button	2

Chapter 1

hyperapp.hyper

1.1 HyperApp Help

```
      Gadget
      OK
      Cancel
      intuition.h
RXS
Help

      Quit
```

1.2 quit

```
      Format:      Quit

Template:      ,

Purpose:      To shut down the application.

Specification:
This command is used to close the application. This indicates acceptance
of the
      Gadget
      command (if used).
```

1.3 Transmogrify gadget

```
Format:      Gadget

Template:      ,

Purpose:      Transmogrify things.
```

Specification:

This command is used to transmogrify things. Concentrate on what you want while you press this gadget, and just see what happens!

1.4 Cancel button

Format: Cancel

Template: ,

Purpose: Cancel the actions of
 Gadget

Specification:

Use this button to cancel the effects of the
 Transmogrify
 gadget.

1.5 OK button

Format: OK

Template: ,

Purpose: Accept the actions of
 Gadget

Specification:

Use this button to accept the effects of the
 Transmogrify
 gadget.