

## BENCHMARK TESTS: ACCESS SERVERS (Higher scores represent better performance)

	NO LOAD	
	Workstation	Load test
	Throughput	not run.
	Evaluation	
	(megabits	
	per second)	
Access Server	2.26	
ChatterBox 4000	2.16	
LANMaster	1.39	
IncomServ		
PC-Slave/286	1.35	
and XBUS4/AT		
ComBridge	0.94	
386/MultiWare	0.93	
FlexCom	0.76	

	ONE STATION	
	Workstation	
	Throughput	Hard Disk
	Evaluation *	Access Load
	(megabits	(requests
	per second)	per second)
Access Server	1.2	95
ChatterBox 4000	1.64	100
LANMaster	0.96	76
IncomServ		
PC-Slave/286	1.13	103
and XBUS4/AT		
ComBridge	0.53	60
386/MultiWare	0.83	69
FlexCom	0.67	90

	TWO STATIONS	
	Workstation	
	Throughput	Hard Disk
	Evaluation *	Access Load
	(megabits	(requests
	per second)	per second)

Access Server	0.81	132
ChatterBox 4000	1.42	120
LANMaster	0.84	132
IncomServ		
PC-Slave/286	0.85	143
and XBUS4/AT		
ComBridge	0.47	99
386/MultiWare	0.8	128
FlexCom	0.59	138

### THREE STATIONS

Workstation	Throughput Evaluation *	Hard Disk Access Load (requests per second)
Access Server	0.78	185
ChatterBox 4000	1.21	297
LANMaster	0.8	181
IncomServ		
PC-Slave/286	0.63	166
and XBUS4/AT		
ComBridge	0.42	238
386/MultiWare	0.75	178
FlexCom	0.41	144

\* While the Hard Disk Access Load test is running.

|ce)