

ANSI.SYS Escape Sequences for Screen Control

Escape sequence	Description
ESC[H	Move the cursor to row 1, column 1.
ESC[xx;yyH the default is 1.	Move the cursor to row xx, column yy. If either xx or y
ESC[xx;yyf	Move the cursor to row xx, column yy (same as ESC[x
ESC[xxA	Move the cursor up xx rows. If xx is omitted, the defau
ESC[xxB	Move the cursor down xx rows. If xx is omitted, the de
ESC[xxC	Move the cursor forward (right) xx columns. If xx is or
ESC[xxD	Move the cursor backward (left) xx columns. If xx is or
ESC[s	Save the current cursor position.
ESC[u	Restore the last cursor position saved with ESC[s.
ESC[2J	Clear the screen and move the cursor to row 1, column
ESC[K	Clear all characters from the cursor to the end of the lin
ESC[xx;...xxm	Set text colors and attributes. Valid values for xx are 0Turn all video attributes (bold, underscore and concealed) off. 1Make foreground colors bold. 4Turn underscore on. 5Turn blink on. 7Reverse video. 8Turn concealed attribute on. 30Set foreground color to black. 31Set foreground color to red. 32Set foreground color to green. 33Set foreground color to yellow. 34Set foreground color to blue. 35Set foreground color to magenta. 36Set foreground color to cyan. 37Set foreground color to white. 40Set background color to black. 41Set background color to red. 42Set background color to green. 43Set background color to yellow. 44Set background color to blue. 45Set background color to magenta. 46Set background color to cyan. 47Set background color to white.

y is omitted,

x;yyH).

ult is 1.

fault is 1.

nitted, the default is 1.

nitted, the default is 1.

1.

ie.

», blink, reverse video,